

APPENDIX 2

ASSAY RESULTS

ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 00698

Nullarbor Holdings Ltd

09
Distribution

Tony Fiani

William Withan

William

Client Reference:

Date Received:

22/10/1991

Project :

Number of Samples:

45

Cost Code:

Sample Preparation:

Analysis	Analytical Technique	Precision & Accuracy	Detection Limit	Data Units
Au	FA50	Acc. $\pm$ 15%	0.01	ppm
Au(R)	FA50	Acc. $\pm$ 15%	0.01	ppm
Cu	AAS/D100	Prec. $\pm$ 10%	2	ppm
Pb	AAS/D100	Prec. $\pm$ 10%	5	ppm
Zn	AAS/D100	Prec. $\pm$ 10%	2	ppm
As	AAS/D100	Prec. $\pm$ 10%	100	ppm
Au	BLEG/2Kg	Prec. $\pm$ 15%	0.1	ppb

Authorisation: Ray Wooldridge

Report Dated: 05/11/1991

ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

Page 1 of 2

ASSAY CODE: AC 00698

Sample	Au (ppm)	Au(R) (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Au (ppb)
MT 1	0.01	0.02	181	1.188	358	1392	—
MT 2	0.02		114	719	971	694	—
MT 3	0.05	0.08	33	161	267	276	—
MT 4	<0.01		20	47	8	<100	—
SY 1	<0.01		21	195	171	<100	—
SY 2	<0.01		37	48	36	<100	—
SY 3	<0.01		29	40	14	<100	—
SY 4	<0.01	<0.01	41	67	60	224	—
SY 5	<0.01	<0.01	26	43	32	<100	—
PCR 1	<0.01		16	32	6	<100	—
PCR 2	<0.01		42	44	7	<100	—
PCR 3	<0.01	<0.01	24	53	17	<100	—
PCR 4	<0.01		92	36	47	<100	—
PCR 5	<0.01		81	49	19	<100	—
PCR 6	<0.01	<0.01	41	558	46	<100	—
PCR 7	0.12	0.12	70	146	18	152	—
HV 1			27	39	31		9.0
HV 2	—	—	20	37	33	—	4.7
HV 3	—	—	26	33	16	—	3.8
HV 4	—	—	15	32	31	—	0.9
HV 5	—	—	20	31	14	—	1.0
HV 6	—	—	32	32	18	—	1.8
HV 7	—	—	15	31	25	—	8.3
HV 8	—	—	24	44	21	—	2.9
HV 9	—	—	22	38	27	—	3.7

ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847


Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 00698

Page 2 of 2

Sample	Au (ppm)	Au(R) (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)	Au (ppb)
HV 10	—	—	21	37	24	—	1.4
HV 11	—	—	20	36	20	—	5.2
PC 1	—	—	19	46	16	—	11.2
PC 2	—	—	18	35	11	—	5.7
PC 3	—	—	20	74	28	—	4.0
PC 4	—	—	22	83	43	—	0.9
PC 5	—	—	15	43	18	—	7.2
PC 6	—	—	14	34	9	—	5.3
PC 7	—	—	25	48	37	—	5.3
PC 8	—	—	11	57	19	—	7.2
PC 9	—	—	15	51	32	—	8.4
PC 10	—	—	12	46	16	—	1.9
PC 11	—	—	14	54	10	—	3.5
PC 12	—	—	10	39	10	—	2.5
PC 13	—	—	17	41	13	—	3.2
PC 14	—	—	17	48	18	—	3.9
PC 15	—	—	18	37	22	—	5.1
PC 16	—	—	12	37	11	—	7.2
PC 17	—	—	24	49	18	—	4.2
PC 18	—	—	20	72	29	—	2.7



ASSAYCORP PTY LTD

A.C.N. 052 082 911

1/4 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 02785

World Geoscience

Distribution

William Witham

Client Reference: 22817

Date Received: 01/06/1992

Project :

Number of Samples: 14

Cost Code:

Sample Preparation

Analysis	Analytical Technique	Precision & Accuracy	Detection Limit	Data Units
Au	BLEG/2Kg	Prac. $\pm$ 15%	0.1	ppb
Cu	AAS/MA-3	Prac. $\pm$ 10%	2	ppm
Pb	AAS/MA-3	Prac. $\pm$ 10%	5	ppm
Zn	AAS/MA-3	Prac. $\pm$ 10%	2	ppm

Authorisation: Ray Wooldridge

Report Dated: 01/11/1993

ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 02785

Page 1 of 1

Sample	Au (ppb)	Cu (ppm)	Pb (ppm)	Zn (ppm)
HV 12	4.0	25	16	23
HV 13	1.6	17	10	34
HV 14	2.0	33	7	16
HV 15	0.4	7	12	15
HV 16	0.8	23	8	16
HV 17	1.2	24	13	31
HV 18	0.8	7	7	6
HV 19	2.5	33	37	32
HV 20	0.6	24	35	29
HV 21	1.3	16	8	45
PC 19	0.6	35	38	19
PC 20	7.0	22	19	9
PC 21	1.2	49	38	14
PC 22	1.2	15	9	25

ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 02784

World Geoscience

Distribution

William Witham

Client Reference: 22817

Date Received: 01/06/1992

Project :

Number of Samples: 60

Cost Code:

Sample Preparation

Analysis	Analytical Technique	Precision & Accuracy	Detection Limit	Data Units
Au	FA50	Acc. $\pm$ 15%	0.01	ppm
Au(R)	FA50	Acc. $\pm$ 15%	0.01	ppm
Pd	FA50	Acc. $\pm$ 15%	0.01	ppm
Pt	FA50	Acc. $\pm$ 15%	0.05	ppm
Cu	AAS/MA-3	Prec. $\pm$ 10%	2	ppm
Pb	AAS/MA-3	Prec. $\pm$ 10%	5	ppm
Zn	AAS/MA-3	Prec. $\pm$ 10%	2	ppm
As	AAS/MA-3	Prec. $\pm$ 10%	2	ppm

Authorisation: Ray Wooldridge

Report Dated: 01/11/1993

ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 02784

Page 1 of 3

Sample	Au (ppm)	Au(R) (ppm)	Pd (ppm)	Pt (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
NTR 4	<0.01	<0.01	<0.01	<0.05	36	224	18	88
NTR 5	<0.01		<0.01	<0.05	13	105	10	23
NTR 6	<0.01		<0.01	<0.05	37	34	214	184
NTR 7	<0.01		<0.01	<0.05	41	117	182	550
NTR 8	0.02		<0.01	<0.05	214	84	616	1270
NTR 9	0.04		<0.01	<0.05	108	81	437	630
NTR 10	0.03		<0.01	<0.05	99	14	221	256
NTR 11	0.05		<0.01	<0.05	63	43	189	660
NTR 12	0.03		<0.01	<0.05	32	19	79	1880
NTR 13	<0.01		<0.01	<0.05	78	19	893	1830
PCR 8	<0.01		<0.01	<0.05	94	13	81	88
PCR 9	<0.01		<0.01	<0.05	14	6	21	83
PCR 10	<0.01		<0.01	<0.05	15	7	64	62
PCR 11	0.02		<0.01	<0.05	58	20	16	36
PCR 12	<0.01		<0.01	<0.05	41	9	29	43
PCR 13	<0.01		<0.01	<0.05	29	<5	38	69
PCR 14	<0.01		<0.01	<0.05	34	<5	14	22
PCR 15	<0.01		<0.01	<0.05	24	8	29	96
PCR 16	<0.01		<0.01	<0.05	46	54	24	280
PCR 17	0.03	0.02	<0.01	<0.05	148	26	50	2120
PCR 18	<0.01		<0.01	<0.05	26	10	47	77
PCR 19	<0.01		<0.01	<0.05	46	12	20	108
PCR 20	<0.01		<0.01	<0.05	12	12	21	23
PCR 21	<0.01		<0.01	<0.05	27	11	189	72
PCR 22	<0.01		<0.01	<0.05	36	10	244	108

ASSAYCORP PTY LTD

A.C.N. 052 982 911

1/4 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847


Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 02784

Page 2 of 3

Sample	Au (ppm)	Au(R) (ppm)	Pd (ppm)	Pt (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
PCR 23	0.03		<0.01	<0.05	144	19	136	109
PCR 24	<0.01		<0.01	<0.05	34	8	35	34
PCR 25	0.18		<0.01	<0.05	3600	2130	27	710
PCR 26	<0.01	<0.01	<0.01	<0.05	313	232	21	124
PCR 27	<0.01		<0.01	<0.05	80	145	20	50
PCR 28	<0.01		<0.01	<0.05	129	97	28	33
PCR 29	<0.01		<0.01	<0.05	91	995	98	102
PCR 30	<0.01		<0.01	<0.05	85	78	26	89
PCR 31	<0.01		<0.01	<0.05	62	22	35	93
PCR 32	<0.01		<0.01	<0.05	37	55	76	104
PCR 33	<0.01		<0.01	<0.05	121	1550	37	128
PCR 34	0.03		<0.01	<0.05	37	126	13	39
PCR 35	<0.01		<0.01	<0.05	175	34	173	109
PCR 36	<0.01		<0.01	<0.05	24	54	32	27
PCR 37	<0.01	<0.01	<0.01	<0.05	14	10	21	18
PCR 38	<0.01		<0.01	<0.05	156	6	58	41
PCR 39	0.02		<0.01	<0.05	259	16	102	72
PCR 40	<0.01		<0.01	<0.05	363	5	122	75
PCR 41	<0.01	<0.01	<0.01	<0.05	61	48	20	103
PCR 42	<0.01		<0.01	<0.05	33	202	19	46
PCR 43	<0.01		<0.01	<0.05	37	13	11	21
PCR 44	<0.01		<0.01	<0.05	8	19	27	14
PCR 45	<0.01		<0.01	<0.05	48	365	32	460
PCR 46	<0.01		<0.01	<0.05	96	56	42	3350
PCR 47	<0.01		<0.01	<0.05	29	204	49	37



ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 02784

Page 3 of 3

Sample	Au (ppm)	Au(R) (ppm)	Pd (ppm)	Pt (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	As (ppm)
PCR 48	<0.01		<0.01	<0.05	167	8500	179	320
PCR 49	<0.01		<0.01	<0.05	50	820	18	120
PCR 50	0.03		<0.01	<0.05	97	1690	145	40
PCR 51	<0.01		<0.01	<0.05	69	286	51	56
PCR 52	7.92	9.06	<0.01	<0.05	112	107	39	370
PCR 53	0.07		<0.01	<0.05	57	227	157	290
PCR 54	<0.01		<0.01	<0.05	97	61	49	54
PCR 55	0.02		<0.01	<0.05	33	30	19	29
PCR 56	0.03		<0.01	<0.05	139	53	6	26
PCR 57	0.29		<0.01	<0.05	84	130	11	280