

URANERZ AUSTRALIA PTY. LTD.

KST:JAC

7th December, 1982

FINAL REPORT
ON
EXPLORATION LICENCE NO. 2256
MANTON DAM
NORTHERN TERRITORY

OPEN FILE

Covering the Period
4 December 1980 to 25 November 1982

Compiled
By
R. Conrads-Broicher
K.S. Taylor

PERTH

DECEMBER, 1982
DME LIBRARY
18 DEC 1995
SCANNED

TABLE OF CONTENTS

	<u>Page</u>
SUMMARY	i
TABLE OF CONTENTS	ii
LIST OF FIGURES	iii
LIST OF MAPS	iii
LIST OF APPENDICES	iii
1. INTRODUCTION	1
2. LOCATION	1
3. GEOLOGY	1
4. INVESTIGATION	2
5. 1982 INVESTIGATION AND RESULTS	2
5.1 RAB Drilling	2
5.2 Geochemistry	3
6. STATEMENT OF EXPENDITURE	4
7. TECHNICAL DETAILS	5
7.1 Personnel	5
7.2 Instruments	5
7.3 Vehicles	5
7.4 Contractor	5

LIST OF FIGURES

Figure 1 : 202D30 : Tenements

LIST OF MAPS

Map 1 : 202E14 : Drilling Status

LIST OF APPENDICES

Appendix 1 : RAB Drilling Statistics

Appendix 2 : RAB Bottom Hole Samples - Geochemical Analyses

SUMMARY

EL 2256 is one of a group of tenements worked by UAL in the Batchelor area.

Work carried out during 1982 included the drilling of 209 RAB holes for 3,328 m and the multi-element geochemical analyses of bottom hole samples.

Results were not encouraging and the tenement was surrendered on 25 November, 1982.

1. INTRODUCTION

EL 2256 was applied for on 11 October, 1979 and granted on 4 December, 1980; it covers an area of 32 square miles (82.88 km²).

The tenement is one of a number worked by Uranerz Australia Pty Ltd (UAL) in the Batchelor area. The project office was located at UAL's offices at Winnellie and field operations conducted from a caravan camp. This report covers the two years of operations; the licence was surrendered on 25 November, 1982.

2. LOCATION

EL 2256 is located approximately 28 km north of Batchelor on the DARWIN 1:250,000 sheet SD 52-4 and is centered on latitude 12°52'S, longitude 131°12'E (Fig. 1).

3. GEOLOGY

The tenement lies on the northeastern margin of the Rum Jungle and Waterhouse basement complexes. These are overlain by clastic and dolomitic units of the Batchelor Group, shales and calcareous shales of the Namoon Group, shales, siltstones and quartzites of the South Alligator Group, and the flyschoid Burrell Creek Formation. The main mineralized zone is near the contact between the Batchelor and Namoon Groups. The geosyncline is bordered by marine and terrestrial sediments and volcanics of the Phanerozoic age.

Veinlike-type uranium deposits of the Rum Jungle/Alligator River-type associated with the Coomalie/Masson contact are the exploration targets.

12°45'

N

ELA 1901

EL 2256

13°00'

ELA 2133

ELA 2713

ELA 3463

ELA 3462

Rum Jungle Ck. S.

ELA 2748

Batchelor

EL 1618

EL 2991

ELA 2207

Stuart Highway

13°15'



Tenements under appl. by UAL



Tenements held by UAL

131°14'



1: 250 000

131°00'

URANERZ AUSTRALIA PTY. LTD.

PROJ PINE CREEK 2
TENEMENTS

DATE Nov 80

MAP FIG 1

PLAN 202D30

REPORT AR 106

4. PREVIOUS INVESTIGATIONS

Previous 1981 work carried out during the first year included gridding, radiometry, geological mapping and the drilling of 217 shallow rotary airblast holes for a total of 4819 m (1981 annual report).

5. 1982 INVESTIGATION AND RESULTS

During the 1982 field season the exploration target was to follow up base metal anomalism discovered in 1981.

Techniques employed included rotary airblast bedrock drilling and geochemistry.

In the Acacia Grid area results for uranium and, with one exception, for basemetals, were negative. No other lithologies than those already known were intersected and the drilling confirmed the lithological boundaries outlined by previous UAL drilling and mapping.

In the Western Grid area drilling failed to detect any extension of surficial basemetal anomalism at depth and was unsuccessful in providing more detailed bedrock information due to thick sand cover (up to 40 m).

As a result of the discouraging results a recommendation was made to surrender the tenement.

5.1 RAB Drilling

A Mole Pioneer truck mounted rig was used by Stanley Drilling of Perth to drill 209 shallow rotary airblast holes totalling 3,328 m (15.9 m av.). A hammer bit was used in areas of hard drilling. (Appendix 1) (Map 1).

5.2 Geochemistry

Bottom hole samples were sent to SGS laboratories, Perth for multi-element analyses. (Appendix 2)

6. STATEMENT OF EXPENDITURE6.1 EL 2256

Covering the Period

4 December 1981 to 25 November 1982

Salaries and Wages -----28,714

Drilling Contractor -----19,804

Field operating costs including
consumables, rents, vehicle
operating and repairs, airfares,
freight, etc. -----17,481Depreciation of vehicles and
geophysical instruments,
consultants fees, management
and distribution of Head Office
costs ----- 8,580

\$74,579

=====

7. TECHNICAL DETAILS

7.1 Personnel

Chief Geologist -----J. Borshoff
Regional Geologist -----H. Page1
Project Geologist -----R. Conrads-Broicher
Logger Operator -----H. Ebell

7.2 Instruments

1 SRAT SPP.2 scintillometer
1 Mt. Sopris 1,500 Downhole Logger

7.3 Vehicles

2 Toyota FWD traytop
1 Caravan

7.4 Contractor

Stanley Drilling, Perth -----RAB Drilling

APPENDIX 1

RAB DRILLING STATISTICS

[illegible]

3

HOLE N°	CO-ORDS	DATE DRILLED	DRILLHOLE STATUS						GEOCHEMISTRY										DOWNHOLE RADIOMETRICS				COMMENTS
			Type	Depth m	Depth ft	Bedrock	Weather Material	Surface at G	XRF (ppm)					AAS (ppm)					B.G. c/s	Surt. Anom x B.G. Depth	Hydr. Anom x B.G. Depth	Bed Anom x B.G. Depth	
									U ₃ O ₈														
7242	1062N 1002E	16-9-82	RAAB	22		dior. schist.	silt	40											30				
7243	1001E	"	"	30		"	silt	40															
7244	1000E	"	"	9		dior. schist.	sand silt	25											10				
7245	999E	"	"	13		"	"	25											10				
7246	1060N 999E	"	"	9		"	"	25											10				
7247	1001E	"	"	9		dior. schist.	clay	40											2x 1				
7248	1003E	"	"	12		dior. schist.	clay	40															
7249	1005E	"	"	6		"	"	40															
7250	1058N 1005E	"	"	12		dior. schist.	"	25											3x 1				
7251	1004E	"	"	11		dior. schist.	silt	35															
7252	1003E	"	"	8		TNE	silt sand	40															
7253	1002E	"	"	15		dior. schist.	clay	40											2x 1				
7254	1000E	"	"																				
7255	1000E	"	"	12		dior. schist.	silt	50											3x 1				
7256	999E	"	"	9		"	"	40											3x 1				
7257	1056N 999E	"	"	10		dior. schist.	silt	30											10				

[illegible]

[illegible]

HOLE N°	CO-ORDS	DATE DRILLED	DRILLHOLE STATUS						GEOCHEMISTRY												DOWNHOLE RADIOMETRICS			COMMENTS	
			Type	Depth	Log Depth	Bedrock	Weather Material	Surface at G.C.	XRF (ppm)						AAS (ppm)						B.G. c/s	Surt. Anom.	Hydr. Anom.		Bed Anom.
									U ₃ O ₈																x B.G. Depth
7330	1070.5N 964E	21-9-82	RAB	21		TNR	silt	40																	
7331	1070.5N 963.5E	21-9-82	"	14		TNR	silt	40																	
7332	963E	"	"	12		TNR	silt	40																	
7333	962.5E	22-9-81	"	14		TNR	sand	50																	
7334	962	"	"	32		carbon dolom. silt	sand clay	60															opposite!		
7335	1070.1N 962E	"	"	24		carbon dolom.	sand	60																	
7336	1070.5N 961.5E	"	"	8		QEZ	silt	50															vein?		
7337	961E	"	"	7		?	carbon. frag.	50																	
7338	1069.9N 962.3E	"	"	26		TNR	sand	50																	
7339	2 4	"	"	30		TNR	clay sand	50																	
7340	8 3	"	"	31		TNR	sand	50																	
7341	2 0	"	"	21		TNR	clay sand	50																	
7348	1048N 997.5E	23-9-82	"	12		clay silt	clay silt	50																	
7349	998.5E	"	"	18		clay silt	silt	40																	
7350	999.5E	"	"	16		clay silt	silt	40																	
7351	1000.5E	27-9-82	"	6		clay silt	silt	40																	

[illegible]

[illegible]

APPENDIX 2

RAB BOTTOM HOLE SAMPLES - GEOCHEMICAL ANALYSES



Uranerz Australia P.L.

SAMPLE RECORD

DATE: 30-9-82 PAGE 1 OF 9

ORIGINATOR: CONDADS - BROICHER

LABORATORY: SGS

ORDER NO: 20673

PROJ NO: 8202 AREA: 2256

	SAMPLE NUMBER	TYPE	MAP TENEMENT	DRILL HOLE NO	CO-ORD/LOCATION	GRID	SAMPLE INTERVAL	DESCRIPTION	SRAT SITU	T S	BOO REF
1	202 A 1101	3 3 4	EL 2256	7210	N E 1068 - 997		20 m	BED ROCK			
2	- 1102			7211	1068 - 998		18				
3	- 1103			7212	1068 - 999		18				
4	- 1104			7213	1068 - 1000		18				
5	- 1105			7214	1068 - 1001		17				
6	- 1106			7215	1068 - 1002		40				
7	- 1107			7216	1068 - 1003		23				
8	- 1108			7217	1068 - 1007		21				
9	- 1109			7218	1068 - 1006		26				
0	- 1110			7219	1066 - 1007		21				
1	- 1112			7220	1066 - 1006		19				
2	- 1113			7221	1066 - 1005		39				
3	- 1114			7222	1066 - 1004		30				
4	- 1115			7223	1066 - 1003		31				
5	- 1116			7224	1066 - 1002		15				
6	- 1117			7225	1066 - 1001		17				
7	- 1118			7226	1066 - 1000		22				
8	- 1119			7227	1066 - 999		15				
9	- 1120			7228	1066 - 998		26				
0	- 1121			7229	1066 - 997		30				
1	- 1122			7230	1064 - 998.5		21				
2	- 1123			7231	1064 - 999		17				
3	- 1124			7232	1064 - 1000		13				
4	- 1125			7233	1064 - 1001		9				
5	- 1126			7234	1064 - 1002		23				

Green to Head Office
Pink to Field Office



SAMPLE RESULTS

LABORATORY SGS AUSTRALIA PTY LTD.

ORDER NO: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

SAMPLE NUMBER	U ₃₀₈	Th	Y	Sr	Rb	Pb	Bi	
1 202A1101	9	17	15	13	130	50	<10	
2 1102	10	19	18	19	130	40	<10	
3 1103	11	20	15	18	140	25	<10	
4 1104	10	19	18	17	140	20	<10	
5 1105	8	9	20	40	80	12	<10	
6 1106	14	20	35	7	95	35	<10	
7 1107	17	20	30	45	130	35	<10	
8 1108	10	17	25	25	100	30	<10	
9 1109	7	11	25	55	85	25	<10	
10 1110	12	19	20	19	150	25	<10	
11 1112	3	10	18	55	70	11	<10	
12 1113	8	13	18	20	70	30	<10	
13 1114	12	13	25	60	80	25	<10	
14 1115	12	17	40	35	90	45	<10	
15 1116	12	12	16	15	160	45	<10	
16 1117	<3	14	19	25	130	25	<10	
17 1118	11	17	18	15	120	25	<10	
18 1119	7	20	18	50	35	16	<10	
19 1120	6	8	25	50	25	25	<10	
20 1121	8	19	19	40	75	9	<10	
21 1122	8	<3	15	220	25	25	<10	
22 1123	<3	<3	13	190	12	20	<10	
23 1124	10	5	7	17	8	16	<10	
24 1125	4	6	8	15	6	10	<10	
25 1126	15	14	25	30	140	30	<10	
METHOD	XRF	XRF	XRF	XRF	XRF	XRF	XRF	

Green and Pink to Head Office

PPM

PPM

PPM

PPM

PPM

PPM

PPM

LABS AUTHORIZING OFFICER

Blue to Field Office



SAMPLE RESULTS

LABORATORY: SGS AUSTRALIA PTY LTD.,

ORDER NO: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

SAMPLE NUMBER	Cu	Pb	Zn	Ni	Co			
1 202A1101	118	35	117	63	18			
2 1102	43	19	101	68	26			
3 1103	55	19	75	66	18			
4 1104	60	9	81	64	18			
5 1105	43	8	72	57	15			
6 1106	50	19	112	71	15			
7 1107	48	22	80	54	33			
8 1108	88	18	114	60	17			
9 1109	81	18	122	62	12			
10 1110	45	8	64	71	23			
11 1112	27	8	47	47	11			
12 1113	36	20	36	45	16			
13 1114	38	24	71	68	33			
14 1115	58	31	110	80	30			
15 1116	122	42	94	61	19			
16 1117	32	23	80	62	20			
17 1118	37	15	74	55	18			
18 1119	18	7	57	69	24			
19 1120	125	7	94	48	32			
20 1121	48	7	75	62	20			
21 1122	47	6	85	62	28			
22 1123	38	14	72	51	33			
23 1124	14	<5	41	23	7			
24 1125	45	5	51	25	7			
25 1126	61	20	99	74	24			
METHOD	AAS	AAS	AAS	AAS	AAS			

Green and Pink to Head Office

Blue to Field Office

PPM

PPM

PPM

PPM

PPM

LABS AUTHORIZING OFFICER

Handwritten signature/initials

SAMPLE RECORD

DATE: 30-9-82 PAGE 2 OF 9
 ORIGINATOR: CONRAD - BRIDGED
 LABORATORY: SGS
 ORDER NO: 20673
 PROJ NO: 8202 AREA: 2256

	SAMPLE NUMBER	TYPE	MAP TENEMENT	DRILL HOLE NO	CO-ORD/LOCATION	GRID	SAMPLE INTERVAL	DESCRIPTION	SRAT SITU	T S	BOO REF
1	202A1127	334	2256	7235	N E 1064-1003		19 m	Bedrock			
2	- 1128			7236	1064-1004		12				
3	- 1129			7237	1064-1005		9				
4	- 1130			7238	1062-10055		9				
5	- 1131			7239	1062-1005		16				
6	- 1132			7240	1062-1004		23				
7	- 1133			7241	1062-1003		?				
8	- 1134			7242	1062-1002		22				
9	- 1135			7243	1062-1001		30				
10	- 1136			7244	1062-1000		9				
11	- 1137			7245	1062-999		13				
12	- 1138			7246	1060-999		9				
13	- 1139			7247	1060-1001		9				
14	- 1140			7248	1060-1003		12				
15	- 1141			7249	1060-1005		6				
16	- 1143			7250	1058-1005		12				
17	- 1144			7251	1058-1004		11				
18	- 1145			7252	1058-1003		8				
19	- 1146			7253	1058-1002		15				
20	- 1147			7255	1058-1000		12				
21	- 1148			7256	1058-999		9				
22	- 1149			7257	1056-999		10				
23	- 1150			7258	1056-1000		13				
24	- 1151			7259	1056-1001		6				
25	- 1152			7260	1056-1002		6				



LABORATORY: SGS AUSTRALIA PTY LTD.,

ORDER No: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

SAMPLE RESULTS

SAMPLE NUMBER	U ₃₀₈	Th	Y	Sr	Rb	Pb	Bi	
1 202A1127	7	18	20	25	180	6	<10	
2 1128	7	20	17	14	110	25	<10	
3 1129	4	7	18	60	25	11	<10	
4 1130	6	8	15	320	40	20	<10	1
5 1131	14	14	25	45	120	19	<10	
6 1132	7	25	17	25	150	25	<10	
7 1133	7	19	16	18	130	30	<10	
8 1134	6	15	16	25	150	25	<10	
9 1135	5	18	19	12	120	30	<10	
10 1136	3	9	13	150	19	30	<10	
11 1137	<3	<3	13	250	19	11	<10	
12 1138	<3	7	9	220	16	14	<10	
13 1139	9	13	14	40	45	25	<10	1
14 1140	6	14	13	19	140	14	<10	
15 1141	6	17	17	14	50	20	<10	
16 1143	<3	<3	7	75	6	25	<10	
17 1144	<3	3	11	70	15	14	<10	
18 1145	<3	4	19	90	11	25	<10	
19 1146	3	3	15	170	20	180	<10	
20 1147	6	3	11	160	30	19	<10	
21 1148	7	11	18	180	17	25	10	
22 1149	<3	<3	5	55	11	4	<10	1
23 1150	3	9	25	70	70	25	<10	
24 1151	6	8	18	400	9	20	<10	
25 202A1152	6	7	10	35	7	17	<10	
METHOD	XRF	XRF	XRF	XRF	XRF	XRF	XRF	

Green and Pink to Head Office
Blue to Field Office

PPM

PPM

PPM

PPM

PPM

PPM

PPM

LABS AUTHORIZING OFFICER

R.A. ...



SAMPLE RESULTS

LABORATORY: SGS AUSTRALIA PTY LTD.

ORDER NO: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

SAMPLE NUMBER	Cu	Pb	Zn	Ni	Co			
202A1127	23	<5	28	34	9			
1128	64	10	104	73	25			
1129	23	14	26	32	7			
1130	23	15	24	34	10			
1131	43	15	65	56	15			
1132	60	21	92	71	22			
1133	55	21	87	56	22			
1134	46	19	84	64	23			
1135	37	18	112	69	23			
1136	43	11	49	38	34			
1137	54	<5	87	51	33			
1138	36	<5	66	75	44			
1139	36	13	67	59	20			
1140	39	7	94	58	16			
1141	13	9	16	32	23			
1143	16	8	106	74	34			
1144	18	<5	103	69	51			
1145	170	<5	90	62	43			
1146	70	141	4810	34	40			
1147	46	5	69	71	40			
1148	27	6	80	35	31			
1149	15	<5	63	71	34			
1150	83	9	136	42	41			
1151	47	9	65	56	36			
1152	27	6	89	96	41			
METHOD	AAS	AAS	AAS	AAS	AAS			

Green and Pink to Head Office
Blue to Field Office

PPM

PPM

PPM

PPM

PPM

LABS AUTHORIZING OFFICER



Uranerz Australia P.L.

SAMPLE RECORD

DATE: 30-9-82 PAGE 3 OF 9
ORIGINATOR: CONQADS - BRANCHER
LABORATORY: SGS
ORDER NO: 20673
PROJ NO: 8202 AREA: 2256

	SAMPLE NUMBER	TYPE	MAP TENEMENT	DRILL HOLE NO	CO-ORD/LOCATION N E	GRID	SAMPLE INTERVAL	DESCRIPTION	SRAT SITU	T S	BOO REF
1	202A 1153	3 3 4	2256	7261	1056 - 1003		9 m	BED ROCK			
2	- 1154			7262	1056 - 1004		15				
3	- 1155			7263	1056 - 1005		9				
4	- 1156			7264	1056 - 1006		22				
5	- 1157			7265	1056 - 1007		5				
6	- 1158			7266	1054 - 1007		16				
7	- 1159			7267	1054 - 1006		7				
8	- 1160			7268	1054 - 1005		5				
9	- 1161			7269	1054 - 1004		15				
0	- 1162			7270	1054 - 1003		13				
1	- 1163			7271	1054 - 1002		14				
2	- 1164			7272	1054 - 1001		10				
3	- 1165			7273	1054 - 1000		9				
4	- 1166			7274	1054 - 999		16				
5	- 1167			7275	1054 - 998		9				
6	- 1168			7276	1054 - 997		14				
7	- 1169			7277	1052 - 997		15				
8	- 1170			7278	1052 - 998		14				
9	- 1171			7279	1052 - 998		19				
0	- 1172			7280	1052 - 1000		15				
1	- 1173			7281	1052 - 1001		10				
2	- 1174			7282	1052 - 1002		13				
3	- 1175			7283	1052 - 1003		42				
4	- 1176			7284	1052 - 1004		13				
5	- 1177			7287	1050 - 1004		12				

Green to Head Office
Pink to Field Office



SAMPLE RESULTS

LABORATORY: SGS AUSTRALIA PTY LTD.

ORDER NO: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

	SAMPLE NUMBER	U ₃₀₈	Th	Y	Sr	Rb	Pb	Bi	
1	202A1153	<3	<3	11	210	17	16	<10	
	1154	<3	7	6	35	20	12	<10	
3	1155	6	3	35	65	10	20	<10	
	1156	5	8	13	20	13	30	<10	HH
5	1157	<3	<3	11	160	14	19	<10	
6	1158	<3	8	10	170	14	19	<10	
	1159	6	8	11	55	10	17	<10	
8	1160	4	15	10	55	9	25	<10	
	1161	9	14	13	25	140	25	<10	
10	1162	<3	6	20	190	35	25	<10	
11	1163	<3	3	25	65	6	20	<10	
	1164	5	7	7	150	12	13	<10	
13	1165	<3	5	11	30	3	6	<10	11
	1166	<3	12	10	17	130	20	<10	
15	1167	<3	<3	11	170	25	14	<10	
16	1168	6	16	15	25	130	40	<10	
	1169	3	14	15	30	90	19	<10	
18	1170	4	5	40	20	140	17	<10	
	1171	7	9	15	13	100	20	<10	
20	1172	11	11	20	30	<3	25	<10	
	1173	7	10	25	80	7	20	<10	
	1174	5	16	15	19	140	11	<10	1
23	1175	14	13	15	17	70	40	<10	
	1176	8	10	19	30	130	40	<10	
25	202A1177	6	12	35	25	45	30	<10	
	METHOD	XRF	XRF	XRF	XRF	XRF	XRF	XRF	

Green and Pink to Head Office
Blue to Field Office

PPM

PPM

PPM

PPM

PPM

PPM

PPM

LABS AUTHORIZING OFFICER

fcs



SAMPLE RESULTS

LABORATORY: SGS AUSTRALIA PTY LTD.

ORDER NO: 20673

DATE ASSAYED: 29 10.82

LAB REF: LP5424

SAMPLE NUMBER	Cu	Pb	Zn	Ni	Co			
1 202A1153	44	6	64	64	32			
2 1154	14	<5	59	62	11			
3 1155	225	8	58	63	41			
4 1156	62	18	59	38	16			
5 1157	28	18	37	41	18			
6 1158	53	8	77	77	36			
7 1159	27	8	88	61	20			
8 1160	28	6	87	63	19			
9 1161	47	13	52	66	22			
10 1162	125	7	84	46	29			
11 1163	126	6	102	38	20			
12 1164	18	12	23	36	10			
13 1165	8	<5	92	75	30			
14 1166	27	13	45	48	14			
15 1167	47	6	71	65	40			
16 1168	37	25	37	42	13			
17 1169	95	9	28	54	19			
18 1170	70	5	13	34	36			
19 1171	39	9	13	35	28			
20 1172	85	8	146	64	37			
21 1173	135	6	106	55	37			
22 1174	108	7	90	58	17			
23 1175	46	27	84	64	21			
24 1176	17	38	40	38	17			
25 202A1177	116	7	108	66	50			
METHOD	AAS	AAS	AAS	AAS	AAS			

Green and Pink to Head Office

Blue to Field Office

PPM

PPM

PPM

PPM

PPM

LABS AUTHORIZING OFFICER

FLS



Uranerz Australia P.L.

SAMPLE RECORD

DATE: 30-9-82 PAGE 4 OF 9

ORIGINATOR: CONRADS - BROUGHTON

LABORATORY: SGS

ORDER NO: 20673

PROJ NO: 8202 AREA: 2256

	SAMPLE NUMBER	TYPE	MAP TENEMENT	DRILL HOLE NO	CO-ORD/LOCATION N E	GRID	SAMPLE INTERVAL	DESCRIPTION	SRAT SITU	T S	BOC REF
1	202A 1178	334	2256	7288	1050 - 1003		14	BED ROCK			
2	- 1179			7288(B)	1050 - 1001		12				
3	- 1180			7289	1050 - 999		12				
4	- 1181			7290	1050 - 997		15				
5	- 1182			7291	1048 - 997		10				
6	- 1183			7292	1048 - 998		11				
7	- 1184			7293	1048 - 999		12				
8	- 1185			7294	1048 - 1000		16				
9	- 1186			7295	1048 - 1001		15				
10	- 1187			7296	1048 - 1002		15				
11	- 1188			7297	1048 - 1003		16				
12	- 1190			7299	1048 - 1004		15				
13	- 1191			7300	1048 - 1005		25				
14	- 1192			7301	1048 - 1006		12				
15	- 1194			7254	1058 - 1001		9				
16	- 1195			7325	1075.5 - 966.25		44	SAND			
17	- 1196			7326	1075.5 - 966		57				
18	- 1197			7327	1075.5 - 965.5		12				
19	- 1198			7328	1075.5 - 965		23				
20	- 1199			7329	1075.5 - 964.5		21				
21	- 1200			7330	1075.5 - 964		21				
22	- 1201			7331	1070.5 - 963.5		14				
23	- 1202			7332	1070.5 - 963		12				
24	- 1203			7333	1070.5 - 962.5		14				
25	- 1204			7334	1070.5 - 962		32				

Green to Head Office
Pink to Field Office



SAMPLE RESULTS

LABORATORY: SGS AUSTRALIA PTY LTD.,

ORDER NO: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

	SAMPLE NUMBER	U ₃ O ₈	Th	Y	Sr	Rb	Pb	Bi	
1	202A1178	<3	8	17	9	75	25	<10	
2	1179	5	15	14	45	100	20	<10	
3	1180	5	8	12	14	5	13	<10	
4	1181	7	19	16	45	65	18	<10	
5	1182	<3	12	30	55	30	18	<10	
6	1183	<3	<3	14	170	30	12	<10	
7	1184	9	19	19	100	55	20	<10	
8	1185	8	15	19	25	140	19	<10	
9	1186	5	<3	20	40	20	50	<10	
10	1187	3	12	15	75	40	30	<10	
11	1188	5	13	20	40	90	30	<10	
12	1190	8	15	17	20	90	19	<10	
13	1191	6	17	17	40	140	30	<10	
14	1192	3	5	19	50	6	20	<10	
15	1194	<3	5	20	45	3	11	<10	
16	1195	6	9	8	15	25	320	<10	
17	1196	6	4	5	5	16	180	<10	
18	1197								
19	1198	8	20	9	8	11	70	<10	
20	1199	4	8	11	20	40	50	<10	
21	1200	7	15	8	30	80	160	<10	
22	1201	4	8	14	45	20	35	<10	
23	1202	5	8	16	<3	55	25	<10	
24	1203	<3	5	15	25	30	0.22%	<10	
25	202A1204	4	19	25	150	100	120	<10	
	METHOD	XRF	XRF	XRF	XRF	XRF	XRF	XRF	

Green and Pink to Head Office
Blue to Field Office

PPM

PPM

PPM

PPM

PPM

PPM

PPM

LABS AUTHORIZING OFFICER

R.B. e.



LABORATORY:SGS AUSTRALIA PTY LTD.

ORDER NO: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

SAMPLE RESULTS

SAMPLE NUMBER	Cu	Pb	Zn	Ni	Co			
1 202A1178	40	13	165	69	27			
2 1179	33	10	67	58	28			
3 1180	13	<5	102	51	27			
4 1181	41	8	74	61	21			
5 1182	73	6	150	47	45			
6 1183	78	5	64	54	31			
7 1184	88	12	58	72	19			
8 1185	56	13	74	62	21			
9 1186	133	31	86	55	29			
10 1187	26	21	28	44	15			
11 1188	33	18	84	68	23			
12 1190	34	6	12	24	7			
13 1191	46	14	23	31	12			
14 1192	127	5	145	56	85			
15 1194	121	6	143	56	83			
16 1195	15	270	58	15	6			
17 1196	39	145	103	34	14			
18 1197								
19 1198	<2	53	14	10	5			
20 1199	7	26	24	10	6			
21 1200	10	109	79	24	22			
22 1201	30	18	11	12	2			
23 1202	7	13	285	63	31			
24 1203	15	1980	3220	75	23			
202A1204	41	31	114	53	135			
METHOD	AAS	AAS	AAS	AAS	AAS			

Green and Yellow to Head Office

Pink to Field Office

PPM

PPM

PPM

PPM

PPM

LABS AUTHORIZING OFFICER

Handwritten signature



Uranerz Australia P.L.

SAMPLE RECORD

DATE: 30-9-82 PAGE 5 OF 9

ORIGINATOR: CONRAD'S - B201422

LABORATORY: SGS

ORDER NO: 20673

PROJ NO: 8202 AREA: 2256

	SAMPLE NUMBER	TYPE	MAP TENEMENT	DRILL HOLE NO	CO-ORD/LOCATION	GRID	SAMPLE INTERVAL	DESCRIPTION	SRAT SITU	T S	BOO REF
1	202A 1205	334	2256	7334	1070.5 - 962		31 17	BEDROCK OR SAND			
2	- 1206			"	"		30				
3	- 1207			"	"		29				
4	- 1208			"	"		28				
5	- 1209			7335	1070.1 - 962		24				
6	- 1210			7336	1070.5 - 261.5		8				
7	- 1211			7337	1070.5 - 261		7				
8	- 1212			7338	1069.9 - 962.3		26				
9	- 1213			7339	-		30				
10	+ 1214			7340	-		31				
11	- 1215			7341	-		21				
12	- 1216			7348	1048 - 997.5		12				
13	- 1217			7349	- 998.5		18				
14	- 1218			7350	- 999.5		16				
15	- 1219			7351	- 1000.5		6				
16	- 1220			7352	- 1001.5		7				
17	- 1221			7353	- 1002.5		15				
18	- 1222			7354	- 1003.5		8				
19	- 1223			7355	- 1004.5		11				
20	- 1224			7356	1050 - 1004.5		13				
21	- 1225			7357	- 1003.5		8				
22	- 1226			7358	- 1002.5		20				
23	- 1227			7359	- 1001.5		27				
24	- 1228			7360	- 1000.5		14				
25	- 1229			7361	- 999.5		16				

Green to Head Office
Pink to Field Office



SAMPLE RESULTS

LABORATORY: SGS AUSTRALIA PTY LTD.,

ORDER NO: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

	SAMPLE NUMBER	U ₃₀₈	Th	Y	Sr	Rb	Pb	Bi	
1	202A1205	16	25	25	110	120	100	<10	
2	1206	8	20	20	95	120	75	<10	
3	1207	7	25	20	90	120	75	<10	
4	1208	8	18	15	65	110	50	<10	
5	1209	3	10	4	14	50	10	<10	
6	1210	8	18	10	25	90	25	<10	
7	1211	10	19	13	14	60	25	<10	
8	1212	5	17	10	18	40	12	<10	
9	1213	10	10	8	8	25	60	<10	
10	1214	3	10	6	<3	30	85	<10	
11	1215	5	10	11	5	25	60	<10	
12	1216	4	<3	11	160	40	12	<10	
13	1217	<3	<3	14	220	20	14	<10	
14	1218	<3	13	14	17	110	20	<10	
15	1219	6	16	25	11	16	20	<10	
16	1220	<3	10	30	100	60	25	<10	
17	1221	4	11	55	130	50	6	<10	
18	1222	<3	9	30	130	18	60	<10	
19	1223	8	9	35	20	5	60	<10	
20	1224	<3	11	14	12	3	16	<10	
21	1225	7	19	16	25	150	25	<10	
22	1226	5	14	18	14	110	35	<10	
23	1227	<3	5	19	15	30	310	<10	
24	1228	<3	14	9	20	60	6	<10	
25	202A1229	4	7	25	100	45	17	<10	
	METHOD	XRF	XRF	XRF	XRF	XRF	XRF	XRF	

Green and Pink to Head Office

PPM

PPM

PPM

PPM

PPM

PPM

PPM

Blue to Field Office

LABS AUTHORIZING OFFICER

PL 3



SAMPLE RESULTS

LABORATORY: SGS AUSTRALIA PTY LTD.

ORDER NO: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

SAMPLE NUMBER	Cu	Pb	Zn	Ni	Co			
1 202A1205	14	29	75	44	72			
2 1206	12	25	64	38	55			
3 1207	11	24	72	40	65			
4 1208	10	18	57	31	31			
5 1209	7	7	17	24	17			
6 1210	13	11	21	32	7			
7 1211	7	10	33	29	9			
8 1212	13	9	62	41	20			
9 1213	11	44	64	51	29			
10 1214	14	70	295	59	29			
11 1215	12	50	740	38	13			
12 1216	58	<5	63	62	33			
13 1217	36	<5	69	43	33			
14 1218	40	19	82	61	23			
15 1219	41	23	56	37	21			
16 1220	41	17	17	51	24			
17 1221	17	16	35	47	12			
18 1222	116	35	115	57	44			
19 1223	280	50	225	48	51			
20 1224	21	9	81	49	17			
21 1225	63	12	54	67	27			
22 1226	65	24	117	66	24			
23 1227	88	280	210	54	35			
24 1228	14	10	81	65	22			
25 202A1229	120	6	113	57	45			
METHOD	AAS	AAS	AAS	AAS	AAS			

Green and Yellow to Head Office
Pink to Field Office

PPM

PPM

PPM

PPM

PPM

LABS AUTHORIZING OFFICER



Uranerz Australia P.L.

SAMPLE RECORD

DATE: 30-9-82 PAGE 6 OF 9

ORIGINATOR: CONRAD'S-BROUGHTON

LABORATORY: SGS

ORDER NO: 20673

PROJ NO: 8202 AREA: 2256

	SAMPLE NUMBER	TYPE	MAP TENEMENT	DRILL HOLE NO	CO-ORD/LOCATION	GRID	SAMPLE INTERVAL	DESCRIPTION	SRAT SITU	T S	BOO REF
1	202A 1230	3 3 4	2256	7362	1050 - 997.5		15	BEDROCK			
2	- 1231			7363	- 997.5		13				
3	- 1232			7364	1052 - 997.5		8				
4	- 1233			7365	- 998.5		13				
5	- 1234			7366	- 999.5		10				
6	- 1235			7367	- 1005.5		12				
7	- 1236			7368	- 1001.5		8				
8	- 1237			7369	- 1004.5		14				
9	- 1238			7370	- 1003.5		7				
10	- 1239			7371	- 1004.5		14				
11	- 1240			7372	1054 - 1004.5		8				
2	- 1241			7373	1054 - 1003.5		8				
3	- 1242			7374	1054 - 1002.5		13				
4	- 1243			7375	- 1001.5		16				
5	- 1244			7376	- 1000.5		3				
6	- 1245			7377	- 999.5		7				
7	- 1246			7378	- 998.5		8				
8	- 1247			7379	- 997.5		9				
9	- 1248			7380	1056 - 997.5		8				
0	- 1249			7381	- 998.5		9				
1	- 1250			7382	- 999.5		6				
2	- 1251			7383	- 1000.5		7				
3	- 1252			7384	- 1001.5		9				
4	- 1253			7385	- 1002.5		8				
5	- 1254			7386	- 1003.5		7				

Green to Head Office
Pink to Field Office



SAMPLE RESULTS

LABORATORY: SGS AUSTRALIA PTY LTD.

ORDER NO: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

SAMPLE NUMBER	U ₃₀₈	Th	Y	Sr	Rb	Pb	Bi	
202A1230	<3	7	25	50	16	14	<10	
1231	10	8	12	230	35	15	<10	
1232	<3	<3	10	65	25	9	<10	
1233	5	<3	19	20	12	20	<10	
1234	<3	7	30	55	15	19	<10	
1235	5	8	25	20	6	9	<10	
1236	6	8	25	70	19	12	<10	
1237	9	12	25	25	110	40	<10	
1238	9	17	18	35	110	25	<10	
1239	<3	3	14	40	<3	14	<10	
1240	6	12	40	170	35	17	<10	
1241	9	17	14	20	65	25	<10	
1242	6	12	20	20	30	17	<10	
1243	7	16	16	40	70	40	<10	
1244	10	12	12	9	25	40	<10	
1245	<3	7	25	210	17	18	<10	
1246	4	7	25	80	14	20	<10	
1247	<3	<3	10	280	19	25	<10	
1248	<3	3	11	260	25	10	<10	
1249	<3	4	11	110	7	16	<10	
1250	9	15	20	60	10	25	<10	
1251	5	14	12	35	11	16	<10	
1252	3	3	11	170	18	9	<10	
1253	4	5	13	210	7	9	<10	
202A1254	5	9	18	200	30	30	<10	
METHOD	XRF	XRF	XRF	XRF	XRF	XRF	XRF	

Green and Pink to Head Office

Blue to Field Office

PPM

PPM

PPM

PPM

PPM

PPM

PPM

LABS AUTHORIZING OFFICER

14.11.82



SAMPLE RESULTS

LABORATORY: SGS AUSTRALIA PTY LTD.,

ORDER NO: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

SAMPLE NUMBER	Cu	Pb	Zn	Ni	Co			
1 202A1230	95	6	98	53	40			
2 1231	41	5	56	57	33			
3 1232	40	5	51	73	46			
4 1233	10	7	128	87	46			
5 1234	145	10	138	44	39			
6 1235	96	5	102	64	40			
7 1236	108	13	112	57	44			
8 1237	9	21	73	34	12			
9 1238	30	10	61	54	25			
10 1239	94	6	77	84	36			
11 1240	99	7	63	70	53			
12 1241	42	18	50	48	19			
13 1242	32	8	19	30	14			
14 1243	42	24	100	45	20			
15 1244	54	36	21	40	29			
16 1245	93	<5	78	45	36			
17 1246	220	15	115	55	46			
18 1247	41	6	55	49	26			
19 1248	35	<5	46	50	31			
20 1249	33	<5	73	80	48			
21 1250	72	10	46	64	28			
22 1251	32	7	36	43	19			
23 1252	43	<5	80	58	41			
24 1253	29	5	84	62	33			
25 202A1254	42	27	60	43	31			
METHOD	AAS	AAS	AAS	AAS	AAS			

Green and Yellow to Head Office
Pink to Field Office

PPM

PPM

PPM

PPM

PPM

LABS AUTHORIZING OFFICER

H B ———



Uranerz Australia P.L.

SAMPLE RECORD

DATE: 30-7-82 PAGE 7 OF 9

ORIGINATOR: CONRAD-S-BROCHER

LABORATORY: SGS

ORDER NO: _____

PROJ NO: 8202 AREA: 2256

	SAMPLE NUMBER	TYPE	MAP TENEMENT	DRILL HOLE NO	CO-ORD/LOCATION	GRID	SAMPLE INTERVAL	DESCRIPTION	SRAT SITU	T S	BOC REF
1	202A 1255	3 3 4	2256	7387	1056 - 1004.5		18m	BEDROCK			
2	- 1256			7388	1058 - 1004.5		13				
3	- 1257			7389	1058 - 1003.5		5				
4	- 1258			7390	- 1002.5		12				
5	- 1259			7391	- 1001.5		15				
6	- 1260			7392	- 1000.5		4				
7	- 1261			7393	- 999.5		14				
8	- 1262			7394	- 998.5		13				
9	- 1263			7395	- 997.5		7				
10	- 1264			7396	1060 - 997.5		15				
11	- 1265			7397	- 998.5		24				
12	- 1266			7398	- 999.5		12				
13	- 1267			7399	- 1000.5		20				
14	- 1268			7400	- 1001.5		18				
15	- 1269			7401	- 1002.5		10				
16	- 1270			7402	- 1003.5		21				
17	- 1271			7403	- 1004.5		8				
18	- 1272			7404	1062 - 1004.5		12				
19	- 1273			7405	- 1003.5		17				
20	- 1274			7406	- 1002.5		15				
21	- 1275			7407	- 1001.5		18				
22	- 1276			7408	- 1000.5		14				
23	- 1277			7409	- 999.5		12				
24	- 1278			7410	- 998.5		11				
25	- 1279			7411	- 997.5		14				

Green to Head Office
Pink to Field Office



SAMPLE RESULTS

LABORATORY: SGS AUSTRALIA PTY LTD.

ORDER NO: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

SAMPLE NUMBER	U ₃ O ₈	Th	Y	Sr	Rb	Pb	Bi	
1 202A1255	<3	10	40	160	55	14	<10	
2 1256	<3	<3	5	80	11	16	<10	
3 1257	13	13	16	17	16	35	<10	
4 1258	5	15	14	40	30	11	<10	
5 1259	<3	6	11	75	30	17	<10	
6 1260	8	11	17	100	14	20	<10	
7 1261	<3	<3	15	100	7	6	<10	
8 1262	4	<3	13	130	25	10	<10	
9 1263	5	10	11	30	25	8	<10	
10 1264	4	20	20	55	50	7	<10	
11 1265	<3	8	14	160	35	12	<10	
12 1266	<3	6	15	160	16	9	<10	
13 1267	7	20	18	30	85	20	<10	
14 1268	7	18	15	30	55	50	<10	
15 1269	5	12	17	30	120	20	<10	
16 1270	8	17	18	25	130	19	<10	
17 1271	<3	5	30	30	3	8	<10	
18 1272	<3	11	5	100	70	9	<10	
19 1273	8	18	17	45	120	50	<10	
20 1274	8	25	17	18	150	35	<10	
21 1275	6	18	15	19	150	30	<10	
22 1276	<3	20	15	19	140	30	<10	
23 1277	<3	6	11	150	65	19	<10	
24 1278	<3	7	8	170	20	6	<10	
25 202A1279	<3	6	12	240	45	16	<10	
METHOD	XRF	XRF	XRF	XRF	XRF	XRF	XRF	

Green and Pink to Head Office
Blue to Field Office

PPM

PPM

PPM

PPM

PPM

PPM

PPM

LABS AUTHORIZING OFFICER

P2 15



LABORATORY: SGS AUSTRALIA PTY LTD.

ORDER NO: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

SAMPLE RESULTS

SAMPLE NUMBER	Cu	Pb	Zn	Ni	Co			
202A1255	205	10	150	42	42			
1256	31	<5	76	81	41			
1257	29	25	30	49	28			
1258	51	5	27	62	20			
1259	49	5	77	58	40			
1260	35	19	27	51	37			
1261	8	<5	91	70	51			
1262	25	5	76	49	49			
1263	15	<5	16	36	18			
1264	45	7	65	55	22			
1265	44	<5	80	28	44			
1266	27	<5	101	58	50			
1267	59	8	115	58	27			
1268	37	33	160	47	20			
1269	29	12	72	51	16			
1270	44	12	58	49	19			
1271	69	10	99	44	49			
1272	13	14	39	19	5			
1273	43	43	255	61	23			
1274	54	15	91	67	24			
1275	52	17	88	68	29			
1276	47	15	87	67	24			
1277	38	<5	49	33	30			
1278	46	<5	56	62	39			
202A1279	29	<5	62	55	31			
METHOD	AAS	AAS	AAS	AAS	AAS			

Green and Yellow to Head Office

Pink to Field Office

PPM

PPM

PPM

PPM

PPM

LABS AUTHORIZING OFFICER

B B



Uranerz Australia P.L.

SAMPLE RECORD

DATE: 30-9-82 PAGE 8 OF 9

ORIGINATOR: CONRAD'S - BROUGHTON

LABORATORY: SGS

ORDER NO: 20673

PROJ NO: 8202 AREA: 2256

SAMPLE NUMBER	TYPE	MAP TENEMENT	DRILL HOLE NO	CO-ORD/LOCATION	GRID	SAMPLE INTERVAL	DESCRIPTION	SRAT SITU	T S	BOO REF
202A 1280	334	2256	7412	1064 - 997.5		17	BEDROCK			
- 1281			7413	- 999.5		24	OR SAND			
- 1282			7414	- 1000.5		24				
- 1283			7415	- 1001.5		18				
- 1284			7416	- 1002.5		17				
- 1285			7417	- 1003.5		12				
- 1286			7418	- 1004.5		11				
- 1287			7419	1066 - 1004.5		12				
- 1288			7420	1066 - 1003.5		6				
- 1289			7421	- 1002.5		5				
- 1290			7422	- 1001.5		3				
- 1291			7423	- 1000.5		16				
- 1292			7424	- 999.5		6				
- 1293			7303	1076.5 - 962.5		10				
- 1294			7304	- 962.75		14				
- 1295			7305	- 963		19				
- 1296			7306	- 963.5		13				
- 1297			7307	- 963.75		20				
- 1298			7308	- 964		20				
- 1299			7309	- 964.25		25				
- 1300			7310	- 964.5		35				
- 1301			7311	- 964.75		19				
- 1302			7312	- 965		27				
- 1303			7314	- 965.25		20				
- 1304			7315	- 965.5		24				



LABORATORY: SGS AUSTRALIA PTY LTD

ORDER No: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

SAMPLE RESULTS

SAMPLE NUMBER	U ₃ O ₈	Th	Y	Sr	Rb	Pb	Bi	
202A1280	3	8	9	210	18	8	<10	
1281	3	<3	25	130	25	19	<10	
1282	8	18	17	19	95	40	<10	
1283	8	20	16	18	140	45	<10	
1284	<3	16	25	40	30	15	<10	
1285	11	20	30	35	110	14	<10	
1286	3	18	35	30	110	16	<10	
1287	6	14	20	30	55	20	<10	
1288	6	16	25	16	50	25	<10	
1289	5	15	19	25	40	45	<10	
1290	7	18	10	15	30	45	<10	
1291	6	18	17	16	150	45	<10	
1292	8	10	5	5	12	25	<10	
1293	9	18	6	25	70	40	<10	
1294	5	6	5	25	55	120	<10	
1295	<3	7	5	35	85	35	<10	
1296	6	9	6	35	70	30	<10	
1297	5	11	6	25	55	90	<10	
1298	<3	9	6	35	70	30	<10	
1299	<3	4	3	20	40	45	<10	
1300	9	19	20	60	90	45	<10	
1301	<3	11	8	16	40	130	<10	
1302	3	12	10	4	40	220	<10	
1303	7	11	15	19	35	50	<10	
202A1304	6	13	12	19	65	60	<10	
METHOD	XRF	XRF	XRF	XRF	XRF	XRF	XRF	

Green and Pink to Head Office
Blue to Field Office

PPM

PPM

PPM

PPM

PPM

PPM

PPM

LABS AUTHORIZING OFFICER

Me B. ...



LABORATORY:SGS AUSTRALIA PTY LTD.

SAMPLE RESULTS

ORDER NO: @)¢&# 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

SAMPLE NUMBER	Cu	Pb	Zn	Ni	Co			
202A1280	37	7	53	61	42			
1281	88	5	116	21	44			
1282	45	23	85	74	25			
1283	46	26	79	47	19			
1284	34	13	80	48	12			
1285	66	7	68	68	23			
1286	63	12	44	32	16			
1287	40	21	29	36	12			
1288	34	18	28	53	25			
1289	42	31	26	46	21			
1290	29	41	32	29	18			
1291	49	30	102	62	22			
1292	12	10	11	10	4			
1293	9	25	20	7	2			
1294	29	116	95	22	18			
1295	8	27	65	11	9			
1296	21	21	88	13	6			
1297	18	87	112	18	13			
1298	23	15	35	12	7			
1299	11	43	40	10	17			
1300	17	21	31	9	11			
1301	20	115	90	10	7			
1302	62	210	67	15	7			
1303	22	38	38	7	3			
202A1304	17	53	32	8	3			
METHOD	AAS	AAS	AAS	AAS	AAS			

Green and Yellow to Head Office

Pink to Field Office

PPM

PPM

PPM

PPM

PPM

LABS AUTHORIZING OFFICER



Uranerz Australia P.L.

SAMPLE RECORD

DATE: 30-9-82 PAGE 9 OF 9

ORIGINATOR: CONRAD'S-BROOKER

LABORATORY: SGS

ORDER NO: 20673

PROJ NO: 8202 AREA: 2256

	SAMPLE NUMBER	TYPE	MAP TENEMENT	DRILL HOLE NO	CO-ORD/LOCATION	GRID	SAMPLE INTERVAL	DESCRIPTION	SRAT SITU	T S	BOC REI
1	202A1305	334	2256	7316	1076.5-965.75		22 m	BEDROCK			
2	1306			7317	- 966		22	60 SAND			
3	1307			7318	- 966.25		27				
4	1308			7319	- 966.5		23				
5	1309			7320	- 966.75		30				
6	1310			7321	1075.5 - 967		12				
7	1311			7324	1075.5 - 966.5		43				
8	1312			7323	1075.5 - 966.75		30				
9	1313			7322	1075.5 - 967		27				
10											
11											
12											
13											
14											
15											
16											
17											
18											
19											
20											
21											
22											
23											
24											
25											

Green to Head Office
Pink to Field Office



LABORATORY: SGS AUSTRALIA PTY LTD.

ORDER NO: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

SAMPLE RESULTS

SAMPLE NUMBER	U ₃₀₈	Th	Y	Sr	Rb	Pb	Bi	
1 202A1305	12	12	9	12	55	150	<10	
2 1306	3	14	9	13	35	40	<10	
3 1307	8	13	11	3	20	460	<10	
4 1308	6	25	25	30	170	130	<10	
5 1309	5	45	15	16	75	50	<10	
6 1310	3	12	13	<3	25	60	<10	
7 1311	12	10	10	4	18	180	<10	
8 1312	10	10	6	7	20	80	<10	
9 1313	10	8	11	14	35	45	<10	
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
METHOD	XRF	XRF	XRF	XRF	XRF	XRF	XRF	

Green and Pink to Head Office
Blue to Field Office

PPM

PPM

PPM

PP M

PPM

PPM

PPM

LABS AUTHORISING OFFICER

MA

ORDER No: 20673

DATE ASSAYED: 29.10.82

LAB REF: LP5424

SAMPLE RESULTS

	SAMPLE NUMBER	Cu	Pb	Zn	Ni	Co			
1	202A1305	24	117	175	20	8			
2	1306	10	30	23	6	3			
3	1307	20	440	52	11	16			
4	1308	19	107	107	36	18			
5	1309	16	32	49	22	13			
6	1310	16	53	31	13	11			
7	1311	25	155	81	22	11			
8	1312	16	71	43	18	7			
9	202A1313	29	37	37	29	18			
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
	METHOD	AAS	AAS	AAS	AAS	AAS			

Green and Yellow to Head Office
 [redacted] to Field Office

PPM

PPM


PPM

PPM

PPM

LABS \ AUTHORIZING OFFICER

KB — 2



1:10 000

-  River or creek
 Road or highway
 Fence
 Building
 Stockyard
 Baseline
 EL Boundary

hole number 7134 RAB drillhole
depth of hole 9m

URANERZ AUSTRALIA PTY. LTD.

PROJECT PINE CREEK 2

DRILLHOLE STATUS

COMPILED: JDB	DATE: NOV 81	TENEMENT	MAP No. 3
DRAWN: KL	DATE: NOV 81	PLAN No. 202E14	REPORT No.
LAST REVISION: OCT 82		SCALE: 1:10000	PROJECT No. 8202
T.C. TO BONN:		REF: D 52-4	