

Appendix 2

Drilling Assay Sheets

ANALYSIS REPORT

**Australian
Assay
Laboratories
Group**

CH 33-35

PINE CREEK: Lot 174 Ward St, Pine Creek 0847
PO Box 41, Pine Creek 0847
Ph (089) 761 262 Fax 761 310

NORTHERN GOLD NL

REPORT : PC 023812 7 Page(s) Date : 07/06/90

Client reference : 806

Cost code :

Copies to : MICHELLE STOKES
RICHARD MONTISamples : Type Preparation code
Received : 01/06/90

Analysis	Code	Quality Parameter	Detection	Units
Au	FA50	Acc. ± 15 %	0.01	ppm
Au(R)	FA50	Acc. ± 15 %	0.01	ppm

Laboratory Manager : Greg Walker

ANALYSIS REPORT

**Australian
Assay
Laboratories
Group**

REPORT : PC 023812

Page 1 of 7

Sample	Au	Au(R)
3301	0.09	0.11
3302	0.30	0.27
3303	0.16	0.17
3304	<0.01	
3305	<0.01	
3306	0.13	0.16
3307	0.16	0.20
3308	<0.01	
3309	0.06	
3310	<0.01	
3311	<0.01	
3312	0.10	0.13
3313	0.08	
3314	<0.01	
3315	<0.01	
3316	0.28	0.29
3317	<0.01	
3318	<0.01	<0.01
3319	<0.01	
3320	1.51	1.40
3321	0.34	
3322	0.02	
3323	<0.01	
3324	0.17	0.19
3325	0.13	

Data in ppm unless otherwise stated.

ANALYSIS REPORT

**Australian
Assay
Laboratories
Group**

REPORT : PC 023812

Page 2 of 7

Sample	Au	Au(R)
3326	<0.01	
3327	<0.01	
3328	0.04	
3329	<0.01	
3330	<0.01	
3331	<0.01	<0.01
3332	0.33	0.31
3333	<0.01	
3334	<0.01	
3335	0.40	0.37
3336	<0.01	
3337	<0.01	
3338	<0.01	<0.01
3339	<0.01	
3340	0.03	
3341	<0.01	
3342	<0.01	
3343	<0.01	
3344	<0.01	
3345	<0.01	
3346	<0.01	
3347	<0.01	
3348	<0.01	
3349	<0.01	
3350	<0.01	

Data in ppm unless otherwise stated.

ANALYSIS REPORT

Australian
Assay
Laboratories
Group

REPORT : PC 023812

Page 3 of 7

Sample	Au	Au(R)
3351	0.10	0.13
3352	0.17	0.12
3353	<0.01	
3354	<0.01	
3355	<0.01	
3356	<0.01	
3357	<0.01	
3358	<0.01	
3359	0.01	
3360	0.02	0.03
3401	0.40	0.34
3402	<0.01	0.02
3403	<0.01	0.01
3404	0.20	0.20
3405	0.06	
3406	<0.01	
3407	0.01	<0.01
3408	0.54	0.47
3409	<0.01	
3410	<0.01	
3411	0.01	
3412	<0.01	<0.01
3413	<0.01	
3414	<0.01	
3415	0.02	0.01

Data in ppm unless otherwise stated.

REPORT : PC 023812

Page 4 of 7

Sample	Au	Au(R)
3416	0.02	
3417	0.12	
3418	0.71	0.59
3419	0.02	
3420	<0.01	<0.01
3421	0.01	
3422	<0.01	
3423	<0.01	
3424	<0.01	
3425	<0.01	
3426	0.05	
3427	0.01	
3428	<0.01	
3429	<0.01	
3430	<0.01	
3431	<0.01	
3432	<0.01	
3433	<0.01	
3434	<0.01	
3435	<0.01	
3436	<0.01	<0.01
3437	<0.01	
3438	<0.01	
3439	0.01	
3440	0.01	

Data in ppm unless otherwise stated.

ANALYSIS REPORT

Australian
Assay
Laboratories
Group

REPORT : PC 023812

Page 5 of 7

Sample	Au	Au(R)
3441	<0.01	<0.01
3442	<0.01	
3443	3.30	3.42
3444	0.25	
3445	0.02	0.02
3446	0.07	0.11
3447	0.02	
3448	0.04	
3449	<0.01	
3450	<0.01	
3451	<0.01	
3452	<0.01	
3453	0.02	
3454	<0.01	<0.01
3455	0.05	
3456	0.01	
3457	0.38	
3458	0.09	
3459	0.01	
3460	<0.01	
3501	0.23	
3502	<0.01	<0.01
3503	<0.01	
3504	0.06	
3505	<0.01	

Data in ppm unless otherwise stated.



REPORT : PC 023812

Page 6 of 7

Sample	Au	Au(R)
3506	<0.01	
3507	<0.01	
3508	<0.01	
3509	<0.01	
3510	<0.01	
3511	<0.01	
3512	<0.01	
3513	<0.01	
3514	<0.01	
3515	<0.01	
3516	<0.01	
3517	<0.01	
3518	<0.01	
3519	<0.01	
3520	<0.01	
3521	<0.01	
3522	<0.01	
3523	<0.01	<0.01
3524	0.16	0.13
3525	<0.01	
3526	0.01	
3527	<0.01	
3528	<0.01	
3529	<0.01	
3530	1.47	1.36

Data in ppm unless otherwise stated.

ANALYSIS REPORT

Australian
Assay
Laboratories
Group

REPORT : PC 023812

Page 7 of 7

Sample	Au	Au(R)
3531	0.02	
3532	0.01	
3533	0.03	
3534	0.02	
3535	0.01	
3536	<0.01	
3537	0.02	
3538	<0.01	
3539	0.01	
3540	0.02	
3541	0.03	
3542	0.02	
3543	0.32	0.33
3544	0.03	0.02
3545	0.01	0.02
3546	0.01	0.01
3547	<0.01	
3548	<0.01	
3549	<0.01	
3550	0.01	<0.01
3551	0.03	
3552	<0.01	

Data in ppm unless otherwise stated.