




Dominion Mining Limited

**MCN's 4324-4325
4289 & 4290**

**TECHNICAL REPORT
ON
LIFE OF TENEMENTS**

1992 - 1995



Distribution:

NTDME
Dominion Mining Limited, Perth
Dominion Mining Limited, Darwin

A. Elliston
January 1995

OPEN FILE

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	LOCATION	1
3.0	TENURE	1
4.0	GEOLOGY	1
4.1	Regional Geology	1
4.2	Local Geology	1-2
5.0	PREVIOUS EXPLORATION	2
6.0	DOMINION EXPLORATION	2
6.1	Soil Sampling	2
6.2	RC Drilling	3
7.0	MINE INFRASTRUCTURE	3
8.0	FUTURE EXPLORATION AND REQUIREMENTS	3

LIST OF FIGURES

Figure 1	Tenement Location	1:50,000
Figure 2	Regional Geological Setting	1:100,000
Figure 3	Soil Geochemistry (MCN4324)	1:5,000
Figure 4	Soil Geochemistry (MCN4325)	1:5,000
Figure 5	MCN4290	1:5,000
Figure 6	Drill Hole Locations (MCN4289)	1:5,000
Figure 7	Mine Infrastructure (MCN's 4290 & 4289)	(Nominal Scale)

APPENDICES

1. Soil Sampling Analytical Results
2. RC Drill Logs & Analytical Results

1.0 INTRODUCTION

This report details the exploration activities carried out by Dominion Mining for MCN's 4324-4325 and 4289-4290 since 6 August 1992.

Since being granted to Dominion, exploration has consisted of gridding, soil sampling and RC drilling. Results for soil sampling in MCN's 4324-25 yielded a peak gold response of 28 ppb while RC drilling in MCN 4289 produced a number of sporadic intersections > 1g/t with a peak result of 4.74g/t in hole No. BSRC 050 from 0-3m.

MCN's 4289 and 4290 are currently being utilised for mine infrastructure such as haul road access and stock piling while 4324 and 4325 are under review for further exploration.

2.0 LOCATION

The tenements are located on the Tipperary pastoral lease approximately 4 km (MCN's 4289 & 4290), and 9 km (MCN's 4324 & 4325), west of the Cosmo Howley Mine 180km south of Darwin. Access is via the Stuart Highway, Fountain Head Road, Dorat Road and then by gravel roads that run the length of Dominions gold mining operations. See Figure 1 for tenement Location.

3.0 TENURE

MCN's 4324-25 and 4289-90 were granted to Dominion gold operations Pty Ltd on the 6 April 1992 for a period of five years.


4.0 GEOLOGY

4.1 Regional Geology

Regionally the tenements are located in the Pine Creek Inlier. this is a sequence of tightly folded Lower Proterozoic pelitic to psammitic and tuffaceous sediments, intruded by pre-orogenic dolerite sills and syn to post orogenic granitoids. greenschist facies metamorphism prevails throughout the central area of the inlier with amphibolite facies being evident at granite contacts.

4.1 Local Geology

The tenements themselves are located on the western limb of the Howley Anticline, therefore providing a principal focus for exploration activities. The Anticlinal axis trends northwest from the Cosmo Pit and plunges approximately 30° to the north with a shallow plunge reversal between the Cosmo and Chinese Howley pits. At Chinese Howley the axis returns to a northerly plunge direction. This pattern of alternating plunge direction continues throughout the Howley anticline through Big Howley and on to the area termed North Howley. Here the axis tends to flatten out and become horizontal.



MCN's 4289, 4290, 4324 & 4325 Tenement Location

PROJECT **HOWLEY LINE**

STATE **N.T.**

ORIGINATOR **A.E.**

Date **Jan 95**

DRAWN **L.C.**

Date **Jan 95**

SCALE **1:50000**

FIGURE NO. **1**

PLAN NO. **2H-T10**

The anticline is isoclinal and moderately overturned to the east around the Chinese Howley area with axial planar cleavage dipping between 75°-80° to the west. To the north the anticline becomes more symmetrical with dips either side of the axis being between 50° and 80°. A well developed cleavage trending N-S parallel to the anticline axis and dipping subvertically is apparent here.

MCN's 4289-90 in the Chinese Howley area consist of rocks from the Lower Proterozoic South Alligator Group. Here tuffaceous and cherty sediments of the Gewowie Tuff predominate with some outcrop of the younger Mt Bonnie Formation, (greywackes, siltstones and mudstones), being located on the western margins of the tenements.

MCN's 4324-25 are located in the North Howley project area with rocks of the Mt Bonnie Formation located in the east and Gewowie Tuff to the west. See Figure 2 for Regional Geological Settings.

5.0 PREVIOUS EXPLORATION

Exploration by other companies was carried out by Homestake Gold in 1978 and Northern Gold in 1988 within the confines of MCN 4289.

Homestake drilled one diamond hole in MCN 4289 in August 1978. The hole was numbered HDD009 and had a total depth of 95.2m. A best intersection of 2m @ 1.3g/t Au from 82m was recorded.

In March and April of 1988 Northern Gold N.L drilled 11 RC holes (NGRC series), within the confines of what is now MCN 4289. Results showed mainly narrow intercepts with a best result of 2m @ 3.06g/t Au from 27m in hole # NGRC11. See Figure 6 for drill hole locations.


6.0 DOMINION EXPLORATION

Previous exploration by Dominion included soil sampling in MCN's 4324 and 4325, RC drilling in MCN 4289 while MCN 4290 has been used for mine infrastructure in terms of access to the Big Howley open cut operation.

6.1 Soil sampling

A program of soil sampling in October of 1992 was conducted throughout the North Howley area. This program involved 23 samples being taken within MCN's 4324 and 4325. A 200m * 25m grid was established as a control and samples were sieved to - 2mm for approximately 2kg of soil. Analysis was carried out by Analabs in Darwin and analysed for both gold and arsenic with results being reported in ppm.

A peak gold response of 28ppb was recorded in MCN 4325 and 4ppb in MCN 4324. For soil sample locations and results see Figures 3 and 4 and analytical results are included as Appendix 1.



REGIONAL GEOLOGICAL SETTING

PROJECT HOWLEY LINE

STATE N.T.

ORIGINATOR F.F.

Date 5/91

DRAWN R.L.

Date 5/91


Dominion Mining Limited


SCALE 1:100 000

FIGURE NO: 2

PLAN NO: 2H-G30

nthowlef.pf





SURPAC SOFTWARE INTERNATIONAL, AUSTRALIA

DOMINION MINING LIMITED

PROJECT :	NORTH HOWLEY	N.T.
-----------	--------------	------

PROSPECT:

SOIL GEOCHEMISTRY


Sample No	Au(ppb)
1	1.0
2	1.0
3	1.0
4	1.0
5	1.0
6	1.0
7	1.0
8	1.0
9	1.0
10	1.0
11	1.0
12	1.0
13	1.0
14	1.0
15	1.0
16	1.0
17	1.0
18	1.0
19	1.0
20	1.0
21	1.0
22	1.0
23	1.0
24	1.0
25	1.0
26	1.0
27	1.0
28	1.0
29	1.0
30	1.0
31	1.0
32	1.0
33	1.0
34	1.0
35	1.0
36	1.0
37	1.0
38	1.0
39	1.0
40	1.0
41	1.0
42	1.0
43	1.0
44	1.0
45	1.0
46	1.0
47	1.0
48	1.0
49	1.0
50	1.0
51	1.0
52	1.0
53	1.0
54	1.0
55	1.0
56	1.0
57	1.0
58	1.0
59	1.0
60	1.0
61	1.0
62	1.0
63	1.0
64	1.0
65	1.0
66	1.0
67	1.0
68	1.0
69	1.0
70	1.0
71	1.0
72	1.0
73	1.0
74	1.0
75	1.0
76	1.0
77	1.0
78	1.0
79	1.0
80	1.0
81	1.0
82	1.0
83	1.0
84	1.0
85	1.0
86	1.0
87	1.0
88	1.0
89	1.0
90	1.0
91	1.0
92	1.0
93	1.0
94	1.0
95	1.0
96	1.0
97	1.0
98	1.0
99	1.0
100	1.0

ORIG : A. Ellison	DRAWN BY : M. Gooden
-------------------	----------------------


SCALE: 1: 10000	PLATE No : 4
-----------------	--------------

DATE : 27-Jan-95	PLAN No :
------------------	-----------

nhowlek.pl



nhow1et.pf



DOMINION MINING LIMITED		
PROJECT : NORTH HOWLEY		N.T.
PROSPECT: NORTH HOWLEY		
DRILL HOLE LOCATION PLAN HOLE NUMBERS		
ORIG : A. Elliston		DRAWN BY : M. Gooden
SCALE: 1: 10000		PLATE No : 6
DATE : 30-Jan-95		PLAN No :

6.2 RC Drilling

In December 1992 twenty three RC drill holes were completed in an effort to establish if any mineralisation existed to the west of the Chinese Howley deposits. Results were generally poor with a number of sporadic results being >1g/t Au and a best result of 3m @ 4.74 from hole # BRC050 between 0-3m. See figure 6 for drill hole locations and Appendix 2 for drill logs and analytical results.

7.0 MINE INFRASTRUCTURE


MCN's 4289 and 4290 have also been utilised for stockpiling of ore material and haul road access between the Cosmo Howley Mill and Chinese and Big Howley open cut mining operations. A plan view of current mine usage can be seen on Figure 7.

8.0 FUTURE EXPLORATION AND MINE REQUIREMENTS

Current mine infrastructure on both MCN's 4289 and 4290 will continue to be used to gain access to stockpiles on MCN 4289. MCN's 4324 and 4325 are currently under review for further exploration in terms of infill soil sampling and extending geochemical coverage to the western areas of the tenements.

9.0 REFERENCES

- Burn N. (Jan.1994)
Howley Deeps Catalogue
Dominion internal report
- Palmer M. (Nov.1994)
MCN's 852-857
Technical Report on Life of Tenements
1992-1994
Dominion Mining Ltd.
- Ruzicka P & Vooy's R.A
Annual Report Year to 31 Dec. 1992
MLN 993 (North part)
MCN's 746, 3231-48, 3284-89, 3324-28, 3371-32 & 3422
"Cosmo North"
Dominion Mining Ltd



APPENDIX 1

**Soil Sampling
&
Analytical Results**

ANALABS

A Division of Inchcape Inspection and Testing Services Australia Pty. Ltd.
A.C.N. 004 591 864

ANALYTICAL DATA

SAMPLE PREFIX

REPORT NUMBER

REPORT DATE

CLIENT ORDER No.

PAGE

105160.21.07203

30/10/92

6470

7 OF 11

TUBE No.	SAMPLE No.	As	As	Au	Au	Au(R)	Au(S)	Au(R)	Au(S)	
1	B 10151	-	70	0.012	-	-	-	-	-	
2	B 10152	-	21	0.006	-	0.004	-	-	-	
3	B 10153	-	27	0.002	-	-	-	-	-	
4	B 10154	-	37	0.002	-	-	-	-	-	
5	B 10155	-	38	0.002	-	-	-	-	-	
	B 10156	-	23	0.007	-	0.005	-	-	-	*

Results in ppm unless otherwise specified

T = element present; but concentration too low to measure

X = element concentration is below detection limit

- = element not determined

AUTHORISED
OFFICER

Wayne S. Turner

ANALABS

A Division of Inchoape Inspection and Testing Services Australia Pty. Ltd.
A.C.N. 004 591 664

ANALYTICAL DATA

SAMPLE PREFIX

REPORT NUMBER

REPORT DATE

CLIENT ORDER No.

PAGE

105160.21.07203

30/10/92

6470

6 OF 11

TUBE No.	SAMPLE No.	As	As	Au	Au	Au(R)	Au(S)	Au(R)	Au(E)	
----------	------------	----	----	----	----	-------	-------	-------	-------	--

25

B 10150

-

98

0.028

-

-

-

-

-

*

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

Wayne S. Turr

ANALABS

A Division of Inchcape Inspection and Testing Services Australia Pty. Ltd.
A.C.N. 004 591 684

ANALYTICAL DATA

SAMPLE PREFIX

REPORT NUMBER

REPORT DATE

CLIENT ORDER No.

PAGE

105160.21.07203

30/10/92

6470

10 OF 11

TUBE No.	SAMPLE No.	As	As	Au	Au	Au(R)	Au(S)	Au(R)	Au(S)
----------	------------	----	----	----	----	-------	-------	-------	-------

9	B 10234	-	37	0.007	-	-	-	-	-	*
10	B 10235	-	36	0.012	-	0.009	-	-	-	
11	B 10236	-	25	0.004	-	-	-	-	-	
12	B 10237	-	15	0.016	-	-	-	-	-	
13	B 10238	-	27	0.001	-	-	-	-	-	
14	B 10239	-	13	0.003	-	0.003	-	-	-	
15	B 10240	-	17	0.004	-	-	-	-	-	
16	B 10241	-	12	0.004	-	-	-	-	-	
17	B 10242	-	19	0.002	-	-	-	-	-	*

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
- = element not determined

AUTHORISED OFFICER Wayne S. Turner

ANALABS

A Division of Inchcape Inspection and Testing Services Australia Pty. Ltd.
A.C.N. 004 591 664

ANALYTICAL DATA

SAMPLE PREFIX

REPORT NUMBER

REPORT DATE

CLIENT ORDER No.

PAGE

105150.21.07203

30/10/92

6470

11 OF 11

TUBE No.	SAMPLE No.	As	As	Au	Au	Au(R)	Au(S)	Au(R)	Au(S)
----------	------------	----	----	----	----	-------	-------	-------	-------

4	E 10254	-	24	0.001	-	-	-	-	-	*
5	E 10255	-	22	0.004	-	-	-	-	-	
	E 10256	-	25	0.003	-	0.003	-	-	-	
7	E 10257	-	21	0.001	-	-	-	-	-	
8	E 10258	-	24	0.003	-	-	-	-	-	
9	E 10259	-	11	0.004	-	-	-	-	-	
10	E 10260	-	30	0.002	-	-	-	-	-	*

19										
20										
21										
22										
23	DETECTION	50	1	0.001	0.005	0.001	0.001	0.005	0.005	
24	UNITS	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	
25	METHOD	GA140	GA114	GG337	GG313	GG337	GG337	GG313	GG313	

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
-- = element not determined

AUTHORISED OFFICER Wayne S. Turner

APPENDIX 2

**RC Drill Logs
&
Analytical Results**

Project. BIG HOWLEY		Drill Type AC PERCUSSION		Hole No. BSRC 4	
Prospect SOUTH RIDGE		Location BIG HOWLEY, COSMO, N.T.		Site	
Co-ords	N	E	RL	Pre Collar	
Logged by	NTM	Hole commenced	1992	Drilled by	GADEN
Sampled by	MP/MS	Hole completed	1992	Rig Type	
Depth	m	30		Total Depth	30
Inclination		60°			
Azimuth (G)		052°			

Purpose. SOIL GEOCHEMICAL ANALYSIS

Geological Summary

Box =

see logs

SAMPLE NOS. 831-840

Significant Assays

From	To	Metres	Au g/l	NOS.	Remarks
0	3	3		831	
3	6	3		2	
6	9	3		3	
9	12	3		4	
12	15	3		5	
15	18	3		6	
18	21	3		7	
21	24	3		8	
24	27	3		9	
27	29	2		840	

DRILL HOLE No. BJRC-4

PROSPECT	Big Hawley - South Ridge
CO-ORDS	51050N 45103E
COLLAR R.L.	DEPTH 29m
COLLAR AZIM.	INCL. -55°
DATE COMMENCED	24-11-92 COMPLETED 24-11-92
LOGGED BY	SAMPLED BY

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix 6149	ASSAY RESULTS		
From	To												
0	1	pl yellow, brown sand	Snd										
1	2	" yellow/crumbly grey Sgs	Sgs						5		31		
2	3	gray, yellow Sgs + Csnd	Sgs/Csnd						3				
3	4	" "	"						20				
4	5	" "	"						10		32		
5	6	" Csnd to Sgs	Csnd						1				
6	7	pl brown "	"						2				
7	8	" yellowy SSC w/ s, l, ic	SSC								33		
8	9	" "	"						1				
9	10	" "	"										
10	11	brown, yellow spin. oxidized Sgs, s, l, ic	Sgs								34		
11	12	gray, brown SSC, w/ micaceous	SSC						5				
12	13	" " + Csnd	SSC/Csnd						1				
13	14	brown, Csnd	Csnd								35		
14	15	gray, " to Sgs	"						2				
15	16	" " to SSC	"						1				
16	17	" "	"								26		
17	18	" "	"										
18	19	" "	" 1/2 to						20				
19	20	brown, " + SSC brown, micaceous	SSC/Csnd						10		37		

REMARKS

DRILL HOLE No. S13RC-4

PROSPECT	
CO-ORDS	
COLLAR R.L.	DEPTH
COLLAR AZIM.	INCL.
DATE COMMENCED	COMPLETED
LOGGED BY	SAMPLED BY

[illegible]

Project. BIG HONLEY				Drill Type AC PERCUSSION				Hole No. BSRC S			
Prospect SOUTH RIDGE				Location BIG HONLEY, COSMO, N.T.							
Co-ords N E				RL				Pre Collar			
Logged by NTM				Hole commenced 1992				Drilled by GADEN			
Sampled by MP/MS				Hole completed 1992				Rig Type			
Depth m 30								Total Depth 30			
Inclination 60°											
Azimuth (G) 052°											
Purpose. SOIL GEOCHEMICAL ANALYSIS											

Geological Summary

Box =

0-2 Csd.
 2-3 Sgr
 3-5 Ssl
 5-10.5 Sgr
 10.5-12.5 Csd
 12.5-18 Ssl
 18-20 Csd
 20-22 Ssl
 22-23.5 Sgr
 23.5-24.5 Csd
 24.5-25 Ssl
 25-30 Csd

SAMPLE NOS. 314841-850

Significant Assays

From	To	Metres	Au g/l	Nos	Remarks
0	3	3	0.20	841	
3	6	3	0.06	2	
6	9	3	0.05	3	
9	12	3	0.11	4	
12	15	3	0.11	5	
15	18	3	0.05	6	
18	21	3	0.25	7	0.34
21	24	3	0.14	8	
24	27	3	0.66	9	
27	30	3		850	

DOMINION MINING LIMITED



Percussion Drill Hole Log

Northern Territory

DRILL HOLE No. BSRC 5

PROSPECT	BIGHOLEY / SOUTH RIDGE
CO-ORDS	31050N 45090E
COLLAR R.L.	DEPTH 30
COLLAR AZIM.	052 INCL. 60
DATE COMMENCED	25/11/92 COMPLETED 25/11/92
LOGGED BY	NFM SAMPLED BY MS

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix 148	ASSAY RESULTS		
From	To			lin	mu ox.	py	asp						
0	1	Cond - dark grey, vfg, sl.w. indurated	Cond	4	-	-	-	-	-				
	2	DITTO	Cond.	1	-	-	-	-	2				
	3	Sgw - grey, mod.w. hor, ag, sil.	Sgw	1	-	-	-	-	5				
	4	Sst - buff/yellow, hor, cleaved - mass. sil.	Sst	4	-	-	-	-	1				
	5	Sst - buff/yellow, hor, sil, semi-mass.	Sst	4	-	-	-	-	3				
	6	Sgw - buff/grey, mod.w., sil.	Sgw	1	-	4	-	-	10				
	7	DITTO	Sgw	4	-	-	-	-	5				
	8	DITTO	Sgw	4	-	-	-	-	20				
	9	Sgw - yellow/buff, clayey, hor.	Sgw?	-	-	-	-	-	40				
	10	Sgw - pink/grey, clay, hor, ng, massive	Sgw	2	-	-	-	-	10				
	11	DITTO + Cond - grey/black, vfg, sil.	Sgw Cond.	2	-	-	-	-	10				
	12	Cond - grey/black, vfg, sil, mod.w.	Cond	4	-	-	-	-	5				
	13	DITTO + semi massive, fair, sil. Sst	Cond Sst	4	-	-	-	-	5				
	14	Sst - fair/red br. fg, massive, sil, minor Cond	Sst	4	-	-	-	-	3				
	15	DITTO	Sst	-	-	-	-	-	-				
	16	Sst - fair/red br. fg, sil, mass. grey vfg + Cond minor	Sst/nd	4	-	4	-	-	5				
	17	DITTO	Sst	4	-	4	-	-	3				
	18	Sst - fair br/grey, fg, sil, massive, finely laminated.	Sst	-	-	-	-	-	4				
	19	Cond - grey/black vfg, sil, sl.w.	Cond	-	-	-	-	-	9				
	20	DITTO	Cond	-	-	-	-	-	-				
REMARKS													

DOMINION MINING LIMITED



Percussion Drill Hole Log

Northern Territory

DRILL HOLE No. BSRC 5

PROSPECT	BIG HOLEY / SOUTH RIDGE	
CO-ORDS	51050 N 45090 E	
COLLAR R.L.		DEPTH 30
COLLAR AZIM.	052	INCL. 60
DATE COMMENCED	25/11/92	COMPLETED 25/11/92
LOGGED BY	NTM	SAMPLED BY MS

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz %. 1mm = 20%.	Sample Number Prefix	ASSAY RESULTS	
From	To			Fe	St	Pb	Zn				Au	AS
20	21	Ssl - buff / fawn, fg, ^{sl. w.} semi-leaved, sil.	Ssl	-	-	-	-		-			
	22	DITTO	Ssl	<1	-	-	-		<1			
	23	Sgn - fawn / yellow, ^(buff?) med. w.	Sgn	-	-	-	-		-			
	24	DITTO + Cond - grey / black, vfg	Sgn Cond	-	-	-	-		-			
	25	Cond + Ssl - fawn / yellow, fg, med. w.	Cond Ssl	-	-	-	-		-			
	26	Cond - grey / black, vfg ^{trace Sgn}	Cond	-	-	-	-		-			
	27	Cond - DITTO	Cond	-	-	-	-		-			
	28	DITTO	Cond	-	-	-	-		-			
	29	DITTO	Cond	1	-	-	-		-	8.50	0.36	43
	30	DITTO	Cond	-	-	-	-		-			
REMARKS												

Geological Summary

Box: > 30 -

0 - 1 Sgw
1 - 2.5 Csd
2.5 - 4 Ssl
4 - 5 Csd
5 - 8 Sgw
8 - 11 Csd
11 - 14 Csd + Sgw
14 - 22 Csd
22 - 25.5 Sgw
25.5 - 27.5 Csd
27.5 - 28.5 Ssl
28.5 - 30 ~~Sgw~~ Csd

SAMPLE NOS. 314851-860

Significant Assays

[illegible]

DRILL HOLE No. *BSRC 6*

PROSPECT	BIG HOWLEY / SOUTH RIDGE
CO-ORDS	51050N 45040E
COLLAR R.L.	DEPTH 30
COLLAR AZIM.	052 INCL. 60
DATE COMMENCED	25/11/92 COMPLETED 25/11/92
LOGGED BY	NEM SAMPLED BY MS

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix B14	ASSAY RESULTS		
From	To			Fe	Mn	Pb	Zn				Ag	As	
0	1	Sgw - fawn/grey, mg, med w.	Sgw	1	4	-	-	10%	2				
	2	Csrd - fg sl.w, grey/black.	Csrd	1	-	-	-	10%	1	85.1	0.86		220
	3	Ditto + Sgw - grey, carb., mg.	Csrd Sgw	1	4	-	-	10%	5				
	4	Ssl - red, hw, fg, cleaned (pos. End.)	Ssl?	1	4	-	-	10%	1				
	5	Csrd - red, hw, vfg.	Csrd?	1	-	-	-	10%	4	85.2	1.96		370
	6	Ssl - red, hw, fg.	Ssl?	1	-	-	-	10%	5				
	7	Sgw - red, hw, mg, massive	Sgw	1	4	-	-	10%	10				
	8	Sgw - red/grey, hw, mg, massive	Sgw	4	-	-	-	10%	-	85.3	0.09		190
	9	Csrd - grey, hw, fg, minor Sgw	Csrd	4	4	-	-	10%	4				
	10	Csrd - grey, vfg, hw.	Csrd	4	-	-	-	10%	-				
	11	DITTO	Csrd	1	-	-	-	10%	1	85.4	0.02		300
	12	DITTO + fawn br, hw, Sgw	Csrd Sgw	-	-	-	-	10%	-				
	13	DITTO + DITTO	Csrd Sgw	-	-	-	-	10%	-				
	14	DITTO + DITTO	Sgw Csrd	-	-	-	-	10%	4	85.5	0.14		150
	15	Csrd - grey/black, vfg, sl.w. ^{cleaned}	Csrd	-	-	-	-	10%	-				
	16	DITTO	Csrd	-	-	-	-	10%	-				
	17	DITTO	Csrd	-	-	-	-	10%	-	85.6	0.03		120
	18	DITTO	Csrd	-	-	-	-	10%	-				
	19	DITTO	Csrd	-	-	-	-	10%	-				
	20	DITTO	Csrd	-	-	-	-	10%	-	85.7	0.02		74
REMARKS													

DRILL HOLE No. BSRL 6

PROSPECT	BIG HONLEY / SOUTH RIDGE		
CO-ORDS	51050N	45040E	
COLLAR R.L.		DEPTH	30
COLLAR AZIM.	052	INCL.	60
DATE COMMENCED	25/11/92	COMPLETED	25/11/92
LOGGED BY	NFM	SAMPLED BY	MS

[illegible]

Geological Summary Box = 30

0-5	Sgw
5-6	Smd
6-12	Sgw
12-13.5	Smd
13.5-19.5	Sgw
19.5-23	Sgw + Smd
23-25	Smd / Csm
25-30	Sgw

SAMPLE NOS. 316101-110

Significant Assays

[illegible]

DOMINION MINING LIMITED



Percussion Drill Hole Log

Northern Territory

DRILL HOLE No. *BSRC 31*

PROSPECT	BIG HONLEY / SOUTH RIDGE	
CO-ORDS	S1000N	45020E
COLLAR R.L.		DEPTH 30m
COLLAR AZIM.	052	INCL. -55°
DATE COMMENCED	30/11/92	COMPLETED 30/11/92
LOGGED BY	NRM	SAMPLED BY MP

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix B16	ASSAY RESULTS		
From	To			lin	M. ox.	py	asp				Aw		As
0	1	Sgw - red / fawn, ind. ^{rare Snd}	Sgw	2	-	-	-		10				
	2	DITto ^{rare Snd}	Sgw	1	-	-	-		5	1.0	0.42	610	
	3	Sgw - red / fawn, hw, ng, massive	Sgw	1	<	-	-		-				
	4	DITto	Sgw	1	<	-	-		1				
	5	DITto ^{minor Ssl/red}	Sgw	1	<	-	-		-	0.2	0.06	430	
	6	Snd - fawn br, hw, fg, cleaved ^{minor Sgw}	Snd	-	-	-	-		-				
	7	Sgw - fawn / red br, ng, massive	Sgw	-	<	-	-		2				
	8	DITto	Sgw	1	<	-	-		-	0.3	0.29	450	
	9	DITto	Sgw	2	<	-	-		3				
	10	DITto	Sgw	1	<	-	-		10				
	11	DITto	Sgw	1	1	-	-		2	0.4	0.07	370	
	12	DITto	Sgw	1	<	-	-		3				
	13	Snd - fawn br, fg, cleaved	Snd	1	<	-	-		5				
	14	Snd - DITto + Sgw - hw, fawn, ng	Snd / Sgw	<	-	-	-		3	0.5	0.72	760	
	15	Sgw - red fawn br, hw, ng	Sgw	1	<	-	-		20				
	16	DITto	Sgw	1	<	-	-		2				
	17	DITto	Sgw	1	<	-	-		2	0.6	0.18	560	
	18	DITto	Sgw	1	-	-	-		<				
	19	DITto	Sgw	1	-	-	-		10				
	20	Sgw - DITto + Snd - fawn br. ^{rfg}	Sgw / Snd	1	-	-	-		5	0.7	0.24	330	
REMARKS													

DOMINION MINING LIMITED

DRILL HOLE No. *BSRC 31*

Percussion Drill Hole Log

Northern Territory

PROSPECT	BIG HONLEY / SOUTH RIDGE	
CO-ORDS	51000N	45020E
COLLAR R.L.		DEPTH 30m
COLLAR AZIM.	052	INCL. - 55°
DATE COMMENCED	20/11/92	COMPLETED 30/11/92
LOGGED BY	NHm	SAMPLED BY MBP

[illegible]

[illegible]

SHEET 1 OF 2



Percussion Drill Hole Log

Northern Territory

PROSPECT	BIG HONEY / SOUTH RIDGE	
CO-ORDS	51000N	45000E
COLLAR R.L.		DEPTH 30m
COLLAR AZIM.	052	INCL. -55°
DATE COMMENCED	1/12/92	COMPLETED 1/12/92
LOGGED BY	N.T.M.	SAMPLED BY MP

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix B16	ASSAY RESULTS		
From	To			lim.	Mn.ox.	py	ggs				Aw		As
0	1	Clv + Sgw - red fawn hws, mg	Clv Sgw	1	-	-	-		2				
	2	Smd - grey, cherty, vfg, clayey	Smd	1	-	-	-		10	1.1.1	0.02	0.03	140
	3	Csmd - grey, vfg, cleaved, sl.w.	Csmd	-	-	-	-		-				
	4	Csmd - DITTO + Sgw - ^{minor} mg, fawn	Csmd Sgw	-	-	-	-		-				
	5	DITTO	Csmd	-	-	-	-		1	1.2	0.02		150
	6	Csmd - grey, vfg, cleaved	Csmd	-	-	-	-		-				
	7	DITTO	Csmd	-	-	-	-		-				
	8	DITTO	Csmd	-	-	-	-		-	1.3	0.02		160
	9	DITTO	Csmd	-	-	-	-		-				
	10	DITTO	Csmd	-	-	-	-		1				
	11	DITTO	Csmd	-	-	-	-		-	1.4	0.01		200
	12	DITTO	Csmd	-	-	-	-		-				
	13	Ssl/Sgw - fawn/buff, fg, massive	Ssl/Sgw	-	-	-	-		2				
	14	Ssl - buff, fg, spotted, massive	Ssl	1	1	-	-		5	1.5	0.01		100
	15	Ssl - DITTO + grey chert	Ssl	1	-	-	-		1				
	16	Ssl - buff, fg, massive, med.w.	Ssl	-	-	-	-		-				
	17	DITTO	Ssl	-	-	-	-		-	1.6	0.01	0.01	86
	18	DITTO + grey chert	Ssl	-	-	-	-		-				
	19	DITTO	Ssl	-	-	-	-		-				
	20	Ssl - DITTO + Csmd - grey	Ssl/Csmd	-	-	-	-		2	1.7	0.01		200
REMARKS													

DRILL HOLE No. *BSRC 32*

PROSPECT	BIG HONLEY / SOUTH RIDGE	
CO-ORDS	51000N	45000E
COLLAR R.L.		DEPTH 30m
COLLAR AZIM.	052	INCL. -55°
DATE COMMENCED	1/12/92	COMPLETED 1/12/92
LOGGED BY	NH	SAMPLED BY MP

[illegible]

Geological Summary Box = 730~

0 - 3	Sgw
3 - 5	Csmd
5 - 6	Sgw
6 - 8	Csmd
8 - 11	Csmd + Sgw
11 - 12	Sgw
12 - 16	Sgw + Csmd
16 - 19	Sgw
19 - 20	Csmd
20 - 21	Sgw
21 - 22	Csmd
22 - 25	Ssl
25 - 30	Csmd

SAMPLE NOS. 316/21-130

Significant Assays

[illegible]

DOMINION MINING LIMITED

Percussion Drill Hole Log

Northern Territory

DRILL HOLE No. BSRC 33

PROSPECT	CHINESE SOUTH / BIGHOLEY	
CO-ORDS	51000N	44980E
COLLAR R.L.		DEPTH 30m
COLLAR AZIM.	052°	INCL. 55°
DATE COMMENCED	1/12/92	COMPLETED 1/2/92
LOGGED BY	NAm	SAMPLED BY MJ

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix B16	ASSAY RESULTS		
From	To			lim	MnOx	Pg	gsp				Aw		As
0	1	Sgw - mg, red/fawn br, hw, massive	Sgw	1	-	-	-	101	1				
	2	Sgw - DITTO + Csmnd - fg, ^{grey} cleaved.	Sgw/Csmnd	1	-	-	-	101	5	1.21	0.15		450
	3	Sgw - red/fawn, hw, mg,	Sgw	1	-	-	-	101	1				
	4	Csmnd - grey, fg, cleaved	Csmnd	4	-	-	-	101	-				
	5	DITTO	Csmnd	-	-	-	-	101	-	2.2	0.06		230
	6	Sgw - red/fawn, hw, mg,	Sgw	-	-	-	-	101	-				
	7	Csmnd - grey, fg, cleaved	Csmnd	-	-	-	-	101	-				
	8	DITTO	Csmnd	-	-	-	-	101	-	2.3	0.02		220
	9	Csmnd - DITTO + Sgw - fawn br, mg	Csmnd/Sgw	-	-	-	-	101	-				
	10	DITTO	Csmnd/Sgw	-	-	-	-	101	-				
	11	DITTO	Csmnd/Sgw	-	-	-	-	101	-	2.4	0.01		180
	12	Sgw - fawn br, mg, mod. v.	Sgw	-	-	-	-	101	-				
	13	Sgw - DITTO + Csmnd - grey	Sgw/Csmnd	-	-	-	-	101	-				
	14	DITTO	Sgw/Csmnd	-	-	-	-	101	-	2.5	0.05		170
	15	Sgw - fawn br, mg, mod. v. ^{rare} Csmnd	Sgw	-	-	-	-	101	-				
	16	Sgw - DITTO + Csmnd - grey, fg	Sgw/Csmnd	-	-	-	-	101	-				
	17	Sgw - fawn br, mg, mod. v.	Sgw	-	-	-	-	101	-	2.6	0.01	0.01	150
	18	DITTO	Sgw	1	-	-	-	101	10				
	19	DITTO	Sgw	1	-	-	-	101	1				
	20	Smd/Csmnd - grey, vfg, cleaved	Csmnd	-	-	-	-	101	-	2.7	0.01		280

REMARKS

DRILL HOLE No. *BSRC 34*

PROSPECT	BIGHOLEY / SOUTH RIDGE
CO-ORDS	5100N 44960E
COLLAR R.L.	DEPTH 30
COLLAR AZIM.	052 INCL. -55°
DATE COMMENCED	8/12/92 COMPLETED 1/12/92
LOGGED BY	SAMPLED BY

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix B16	ASSAY RESULTS		
From	To			lin	max	py	asp				Au		45
0	1	Sgw - fawn/red br., mg, massive. ^{near Cnd}	Sgw	<1	-	-	-		-				
	2	Sgw - DITTO	Sgw	<1	-	-	-		3	1.31	0.04		180
	3	Ssl - fawn br., fg, massive ^{minor Sgw}	Ssl	<1	<1	-	-		<1				
	4	Sgw - fawn/red br., mg, massive	Sgw	<1	-	-	-		5				
	5	Snd/Cnd - fawn/grey, vfg, cleaved	Snd	<1	-	-	-		2	3.2	0.06		340
	6	Snd - DITTO + Sgw - mg, fawn br.	Snd/Sgw	-	-	-	-		1				
	7	Snd - fawn/grey, vfg, cleaved	Snd	<1	-	-	-		3				
	8	Snd - DITTO + Sgw - mg, fawn br.	Snd/Sgw	<1	-	-	-		1	3.3	0.87		410
	9	DITTO	Snd/Sgw	<1	-	-	-		5				
	10	Snd - grey, vfg, cleaved	Snd	-	-	-	-		-				
	11	DITTO	Snd	-	-	-	-		-	3.4	0.09		360
	12	DITTO	Snd	-	-	-	-		-				
	13	DITTO	Snd	-	-	-	-		-				
	14	Snd - DITTO + Sgw - fawn br.	Snd/Sgw	-	-	-	-		-	3.5	0.02		280
	15	DITTO	Snd/Sgw	-	-	-	-		3				
	16	Sgw - mg, sheared, grey/brown	Sgw	-	-	-	-		1				
	17	DITTO	Sgw	14	-	-	-		-	3.6	0.12		390
	18	Sgw - DITTO + Snd - grey, clear.	Sgw/Snd	<1	-	-	-		20				
	19	Snd - vfg grey.	Snd	-	-	-	-		-				
	20	Snd + Sgw - s.l.w.	Snd/Sgw	<1	-	-	-		-	3.7	0.10		440
REMARKS													

DRILL HOLE No. BSRC 34

PROSPECT	BIG HOWLEY / SOUTH RIDGE		
CO-ORDS	51000N	44960E	
COLLAR R.L.		DEPTH	30m
COLLAR AZIM.	052	INCL.	-55°
DATE COMMENCED	1/12/92	COMPLETED	1/12/92
LOGGED BY	NTM	SAMPLED BY	MJ

[illegible]

Geological Summary Box: 30

0-1	Fill
1-3	Csmd
3-6	Sgn
6-7	Csmd
7-12	Ssl
12-15	Ssl/gw
15-24	Sgn
24-29	Sgn/Ssl
29-30	Sgn + Smd

SAMPLE NOS. 316141 - 150

Significant Assays

[illegible]

DOMINION MINING LIMITED



DRILL HOLE No. BSRC 35

Percussion Drill Hole Log

Northern Territory

PROSPECT	BIG HONLEY / SOUTH RIDGE		
CO-ORDS	50925 N 45115 E		
COLLAR R.L.	DEPTH 30m		
COLLAR AZIM.	232°	INCL.	-55°
DATE COMMENCED	1/12/92	COMPLETED	1/12/92
LOGGED BY	NTH	SAMPLED BY	MS

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
From	To			lin	mn or	py	asp.						
0	1'	Mostly tree roots. & Fill	Fill?						-				
	2	Csmd - grey, cleaved & Ssl - ^{tree roots} fawn br.	Ssl / Csmd	1	-	-	-		10				
	3	Csmd - grey, vfg, cleaved	Csmd?	2	+	-	-		2				
	4	Sgw - mg, fawn br / grey, ^{biotite?} ^{rich?} tw	Sgw	1	-	-	-		-				
	5	Sgw - mg, fawn br. tw, lim, ^{slips}	Sgw	1	-	-	-		-				
	6	DITTO	Sgw	2	-	-	-		10				
	7	Csmd - black, vfg, cleaved - sub mass.	Csmd	-	-	-	-		-				
	8	Ssl - fawn br, cleaved, fg.	Ssl	-	-	-	-		-				
	9	Ssl - DITTO	Ssl	1	-	-	-		3				
	10	Ssl - grey, fawn br, fg, sub-cleaved	Ssl	1	-	-	-						
	11	DITTO	Ssl	1	-	-	-		1				
	12	DITTO	Ssl	1	-	-	-		4				
	13	Ssl / Sgw - grey / fawn br, fg, mg, massive	Ssl / Sgw	1	-	-	-		-				
	14	DITTO	Ssl / Sgw	1	-	-	-		3				
	15	DITTO	Ssl / Sgw	1	-	-	-		10				
	16	Sgw - mg, fawn br, massive	Sgw	-	-	-	-		-				
	17	DITTO	Sgw	-	-	-	-		3				
	18	DITTO	Sgw	-	-	-	-		-				
	19	DITTO	Sgw	-	-	-	-		1				
	20	DITTO ^{granthy silic & cherty}	Sgw	<1	<1	-	-		-				
REMARKS													

DOMINION MINING LIMITED



Percussion Drill Hole Log

Northern Territory

DRILL HOLE No. BSRC 35

PROSPECT	BIG HOLEM / SOUTH RIDGE	
CO-ORDS	50925 N	45115 E
COLLAR R.L.		DEPTH 30m
COLLAR AZIM.	232°	INCL. -55°
DATE COMMENCED	1/12/92	COMPLETED 1/12/92
LOGGED BY	NTM	SAMPLED BY YJ

[illegible]

DOMINION MINING LIMITED

DRILL HOLE No. BSRC 36

Percussion Drill Hole Log

Northern Territory

PROSPECT	BIG HOLE / SOUTH RIDGE		
CO-ORDS	50900N	45060E	
COLLAR R.L.		DEPTH	30'±
COLLAR AZIM.	052	INCL.	-55
DATE COMMENCED	1/12/92	COMPLETED	1/12/92
LOGGED BY	NTM	SAMPLED BY	NTJ

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix 816	ASSAY RESULTS		
From	To			1/m	Mn ox.	Pb	Zn						
0	1	Sgw + Snd - fawn br, hr, ng & fg	Fill?	<1	-	-	-		-	151			
	2	Snd - fg, mod n., cleared. grey/brown	Snd	<1	-	-	-		-				
	3	Snd - DITto	Snd	-	-	-	-		-				
	4	Csnd - grey, fg, cleared, new.	Csnd	-	-	-	-		-				
	5	Sgw - grey, carbonac., ng, mod n.	Sgw	<1	-	-	-		-				
	6	DITto	Sgw	-	-	-	-		-				
	7	Sgw - DITto + Csnd - grey, fg	Sgw/Csnd	-	-	-	-		-				
	8	Csnd - grey, fg, cleared + minor Ssl	Csnd	-	-	-	-		1				
	9	Sgw - ng, massive, mod n.	Sgw	-	-	-	-		-				
	10	Sgw - DITto + Csnd - fg, cleared	Sgw/Csnd	-	-	-	-		1				
	11	Csnd - fg, cleared, grey	Csnd	<1	-	-	-		-				
	12	Csnd - DITto	Csnd	-	-	-	-		-				
	13	Sgw - massive, ng, fawn br.	Sgw	-	-	-	-		-				
	14	Sgw - DITto	Sgw	-	-	-	-		-				
	15	Csnd - grey, vfg, cleared	Csnd	-	-	-	-		-				
	16	DITto	Csnd	-	-	-	-		-				
	17	DITto	Csnd	-	-	-	-		-				
	18	DITto	Csnd	-	-	-	-		-				
	19	DITto	Csnd	-	-	-	-		-				
	20	Csnd - DITto + Sgw - fawn br.	Csnd Sgw	-	-	-	-		-				
REMARKS													

DOMINION MINING LIMITED



Percussion Drill Hole Log

Northern Territory

DRILL HOLE No. BSRL 36

PROSPECT	BIG HOLEY / SOUTH RIDGE		
CO-ORDS	50900 N	45060 E	
COLLAR R.L.		DEPTH	30 m
COLLAR AZIM.	052	INCL.	-55°
DATE COMMENCED	1/12/92	COMPLETED	1/12/92
LOGGED BY	NTM	SAMPLED BY	MS

[illegible]

Geological Summary Box = > 30.

0-2	Csmd
2-4	Ssl
4-5	Csmd
5-7	Ssl
7-13	Csmd
13-18	Csmd + Sgn
18-19	Sgn
19-26	Csmd
26-30	Ssl + Csmd

SAMPLE NOS. 316161 - 170

Significant Assays

[illegible]

DRILL HOLE No. BSRC 37

PROSPECT	BIG HONLEY / SOUTH RIDGE
CO-ORDS	50890N 45410E
COLLAR R.L.	DEPTH 30 ~
COLLAR AZIM.	052° INCL. -55°
DATE COMMENCED	1/12/92 COMPLETED 1/12/92
LOGGED BY	NTH SAMPLED BY MS

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix B16	ASSAY RESULTS		
From	To			1/m	mm or	py	qsa						
0	1	Csmd - black, vfg, sub-cleaved, slw.	Csmd	-	-	-	-	-	1				
	2	DITTO minor Ssl	Csmd	2	<1	-	-	-	1				
	3	Ssl? - grey, fg, massive, sl.w - mod.u.	Ssl	<1	-	-	-	-	5				
	4	DITTO	Ssl	<1	-	-	-	-	2				
	5	Csmd - black, vfg + minor Sgw	Csmd	<1	-	-	-	-	2				
	6	Ssl - fawn br fg, massive + ^{rare} grey Ssl	Ssl	-	-	-	-	-	-				
	7	Ssl? - grey fg, massive	Ssl	-	-	-	-	-	-				
	8	Csmd - black, vfg, ^{+ Ssl} semi-mass.	Csmd	-	-	-	-	-	-				
	9	DITTO	Csmd	-	-	-	-	-	-				
	10	DITTO	Csmd	-	-	-	-	-	-				
	11	DITTO	Csmd	1	-	-	-	-	-				
	12	Csmd - black, vfg, cleaved	Csmd	<1	-	-	-	-	-				
	13	DITTO	Csmd	<1	-	-	-	-	-				
	14	Csmd - DITTO + Sgw ^{massive} - grey, ng	Csmd/Sgw	<1	-	-	-	-	-				
	15	DITTO	Csmd/Sgw	<1	-	-	-	-	-				
	16	Sgw - fawn br, ng, massive ^{light Csmd}	Sgw/Csmd	-	-	-	-	-	-				
	17	Csmd - black, vfg,	Csmd	-	-	-	-	-	1				
	18	Csmd - black, vfg + Sgw - ng, ^{fawn br.}	Csmd/Sgw	-	-	-	-	-	2				
	19	Sgw - fawn br, ng, clayey, hwd	Sgw	1	-	-	-	-	1				
	20	Csmd - black, vfg,	Csmd	1	-	-	-	-	1				
REMARKS													

DOMINION MINING LIMITED

Percussion Drill Hole Log

Northern Territory

DRILL HOLE No. BSRC 37

PROSPECT	BIG HOWLEY / SOUTH RIDGE
CO-ORDS	50890 N 45110 E
COLLAR R.L.	DEPTH 30 m
COLLAR AZIM.	052 INCL. -55°
DATE COMMENCED	1/12/92 COMPLETED 1/12/92
LOGGED BY	NFM SAMPLED BY MJ

[illegible]

Geological Summary Box: 730~

0-1 Sgn
1-7 S₃₁ + C_{sm}
7-9 Sgn
9-12 S₃₁
12-13 C_{sm}
13-18 C_{sm} + S₃₁
18-28.5 C_{sm}
28.5-30 Sgn

SAMPLE NOS. 316171-16180

Significant Assays

[illegible]

SHEET 1 OF 2



DRILL HOLE No. *BSRC 38*

PROSPECT	BIG HONLEY / SOUTH RIDGE		
CO-ORDS	5089N	45090E	
COLLAR R.L.		DEPTH	30
COLLAR AZIM.	052°	INCL.	-55°
DATE COMMENCED	2/12/92	COMPLETED	2/12/92
LOGGED BY	NTM	SAMPLED BY	NTJ

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
From	To			lim	M. ox	py	asp						
0	1	Sgw - fawn br, mg mod. n.	Sgw	<1	-	-	-		1				
	2	Csmd - black/grey, vfg + Ssl - fg ^{fawn/grey}	Ssl/ Csmd	<1	-	-	-		-				
	3	DITTO	Ssl/ Csmd	1	-	-	-		5				
	4	DITTO	Ssl/ Csmd	1	-	-	-		1				
	5	DITTO	Ssl/ Csmd	<1	-	-	-		2				
	6	Csmd - grey/black, vfg, cleaved	Csmd	2	-	-	-		2				
	7	Csmd - DITTO + Ssl - orange b. fg, ners.	Csmd/ Ssl	1	-	-	-		4				
	8	Sgw - light grey, mg hrs, clayey	Sgw	1	-	-	-		1				
	9	DITTO	Sgw	1	-	-	-		1				
	10	Ssl - buff/fawn, fg, mod. w, massive	Ssl	<1	-	-	-		-				
	11	Ssl - fawn b., fg, mod. w, massive	Ssl	1	-	-	-		5				
	12	DITTO	Ssl	1	-	-	-		5				
	13	Csmd - black, vfg, semi massive	Csmd	-	-	-	-		-				
	14	Csmd - DITTO + Ssl - fawn br, fg	Csmd/ Ssl	-	-	-	-		5				
	15	DITTO	Csmd/ Ssl	-	-	-	-		2				
	16	DITTO	Csmd/ Ssl	<1	-	-	-		5				
	17	DITTO	Ssl/ Csmd	<1	-	-	-		-				
	18	Ssl - dark fawn, fg - org. + Csmd - black vfg ^{sl. w.}	Ssl/ Csmd	<1	-	-	-		3				
	19	Csmd - black, vfg, cleaved, sl. w.	Csmd	1	-	-	-		3				
	20	DITTO	Csmd	1	-	-	-		1				
REMARKS													

DOMINION MINING LIMITED



Percussion Drill Hole Log

Northern Territory

DRILL HOLE No. *BSRL 38*

PROSPECT	BIG HONLEY / SOUTH RIDGE		
CO-ORDS	50890N	45090E	
COLLAR R.L.		DEPTH	30~
COLLAR AZIM.	052	INCL.	-55°
DATE COMMENCED	2/12/92	COMPLETED	2/12/92
LOGGED BY	NTM	SAMPLED BY	NJS

[illegible]

Geological Summary Box = 22

0 - 4.5	Csmd
4.5 - 6.5	Ssl
6.5 - 9	Csmd
9 - 11	Csmd + Ssl
11 - 17.5	Csmd
17.5 - 19.5	Ssl
19.5 - 21.5	Csmd
21.5 - 26.5	Sgn / Ssl
26.5 - 30	Csmd

SAMPLE NOS. 316181-190

Significant Assays

[illegible]

DRILL HOLE No. *BSRC 39*

PROSPECT	BIG HOWLEY / SOUTH RIDGE		
CO-ORDS	50700 N	45110 E	
COLLAR R.L.		DEPTH	30 m
COLLAR AZIM.	052	INCL.	-55
DATE COMMENCED	2/12/92	COMPLETED	2/12/92
LOGGED BY	NEM	SAMPLED BY	MJ

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
From	To			1/m	Mox.	Pg	asp.						
0	1	Csmd black, vfg, sub-cleaned, ^{mod. w.}	Csmd	4	-	-	-		2				
	2	DITTO	Csmd	3	-	-	-		7				
	3	DITTO	Csmd	1	-	-	-		2				
	4	DITTO	Csmd	-	-	-	-		-				
	5	Csmd - DITTO + Ssl - grey/brown, fg, ^{massive}	Csmd / Ssl	1	-	-	-		<1				
	6	Ssl - DITTO ^{silic.}	Ssl	1	-	-	-		<1				
	7	Ssl - grey br., fg + Csmd - black, vfg	Ssl / Csmd	1	-	-	-		1				
	8	Csmd - vfg, black, sl.w. - mod. w.	Csmd	<1	-	-	-		<1				
	9	Csmd - DITTO + minor Ssl	Csmd	<1	-	-	-		<1				
	10	Csmd - black, vfg, + Ssl - grey, fg	Csmd / Ssl	<1	-	-	-		2				
	11	Ssl / Sgr - fawn br., clayey + Csmd	Csmd / Ssl / Sgr	-	-	-	-		-				
	12	Csmd - black, vfg + rare Ssl	Csmd	-	-	-	-		-				
	13	Csmd - black, vfg, sl.w.	Csmd	-	-	-	-		-				
	14	DITTO	Csmd	4	-	-	-		2				
	15	DITTO	Csmd	2	-	-	-		5				
	16	DITTO ^{rare Ssl}	Csmd	1	-	-	-		5				
	17	DITTO	Csmd	1	-	-	-		2				
	18	Csmd - DITTO + Ssl - dark grey, fg	Csmd / Ssl	1	-	-	-		1				
	19	Ssl / gr - fawn br., mg - fg, biot. spotting	Ssl / gr	1	-	-	-		-				
	20	Ssl / gr - DITTO + Csmd - black, vfg	Ssl / Csmd	4	-	-	-		-				
REMARKS													

DRILL HOLE No. *BSRC 39*

PROSPECT	BIG HAWLEY / SOUTH RIDGE		
CO-ORDS	50700d	45110E	
COLLAR R.L.		DEPTH	30m
COLLAR AZIM.	052	INCL.	-55
DATE COMMENCED	2/12/92	COMPLETED	2/12/92
LOGGED BY	NSM	SAMPLED BY	MS

[illegible]

Geological Summary Box = 24

0 - 6.5	Csand
6.5 - 10	Sgw
10 - 11	Ssl
11 - 12	Sgw
12 - 13	Csand
13 - 19	Ssl / Cssl
19 - 24	Csand
24 - 27	Csand + Ssl
27 - 30	Csand

SAMPLE NO. 316/91-16200

Significant Assays

[illegible]

DRILL HOLE No. *BS RC 40*

PROSPECT	SOUTH RIDGE / CHINESE HOLLOW		
CO-ORDS	50700 N	45800 E	
COLLAR R.L.		DEPTH	30m
COLLAR AZIM.	052°	INCL.	-55°
DATE COMMENCED	2/12/92	COMPLETED	2/12/92
LOGGED BY	NTM	SAMPLED BY	MJ

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
From	To			lim	Mn or	py	asp						
0	1	Csmd - dark brown, rfg, cleaved, mw	Csmd	-	-	-	-	-	-				
	2	DITTO	Csmd	-	-	-	-	-	-				
	3	Csmd - DITTO + minor Sgn - fawn ^{ng}	Csmd / Sgn	-	-	-	-	-	-				
	4	Csmd - DITTO	Csmd	<1	-	-	-	-	1				
	5	Csmd - DITTO + minor Ssl - fawn, sil.	Csmd / Ssl	-	-	-	-	-	2				
	6	Csmd - black, sl.w, rfg, sub-cleaved	Csmd	4	-	-	-	-	3				
	7	Csmd - DITTO + Sgn - clayey, bw, grey ^{fawn}	Csmd / Sgn	-	-	-	-	-	1				
	8	DITTO + DITTO sil.	Csmd / Sgn	-	-	-	-	-	-				
	9	Sgn - buff, clayey, bw, ng ^{part sil.}	Sgn	-	-	-	-	-	1				
	10	DITTO + minor Csmd	Sgn	1	-	-	-	-	10				
	11	Ssl - fawn / buff, fg, sub-cleaved	Ssl	-	-	-	-	-	-				
	12	Sgn - fawn / buff, ng, + rare Csmd	Sgn / Csmd	<1	-	-	-	-	1				
	13	Csmd - black, rfg, sl.w., 1 in. ^{trace Ssl}	Csmd	1	-	-	-	-	-				
	14	Ssl - carb, fg, grey, sub-cleaved	Cssl	1	-	-	-	-	-				
	15	DITTO	Cssl	1	-	-	-	-	-				
	16	Ssl - fawn / buff, fg - ng, mod.w., sil. ^{rare Cssl}	Ssl	-	-	-	-	-	-				
	17	DITTO	Ssl	-	-	-	-	-	-				
	18	Ssl - DITTO + Ssl - grey. (ie Cssl)	Ssl / Cssl	-	-	-	-	-	-				
	19	DITTO	Ssl / Cssl	-	-	-	-	-	-				
	20	Csmd / Cssl - rfg - fg, grey, sl.w.	Csmd	-	-	-	-	-	-				
REMARKS													

DRILL HOLE No. *BSRC 40*

PROSPECT	SOUTH RIDGE / CHINESE LAULLEY	
CO-ORDS	50700N	45090E
COLLAR R.L.		DEPTH 30m
COLLAR AZIM.	052	INCL. -55
DATE COMMENCED	2/12/92	COMPLETED 2/12/92
LOGGED BY	NTM	SAMPLED BY NTJ

[illegible]

DRILL HOLE No. *BSRC 41*

PROSPECT	SOUTH RIDGE/CHINESE HANDED	
CO-ORDS	50700N	45070E
COLLAR R.L.		DEPTH 30m
COLLAR AZIM.	052	INCL. 55°
DATE COMMENCED	2/12/92	COMPLETED 2/12/92
LOGGED BY	NM	SAMPLED BY MS

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
From	To			lim	Mn ox.	py.	asp.						
0	1	Sgw - hw, fawn br, ang	Sgw	4	-	-	-	101 101 101	1				
	2	Ditto	Sgw	1	-	-	-	101 101 101	2				
	3	Ssl - fawn br, fg, hw, trace Sgw	Ssl	1	-	-	-	101 101 101	-				
	4	Ssl - Ditto + Sgw - fawn br.	Ssl Sgw	4	-	-	-	101 101 101	4				
	5	Sgw - fawn br, hw, ang + Cond - grey claw. hw.	Sgw Cond	4	-	-	-	101 101 101	-				
	6	Sgw - Ditto + rare Cond	Sgw	4	-	-	-	101 101 101	-				
	7	Cond - grey, cleared, fg, minor fawn Ssl	Cond Ssl	1	-	-	-	101 101 101	5				
	8	Ditto	Cond Ssl	2	-	-	-	101 101 101	5				
	9	Ssl - yellow / fawn, hw, lim, fg (?)	Ssl	5	-	-	-	101 101 101	10				
	10	Cond - black, vfg, + Sgw - fawn br, hw.	Cond Sgw	4	-	-	-	101 101 101	-				
	11	Cond - Ditto + rare Sgw / Ssl	Cond Sgw / Ssl	1	-	-	-	101 101 101	-				
	12	Ditto	Cond Ssl	4	-	-	-	101 101 101	-				
	13	Sgw - fawn br, hw + minor Cond	Sgw Cond	4	-	-	-	101 101 101	-				
	14	Ditto	Sgw Cond	4	-	-	-	101 101 101	-				
	15	Ditto	Sgw Cond	4	-	-	-	101 101 101	-				
	16	Cond - black, vfg, sub-cleared	Cond	4	-	-	-	101 101 101	-				
	17	Ditto	Cond	4	-	-	-	101 101 101	-				
	18	Sgw - fawn br, mod. w, ang, massive	Sgw	1	-	-	-	101 101 101	-				
	19	Cond - black, vfg, sub-cleared	Cond	-	-	-	-	101 101 101	-				
	20	Ditto + minor Sgw	Cond Sgw	4	-	-	-	101 101 101	-				
REMARKS													

Geological Summary Box = 27

0 - 2 Sgw
2 - 3.5 Ssl
3.5 - 4.5 Sgw
4.5 - 5 Csm
5 - 6 Sgw
6 - 8 Ssl + Csm
8 - 9 Ssl
9 - 15 Sgw + Csm
15 - 17 Csm
17 - 18 Sgw
18 - 19.5 Csm
19.5 - 20 Sgw
20 - 30 Csm (+ Cssl)

SAMPLE NOS. 316201-210

[illegible]

DRILL HOLE No. *BSRC 41*

PROSPECT	SOUTH RIDGE / CHINESE ADULEY	
CO-ORDS	50700 N	45070 E
COLLAR R.L.		DEPTH 30 -
COLLAR AZIM.	052	INCL. - 55
DATE COMMENCED	2/12/92	COMPLETED 2/12/92
LOGGED BY	NTM	SAMPLED BY MS

[illegible]

DRILL HOLE No. *BSRC 42*

PROSPECT	SOUTH RIDGE / CHINESE MONKEY	
CO-ORDS	50700N	45050E
COLLAR R.L.		DEPTH 30 ~
COLLAR AZIM.	052	INCL. -SS
DATE COMMENCED	2/12/92	COMPLETED 2/12/92
LOGGED BY	NTM	SAMPLED BY MS

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix B 16	ASSAY RESULTS		
From	To			lim	ma	py	asp						
0	1	Sgw - fawn / yellow br, hw, mg	Sgw	<1	-	-	-	10%	1	21.1			
	2	DITTO	Sgw	<1	<1	-	-	0.1%	<1				
	3	Sgw DITTO + Snd - brown ^{dear.}	Sgw Snd	<1	-	-	-	1%	-				
	4	Snd - dark brown / grey, cleaved	Snd	1	<1	-	-	1%	5				
	5	DITTO	Snd	2	<1	-	-	1%	10				
	6	Sgw - yellow br, hw, mg.	Sgw	<1	-	-	-	1%	10				
	7	DITTO	Sgw	<1	-	-	-	1%	<1				
	8	DITTO	Sgw	<1	-	-	-	1%	-				
	9	Sgw - DITTO + Snd - fawn br. ^{fg. clear.}	Sgw Snd	-	-	-	-	1%	-				
	10	Sgw - fawn / buff, mg, hw	Sgw	-	-	-	-	1%	-				
	11	DITTO	Sgw	-	-	-	-	1%	10				
	12	Csmd - grey br, mod w, vfg, cleav.	Csmd	<1	-	-	-	1%	<1				
	13	DITTO	Csmd	1	-	-	-	1%	3				
	14	Ssl - fawn br, hw, fg	Ssl	2	-	-	-	1%	1				
	15	Csmd? - grey br, lim, + minor Sgw	Csmd Sgw	1	-	-	-	1%	-				
	16	Sgw - fawn br, mg, hw, + rare Snd	Sgw	<1	-	-	-	1%	-				
	17	Sgw - DITTO	Sgw	<1	-	-	-	1%	-				
	18	Sgw - DITTO	Sgw	<1	-	-	-	1%	-				
	19	Sgw - DITTO	Sgw	<1	-	-	-	1%	-				
	20	Sgw - DITTO + Csmd - black, vfg	Sgw / Csmd	<1	-	-	-	1%	-				
REMARKS													

DRILL HOLE No. *BSRC 42*

PROSPECT	SOUTH RIDGE / CHANGSE HONLEY	
CO-ORDS	50700 N	45050 E
COLLAR R.L.		DEPTH 30m
COLLAR AZIM.	052	INCL. -55
DATE COMMENCED	2/12/92	COMPLETED 2/12/92
LOGGED BY	NTM	SAMPLED BY MS

[illegible]

Geological Summary Box = 26

1-8 Sgr

8-10.5 Smol

10.5-12 Squ

17-13 551

13-15 Sand + Sgn

15-17 Saw

17-19 Sgr + C5nd

19-27 Saw

27-28 End

24-30-55

SAMPLE NOS. 316221-230

Significant Assays

[illegible]

DRILL HOLE No. *BSRC 43*

PROSPECT	SOUTH RIDGE / CHINESE HARBOR		
CO-ORDS	52700 N	45003 E	
COLLAR R.L.		DEPTH	30m
COLLAR AZIM.	052	INCL.	-55°
DATE COMMENCED	2/12/92	COMPLETED	2/12/92
LOGGED BY	NFM	SAMPLED BY	MJ

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
From	To			lin.	Mn ox.	py	asph.						
0	1	ROAD FILL	FILL										
	2	Ssl/gw - fawn br, hws, ^{clayey} ng-fg	Ssl/gw						10				
	3	Sgw - fawn br, ng, clayey, hws	Sgw						5				
	4	Sgw - DITTO + Smd - ^{grey br.} cleaved.	Sgw Smd						<1				
	5	Sgw - fawn br, ng, massive, hws	Sgw						20				
	6	DITTO	Sgw						5				
	7	Ssl - fawn br, ^{rare Sgw} fg, semi massive	Ssl						<1				
	8	Sgw - fawn br, ng, massive, hws	Sgw										
	9	Smd - fawn br, vfg, cleaved ^{minor} Ssl cleaved.	Smd Ssl										
	10	DITTO	Smd										
	11	Smd - DITTO + minor Sgw ^{hws br} ng mass	Smd Sgw						5				
	12	Sgw - fawn br, ng, massive, hws	Sgw						5				
	13	Ssl - fawn br, fg, cleaved	Ssl										
	14	Smd - fawn br, vfg, cleaved + minor ^{Sgw} fawn ng	Smd Sgw						<1				
	15	DITTO	Smd Sgw										
	16	Sgw - fawn br, ng, hws, massive, clayey	Sgw						10				
	17	DITTO	Sgw										
	18	Sgw - DITTO + Cnd - ^{vfg.} grey, cleaved.	Sgw Cnd										
	19	DITTO	Sgw Cnd										
	20	Sgw - sl.w., grey/br, ng, massive	Sgw						5				
REMARKS													

DRILL HOLE No. *BSRC 43*

PROSPECT	SOUTH RIDGE / CHINESE HONEY	
CO-ORDS	50700 N	45003 E
COLLAR R.L.		DEPTH 30m
COLLAR AZIM.	052	INCL. -55
DATE COMMENCED	2/12/92	COMPLETED 2/12/92
LOGGED BY	NTH	SAMPLED BY NJ

[illegible]

Geological Summary

Box = 730

0 - 3.5	Csmd
3.5 - 6	Ssl
6 - 9	Csmd
9 - 13	Sgw
13 - 16	Csmd
16 - 20.5	Smd
20.5 - 24.5	Sgw
24.5 - 26	Csmd
26 - 30	Sgw

SAMPLE NOS. 316231-240

Significant Assays

[illegible]

DOMINION MINING LIMITED



Percussion Drill Hole Log Northern Territory

SHEET 1 OF 2

DRILL HOLE No. BSRC 44

PROSPECT	<u>BIG HAWLEY / SOUTH RIDGE</u>		
CO-ORDS			
COLLAR R.L.		DEPTH	<u>30</u>
COLLAR AZIM.	<u>052</u>	INCL.	<u>-55°</u>
DATE COMMENCED	<u>2/12/92</u>	COMPLETED	<u>2/12/92</u>
LOGGED BY	<u>NFM</u>	SAMPLED BY	<u>MS</u>

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
From	To			Fe	Mn	P	As						
0	1	Ssl/md - dark fawn br, vfg-fg, ^{semi} massive	Ssl/md	<1	-	-	-	1	<1				
	2	Smd - dark fawn br, vfg, cleaved	Smd	1	-	-	-	1	-				
	3	Csmd - dark br./grey, vfg, cleaved	Csmd	4	-	-	-	1	-				
	4	Csmd - DITto + Ssl-fg, buff/fawn	Csmd Ssl	1	-	-	-	1	-				
	5	Ssl-fg, massive, fawn/buff.	Ssl	<1	-	-	-	1	-				
	6	DITto	Ssl	<1	-	-	-	1	-				
	7	Csmd - grey, vfg, cleaved.	Csmd	-	-	-	-	1	-				
	8	Csmd - DITto + rare Ssl.	Csmd	1	-	-	-	1	2				
	9	Csmd - DITto + rare Ssl	Csmd	1	-	-	-	1	1				
	10	Sgn - fawn br, mg, massive	Sgn	<1	<1	-	-	1	1				
	11	DITto	Sgn	<1	<1	-	-	1	2				
	12	DITto	Sgn	<1	-	-	-	1	1				
	13	Sgn - dark fawn br, mg, massive /im	Sgn	3	-	-	-	1	1				
	14	Csmd - dark fawn br, vfg, cleaved	Csmd	1	-	-	-	1	-				
	15	DITto	Csmd	<1	-	-	-	1	-				
	16	Csmd - DITto + Ssl/Sgn-fg, fawn	Csmd Ssl-gn	<1	-	-	-	1	-				
	17	Smd - dark fawn br, vfg, cleaved	Smd	<1	-	-	-	1	-				
	18	Smd - DITto + rare Ssl	Smd	<1	-	-	-	1	-				
	19	Smd - DITto	Smd	1	-	-	-	1	<1				
	20	Smd - DITto	Smd	<1	-	-	-	1	-				

REMARKS

Csmd < 16m is more likely Smd.

DRILL HOLE No. BSRC 44

PROSPECT	
CO-ORDS	
COLLAR R.L.	DEPTH
COLLAR AZIM.	INCL.
DATE COMMENCED	COMPLETED
LOGGED BY	SAMPLED BY

[illegible]

DOMINION MINING LIMITED



Percussion Drill Hole Log Northern Territory

SHEET 1 OF 2

DRILL HOLE No. BSRC 45

PROSPECT	<u>BIG MONKEY / SOUTH RIDGE</u>		
CO-ORDS			
COLLAR R.L.		DEPTH	<u>30</u>
COLLAR AZIM.	<u>052</u>	INCL.	<u>-55</u>
DATE COMMENCED	<u>3/12/92</u>	COMPLETED	<u>3/12/92</u>
LOGGED BY	<u>NM</u>	SAMPLED BY	<u>MJ</u>

DEPTH	From	To	DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
					Fe	Mn	Pb	Zn						
0	1		Cl + Ssl/Sgn - hw, fawn br.	Cl Ssl	-	-	-	-		-				
	2		Ssl/Sgn - fg - mg, hw, fawn br. & buff	Ssl/gu	<1	-	-	-		-				
	3		Ditto silic.	Ssl/gu	<1	-	-	-		2				
	4		Ditto silic.	Ssl/gu	<1	-	-	-		-				
	5		Ssl/Sgn - DTTG + Sand - grey, vfg	Ssl/gu Sand	<1	-	-	-		-				
	6		Snd - grey, vfg, cleaved + minor Ssl.	Snd	-	-	-	-		-				
	7		Ditto clayey	Snd	-	-	-	-		-				
	8		Snd - grey, vfg, cleaved, clay, hw	Snd	<1	-	-	-		-				
	9		Ssl - fawn/yellow fg, + rare Snd	Ssl	-	-	-	-		-				
	10		Snd - grey, vfg, cleaved	Snd	-	-	-	-		-				
	11		Ssl - fawn br. fg, massive, hw	Ssl	-	-	-	-		-				
	12		Snd - grey brown, vfg, sub-cleav.	Snd	-	-	-	-		-				
	13		Ditto	Snd	<1	-	-	-		1				
	14		Ditto	Snd	-	-	-	-		-				
	15		Ditto	Snd	-	-	-	-		-				
	16		Ditto	Snd	-	-	-	-		-				
	17		Ditto	Snd	-	-	-	-		-				
	18		Ditto	Snd	-	-	-	-		-				
	19		Ditto	Snd	-	-	-	-		-				
	20		Ditto	Snd	-	-	-	-		-				

REMARKS

DRILL HOLE No. BSRc 45

PROSPECT	
CO-ORDS	
COLLAR R.L.	DEPTH
COLLAR AZIM.	INCL.
DATE COMMENCED	COMPLETED
LOGGED BY	SAMPLED BY

[illegible]

Box =

1-8	Stf.
8-11	Ssl
11-14	Stf/Ssl
14-16	Stf Ssl
16-17	Stf
17-18	Ssl
18-19	Stf
19-21	Ssl
21-22	Stf
22-28	Ssl
28-30	Stf

SAMPLE NOS. 316251-260

Significant Assays

[illegible]

DOMINION MINING LIMITED



Percussion Drill Hole Log

Northern Territory

DRILL HOLE No. BSRC 46

PROSPECT	BIG HOLEY / CHINESE HOLEY		
CO-ORDS	50300N 45210E		
COLLAR R.L.	DEPTH 30		
COLLAR AZIM.	052°	INCL. -55°	
DATE COMMENCED	3/12/92	COMPLETED	3/12/92
LOGGED BY	NTM	SAMPLED BY MS	

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
From	To			lim.	Mn or	Pb	Zn						
0	1	Clv - red br. clay/silt	Clv.	-	-	-	-		-				
	2	Stf - buff & grey spotted, fg + grey chert	Stf	-	-	-	-		-				
	3	Stf - DITTO + brown chert	Stf	-	-	-	-		-				
	4	Stf - DITTO + grey chert	Stf	-	-	-	-		-				
	5	Stf - DITTO	Stf	-	-	-	-		-				
	6	Stf - DITTO	Stf	-	-	-	-		-				
	7	Stf - grey fg silic. + grey chert	Stf	-	-	-	-		2				
	8	DITTO	Stf	-	-	-	-		-				
	9	Ssl/md - grey/brown, fg sub-clay.	Ssl/md	-	-	-	-		5				
	10	Ssl/Stf - grey sub-mass. fg mod.w	Ssl/Stf	-	-	-	-		-				
	11	DITTO	Ssl/Stf	-	-	-	-		5				
	12	Ssl/Stf - buff, fg, mw, massive	Ssl/Stf	-	-	-	-		2				
	13	DITTO	Ssl/Stf	-	-	-	-		-				
	14	DITTO	Ssl/Stf	-	-	-	-		-				
	15	Ssl - grey, fg, massive, mw	Ssl	-	-	-	-		5				
	16	DITTO	Ssl	-	-	-	-		1				
	17	Stf - buff, fg, massive, mw, trace Csm	Stf	-	-	-	-		10				
	18	Ssl/Stf - grey, fg, massive, mw	Ssl/Stf	-	-	-	-		1				
	19	Ssl/Stf - grey/buff, fg + brown chert, massive	Stf	-	-	-	-		-				
	20	Ssl - grey, fg, silic. + grey chert	Ssl/ch	-	-	-	-		-				
REMARKS 13-14 m similar to 8-11 m													

DOMINION MINING LIMITED



DRILL HOLE No. BSRC 46

Percussion Drill Hole Log

Northern Territory

PROSPECT	
CO-ORDS	
COLLAR R.L.	DEPTH
COLLAR AZIM.	INCL.
DATE COMMENCED	COMPLETED
LOGGED BY	SAMPLED BY

[illegible]

Project. BIG HOWLEY		Drill Type AC PERCUSSION		Hole No. BSRC 47	
Prospect SOUTH RIDGE		Location BIG HOWLEY, COSMO, N.T.		Site	
Co-ords N E		RL		Pre Collar	
Logged by NTM		Hole commenced 1992		Drilled by GADEN	
Sampled by M P/MJ		Hole completed 1992		Rig Type	
Depth m 30				Total Depth 30	
Inclination 60°					
Azimuth (G) 052°					
Purpose. SOIL GEOCHEMICAL ANALYSIS					

Geological Summary

Box = 28m

1-3 S+fe
3-8 S+fe
8-9 Snd
9-11 S+fe
11-15 Ss/Snd
15-18.5 S+fe
18.5-30 Ss

SAMPLE NOS. 316261-270

Significant Assays

From	To	Metres	Au g/l	Nos.	Remarks
0	3	3		261	
3	6	3		2	
6	9	3		3	
9	12	3		4	
12	15	3		5	
15	18	3		6	
18	21	3		7	
21	24	3		8	
24	27	3		9	
27	30	3		270	



Percussion Drill Hole Log

Northern Territory

DRILL HOLE No. *BSRC 47*

PROSPECT	BIG HOWLEY / CHINGS6 HOWLEY		
CO-ORDS	SS 300N 45/90E		
COLLAR R.L.	DEPTH 30		
COLLAR AZIM.	052	INCL. -55°	
DATE COMMENCED	2/12/92	COMPLETED	3/12/92
LOGGED BY	nmj	SAMPLED BY	ms

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
From	To			lim	mor.	py	asp.						
0	1	Ssl - luv, red br, fg, massive	Ssl	1	-	-	-		5				
	2	Ssl/Stf - fawn br/buff, fg, ^{partly} cherty	Stfc	<1	-	-	-		20				
	3	Stf - buff-fawn, fg, mg, cherty	Stfc	<1	-	-	-		2				
	4	DITTO	Stf	2	-	-	-		10				
	5	Stf - buff, fg, luv, ^{sub-micro} massive, spotted	Stf	<1	-	-	-		<1				
	6	DITTO	Stf	2	-	-	-		20				
	7	DITTO	Stf	1	-	-	-		10				
	8	DITTO	Stf	1	-	-	-		20				
	9	Ssl - fawn br, fg, mv, + Sand - cherty	Ssl/Sand	1	-	-	-		5				
	10	Stf - buff, fg, massive, sil. + ^{gray} chert	Stfc	-	-	-	-		-				
	11	DITTO ^{RXT. RTZ}	Stfc	-	-	-	-		2				
	12	Ssl/Sand - fawn/gray, mv, laminated	Ssl/Sand	-	-	-	-		5				
	13	DITTO	Ssl/Sand	-	-	-	-		5				
	14	DITTO	Ssl/Sand	<1	-	-	-		20				
	15	Ssl - fawn/buff/dk. gray, fg, massive	Ssl	-	-	-	-		-				
	16	Stf - spotted, fawn br, fg + fawn/gray chert	Stfc	-	-	-	-		-				
	17	DITTO	Stfc	-	-	-	-		-				
	18	DITTO ^{gray cherty Ssl}	Stf ^{Ssl}	-	-	-	-		-				
	19	Stf - buff/fawn, fg, massive, + ^{gray} Ssl/fg	Stf Ssl	-	-	-	-		-				
	20	Ssl - gray, fg, sl. w, massive. ^{RXT. RTZ}	Ssl	-	-	-	-		2				
REMARKS													

SHEET 2 OF 2

DRILL HOLE No. BSRC 47

PROSPECT	314 HOWLEY / CHINGSS HANBY
CO-ORDS	S300N 45190E
COLLAR R.L.	DEPTH 30
COLLAR AZIM.	052 INCL. 55
DATE COMMENCED	3/12/92
COMPLETED	3/12/92
LOGGED BY	NM
SAMPLED BY	MS

[illegible]

Project. BIG HOWLEY			Drill Type AC PERCUSSION			Hole No. BSRC 48		
Prospect SOUTH RIDGE			Location BIG HOWLEY, COSMO, N.T.			Site		
Co-ords N E			RL			Pre Collar		
Logged by NTM			Hole commenced 1992			Drilled by GADEN		
Sampled by MP/MS			Hole completed 1992			Rig Type		
Depth m 30						Total Depth 30		
Inclination 60°								
Azimuth (G) 052°								
Purpose. SOIL GEOCHEMICAL MONITORING								
Geological Summary								
Box = 23 m								
0-5 - Ssl/snd								
5-6 - Csnd								
6-7.5 - Snd								
7.5-8.5 - Sgr								
8.5-9.5 - Snd								
9.5-13.5 - Ssl/snd								
13.5-15.5 - Csnd								
15.5-24 - Ssf								
24-27 - Snd								
27-30 - Ssf								
SAMPLE NOS. 316271-280								
Significant Assays								
From	To	Metres	Au g/l	Nos.	Remarks			
0	3	3		271				
3	6	3		2				
6	9	3		3				
9	12	3		4				
12	15	3		5				
15	18	3		6				
18	21	3		7				
21	24	3		8				
24	27	3		9				
27	30	3		280				

12-45 SHEET 1 OF 2



Percussion Drill Hole Log

Northern Territory

DRILL HOLE No. *BSRC 48*

PROSPECT	BIG HONLEY / SOUTH RIDGE
CO-ORDS	50300N 45170E
COLLAR R.L.	DEPTH 30m
COLLAR AZIM.	052° INCL. 45°-55°
DATE COMMENCED	3/12/92 COMPLETED 3/12/92
LOGGED BY	NTM SAMPLED BY NT

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
From	To			1/2	1/4	1/8	1/16						
0	1	Ssl/Sand - fawn, fg - vfg, cleaved	Ssl/Sand	4	-	-	-	-	-				
	2	Ditto silic.	Ssl/Sand	-	-	-	-	-	4				
	3	Sand - black, silic., vfg, blocky	Sand	4	-	-	-	-	5				
	4	Ssl/Sand - fawn br/grey, vfg-fg, ^{silic.} _{hw}	Ssl/Sand	-	-	-	-	-	4				
	5	Ditto	Ssl/Sand	4	-	-	-	-	2				
	6	Sand/Sand - black, silic, vfg, blocky	Csand	4	-	-	-	-	-				
	7	Ssl/Sand - grey/fawn br, fg - vfg, ^{silic.} _{mass}	Ssl/Sand	4	-	-	-	-	4				
	8	Sgn - fawn br ^{ng} + Sand - fawn, vfg	Sand/Sgn	4	4	-	-	-	4				
	9	Ditto	Sand/Sgn	4	-	-	-	-	4				
	10	Ssl - fawn br, fg, ^{silic.} _{mw} , + Sand - grey, vfg	Sand/Ssl	4	-	-	-	-	4				
	11	Ditto	Sand/Ssl	-	-	-	-	-	-				
	12	Ditto	Sand/Ssl	-	-	-	-	-	-				
	13	Ssl - buff, hw, clayey, + rare Sand	Ssl	4	-	-	-	-	10				
	14	Ssl - Ditto + Sand - black, silic., ^{vfg} _{mass.}	Ssl/Csand	4	-	-	-	-	4				
	15	Csand - grey br/black, vfg, silic	Csand	-	-	-	-	-	-				
	16	Csand - grey, vfg, + Ssl - fawn br, fg	Csand/Ssl	-	-	-	-	-	-				
	17	Ssl - buff/fawn, sl.w, fg, silic	Ssl/H	-	-	-	-	-	-				
	18	Ditto	Ssl/H	-	-	-	-	-	-				
	19	Ssl - light grey, fg, silic	Ssl/H	-	-	-	-	-	4				
	20	Ditto	Ssl/H	4	-	-	-	-	2				
REMARKS													
Csand may be read for Sand from 3-12m													
GERONIE FORMATION													



Percussion Drill Hole Log

Northern Territory

PROSPECT	
CO-ORDS	
COLLAR R.L.	DEPTH
COLLAR AZIM.	INCL.
DATE COMMENCED	COMPLETED
LOGGED BY	SAMPLED BY

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
From	To			lim	M. ox	py	asp						
20	21	Ssl - grey & buff, silic, fg, massive	Ss1/4	1	-	-	-		10				
	22	Ditto	Ss1/4	2	-	-	-		30				
	23	Ditto	Ss1/4	1	-	1	-		-				
	24	(tuffite?) silic. Ssl - spotted buff fg massive, py	Ss1/4	-	-	5	-		5				
	25	Csmd - black, vfg, cleaved, silic. rare buff Ssl	Csmd	-	-	-	-		-				
	26	Csmd - Ditto	Csmd	-	-	-	-		10				
	27	Csmd - sil. black mass vfg + Cssl - fg, silic. black	Csmd Cssl	-	-	1	-		2				
	28	Sch - grey transl. chert + Ssf - buff silic. spot.	Sch Ssf	-	-	1	-		-				
	29	Ssf - spotted, fresh, vfg/fg, silic.	Ssf	-	-	2	-		-				
	30	Ditto	Ssf	-	-	2	-		5				
REMARKS Much of the Ssl may be Ssf (tuffite) of Gervie Formation.													

DRILL HOLE No. BSRC 49

PROSPECT	BIG HOLEY / CHINESE HOLEY	
CO-ORDS	50200N	45220E
COLLAR R.L.		DEPTH 30m
COLLAR AZIM.	052°	INCL. -55°
DATE COMMENCED	3/12/92	COMPLETED 3/12/92
LOGGED BY	NTM	SAMPLED BY NJS

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix B16	ASSAY RESULTS	
From	To			lin	mu. ox.	py	asp				gpm	g
0	1	Stfc - cherty tuffite, ^{fawn buff} interbedded,	Stfc	<1	-	-	-		1	291	4.74	
	2	Stfc - dark grey/fawn, vfg. cherty, sl.w	Stfc	-	-	-	-		1			
	3	Stfc - fawn spotted cherty tuff + ^{dark grey} cherty Ssl	Stfc Ssl	-	-	-	-		-			
	4	Stfc - buff ^{clayey} tuff + fawn chert	Stfc	-	-	-	-		-			
	5	Sndc - grey cherty mudstone ^{+ fawn br} clay	Sndc	2	-	-	-		20		4.72	
	6	Sndc - DITTO + rare spotted siltst.	Sndc	<1	-	-	-		1			
	7	Stfc - banded buff tuffite & grey chert	Stfc	-	-	-	-		-			
	8	DITTO	Stfc	-	-	-	-		-			
	9	Sndc - dark grey cherty mudstone	Sndc	-	-	-	-		-			
	10	DITTO	Sndc	-	-	-	-		2			
	11	DITTO	Sndc	-	-	-	-		3			
	12	DITTO	Sndc	-	-	-	-		20			
	13	DITTO + rare Ssl	Sndc	-	-	<1	-		40			
	14	DITTO ^{carbonaceous} + rare Ssl	Sndc	-	-	1	-		40			
	15	Stfc - buff/fawn, lg, mod. w, massive	Stfc	<1	-	<1	-		40			
	16	Sndc - dark grey cherty mudstone	Sndc	-	-	-	-		-			
	17	DITTO	Sndc	-	-	-	-		-			
	18	Sndc - DITTO + buff banded chert	Sndc Ssl	-	-	-	-		-			
	19	Sndc - DITTO	Sndc	-	-	1	-		2			
	20	Sndc - DITTO	Sndc	-	-	<1	-		3			

DOMINION MINING LIMITED

Percussion Drill Hole Log

Northern Territory

DRILL HOLE No. B5RC 49

PROSPECT	
CO-ORDS	
COLLAR R.L.	DEPTH
COLLAR AZIM.	INCL.
DATE COMMENCED	COMPLETED
LOGGED BY	SAMPLED BY

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
From	To			lin.	m. ox.	py.	asp.						
20	21	Sndc - grey/black cherty + Stf-buff, fg	Sndc <u>Stfc</u>	-	-	A	-		-				
	22	Sndc - DITto	Sndc	-	-	-	-		-				
	23	Sndc - black, cherty, banded, pyritic	Sndc	-	-	B	-		-				
	24	DITto py. qtz.	Sndc	-	-	B	-		10				
	25	Stfc - fg, buff/grey, massive, fr. diss. asp. + fawn chert	Stfc	-	-	I	2		-				
	26	Sndc - grey/black, vfg, cherty + spotted Stfc silic. gray	Sndc <u>Stfc</u>	-	-	A	-		-				
	27	Sndc - DITto	Sndc	-	-	I	-		-				
	28	Stfc - buff/grey, clayey, + grey/fawn chert	Stfc	-	-	A	-		-				
	29	Sndc - dark grey, vfg, cherty, py. qtz.	Sndc	-	-	B	-		10				
	30	DITto	Sndc	-	-	I	-		2				
REMARKS													

Project. BIG HONLEY		Drill Type AC PERCUSSION		Hole No. BSRC 50	
Prospect SOUTH RIDGE		Location BIG HONLEY, COSMO, N.T.		Site	
Co-ords N E		RL		Pre Collar	
Logged by NTM		Hole commenced 1992		Drilled by GADEN	
Sampled by M P/M		Hole completed 1992		Rig Type	
Depth m 30				Total Depth 30	
Inclination 60°					
Azimuth (G) 052°					
Purpose. SOIL GEOCHEMICAL ANALYSIS					

Geological Summary

Box = 17 m

0 - 3 Ss1
 3 - 11 Stf
 11 - 14 Snd/Ss1
 14 - 18 Stf
 18 - 25 Snd
 25 - 26 Stf
 26 - 29.5 Snd
 29.5 - 30 Stf

SAMPLE NOS. 316291-300

Significant Assays

From	To	Metres	Au g/l	Nos.	Remarks
0	3	3		291	
3	6	3		2	
6	9	3		3	
9	12	3		4	
12	15	3		5	
15	18	3		6	
18	21	3		7	
21	24	3		8	
24	27	3		9	
27	30	3		300	

PROSPECT	BIG HONLEY / CHINESE HONL.	
CO-ORDS	50200N	45200E
COLLAR R.L.		DEPTH 30m
COLLAR AZIM.	052	INCL. -55°
DATE COMMENCED	4/12/92	COMPLETED 4/12/92
LOGGED BY	Ntm	SAMPLED BY MS

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
From	To			lim	ox	py	asp.						
0	1	Ssl? - faun br, lw, lim, fg, rare buff.	Ssl?	2	1	Δ	-		5				
	2	DITTO	Ssl?	1	Δ	-	-		1				
	3	DITTO	Ssl	1	Δ	-	-		1				
	4	Stf - yellow/buff, fg, lw, semi cleaved.	Stf	<1	-	-	-		-				
	5	DITTO	Stf	<1	-	-	-		1				
	6	DITTO	Stf	2	1	-	-		40				
	7	DITTO	Stf	2	-	-	-		5				
	8	Stf - DITTO + Snd - grey, fg,	Stf Snd	-	-	-	-		-				
	9	Stf - DITTO + Snd - grey, fg, massive	Snd Stf	2	-	-	-		5				
	10	Stf - yellow/buff, fg, mod. w, spotted	Stf	4	-	-	-		1				
	11	DITTO	Stf	<1	-	-	-		5				
	12	Snd - vfg, cleaved + grey cherty Ssl	Snd/Ssl	-	-	-	-		-				
	13	Snd/Ssl - grey, sil., massive, fg	Snd/Ssl	-	-	-	-		-				
	14	Snd/Ssl - grey, cherty, fg	Snd/Ssl	-	-	-	-		-				
	15	Stfc - light grey, silic./cherty, spotted ^{py.}	Stfc	-	-	1	-		-				
	16	DITTO	Stfc	-	-	2	-		-				
	17	Stf - buff/yellow, fg, sl. w, spotted	Stf	-	-	Δ	-		2				
	18	Stf - buff/grey, fg, fresh, spotted	Stf	-	-	5	-		5				
	19	Snd - black cherty, vfg + rare buff Stf + cherty Stf	Snd ^{Stf}	-	-	2	-		-				
	20	Snd - DITTO + faun (Stfc) Sch. trans. chert	Snd/Sch	-	-	<1	-		-				

REMARKS



Percussion Drill Hole Log

Northern Territory

DRILL HOLE No. BSRC 50

PROSPECT	
CO-ORDS	
COLLAR R.L.	DEPTH
COLLAR AZIM.	INCL.
DATE COMMENCED	COMPLETED
LOGGED BY	SAMPLED BY

[illegible]

Geological Summary Box = 27m

1-3 Smd
3-4 Ssl
4-12 Smd
12-14 Ssl
14-20 Smd
20-21 Ssl
21-27 Smd
27-29 Stf
29-30 Smd

SAMPLE NOS. B1630/- 310

[illegible]

SHEET 1 OF 2



Percussion Drill Hole Log

Northern Territory

PROSPECT	BIG HOLEY / CHINESE HON.	
CO-ORDS	5019S N	4515E
COLLAR R.L.		DEPTH 30
COLLAR AZIM.	052	INCL. - 55°
DATE COMMENCED	4 / 12 / 92	COMPLETED 4 / 12 / 92
LOGGED BY	NH	SAMPLED BY NJ

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
From	To			liq	mn	py	asp						
0	1	Red br. hw, ng fg Ssl. - FILL?	Ssl.	-	-	-	-		4				
	2	Snd - dark grey br, hw, cleaved. rare Sgs?	Snd	-	-	-	-		1				
	3	Snd - DITto + Sgs - fawn br, ng, sheared.	Snd Sgs	-	-	-	-		5				
	4	Ssl - fg, massive, fawn br, possibly Ssf	Ssl.	-	-	-	-		3				
	5	Snd - dark grey, vfg, cherty + Ssl. - fawn br.	Ssl Snd	-	-	-	-		1				
	6	Snd - DITto	Snd	-	-	-	-		2				
	7	Ssf - grey/buff, cherty + Snd - grey	Snd Ssf	2	-	-	-		5				
	8	Snd - grey, cherty, med w.	Snd	1	-	-	-		5				
	9	DITto	Snd	1	-	-	-		3				
	10	Snd - DITto + Ssl - fawn br, fg	Snd Ssl	1	-	-	-		3				
	11	Snd - DITto	Snd	1	-	-	-		1				
	12	Snd - DITto	Snd	1	-	-	-		5				
	13	Ssl - fawn br, fg, sl.w, massive	Ssl	1	-	-	-		2				
	14	Ssl - DITto + rare Snd	Ssl	-	-	-	-		1				
	15	Snd - blk black, fg, cherty, carbonaceous	Snd	2	-	-	-		5				
	16	DITto	Snd	1	-	-	-		5				
	17	DITto	Snd	1	-	-	-		4				
	18	DITto rare fawn chert	Snd	2	-	-	-		3				
	19	Snd - DITto + Ssl/Sgs - fawn br, sheared	Snd Ssl-gs	1	-	-	-		1				
	20	Snd - DITto coarser.	Snd	1	-	-	-		-				
REMARKS COLLAR NEEDS SURVEYING													

DOMINION MINING LIMITED

Percussion Drill Hole Log

Northern Territory

DRILL HOLE No. BS RC 51

PROSPECT	
CO-ORDS	
COLLAR R.L.	DEPTH
COLLAR AZIM.	INCL.
DATE COMMENCED	COMPLETED
LOGGED BY	SAMPLED BY

[illegible]

BY DONALD W. MINTZBERG

Purpose. SOIL GEOCHEMICAL ANALYSIS

Box = 722

SAMPLE NO. B16311 - 320

[illegible]

DRILL HOLE No. *B5RC 52*

PROSPECT	BIG HONLEY / CHINESE HONLEY
CO-ORDS	50195N - 45140E
COLLAR R.L.	DEPTH 30 m
COLLAR AZIM.	052° INCL. -55°
DATE COMMENCED	4/12/92 COMPLETED 4/12/92
LOGGED BY	NTH SAMPLED BY NJ

DEPTH		DESCRIPTION	LITHOLOGY CODE	Mineralisation				GRAPHIC LOG	Quartz % 1mm = 20%	Sample Number Prefix	ASSAY RESULTS		
From	To			lim	mx	py	asp						
0	1	Sgw [?] - red br., hw, ng [?]	Sgw	1	-	-	-		-				
	2	Ssl - fg, cleaved, hw, fawn br.	Ssl	1	1	-	-		1				
	3	Sgw - ng, massive, fawn br.	Sgw	-	-	-	-		2				
	4	DITto	Sgw	1	-	-	-		2				
	5	DITto PY. gtz	Sgw	1	-	1	-		10				
	6	DITto	Sgw	-	-	-	-		1				
	7	Ssl/Snd - sub-cleaved, fawn, fg. rare Sgw	Ssl	-	-	-	-		-				
	8	Sgw - fawn br, massive + rare Ssl.	Sgw	-	-	-	-		-				
	9	Sgw - DITto	Sgw	-	-	-	-		1				
	10	Sgw - DITto	Sgw	1	-	-	-		10				
	11	Sgw - DITto	Sgw	1	-	-	-		40				
	12	Sgw - DITto	Sgw	-	-	-	-		5				
	13	Ssl - fawn, fg, sheared + rare Sgw	Ssl	-	-	-	-		-				
	14	Sgw - yellow/fawn br, ng, hw, massive	Sgw	-	-	-	-		-				
	15	Sgw - DITto + Ssl - grey, fg, cleav. coarse	Ssl/gw	-	-	-	-		1				
	16	Ssl - fawn br./buff, fg, massive, slw.	Ssl	-	-	-	-		-				
	17	Ssl - DITto silic./cherty	Sslc	-	-	-	-		-				
	18	Csmd - black, vfg, cleaved	Csmd	-	-	-	-		-				
	19	Csmd - DITto	Csmd	-	-	-	-		-				
	20	Csmd - DITto	Csmd	1	-	-	-		1				
REMARKS COLLAR NEEDS TO BE SURVEYED													

DRILL HOLE No. *BSRC 52*

PROSPECT	
CO-ORDS	
COLLAR R.L.	DEPTH
COLLAR AZIM.	INCL.
DATE COMMENCED	COMPLETED
LOGGED BY	SAMPLED BY

[illegible]



ANALABS

A Division of Inchcape Inspection and
Testing Services Australia Pty. Ltd.

Phone (089) 473355

Cnr Doonawarra & Mataran St Winnellie NT

Fax (089) 843984

ANALYTICAL REPORT No. 105160.21.07276

THIS REPORT MUST BE READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

INVOICE TO:

Dominion Gold Operations
Exploration Division
PO Box 37321

Winnellie NT 0821

ORDER No.

PROJECT

6499

DATE RECEIVED

RESULTS REQUIRED

26/11/92

ACW

No. OF PAGES
OF RESULTS

DATE
REPORTED

No.
OF COPIES

2

11/12/92

1

TOTAL No.
OF SAMPLES

40

SAMPLE NUMBERS	SAMPLE DESCRIPTION	ELEMENT/METHOD
105160.21.07276	PO Prep 1	Ag, Pb, Fe, Al, B, As, Sb, Sn
105160.21.07276	PO Prep 1	Ag, Pb, Fe, Al, B, As, Sb, Sn

RESULTS
TO


Mr M Palmer
Dominion Gold Operations Pty Ltd
PO Box 37321
Winnellie NT 0821

RESULTS
TO

RESULTS
TO

REMARKS

BSRC1-4


AUTHORISED OFFICER

ANALABS

A Division of Incharge Inspection and Testing Services Australia Pty. Ltd.
A.C.N. 004 591 664

ANALYTICAL DATA

SAMPLE PREFIX			REPORT NUMBER			REPORT DATE		CLIENT ORDER No.		PAGE	
			105160.21.07276			11/12/92		6499		2 OF 2	
TUBE No.	SAMPLE No.	As	As	Au	Au(R)	Au(S)					
6	B 14831	120	-	0.18	-	-				*	
	B 14832	160	-	0.45	-	-					
8	B 14833	110	-	0.20	-	-					
9	B 14834	280	-	0.02	-	-	BSR0004.				
10	B 14835	110	-	0.42	-	-					
11	B 14836	220	-	0.24	-	-					
12	B 14837	230	-	0.54	-	-					
13	B 14838	150	-	0.08	0.09	-					
14	B 14839	100	-	0.09	-	-					
15	B 14840	-	51	<0.01	-	-				*	
16											
17											
18											
19											
20											
21											
22											
23	DETECTION	100	1	0.01	0.01	0.01					
24	UNITS	PPM	PPM	ppm	ppm	ppm					
25	METHOD	GA140	GA114	GB309	GB309	GB309					

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
- = element not determined

AUTHORISED OFFICER Wayne S. Turner



ANALABS

A Division of Inchope Inspection and
Testing Services Australia Pty. Ltd.

Phone (089)472355

Cnr Coonawarra & Matarua St Winnellie NT

Fax (089)843984

ANALYTICAL REPORT No. 105160.21.07287

THIS REPORT MUST BE READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

INVOICE TO:

Dominion Gold Operations
Exploration Division
PO Box 37321

Winnellie NT 0821

ORDER No.

PROJECT

6500

DATE RECEIVED

RESULTS REQUIRED

02/12/92

ASAP

No. OF PAGES
OF RESULTS

DATE
REPORTED

No.
OF COPIES

TOTAL No.
OF SAMPLES

2

11/12/92

1

9

SAMPLE NUMBERS

SAMPLE DESCRIPTION

ELEMENT/METHOD

GB 14841/549

RC Prep :

Au, Au(R), Au(S)/B5309

GB 14841/549

RC Prep :

As/B5314, As/B5314

RESULTS

TO

Mr N Motton
Dominion Gold Operations Pty Ltd
PO Box 37321
Winnellie
Darwin NT 0821

RESULTS

TO

RESULTS

TO

REMARKS

BSRL 5 (0-27m)


AUTHORISED OFFICER

ANALABS

A Division of Inchcape Inspection and Testing Services Australia Pty. Ltd.
A.C.N. 004 591 664

ANALYTICAL DATA

SAMPLE PREFIX

REPORT NUMBER

REPORT DATE

CLIENT ORDER No.

PAGE

105160.21.07287

11/12/92

6500

1 OF 1

TUBE No.	SAMPLE No.	As	As	Au	Au(R)					
1	B 14841	130	-	0.20	-					
2	B 14842	190	-	0.06	-					
3	B 14843	510	-	0.05	-					
4	B 14844	180	-	0.11	-					
5	B 14845	100	-	0.11	-					
6	B 14846	100	-	0.05	-					
7	B 14847	110	-	0.25	0.34					
8	B 14848	-	79	0.14	-					
9	B 14849	140	-	0.66	-					
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										
21										
22										
23	DETECTION	100	1	0.01	0.01					
24	UNITS	PPM	PPM	ppm	ppm					
25	METHOD	GA140	GA114	GG309	GG309					

Results in ppm unless otherwise specified

T = element present; but concentration too low to measure

X = element concentration is below detection limit

--- = element not determined

AUTHORISED

OFFICER

Wayne S. Turner

@1

ANALABS

PRELIMINARY ANALYTICAL DATA

CLIENT PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	105160.21.07294	11/12/92	6500	1 OF 2

TUBE SAMPLE	As	As	Au	Au(R)	Au(S)	
1. B 14850	-	43	0.36	-	-	<u>BSRC 5</u>
2. B 14851	220	-	0.86	-	-	*
3. B 14852	370	-	1.96	-	-	*
4. B 14853	190	-	0.09	-	-	
5. B 14854	300	-	0.02	-	-	
6. B 14855	150	-	0.14	-	-	
7. B 14856	120	-	0.03	-	-	BSRC 6
8. B 14857	-	74	0.02	-	-	
9. B 14858	-	88	0.12	-	-	
10. B 14859	190	-	0.18	-	-	*
11. B 14860	270	-	0.53	-	-	

ANALABS DARWIN

A Division of Inchcape Inspection and Testing Services, Aust.Pty.Ltd.

Phone (089)472355

Cnr Coonawarra Rd & Mataram St Winnellie

Fax (089) 843984

PRELIMINARY ANALYTICAL REPORT No. 105160.21.07295

INVOICE TO:

Dominion Gold Operations
Exploration Division
PO Box 37321

ORDER No.

6352

PROJECT

Winnellie NT 0821

DATE RECEIVED

03/12/92

RESULTS REQUIRED

ASAP

No. OF PAGES
OF RESULTS

6

DATE
REPORTED

16/12/92

No.
OF COPIES

1

TOTAL No. OF SAMPLES

140

SAMPLE NUMBERS

SAMPLE DESCRIPTION & PREPARATION

ELEMENT/METHOD

,16001/16140

RC Prep :

Au,Au(R),Au(S)/66309

,16001/16140

RC Prep :

As/GA140,As/GA114

RESULTS TO:


REMARKS:

Mr N Motton
Dominion Gold Operations Pty Ltd
PO Box 37321
Winnellie
Darwin NT 0821

BSRC 21-34

B16001 - 140

AUTHORISED OFFICER



@1

ANALABS

PRELIMINARY ANALYTICAL DATA

CLIENT PREFIX	REPORT NUMBER			REPORT DATE		CLIENT ORDER No.	PAGE
	105160.21.07295			16/12/92		6352	5 OF 6
TUBE SAMPLE	As	As	Au	Au(R)	Au(S)		
1. B 16101	610	-	0.42	-	-		
2. B 16102	430	-	0.06	-	-		
3. B 16103	450	-	0.29	-	-		
4. B 16104	370	-	0.07	-	-		BSRC 31
5. B 16105	760	-	0.72	-	-	*	
6. B 16106	560	-	0.18	-	-		
7. B 16107	330	-	0.24	-	-		
8. B 16108	140	-	0.16	-	-		
9. B 16109	260	-	0.61	-	-	*	
10. B 16110	110	-	0.13	-	-		
11. B 16111	140	-	0.02	-	0.03		
12. B 16112	150	-	0.02	-	-		
13. B 16113	160	-	0.02	-	-		
14. B 16114	200	-	<0.01	-	-		
15. B 16115	100	-	<0.01	-	-		
16. B 16116	-	86	<0.01	<0.01	-		BSRC 32
17. B 16117	200	-	0.01	-	-		
18. B 16118	210	-	0.17	-	-		
19. B 16119	300	-	0.15	-	-		
20. B 16120	110	-	0.16	-	-		
21. B 16121	450	-	0.15	-	-		
22. B 16122	230	-	0.06	-	-		
23. B 16123	220	-	0.02	-	-		BSRC 33
24. B 16124	180	-	0.01	-	0.01		
25. B 16125	170	-	0.05	-	-		

ANALABS

PRELIMINARY ANALYTICAL DATA

CLIENT PREFIX	REPORT NUMBER		REPORT DATE		CLIENT ORDER No.	PAGE
	105160.21.07295		16/12/92		6352	6 OF 6
TUBE SAMPLE	As	As	Au	Au(R)	Au(S)	
B 16126	150	-	<0.01	<0.01	-	
B 16127	280	-	<0.01	-	-	
B 16128	160	-	<0.01	-	-	33
B 16129	190	-	0.02	-	-	
B 16130	170	-	<0.01	-	-	
B 16131	180	-	0.04	-	-	
Q 16132	340	-	0.06	-	-	
B 16133	410	-	0.87	-	-	* BSR C 34
B 16134	360	-	0.09	-	-	
B 16135	280	-	0.02	-	-	
B 16136	390	-	0.12	-	-	
B 16137	440	-	0.10	-	-	
B 16138	840	-	0.03	-	-	
B 16139	1100	-	0.05	-	-	
B 16140	3100	-	0.73	-	-	*
DETECTION	100	1	0.01	0.01	0.01	
UNITS	PPM	PPM	ppm	ppm	ppm	
METHOD	GA140	GA114	GG309	GG309	GG309	

ANALABS DARWIN

A Division of Inchcape Inspection and Testing Services, Aust.Pty.Ltd.

Phone (089)472355

Cnr Coonawarra Rd & Mataran St Winnellie

Fax (089) 843984

PRELIMINARY ANALYTICAL REPORT No. 105160.21.07309

INVOICE TO:

Dominion Gold Operations
Exploration Division
PO Box 37321

ORDER No.

6359

PROJECT

Winnellie NT 0821

DATE RECEIVED
08/12/92

RESULTS REQUIRED
ASAP

No. OF PAGES
OF RESULTS
4

DATE
REPORTED
16/12/92

No.
OF COPIES
1

TOTAL No. OF SAMPLES
80

SAMPLE NUMBERS

SAMPLE DESCRIPTION & PREPARATION

ELEMENT/METHOD

& others

HC Prep :

Au, Au(R), Au(S)/66309

& others

HC Prep :

To be transferred /6A114

RESULTS TO:

REMARKS:

Mr N Motton
Dominion Gold Operations Pty Ltd
PO Box 37321
Winnellie
Darwin NT 0821

BSRC 35, 40, 43-48

B16141
B16280

AUTHORISED OFFICER



@1

ANALABS

PRELIMINARY ANALYTICAL DATA

CLIENT PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	105160.21.07309	16/12/92	6359	1 OF 4

TUBE SAMPLE	As	As	Au	Au(R)	Au(S)
1. B 16141	230	-	0.30	-	-
2. B 16142	270	-	0.07	-	-
3. B 16143	180	-	0.58	-	-
4. B 16144	170	-	0.24	-	-
5. B 16145	210	-	0.13	-	-
6. B 16146	130	-	0.02	-	-
7. B 16147	130	-	0.03	- 0.04	-
8. B 16148	180	-	0.02	-	-
9. B 16149	130	-	DTF <0.01	-	-
10. B 16150	-	92	0.05	-	-
11. B 16191	150	-	0.01	-	-
12. B 16192	-	83	0.12	0.14	-
13. B 16193	-	74	0.05	-	-
14. B 16194	150	-	0.42	-	-
15. B 16195	130	-	0.14	-	-
16. B 16196	-	90	0.12	-	-
17. B 16197	130	-	0.06	-	-
18. B 16198	-	43	0.08	-	-
19. B 16199	-	18	0.24	-	-
20. B 16200	-	32	0.03	-	-
21. B 16221	310	-	0.13	-	-
22. B 16222	260	-	0.02	0.02	-
23. B 16223	340	-	<0.01	-	-
24. B 16224	170	-	<0.01	-	-
25. B 16225	230	-	<0.01	-	-

BSRC 35

BSRC 40

ANALABS

PRELIMINARY ANALYTICAL DATA

CLIENT PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE	
	105160.21.07309	16/12/92	6359	2 OF 4	
TUBE SAMPLE	As	As	Au	Au(R)	Au(S)
1. B 16226	180	-	0.02	-	-
2. B 16227	230	-	0.02	-	-
3. B 16228	-	92	0.03	-	-
4. B 16229	-	79	0.03	-	-
5. B 16230	200	-	0.21	-	-
6. B 16231	210	-	0.01	-	-
7. B 16232	100	-	<0.01	-	-
8. B 16233	230	-	0.02	-	-
9. B 16234	280	-	0.39	-	-
10. B 16235	350	-	0.05	-	-
11. B 16236	270	-	<0.01	-	-
12. B 16237	250	-	DTF 0.02	-	-
13. B 16238	610	-	0.02	0.02	-
14. B 16239	260	-	0.10	-	-
15. B 16240	-	61	<0.01	-	-
16. B 16241	-	78	DTF <0.01	-	-
17. B 16242	-	82	<0.01	-	-
18. B 16243	180	-	0.03	-	-
19. B 16244	180	-	<0.01	-	-
20. B 16245	140	-	0.04	-	-
21. B 16246	190	-	0.02	-	-
22. B 16247	150	-	0.02	-	-
23. B 16248	140	-	0.06	0.06	-
24. B 16249	120	-	<0.01	-	-
25. B 16250	100	-	<0.01	-	-

@1

ANALABS

PRELIMINARY ANALYTICAL DATA

CLIENT PREFIX	REPORT NUMBER			REPORT DATE		CLIENT ORDER No.	PAGE
	105160.21.07309			16/12/92		6359	3 OF 4
TUBE SAMPLE	As	As	Au	Au(R)	Au(S)		
1. B 16251	180	-	0.02	-	-		
2. B 16252	-	62	0.02	-	-		
3. B 16253	-	84	0.01	-	-		
4. B 16254	-	74	0.03	-	-		
5. B 16255	190	-	DTF 0.03	-	-		
6. B 16256	360	-	0.25	-	-		
7. B 16257	170	-	0.02	-	-		
8. B 16258	100	-	<0.01	-	-		
9. B 16259	-	79	0.03	-	-		
10. B 16260	-	14	<0.01	-	-		
11. B 16261	270	-	0.09	-	-		
12. B 16262	280	-	0.05	-	-		
13. B 16263	110	-	1.05	-	-	*	
14. B 16264	100	-	0.04	0.03	-		
15. B 16265	120	-	0.03	-	-		
16. B 16266	-	73	0.02	-	-		
17. B 16267	120	-	0.06	-	-		
18. B 16268	240	-	0.28	-	-		
19. B 16269	150	-	0.13	-	-		
20. B 16270	-	41	0.06	-	-		
21. B 16271	110	-	0.09	-	-		BSRL 48
22. B 16272	240	-	0.08	-	-		
23. B 16273	130	-	0.03	-	-		
24. B 16274	130	-	0.01	0.02	-		
25. B 16275	-	82	0.05	-	-		

ANALABS

PRELIMINARY ANALYTICAL DATA

CLIENT PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	105160.21.07309	16/12/92	6359	4 OF 4

TUBE SAMPLE	As	As	Au	Au(R)	Au(S)
B 16276	-	54	0.03	-	-
B 16277	-	69	2.30	-	-
B 16278	-	49	0.05	-	-
B 16279	-	77	1.05	-	-
B 16280	-	41	0.09	-	0.10

3. DETECTION	100	1	0.01	0.01	0.01
4. UNITS	PPM	PPM	PPM	PPM	PPM
5. METHOD	GA140	GA114	GG309	GG309	GG309

ANALABS DARWIN

A Division of Inchcape Inspection and Testing Services, Aust.Pty.Ltd.

Phone (089)472355

Cnr Coonawarra Rd & Mataram St Winnellie

Fax (089) 843984

PRELIMINARY ANALYTICAL REPORT No. 105160.21.07302

INVOICE TO:

Dominion Gold Operations
Exploration Division
PO Box 37321

ORDER No.

6354

PROJECT

Winnellie NT 0821

DATE RECEIVED

04/12/92

RESULTS REQUIRED

ASAP

No. OF PAGES

OF RESULTS

3

DATE

REPORTED

16/12/92

No.

OF COPIES

1

TOTAL No. OF SAMPLES

60

SAMPLE NUMBERS

SAMPLE DESCRIPTION & PREPARATION

ELEMENT/METHOD

,16151/190,16201/220

RC Prep :

Au,Au(R),Au(S)/66309

,16151/190,16201/220

RC Prep :

As/6A114

To be
transferred

RESULTS TO:

IRKS:

Mr N Motton
Dominion Gold Operations Pty Ltd
PO Box 37321
Winnellie
Darwin NT 0821

201
B 16151-220
190

BSRC 36-39, 41-42

AUTHORISED OFFICER

M. Payne

@1

ANALABS

PRELIMINARY ANALYTICAL DATA

CLIENT PREFIX	REPORT NUMBER			REPORT DATE		CLIENT ORDER No.	PAGE
	105160.21.07302			16/12/92		6354	1 OF 3
TUBE SAMPLE	As	As	Au	Au(R)	Au(S)		
1. B 16151	200	-	0.05	-	-		
2. B 16152	160	-	<0.01	-	-		
3. B 16153	170	-	0.02	-	-		
4. B 16154	230	-	<0.01	-	-		
5. B 16155	130	-	<0.01	-	-		
6. B 16156	230	-	0.02	-	-		
7. B 16157	170	-	0.02	-	-		
8. B 16158	110	-	0.27	-	-		
9. B 16159	-	79	0.06	-	-		
10. B 16160	-	53	0.22	-	-		
11. B 16161	-	69	0.21	-	-		
12. B 16162	-	65	0.08	0.07	-		
13. B 16163	-	68	0.18	-	-		
14. B 16164	-	76	0.03	-	-		
15. B 16165	-	88	0.01	-	-		
16. B 16166	-	53	0.02	-	<0.01		
17. B 16167	-	61	<0.01	-	-		
18. B 16168	-	57	<0.01	-	-		
19. B 16169	130	-	0.67	-	-	*	
20. B 16170	-	78	0.17	-	-		
21. B 16171	-	70	0.10	-	-		
22. B 16172	-	68	0.15	0.14	-		
23. B 16173	130	-	0.42	-	-		
24. B 16174	110	-	0.27	-	-		
25. B 16175	-	82	0.44	-	-		

@1

ANALABS

PRELIMINARY ANALYTICAL DATA

CLIENT PREFIX

REPORT NUMBER
105160.21.07302

REPORT DATE
16/12/92

CLIENT ORDER No.
6334

PAGE
3 OF 3

TUBE SAMPLE

As As Au Au(R) Au(S)

B 16211

470 - 0.06 - -

B 16212

620 - 0.23 - -

B 16213

640 - 0.10 - -

B 16214

320 - 0.27 - -

B 16215

480 - 1.28 0.46 0.57 *

B 16216

230 - 0.50 - - *

B 16217

300 - 0.33 - -

B 16218

620 - 0.11 - -

B 16219

510 - 0.32 - -

B 16220

- 76 0.12 - -

DETECTION

100 1 0.01 0.01 0.01

UNITS

PPM PPM PPM PPM PPM

METHOD

GA140 GA114 GG309 GG309 GG309



ANALABS

A Division of Incharge Inspection and
Testing Services Australia Pty. Ltd.

Phone (089)472355

Cnr Coonawarra & Mataran St Winnellie NT

Fax (089)843954

ANALYTICAL REPORT No. 105160.21.07310

THIS REPORT MUST BE READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

INVOICE TO:

Dominion Gold Operations
Exploration Division
PO Box 37321

Winnellie NT 0821

ORDER No.

6360

PROJECT

DATE RECEIVED

08/12/92

RESULTS REQUIRED

ASAP

No. OF PAGES
OF RESULTS

3

DATE
REPORTED

17/12/92

No.
OF COPIES

1

TOTAL No.
OF SAMPLES

50

SAMPLE NUMBERS

<B ,16281/330

<B ,16281/330

SAMPLE DESCRIPTION

HC Prep :

HC Prep :

*To be
transferred*

ELEMENT/METHOD

Au,Au(R),Au(S)/66309

As/GA140,As/GA114

RESULTS

TO

Mr N Motton
Dominion Gold Operations Pty Ltd
PO Box 37321
Winnellie
Darwin NT 0821

RESULTS

TO

RESULTS

TO

REMARKS

BSRC 49-53

[Signature]
AUTHORISED OFFICER

ANALABS

A Division of Incharge Inspection and Testing Services Australia Pty. Ltd.

TEL 004 801 804

ANALYTICAL DATA

SAMPLE PREFIX

REPORT NUMBER

REPORT DATE

CLIENT ORDER No.

PAGE

105160.21.07310

17/12/92

6360

2 OF 3

TUBE No.	SAMPLE No.	As	As	Au	Au(R)	Au(S)				
1	B 16306	140	-	0.06	-	-				
2	B 16307	140	-	<0.01	-	-				
3	B 16308	-	85	<0.01	-	-				
4	B 16309	-	87	0.19	-	-				
5	B 16310	240	-	0.17	-	-				
6	B 16311	130	-	0.70	-	-				
7	B 16312	310	-	1.12	-	-				
8	B 16313	300	-	0.11	-	-				
9	B 16314	620	-	0.17	-	-				
10	B 16315	310	-	0.09	-	-				
11	B 16316	290	-	0.08	-	-	BSRC052			
12	B 16317	230	-	0.09	-	-				
13	B 16318	-	87	0.01	0.02	-				
14	B 16319	250	-	0.06	-	-				
15	B 16320	140	-	0.12	-	-				

Results in ppm unless otherwise specified

T = element present; but concentration too low to measure

X = element concentration is below detection limit

- = element not determined

AUTHORISED OFFICER Wayne S. Turner