

YARDARINO MINING NL

FINAL REPORT

EL9182 - GREAT WESTERN NORTH

TENNANT CREEK DISTRICT

NORTHERN TERRITORY

OPEN FILE

COPIES:

1. Department of Mines and Energy - Darwin.
2. Yardarino Mining NL - Perth

AUTHOR:

R.P. MURPHY

Report No. 9182-2
10 May 1997

CR 97 / 532

TABLE OF CONTENTS

	<u>Page No.</u>
1. SUMMARY	3
2. INTRODUCTION	4
2.1 Location and Access	4
2.2 Physiology	4
2.3 Tenure	4
3. REGIONAL GEOLOGY	5
4. PREVIOUS EXPLORATION	5
5. YARDARINO EXPLORATION	6
5.1 Gridding	6
5.2 Vacuum Drilling	6
5.3 Ground Magnetism	6
6. CONCLUSIONS	7
7. EXPLORATION EXPENDITURE	7

LIST OF PLANS

PLAN NO.	TITLE	SCALE
1	Tenement Location Plan	1 : 250 000
2	Grid Location Plan	1 : 20 000
3	Vacuum Drilling - Hole Numbers & Depths	1 : 10 000
4	Vacuum Drilling - Sample Numbers & Depths	1 : 10 000
5	Vacuum Drilling - Bedrock Geology	1 : 10 000
6	Vacuum Drilling - Assay Results Au	1 : 10 000
7	Ground Magnetism - TMI	1 : 5 000

APPENDICES

1	Drill Logs
2	Assay Results

1. SUMMARY

Exploration Licence 9182 (Great Western North) of one block was granted to Yardarino Mining on 1 August, 1995. The tenement was subject to a joint venture between Orion Resources and Yardarino. No work was conducted on the tenement by Orion Resources as managers of the joint venture before their withdrawal on 15 December, 1995.

Following Orion's withdrawal, Yardarino undertook a literature review and aeromagnetic interpretation. The Orlando Fault and a parallel NNW trending structure were interpreted as passing through the tenement. The two structures are separated by a linear magnetic high.

In August 1996 three vacuum soil traverses at 400m line spacing were drilled across the tenement and assayed for low level gold. A peak value of 3 ppb Au was recorded near the southern end of the eastern most grid line with several other adjacent samples reporting at the 1 to 2 ppb Au level.

To provide further assessment of this area of weak gold anomalism, the eastern half of the soil grid was infilled to 50m line spacing and extended 500m east to the tenement boundary. A ground magnetic survey was completed over the new grid.

No targets warranting drill testing were identified in the ground magnetic survey and although the area has not been conclusively tested insufficient encouragement was received for further work to be recommended.

2. INTRODUCTION

2.1 Location and Access

Exploration Licence 9182 is located approximately 15 km east north east of the Warrego Mine and 35 km northwest of Tennant Creek (Plan No. 1)

Access to the EL is primarily via the sealed Warrego Road and then a graded track striking north approximately 16 km east from the entrance to the Warrego Mine. This track cuts diagonally across the tenement and has been used as a grid baseline.

2.2 Physiography

The topography of the area is flat to low hills with most of the licence covered by a thin sandy veneer over subcrop. Vegetation consists of scattered patches of thick mulga scrub and open grass and eucalypts.

2.3 Tenure

Exploration Licence 9182 was granted to Yardarino Mining N.L. for a period of 2 years on 1 August, 1995. The EL covers one block numbered 65-38 on the Short Range Sheet 52/1.

The tenement was subject to a joint venture agreement with Orion Resources N.L. who managed the exploration from 1 August, 1995 until withdrawal on 15 December, 1995.

The tenement was relinquished in May 1997.

3. REGIONAL GEOLOGY

The Tennant Creek district over the past 60 years has produced several small, very high grade gold orebodies. Two of these bodies, Warrego and Nobles Nob, have produced over 1M ounces. The field has produced copper ore mainly from Warrego and Peko and was, until very recently, the world's major source of bismuth. To date nearly all the gold, copper and bismuth produced has been mined from quartz-jasper-magnetite-haematite bodies locally called ironstones. Exploration has focused on ground prospecting and drilling outcropping ironstones or selecting magnetic bulls eyes from the aeromagnetic surveys for drill testing.

The Tennant Creek district is deeply weathered (+70m) and regionally there is less than 30% outcrop. There are extensive plains of alluvium and colluvium between the outcrops which makes surface stratigraphic mapping almost impossible. There are however, three recognisable groups in the district.

The oldest and most prospective is the Warramunga Group, which hosts all of the significant and potentially mineralised ironstones. The Group consists of medium to deep water siltstones and greywackes which have been highly sheared and folded. There is a pervasive S1 cleavage which commonly is over printed by S2.

Overlying the Warramunga Group is the Flynn Sub-group. This is characterised by interbedded siltstones and fine sandstones, although highly sheared original bedding can be recognised as can some sedimentary textures.

The Tomkinson Creek Group overlies the Flynn and is located in the northern extremity of the field. This Group is dominated by silicified sandstones and dolerite sills in the Tennant Creek area.

There are very poorly outcropping but extensive granites in the district. These are of two ages with the oldest represented by the sheared Tennant Creek granite and the younger by the unsheared Warrego granite. Quartz-feldspar and feldspar porphyries are reasonably common. They occur as either concordant or discordant to bedding. Often they are cross-cutting to the pitch and plunge of mineralisation.

4. PREVIOUS EXPLORATION

Open file information available at the Mines Department in Darwin was searched. Although the tenement has been held under tenure by Placer, Geopeko and North Flinders/Roebuck, no exploration activities relevant to the tenement have been reported.

5. YARDARINO EXPLORATION

Orion Resources N.L. managed the project during the five month period between tenement grant (1 August 1995) and their withdrawal from the Yardarino - Orion JV on 15 December 1995. No work was conducted by Orion on the tenement during this period.

Subsequent to Orion's withdrawal, Yardarino conducted a rigorous search of open file information at the Mines Department in Darwin and evaluated available aeromagnetic data. The NW trending Orlando Fault, host to the Orlando gold deposit, was interpreted as passing through the NE corner of the tenement. A second parallel NW trending structure can be seen cutting the tenement centrally with a linear magnetic high between the two faults. As this structurally favourable area has never been geochemically tested, a program of vacuum soil sampling was initiated.

5.1 Gridding

An origin for the grid was established with a steel fence post at AMG co-ordinate 7853800N - 389980E using a hand held GPS in non-differential mode (accuracy +/- 50m). The grid origin was assigned a local co-ordinate of 3800N - 10000E. A baseline was then pegged for 1.2 km along the access track at a magnetic bearing of 115°. Three cross lines were established at 400m intervals. Cross lines of 1 km length were established at 10200E, 10600E and 11000E. In total 4.2 km of gridding was completed (Figure 2).

Following completion of the vacuum soil sampling program the 3800N base line was extended 500m to the east and the grid infilled at 50m line spacing between 10600E and 11500E. This work involved 17.5 line km of gridding.

5.2 Vacuum Drilling

A total of 250m of vacuum drilling was completed in 114 holes. Holes were drilled at 25m spacings along the initial three 400m spaced grid lines. A single sample was collected from each hole at the top of bedrock and submitted for low level gold assay. Drill hole locations and depths, sample number locations and depths, bedrock geology and bedrock gold assay results are plotted in Figures 3-6 inclusive. Drill logs are tabulated in Appendix 1 and assay results in Appendix 2.

5.3 Ground Magnetism

Tesla-10 Pty Ltd of Perth was contracted to undertake a ground magnetic survey over a 1,000m x 900m section of the grid in order to assess whether or not the weak soil gold anomalism detected on line 11000E was associated with a magnetic ironstone body.

A Geometrix G856 magnetometer was used in conjunction with a similar base station with a line spacing of 50m, station spacing of 10m and sensor height of 2.5m. a contour plot of the magnetic data using a 2nT contour interval is included as Figure 7.

6. CONCLUSIONS

The ground magnetic survey in the south-east corner covered approximately only one third of the total tenement area. The survey delineated a NW trending lineament co-incident with the 3800N baseline but did not extend far enough north to locate the interpreted Orlando Fault. Within the survey area no anomalies characteristic of ironstone sources were located.

The three 400m spaced vacuum soil lines recorded only weakly elevated gold values (1-3 ppb Au) with no apparent relationship between the gold results and the NW magnetic lineament. These soil results are not definitive however as additional soil lines at closer spacing and assaying of samples for Cu and Bi may well have provided more encouraging results. A gravity survey to locate non-magnetic hematitic ironstones may also provide new encouragement.

It is concluded however that although the exploration activities completed by Yardarino do not definitively test the area, in view of the small size of the tenement and the lack of positive results to date, no further work should be undertaken.

7. EXPLORATION EXPENDITURE

The following expenditure was incurred on the EL.

	To 31 July 1996	To 30 April 1997
Salaries & Wages	\$1,718.38	\$1,011.12
Geological Consultants	\$264.50	\$441.30
Contr. Field Assistants	\$520.00	\$1,110.00
Ground Magnetics	-	\$1,335.34
Vacuum Drilling	-	\$1,250.00
Assays	-	\$503.50
Exploration Supplies	\$272.36	\$389.10
Drafting	\$35.48	\$10.75
Data Acquisition	\$75.00	\$25.00
Administration	\$340.00	-
Property Costs	\$342.50	-
Vehicle Hire	-	\$881.78
Maintenance & Repairs	-	\$5.00
Fuel	\$19.34	\$104.34
Freight	\$11.00	\$133.24
Travel & Accommodation	\$1,664.80	\$670.06
Subtotal	\$5,263.36	\$7,870.53
Overheads	\$789.50	\$1,180.58
TOTAL	\$6,052.86	\$9,051.11





Fig 1.



EL9182

1 BLOCK

3 sq kms



GRID ORIGIN

LOCAL CO-ORD : 3800N - 10000E




AMG : 7853800N - 389980E

BASE LINE : 115° Mag

SCALE 1 : 20,000 (Approx)



ARNHEM GEOLOGICAL & EXPLORATION SERVICES		
ORLANDO VACUUM PROGRAM 1996 ROCK TYPES		
AREA	CLIENT	DRAWN BY
TENNANT CK	YARDARINO	P. MERRY




ARNHEM GEOLOGICAL & EXPLORATION SERVICES

ORLANDO VACUUM PROGRAM 1996
ASSAY/SAMPLE NUMBERS

Au (ppb)


AREA	CLIENT	DRAWN BY
TENNANT CK	IYARDARINO	P. MERRY

Fig 6



DATA ACQUISITION

BY:




JOB No. TA2379
 INSTRUMENT: Geometrix G856-AX
 LINE SPACING: 50 m
 STATION SPACING: 10 m
 SENSOR HEIGHT: 2.5 m

PROCESSING

DIURNAL CORRECTIONS APPLIED
 GRID CELL SIZE: 10 m
 5 BY 5 GRID FILTER APPLIED
 CONTOUR INTERVAL: 2 nT



GRID NORTH
 (GN = 025MN)



Scale 1: 5000

YARDARINO MINING NL

TENNANT CREEK
 ORLANDO PROSPECT

GROUND MAGNETICS

DATE: JANUARY 1997

DRAWN: TESLA-10 PTY LTD

Image 2.

See image file
Attached.

APPENDIX 1

DRILL LOGS

YARDARINO MINING NL - VACUUM PROGRAM JULY/AUGUST 1996

CONTRACTOR - ARNHEN GEOLOGICAL & EXPLORATION SERVICES

AREA - TENNANT CREEK, ORLANDO

HOLE No	SAMPLE No	EAST	NORTH	E.O.H.	SAMPLE DEPTH	ROCK TYPE	ASSAY
942	1780	11000 E	3300 N	1.0	0.3	SILTSTONE	
943	1781	11000 E	3325 N	1.0	0.3	SILTSTONE	
944	1782	11000 E	3350 N	1.0	0.4	SILTSTONE	
945	1783	11000 E	3375 N	1.0	1.0	SILTSTONE	
946	1784	11000 E	3400 N	1.0	1.0	SILTSTONE	
947	1785	11000 E	3425 N	2.0	1.0	SILTSTONE	
948	1786	11000 E	3450 N	1.0	1.0	SILTSTONE	
949	1787	11000 E	3475 N	1.0	0.2	SILTSTONE	
950	1788	11000 E	3500 N	1.0	1.0	SILTSTONE	
951	1789	11000 E	3525 N	1.0	1.0	SILTSTONE	
952	1790	11000 E	3550 N	1.0	1.0	SILTSTONE	
953	1791	11000 E	3575 N	1.0	1.0	SILTSTONE	
954	1792	11000 E	3600 N	1.0	1.0	SILTSTONE	
955	1793	11000 E	3625 N	1.0	1.0	SILTSTONE	
956	1794	11000 E	3650 N	1.0	1.0	SILTSTONE	
957	1795	11000 E	3675 N	1.0	1.0	SILTSTONE	
958	1796	11000 E	3700 N	1.0	1.0	SILTSTONE	
959	1797	11000 E	3725 N	1.0	1.0	SILTSTONE	
960	1798	11000 E	3750 N	1.0	1.0	SILTSTONE	
961	1799	11000 E	3775 N	1.0	1.0	SILTSTONE	
962	1800	11000 E	3800 N	1.0	1.0	SILTSTONE	
963	1801	11000 E	3825 N	1.0	1.0	SILTSTONE	
964	1802	11000 E	3850 N	1.0	1.0	SILTSTONE	
965	1803	11000 E	3875 N	1.0	1.0	SILTSTONE	
966	1804	11000 E	3900 N	2.0	2.0	SILTSTONE	
967	1805	11000 E	3925 N	2.0	2.0	SILTSTONE	
968	1806	11000 E	3950 N	2.0	2.0	SILTSTONE	
969	1807	11000 E	3975 N	1.0	1.0	SILTSTONE	
970	1808	11000 E	4000 N	2.0	2.0	SILTSTONE	
971	1809	11000 E	4025 N	2.0	2.0	SILTSTONE	
972	1810	11000 E	4050 N	2.0	2.0	SILTSTONE	
973	1811	11000 E	4075 N	1.0	0.6	COVER	
974	1812	10600 E	3300 N	1.0	1.0	SILTSTONE	
975	1813	10600 E	3325 N	1.0	1.0	SILTSTONE	
976	1814	10600 E	3350 N	1.0	1.0	SILTSTONE	
977	1815	10600 E	3375 N	1.0	1.0	SILTSTONE	
978	1816	10600 E	3400 N	2.0	1.3	SILTSTONE	
979	1817	10600 E	3425 N	1.0	1.0	SILTSTONE	
980	1818	10600 E	3450 N	1.0	1.0	SILTSTONE	
981	1819	10600 E	3475 N	1.0	1.0	SILTSTONE	
982	1820	10600 E	3500 N	1.0	1.0	SILTSTONE	
983	1821	10600 E	3525 N	1.0	1.0	SILTSTONE	
984	1822	10600 E	3550 N	1.0	1.0	SILTSTONE	
985	1823	10600 E	3575 N	1.0	0.4	SILTSTONE	
986	1824	10600 E	3600 N	1.0	1.0	SILTSTONE	
987	1825	10600 E	3625 N	1.0	0.6	SILTSTONE	
988	1826	10600 E	3650 N	1.0	1.0	SILTSTONE	
989	1827	10600 E	3675 N	2.0	2.0	SILTSTONE	
990	1828	10600 E	3700 N	2.0	1.5	SILTSTONE	
991	1829	10625 E	3725 N	2.0	2.0	SILTSTONE	
992	1830	10600 E	3750 N	2.0	1.0	SILTSTONE	
993	1831	10600 E	3775 N	2.0	1.2	SILTSTONE	
994	1832	10600 E	3800 N	2.0	2.0	SILTSTONE	
995	1833	10600 E	3825 N	2.0	2.0	SILTSTONE	
996	1834	10600 E	3850 N	2.0	2.0	SILTSTONE	
997	1835	10600 E	3875 N	2.0	2.0	SILTSTONE	

YARDARINO MINING NL - VACUUM PROGRAM JULY/AUGUST 1996

CONTRACTOR - ARNHAM GEOLOGICAL & EXPLORATION SERVICES

AREA - TENNANT CREEK, ORLANDO

HOLE No	SAMPLE No	EAST	NORTH	E.O.H.	SAMPLE DEPTH	ROCK TYPE	ASSAY
998	1836	10600 E	3900 N	2.0	2.0	SILTSTONE	
999	1837	10600 E	3925 N	3.0	3.0	SILTSTONE	
1000	1838	10600 E	3950 N	3.0	3.0	SILTSTONE	
1001	1839	10600 E	3975 N	3.0	3.0	SILTSTONE	
1002	1840	10600 E	4000 N	3.0	3.0	SILTSTONE	
1003	1841	10600 E	4025 N	3.0	3.0	SILTSTONE	
1004	1842	10600 E	4050 N	2.0	2.0	COVER	
1005	1843	10600 E	4075 N	3.0	3.0	SILTSTONE	
1006	1844	10600 E	4100 N	3.0	2.2	SILTSTONE	
1007	1845	10600 E	4125 N	3.0	2.2	SILTSTONE	
1008	1846	10600 E	4150 N	3.0	2.4	SILTSTONE	
1009	1847	10600 E	4175 N	4.0	4.0	SILTSTONE	
1010	1848	10600 E	4200 N	4.0	3.6	SILTSTONE	
1011	1849	10600 E	4225 N	4.0	4.0	SILTSTONE	
1012	1850	10600 E	4250 N	3.0	2.4	SILTSTONE	
1013	1851	10600 E	4275 N	4.0	3.0	SILTSTONE	
1014	1852	10600 E	4300 N	4.0	3.0	SILTSTONE	
1567	2406	10200 E	4300 N	4.0	3.4	COVER	
1568	2407	10200 E	4275 N	4.0	4.0	SILTSTONE	
1569	2408	10200 E	4250 N	4.0	4.0	SILTSTONE	
1570	2409	10200 E	4225 N	4.0	4.0	SILTSTONE	
1571	2410	10200 E	4200 N	4.0	3.0	SILTSTONE	
1572	2411	10200 E	4175 N	3.0	3.0	COVER	
1573	2412	10200 E	4150 N	4.0	3.0	SILTSTONE	
1574	2413	10200 E	4125 N	4.0	3.0	SILTSTONE	
1575	2414	10200 E	4100 N	4.0	3.0	SILTSTONE	
1576	2415	10200 E	4075 N	3.0	3.0	SILTSTONE	
1577	2416	10200 E	4050 N	3.0	3.0	SILTSTONE	
1578	2417	10200 E	4025 N	3.0	3.0	SILTSTONE	
1579	2418	10200 E	4000 N	3.0	2.0	SILTSTONE	
1580	2419	10200 E	3975 N	3.0	3.0	SILTSTONE	
1581	2420	10200 E	3950 N	3.0	2.0	SILTSTONE	
1582	2421	10200 E	3925 N	2.0	2.0	SILTSTONE	
1583	2422	10200 E	3900 N	3.0	2.0	SILTSTONE	
1584	2423	10200 E	3875 N	3.0	3.0	SILTSTONE	
1585	2424	10200 E	3850 N	2.0	2.0	COVER	
1586	2425	10200 E	3825 N	3.0	3.0	SILTSTONE	
1587	2426	10200 E	3800 N	2.0	1.0	SILTSTONE	
1588	2427	10200 E	3775 N	3.0	1.2	COVER	
1589	2428	10200 E	3750 N	2.0	1.0	SILTSTONE	
1590	2429	10200 E	3725 N	2.0	2.0	SILTSTONE	
1591	2430	10200 E	3700 N	3.0	3.0	SILTSTONE	
1592	2431	10200 E	3675 N	3.0	2.0	SILTSTONE	
1593	2432	10200 E	3650 N	3.0	2.0	SILTSTONE	
1594	2433	10200 E	3625 N	3.0	2.0	SILTSTONE	
1595	2434	10200 E	3600 N	3.0	2.0	SILTSTONE	
1596	2435	10200 E	3575 N	3.0	2.0	SILTSTONE	
1597	2436	10200 E	3550 N	3.0	2.0	SILTSTONE	
1598	2437	10200 E	3525 N	2.0	1.6	COVER/SLT	
1599	2438	10200 E	3500 N	2.0	1.6	COVER	
1600	2439	10200 E	3475 N	3.0	3.0	SILTSTONE	
1601	2440	10200 E	3450 N	2.0	2.0	SILTSTONE	
1602	2441	10200 E	3425 N	3.0	2.0	SILTSTONE	
1603	2442	10200 E	3400 N	3.0	2.0	SILTSTONE	
1604	2443	10200 E	3375 N	3.0	2.0	SILTSTONE	
1605	2444	10200 E	3350 N	3.0	2.0	SILTSTONE	

YARDARINO MINING NL - VACUUM PROGRAM JULY/AUGUST 1996

CONTRACTOR - ARNHEM GEOLOGICAL & EXPLORATION SERVICES

AREA - TENNANT CREEK, ORLANDO

HOLE No	SAMPLE No	EAST	NORTH	E.O.H.	SAMPLE DEPTH	ROCK TYPE	ASSAY
1606	2445	10200 E	3325 N	3.0	2.0	SILTSTONE	
1607	2446	10200 E	3300 N	3.0	2.0	SILTSTONE	

TOTAL SAMPLES : 114

TOTAL METRES : 250.0 m

APPENDIX 2

ASSAY RESULTS



ASSAYCORP

Report Code: AC 31312

Samples Received: 14/08/96

Number of Samples: 320

Yardarino Mining N.L.

26 Colin Street

West Perth WA 6872

ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward St

Pine Creek NT 0847

Ph (08) 8976 1262

Fax (08) 8976 1310

Report Distribution

Richard Murphy

Reference: 16472

Project:

Cost Code:

Sample Preparation:

Assay Data:

Analysis	Analytical Technique	Precision & Accuracy	Detection Limit	Data Units
Au	FA50	Acc. \pm 15%	1	ppb
Au(R)	FA50	Acc. \pm 15%	1	ppb

Report Comment:

RECEIVED
20 10 96
10 10 96

Authorisation: Ray Wooldridge

Report Dated: 22/08/96



ASSAYCORP

ASSAY CODE: AC 31312

Page 11 of 13

Sample	Au (ppb)	Au(R) (ppb)
1771	<1	
1772	<1	
1773	<1	
1774	1	
1775	<1	<1
1776	1	
1777	1	
1778	1	
1779	1	
1780	2	
GREAT WESTERN NORTH (ORLANDO)		
1781	<1	
1782	<1	
1783	<1	
1784	<1	
1785	2	
1786	2	
1787	3	
1788	1	<1
1789	1	
1790	1	
1791	2	
1792	2	
1793	2	
1794	2	
1795	1	



ASSAYCORP

ASSAY CODE: AC 31312

Page 12 of 13

Sample	Au (ppb)	Au(R) (ppb)
1796	1	<1
1797	2	
1798	1	
1799	1	
1800	1	
1801	<1	
1802	<1	
1803	1	
1804	1	
1805	1	
1806	<1	
1807	2	
1808	1	
1809	1	
1810	1	
1811	1	<1
1812	1	
1813	<1	
1814	1	
1815	1	
1816	<1	
1817	1	
1818	1	
1819	1	
1820	<1	<1



ASSAYCORP


ASSAY CODE: AC 31312

Page 13 of 13

Sample	Au (ppb)	Au(R) (ppb)
1821	<1	
1822	<1	
1823	<1	
1824	<1	
1825	<1	
1826	1	
1827	1	
1828	<1	
1829	<1	
1830	<1	
1831	<1	
1832	<1	
1833	2	
1834	<1	
1835	<1	
1836	<1	<1
1837	<1	
1838	<1	
1839	<1	
1840	<1	<1



ASSAYCORP



Report Code: AC 31449

Samples Received: 19/08/96

Number of Samples: 240

Yardarino Mining N.L.

PO Box 1020

Tennant Creek NT 0861

Reference: 16474

Project:

Cost Code:

ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward St

Pine Creek NT 0847

Ph (08) 8976 1262

Fax (08) 8976 1310

Report Distribution

Karl Lindsay-Park

Sample Preparation:

Assay Data:

Analysis	Analytical Technique	Precision & Accuracy	Detection Limit	Data Units
Au	FA50	Acc. \pm 15%	1	ppb
Au(R)	FA50	Acc. \pm 15%	1	ppb

Report Comment:

Authorisation: Ray Wooldridge

Report Dated: 30/08/96



ASSAYCORP

ASSAY CODE: AC 31449

Page 1 of 10

Sample	Au (ppb)	Au(R) (ppb)	(GT WESTERN NORTH)
1841	<1		ORLANDO
1842	<1		↓
1843	<1		
1844	<1		
1845	<1		
1846	<1		
1847	<1		
1848	<1		
1849	<1	<1	
1850	<1		
1851	<1		
1852	<1		
1853	<1		FLATLAND
1854	<1		↓
1855	<1	<1	
1856	<1		
1857	<1		
1858	<1		
1859	<1		
1860	<1		
1861	<1		
1862	<1		
1863	<1		
1864	<1	<1	
1865	<1		



ASSAYCORP

Report Code: AC 31726
Samples Received: 29/08/96
Number of Samples: 220

Yardarino Mining N.L.
PO Box 1020
Tennant Creek NT 0861

Assaycorp Pty Ltd
A.C.N. 052 982 911
174 Ward St
Pine Creek NT 0847
Ph (08) 8976 1262
Fax (08) 8976 1310

Report Distribution
Richard Murphy

Reference:
Project:
Cost Code:

Sample Preparation:

Assay Data:

Analysis	Analytical Technique	Precision & Accuracy	Detection Limit	Data Units
Au	FA50	Acc. \pm 15%	1	ppb
Au(R)	FA50	Acc. \pm 15%	1	ppb

Report Comment:



ASSAYCORP

ASSAY CODE: AC 31726

Page 2 of 9

Sample	Au (ppb)	Au(R) (ppb)
2386	<1	
2387	<1	
2388	<1	
2389	<1	
2390	<1	
2391	<1	
2392	<1	
2393	<1	
2394	<1	
2395	<1	
2396	<1	
2397	1	
2398	<1	
2399	<1	1
2400	<1	
2401	<1	
2402	<1	
2403	1	
2404	<1	
2405	1	
2406	<1	
2407	1	
2408	<1	
2409	<1	
2410	<1	

GT WESTERN NTH





ASSAYCORP

ASSAY CODE: AC 31726

Page 3 of 9

Sample	Au (ppb)	Au(R) (ppb)
2411	<1	
2412	<1	
2413	<1	
2414	<1	
2415	<1	<1
2416	<1	
2417	<1	
2418	<1	<1
2419	<1	
2420	<1	
2421	<1	
2422	3	2
2423	<1	
2424	<1	
2425	<1	
2426	<1	
2427	<1	
2428	<1	
2429	<1	
2430	<1	
2431	<1	
2432	<1	
2433	<1	
2434	<1	<1
2435	<1	



ASSAYCORP

ASSAY CODE: AC 31726

Page 4 of 9

Sample	Au (ppb)	Au(R) (ppb)	
2436	<1		
2437	<1		
2438	<1		
2439	<1		
2440	<1		
2441	<1		
2442	<1		
2443	<1		
2444	<1		
2445	<1		
2446	<1	<1	
2447	1		ELDORADO
2448	<1		↓
2449	1	<1	
2450	<1		
2451	<1		
2452	1		
2453	<1		
2454	<1		
2455	<1		
2456	<1		
2457	<1		
2458	<1		
2459	<1		
2460	<1		