



PINNACLE MINING N.L.

MT BUNDEY PROJECT

RELINQUISHMENT REPORT

**BLOCKS 1568, 1569, 1570 - EL 8508
(1:50,000 PLAN 8/6 III)**

AUTHOR:

D.D. Boyer
Boyer Exploration & Resource Management Pty Ltd
PO Box 115, Floreat, WA, 6014.
Telephone (0414) 381 982; Fax (09) 385 7967

**NAME OF LICENSEE:
NAME OF OPERATOR:**

Pinnacle Mining NL
Pinnacle Mining NL
10th Floor, 256 Adelaide Terrace PERTH WA 6000

PERIOD OF REPORT:

28 March 1994 to 27 March 1996

1:250,000 MAP AREA:

Darwin SD 52-4 (SE part)

1:100,000 MAP AREA:

Mary River 5272 (SW part)

1:50,000 MAP AREA:

Mt Bunday 8/6-111 (SW part)

DATE OF SUBMISSION:

JUNE 1996

DISTRIBUTION:

1. NT DME
2. Pinnacle-Melbourne
3. Williams Resources
4. Tenement Manager
5. BERM

© Boyer Exploration & Resource Management Pty Ltd, 1996

TABLE OF CONTENTS

<u>Title</u>	<u>Page</u>
SUMMARY	
1. SCOPE OF REPORT.....	2
2. LOCATION AND ACCESS	2
3. TENEMENTS.....	2
4. INTRODUCTION	2
5. GEOLOGY	2
6. EXPLORATION CARRIED OUT BY PINNACLE MINING NL	3
6.1 Review of Previous Exploration by Others.....	3
6.2 Lag Sampling	3
6.3 RAB Drilling	5
7. BIBLIOGRAPHY	6

LIST OF FIGURES

Figure No.	Title	Scale
1.	Project Location Plan	1:20 million
2.	Mt Bunday Tenement Location Plan	1:50,000
3.	Regional Geology	1:57,000
4.	Tenement Geology	1:25,000
5.	Aeromagnetic Contours	1:25,000
6.	Drillhole Locations	1:25,000
7.	Lag Geochemistry - Gold Image	1:25,000
8.	Lag Geochemistry - Lead Image	1:25,000
9.	Lag Geochemistry - Arsenic Image	1:25,000
10.	Lag Geochemistry - Zinc Image	1:25,000
11.	Lag Geochemistry - Copper Image	1:25,000
12.	Lag Sample Site Location Plan	1:25,000

LIST OF TABLES

1. 1995 Lag Sampling Program - Lower Limits of Detection

LIST OF APPENDICES

1. Lag Sampling - Analytical Results
2. RAB Drilling - Drillhole Statistics
3. RAB Drilling - Geological Logs
4. RAB Drilling - Analytical Results

SUMMARY


Commodities Sought: Gold
 Basemetals

Exploration Carried Out: Review of previous exploration by others
 Lag/Soil Geochemical Survey
 Rotary Airblast (RAB) Drilling
 Logging of RAB samples
 Assaying of RAB Samples

CONCLUSIONS

Although regional lag geochemical sampling yield values of up to 8.4ppb Au, and 280ppm Pb in separate samples, reconnaissance traverses of shallow RAB drilling returned disappointing results.

Although not detailed, the work carried out has downgraded the potential for the discovery of economic deposits of gold and basemetals in the three blocks, leading to a decision to relinquish them.



1. SCOPE OF REPORT

This report details exploration by Pinnacle Mining N.L. ("Pinnacle") in the 24 month period ending 27 March 1996.

2. LOCATION AND ACCESS

Pinnacle's Mt Bunday Project is located 100 km southeast of Darwin, a few kilometres south of the Mt Bunday trig station (Figure 1). From the Arnhem Highway, the project area is accessed via the Rustler's Roost access road, or via a station track 1.5 km west of the Mary River Bridge.

Good access (in the dry season) is provided by station tracks. Access off these tracks is reasonable by four wheel drive vehicle (dry season only), except locally where steep slopes and/or rocky outcrop and scree can be a problem. Access for a drill rig is variable with many areas not requiring mechanised clearing or earthworks for access or sites.

3. TENEMENTS

The three blocks the subject of this report formed part of E 8508 granted 28 March 1994. Pinnacle Mining retains a 100% interest in eight blocks within E 8505 comprising Blocks 1567, 1667-1669, 1767-1770 (Figure 2)

The blocks relinquished lie on the Old Mt Bunday pastoral lease land and are located on the Mt Bunday 1:50,000 Sheet and Mary River 1:100,000 Sheet.

4. INTRODUCTION

Pinnacle undertook a staged program of reconnaissance exploration for gold and basemetals over a two year period.

This work included a thorough review of previous exploration by others, a program of regional (reconnaissance) lag soil sampling, and a program of shallow reconnaissance RAB drilling.

5. GEOLOGY

A brief summary of the geology present within the project area is outlined below. The information is taken from the Geology of the Mary River - Point Stuart Region (1:100,000) Series, BMR, NT Geological Survey Department 1983, and from Treasure (1980).

Regionally, the tenements are located in the central northern part of the Proterozoic Pine Creek Geosyncline (Figures 3 and 4) over a prominent anticlinorial structure occurring to the south of the Lower Proterozoic Mt Bunday granite. The anticlinorium plunges to the south at a shallow angle.

Basement rocks within the specific tenements comprise mainly siliceous tuff of the Gerowie Tuff, together with elements of the sediments comprising the overlying Mt Bonnie Formation. These units are occasionally intruded by Zanu Dolerite.

6. EXPLORATION CARRIED OUT BY PINNACLE MINING NL

6.1 Review of Previous Exploration by Others

All available previous reported exploration data relevant to exploration completed within the project area was reviewed.

The only relevant data relates to E 5346 applied for by Woodleigh Nominees in 1987 (Woodleigh, 1988a,b).

In 1988 Carpentaria Gold Ltd ("Carpentaria") signed a joint venture with Woodleigh Nominees giving Carpentaria sole rights to explore on EL 5346. Carpentaria completed a drainage sampling programme involving the collection of -80 mesh samples and analysing them for Au, Cu, Pb, Ag, As, Fe, Cr, Mo, Sb, Mn and U. Results confirmed the existence of strong gold anomalies in stream sediments draining from the ground held under MCN tenure within EL 5346 by other companies (now MCN's held by Pinnacle and Kakadu), but values within the area covered by the three blocks in this report were generally subdued (Gold values are in the range 0.05 to 1.2 ppb).

In 1989 Carpentaria concentrated the bulk of their exploration to the south of the current EL 8508.

In 1990 Carpentaria again concentrated their exploration efforts south of the current EL 8508. An aeromagnetic survey was flown by Aerodata and this partially covers the current Pinnacle project area (Figure 5).

The ground was subsequently relinquished after disappointing results.

6.2 Lag Sampling

Sample Collection

A 414 sample program of reconnaissance lag sampling was carried out within EL 8508 in 1994, of which 148 lie within the relinquished blocks.

The -5mm + 0.5mm soil fraction was taken from each site and these sites are located on Figure 6.

Analysis

The lag samples collected in 1994 were analysed and compiled in 1995. The samples were analysed by Ultratrace Perth on 28 July 1995 (Ref. 1659-order VR 50711). Following preparation by drying and pulverisation in a ring pulveriser the samples were digested with Aqua Regia and values for Au, Pt, Cu, Co, Pb, As, Zn, Ag, Cd, Sb, Bi, Sn, W, Hg, U determined by ICP (MS) and Ti, Ni, Cr, Ba, Mn and Fe by ICP (OES). Details of lower detection limits are provided in Table 6.1 below.

TABLE 6.1
MT BUNDEY PROJECT
1995 LAG SAMPLING PROGRAM-LOWER LIMITS OF DETECTION (LLD)

Analytical Method>	ULTRATRACE-PERTH-ICP MASS SPECTROMETRY												
Element>>>	Au	Pt	Cu	Co	Pb	As	Cd	Sb	Bi	Sn	W	Hg	U
Units>>>>>>>	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit Det.	0.2	1.0	5.0	5.0	5.0	5.0	2.0	0.2	0.2	1.0	1.0	0.01	0.1

Analytical Method>	ULTRATRACE-PERTH-ICP O.E.S.						
Element>>>	Zn	Ni	Cr	Ba	Mn	Fe	Ti
Units>>>>>>>	ppm	ppm	ppm	ppm	ppm	%	ppm
Lower Limit Det.	5.0	5.0	5.0	2.0	5.0	0.2	10

Results

The results for Au, Pb, As, Zn and Cu have been image processed using *Interdex* software (Figures 7 - 12). The results require field-based regolith analysis, however the programme downgraded the gold and basemetal potential of the relinquished blocks.

An initial assessment of the large number of elements determined concludes that certain element groups reflect difference associations as follows:

Fe, Ni, Mn, Co, Cr, Ba	=	regolith (lateritisation)anomalism.
Au, As, Sn?, Bi	=	gold anomalism.
Cu, Pb, Zn, Cd	=	lithology?
U, W	=	granite and granite margin.

A tabulation of lag sample results and sample locations is presented in Appendix 1.

6.3 RAB Drilling

Drilling Techniques

Four regional east-west orientated lines of reconnaissance rotary airblast (RAB) drilling were completed within the relinquished tenements to test stratigraphic (ie. Geological) targets. These lines were numbered 2, 3, 4, and 5 and comprise shallow declined holes drilled towards 268° magnetic or 081° magnetic to depths of between 22m and 51m (average 47m). Details of the location of these holes is given in Appendix 2 and the holes are also shown in figure 6. Holes were drilled at roughly 20m centres on each line in "top to toe" configuration so as to maximise lateral coverage. The program comprised 69 holes totalling 3216 metres of drilling.

Sampling and Analysis

Each hole was geologically logged over 1 m increments and geological logs are presented in Appendix 3.

Samples were collected via cyclone over 1 m intervals and bagged. Each hole was composite sampled over increments of up to 8 m by riffle splitting when dry and by hand scoop when wet.

All composite samples were assayed for Au fire assay and Cu, Pb, Zn, Ag, and As by AAS in Assaycorp's laboratory at Pine Creek. Assay results are presented in Appendix 4. Maximum values obtained were 0.05ppm Au, 703ppm Cu, 310ppm Pb, 533 ppm Zn, and 52ppm As in separate samples.

Lower limits of detection (LLD) are as follows:

Element	Analysis	Precision & Accuracy	LLD	Units
Au	FA50	+ 15%	0.01	ppm
Cu	AAS/MA. 3	+ 10%	1	ppm
Pb	"	"	2	ppm
Zn	"	"	1	ppm
Ag	"	"	0.5	ppm
As	"	"	1	ppm

Personnel and Equipment

The drilling contractor was Connector Drilling of Perth who utilised a standard open hole rotary airblast (RAB) machine drilling a nominal 75 mm diameter hole.

Drill supervision was carried out by D. Edwards of Eupene Exploration Enterprises and Mr A. Vanderplank of Pathfinder consultants of Perth.

7. BIBLIOGRAPHY

- Treasure, P.A., 1980:** Annual Report, Mt Bunday Exploration Programme, Els 1653, 1654 and 1655, Northern Territory - Analysis of 1979 Work Program,; Consultant's Report to Aquitaine Australia Minerals Limited, Jimberlana Minerals NL and Pan d'Or Mining NL by ACA Howe Australia Pty Ltd.
- Woodleigh, 1988a:** Annual Report EL 5356 for Woodleigh Nominees Pty Ltd. - NT DME File CR89/0344.
- Woodleigh, 1988b:** Report to Woodleigh Nominees Pty Ltd by Carpentaria Gold Pty Ltd - NT DME File 89/109.

L. Loya 24.6.96





Figure 2



REFERENCE

Cz Cainozoic cover

Pg Mount Bunde Granite

PdZ Zamu Dolerite

FINNISS RIVER GROUP

Pfb Burrell Creek Formation

SOUTH ALLIGATOR GROUP

Pso Mount Bonnie Formation

Psg Gerowie Tuff

Psk Koolpin Formation

Lineaments associated with Marrakai - Coirwong Flexure Zone

Syncline
Anticline } showing trend of plunge of axis

80 Strike and dip

80 Mineral claims held by Pinnacle Mining NL

Arnhem highway

EL 8508

Mining Leases (Kakadu Resources Ltd)

2000N Local Field Grid Reference



0 1 2 3 4 km

SCALE

MT BUNDEY PROJECT EL 8508 LOCALITY MAP

After BMR: Mary River - Point Stuart Sheet (SE of Darwin SD 52-4)


FIGURE 3



PINNACLE MINING NL ACN 060 111 784
MT BUNDEY
AEROMAGNETICS

GEO: R.GRIVAS	SCALE 1:25000	REPORT:
DRAWN:	DATE: 17-12-1995	PLAN:

Figure 5




Scale 1:25000

PINNACLE MINING NL ACN 060 111 784
MT BUNDEY
Drillhole Locations
(Previous Exploration)

GEO: R.GRIVAS SCALE 1:25000 REPORT
DRAWN: DATE: 18-12-1995 PLAN: elcoll.pgl

FIGURE 6



- Lineaments associated with Marrakai-Cairwong Flexure Zone
- ↕ Syncline] showing trend of plunge of axis
- ↗ Anticline]
- ↘ Strike and dip
- 80 Mineral claims held by Pinnacle Mining NL
- ==== Arnheim highway

- EARLY PROTEROZOIC**
- Cz Cainozoic cover
- Pg Mount Bunde Granite
- Pdz Zamu Dolerite
- FINNISS RIVER GROUP**
- Pfb Burrell Creek Formation
- SOUTH ALLIGATOR GROUP**
- Pso Mount Bonnie Formation
- Psg Gerowie Tuff
- Psk Koolpin Formation

0 500 1000 1500

Scale 1:25000

PINNACLE MINING NL ACN 060 111 784



MT BUNDEY

TENEMENT GEOLOGY

GEO: R.GRIVAS SCALE 1:25000 REPORT:

DRAWN: DATE: 17-12-1995 PLAN:

Figure 4




PINNACLE MINING NL ACN 060 111 784

MT BUNDEY
Gold Image (ppb)
(All Soil Geochemistry)

GEO: R.GRIVAS	SCALE 1:25000	REPORT:
DRAWN:	DATE:01-03-1996	PLAN: elcoll.pgl

FIGURE 7




0 500 1000 1500
Scale 1:25000

PINNACLE MINING NL ACN 060 111 784

MT BUNDEY
Lead Image (ppm)
(All Soil Geochemistry)
FIGURE 8

GEO: R.GRIVAS	SCALE 1:25000	REPORT:
DRAWN:	DATE:01-03-1996	PLAN: elcoll.pgl




0 500 1000 1500
Scale 1:25000

PINNACLE MINING NL ACN 060 111 784

MT BUNDEY
Arsenic Image (ppm)
(All Soil Geochemistry)
FIGURE 9

GEO: R.GRIVAS	SCALE 1:25000	REPORT:
DRAWN:	DATE:01-03-1996	PLAN: eicoll.pgl




0 500 1000 1500
Scale 1:25000

PINNACLE MINING NL ACN 060 111 784

MT BUNDEY
Zinc Image (ppm)
(All Soil Geochemistry)
FIGURE 10

GEO: R.GRIVAS	SCALE 1:25000	REPORT:
DRAWN:	DATE:01-03-1996	PLAN: elcoll.pgi




PINNACLE MINING NL ACN 060 111 784


MT BUNDEY
Copper Image (ppm)
(All Soil Geochemistry)

FIGURE 11

GEO: R.GRIVAS	SCALE 1:25000	REPORT:
DRAWN:	DATE:01-03-1996	PLAN: elcoll.pgl



Colour :
Size :
X : EASTING
Y : NORTHING



PINNACLE MINING NL ACN 060 111 784		
MT BUNDEY		
EL 8508		
Lag Sample Sites		
GEO:	SCALE 1:25000	REPORT:
DRAWN:	DATE: 27-09-199	



FIGURE 12

MT BUNDEY 1995 LAG SAMPLING PROGRAMME - RELINQUISHMENT AREA

SAMPLE	EASTING	NORTHING	AU1	AU2	AUPLOT	PT	CU	CO	PB	AS	ZN	AG	CD
66	782057.000	8561588.000	0.80	0.00	0.80	2	17	5	20	52	24	0.00	0.00
67	781873.000	8561631.000	0.80	0.00	0.80	2	39	5	32	58	42	0.00	0.00
68	781940.000	8561790.000	0.40	0.00	0.40	3	22	0	40	59	34	0.00	0.00
69	782003.000	8561963.000	0.00	0.00	0.00	3	35	5	30	39	44	0.00	0.00
70	782109.000	8562032.000	0.00	0.00	0.00	3	41	5	37	50	36	0.00	0.00
72	781544.000	8561568.000	0.60	0.00	0.60	4	25	10	23	33	34	0.00	0.00
73	781297.000	8561493.000	0.20	0.00	0.20	1	28	15	49	52	28	0.00	0.00
74	781347.000	8561641.000	0.20	0.00	0.20	3	22	10	53	82	32	0.00	0.00
75	781153.000	8561588.000	0.20	0.00	0.20	5	25	10	51	100	26	0.00	0.00
76	780838.000	8561988.000	0.40	0.00	0.40	3	18	5	30	120	20	0.00	0.00
77	780560.000	8561744.000	0.20	0.00	0.20	2	33	10	34	39	34	0.00	0.00
78	780487.000	8562069.000	0.60	0.00	0.60	2	27	5	28	43	34	0.00	0.00
79	780257.000	8561758.000	6.20	2.60	4.40	2	36	5	30	39	38	0.00	0.00
80	780257.000	8561758.000	3.00	0.00	3.00	2	34	5	34	37	38	0.00	0.00
81	780239.000	8561574.000	0.00	0.00	0.00	2	19	0	86	64	40	0.00	0.00
81	780239.000	8561574.000	0.00	0.00	0.00	2	19	0	86	64	40	0.00	0.00
82	780708.000	8561813.000	0.40	0.00	0.40	1	23	15	56	70	26	0.00	0.00
83	780959.000	8562291.000	0.40	0.00	0.40	6	58	10	110	84	28	0.00	0.00
84	780723.000	8562289.000	0.40	0.00	0.40	2	46	35	69	59	48	0.00	0.05
85	780488.000	8562547.000	0.40	0.00	0.40	1	31	0	120	77	72	0.00	0.10
86	780459.000	8562739.000	0.40	0.00	0.40	3	30	5	110	75	66	0.00	0.10
87	780413.000	8562943.000	0.60	0.00	0.60	2	31	5	88	76	54	0.00	0.05
88	780791.000	8562944.000	0.80	0.00	0.80	4	37	10	73	91	56	0.00	0.05
89	780776.000	8562785.000	1.20	0.00	1.20	7	34	15	120	110	34	0.00	0.00
90	780921.000	8562564.000	0.00	0.00	0.00	3	19	5	70	53	36	0.00	0.00
91	780948.000	8562421.000	0.00	0.00	0.00	2	28	15	120	46	36	0.00	0.05
92	781171.000	8562371.000	0.60	0.00	0.60	4	77	25	240	94	76	0.00	0.10
93	781336.000	8562077.000	0.60	0.00	0.60	4	39	10	84	250	38	0.00	0.05
94	781510.000	8561743.000	0.40	0.00	0.40	4	21	10	34	66	26	0.00	0.00
95	781456.000	8562004.000	0.40	0.00	0.40	2	39	10	30	37	40	0.00	0.00
96	781719.000	8562163.000	0.60	0.00	0.60	2	16	0	26	49	24	0.00	0.00

MT BUNDEY 1995 LAG SAMPLING PROGRAMME - RELINQUISHMENT AREA

SAMPLE	EASTING	NORTHING	AU1	AU2	AUPLT	PT	CU	CO	PB	AS	ZN	AG	CD
97	781875.000	8562042.000	0.60	0.00	0.60	3	36	15	35	37	38	0.00	0.00
98	781988.000	8562241.000	0.60	0.00	0.60	0	19	0	43	95	30	0.00	0.05
124	782063.000	8562777.000	1.00	0.00	1.00	4	31	5	42	67	20	0.00	0.00
125	781960.000	8562645.000	0.80	0.00	0.80	0	21	0	28	41	30	0.00	0.00
126	781597.000	8562703.000	0.80	0.00	0.80	0	16	5	27	30	26	0.00	0.00
127	781434.000	8562576.000	1.20	0.00	1.20	0	18	5	41	61	26	0.00	0.00
128	781131.000	8562792.000	0.00	0.00	0.00	3	12	0	59	93	30	0.00	0.00
129	781150.000	8562972.000	0.20	0.00	0.20	3	22	0	64	250	36	0.00	0.00
130	781161.000	8563126.000	1.40	0.00	1.40	1	19	0	75	280	34	0.00	0.00
145	782008.000	8563094.000	0.00	0.00	0.00	2	20	0	56	78	28	0.00	0.00
146	781682.000	8563117.000	0.00	0.00	0.00	2	23	0	72	80	40	0.00	0.00
147	781795.000	8562971.000	0.20	0.00	0.20	1	16	5	52	67	20	0.00	0.00
149	781361.000	8563001.000	0.00	0.00	0.00	0	21	5	35	68	34	0.00	0.00
161	780116.000	8564040.000	0.60	0.00	0.60	2	18	15	43	28	60	0.00	0.05
162	779918.000	8564081.000	0.40	0.00	0.40	1	20	5	32	52	48	0.00	0.00
163	779690.000	8564140.000	0.20	0.00	0.20	2	14	5	31	38	48	0.00	0.00
164	779932.000	8563946.000	0.20	0.00	0.20	1	40	15	25	45	62	0.00	0.00
165	779930.000	8563787.000	0.40	0.00	0.40	0	28	5	34	39	34	0.00	0.00
166	779800.000	8563660.000	0.00	0.00	0.00	0	28	15	41	68	82	0.00	0.10
167	779926.000	8563353.000	0.00	0.00	0.00	2	14	0	71	47	46	0.00	0.00
168	780181.000	8563331.000	0.00	0.00	0.00	0	18	5	30	48	36	0.00	0.00
169	780271.000	8563206.000	0.00	0.00	0.00	0	21	5	99	96	76	0.00	0.10
177	779741.000	8563501.000	0.00	0.00	0.00	0	20	0	40	63	52	0.00	0.05
178	779548.000	8563397.000	0.80	0.00	0.80	0	58	25	51	130	84	0.00	0.05
179	779471.000	8563526.000	0.60	0.00	0.60	0	13	5	39	220	42	0.00	0.00
180	779471.000	8563526.000	0.80	0.00	0.80	0	10	0	40	220	36	0.00	0.00
181	779672.000	8563681.000	0.40	0.00	0.40	0	41	20	130	62	60	0.00	0.25
182	779436.000	8563691.000	0.40	0.00	0.40	1	28	10	65	31	48	0.00	0.10
183	779150.000	8563746.000	0.00	0.00	0.00	1	12	0	53	48	26	0.00	0.00
184	778928.000	8564028.000	0.20	0.00	0.20	0	13	5	62	42	22	0.00	0.00
185	778748.000	8564111.000	0.40	0.00	0.40	0	10	0	59	41	26	0.00	0.00
186	778706.000	8564328.000	0.00	0.00	0.00	0	15	0	51	54	36	0.00	0.05

MT BUNDEY 1995 LAG SAMPLING PROGRAMME - RELINQUISHMENT AREA

SAMPLE	EASTING	NORTHING	AU1	AU2	AUPLOT	PT	CU	CO	PB	AS	ZN	AG	CD
187	778496.000	8564309.000	0.80	0.00	0.80	0	17	0	64	63	38	0.00	0.05
188	778899.000	8564507.000	0.00	0.00	0.00	0	11	0	50	52	28	0.00	0.00
189	779049.000	8564382.000	0.00	0.00	0.00	0	14	0	53	40	38	0.00	0.95
190	779108.000	8564080.000	0.00	0.00	0.00	0	14	0	48	41	34	0.00	0.05
191	779341.000	8563972.000	0.00	0.00	0.00	0	16	0	44	38	38	0.00	0.00
192	779563.000	8563945.000	0.20	0.00	0.20	1	19	10	42	100	38	0.00	0.00
193	779383.000	8564104.000	0.60	0.00	0.60	0	11	0	63	54	32	0.00	0.00
194	779529.000	8564102.000	0.00	0.00	0.00	0	19	0	40	64	40	0.10	0.00
195	779322.000	8564316.000	0.00	0.00	0.00	0	20	5	43	45	44	0.00	0.10
196	779191.000	8564527.000	0.00	0.00	0.00	0	18	5	37	53	38	0.00	0.00
197	779063.000	8564633.000	0.00	0.00	0.00	0	14	5	22	44	34	0.00	0.00
198	778907.000	8564873.000	0.00	0.00	0.00	1	46	10	25	62	52	0.00	0.10
199	778568.000	8564836.000	0.00	0.00	0.00	0	10	0	47	53	32	0.00	0.00
200	778568.000	8564836.000	0.00	0.00	0.00	0	9	0	41	52	32	0.00	0.00
201	778587.000	8564982.000	0.20	0.00	0.20	0	17	0	24	38	36	0.00	0.00
202	778481.000	8565043.000	0.00	0.00	0.00	1	14	0	24	30	28	0.00	0.00
203	778495.000	8565218.000	0.80	0.00	0.80	0	15	0	65	49	38	0.00	0.10
204	778620.000	8565331.000	0.40	0.00	0.40	0	21	5	36	61	48	0.00	0.10
205	778716.000	8565225.000	0.00	0.00	0.00	0	19	5	38	61	36	0.00	0.00
206	778739.000	8565408.000	0.00	0.00	0.00	2	37	5	38	31	76	0.00	0.10
207	778601.000	8565552.000	0.00	0.00	0.00	2	18	0	77	68	46	0.00	0.00
208	778568.000	8565700.000	0.00	0.00	0.00	1	18	10	53	51	46	0.00	0.05
209	778609.000	8566011.000	0.20	0.00	0.20	1	22	0	59	47	66	0.00	0.10
210	778752.000	8565644.000	0.00	0.00	0.00	2	39	10	47	46	62	0.00	0.10
211	778764.000	8566043.000	0.00	0.00	0.00	0	28	10	83	47	76	0.05	0.10
212	778803.000	8566451.000	0.00	0.00	0.00	1	42	10	130	71	110	0.10	0.15
213	778803.000	8566639.000	0.00	0.00	0.00	1	27	5	110	94	94	0.05	0.15
214	778622.000	8566581.000	5.40	3.00	4.20	0	25	10	63	55	88	0.10	0.15
215	778753.000	8566800.000	0.40	0.00	0.40	1	68	20	140	86	280	0.25	0.70
217	778513.000	8566973.000	0.60	0.00	0.60	0	29	15	270	59	280	0.20	0.50
245	779256.000	8566957.000	1.40	0.00	1.40	6	38	15	65	98	22	0.00	0.00
246	779455.000	8566866.000	2.20	0.00	2.20	11	48	15	93	90	32	0.00	0.00

MT BUNDEY 1995 LAG SAMPLING PROGRAMME - RELINQUISHMENT AREA

SAMPLE	EASTING	NORTHING	AU1	AU2	AUPLOT	PT	CU	CO	PB	AS	ZN	AG	CD
247	779476.000	8566958.000	1.60	0.00	1.60	6	90	10	280	270	140	0.35	0.25
248	779588.000	8566766.000	1.60	0.00	1.60	8	32	25	160	59	150	0.10	0.50
249	779570.000	8566530.000	0.40	0.00	0.40	12	70	30	98	150	46	0.00	0.05
250	779351.000	8566509.000	1.20	0.00	1.20	0	28	10	53	57	30	0.00	0.05
251	779081.000	8566527.000	0.20	0.00	0.20	0	51	5	85	65	42	0.05	0.10
252	779215.000	8566369.000	0.00	0.00	0.00	0	13	5	62	75	26	0.00	0.00
253	779438.000	8566244.000	0.60	0.00	0.60	0	27	0	75	130	40	0.10	0.15
254	779758.000	8566261.000	1.00	0.00	1.00	0	50	10	210	280	170	0.15	0.35
255	779589.000	8566065.000	0.60	0.00	0.60	0	29	5	79	64	38	0.05	0.05
256	779560.000	8565646.000	0.00	0.00	0.00	0	19	10	46	46	22	0.00	0.05
257	779664.000	8565854.000	0.00	0.00	0.00	0	17	10	51	52	22	0.00	0.00
258	779850.000	8565809.000	8.20	12.00	10.10	2	42	5	79	210	28	0.00	0.05
259	779795.000	8565978.000	1.20	0.00	1.20	1	53	5	250	160	130	0.10	0.35
260	779795.000	8565978.000	1.00	0.00	1.00	1	46	5	250	190	120	0.10	0.30
261	780042.000	8565834.000	0.60	0.00	0.60	0	28	10	270	100	52	0.10	0.10
262	780174.000	8565818.000	140.00	120.00	130.00	4	120	35	790	2000	560	1.80	2.90
263	780119.000	8565886.000	44.00	42.00	43.00	11	86	30	690	0	440	0.45	1.50
365	779017.000	8566035.000	0.40	0.00	0.40	0	69	5	44	73	50	0.00	0.10
366	778921.000	8565724.000	0.40	0.00	0.40	0	45	0	34	48	38	0.00	0.10
367	779057.000	8565787.000	0.40	0.00	0.40	0	32	0	30	37	38	0.00	0.05
368	779238.000	8565887.000	0.00	0.00	0.00	0	23	15	73	49	38	0.00	0.10
369	779096.000	8565511.000	0.20	0.00	0.20	0	23	0	23	24	28	0.00	0.05
370	779023.000	8565411.000	0.60	0.00	0.60	0	37	5	23	25	26	0.00	0.05
371	779215.000	8565303.000	0.00	0.00	0.00	0	27	5	28	39	30	0.00	0.05
372	779028.000	8565148.000	0.40	0.00	0.40	0	53	0	29	52	60	0.00	0.10
373	779038.000	8565040.000	8.40	0.00	8.40	0	26	0	31	65	32	0.00	0.05
374	779443.000	8565651.000	0.40	0.00	0.40	1	26	10	44	55	26	0.00	0.05
375	779338.000	8565432.000	0.60	0.00	0.60	0	35	10	41	74	30	0.00	0.10
376	779353.000	8565228.000	0.00	0.00	0.00	0	40	5	46	42	44	0.00	0.10
377	779389.000	8565132.000	0.60	0.00	0.60	0	27	5	42	70	34	0.00	0.10
378	779531.000	8565057.000	1.40	0.00	1.40	4	110	15	98	140	50	0.10	0.10
379	779752.000	8565322.000	0.20	0.00	0.20	0	29	20	45	57	28	0.05	0.05

MT BUNDEY 1995 LAG SAMPLING PROGRAMME - RELINQUISHMENT AREA

SAMPLE	EASTING	NORTHING	AU1	AU2	AUPLOT	PT	CU	CO	PB	AS	ZN	AG	CD
380	779752.000	8565322.000	0.00	0.00	0.00	0	25	20	41	47	30	0.05	0.05
381	779932.000	8565133.000	0.40	0.00	0.40	1	34	10	39	71	32	0.00	0.05
382	780057.000	8565123.000	0.40	0.00	0.40	0	34	5	41	99	24	0.00	0.05
383	779760.000	8565037.000	0.00	0.00	0.00	0	33	15	37	46	28	0.00	0.05
384	779581.000	8564821.000	0.60	0.00	0.60	0	23	0	27	27	34	0.00	0.05
385	779592.000	8564943.000	1.20	0.00	1.20	0	57	5	28	34	56	0.00	0.05
386	779769.000	8564694.000	0.40	0.00	0.40	0	23	5	30	49	28	0.00	0.05
387	780005.000	8564805.000	0.00	0.00	0.00	0	33	15	56	140	24	0.00	0.05
388	779963.000	8564593.000	0.20	0.00	0.20	0	25	10	26	60	30	0.00	0.05
389	779811.000	8564384.000	0.00	0.00	0.00	0	15	0	16	30	28	0.00	0.05
390	779867.000	8564284.000	0.00	0.00	0.00	0	39	25	25	31	50	0.00	0.10
391	780164.000	8564453.000	0.00	0.00	0.00	0	26	10	24	64	28	0.00	0.05
392	780224.000	8564541.000	0.60	0.00	0.60	0	41	0	27	290	42	0.00	0.10
394	779681.000	8564448.000	4.60	2.20	3.40	0	21	5	19	71	26	0.00	0.05
395	779414.000	8564510.000	0.40	0.00	0.40	0	38	10	27	56	36	0.00	0.05
396	779377.000	8564719.000	0.60	0.00	0.60	0	17	0	18	52	26	0.00	0.05
397	778867.000	8565154.000	0.00	0.00	0.00	0	38	0	42	61	48	0.00	0.10
398	778854.000	8565361.000	0.40	0.00	0.40	0	25	0	66	45	38	0.00	0.10
399	778831.000	8566237.000	0.00	0.00	0.00	0	51	10	40	68	58	0.00	0.15
400	778831.000	8566237.000	0.00	0.00	0.00	0	49	10	39	80	44	0.00	0.15
401	778808.000	8565821.000	0.00	0.00	0.00	0	24	0	28	46	32	0.00	0.05

MT BUNDEY 1995 LAG SAMPLING PROG

SAMPLE	EASTING	NORTHING	NI	CR	SB	BI	BA	MN	FE	SN	W	HG	U	TI
66	782057.000	8561588.000	0	110	1.60	1.30	260	800	11	0	0	0.00	1.60	14
67	781873.000	8561631.000	15	75	2.60	1.80	110	98	19	0	0	0.00	2.60	26
68	781940.000	8561790.000	5	80	2.60	2.00	100	120	25	0	0	0.00	2.90	33
69	782003.000	8561963.000	25	240	1.70	1.20	100	120	23	0	0	0.00	3.00	52
70	782109.000	8562032.000	5	90	4.40	2.00	130	210	24	0	0	0.00	2.60	26
72	781544.000	8561568.000	15	110	1.90	0.92	95	210	20	0	0	0.00	3.60	12
73	781297.000	8561493.000	10	110	2.10	0.76	240	1100	12	0	0	0.00	2.80	21
74	781347.000	8561641.000	10	250	2.50	0.92	200	860	19	0	0	0.00	3.50	39
75	781153.000	8561588.000	0	180	2.70	1.30	170	880	20	0	0	0.00	3.80	28
76	780838.000	8561988.000	0	200	1.60	0.58	75	320	15	0	0	0.01	4.20	37
77	780560.000	8561744.000	10	95	2.10	1.90	100	250	19	0	0	0.00	3.20	35
78	780487.000	8562069.000	5	120	0.74	1.30	55	140	27	0	0	0.01	3.00	76
79	780257.000	8561758.000	10	150	3.00	1.40	95	110	19	0	0	0.00	2.50	55
80	780257.000	8561758.000	10	140	3.10	1.50	110	120	18	0	0	0.00	2.60	53
81	780239.000	8561574.000	15	190	0.86	1.50	70	78	28	0	0	0.00	3.80	40
81	780239.000	8561574.000	15	190	0.86	1.50	70	78	28	0	0	0.00	3.80	40
82	780708.000	8561813.000	5	170	2.00	1.00	390	2100	17	0	0	0.00	3.10	27
83	780959.000	8562291.000	0	120	1.30	0.94	120	820	21	0	0	0.01	5.80	150
84	780723.000	8562289.000	20	170	1.80	0.88	1300	6100	17	0	0	0.00	2.60	38
85	780488.000	8562547.000	10	120	3.70	1.90	100	280	24	0	0	0.00	3.10	37
86	780459.000	8562739.000	10	110	3.60	1.90	90	240	20	0	0	0.00	3.10	34
87	780413.000	8562943.000	10	110	2.10	1.50	120	400	21	0	0	0.00	2.70	37
88	780791.000	8562944.000	10	100	1.40	1.10	180	720	22	0	0	0.01	2.70	25
89	780776.000	8562785.000	10	360	3.30	1.40	120	840	24	0	0	0.00	3.20	78
90	780921.000	8562564.000	0	90	2.20	0.74	610	3600	11	0	0	0.00	2.20	33
91	780948.000	8562421.000	0	95	1.90	0.78	600	3500	11	0	0	0.01	2.30	34
92	781171.000	8562371.000	15	160	1.70	1.40	680	4400	20	0	0	0.00	2.20	99
93	781336.000	8562077.000	15	300	3.40	1.60	310	1900	23	0	0	0.01	4.10	75
94	781510.000	8561743.000	5	180	2.00	1.00	150	920	21	0	0	0.00	3.10	43
95	781456.000	8562004.000	25	150	2.10	1.50	230	420	15	0	0	0.00	2.50	28
96	781719.000	8562163.000	0	100	2.40	1.40	90	71	20	0	0	0.00	2.40	25

MT BUNDEY 1995 LAG SAMPLING PROG

SAMPLE	EASTING	NORTHING	NI	CR	SB	BI	BA	MN	FE	SN	W	HG	U	TI
97	781875.000	8562042.000	40	270	1.70	1.40	190	490	19	0	0	0.00	3.10	85
98	781988.000	8562241.000	0	85	2.00	1.30	70	250	21	0	0	0.00	2.60	27
124	782063.000	8562777.000	10	130	3.30	1.70	190	310	15	0	0	0.18	3.40	17
125	781960.000	8562645.000	10	50	2.90	1.70	60	180	19	0	0	0.17	2.50	28
126	781597.000	8562703.000	15	170	3.50	1.40	270	550	18	0	0	0.21	2.70	66
127	781434.000	8562576.000	10	95	3.00	1.20	110	300	15	0	0	0.08	2.70	24
128	781131.000	8562792.000	15	390	1.30	1.80	40	200	24	0	0	0.11	3.30	57
129	781150.000	8562972.000	20	290	3.40	2.20	55	390	23	0	0	0.24	4.60	40
130	781161.000	8563126.000	15	220	5.10	2.70	70	220	19	0	0	0.11	2.80	55
145	782008.000	8563094.000	10	120	4.40	1.90	110	480	18	0	0	0.12	3.10	31
146	781682.000	8563117.000	10	80	6.20	2.00	180	900	26	0	0	0.31	5.20	48
147	781795.000	8562971.000	0	110	4.00	1.20	190	1200	17	0	0	0.29	3.40	32
149	781361.000	8563001.000	10	60	2.10	0.82	200	830	16	0	0	0.32	2.80	24
161	780116.000	8564040.000	35	170	0.10	0.82	270	1100	24	0	0	0.13	2.90	28
162	779918.000	8564081.000	15	65	0.60	1.10	65	210	31	0	0	0.15	2.60	27
163	779690.000	8564140.000	15	120	0.18	1.10	100	250	25	0	0	0.11	2.10	35
164	779932.000	8563946.000	20	40	0.96	0.92	530	2300	24	0	0	0.32	2.40	22
165	779930.000	8563787.000	5	40	0.66	0.86	140	220	19	0	0	0.12	2.20	26
166	779800.000	8563660.000	30	75	1.10	1.30	350	1300	22	2	0	0.23	2.90	20
167	779926.000	8563353.000	20	140	0.28	1.30	140	360	24	0	0	0.05	3.00	23
168	780181.000	8563331.000	10	60	0.56	0.98	75	460	24	0	0	0.24	2.70	35
169	780271.000	8563206.000	10	85	3.90	1.10	220	1500	22	0	0	0.20	2.80	36
177	779741.000	8563501.000	15	20	1.20	1.30	110	160	19	0	0	0.00	2.60	17
178	779548.000	8563397.000	40	120	1.50	1.40	290	1500	24	1	0	0.00	2.80	49
179	779471.000	8563526.000	15	85	1.10	1.10	55	110	27	2	0	0.00	1.90	17
180	779471.000	8563526.000	15	80	0.96	1.20	50	110	24	2	0	0.00	1.80	15
181	779672.000	8563681.000	20	150	1.40	1.10	760	3500	26	0	0	0.00	2.70	30
182	779436.000	8563691.000	30	180	0.52	0.80	160	520	26	0	0	0.00	3.00	14
183	779150.000	8563746.000	5	120	0.60	0.62	40	72	28	0	0	0.00	6.20	30
184	778928.000	8564028.000	5	130	0.26	0.68	60	210	26	0	0	0.00	9.40	18
185	778748.000	8564111.000	10	130	0.26	0.80	35	38	27	0	0	0.00	7.00	25
186	778706.000	8564328.000	10	110	1.30	0.90	45	76	23	0	0	0.00	3.60	49

MT BUNDEY 1995 LAG SAMPLING PROG

SAMPLE	EASTING	NORTHING	NI	CR	SB	BI	BA	MN	FE	SN	W	HG	U	TI
187	778496.000	8564309.000	10	95	1.60	1.10	85	130	24	0	0	0.00	3.60	51
188	778899.000	8564507.000	5	95	0.54	0.88	50	110	25	0	0	0.00	4.50	32
189	779049.000	8564382.000	15	95	1.60	1.30	50	110	23	0	0	0.00	2.90	21
190	779108.000	8564080.000	10	170	1.10	1.20	95	480	26	0	0	0.00	2.60	22
191	779341.000	8563972.000	20	130	1.40	1.20	95	230	23	0	0	0.00	2.70	28
192	779563.000	8563945.000	10	120	0.38	1.30	290	1300	22	0	0	0.00	2.30	25
193	779383.000	8564104.000	10	120	0.68	0.90	65	240	24	0	0	0.00	2.10	33
194	779529.000	8564102.000	10	85	0.54	0.86	90	190	26	0	0	0.00	2.30	19
195	779322.000	8564316.000	15	85	1.30	0.86	80	460	25	0	0	0.00	1.90	31
196	779191.000	8564527.000	10	70	1.30	0.90	80	260	24	0	0	0.00	2.20	32
197	779063.000	8564633.000	10	120	1.10	0.76	95	190	24	1	0	0.00	3.20	44
198	778907.000	8564873.000	15	60	1.40	0.82	110	520	16	0	0	0.02	2.10	47
199	778568.000	8564836.000	10	110	1.90	1.20	60	82	22	0	0	0.00	2.50	25
200	778568.000	8564836.000	10	120	2.10	1.00	60	100	22	0	0	0.00	2.30	29
201	778587.000	8564982.000	10	100	1.50	1.10	80	55	21	0	0	0.00	2.60	30
202	778481.000	8565043.000	10	75	1.20	0.72	45	29	16	0	0	0.00	2.80	13
203	778495.000	8565218.000	10	100	1.60	1.00	65	57	19	0	0	0.00	1.90	14
204	778620.000	8565331.000	15	60	1.70	2.00	100	360	18	0	0	0.00	2.00	24
205	778716.000	8565225.000	10	110	0.86	0.78	85	280	22	0	0	0.00	2.70	40
206	778739.000	8565408.000	20	55	1.50	0.96	130	740	24	1	0	0.01	3.10	210
207	778601.000	8565552.000	15	210	1.60	1.20	80	210	28	0	0	0.00	3.10	110
208	778568.000	8565700.000	20	120	2.00	1.20	100	490	24	0	0	0.00	3.00	97
209	778609.000	8566011.000	10	50	1.40	0.80	110	460	20	1	0	0.00	3.50	290
210	778752.000	8565644.000	20	85	1.20	1.30	230	760	23	1	0	0.00	2.20	260
211	778764.000	8566043.000	15	60	1.20	1.50	320	1100	20	1	0	0.00	3.20	250
212	778803.000	8566451.000	30	110	1.90	0.98	230	980	19	2	0	0.00	4.20	270
213	778803.000	8566639.000	20	140	1.60	1.20	150	570	24	2	0	0.00	3.60	210
214	778622.000	8566581.000	20	85	1.60	0.78	130	490	18	1	0	0.00	2.50	250
215	778753.000	8566800.000	35	35	1.50	0.76	440	2000	17	2	0	0.00	3.00	420
217	778513.000	8566973.000	25	60	3.40	1.10	190	1200	20	1	0	0.00	3.80	360
245	779256.000	8566957.000	0	75	1.30	1.40	130	1000	12	2	0	0.00	1.70	99
246	779455.000	8566866.000	10	100	2.20	2.70	240	950	14	2	0	0.00	1.70	220

MT BUNDEY 1995 LAG SAMPLING PROG

SAMPLE	EASTING	NORTHING	NI	CR	SB	BI	BA	MN	FE	SN	W	HG	U	TI
247	779476.000	8566958.000	10	65	4.10	1.50	160	1000	13	1	0	0.00	3.10	58
248	779588.000	8566766.000	20	140	2.20	0.72	140	1400	13	1	0	0.00	1.10	150
249	779570.000	8566530.000	20	110	1.30	0.78	140	1000	16	1	0	0.00	2.50	220
250	779351.000	8566509.000	0	40	1.30	1.60	130	540	13	1	0	0.00	2.30	120
251	779081.000	8566527.000	5	15	1.80	1.50	290	1400	12	2	0	0.00	2.50	130
252	779215.000	8566369.000	0	35	0.68	0.76	240	1200	10	0	0	0.01	2.30	46
253	779438.000	8566244.000	0	20	1.30	1.60	170	820	8	0	0	0.00	2.50	35
254	779758.000	8566261.000	15	50	1.80	1.40	190	1400	12	0	0	0.00	2.70	120
255	779589.000	8566065.000	0	30	1.50	1.70	170	680	11	0	0	0.00	2.50	44
256	779560.000	8565646.000	0	5	0.78	0.72	540	2400	7	0	0	0.01	1.80	110
257	779664.000	8565854.000	0	0	0.74	0.80	270	1200	7	0	0	0.00	1.60	40
258	779850.000	8565809.000	5	85	1.90	1.80	110	610	17	0	0	0.00	2.60	87
259	779795.000	8565978.000	10	35	1.50	1.20	200	1100	14	1	0	0.01	3.60	150
260	779795.000	8565978.000	10	40	1.60	1.10	180	940	13	1	0	0.00	3.70	140
261	780042.000	8565834.000	10	65	1.80	1.30	250	1800	13	0	0	0.00	2.10	68
262	780174.000	8565818.000	45	160	5.40	7.10	1200	7400	20	2	0	0.00	4.90	32
263	780119.000	8565886.000	30	270	3.90	3.00	210	1700	23	2	0	0.00	5.60	54
365	779017.000	8566035.000	0	20	1.90	1.50	65	180	13	1	0	0.00	3.30	44
366	778921.000	8565724.000	0	10	2.30	2.10	120	280	17	0	0	0.00	2.90	78
367	779057.000	8565787.000	0	15	3.00	1.60	55	110	17	0	0	0.00	3.40	110
368	779238.000	8565887.000	0	0	0.80	0.84	500	2500	5	0	0	0.00	2.00	37
369	779096.000	8565511.000	0	0	1.70	1.60	110	260	9	0	0	0.00	2.10	59
370	779023.000	8565411.000	0	0	1.30	1.90	200	750	6	0	0	0.00	2.10	60
371	779215.000	8565303.000	0	10	1.80	1.20	200	910	12	0	0	0.01	2.70	48
372	779028.000	8565148.000	10	40	2.20	1.80	130	510	20	0	0	0.00	2.70	66
373	779038.000	8565040.000	0	5	3.10	1.70	65	62	16	1	0	0.01	2.50	40
374	779443.000	8565651.000	0	10	1.20	0.72	330	1300	7	0	0	0.00	2.10	44
375	779338.000	8565432.000	0	15	1.50	1.10	600	3900	12	0	0	0.00	2.80	62
376	779353.000	8565228.000	0	0	2.20	1.60	130	400	12	0	0	0.00	2.50	46
377	779389.000	8565132.000	5	15	3.00	1.80	130	270	15	0	0	0.00	3.20	46
378	779531.000	8565057.000	10	35	12.00	4.50	150	420	23	2	0	0.08	7.90	91
379	779752.000	8565322.000	0	30	2.20	0.96	790	4500	9	0	0	0.02	2.70	71

MT BUNDEY 1995 LAG SAMPLING PROG

SAMPLE	EASTING	NORTHING	NI	CR	SB	BI	BA	MN	FE	SN	W	HG	U	TI
380	779752.000	8565322.000	0	35	1.80	0.94	840	4600	9	0	0	0.00	2.20	75
381	779932.000	8565133.000	0	65	1.70	0.90	190	700	18	0	0	0.00	3.00	41
382	780057.000	8565123.000	0	25	2.80	1.50	80	290	13	0	0	0.00	2.20	42
383	779760.000	8565037.000	0	0	1.80	1.10	270	1700	13	0	0	0.00	2.50	44
384	779581.000	8564821.000	0	0	1.60	1.60	85	43	14	0	0	0.00	1.90	21
385	779592.000	8564943.000	5	15	2.60	1.30	180	360	15	0	0	0.00	2.00	26
386	779769.000	8564694.000	0	55	2.40	1.10	130	360	17	0	0	0.00	3.50	26
387	780005.000	8564805.000	0	90	2.90	0.98	330	1900	15	0	0	0.00	3.00	47
388	779963.000	8564593.000	0	60	1.70	1.10	140	700	15	0	0	0.00	5.00	21
389	779811.000	8564384.000	0	0	1.10	1.20	85	51	18	0	0	0.00	2.20	30
390	779867.000	8564284.000	15	45	2.30	0.90	420	2200	19	0	0	0.00	2.30	44
391	780164.000	8564453.000	0	40	0.82	0.80	170	620	21	0	0	0.00	6.20	13
392	780224.000	8564541.000	5	30	2.10	1.20	50	93	16	0	0	0.00	4.70	10
394	779681.000	8564448.000	0	30	1.60	1.10	130	290	17	0	0	0.00	3.30	28
395	779414.000	8564510.000	10	150	1.30	1.00	130	610	26	1	0	0.00	5.70	57
396	779377.000	8564719.000	0	30	1.50	0.72	60	56	18	0	0	0.00	3.90	21
397	778867.000	8565154.000	10	35	3.50	1.40	75	120	19	0	0	0.00	3.00	53
398	778854.000	8565361.000	0	20	2.40	1.30	70	190	14	0	0	0.00	2.90	53
399	778831.000	8566237.000	15	55	3.00	1.60	350	1800	17	0	0	0.01	3.50	59
400	778831.000	8566237.000	5	35	3.30	1.80	200	930	14	0	0	0.00	4.00	43
401	778808.000	8565821.000	0	20	2.90	1.40	65	71	20	0	0	0.00	3.00	91

MT BUNDEY PROJECT - E8508

RAB HOLE COLLAR FILE - RELINQUISHED AREA

HOLE	TRAVERSE	NORTHAMG	EASTAMG	RL	DEPTH	AZIMUTH	DIP
MB496	Trav.2	8564708.000	779065.000	500.900	51.00	268.00	-60.00
MB497	Trav.2	8564709.000	779043.000	501.200	54.00	268.00	-60.00
MB498	Trav.2	8564712.500	779017.000	501.100	51.00	268.00	-60.00
MB499	Trav.2	8564707.000	778988.000	501.800	51.00	268.00	-60.00
MB500	Trav.2	8564715.000	778965.000	501.100	51.00	268.00	-60.00
MB501	Trav.2	8564708.500	778942.000	500.700	51.00	268.00	-60.00
MB502	Trav.2	8564711.000	778915.000	500.500	51.00	268.00	-60.00
MB503	Trav.2	8564712.500	778893.000	500.100	51.00	268.00	-60.00
MB504	Trav.2	8564712.000	778867.500	500.000	51.00	268.00	-60.00
MB505	Trav.2	8564711.000	778845.500	500.000	50.00	268.00	-60.00
MB506	Trav.3	8564079.000	779957.000	504.500	48.00	80.00	-60.00
MB507	Trav.3	8564079.000	779980.000	503.500	51.00	80.00	-60.00
MB508	Trav.3	8564078.000	780000.500	502.500	50.00	80.00	-60.00
MB509	Trav.3	8564080.000	780021.500	501.800	50.00	80.00	-60.00
MB510	Trav.3	8564081.500	780042.500	501.300	50.00	80.00	-60.00
MB511	Trav.3	8564082.000	780064.500	500.900	51.00	80.00	-60.00
MB512	Trav.3	8564082.500	780088.000	500.500	49.00	80.00	-60.00
MB513	Trav.3	8564187.500	780113.500	501.100	51.00	80.00	-60.00
MB514	Trav.3	8564181.000	780135.000	500.900	51.00	80.00	-60.00
MB515	Trav.3	8564182.000	780158.000	500.800	45.00	80.00	-60.00
MB516	Trav.3	8564182.000	780177.000	500.600	48.00	80.00	-60.00
MB517	Trav.3	8564182.000	780198.000	500.400	51.00	80.00	-60.00
MB518	Trav.3	8564182.500	780219.000	500.300	51.00	80.00	-60.00
MB519	Trav.3	8564182.500	780240.000	500.200	36.00	80.00	-60.00
MB520	Trav.3	8564187.500	780256.500	500.000	51.00	80.00	-60.00
MB521	Trav.3	8564178.500	780279.500	500.300	51.00	80.00	-60.00
MB522	Trav.3	8564178.000	780302.000	501.900	48.00	80.00	-60.00
MB523	Trav.3	8564177.500	780323.500	503.400	45.00	80.00	-60.00
MB524	Trav.3	8564178.800	780342.500	503.400	50.00	80.00	-60.00
MB525	Trav.4	8563898.500	779760.000	511.300	48.00	81.00	-60.00
MB526	Trav.4	8563901.000	779779.000	513.000	51.00	81.00	-60.00
MB527	Trav.4	8563902.000	779803.500	511.900	57.00	81.00	-60.00
MB528	Trav.4	8563895.500	779846.500	507.700	52.00	81.00	-60.00
MB529	Trav.4	8563897.500	779895.000	502.200	35.00	81.00	-60.00
MB530	Trav.4	8563895.500	779910.500	501.800	50.00	81.00	-60.00
MB531	Trav.4	8563896.000	779935.500	502.300	39.00	81.00	-60.00
MB532	Trav.4	8563897.500	779953.000	502.000	51.00	81.00	-60.00
MB533	Trav.4	8563904.000	779981.000	500.600	51.00	81.00	-60.00
MB534	Trav.4	8563898.500	780004.500	500.400	45.00	81.00	-60.00
MB535	Trav.4	8563898.000	780028.500	500.300	39.00	81.00	-60.00
MB536	Trav.4	8563898.000	780063.000	500.200	51.00	81.00	-60.00
MB537	Trav.4	8563898.000	780102.000	500.000	51.00	81.00	-60.00
MB538	Trav.4	8563901.500	780141.500	500.000	36.00	81.00	-60.00
MB539	Trav.4	8563893.000	780180.000	500.000	39.00	81.00	-60.00
MB540	Trav.4	8563897.500	780222.000	500.000	33.00	81.00	-60.00
MB541	Trav.4	8563901.500	780237.500	500.000	39.00	81.00	-60.00
MB542	Trav.4	8563898.000	780255.500	500.000	51.00	81.00	-60.00
MB543	Trav.4	8563900.000	780280.500	500.000	50.00	81.00	-60.00
MB544	Trav.4	8563901.000	780302.500	500.000	51.00	81.00	-60.00
MB545	Trav.4	8563899.500	780325.500	500.000	51.00	81.00	-60.00

HOLE	TRAVERSE	NORTHAMG	EASTAMG	RL	DEPTH	AZIMUTH	DIP
MB546	Trav.4	8563901.500	780362.500	500.700	45.00	81.00	-60.00
MB547	Trav.5	8563904.000	780382.000	501.200	51.00	81.00	-60.00
MB548	Trav.5	8565800.500	779541.000	503.000	50.00	96.00	-60.00
MB549	Trav.5	8565803.500	779562.500	502.300	45.00	96.00	-60.00
MB550	Trav.5	8565806.000	779581.500	501.600	22.00	96.00	-60.00
MB551	Trav.5	8565805.500	779592.000	501.300	35.00	96.00	-60.00
MB552	Trav.5	8565801.000	779606.500	500.900	51.00	96.00	-60.00
MB553	Trav.5	8565817.000	779626.500	500.700	48.00	96.00	-60.00
MB554	Trav.5	8565823.000	779649.000	500.600	51.00	96.00	-60.00
MB555	Trav.5	8565824.000	779672.000	500.400	51.00	96.00	-60.00
MB556	Trav.5	8565826.000	779695.500	500.300	44.00	96.00	-60.00
MB557	Trav.5	8565824.500	779716.500	500.300	36.00	96.00	-60.00
MB558	Trav.5	8565824.000	779733.000	500.200	30.00	96.00	-60.00
MB559	Trav.5	8565819.500	779746.000	500.200	33.00	96.00	-60.00
MB560	Trav.5	8565815.000	779759.000	500.400	42.00	96.00	-60.00
MB561	Trav.5	8565793.500	779782.000	503.700	47.00	96.00	-60.00
MB562	Trav.5	8565802.000	779804.500	502.100	51.00	96.00	-60.00
MB563	Trav.5	8565797.500	779834.000	501.300	51.00	96.00	-60.00
MB564	Trav.5	8565801.500	779857.500	501.500	51.00	96.00	-60.00

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 2

HOLE No : MB 496
DEPTH: 41 m
LOCATION: 64708 N 79065E
AZIMUTH: 264 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	pink-brown	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	CHERT	"	str	"	"	lt grey	variably bleached			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	mild	"	"	black	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	CHERTY ARGILLITE	"	str	"	"	lt brown -	Ditto			
15-16	"	"	"	"	"	lt grey	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	grey	in abundant lt grey clay			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	fresh	"	"	black	Much carbonaceous material, minor pyrite			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 41 m, last 1 m as above

**** WET SAMPLES: 40-41 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 2

HOLE No : MB 497
DEPTH: 54 m
LOCATION: 64709N 79043E
AZIMUTH: 264 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994
LOGGED BY: A Vanderplank

DRILL HOLE LOG

DRILLING CONTRACTOR: Connector Drilling

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	brown	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	red-biege	mottled			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	cream	pallid			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	str	"	"	salmon	variably bleached			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	" -	"	- "	"	" -	"	Ditto -			
18-19	CHERTY ARGILLITE	"	"	"	"	lt grey	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	ARGILLITE	"	"	"	"	lt brown	limonitic - redox precipitation?			
26-27	SAPROLITE	"	v str	"	"	cream	pallid			
27-28	CHERTY ARGILLITE	"	moderate	"	"	grey	slightly bleached with local ferruginization			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	mild	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			
40-41	"	"	"	"	"	"	Ditto			
41-42	"	"	"	"	"	"	Ditto			

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 2

HOLE No : MB 497
DEPTH: 54 m
LOCATION: 64709N 79043E
AZIMUTH: 264 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
42-43	"	"	"	"	"	"	Ditto			
43-44	"	"	"	"	"	"	Ditto			
44-45	"	"	"	"	"	"	Ditto			
45-46	"	"	"	"	"	"	Ditto			
46-47	"	"	"	"	"	"	Ditto			
47-48	"	"	"	"	"	"	Ditto			
48-49	"	"	"	"	"	"	Ditto			
49-50	"	"	"	"	"	"	Ditto			
50-51	"	"	"	"	"	"	Ditto			
51-52	"	"	"	"	"	"	Ditto			
52-53	"	"	"	"	"	"	Ditto			
53-54	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 41-51 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 2

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 498
DEPTH: 51 m
LOCATION: 64712.5N 79017E
AZIMUTH: 264 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	grey-pink	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	v lt pink	mottled			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	cream	pallid powder with bleached chert cuttings			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	ARGILLITE	"	str	"	"	biege	locally with hematitic or limonitic argillite			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	moderate	"	"	lt grey	somewhat siliceous (cherty), partly bleached and oxidized			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	CHERTY ARGILLITE	"	fresh	"	"	grey	Ditto			
40-41	"	"	"	"	"	"	Ditto			
41-42	"	"	"	"	"	"	Ditto			

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 2

HOLE No : MB 498
DEPTH: 51 m
LOCATION: 64712.5N 79017E
AZIMUTH: 264 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
42-43	"	"	"	"	"	"	Ditto			
43-44	"	"	"	"	"	"	Ditto			
44-45	"	"	"	"	"	"	Ditto			
45-46	"	"	"	"	"	"	Ditto			
46-47	"	"	"	"	"	"	Ditto			
47-48	"	"	"	"	"	"	Ditto			
48-49	"	"	"	"	"	"	Ditto			
49-50	"	"	"	"	"	"	Ditto			
50-51	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 41-51 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 2

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 499

DEPTH: 51 m

LOCATION: 64707N 78988E

AZIMUTH: 264 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	cream	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	pink	Ditto			
2-3	"	"	"	"	"	brown	laterite			
3-4	ARGILLITE	"	"	"	"	khaki-grey	minor ferruginization			
4-5	"	"	"	"	"	to brown	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	biege	more clayish than above			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	moderate	"	"	pinkish	slightly ferruginous, minor vein quartz		quartz	
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	v str	"	"	biege	very clayish, almost pallid			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	CHERTY ARGILLITE	"	moderate	"	"	grey	part bleached			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			
40-41	"	"	"	"	"	"	Ditto			
41-42	"	"	"	"	"	"	Ditto			

MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 2

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 499

DEPTH: 51 m

LOCATION: 64707N 78988E

AZIMUTH: 264 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER-VAL	ROCK TYPE	GRAIN SIZE	WEATHERING	MASS/SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
42-43	CHERTY ARGILLITE	"	fresh	"	"	black	Ditto			
43-44	"	"	"	"	"	"	Ditto			
44-45	"	"	"	"	"	"	Ditto			
45-46	"	"	"	"	"	"	Ditto			
46-47	"	"	"	"	"	"	Ditto			
47-48	"	"	"	"	"	"	Ditto			
48-49	"	"	"	"	"	"	Ditto			
49-50	"	"	"	"	"	"	Ditto			
50-51	"	"	"	"	"	"	Ditto			
E.O.H.										
**** WET SAMPLES: Nil ****										
**** SMALL SAMPLES: Nil ****										

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 2

DRILL HOLE LOG

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

RAB DRILL - Warman Mk V

HOLE No : MB 500

DEPTH: 51 m

LOCATION: 64715N 78965E

AZIMUTH: 264 Deg (Magnetic)

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	cream	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	pink	mottled			
2-3	SILTSTONE	"	"	"	"	lt brown	partly lateritized and indurated			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	SAPROLITE	"	"	"	"	pinkish-	very clayish, ex argillite			
6-7	"	"	"	"	"	cream	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	brown	partly ferruginized			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	biege	very clayish			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	brown	partly ferruginized			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	biege	very clayish			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	ARGILLITE	"	str	"	"	"	ferruginous with abundant vein quartz			
29-30	"	"	"	"	"	lt grey-	slightly ferruginous			
30-31	"	"	"	"	"	brown	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	GRAPHITIC ARGILLITE	"	fresh	"	"	grey	scratchable			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			
40-41	"	"	"	"	"	"	Ditto			
41-42	"	"	"	"	"	"	Ditto			

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 2

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 500

DEPTH: 51 m

LOCATION: 64715N 78965E

AZIMUTH: 264 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
42-43	"	"	"	"	"	"	Ditto			
43-44	"	"	"	"	"	"	Ditto			
44-45	"	"	"	"	"	"	Ditto			
45-46	"	"	"	"	"	"	Ditto			
46-47	"	"	"	"	"	"	Ditto			
47-48	"	"	"	"	"	"	Ditto			
48-49	"	"	"	"	"	"	Ditto			
49-50	"	"	"	"	"	"	Ditto			
50-51	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: Nil ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 2

HOLE No : MB 501
DEPTH: 51 m
LOCATION: 64708.5N 78942E
AZIMUTH: 264 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	cream	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	lt cream	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	ARGILLITE	"	"	"	"	cream	very bleached			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	biege	intermittently more ferruginous, part 8-10; 16-17 m. Very clayish			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	moderate	"	"	grey to	with local cream clay			
20-21	"	"	"	"	"	purplish	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	GRAPHITIC ARGILLITE	"	"	"	"	lt grey	minor cream clay			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			
40-41	"	"	"	"	"	"	Ditto			
41-42	"	"	"	"	"	"	Ditto			

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 2

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 501

DEPTH: 51 m

LOCATION: 64708.5N 78942E

AZIMUTH: 264 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
42-43	"	"	"	"	"	"	Ditto			
43-44	"	"	fresh	"	"	grey	Ditto			
44-45	"	"	"	"	"	"	Ditto			
45-46	"	"	"	"	"	"	Ditto			
46-47	"	"	"	"	"	"	Ditto			
47-48	"	"	"	"	"	"	Ditto			
48-49	"	"	"	"	"	"	Ditto			
49-50	"	"	"	"	"	"	Ditto			
50-51	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 43-51 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 2

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 502

DEPTH: 51 m

LOCATION: 64711N 78915E

AZIMUTH: 264 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	brown	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	orange-	slightly indurated, ex argillite			
2-3	"	"	"	"	"	brown	Ditto			
3-4	ARGILLITE	"	"	"	"	lt cream	bleached, pt indurated, saprolitic			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	cream	clayish, saprolitic			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	red-brn	Hematitic			
11-12	"	"	"	"	"	"	Ditto			
12-13	SAPROLITE	"	"	"	"	lt biege	very clayish, ex argillite			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	ARGILLITE	"	str	"	"	lt grey	variably bleached			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	GRAPHITIC ARGILLITE	"	moderate	"	"	grey	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			
40-41	"	"	fresh	"	"	black	slightly cherty but scratchable			
41-42	"	"	"	"	"	"	Ditto			

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 2

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 502

DEPTH: 51 m

LOCATION: 64711N 78915E

AZIMUTH: 264 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
42-43	"	"	"	"	"	"	Ditto			
43-44	"	"	"	"	"	"	Ditto			
44-45	"	"	"	"	"	"	Ditto			
45-46	"	"	"	"	"	"	Ditto			
46-47	"	"	"	"	"	"	Ditto			
47-48	"	"	"	"	"	"	Ditto			
48-49	"	"	"	"	"	"	Ditto			
49-50	"	"	"	"	"	"	Ditto			
50-51	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 38-51 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 2

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 503

DEPTH: 51 m

LOCATION: 64712.5N 78893E

AZIMUTH: 264 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	lt brown	Some bedrock as below			
1-2	ARGILLITE	fg	v str	massive	uniform	pink	indurated and mottled			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	cream to	Very clayish, variably bleached, locally slt. ferruginized			
4-5	"	"	"	"	"	lt khaki	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	GRAPHITIC ARGILLITE	"	moderate	"	"	brownish- grey	slightly clayish			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	mild	"	"	grey	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51 m, last 11 m as above

**** WET SAMPLES: Nil ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 2

HOLE No : MB 504
DEPTH: 51 m
LOCATION: 64712N 78867.5E
AZIMUTH: 264 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	v lt grey	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	SAPROLITE	"	"	"	"	lt brown	mottled			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	ARGILLITE	"	"	"	"	lt grey	bleached, cherty and graphitic argillite, in cream clay			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	biege	very clayish, saprolitic			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	CHERTY ARGILLITE	"	"	"	"	lt grey	bleached			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	ARGILLITE	"	- str	"	" -	biege	locally cherty -			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	GRAPHITIC ARGILLITE	"	moderate	"	"	brownish- grey	distinctly ferruginized, redox front?			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	mild	"	"	grey	slightly clayish			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			
40-41	"	"	"	"	"	"	Ditto			
41-42	"	"	"	"	"	"	Ditto			

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 2

DRILL HOLE LOG

RAB DRILL - Watman Mk V

HOLE No : MB 504

DEPTH: 51 m

LOCATION: 64712N 78867.5E

AZIMUTH: 264 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILLING CONTRACTOR: Connector Drilling							RAB DRILL - Warman Mk V					
INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)		
42-43	GRAPHITIC ARGILLITE	"	fresh	"	"	black	slightly cherty					
43-44	"	"	"	"	"	"	Ditto					
44-45	"	"	"	"	"	"	Ditto					
45-46	"	"	"	"	"	"	Ditto					
46-47	"	"	"	"	"	"	Ditto					
47-48	"	"	"	"	"	"	Ditto					
48-49	"	"	"	"	"	"	Ditto					
49-50	"	"	"	"	"	"	Ditto					
50-51	"	"	"	"	"	"	Ditto					
E.O.H.												
**** WET SAMPLES: 41-51 m ****												
**** SMALL SAMPLES: Nil ****												

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 2

DRILL HOLE LOG

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

RAB DRILL - Warman Mk V

HOLE No : MB 505

DEPTH: 50 m

LOCATION: 64711N 78845.5E

AZIMUTH: 264 Deg (Magnetic)

DECLINATION: 60 Deg

INTER-VAL	ROCK TYPE	GRAIN SIZE	WEATHERING	MASS./SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ARGILLITE	fg	v str	massive	uniform	reddish-	Indurated, pt lateritized, mottled			
1-2	"	fg	v str	massive	uniform	brown	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	SAPROLITE	"	"	"	"	slt green-	very clayish			
4-5	"	"	"	"	"	brown	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	ARGILLITE	"	str	"	"	reddish-	clayish			
14-15	"	"	"	"	"	brown	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	biege to-	clayish			
19-20	"	"	"	"	"	lt grey	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	GRAPHITIC ARGILLITE	"	moderate	"	"	lt grey	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			
40-41	"	"	"	"	"	"	Ditto			
41-42	"	"	"	"	"	"	Ditto			

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 2

HOLE No : MB 505

DEPTH: 50 m

LOCATION: 64711N 78845.5E

AZIMUTH: 264 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
42-43	GRAPHITIC ARGILLITE	"	mild	"	"	grey	Ditto			
43-44	"	"	"	"	"	"	Ditto			
44-45	"	"	"	"	"	"	Ditto			
45-46	"	"	"	"	"	"	Ditto			
46-47	"	"	"	"	"	"	Ditto			
47-48	"	"	"	"	"	"	Ditto			
48-49	"	"	"	"	"	"	Ditto			
49-50	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: Nil ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 3

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 506

DEPTH: 48 m

LOCATION: 64079 79957E

AZIMUTH: 080 Deg (Magnetic)

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	red	Some bedrock as below			
1-2	ARGILLITE	fg	v str	massive	uniform	red-brown	part lateritized			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	str	"	"	salmon to-	varigated, slightly indurated			
5-6	"	"	"	"	"	khaki-yello	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	SAPROLITE	"	v str	"	"	khaki to	very clayish, ex argill			
11-12	"	"	"	"	"	yellow-brn	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	GRAPHITIC ARGILLITE	"	moderate	"	"	lt grey	in cream clay			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			
40-41	"	"	"	"	"	"	Ditto			
41-42	"	"	"	"	"	"	Ditto			

Perth W A

EL 8508 - TRAVERSE 3

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 506

DEPTH: 48 m

LOCATION: 64079 79957E

AZIMUTH: 080 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER-VAL	ROCK TYPE	GRAIN SIZE	WEATHERING	MASS./SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
42-43	GRAPHITIC ARGILLITE	"	mild	"	"	grey	Ditto			
43-44	"	"	"	"	"	"	Ditto			
44-45	"	"	"	"	"	"	Ditto			
45-46	"	"	"	"	"	"	Ditto			
46-47	"	"	"	"	"	"	Ditto			
47-48	"	"	"	"	"	"	Ditto			
E.O.H.										
**** WET SAMPLES: 42-48 m ****							**** SMALL SAMPLES: Nil ****			

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 3

HOLE No : MB 507
DEPTH: 51 m
LOCATION: 64079N 79980E
AZIMUTH: 080 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	red	Some bedrock as below			
1-2	ARGILLITE	fg	v str	massive	uniform	"	part indurated, clayish and lateritized. Much of argillite is brick-red			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	ARGILLITE	"	str	"	"	biege	very clayish but variable			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	moderate	"	"	pinkish	variable, includes red to greenish biege. Some greychert			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	GRAPHITIC ARGILLITE	"	mild	"	"	lt grey	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	slt	"	"	grey	Ditto			

E.O.H. at 51 m, last 11m as above

**** WET SAMPLES: 37-51 m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 3

HOLE No : MB 508
DEPTH: 50 m
LOCATION: 64078N 80000.5E
AZIMUTH: 080 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	orange	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	"	clay			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	lt yellow	bleached			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	ARGILLITE	"	"	"	"	pink	very clayish, saprolitic			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	biege	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	GRAPHITIC ARGILLITE	"	moderate	"	"	lt grey	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			
40-41	"	"	"	"	"	"	Ditto			
41-42	"	"	"	"	"	"	Ditto			

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 3

HOLE No : MB 508
DEPTH: 50 m
LOCATION: 64078N 80000.5E
AZIMUTH: 080 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER-VAL	ROCK TYPE	GRAIN SIZE	WEATHERING	MASS./SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
42-43	GRAPHITIC ARGILLITE	"	mild	"	"	dk grey	with fair amount of muddy material			
43-44	"	"	"	"	"	"	Ditto			
44-45	"	"	"	"	"	"	Ditto			
45-46	"	"	"	"	"	"	Ditto			
46-47	"	"	"	"	"	"	Ditto			
47-48	"	"	"	"	"	"	Ditto			
48-49	"	"	"	"	"	"	Ditto			
49-50	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 38-50 m ****

***** SMALL SAMPLES: Nil *****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 3

DRILL HOLE LOG

RAB DRILL - Warman Mk V

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

HOLE No : MB 509

DEPTH: 50 m

LOCATION: 64080N 80021.5E

AZIMUTH: 080 Deg (Magnetic)

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	red	Some bedrock as below			
1-2	ARGILLITE	fg	v str	massive	uniform	orange	lateritized			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	lt orange	clayish, bleached and locally ferruginized			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	khaki-yel.	very clayish			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	biege-	Ditto			
14-15	"	"	"	"	"	pink	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	" -	"	- "	"	" -	"	Ditto	-	-	
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	moderate	"	"	grey-	Ditto			
20-21	"	"	"	"	"	green	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	SAPROLITE	"	v str	"	"	cream	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	GRAPHITIC ARGILLITE	"	moderate	"	"	lt grey	very clayish			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			
40-41	"	"	slight	"	"	grey	v minor pyrite. Locally oxidized and much clay			
41-42	"	"	"	"	"	"	Ditto			

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 3

HOLE No : MB 509
DEPTH: 50 m
LOCATION: 64080N 80021.5E
AZIMUTH: 080 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER-VAL	ROCK TYPE	GRAIN SIZE	WEATHERING	MASS./SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
42-43	"	"	"	"	"	"	Ditto			
43-44	"	"	"	"	"	"	Ditto			
44-45	"	"	"	"	"	"	Ditto			
45-46	"	"	"	"	"	"	Ditto			
46-47	"	"	"	"	"	"	Ditto			
47-48	"	"	"	"	"	"	Ditto			
48-49	"	"	"	"	"	"	Ditto			
49-50	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 32-50 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 3

HOLE No : MB 510
DEPTH: 50 m
LOCATION: 64081.5N 80042.5E
AZIMUTH: 080 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	brown	Some bedrock as below			
1-2	ARGILLITE	fg	v str	massive	uniform	orange	lateritized			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	str	"	"	biege +	Varigated, cons. clay. Minor quartz and grey chert 18-20m			
6-7	"	"	"	"	"	pink	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	GRAPHITIC ARGILLITE	"	moderate	"	"	lt grey	very clayish			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	fresh	"	"	black	minor pyrite	pyrite		
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 50m, last 10m as above

**** WET SAMPLES: 29-50m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 3

HOLE No : MB 511
DEPTH: 51 m
LOCATION: 64082N 80064.5E
AZIMUTH: 080 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	brown	Some bedrock as below			
1-2	ARGILLITE	fg	v str	massive	uniform	orange	saprolitic			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	SAPROLITE	"	"	"	"	pink- biede	very clayish. Ferruginized and indurated argillite locally preserved			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	GRAPHITIC ARGILLITE	"	str	"	"	lt grey	in abundant cream clay			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	mild	"	"	gray	still with cream clay, but variably so			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 36-51m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 3

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 512

DEPTH: 49 m

LOCATION: 64082.5N 80088E

AZIMUTH: 080 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	brown	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	orange	lateritized			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	pink	clay, locally some indurated, brick-red argillite			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	GRAPHITIC ARGILLITE	"	str	"	"	lt grey	very clayish			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	fresh	"	"	grey	minor pyrite			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 49m, last 9m as above

**** WET SAMPLES: 34-49 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 3

HOLE No : MB 513
DEPTH: 51 m
LOCATION: 64187.5N 80113.5E
AZIMUTH: 080 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	orange	Some bedrock as below			
1-2	ARGILLITE	fg	v str	massive	uniform	"	indurated and ferruginized			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	lt salmon	mottled, ie. bleached and variably ferruginized fragments in near-pallid clay			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	cream	pallid			
15-16	"	"	"	"	"	"	Ditto			
16-17	SAPROLITE	"	"	"	"	lt pink	with minor bleached and ferruginized argillite remnants			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	lt grey	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	ARGILLITE	"	str	"	"	biege	still very clayish			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	GRAPHITIC ARGILLITE	"	moderate	"	"	lt grey	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	fresh	"	"	dk grey	minor pyrite			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 30-51m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 3

HOLE No : MB 514
DEPTH: 51 m
LOCATION: 64181N 80135E
AZIMUTH: 080 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	biege	Some bedrock as below			
1-2	ARGILLITE	fg	v str	massive	uniform	orange	lateritic			
2-3	"	"	"	"	"	lt orange	mottled, much cream clay			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	red to	varigated, in biege clay			
15-16	"	"	"	"	"	lt grey	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	GRAPHITIC ARGILLITE	"	moderate	"	"	lt grey	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	fresh	"	"	black	minor pyrite			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 33-51 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 3

DRILL HOLE LOG

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

RAB DRILL - Warman Mk V

HOLE No : MB 515

DEPTH: 45 m

LOCATION: 64182N 80158E

AZIMUTH: 080 Deg (Magnetic)

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	brown	Some bedrock as below			
1-2	ARGILLITE	fg	v str	massive	uniform	Yl-brown	indurated and lateritized			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	lt pink	mottled			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	in pink clay			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	GRAPHITIC ARGILLITE	"	moderate	"	"	grey	in grey powder and with some ferruginized cuttings			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	fresh	"	"	dk grey	minor pyrite			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 45m, lat 5m as above

**** WET SAMPLES: 30-45 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 3

HOLE No : MB 516
DEPTH: 48 m
LOCATION: 64182N 80177E
AZIMUTH: 080 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	yellow	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	ARGILLITE	"	"	"	"	lt brown	mottled and indurated			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	pink	very clayish. Variably bleached and ferruginized			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	GRAPHITIC ARGILLITE	"	moderate	"	"	grey	in brownish clay			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	fresh	"	"	black	minor pyrite			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 48m, last 8m as above
**** WET SAMPLES: 33-51 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 3

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 517

DEPTH: 51 m

LOCATION: 64182N 80198E

AZIMUTH: 080 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	cream	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	ARGILLITE	"	"	"	"	yl-brown	lateritized			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	biege	clayish with bleached and ferruginized cuttings			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	" -	"	- "	"	" -	"	Ditto -		-	
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	GRAPHITIC ARGILLITE	"	moderate	"	"	grey	in brownish clay			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	fresh	"	"	black	with minor pyrite			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 33-51m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 3

HOLE No : MB 518
DEPTH: 51 m
LOCATION: 64182.5N 80219E
AZIMUTH: 080 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	brn-grey	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	ARGILLITE	"	"	"	"	lt brown	indurated and lateritized			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	biege	very clayish, mottled			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	GRAPHITIC ARGILLITE	"	moderate	"	"	lt grey	in grayish clay			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	fresh	"	"	black	with minor pyrite			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51 m, last 11m as above

**** WET SAMPLES: 37-51m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 3

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 519

DEPTH: 36 m

LOCATION: 64182.5N 80240E

AZIMUTH: 080 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	cream	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	ARGILLITE	"	"	"	"	lt brown	lateritized and indurated			
3-4	"	"	"	"	"	"	Ditto			
4-5	SAPROLITE	"	"	"	"	lt cream	clayish, otherwise mottled			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	str	"	"	biege +	very clayish with cuttings variously bleached and ferruginized			
8-9	"	"	"	"	"	pink	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	GRAPHITIC ARGILLITE	"	moderate	"	"	lt grey	very clayish			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	fresh	"	"	black	minor pyrite			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 27-36 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 3

DRILL HOLE LOG

RAB DRILL - Warman Mk V

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

HOLE No: MB 520

DEPTH: 51 m

LOCATION: 64187.5N 80256.5E

AZIMUTH: 080 Deg (Magnetic)

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	cream	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	ARGILLITE	"	"	"	"	cream	indurated and lateritized			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	pink	mottled in biege clay			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	lt khaki-	with additional, grey and red			
15-16	"	"	"	"	"	brown	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	GRAPHITIC ARGILLITE	"	moderate	"	"	grey	in lt brownish clay			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	fresh	"	"	black	with minor pyrite			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 24-51m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 3
DRILL HOLE LOG

HOLE No : MB 521
DEPTH: 51 m
LOCATION: 64178.5N 80279.5E
AZIMUTH: 080 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

~~RAP DRILL~~ Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	orange	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	"	indurated and lateritized			
2-3	"	"	"	"	"	"	Ditto			
3-4	ARGILLITE	"	"	"	"	cream	mixed bleached and ferruginized cuttings in clay			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	biege	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	moderate	"	"	greenish- grey	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	GRAPHITIC ARGILLITE	"	mild	"	"	lt grey	in brownish clay			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	fresh	"	"	black	minor pyrite			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 29-51 m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 3

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 522

DEPTH: 48m

LOCATION: 64178N 80302E

AZIMUTH: 080 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	or.-brown	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	"	indurated and ferruginized			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	ARGILLITE	"	"	"	"	cream	clay with cream and some ferruginized cuttings			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	lt cream	saprolitic, very clayish. Cuttings entirely bleached			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	str	"	"	biege-	ferruginized			
14-15	"	"	"	"	"	pink	Ditto			
15-16	"	"	"	"	"	biege	some grey, minor ferruginous cuttings			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	GRAPHITIC ARGILLITE	"	moderate	"	"	lt grey	in pallid clay			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	fresh	"	"	black	minor pyrite			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 48m, last 8m as above

**** WET SAMPLES: 29-48m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 3

DRILL HOLE LOG

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

RAB DRILL - Warman Mk V

HOLE No : MB 523

DEPTH: 45m

LOCATION: 64177.5N 80323.5E

AZIMUTH: 080 Deg (Magnetic)

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	brown	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	red-brn	lateritic			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	ARGILLITE	"	"	"	"	lt brown	mottled, part indurated			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	v lt cream	pallid			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	GRAPHITIC ARGILLITE	"	str	"	"	lt grey	in abundant cream clay			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	mild	"	"	grey	in some grey clay			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	fresh	"	"	dk grey	Ditto			

E.O.H. at 45m, last 5m as above

**** WET SAMPLES: 38-45 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 3

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 524

DEPTH: 50

LOCATION: 64178N 80342.5E

AZIMUTH: 080 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	brown	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	or-brn	lateritic			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	ARGILLITE	"	"	"	"	lt brown	mottled, with pallid, biege, pink and brown cuttings			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	SAPROLITE	"	"	"	"	yl-cream	much clay with few but bleached cuttings. Some chert 13-14 m			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	clay with minor grey and ferruginous argillite cuttings			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	GRAPHITIC ARGILLITE	"	moderate	"	"	grey	in dark cream clay			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 50m, lat 10m as above

**** WET SAMPLES: Nil ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 4

HOLE No : MB 525
DEPTH: 48 m
LOCATION: 63898.5N 79760E
AZIMUTH: 081 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	red	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	MAFIC ARGILLITE	"	"	"	"	red, green	silt lateritized			
3-4	"	"	"	"	"	-tinge	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	str	"	"	dk green	with khaki clay, looks tuffaceous			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	brown	ferruginized. Very minor chert			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	dk green	variably bleached and ferruginized. Minor chert			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			
40-41	"	"	"	"	"	"	Ditto			
41-42	ARGILLITE	"	mild	"	"	dk grey	Mafic with carbonaceous component. Variably bleached and ferruginized			

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 525

DEPTH: 48 m

LOCATION: 63898.5N 79760E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
42-43	"	"	"	"	"	"	Ditto			
43-44	"	"	"	"	"	"	Ditto			
44-45	"	"	"	"	"	"	Ditto			
45-46	"	"	"	"	"	"	Ditto			
46-47	"	"	"	"	"	"	Ditto			
47-48	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 37-48 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

HOLE No : MB 526

DEPTH: 51 m

LOCATION: 63901N 79779E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	biege	Some bedrock as below			
1-2	MAFIC ARGILLITE	fg	v str	massive	uniform	lt pink	Slightly mottled. Brob a tuff. With minor chert			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	str	"	"	reddish-	Slightly foliated			
10-11	"	"	"	"	"	brown	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	moderate	"	"	lt brown to	Variably bleached. Massive			
35-36	"	"	"	"	"	dk green	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	ARGILLITE	"	mild	"	"	black	Prob mafic as rocks above, but with carbonaceous component			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 44-51 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 527

DEPTH: 57 m

LOCATION: 63902N 79803.5E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	red	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	ARGILLITE	"	"	"	"	"	Indurated and ferruginized			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	SAPROLITE	"	"	"	"	pink	mottled			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	ochre	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	CHERT	"	mod	"	"	dk green	Ditto			
14-15	ARGILLITE	"	str	"	"	ochre &	Variably ferruginized. Mafic comp., prob tuffaceous			
15-16	"	"	"	"	"	pink	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	LIMONITIC ROCK	"	str	"	"	ochre	dense rock. Prob derived from carbonate			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	ARGILLITE	"	mod	"	"	red to	variably ferruginized mafic			
29-30	"	"	"	"	"	ochre	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	MAFIC ARGILLITE	"	mild	"	"	dk grey-	with intermixed grey chert			
38-39	"	"	"	"	"	green	Ditto			
39-40	"	"	"	"	"	"	Ditto			
40-41	"	"	"	"	"	"	Ditto			
41-42	"	"	"	"	"	"	Ditto			

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 4

HOLE No : MB 527
DEPTH: 57 m
LOCATION: 63902N 79803.5E
AZIMUTH: 081 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
42-43	"	"	"	"	"	"	Ditto			
43-44	"	"	"	"	"	"	Ditto			
44-45	"	"	"	"	"	"	Ditto			
45-46	"	"	"	"	"	"	Ditto			
46-47	"	"	"	"	"	"	Ditto			
47-48	"	"	"	"	"	"	Ditto			
48-49	ARGILLITE	"	fresh	"	"	black	with grey chert. Minor pyrite			
49-50	"	"	"	"	"	"	Ditto			
50-51	"	"	"	"	"	"	Ditto			
51-52	"	"	"	"	"	"	Ditto			
52-53	"	"	"	"	"	"	Ditto			
53-54	"	"	"	"	"	"	Ditto			
54-55	"	"	"	"	"	"	Ditto			
55-56	"	"	"	"	"	"	Ditto			
56-57	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 48-57 m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 4

DRILL HOLE LOG

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

RAB DRILL - Warman Mk V

HOLE No : MB 528

DEPTH: 52 m

LOCATION: 63895.5N 79846.5E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	brown	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	lt cream	very clayish, ex argillite			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	GREYWACKE	"	"	"	"	biege	saprolitic. Clastic textures in some of the more granular cuttings			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	ARGILLITE	"	mild	"	"	grey	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			
40-41	"	"	"	"	"	"	Ditto			
41-42	"	"	"	"	"	"	Ditto			

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 528

DEPTH: 52 m

LOCATION: 63895.5N 79846.5E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
42-43	"	"	"	"	"	"	Ditto			
43-44	"	"	"	"	"	"	Ditto			
44-45	"	"	"	"	"	"	Ditto			
45-46	"	"	"	"	"	"	Ditto			
46-47	"	"	"	"	"	"	Ditto			
47-48	"	"	fresh	"	"	black	prob a greywacke but too fine to see.			
48-49	"	"	"	"	"	"	Ditto			
49-50	"	"	"	"	"	"	Ditto			
50-51	"	"	"	"	"	"	Ditto			
51-52	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 50-52m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 4

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 529

DEPTH: 35 m

LOCATION: 63897.5N 79895E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	biege	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	cream	indurated			
2-3	"	"	"	"	"	"	Ditto			
3-4	ARGILLITE	"	str	"	"	biege to	variably weathered; appears to be mafic. Minor chert			
4-5	"	"	"	"	"	pink	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	" -	"	- "	"	" -	"	Ditto -		-	
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	TUFF ARGILLITE	"	moderate	"	"	khaki	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	GRAPHITIC ARGILLITE	"	mild	"	"	dk grey	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 30-35 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

RAB DRILL - Warman Mk V

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

HOLE No : MB 530

DEPTH: 50 m

LOCATION: 63895.5N 79910.5E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	brown	Some bedrock as below			
1-2	ARGILLITE	fg	v str	massive	uniform	brown to	fg mafic tuff?			
2-3	"	"	"	"	"	lt grey-green	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	mild	"	"	lt grey	has greenish tinge. Tuff?			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	ARGILLITE	"	fresh	"	"	grey	Not noticeably graphitic - mafic tuff? Locally abndnt vfg. pyrite	pyrite		
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 50m, last 10m as above

**** WET SAMPLES: 32-50m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 531

DEPTH: 39 m

LOCATION: 63896N 79935.5E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	lt brown	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	brown	lateritic			
2-3	"	"	"	"	"	"	Ditto			
3-4	MAFIC ARGILLITE	"	str	"	"	lt green-	in biege clay. With local chert fragments			
4-5	"	"	"	"	"	grey	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	moderate	"	"	green-grey	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	fresh	"	"	dark grey	with fine pyrite	pyrite		
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 33-39 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

RAB DRILL - Warman Mk V

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

HOLE No : MB 532

DEPTH: 51 m

LOCATION: 63897.5N 79953E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	lt biege	Some bedrock as below			
1-2	MAFIC ARGILLITE	fg	v str	massive	uniform	biege	variably lateritized			
2-3	"	"	"	"	"	"	Ditto			
3-4	ARGILLITE	"	"	"	"	lt brown	with chert			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	MAFIC ARGILLITE	"	"	"	"	lt green-	in cream clay			
8-9	"	"	"	"	"	grey	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	moderate	"	"	grey	in lt grey clay			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	fresh	"	"	dk grey	with minor pyrite			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 29-51 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

RAB DRILL - Warman Mk V

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

HOLE No: MB 533

DEPTH: 51 m

LOCATION: 63904N 79981S

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	lt brown	Some bedrock as below			
1-2	ARGILLITE	fg	v str	massive	uniform	biege	Saprolitic, indurated			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	MAFIC ARGILLITE	"	"	"	"	lt cream	locally slightly greenish			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	moderate	"	"	grey	minor chert locally			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	fresh	"	"	dk grey	minor chert and pyrite			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 27-51m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No: MB 534

DEPTH: 45 m

LOCATION: 63898.5N 80004.5E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	cream	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	"	indurated			
2-3	"	"	"	"	"	"	Ditto			
3-4	CHERTY ARGILLITE	"	"	"	"	lt brown	ferruginized			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	ARGILLITE	"	"	"	"	cream	locally with grey chert			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	moderate	"	"	lt grey	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	fresh	"	"	grey	Locally cherty. Minor pyrite			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 45m, last 5m as above

**** WET SAMPLES: 33-45 m ****

**** SMALL SAMPLES: 0-1 m ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 4

HOLE No : MB 535
DEPTH: 39 m
LOCATION: 63898N 80028.5E
AZIMUTH: 081 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	cream	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	ARGILLITE	"	"	"	"	brown	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	str	"	"	cream	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	moderate	"	"	lt grey	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	" -	"	- "	"	" -	"	Ditto -			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	fresh	"	"	dk grey	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 24-51 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 536

DEPTH: 51 m

LOCATION: 63898N 80028.5E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	cream	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	ARGILLITE	"	"	"	"	lt brown	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	SAPROLITE	"	"	"	"	cream	with minor cherty component			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	ARGILLITE	"	moderate	"	"	lt grey	with some chert fragments			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	ARGILLITE	"	fresh	"	"	dk grey	with minor chert			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 26-51 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 4

HOLE No : MB 537
DEPTH: 51 m
LOCATION: 63898N 80102E
AZIMUTH: 081 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	cream	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	ARGILLITE	"	"	"	"	lt brown	slightly lateritized			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	cream	bleached, clayish			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	moderate	"	"	lt grey	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	fresh	"	"	dk grey	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 20-51m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 4

HOLE No : MB 538
DEPTH: 36 m
LOCATION: 63901.5N 80141.5E
AZIMUTH: 081 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

BAR DRILL - Warman Mk V

INTER-VAL	ROCK TYPE	GRAIN SIZE	WEATHERING	MASS./SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	SOIL	fg	v str	massive	uniform	cream	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	ARGILLITE	"	"	"	"	lt brown	lateritized			
3-4	CHERT	"	"	"	"	black	increased clay			
4-5	"	"	"	"	"	"	Ditto			
5-6	SAPROLITE	"	"	"	"	cream	very clayish, ex argillite			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	MAFIC ARGILLITE	"	mild	"	"	lt khaki-	with fine lumpy texture, due poss to metamorphism			
20-21	"	"	"	"	"	grey	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	GRAPHITIC ARGILLITE	"	fresh	"	"	black	with some pyrite	pyrite		
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 23-36 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 539

DEPTH: 39 m

LOCATION: 63893N 80180E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	GRAVEL	fg	v str	massive	uniform	dk biege	lateritized. Abundant chert cobbles			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	ARGILLITE	"	"	"	"	cream to	prob orig mafic. Chert locally abndnt			
7-8	"	"	"	"	"	dk biege	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	" -	"	- "	"	" -	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	MAFIC ARGILLITE	"	mod	"	"	lt khaki-	bleached, with some chert			
20-21	"	"	"	"	"	green	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	GRAPHITIC ARGILLITE	"	mild	"	"	grey	with some chert			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	fresh	"	"	black	with chert and some pyrite			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 27-39 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 540

DEPTH: 33 m

LOCATION: 63897.5N 80222E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	GRAVEL	fg	v str	massive	uniform	brown	lateritized			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	SAPROLITE	"	"	"	"	dk cream	with local Fe-induration. Sapro appears derived from argillite			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	ARGILLITE	"	"	"	"	biege	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	LIMONITE-ROCK	"	str	"	"	dk brown	with distinct purple tinge - due to phosphate??			
22-23	"	"	"	"	"	"	Ditto			
23-24	MAFIC ARGILLITE	"	moderate	"	"	green-	Ditto			
24-25	"	"	"	"	"	grey	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	fresh	"	"	black	with graphite component			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 27-33 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 4

HOLE No : MB 541
DEPTH: 39 m
LOCATION: 63901.5N 80237.5E
AZIMUTH: 081 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER-VAL	ROCK TYPE	GRAIN SIZE	WEATHERING	MASS./SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	GRAVEL	fg	v str	massive	uniform	red-brn	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	SAPROLITE	"	"	"	"	greenish-yellow	very clayish			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	GREYWACKE	f-md	moderate	"	"	grey-green	fine clastic fragments visible			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	fresh	"	"	dk grey	textures more hidden by graphite			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 27-39 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 542

DEPTH: 51 m

LOCATION: 63898N 80255.5E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	GRAVEL	coarse	v str	massive	uniform	cream to	lateritized			
1-2	"	"	v str	massive	uniform	red-brown	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	SAPROLITE	fg	"	"	"	cream	very clayish, abundant chert 11-12m			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	MAFIC ARGILLITE	"	"	"	"	greenish-cream	saprolitic; very clayish			
19-20	"	"	"	"	"	cream	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	moderate	"	"	greenish-grey	Ditto			
25-26	"	"	"	"	"	grey	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			
40-41	GRAPHITIC ARGILLITE	"	fresh	"	"	dk grey	Ditto			
41-42	"	"	"	"	"	"	Ditto			

PATHFINDER CONSULTANTS PTY LTD
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 4

HOLE No : MB 542
DEPTH: 51 m
LOCATION: 63898N 80255.5E
AZIMUTH: 081 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
42-43	"	"	"	"	"	"	Ditto			
43-44	"	"	"	"	"	"	Ditto			
44-45	"	"	"	"	"	"	Ditto			
45-46	"	"	"	"	"	"	Ditto			
46-47	"	"	"	"	"	"	Ditto			
47-48	"	"	"	"	"	"	Ditto			
48-49	"	"	"	"	"	"	Ditto			
49-50	"	"	"	"	"	"	Ditto			
50-51	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 36-51 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 543

DEPTH: 50 m

LOCATION: 63900N 80280.5E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ALLUVIUM	cg	v str	massive	uniform	red	Some bedrock as below			
1-2	"	"	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	SAPROLITE	fg	"	"	"	cream	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	ARGILLITE	"	"	"	"	"	saprolitic			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	GRAPHITIC ARGILLITE	"	moderate	"	"	grey	in lt grey clay			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	GREYWACKE	f-md	fresh	"	"	black	graphite but clastic grains visible. Minor pyrite			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 50m, last 10m as above

**** WET SAMPLES: 36-50 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 4

HOLE No : MB 544
DEPTH: 51 m
LOCATION: 63901N 80302.5E
AZIMUTH: 081 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAR DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ALLUVIUM	cg	v str	massive	uniform	brown-	soil and cherty gravel part lateritized			
1-2	"	"	v str	massive	uniform	cream	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	CHERT GRAVEL	"	"	"	"	cream	bleached			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	SAPROLITE	fg	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	BLACK CHERT	"	"	"	"	black	in cream clay			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	ARGILLITE	"	"	"	"	lt biege	saprolitic			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	moderate	"	"	lt khaki	minor md-grained variants seen to be greywacke, with black chert clasts			
29-30	"	"	"	"	"	"	Ditto			
30-31	GRAPHITIC ARGILLITE	"	fresh	"	"	black	with minor pyrite			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 33-51 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No: MB 545

DEPTH: 51 m

LOCATION: 63899.5N 80325.5E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	red-brn	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	SAPROLITE	"	"	"	"	cream	very clayish, chert locally abundant			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	GREYWACKE	md gr	mod	"	"	brown	distinctive rock. Feldspar abundant, some quartz. Fr Q-syenite??			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	GRAPHITIC ARGILLITE	fg	"	"	"	lt grey	in lt grey powder			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	fresh	"	"	black	with pyrite			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 39-51 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 4

HOLE No : MB 546
DEPTH: 45 m
LOCATION: 63901.5N 80362.5E
AZIMUTH: 081 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warnan Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	red	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	SAPROLITE	"	"	"	"	cream to bige	ex argillite			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	GREYWACKE	f to f-md	moderate	"	"	lt grey	in cream clay.			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	fresh	"	"	dk grey	lithic clasts include black chert. Vfg rocks very graphitic			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 45m, last 5m as above

**** WET SAMPLES: 28-45 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 4

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 547

DEPTH: 51 m

LOCATION: 63904N 80382E

AZIMUTH: 081 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	red	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	SAPROLITE	"	"	"	"	cream	locally abundant chert			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	biege	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	GREYWACKE	"	moderate	"	"	lt grey	mostly fg but variable			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	fresh	"	"	black	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 30-51 m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY. LTD.
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 5

HOLE No : MB 548
DEPTH: 50 m
LOCATION: 65800.5N 79541E
AZIMUTH: 096 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	lt brown	Some bedrock as below			
1-2	CHERT	fg	str	massive	uniform	grey	in abundsand cream powder			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	moderate	"	"	"	in brownish cream clay			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	fresh	"	"	"	very minor pyrite			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 50m, last 10m as above

**** WET SAMPLES: 23-50m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 5

DRILL HOLE LOG

RAB DRILL - Warman Mk V

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

HOLE No : MB 549

DEPTH: 45 m

LOCATION: 65803.5N 79562.5E

AZIMUTH: 096 Deg (Magnetic)

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	lt grey	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	cream	with grey chert			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	CHERT	"	"	"	"	grey	in cream powder			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	SAPROLITE	"	"	"	"	cream	prob derived from dolerite			
16-17	"	"	"	"	"	"	Ditto			
17-18	DOLERITE	f-md	moderate	"	"	grey-green	very felspathic, possibly a crystal tuff. Some thin chert interbands			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	md	fresh	"	"	grey	hard dolerite, no evidence of hydrothermal alteration			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 45m, last 5m as above

**** WET SAMPLES: 21-45 m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY. LTD.
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 5

HOLE No : MB 550
DEPTH: 22 m
LOCATION: 65806N 79581.5E
AZIMUTH: 096 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	SCREE	fg	v str	massive	uniform	lt brown	with much chert			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	SAPROLITE	"	"	"	"	khaki	clay, ex dolerite			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	DOLERITE	md	mild	"	"	green-grey	Ditto			
17-18	" -	"	- "	"	" -	"	Ditto -			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 20-22 m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY. LTD.
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 5

HOLE No : MB 551
DEPTH: 35 m
LOCATION: 65805.5N 79592E
AZIMUTH: 096 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	SCREE	fg	v str	massive	uniform	brn-cream	clay with much chert			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	SAPROLITE	"	"	"	"	khaki	ex dolerite			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	CHERT	"	moderate	"	"	grey to	in abundant brownish-cream clay			
12-13	"	"	"	"	"	cream	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 14-35 m ****

**** SMALL SAMPLES: 33-35 m ****

PATHFINDER CONSULTANTS PTY. LTD.
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 5

HOLE No : MB 552
DEPTH: 51 m
LOCATION: 65801N 79606.5E
AZIMUTH: 096 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	SCREE	fg	v str	massive	uniform	cream	clay with abundant chert			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	CHERT	"	"	"	"	grey	with some cream chert, in brownish cream clay			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	CHERTY ARGILLITE	"	fresh	"	"	grey	locally black argillite. Carbonaceous and siliceous comp variable. Minor py.	minor pyrite		
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 16-51 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 5

HOLE No : MB 553
DEPTH: 48 m
LOCATION: 65817N 79626.5E
AZIMUTH: 096 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	SCREE	fg	v str	massive	uniform	cream	mostly chert			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	CHERT	"	"	"	"	grey	in cream clay			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	moderate	"	"	"	in cream and grey clay			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	CHERTY-ARGILLITE	"	- fresh	"	"	dk grey	massive but locally banded	-	-	
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 48m, last 8m as above

**** WET SAMPLES: 17-48m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY. LTD.
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 5

DRILL HOLE LOG

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

RAB DRILL - Warman Mk V

HOLE No : MB 554

DEPTH: 51 m

LOCATION: 65823N 79649E

AZIMUTH: 096 Deg (Magnetic)

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	SCREE	fg	v str	massive	uniform	grey	chert scree			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	CHERT	"	"	"	"	grey	in cream-brown clay			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	CHERTY ARGILLITE	"	mild	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	GRAPHITIC ARGILLITE	"	fresh	"	"	black	variable siliceous component. Minor py.	minor pyrite		
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 24-51 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 5

HOLE No : MB 555
DEPTH: 51 m
LOCATION: 65824N 79672E
AZIMUTH: 096 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILL HOLE LOG

DRILLING CONTRACTOR: Connector Drilling

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	SCREE	fg	v str	massive	uniform	lt brown	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	cream	with chert fragments			
2-3	"	"	"	"	"	"	Ditto			
3-4	CHERTY ARGILLITE	"	"	"	"	lt grey	in cream clay			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	mild	"	"	grey	fairly uniform, not much clay			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	fresh	"	"	"	minor pyrite			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 47-51 m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY. LTD.
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

DATE: August-Sept, 1994
LOGGED BY: A Vanderplank
DRILLING CONTRACTOR: Connector Drilling

EL 8508 - TRAVERSE 5

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 556
DEPTH: 44 m
LOCATION: 65826N 79695.5E
AZIMUTH: 096 Deg (Magnetic)
DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	SCREE	fg	v str	massive	uniform	lt brown	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	cream	with chert fragments			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	CHERT	"	moderate	"	"	grey	with cream clay			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	CHERTY ARGILLITE	"	mild	"	"	"	with substantial clay component			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 44m, last 4m as above
**** WET SAMPLES: 27-44m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY. LTD.
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 5

HOLE No : MB 557
DEPTH: 36 m
LOCATION: 65824.5N 79716.5E
AZIMUTH: 096 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	CHERT RUBBLE	fg	v str	massive	uniform	grey	in cream clay			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	CHERT	"	str	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	moderate	"	"	"	with cream to lr grey clay			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	CHERTY ARGILLITE	"	mild	"	"	dk grey	with minor grey clay			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 17-36 m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY. LTD.
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 5

DRILL HOLE LOG

RAB DRILL - Warman Mk V

HOLE No : MB 558

DEPTH: 30 m

LOCATION: 65824N 79733E

AZIMUTH: 096 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	cream	clay with chert fragments			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	CHERT	"	str	"	"	grey	with a fair amount of cream clay			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	moderate	"	"	"	with minor pyrite			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	DOLERITE	"	fresh	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: Nil ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 5

HOLE No : MB 559
DEPTH: 33 m
LOCATION: 65819.5N 79746E
AZIMUTH: 096 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	CHERT RUBBLE	fg	v str	massive	uniform	grey	in cream clay			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	"	"	"	"	"	"	Ditto			
4-5	"	"	"	"	"	"	Ditto			
5-6	CHERT	"	"	"	"	"	in white clay			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	SAPROLITE	"	"	"	"	khaki	clay with reddish fragments derived from dolerite and some grey chert			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	DOLERITE	"	mild	"	"	green-	with some chert contamination			
14-15	"	"	"	"	"	grey	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			

E.O.H.

**** WET SAMPLES: 11-33 m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY. LTD.
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 5

HOLE No : MB 560
DEPTH: 42 m
LOCATION: 65815N 79759E
AZIMUTH: 096 Deg (Magnetic)

DATE: August-Sept, 1994
LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

RAB DRILL - Warman Mk V

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	CHERT SCREE	fg	v str	massive	uniform	grey	in cream clay			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	SAPROLITE	"	"	"	"	biege	ex dolerite			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	moderate	"	"	lt yellow-	with dolerite remnants			
6-7	"	"	"	"	"	green	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	DOLERITE	"	fresh	"	"	dk grey	in green powder			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 42m, last 2m as above

**** WET SAMPLES: 26-42 m ****

**** SMALL SAMPLES: Nil ****

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 5

DRILL HOLE LOG

HOLE No : MB 561

DEPTH: 47 m

LOCATION: 65793.5N 79782E

AZIMUTH: 096 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	red-brown	with chert			
1-2	"	fg	v str	massive	uniform	"	lateritized			
2-3	"	"	"	"	"	"	Ditto			
3-4	DOLERITE	medium	moderate	"	"	khaki	clay rich			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	fresh	"	"	dk grey	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	CHERTY ARGILLITE	fg	fresh	"	"	black	in dk grey powder			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 47m, last 7m as above

**** WET SAMPLES: 16-47 m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY. LTD.
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 5

DRILL HOLE LOG

HOLE No : MB 562

DEPTH: 51 m

LOCATION: 65802N 79834E

AZIMUTH: 096 Deg (Magnetic)

DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	SCREE	fg	v str	massive	uniform	biege	Some bedrock as below			
1-2	SAPROLITE	fg	v str	massive	uniform	red brown	lateritized			
2-3	"	"	"	"	"	"	Ditto			
3-4	DOLERITE	md	"	"	"	lt green	saprolitic			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	mild	"	"	grey	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	GRAPHITIC ARGILLITE	fg	fresh	"	"	black	cherty in places. minor pyrite			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51 m, lat 11m as above

**** WET SAMPLES: 11-51 m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY. LTD.
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT

EL 8508 - TRAVERSE 5

DRILL HOLE LOG

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

RAB DRILL - Warman Mk V

HOLE No : MB 563

DEPTH: 51 m

LOCATION: 65797.5N 79834E

AZIMUTH: 096 Deg (Magnetic)

DECLINATION: 60 Deg

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	ELUVIUM	fg	v str	massive	uniform	biege	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	"	"	"	"	"	"	Ditto			
3-4	GRAPHITIC ARGILLITE	"	mild	"	"	grey	fairly cherty			
4-5	"	"	"	"	"	"	Ditto			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	"	"	"	"	Ditto			
16-17	"	"	fresh	"	"	black	cherty, with minor pyrite			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 18-51 m ****

**** SMALL SAMPLES: Nil ****

PATHFINDER CONSULTANTS PTY LTD.
Perth, W A

PINNACLE MINING NL
MT BUNDEY GOLD BASE METAL PROJECT
EL 8508 - TRAVERSE 5

HOLE No : MB 564
DEPTH: 51 m
LOCATION: 65801.5N 79857.5E
AZIMUTH: 096 Deg (Magnetic)
DECLINATION: 60 Deg

DATE: August-Sept, 1994

LOGGED BY: A Vanderplank

DRILLING CONTRACTOR: Connector Drilling

DRILL HOLE LOG

RAB DRILL - Warman Mk V

INTER -VAL	ROCK TYPE	GRAIN SIZE	WEATH- ERING	MASS./ SCHIST	BANDED ?	COLOUR	REMARKS	SULPHIDE OR FeOx etc	VEINING	GOLD (g/t)
0-1	SCREE	fg	v str	massive	uniform	biege	Some bedrock as below			
1-2	"	fg	v str	massive	uniform	"	Ditto			
2-3	SAPROLITE	"	"	"	"	pink	mottled			
3-4	"	"	"	"	"	"	Ditto			
4-5	GRAPHITIC ARGILLITE	"	mild	"	"	grey	cherty			
5-6	"	"	"	"	"	"	Ditto			
6-7	"	"	"	"	"	"	Ditto			
7-8	"	"	"	"	"	"	Ditto			
8-9	"	"	"	"	"	"	Ditto			
9-10	"	"	"	"	"	"	Ditto			
10-11	"	"	"	"	"	"	Ditto			
11-12	"	"	"	"	"	"	Ditto			
12-13	"	"	"	"	"	"	Ditto			
13-14	"	"	"	"	"	"	Ditto			
14-15	"	"	"	"	"	"	Ditto			
15-16	"	"	fresh	"	"	black	Ditto			
16-17	"	"	"	"	"	"	Ditto			
17-18	"	"	"	"	"	"	Ditto			
18-19	"	"	"	"	"	"	Ditto			
19-20	"	"	"	"	"	"	Ditto			
20-21	"	"	"	"	"	"	Ditto			
21-22	"	"	"	"	"	"	Ditto			
22-23	"	"	"	"	"	"	Ditto			
23-24	"	"	"	"	"	"	Ditto			
24-25	"	"	"	"	"	"	Ditto			
25-26	"	"	"	"	"	"	Ditto			
26-27	"	"	"	"	"	"	Ditto			
27-28	"	"	"	"	"	"	Ditto			
28-29	"	"	"	"	"	"	Ditto			
29-30	"	"	"	"	"	"	Ditto			
30-31	"	"	"	"	"	"	Ditto			
31-32	"	"	"	"	"	"	Ditto			
32-33	"	"	"	"	"	"	Ditto			
33-34	"	"	"	"	"	"	Ditto			
34-35	"	"	"	"	"	"	Ditto			
35-36	"	"	"	"	"	"	Ditto			
36-37	"	"	"	"	"	"	Ditto			
37-38	"	"	"	"	"	"	Ditto			
38-39	"	"	"	"	"	"	Ditto			
39-40	"	"	"	"	"	"	Ditto			

E.O.H. at 51m, last 11m as above

**** WET SAMPLES: 18-51 m ****

**** SMALL SAMPLES: Nil ****

MT BUNDEY ASSAY RESULTS - RELINQUISHMENT AREA

HOLE	FROM	TO	SAMPLE No	AU1 (ppm)	AU2 (ppm)	AU(AV) (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AG (ppm)	AS (ppm)
MB496	0.00	2.00	MC2748	0.00	0.00	0.00	27	15	34	0.00	24
MB496	2.00	10.00	MC2749	0.00	0.00	0.00	15	8	29	0.00	10
MB496	10.00	18.00	MC2750	0.00	0.00	0.00	21	8	34	0.00	4
MB496	18.00	26.00	MC2751	0.00	0.00	0.00	64	7	55	0.00	6
MB496	26.00	34.00	MC2752	0.00	0.00	0.00	34	7	61	0.00	8
MB496	34.00	42.00	MC2753	0.00	0.00	0.00	24	2	52	0.00	9
MB496	42.00	51.00	MC2754	0.00	0.00	0.00	45	5	53	0.00	10
MB497	0.00	2.00	MC2755	0.01	0.00	0.01	30	17	36	0.00	22
MB497	2.00	10.00	MC2756	0.00	0.00	0.00	32	10	53	0.00	5
MB497	10.00	18.00	MC2757	0.00	0.00	0.00	34	2	49	0.00	4
MB497	18.00	26.00	MC2758	0.00	0.00	0.00	36	4	58	0.00	9
MB497	26.00	34.00	MC2759	0.00	0.00	0.00	28	3	52	0.00	5
MB497	34.00	42.00	MC2760	0.00	0.00	0.00	11	0	37	0.00	2
MB497	42.00	54.00	MC2761	0.00	0.00	0.00	34	2	48	0.00	5
MB498	0.00	2.00	MC2762	0.00	0.00	0.00	33	18	28	0.00	25
MB498	2.00	10.00	MC2763	0.00	0.00	0.00	20	6	52	0.00	5
MB498	10.00	18.00	MC2764	0.00	0.00	0.00	10	0	53	0.00	0
MB498	18.00	26.00	MC2765	0.00	0.00	0.00	41	5	82	0.00	7
MB498	26.00	34.00	MC2766	0.00	0.00	0.00	34	7	58	0.00	7
MB498	34.00	42.00	MC2767	0.00	0.00	0.00	24	8	56	0.00	6
MB498	42.00	51.00	MC2768	0.00	0.00	0.00	24	9	37	0.00	6
MB499	0.00	2.00	MC2769	0.01	0.00	0.01	35	8	32	0.00	19
MB499	2.00	10.00	MC2770	0.00	0.00	0.00	40	5	97	0.00	10
MB499	10.00	18.00	MC2771	0.00	0.00	0.00	35	5	132	0.00	8
MB499	18.00	26.00	MC2772	0.00	0.00	0.00	29	6	83	0.00	8
MB499	26.00	34.00	MC2773	0.00	0.00	0.00	40	7	71	0.00	16
MB499	34.00	42.00	MC2774	0.00	0.00	0.00	30	7	51	0.00	10
MB499	42.00	51.00	MC2775	0.00	0.00	0.00	31	7	59	0.00	11
MB500	0.00	2.00	MC2776	0.00	0.00	0.00	43	31	52	0.00	33
MB500	2.00	10.00	MC2777	0.00	0.00	0.00	43	10	89	0.00	15
MB500	10.00	18.00	MC2778	0.00	0.00	0.00	48	8	84	0.00	10

MT BUNDEY ASSAY RESULTS - RELINQUISHMENT AREA

HOLE	FROM	TO	SAMPLE No	AU1 (ppm)	AU2 (ppm)	AU(AV) (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AG (ppm)	AS (ppm)
MB500	18.00	26.00	MC2779	0.00	0.00	0.00	40	19	67	0.00	18
MB500	26.00	34.00	MC2780	0.00	0.00	0.00	38	7	68	0.00	12
MB500	34.00	42.00	MC2781	0.00	0.00	0.00	32	8	59	0.00	13
MB500	42.00	51.00	MC2782	0.00	0.00	0.00	23	26	50	0.00	13
MB501	0.00	2.00	MC2783	0.00	0.00	0.00	26	13	46	0.00	21
MB501	2.00	10.00	MC2784	0.00	0.00	0.00	33	9	78	0.00	11
MB501	10.00	18.00	MC2785	0.00	0.00	0.00	34	10	68	0.00	11
MB501	18.00	26.00	MC2786	0.00	0.00	0.00	31	11	61	0.00	10
MB501	26.00	34.00	MC2787	0.00	0.00	0.00	24	16	44	0.00	11
MB501	34.00	42.00	MC2788	0.00	0.00	0.00	36	9	48	0.00	15
MB501	42.00	51.00	MC2789	0.00	0.00	0.00	30	16	51	0.00	8
MB502	0.00	2.00	MC2790	0.00	0.00	0.00	34	16	31	0.00	37
MB502	2.00	10.00	MC2791	0.00	0.00	0.00	22	17	39	0.00	12
MB502	10.00	18.00	MC2792	0.00	0.00	0.00	38	15	49	0.00	18
MB502	18.00	26.00	MC2793	0.00	0.00	0.00	32	17	44	0.00	10
MB502	26.00	34.00	MC2794	0.00	0.00	0.00	22	29	43	0.00	8
MB502	34.00	42.00	MC2795	0.00	0.00	0.00	37	128	79	0.00	18
MB502	42.00	51.00	MC2796	0.00	0.00	0.00	28	67	82	0.00	11
MB503	0.00	2.00	MC2797	0.01	0.00	0.01	21	26	27	0.00	33
MB503	2.00	10.00	MC2798	0.00	0.00	0.00	30	19	36	0.00	16
MB503	10.00	18.00	MC2799	0.00	0.00	0.00	33	15	46	0.00	7
MB503	18.00	26.00	MC2800	0.00	0.00	0.00	9	13	39	0.00	5
MB503	26.00	34.00	MC2801	0.00	0.00	0.00	23	15	34	0.00	6
MB503	34.00	42.00	MC2802	0.00	0.00	0.00	26	18	46	0.00	6
MB503	42.00	51.00	MC2803	0.00	0.00	0.00	39	32	48	0.00	10
MB504	0.00	2.00	MC2804	0.00	0.00	0.00	19	15	19	0.00	7
MB504	2.00	10.00	MC2805	0.00	0.00	0.00	18	24	33	0.00	16
MB504	10.00	18.00	MC2806	0.00	0.00	0.00	9	14	31	0.00	5
MB504	18.00	26.00	MC2807	0.00	0.00	0.00	5	14	26	0.00	4
MB504	26.00	34.00	MC2808	0.00	0.00	0.00	14	17	39	0.00	9
MB504	34.00	42.00	MC2809	0.00	0.00	0.00	11	12	37	0.00	11

MT BUNDEY ASSAY RESULTS - RELINQUISHMENT AREA

HOLE	FROM	TO	SAMPLE No	AU1 (ppm)	AU2 (ppm)	AU(AV) (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AG (ppm)	AS (ppm)
MB504	42.00	51.00	MC2810	0.00	0.00	0.00	68	16	76	0.00	22
MB505	0.00	2.00	MC2811	0.00	0.00	0.00	36	22	44	0.00	28
MB505	2.00	10.00	MC2812	0.00	0.00	0.00	144	26	206	0.00	21
MB505	10.00	18.00	MC2813	0.00	0.00	0.00	88	9	107	0.00	11
MB505	18.00	26.00	MC2814	0.00	0.00	0.00	38	6	53	0.00	8
MB505	26.00	34.00	MC2815	0.00	0.00	0.00	35	11	49	0.00	9
MB505	34.00	42.00	MC2816	0.00	0.00	0.00	38	20	54	0.00	9
MB505	42.00	50.00	MC2817	0.00	0.00	0.00	36	22	74	0.00	11
MB506	0.00	2.00	MC2818	0.00	0.00	0.00	47	29	64	0.00	20
MB506	2.00	10.00	MC2819	0.00	0.00	0.00	23	16	95	0.00	28
MB506	10.00	18.00	MC2820	0.00	0.00	0.00	38	15	63	0.00	10
MB506	18.00	26.00	MC2821	0.00	0.00	0.00	37	28	83	0.00	10
MB506	26.00	34.00	MC2822	0.00	0.00	0.00	27	15	67	0.00	7
MB506	34.00	42.00	MC2823	0.00	0.00	0.00	24	12	58	0.00	9
MB506	42.00	48.00	MC2824	0.00	0.00	0.00	40	10	65	0.00	10
MB507	0.00	2.00	MC2825	0.00	0.00	0.00	38	21	51	0.00	21
MB507	2.00	10.00	MC2826	0.00	0.00	0.00	36	9	84	0.00	8
MB507	10.00	18.00	MC2827	0.00	0.00	0.00	35	8	90	0.00	10
MB507	18.00	26.00	MC2828	0.00	0.00	0.00	32	15	110	0.00	15
MB507	26.00	34.00	MC2829	0.00	0.00	0.00	4	20	185	0.00	20
MB507	34.00	42.00	MC2830	0.00	0.00	0.00	18	4	90	0.00	23
MB507	42.00	51.00	MC2831	0.00	0.00	0.00	15	7	102	0.00	21
MB508	0.00	2.00	MC2832	0.00	0.00	0.00	42	23	43	0.00	22
MB508	2.00	10.00	MC2833	0.00	0.00	0.00	30	11	41	0.00	13
MB508	10.00	18.00	MC2834	0.00	0.00	0.00	46	8	85	0.00	11
MB508	18.00	26.00	MC2835	0.00	0.00	0.00	32	8	124	0.00	7
MB508	26.00	34.00	MC2836	0.00	0.00	0.00	21	18	101	0.00	13
MB508	34.00	42.00	MC2837	0.00	0.00	0.00	22	7	70	0.00	8
MB508	42.00	50.00	MC2838	0.00	0.00	0.00	25	6	78	0.00	12
MB509	0.00	2.00	MC2839	0.00	0.00	0.00	37	35	57	0.00	25
MB509	2.00	10.00	MC2840	0.00	0.00	0.00	47	16	75	0.00	14

MT BUNDEY ASSAY RESULTS - RELINQUISHMENT AREA

HOLE	FROM	TO	SAMPLE No	AU1 (ppm)	AU2 (ppm)	AU(AV) (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AG (ppm)	AS (ppm)
MB509	10.00	11.00	19451	0.00	0.00	0.00	45	12	90	0.00	6
MB509	11.00	12.00	19452	0.02	0.02	0.02	23	0	96	0.00	3
MB509	12.00	13.00	19453	0.02	0.00	0.02	41	0	93	0.00	5
MB509	13.00	14.00	19454	0.01	0.00	0.01	12	0	96	0.00	3
MB509	14.00	15.00	19455	0.01	0.00	0.01	12	4	67	0.00	2
MB509	15.00	16.00	19456	0.01	0.00	0.01	21	2	69	0.00	2
MB509	16.00	17.00	19457	0.01	0.00	0.01	37	10	66	0.00	2
MB509	17.00	18.00	19458	0.01	0.00	0.01	10	0	54	0.00	4
MB509	18.00	26.00	MC2842	0.03	0.00	0.03	63	14	70	0.00	11
MB509	26.00	34.00	MC2843	0.03	0.02	0.03	45	24	96	0.00	44
MB509	34.00	42.00	MC2844	0.04	0.01	0.03	12	18	114	0.00	62
MB509	42.00	50.00	MC2845	0.02	0.00	0.02	13	12	116	0.00	31
MB510	0.00	2.00	MC2846	0.01	0.00	0.01	32	28	38	0.00	34
MB510	2.00	10.00	MC2847	0.00	0.00	0.00	39	14	82	0.00	24
MB510	10.00	18.00	MC2848	0.00	0.00	0.00	72	10	106	0.00	13
MB510	18.00	26.00	MC2849	0.00	0.00	0.00	58	9	105	0.00	22
MB510	26.00	34.00	MC2850	0.02	0.00	0.02	33	8	87	0.00	10
MB510	34.00	42.00	MC2851	0.01	0.00	0.01	45	8	85	0.00	20
MB510	42.00	50.00	MC2852	0.01	0.00	0.01	12	7	76	0.00	17
MB511	0.00	2.00	MC2853	0.00	0.00	0.00	29	34	40	0.00	31
MB511	2.00	10.00	MC2854	0.00	0.00	0.00	28	18	56	0.00	17
MB511	10.00	18.00	MC2855	0.00	0.00	0.00	29	6	81	0.00	12
MB511	18.00	26.00	MC2856	0.00	0.00	0.00	23	4	97	0.00	8
MB511	26.00	34.00	MC2857	0.00	0.00	0.00	10	11	102	0.00	15
MB511	34.00	42.00	MC2858	0.00	0.00	0.00	22	17	96	0.00	16
MB511	42.00	51.00	MC2859	0.00	0.00	0.00	23	8	75	0.00	13
MB512	0.00	2.00	MC2860	0.00	0.00	0.00	28	23	33	0.00	36
MB512	2.00	10.00	MC2861	0.01	0.01	0.01	29	15	41	0.00	24
MB512	10.00	18.00	MC2862	0.00	0.00	0.00	28	11	62	0.00	13
MB512	18.00	26.00	MC2863	0.02	0.00	0.02	49	5	76	0.00	11
MB512	26.00	34.00	MC2864	0.02	0.00	0.02	42	3	74	0.00	17

MT BUNDEY ASSAY RESULTS - RELINQUISHMENT AREA

HOLE	FROM	TO	SAMPLE No	AU1 (ppm)	AU2 (ppm)	AU(AV) (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AG (ppm)	AS (ppm)
MB512	34.00	42.00	MC2865	0.02	0.00	0.02	35	8	71	0.00	15
MB512	42.00	49.00	MC2866	0.00	0.00	0.00	28	2	70	0.00	10
MB513	0.00	2.00	MC2867	0.00	0.00	0.00	34	19	29	0.00	31
MB513	2.00	10.00	MC2868	0.01	0.00	0.01	46	11	82	0.00	18
MB513	10.00	18.00	MC2869	0.02	0.00	0.02	30	6	88	0.00	10
MB513	18.00	26.00	MC2870	0.00	0.00	0.00	21	3	88	0.00	9
MB513	26.00	34.00	MC2871	0.00	0.00	0.00	18	8	78	0.00	8
MB513	34.00	42.00	MC2872	0.01	0.00	0.01	14	9	77	0.00	12
MB513	42.00	51.00	MC2873	0.01	0.02	0.02	14	77	73	0.00	59
MB514	0.00	2.00	MC2874	0.01	0.00	0.01	32	16	33	0.00	30
MB514	2.00	10.00	MC2875	0.00	0.00	0.00	23	16	75	0.00	17
MB514	10.00	18.00	MC2876	0.03	0.00	0.03	13	3	66	0.00	11
MB514	18.00	26.00	MC2877	0.05	0.00	0.05	15	69	78	0.00	60
MB514	26.00	27.00	19718	0.02	0.00	0.02	22	112	91	0.90	130
MB514	27.00	28.00	19719	0.01	0.00	0.01	19	98	57	0.70	120
MB514	28.00	29.00	19720	0.02	0.00	0.02	22	77	59	0.50	52
MB514	29.00	30.00	19721	0.01	0.00	0.01	29	93	49	0.60	48
MB514	30.00	31.00	19722	0.01	0.00	0.01	30	68	48	0.50	39
MB514	31.00	32.00	19723	0.02	0.00	0.02	35	102	57	0.50	130
MB514	32.00	33.00	19724	0.01	0.00	0.01	20	59	52	0.60	110
MB514	33.00	34.00	19725	0.02	0.00	0.02	18	138	64	1.00	200
MB514	34.00	35.00	19726	0.02	0.02	0.02	21	128	69	1.00	190
MB514	35.00	36.00	19727	0.03	0.00	0.03	18	162	73	1.10	220
MB514	36.00	37.00	19728	0.03	0.00	0.03	25	143	63	1.00	410
MB514	37.00	38.00	19729	0.04	0.00	0.04	27	263	94	1.70	520
MB514	38.00	39.00	19730	0.03	0.00	0.03	29	187	71	1.50	450
MB514	39.00	40.00	19731	0.03	0.00	0.03	19	197	69	1.20	210
MB514	40.00	41.00	19732	0.02	0.00	0.02	12	70	51	0.00	35
MB514	41.00	42.00	19733	0.01	0.00	0.01	9	46	76	0.00	36
MB514	42.00	51.00	MC2880	0.00	0.00	0.00	9	43	85	0.00	71
MB515	0.00	2.00	MC2881	0.00	0.00	0.00	34	20	35	0.00	56

MT BUNDEY ASSAY RESULTS - RELINQUISHMENT AREA

HOLE	FROM	TO	SAMPLE No	AU1 (ppm)	AU2 (ppm)	AU(AV) (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AG (ppm)	AS (ppm)
MB515	2.00	10.00	MC2882	0.00	0.00	0.00	20	11	40	0.00	26
MB515	10.00	18.00	MC2883	0.00	0.00	0.00	46	3	72	0.00	19
MB515	18.00	26.00	MC2884	0.00	0.00	0.00	49	2	100	0.00	20
MB515	26.00	34.00	MC2885	0.01	0.00	0.01	29	4	83	0.00	7
MB515	34.00	45.00	MC2886	0.02	0.00	0.02	51	7	71	0.00	14
MB516	0.00	2.00	MC2887	0.02	0.00	0.02	26	19	24	0.00	23
MB516	2.00	10.00	MC2888	0.03	0.00	0.03	51	10	105	0.00	18
MB516	10.00	18.00	MC2889	0.00	0.00	0.00	37	11	102	0.00	12
MB516	18.00	19.00	19806	0.01	0.01	0.01	43	6	79	0.00	10
MB516	19.00	20.00	19807	0.01	0.00	0.01	58	0	91	0.00	9
MB516	20.00	21.00	19808	0.01	0.00	0.01	50	0	82	0.00	12
MB516	21.00	22.00	19809	0.01	0.00	0.01	33	0	89	0.00	14
MB516	22.00	23.00	19810	0.01	0.00	0.01	85	2	61	0.00	6
MB516	23.00	24.00	19811	0.02	0.00	0.02	135	4	80	0.00	13
MB516	24.00	25.00	19812	0.01	0.00	0.01	36	26	91	0.00	8
MB516	25.00	26.00	19813	0.02	0.02	0.02	48	31	79	1.00	16
MB516	26.00	34.00	MC2891	0.00	0.00	0.00	36	5	69	0.00	14
MB516	34.00	42.00	MC2892	0.04	0.00	0.04	23	7	60	0.00	10
MB516	42.00	48.00	MC2893	0.00	0.00	0.00	18	9	44	0.00	13
MB517	0.00	2.00	MC2894	0.03	0.00	0.03	21	15	26	0.00	19
MB517	2.00	10.00	MC2895	0.01	0.00	0.01	35	11	196	0.00	12
MB517	10.00	18.00	MC2896	0.00	0.00	0.00	82	13	263	0.00	10
MB517	18.00	19.00	19854	0.01	0.00	0.01	487	8	101	0.00	7
MB517	19.00	20.00	19855	0.02	0.00	0.02	703	8	93	0.00	9
MB517	20.00	21.00	19856	0.01	0.00	0.01	166	28	103	0.00	7
MB517	21.00	22.00	19857	0.00	0.00	0.00	107	8	61	0.00	4
MB517	22.00	23.00	19858	0.01	0.00	0.01	151	6	108	0.00	4
MB517	23.00	24.00	19859	0.01	0.00	0.01	334	25	86	0.00	16
MB517	24.00	25.00	19860	0.02	0.00	0.02	154	14	81	0.00	5
MB517	25.00	26.00	19861	0.01	0.00	0.01	103	25	90	0.00	4
MB517	26.00	34.00	MC2898	0.00	0.00	0.00	46	7	73	0.00	5

MT BUNDEY ASSAY RESULTS - RELINQUISHMENT AREA

HOLE	FROM	TO	SAMPLE No	AU1 (ppm)	AU2 (ppm)	AU(AV) (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AG (ppm)	AS (ppm)
MB517	34.00	42.00	MC2899	0.00	0.00	0.00	42	4	63	0.00	6
MB517	42.00	51.00	MC2900	0.00	0.00	0.00	45	9	70	0.00	5
MB518	0.00	2.00	MC2901	0.04	0.00	0.04	18	17	26	0.00	16
MB518	2.00	10.00	MC2902	0.03	0.00	0.03	44	11	68	0.00	13
MB518	10.00	18.00	MC2903	0.02	0.00	0.02	42	12	86	0.00	10
MB518	18.00	26.00	MC2904	0.05	0.02	0.04	31	9	68	0.00	8
MB518	26.00	34.00	MC2905	0.04	0.00	0.04	43	7	55	0.00	6
MB518	34.00	42.00	MC2906	0.00	0.00	0.00	56	7	53	0.00	10
MB518	42.00	51.00	MC2907	0.04	0.00	0.04	17	3	59	0.00	10
MB519	0.00	2.00	MC2908	0.03	0.00	0.03	23	14	35	0.00	18
MB519	2.00	10.00	MC2909	0.00	0.00	0.00	34	14	53	0.00	12
MB519	10.00	18.00	MC2910	0.04	0.00	0.04	37	10	93	0.00	7
MB519	18.00	26.00	MC2911	0.04	0.00	0.04	29	5	53	0.00	11
MB519	26.00	36.00	MC2912	0.04	0.00	0.04	81	8	53	0.00	11
MB520	0.00	2.00	MC2913	0.00	0.00	0.00	21	17	24	0.00	20
MB520	2.00	10.00	MC2914	0.04	0.00	0.04	37	14	61	0.00	14
MB520	10.00	18.00	MC2915	0.00	0.00	0.00	39	7	61	0.00	11
MB520	18.00	26.00	MC2916	0.00	0.00	0.00	102	9	53	0.00	6
MB520	26.00	34.00	MC2917	0.00	0.00	0.00	72	8	48	0.00	8
MB520	34.00	42.00	MC2918	0.02	0.00	0.02	29	9	50	0.00	41
MB520	42.00	51.00	MC2919	0.01	0.00	0.01	55	14	30	0.00	130
MB521	0.00	2.00	MC2920	0.04	0.00	0.04	29	16	26	0.00	25
MB521	2.00	10.00	MC2921	0.02	0.00	0.01	32	2	59	0.00	7
MB521	10.00	18.00	MC2922	0.04	0.00	0.04	31	3	54	0.00	5
MB521	18.00	26.00	MC2923	0.04	0.00	0.04	21	0	47	0.00	6
MB521	26.00	34.00	MC2924	0.03	0.00	0.03	25	0	47	0.00	10
MB521	34.00	42.00	MC2925	0.00	0.00	0.00	18	0	36	0.00	7
MB521	42.00	51.00	MC2926	0.00	0.00	0.00	29	0	48	0.00	11
MB522	0.00	2.00	MC2927	0.00	0.00	0.00	44	21	50	1.20	32
MB522	2.00	10.00	MC2928	0.00	0.00	0.00	39	7	50	1.00	19
MB522	10.00	18.00	MC2929	0.00	0.00	0.00	34	6	55	0.90	13

MT BUNDEY ASSAY RESULTS - RELINQUISHMENT AREA

HOLE	FROM	TO	SAMPLE No	AU1 (ppm)	AU2 (ppm)	AU(AV) (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AG (ppm)	AS (ppm)
MB522	18.00	26.00	MC2930	0.00	0.00	0.00	27	6	50	0.90	11
MB522	26.00	34.00	MC2931	0.00	0.00	0.00	36	3	33	0.70	6
MB522	34.00	41.00	MC2932	0.00	0.00	0.00	33	5	52	1.10	10
MB522	41.00	48.00	MC2933	0.00	0.00	0.00	54	6	49	1.20	10
MB523	0.00	2.00	MC2934	0.00	0.00	0.00	51	15	43	1.10	20
MB523	2.00	10.00	MC2935	0.00	0.00	0.00	38	11	44	1.20	17
MB523	10.00	18.00	MC2936	0.00	0.00	0.00	29	10	70	1.00	11
MB523	18.00	27.00	MC2937	0.00	0.00	0.00	25	8	48	0.00	7
MB523	27.00	36.00	MC2938	0.00	0.00	0.00	26	9	39	0.60	6
MB523	36.00	45.00	MC2939	0.00	0.00	0.00	39	8	47	0.60	10
MB524	0.00	2.00	MC2940	0.00	0.00	0.00	51	13	40	1.00	27
MB524	2.00	10.00	MC2941	0.00	0.00	0.00	45	11	58	0.80	14
MB524	10.00	18.00	MC2942	0.00	0.00	0.00	27	4	90	0.90	6
MB524	18.00	26.00	MC2943	0.00	0.00	0.00	29	7	56	0.50	5
MB524	26.00	34.00	MC2944	0.00	0.00	0.00	33	8	53	0.70	8
MB524	34.00	42.00	MC2945	0.00	0.00	0.00	17	10	57	0.60	6
MB524	42.00	50.00	MC2946	0.00	0.00	0.00	20	8	40	0.70	6
MB525	0.00	2.00	MC2947	0.00	0.00	0.00	72	13	71	1.00	23
MB525	2.00	10.00	MC2948	0.00	0.00	0.00	193	16	113	1.20	23
MB525	10.00	18.00	MC2949	0.00	0.00	0.00	253	18	115	1.10	18
MB525	18.00	26.00	MC2950	0.00	0.00	0.00	29	5	100	0.80	12
MB525	26.00	34.00	MC2951	0.00	0.00	0.00	32	52	75	1.00	16
MB525	34.00	41.00	MC2952	0.00	0.00	0.00	36	49	60	1.70	350
MB525	41.00	48.00	MC2953	0.00	0.00	0.00	47	38	51	1.70	220
MB526	0.00	2.00	MC2954	0.00	0.00	0.00	74	11	64	1.00	67
MB526	2.00	10.00	MC2955	0.00	0.00	0.00	50	27	103	1.10	82
MB526	10.00	18.00	MC2956	0.00	0.00	0.00	45	3	99	0.90	18
MB526	18.00	26.00	MC2957	0.00	0.00	0.00	49	2	103	0.80	21
MB526	26.00	34.00	MC2958	0.00	0.00	0.00	64	0	65	0.80	15
MB526	34.00	42.00	MC2959	0.00	0.00	0.00	32	2	80	1.00	10
MB526	42.00	51.00	MC2960	0.00	0.00	0.00	23	0	59	0.70	14

MT BUNDEY ASSAY RESULTS - RELINQUISHMENT AREA

HOLE	FROM	TO	SAMPLE No	AU1 (ppm)	AU2 (ppm)	AU(AV) (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AG (ppm)	AS (ppm)
MB527	0.00	2.00	MC2961	0.00	0.00	0.00	38	3	118	1.00	11
MB527	2.00	10.00	MC2962	0.00	0.00	0.00	11	17	91	0.80	8
MB527	10.00	18.00	MC2963	0.00	0.00	0.00	4	3	105	0.90	9
MB527	18.00	26.00	MC2964	0.00	0.00	0.00	3	0	129	1.10	6
MB527	26.00	34.00	MC2965	0.00	0.00	0.00	4	0	95	0.90	14
MB527	34.00	42.00	MC2966	0.00	0.00	0.00	2	4	83	1.00	8
MB527	42.00	50.00	MC2967	0.00	0.00	0.00	3	5	86	1.10	11
MB527	50.00	57.00	MC2968	0.00	0.00	0.00	37	0	85	1.10	13
MB528	0.00	2.00	MC2969	0.00	0.00	0.00	8	2	31	0.90	11
MB528	2.00	10.00	MC2970	0.00	0.00	0.00	7	51	67	1.00	130
MB528	10.00	18.00	MC2971	0.00	0.00	0.00	18	310	70	1.50	260
MB528	18.00	26.00	MC2972	0.00	0.00	0.00	2	16	106	0.90	18
MB528	26.00	34.00	MC2973	0.00	0.00	0.00	8	18	78	0.90	22
MB528	34.00	43.00	MC2974	0.00	0.00	0.00	3	8	64	0.80	17
MB528	43.00	52.00	MC2975	0.00	0.00	0.00	14	5	71	1.00	23
MB529	0.00	2.00	MC2976	0.00	0.00	0.00	27	0	54	0.70	12
MB529	2.00	10.00	MC2977	0.00	0.00	0.00	35	2	55	1.00	7
MB529	10.00	18.00	MC2978	0.00	0.00	0.00	38	0	58	0.90	9
MB529	18.00	26.00	MC2979	0.00	0.00	0.00	33	0	62	1.10	6
MB529	26.00	35.00	MC2980	0.00	0.00	0.00	29	0	68	0.90	9
MB530	0.00	2.00	MC2981	0.00	0.00	0.00	31	11	47	1.00	48
MB530	2.00	10.00	MC2982	0.00	0.00	0.00	40	0	53	0.90	9
MB530	10.00	18.00	MC2983	0.00	0.00	0.00	22	4	60	1.10	17
MB530	18.00	26.00	MC2984	0.00	0.00	0.00	34	0	75	1.20	18
MB530	26.00	34.00	MC2985	0.00	0.00	0.00	35	0	77	1.10	15
MB530	34.00	42.00	MC2986	0.00	0.00	0.00	27	0	66	1.10	12
MB530	42.00	50.00	MC2987	0.00	0.00	0.00	35	0	59	0.90	9
MB531	0.00	2.00	MC2988	0.00	0.00	0.00	32	8	70	1.00	38
MB531	2.00	10.00	MC2989	0.00	0.00	0.00	29	0	81	1.00	12
MB531	10.00	18.00	MC2990	0.00	0.00	0.00	34	0	70	1.10	8
MB531	18.00	25.00	MC2991	0.00	0.00	0.00	61	0	64	1.10	10

MT BUNDEY ASSAY RESULTS - RELINQUISHMENT AREA

HOLE	FROM	TO	SAMPLE No	AU1 (ppm)	AU2 (ppm)	AU(AV) (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AG (ppm)	AS (ppm)
MB531	25.00	32.00	MC2992	0.00	0.00	0.00	28	0	60	0.80	8
MB531	32.00	39.00	MC2993	0.00	0.00	0.00	50	2	70	1.00	9
MB532	0.00	2.00	MC2994	0.00	0.00	0.00	136	16	135	1.20	16
MB532	2.00	10.00	MC2995	0.00	0.00	0.00	74	5	112	1.00	7
MB532	10.00	18.00	MC2996	0.00	0.00	0.00	25	0	54	1.00	6
MB532	18.00	26.00	MC2997	0.00	0.00	0.00	36	5	57	0.90	8
MB532	26.00	34.00	MC2998	0.00	0.00	0.00	34	4	51	0.90	10
MB532	34.00	42.00	MC2999	0.00	0.00	0.00	25	0	39	1.00	7
MB532	42.00	51.00	MC3000	0.00	0.00	0.00	24	0	44	1.00	6
MB533	0.00	2.00	MC3001	0.00	0.00	0.00	33	12	40	1.00	16
MB533	2.00	10.00	MC3002	0.00	0.00	0.00	44	5	51	0.90	9
MB533	10.00	18.00	MC3003	0.00	0.00	0.00	33	4	53	0.90	12
MB533	18.00	26.00	MC3004	0.00	0.00	0.00	19	0	33	1.00	5
MB533	26.00	34.00	MC3005	0.00	0.00	0.00	25	0	37	0.90	7
MB533	34.00	42.00	MC3006	0.00	0.00	0.00	31	0	39	0.90	7
MB533	42.00	51.00	MC3007	0.00	0.00	0.00	51	0	40	1.00	8
MB534	0.00	2.00	MC3008	0.00	0.00	0.00	20	7	17	1.00	10
MB534	2.00	10.00	MC3009	0.00	0.00	0.00	29	3	35	1.10	13
MB534	10.00	18.00	MC3010	0.00	0.00	0.00	33	6	47	1.00	9
MB534	18.00	27.00	MC3011	0.00	0.00	0.00	19	2	24	1.00	5
MB534	27.00	36.00	MC3012	0.00	0.00	0.00	16	9	30	1.10	8
MB534	36.00	45.00	MC3013	0.00	0.00	0.00	28	2	40	1.00	7
MB535	0.00	2.00	MC3014	0.00	0.00	0.00	17	15	14	1.00	8
MB535	2.00	10.00	MC3015	0.00	0.00	0.00	27	11	41	1.10	43
MB535	10.00	18.00	MC3016	0.00	0.00	0.00	21	11	47	1.00	6
MB535	18.00	25.00	MC3017	0.00	0.00	0.00	14	12	30	1.10	9
MB535	25.00	32.00	MC3018	0.00	0.00	0.00	27	14	43	1.10	10
MB535	32.00	39.00	MC3019	0.00	0.00	0.00	33	9	41	0.90	9
MB536	0.00	2.00	MC3020	0.00	0.00	0.00	28	22	30	0.80	24
MB536	2.00	10.00	MC3021	0.00	0.00	0.00	30	12	38	0.80	15
MB536	10.00	18.00	MC3022	0.00	0.00	0.00	28	6	56	0.70	5

MT BUNDEY ASSAY RESULTS - RELINQUISHMENT AREA

HOLE	FROM	TO	SAMPLE No	AU1 (ppm)	AU2 (ppm)	AU(AV) (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AG (ppm)	AS (ppm)
MB536	18.00	26.00	MC3023	0.00	0.00	0.00	20	2	25	0.70	6
MB536	26.00	34.00	MC3024	0.00	0.00	0.00	24	2	40	0.80	5
MB536	34.00	42.00	MC3025	0.00	0.00	0.00	32	7	44	0.80	8
MB536	42.00	51.00	MC3026	0.00	0.00	0.00	45	3	48	0.90	10
MB537	0.00	2.00	MC3027	0.00	0.00	0.00	18	10	22	0.90	13
MB537	2.00	10.00	MC3028	0.00	0.00	0.00	28	5	50	0.80	11
MB537	10.00	18.00	MC3029	0.00	0.00	0.00	193	11	204	0.90	6
MB537	18.00	26.00	MC3030	0.00	0.00	0.00	49	9	77	0.90	6
MB537	26.00	34.00	MC3031	0.00	0.00	0.00	43	6	67	0.80	5
MB537	34.00	42.00	MC3032	0.00	0.00	0.00	24	0	40	0.80	5
MB537	42.00	51.00	MC3033	0.00	0.00	0.00	26	0	37	0.80	3
MB538	0.00	2.00	MC3034	0.00	0.00	0.00	23	10	29	0.90	6
MB538	2.00	10.00	MC3035	0.00	0.00	0.00	36	7	48	0.90	9
MB538	10.00	18.00	MC3036	0.00	0.00	0.00	124	3	70	0.80	5
MB538	18.00	27.00	MC3037	0.00	0.00	0.00	67	0	56	0.70	5
MB538	27.00	36.00	MC3038	0.00	0.00	0.00	54	0	58	0.60	7
MB539	0.00	2.00	MC3039	0.00	0.00	0.00	27	10	24	0.60	16
MB539	2.00	10.00	MC3040	0.00	0.00	0.00	39	14	57	0.70	15
MB539	10.00	18.00	MC3041	0.00	0.00	0.00	41	2	88	0.60	6
MB539	18.00	25.00	MC3042	0.00	0.00	0.00	49	3	69	0.70	10
MB539	25.00	32.00	MC3043	0.00	0.00	0.00	38	15	63	0.70	13
MB539	32.00	39.00	MC3044	0.00	0.00	0.00	65	35	82	0.90	52
MB540	0.00	2.00	MC3045	0.00	0.00	0.00	32	30	35	0.70	35
MB540	2.00	10.00	MC3046	0.00	0.00	0.00	30	18	48	0.70	20
MB540	10.00	18.00	MC3047	0.00	0.00	0.00	17	8	64	0.70	17
MB540	18.00	26.00	MC3048	0.00	0.00	0.00	38	23	90	0.80	28
MB540	26.00	33.00	MC3049	0.00	0.00	0.00	37	21	73	0.70	28
MB541	0.00	2.00	MC3050	0.00	0.00	0.00	23	25	27	0.80	22
MB541	2.00	10.00	MC3051	0.00	0.00	0.00	37	23	60	0.90	19
MB541	10.00	20.00	MC3052	0.00	0.00	0.00	9	5	64	0.70	10
MB541	20.00	30.00	MC3053	0.00	0.00	0.00	41	6	62	0.60	15

MT BUNDEY ASSAY RESULTS - RELINQUISHMENT AREA

HOLE	FROM	TO	SAMPLE No	AU1 (ppm)	AU2 (ppm)	AU(AV) (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AG (ppm)	AS (ppm)
MB541	30.00	39.00	MC3054	0.00	0.00	0.00	35	10	56	0.60	12
MB542	0.00	2.00	MC3055	0.00	0.00	0.00	27	13	30	0.70	23
MB542	2.00	10.00	MC3056	0.00	0.00	0.00	35	9	54	0.60	10
MB542	10.00	18.00	MC3057	0.00	0.00	0.00	7	2	43	0.70	4
MB542	18.00	26.00	MC3058	0.00	0.00	0.00	10	2	42	0.60	3
MB542	26.00	34.00	MC3059	0.00	0.00	0.00	19	0	45	0.70	3
MB542	34.00	42.00	MC3060	0.00	0.00	0.00	33	0	46	0.60	6
MB542	42.00	51.00	MC3061	0.00	0.00	0.00	20	2	43	0.60	4
MB543	0.00	2.00	MC3062	0.00	0.00	0.00	29	13	23	0.70	23
MB543	2.00	10.00	MC3063	0.00	0.00	0.00	36	14	47	0.60	12
MB543	10.00	18.00	MC3064	0.00	0.00	0.00	34	0	53	0.50	5
MB543	18.00	26.00	MC3065	0.00	0.00	0.00	35	0	47	0.60	3
MB543	26.00	34.00	MC3066	0.00	0.00	0.00	26	2	47	0.70	4
MB543	34.00	42.00	MC3067	0.00	0.00	0.00	27	0	37	0.60	3
MB543	42.00	50.00	MC3068	0.00	0.00	0.00	38	0	41	0.60	7
MB544	0.00	2.00	MC3069	0.00	0.00	0.00	31	14	26	0.50	20
MB544	2.00	10.00	MC3070	0.00	0.00	0.00	26	5	39	0.60	6
MB544	10.00	18.00	MC3071	0.00	0.00	0.00	42	0	34	0.60	2
MB544	18.00	26.00	MC3072	0.00	0.00	0.00	79	2	94	0.00	4
MB544	26.00	34.00	MC3073	0.00	0.00	0.00	40	4	46	0.50	3
MB544	34.00	42.00	MC3074	0.00	0.00	0.00	43	0	41	0.00	3
MB544	42.00	51.00	MC3075	0.00	0.00	0.00	49	0	57	0.00	6
MB545	0.00	2.00	MC3076	0.00	0.00	0.00	32	10	26	0.00	29
MB545	2.00	10.00	MC3077	0.00	0.00	0.00	33	3	41	0.00	9
MB545	10.00	18.00	MC3078	0.00	0.00	0.00	49	2	37	0.00	3
MB545	18.00	26.00	MC3079	0.00	0.00	0.00	37	0	66	0.00	6
MB545	26.00	34.00	MC3080	0.00	0.00	0.00	29	2	56	0.50	6
MB545	34.00	42.00	MC3081	0.00	0.00	0.00	20	0	46	0.50	5
MB545	42.00	51.00	MC3082	0.00	0.00	0.00	39	0	44	0.60	3
MB546	0.00	2.00	MC3083	0.00	0.00	0.00	28	17	26	0.00	51
MB546	2.00	10.00	MC3084	0.00	0.00	0.00	47	7	55	0.00	6

MT BUNDEY ASSAY RESULTS - RELINQUISHMENT AREA

HOLE	FROM	TO	SAMPLE No	AU1 (ppm)	AU2 (ppm)	AU(AV) (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AG (ppm)	AS (ppm)
MB551	26.00	35.00	MC3116	0.00	0.00	0.00	36	14	46	0.00	12
MB552	0.00	2.00	MC3117	0.00	0.00	0.00	25	34	38	0.00	24
MB552	2.00	10.00	MC3118	0.00	0.00	0.00	20	18	40	0.00	16
MB552	10.00	18.00	MC3119	0.00	0.00	0.00	29	0	33	0.00	19
MB552	18.00	26.00	MC3120	0.02	0.00	0.02	24	6	31	0.00	15
MB552	26.00	34.00	MC3121	0.00	0.00	0.00	28	7	32	0.00	12
MB552	34.00	42.00	MC3122	0.00	0.00	0.00	21	8	35	0.00	14
MB552	42.00	51.00	MC3123	0.00	0.00	0.00	19	8	22	0.00	12
MB553	0.00	2.00	MC3124	0.00	0.00	0.00	24	30	27	0.00	29
MB553	2.00	10.00	MC3125	0.02	0.00	0.02	27	33	55	0.00	20
MB553	10.00	18.00	MC3126	0.00	0.00	0.00	24	27	43	0.00	18
MB553	18.00	26.00	MC3127	0.00	0.00	0.00	24	18	33	0.00	13
MB553	26.00	34.00	MC3128	0.02	0.00	0.02	33	9	36	0.00	17
MB553	34.00	41.00	MC3129	0.02	0.00	0.02	130	193	533	0.00	35
MB553	41.00	48.00	MC3130	0.00	0.00	0.00	27	19	44	0.00	15
MB554	0.00	2.00	MC3131	0.00	0.00	0.00	20	31	28	0.00	22
MB554	2.00	10.00	MC3132	0.00	0.00	0.00	16	37	32	0.00	15
MB554	10.00	18.00	MC3133	0.02	0.00	0.02	67	81	206	0.70	32
MB554	18.00	26.00	MC3134	0.00	0.00	0.00	43	37	84	0.50	18
MB554	26.00	34.00	MC3135	0.02	0.00	0.02	38	26	56	0.00	17
MB554	34.00	42.00	MC3136	0.00	0.00	0.00	21	20	41	0.00	8
MB554	42.00	51.00	MC3137	0.00	0.00	0.00	36	22	45	0.00	14
MB555	0.00	2.00	MC3138	0.00	0.00	0.00	23	36	19	0.00	24
MB555	2.00	10.00	MC3139	0.00	0.00	0.00	31	16	27	0.00	14
MB555	10.00	18.00	MC3140	0.02	0.00	0.02	27	6	24	0.00	8
MB555	18.00	26.00	MC3141	0.00	0.00	0.00	24	36	34	0.00	10
MB555	26.00	34.00	MC3142	0.00	0.00	0.00	31	21	47	0.00	13
MB555	34.00	42.00	MC3143	0.00	0.00	0.00	27	0	17	0.00	20
MB555	42.00	51.00	MC3144	0.00	0.00	0.00	20	8	22	0.00	28
MB556	0.00	2.00	MC3145	0.00	0.00	0.00	19	28	17	0.00	22
MB556	2.00	10.00	MC3146	0.02	0.00	0.02	23	9	23	0.00	14

MT BUNDEY ASSAY RESULTS - RELINQUISHMENT AREA

HOLE	FROM	TO	SAMPLE No	AU1 (ppm)	AU2 (ppm)	AU(AV) (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AG (ppm)	AS (ppm)
MB556	10.00	18.00	MC3147	0.00	0.00	0.00	20	10	22	0.00	14
MB556	18.00	26.00	MC3148	0.00	0.00	0.00	15	5	15	0.00	20
MB556	26.00	35.00	MC3149	0.00	0.00	0.00	43	10	29	0.00	27
MB556	35.00	44.00	MC3150	0.02	0.00	0.02	29	0	78	0.00	16
MB557	0.00	2.00	MC3151	0.00	0.00	0.00	37	25	26	0.00	23
MB557	2.00	10.00	MC3152	0.00	0.00	0.00	37	16	27	0.00	18
MB557	10.00	18.00	MC3153	0.02	0.00	0.02	47	9	34	0.00	32
MB557	18.00	27.00	MC3154	0.02	0.00	0.02	29	8	23	0.00	8
MB557	27.00	36.00	MC3155	0.00	0.00	0.00	82	5	42	0.00	4
MB558	0.00	3.00	MC3156	0.00	0.00	0.00	22	29	20	0.00	15
MB558	3.00	12.00	MC3157	0.02	0.00	0.02	27	10	29	0.00	14
MB558	12.00	21.00	MC3158	0.03	0.00	0.03	79	0	43	0.00	82
MB558	21.00	30.00	MC3159	0.03	0.04	0.04	250	35	157	0.00	260
MB559	0.00	2.00	MC3160	0.00	0.00	0.00	22	29	26	0.00	24
MB559	2.00	10.00	MC3161	0.00	0.00	0.00	21	11	31	0.00	19
MB559	10.00	18.00	MC3162	0.02	0.00	0.02	75	5	60	0.00	8
MB559	18.00	26.00	MC3163	0.03	0.00	0.03	112	50	99	0.00	27
MB559	26.00	33.00	MC3164	0.02	0.00	0.02	72	18	59	0.00	13
MB560	0.00	2.00	MC3165	0.03	0.00	0.03	24	44	15	0.00	51
MB560	2.00	10.00	MC3166	0.00	0.00	0.00	105	31	119	0.00	15
MB560	10.00	18.00	MC3167	0.01	0.00	0.01	262	29	98	0.00	120
MB560	18.00	26.00	MC3168	0.01	0.00	0.01	114	12	70	0.00	22
MB560	26.00	34.00	MC3169	0.00	0.00	0.00	87	25	89	0.00	20
MB560	34.00	42.00	MC3170	0.03	0.00	0.03	127	66	148	0.00	32
MB561	0.00	2.00	MC3171	0.00	0.00	0.00	34	33	14	0.00	28
MB561	2.00	11.00	MC3172	0.02	0.00	0.02	157	29	73	0.00	63
MB561	11.00	20.00	MC3173	0.00	0.00	0.00	119	42	70	0.00	70
MB561	20.00	29.00	MC3174	0.00	0.00	0.00	51	29	57	0.00	23
MB561	29.00	38.00	MC3175	0.00	0.00	0.00	65	27	66	0.00	29
MB561	38.00	47.00	MC3176	0.01	0.00	0.01	85	51	94	0.00	40
MB562	0.00	2.00	MC3177	0.00	0.00	0.00	35	35	18	0.00	71

MT BUNDEY ASSAY RESULTS - RELINQUISHMENT AREA

HOLE	FROM	TO	SAMPLE No	AU1 (ppm)	AU2 (ppm)	AU(AV) (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AG (ppm)	AS (ppm)
MB562	2.00	10.00	MC3178	0.00	0.00	0.00	79	37	64	0.00	28
MB562	10.00	18.00	MC3179	0.01	0.00	0.01	70	19	56	0.00	20
MB562	18.00	26.00	MC3180	0.00	0.00	0.00	53	30	48	0.00	28
MB562	26.00	34.00	MC3181	0.01	0.00	0.01	45	19	43	0.00	15
MB562	34.00	42.00	MC3182	0.00	0.00	0.00	39	16	30	0.00	17
MB562	42.00	51.00	MC3183	0.01	0.00	0.01	37	23	38	0.00	21
MB563	0.00	2.00	MC3184	0.00	0.00	0.00	35	24	21	0.00	60
MB563	2.00	10.00	MC3185	0.00	0.00	0.00	33	32	54	0.00	22
MB563	10.00	18.00	MC3186	0.00	0.00	0.00	22	38	72	0.00	17
MB563	18.00	26.00	MC3187	0.00	0.00	0.00	24	22	47	0.00	14
MB563	26.00	34.00	MC3188	0.00	0.00	0.00	14	33	64	0.00	6
MB563	34.00	42.00	MC3189	0.00	0.00	0.00	18	24	43	0.00	18
MB563	42.00	51.00	MC3190	0.00	0.00	0.00	20	13	48	0.00	13
MB564	0.00	2.00	MC3191	0.00	0.00	0.00	30	20	20	0.00	37
MB564	2.00	10.00	MC3192	0.00	0.00	0.00	24	24	41	0.00	25
MB564	10.00	18.00	MC3193	0.00	0.00	0.00	16	19	35	0.00	9
MB564	18.00	26.00	MC3194	0.00	0.00	0.00	23	33	34	0.00	14
MB564	26.00	34.00	MC3195	0.00	0.00	0.00	23	13	45	0.00	9
MB564	34.00	42.00	MC3196	0.00	0.00	0.00	16	15	37	0.00	9
MB564	42.00	51.00	MC3197	0.00	0.00	0.00	15	16	46	0.00	6