EXPLOREMIN PTY. LTD.

Exploration Management
Geological Consultants & Contractors

P.O. Box 93, Earlville 4870
7 Holly Street, Mooroobool, Cairns
Telephone: (070) 546370
A/Hours : (070) 544139

REPORT EPL-88/22

Results of Drilling at the Zapopan Mine, Northern Territory, April-August,1988.

by

J. Goulevitch and D.J. Holden

Appendix 3

Logs of Diamond Drill Holes

OPEN FILE

CR88/413D

1:100,000 - Batchelor, 5171
1:250,000 - Pine Creek, SD52/8

August, 1988

Appendix 3

Logs of Diamond Drill Holes
ZZAP/18 - 23

EXPLOREMIN PTY.LTD.

Diamond Drill Log: ZZAP/18

SUMMARY

CLIENT: ZAPOPAN N.L.

PROSPECT: ZAPOPAN

PROPOSED CO-ORDS E: 10112.5 N: 9921.50R.L.:98.0
LAID OUT CO-ORDS E: 10112.8 N: 9921.50R.L.:98.0
ACTUAL CO-ORDS E: 10112.83 N: 9921.58R.L.:98.16

PLANNED DEPTH (M): 175
TARGET DEPTH (M): 50-175
ACTUAL DEPTH (M): 175.10

BEARING ° Grid: 302 ° Mag:
INCLINATION -°: 65

PROPOSED BY: J.G.
PLANNED BY: J.G.
LAID OUT BY: MACJAP
SURVEYED BY:

DRILLED BY: ROCKDRILL RIG 8

DATE COMMENCED: 88/04/29
DATE COMPLETED: 88/05/08

PRE-COLLAR (M): 50
HQ (M): 125.1
NQ (M):
BQ (M):
OTHER (M):
WEDGES PLACED:

COMMENTS/ASSAY SUMMARY:

84-88m (4m) 10.6 g/t Au

DOWN HOLE SURVEYS

DEPTH (m): 70	AZIMUTH (mag. °): 309.5	INCLN (°): 64
DEPTH (m): 120	AZIMUTH (mag. °): 309.5	INCLN (°): 64
DEPTH (m): 170	AZIMUTH (mag. °): 313.5	INCLN (°): 63
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):

ANALABS

A division of MacDonald Hamilton & Co. Pty. Ltd. (Inc NSW)

(089) 84 3849

Cnr Coonawarra & Mataram Rds, Winnellie

Fax: (089) 84 3984

ANALYTICAL REPORT No. 247 0.14 02409

THIS REPORT MUST BE READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

INVOICE TO:

ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

ORDER No.	PROJECT

DATE RECEIVED	RESULTS REQUIRED
22/04/88	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES	TOTAL No. OF SAMPLES
2	15/08/88	1	25

SAMPLE NUMBERS	SAMPLE DESCRIPTION	ELEMENT/METHOD
18 00-02/48-50/02-02	PC Prep: 033	Au,Au(1),Au(2)/313
18 00-02/48-50/02-02	PC	As/401

REMARKS

Z-ZAP 18

PRE-COLLAR

RESULTS TO

ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

RESULTS TO

RESULTS TO

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02409	15/08/88		1 OF 2

TUBE No.	SAMPLE No.	As	Au	Au(1)	Au(2)				
	ZAP18 00-02	80	0.045	–	–				
	ZAP18 02-04	70	0.018	–	–				
3	ZAP18 04-06	45	0.276	–	–				
	ZAP18 06-08	60	0.008	–	–				
5	ZAP18 08-10	35	0.005	–	–				
	ZAP18 10-12	95	0.011	–	–				
	ZAP18 12-14	620	1.359	1.208	–				
8	ZAP18 14-16	250	0.347	–	–				
	ZAP18 16-18	55	0.209	–	–				
0	ZAP18 18-20	35	0.024	–	–				
	ZAP18 20-22	65	0.054	–	–				
	ZAP18 22-24	35	0.017	–	–				
3	ZAP18 24-26	40	0.125	–	–				
	ZAP18 26-28	35	0.016	–	–				
5	ZAP18 28-30	40	0.008	–	–				
	ZAP18 30-32	25	0.008	0.012	–				
7	ZAP18 32-34	20	0.006	–	–				
	ZAP18 34-36	30	0.010	–	–				
	ZAP18 36-38	95	0.061	–	–				
1	ZAP18 38-40	65	0.031	–	–				
	ZAP18 40-42	40	0.014	–	–				
	ZAP18 42-44	75	0.088	–	–				
	ZAP18 44-46	65	0.024	–	–				
	ZAP18 46-48	50	0.029	0.020	–				
	ZAP18 48-50	55	0.065	–	–				

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02409	15/08/88		2 OF 2

TUBE No.	SAMPLE No.		As	Au	Au(1)	Au(2)				
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										
21										
22	DETECTION		2	0.005	0.005	0.005				
23	UNITS		PPM	PPM	PPM	PPM				
24	METHOD		401	313	313	313				
25										

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

ANALABS

A division of MacDonald Hamilton & Co. Pty. Ltd. (Inc NSW)

(089) 84 3949 | Cnr Loonamarra & Mataree Rds, Winnellie | Fax: (089) 84 3984

ANALYTICAL REPORT No. 247.0.14.02499

THIS REPORT MUST BE READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

INVOICE TO:

ZAPOPAN NL
PO BOX 4045
DARWIN NT 0801

ORDER No.	PROJECT

DATE RECEIVED	RESULTS REQUIRED
27/05/98	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES	TOTAL No. OF SAMPLES
2	10/06/98	1	178

SAMPLE NUMBERS	SAMPLE DESCRIPTION	ELEMENT/METHOD
Various	RC Fresh 833	Au,Au(1),Au(2)/313
Various	RC	As/114
Various	PC Fresh 833	Au,Au(1),Au(2)/313
Various	PC	As/114
Various	RC	As/421

RESULTS TO: MR ROD JOHNSON
ZAPOPAN NL
PO BOX 4045
DARWIN NT 0801

RESULTS TO:

RESULTS TO:

REMARKS

ZRC/ 7
2
3
4
8

2-ZAP/18

AUTHORISED OFFICER

ANALABS

ANALYTICAL REPORT

SAMPLE PREFIX					PAGE
	247.0.14.02499	10/08/88		OF 6 7	

TUBE No.	SAMPLE No.	As							
1	6519	34000	>100	1.219	1.615	1.230		ZKC8	76-77m
2	6520	3050	>100	0.127	–	–			77-78m
3	6521	200	>100	0.027	–	–			78-79m
4	6522	300	>100	0.052	–	–			79-80m
5	6523	–	90	0.017	–	–		Z-ZAP 18	49.85-52m
6	6524	1500	>100	0.016	–	–			52-54m
7	6525	–	80	0.020	–	–			54-56m
8	6526	360	>100	0.008	–	–			56-58m
9	6527	–	52	0.221	–	–			58-60m
10	6528	–	72	0.075	–	–			60-62m
11	6529	120	>100	0.018	–	–			62-64m
12	6530	–	50	0.016	–	–			64-66m
13	6531	–	33	0.059	–	–			66-68m
14	6532	–	28	0.011	–	–			68-70m
15	6533	4650	>100	0.083	–	–			70-72m
16	6534	300	>100	0.284	–	–			72-74m
17	6535	2900	>100	0.102	–	–			74-76m
18	6536	–	100	0.061	–	–			76-78m
19	6537	–	47	0.459	–	–			78-80m
20	6538	–	14	0.021	–	0.020			80-82m
21	6539	–	33	0.111	–	–			82-84m
22	6540	64000	>100	29.740	28.020	22.620			84.4-85.2m
23	6541	400	>100	0.215	–	–			85.2-86m
24	6542	110	>100	8.710	7.740	6.400			86-88m
25	6543	130	>100	0.064	–	–			88-90m

Results in ppm unless otherwise specified.
T = element present, but concentration too low.
X = element concentration is below detection.
'–' element not determined.

ANALABS

SAMPLE PREFIX

PAGE

			247.0.14.02499		10/08/88			OF 7 7
TUBE No.	SAMPLE No.	As	As				Note	depth
1	6544	–	23	0.038	–	–	2-3AP18	90-92m
2	6545	–	32	0.008	–	–		92-94m
3	6546	230	>100	0.027	–	–		94-96m
4	6547	–	20	0.008	–	–		96-98m
5	6548	–	58	0.027	–	–		98-100m
6	6549	–	39	<0.005	–	–		100-102m
7	6550	–	70	0.128	–	–		102-104m
8	6551	–	32	0.007	–	–		104-106m
9	6552	–	34	0.020	–	–		106-108m
10	6553	110	>100	0.021	–	–		108-110m
11	6554	–	35	0.011	–	–		110-112m
12	6555	–	40	<0.005	–	–		112-114m
13	6556	–	36	0.005	–	–		114-115.5m
14	6557	170	>100	0.054	–	–		115.5-116m
15	6558	–	49	0.019	–	–		116-118m
16	6559	–	68	0.005	–	–		118-120m
17	6560	–	SNR	SNR	–	–		–
18	6561	–	25	0.007	–	–		120-122m
19	6562	–	25	0.017	–	–		122-124m
20	6563	–	21	0.005	–	–		124-126m
21	6564	–	3	<0.005	–	<0.005		126-128m
22	6565	–	11	0.005	–	–		128-130m
23	DETECTION	100	1	0.005	0.005	0.005		
24	UNITS	PPM	PPM	PPM	PPM	PPM		
25	METHOD	101	114	313	313	313		

Results in ppm unless otherwise specified
T = element present, but concentration
X = element concentration is below
– = element not determined

ANALABS

A division of Macdonald Hamilton & Co. Pty. Ltd.

Phone(09) 458 7999 — 52 Murray Road, Welshpool, W.A. 6101 — Telex AA92860

RECEIVED 7 JUN 1988

ANALYTICAL REPORT No. 247.0.14.02313

THIS REPORT MUST READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

ORDER No. | PROJECT

ZAPOPAN NL
PO BOX 4045

DARWIN NT 5791

DATE RECEIVED	RESULTS REQUIRED
30/05/88	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES	TOTAL No. OF SAMPLES
2	21/06/88	1	23

ATE IF PLES		PRE-TREATMENT								ANALYSIS			
ER OW	SAMPLE NUMBERS	DRY	CRUSH	SPLIT	PUL-VERISE	SIEVE	OTHER SEE REMARKS	NONE		REFER TO ANALYSIS SECTION	PREPARATION	METHOD
	6566/88	DC	Prep: 833							Au,Au(1),Au(2)/313		
	6566/88	DC								As/401		

RESULTS TO

MR ROD JOHNSON
ZAPOPAN NL
PO BOX 4045

DARWIN NT 5791

RESULTS TO

REMARKS

Z-ZAP 18

STATE OF SAMPLES		ANALYSIS — PREPARATION				ANALYSIS — METHOD	
ole core	WC	perchloric acid	A1	cold acid	CA	atomic absorbtion	AAS
lit core	SC	hydrochloric acid	A2	specific sulphide	SS	x-ray fluorescence	XRF
tting	CU	nitric acid	A3	other mixed acids	Ma	spectrophotometry	SPEC
k	Ro	aqua regia	A4	alkaline attack	AA	colorimetry	COL
l	SO	nitric-perchloric	A5	volatilization	VO	chromatography	CHR
ip	PU	HF mixture	A6	ignition	IG	titration	TTN
ter	WA	HF under pressure	A7	pressed powder (XRF)	PP	other chemical means	CHEM
sue	TI	fusion	A8	glass fusion (XRF)	GF	miscellaneous	MISC
eam sediment	SS					fluorescence	FLUOR
avy mineral	HM					inductively coupled plasma	ICP

AUTHORISED OFFICER

ANALABS

A Division of Metallurgical Laboratories Limited

ANALYTICAL DATA

SAMPLE PREFIX | REPORT NUMBER | REPORT DATE | CLIENT ORDER No. | PAGE 1 OF 2

247.0.14.02513 | 21/06/88

RECEIVED 21 JUN 1988

TUBE No.	SAMPLE No.	As	Au	Au(1)	Au(2)		Hole No.	Depth		
1	6566	4	0.009	--	--		ZZAP 18	130-132		
2	6567	<2	0.015	--	--			132-134		
3	6568	4	0.012	--	--			134-136		
4	6569	10	0.008	--	--			136-138		
5	6570	7	0.007	--	--			138-140		
6	6571	15	0.013	--	--			140-142		
7	6572	10	0.018	--	--			142-144		
8	6573	10	0.015	--	--			144-146		
9	6574	15	0.023	--	--			146-148		
10	6575	60	0.009	--	--			148-150		
11	6576	8	0.021	--	--			150-152		
12	6577	10	0.011	--	--			152-154		
13	6578	55	0.196	--	--			154-156		
14	6579	240	0.069	--	--			156-158		
15	6580	35	<0.005	--	--			158-160		
16	6581	15	0.011	--	--			160-162		
17	6582	<2	0.008	--	--			162-164		
18	6583	4	0.006	--	--			164-166		
19	6584	5	0.041	--	--			166-168		
20	6585	45	0.018	--	0.008			168-170		
21	6586	20	0.010	--	--			170-172		
22	6587	4	0.010	--	--			172-174		
23	6588	10	0.011	--	0.009			174-175.10		
24										
25										

Results in ppm unless otherwise stated.
T = element present but not determined
K = element concentration too low
— = element not determined

AUTHORISED SIGNATURE

ANALABS

A Division of Macdonald Hamilton & Co. (N.) Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02513	21/06/88		OF 2

TUBE No.	SAMPLE No.	As.	Au	Au(1)	Au(2)					
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										
21										
22	DETECTION	2	0.005	0.005	0.005					
23	UNITS	PPM	PPM	PPM	PPM					
24	METHOD	401	313	313	313					
25										

Results in ppm unless otherwise specified.
T = element present but concentration too low to quantify.
X = element concentration is below detection limit.
— = element not determined.

RECEIVED

CORE RECOVERY LOG

PROSPECT/MINE: ZAPOPAN HOLE NO: Z-ZAP-18

Logged By: ..... Sheet: ...../.....

Depth (m) From	Depth (m) To	Interval (m)	Recovery (m)	Depth (m) From	Depth (m) To	Interval (m)	Recovery (m)
49.85	50.70	0.85	0.84	130.90	132.70	1.80	1.78
50.70	53.10	2.40	2.38	132.70	134.40	1.70	1.66
53.10	54.42	1.32	1.30	134.40	136.70	2.30	2.26
54.42	55.78	1.36	1.25	136.70	139.80	3.10	2.90
55.78	57.40	0.60	0.53	139.60	142.70	2.90	2.86
57.40	57.55	0.15	0.08	142.70	144.70	2.00	2.00
57.55	57.70	0.15	0.14	144.70	146.70	2.00	1.97
57.70	58.30	0.60	0.61	146.70	148.80	2.10	1.99
58.30	58.98	0.68	0.60	148.80	150.90	2.10	2.06
58.98	59.70	0.72	0.67	150.90	152.70	1.80	1.55
59.70	62.02	0.89	0.76	152.70	155.70	3.00	2.86
62.02	62.50	0.48	0.34	155.70	158.70	3.00	2.92
62.50	63.70	1.20	0.94	158.70	160.20	1.50	1.38
63.70	64.20	0.50	0.49	160.20	160.60	0.40	0.39
64.20	65.0	0.80	0.68	160.60	161.50	0.90	0.83
65.0	65.50	0.50	0.34	161.50	162.45	0.95	0.60
65.50	65.90	0.40	0.40	162.45	164.25	1.80	1.77
65.90	66.70	0.80	0.66	164.25	166.50	2.25	2.24
66.70	68.20	0.50	0.44	166.50	168.0	1.50	1.25
68.20	69.10	0.90	0.90	168.0	170.90	2.90	2.63
69.10	69.60	0.50	0.45	170.90	174.0	3.10	3.10
69.60	70.00	0.40	0.41	174.0	175.10	1.10	0.97
70.0	71.20	1.20	1.10				
71.20	72.40	1.20	1.14				
72.40	74.20	1.80	1.63				
74.20	76.10	1.90	1.73				
76.10	78.60	2.50	2.11				
78.60	80.0	1.40	1.28				
80.0	80.70	0.70	0.65				
80.70	82.70	2.00	1.90				
82.70	84.40	1.70	1.64				
84.40	86.70	2.30	2.20				
86.70	89.70	3.00	2.97				
89.70	92.70	3.00	2.97				
92.70	95.30	2.80	2.58				
95.30	97.70	2.40	2.33				
97.70	99.0	1.30	1.30				
99.0	100.10	1.10	1.06				
100.10	102.90	2.80	2.81				
102.90	104.70	1.80	1.69				
104.70	107.70	3.00	2.96				
107.70	109.50	1.86	1.57				
109.50	110.70	0.90	0.90				
110.70	113.50	2.80	2.75				
113.50	116.50	3.00	2.92				
116.50	119.60	2.10	2.07				
119.60	122.60	3.00	2.50				
122.60	124.70	2.10	1.95				
124.70	127.80	3.10	3.02				
127.80	130.90	3.10	2.70				

SHEET 1 of 2

LOGGED BY: D.S.H

CORELOGGING DATA

AREA / LEASE ..... PROSPECT ZAPOPAN ..... HOLE No Z-ZAP 18

DIST. FROM COLLAR	BREAKS / METRE	RECOVERY	R.Q.D.	SPEC. GRAVITY	MAG. SUSCEPTILITY	ANGLE TO LONG CORE AXIS: So	ANGLE TO LONG CORE AXIS: S1	STRUCTURES	LITHOLOGY	ESTIMATED MINERAL PERCENTAGES: milky qtz.	sugary qtz.	f. gr. qtz.	muso.	biot.	garnet	chl.	act.	cbl.	tourm.	py.	po.	hem.	base metal su.	aspy.	K-Spar	SAMPLE No.	ASSAY RSLTS: Au	ASSAY RSLTS: As	GEOLOGICAL COMMENTS (mainly texture)
70														tr														
71														tr												0.085		
72																												Pink ? alt. Slist. within Qtz breccia.
73										60														5		0.42%		
74										60														6				
75										10										tr						0.102		
76												1/2		tr		10				1								
77												1		tr		5				2						0.061		
78										7		1/2				15				1						0.059		
79												1				5		tr		tr								
80																		tr		tr						0.021		
81																				1								
82										3						1	1	2		2						0.111		
83										6		1/2				5	2			1								
84														tr						tr						28.0		Hem IB.i.f
85								B.i.f				40				20	10			20			1	4				
86												10				5	1		tr	4				1		0.21		
87												5				5				2								
88												2			1	2				1						4.1		

LITHOLOGICAL LEGEND:

Sdm	Mudstone	tAn	Anhalone	Su	Massive Sulphide		Veining > 30%
cSdm	Carbonaceous Mudstone	Sct	Chert	Ss	Gossan		Tourmaline > 5%
Sst	Siltstone	Sif	B.I.F.	Mh	Hornfels		Arsenopyrite > 0.5%
Sst	Sandstone	cbSif	B.I.F. Carbonate > 15%	MBd	Metadolerite		Base metal sulphides > 5%
Sgw	Greywacke	chSif	B.I.F. Chlorite > 40%	Af	Felsite	Py	Pyrite > 5%
Sco	Conglomerate	actSif	B.I.F. Actinolite > 40%	Agr	Granite	Po	Iron sulphides > 5%
Sco	Carbonate	micSif	Mica > 30% (commonly includes garnets)		Brecciation/Rock		

SHEET 2 of 2

LOGGED BY: D.J.H.

CORELOGGING DATA

AREA / LEASE ..... PROSPECT: ZAPOPAN ..... HOLE No: 2-ZAP 18

DIST. FROM COLLAR	BREAKS / METRE	RECOVERY	R.Q.D.	SPEC. GRAVITY	MAG. SUSCEPTIBILITY	ANGLE TO LONG CORE AXIS: So	ANGLE TO LONG CORE AXIS: Si	STRUCTURES	LITHOLOGY	ESTIMATED MINERAL PERCENTAGES: milky qtz.	sugary qtz.	f. gr. qtz.	muso.	biot.	garnet	chl.	act.	cbl.	tourm.	py.	po.	hem.	base metal su.	sepy.	SAMPLE No.	ASSAY RSLTS: Au	ASSAY RSLTS: As	GEOLOGICAL COMMENTS (mainly texture)
88																											
89								b.i.f.				10		tr		14	1			5						0.06g	
90												8			2	5				2				4%		0.08	
91								b.i.f.						tr	1/2					tr							
92												10			4	2				2				tr		0.008	
93												20			1					5							
94										3		2			1	10				4					tr	0.008	
95												2			tr	tr				1/2							
96								Qtz.		10		5								tr						0.027	
97										8					18				1	1/2					tr	0.008	
98												10							1						2	0.008	
99												30							tr	tr					2	0.022	?Shear zone
100										6		8			tr											0.008	
101															1			3		1						0.008	
102								b.i.f.				17			2		4			2				tr			
103												15			2	tr				1/2						0.128	
104								b.i.f.				40			3	30	8			6	2		tr			0.1	?Basal b.i.f.
105												1/2				5		1		tr						0.007	
106												tr						1/2		tr							

LITHOLOGICAL LEGEND:

- Sdm — Mudstone
- cSdm — Carbonaceous Mudstone
- Slt — Siltstone
- Snd — Sandstone
- Sgw — Greywacke
- Sgg — Conglomerate
- Sco — Carbonate
- IAv — Andesite
- Sch — Chert
- BIF — B.I.F.
- caBIF — B.I.F. Carbonate > 10 %
- chBIF — B.I.F. Chlorite > 40 %
- actBIF — B.I.F. Actinolite > 40 %
- musBIF — Mbas. > 30 % (comments include garnets)
- Su — Massive Sulphide
- Qz — Quartz
- Hn — Hornfels
- MBd — Metadolerite
- Af — Felsite
- Agr — Granite
- Brecciated rock
- Veining > 30 %
- Tourmaline > 5 %
- Arsenopyrite > 0.5 %
- Base metal sulphides > 5 %
- py — Pyrite > 5 %
- po — Iron sulphides > 2 %

PERCUSSION DRILL LOG

PROSPECT/MINE: ZAPOPAN HOLE NO: 2-ZAP.18

Collar: ..... E ..... N ..... RL

Azimuth: ....302. °~~Mag~~/grid Inclination: ..-65..°

Date Drilled: ..20/4/88. Logged By: D.J.H.. Sheet: 1./2..

Depth (m)		Sample	Description				
From	To	No.	Lithology	Qtz	Py	Apy	Au
0	2	A.15401	Soil sample				
2	4	02	Soil weathered/oxidized Siltstone				
4	6	03	Oxidized Slst 10% grey Slst/f 10% Qtz vnlt	✓			
6	8	04	60% dk grey Slst 10< 10% Qtz yellow/green Slst	✓			
8	10	05	a.a. 40% dk grey Slst	✓			
10	12	06	a.a	✓			
12	14	07	a.a. 60% dk grey Slst	✓			
14	16	08	40% red chert 20% green Dk grey Slst				
16	18	09	Dk grey Slst 30% yellow green 30% Chert 40%				
18	20	10	a.a. 70% yellow/green Chert 30%				
20	22	11	80% Dk grey Slst 20% Qtz Minor pyr	✓	✓		
22	24	12	<5% Qtz 10% Cyke 60% Dk grey Slst	✓	✓		
24	26	13	a.a. <10% pale green chert				
26	28	14	30% Qtz (milky) Dk grey Slst with pyr	✓	✓		
28	30	15	<5% Qtz pyr 10% Cyke Dk grey Siltstone	✓	✓		
30	32	16	Smoky Qtz + pyr Pyr as nodules in Dk grey Slst 80%	✓	✓		
32	34	17	a.a. No pyr Slst	✓			
34	36	18	Milky Qtz (70%) 30% Dk grey Slst Pale green chert	✓			
36	38	19	<10% green/red chert Dk grey Slst				
38	40	20	60% Cyke <5% Qtz Dk grey Slst	✓	✓		
40	42	21	40% red chert/green chert <5% Qtz Dk grey Slst	✓	✓		
42	44	22	<5% Qtz + pyr Dk grey Slst + green chert	✓	✓		
44	46	23	a.a.				
46	48	24	Pyr nodules in dk grey Slst		✓		
48	50	25	70% Dk grey Slst 30% Smokey Qtz with pyr Quartz vnlt	✓	✓		

DRILLHOLE LOG

Drillhole No. 2·ZAP 16
Page 1 of 32.

PROJECT: ZAPOPAN
COMPANY: ROCKDRIL
CONTRACTOR:
DRILL: R16·8
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH: 302° (GRID)
DECLINATION: -65°
LOGGED BY: D.J.H.

DEPTH ft	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
49							
50	49.					METASILTSTONE / MICRITE foliation 35° to core. banded. qtz 1-2 mm in foliation	
						Qtz veining — minor qtz — asp.	
						METASILTSTONE — minor qtz along joints and fractures	
51	50.70	0.55	0.84			Qtz qtz veining will qtz + carb.	
						METASILTSTONE - grades into pale green coarsely foliated siltstone, intensely deformed with fold // to foliation @ 30° to core. Grades into more silicic grey siltstone. Grades in to pale green fissile METASILTSTONE Qtz veins 1cm wide - offset by fractures @ 51.46.	
52							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES Au (ppm)
49.85				
	6523	52.0	2.15	0.017

GEONORTH

DRILLHOLE LOG

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H.

Drillhole No. Z-ZAP 18
Page 2 of 32

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
52						Strongly foliated 35° to core. Conformable contact to METASILTSTONE.	
						Milky qtz ± rose qtz vein 52.51 - 52.57 m bonded mind pyr ± asp.	
53						Silty chert interbedded pale red/green.	
	53.10	2.40	2.38			METACHERT. pale red/green. Siliceous. 2mm wide asp, pyr filled fracture flanked by chert.	
54							
	54.42	1.32	1.30			Qtz vein 54.16 - 54.17 m. Red/green METACHERT mind 2-4 cm wide qtz bands & boudins of lenticular chert with abundant asp. laminations 2-3 mm - 5-6 cm long wide.	
55						54.70-55.16. Well foliated METATUFF. foliation 25° to core.	
						55.16 - 55.71 less foliated METATUFF cream. Pyr along fractures // to foliation & along joints	
	55.78	1.36	1.25				
56						Coarse grained foliated METATUFF foliation 30° to core.	
	56.80	1.02	1.04				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
		52.	2.	0.017
	6524.	54.	2.	0.016
	6525.	56	2.	0.020

GEONORTH

DRILLHOLE LOG

Drillhole No. 2 ZAP17
Page 3 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES			
57						Core badly fractured. 57.11 - 57.30. Fine-grained bas foliated										
	57.40	0.60	053			METATUFF pale grey/green.										
	57.55	0.15	0.09			57.30 - 58.05 V. broken (coarse-grained										
	57.70	0.15	0.4			METATUFF and loose ?back fill sands.										
58										6526	58	2	0.008			
	58.30	060	0.61			58.05. - 58.22 Fine-grained METATUFF										
						with minor ?chert horizons.										
59	58.98	068	060			58.22 - 58.89 Crushed METATUFF.										
						Recent crush zone Fresh pegs. 59.19 - 59.29										
						METASILTSTONE dk grey, massive minor qtz										
	59.70	0.72	067			freq. @ 59.76 with massive pyr gtz vn. Altered to pink colored SILST										
60						59.82 - 60.79. Hydraulic breccia of				6527	60.	2.	0.221			
						METASILTSTONE with milky qtz matrix 10 pyr										
						with minor asp both within qtz and along fault										
						and fractures. Both fresh & altered SILST with breccia										
						Qtz veining (mm) scale within										
61						METASILTSTONE. Pyr gtz vtg 4-5mm in dia.										

61.13. 1.43 1.17.

GEONORTH

DRILLHOLE LOG

Drillhole No. ZDH18
Page 4. of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES			
61																
						massive METASILTSTONE.										
										6528	62	2.	0.078			
62																
	62.02	0.89	0.76													
	62.50	0.48	0.34													
63						61.95-62.02. Fresh core zone.											
	63.70	1.20	0.94			Bedding within METASILTSTONE on mm scale.										
										6529	64	2.	0.10			
64																
	64.20	0.50	0.49													
65	65.0	0.80	0.68													

GEONORTH

DRILLHOLE LOG

Drillhole No. E-ZAP18
Page 5 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
65						Dk grey massive METASILTSTONE.	
	65.50	0.50	0.34				
66	65.90	0.40	0.40				
						66.01 - 66.15 - Qtz vein coarse milky white. Aspealog fractures.	
	66.70	0.80	0.66			Qtz veining @ 66.31, 66.36, 67.38	
						with Dk grey METASILTSTONE.	
67							
68						METASILTSTONE.	
	68.20	0.50	0.44				
						Coarse pale green/pink chert. 68.74-68.91	
69						3cm of intense Qtz veining.	
	69.10	0.90	0.90				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
66	6530	66	2	0.016
68	6531	68	2	0.059

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-[illegible]
Page 6 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE	DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
69												
	69.10	0.90	0.90			68.76 - 71.68 chert grades into pale grey pink NFF. minor qtz bands. 50° to core.						
	69.60	0.50	0.45									
70	70.00	0.40	0.41		66°/356°	Rep. filled gash 5cm x 2cm + silicic			6532	70.	2.	0.011
						71.58 - 71.97. clasts of pnk altered S/St with pale grey METATUFF - 2mm wide qtz veins with rep + leiss. ppts.						
71												
	71.20	1.20	1.10			TUFF + SLTST partly altered to pink / light grey colour.						
						71.97 - 72.15. Pale grey Tuff with incipient foliation 35° to core.			6533	72	2	0.083
72												
						72.15 - 74.20 Hydraulic breccia						
	72.40	1.20	1.14			of altered SLTST with chert frag						
73												

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP 18
Page 7. of 32

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
74	74.20	1.80	1.63			Breccias top to 74.20. 74.20 - 74.26. Dk grey/black spec coarse ash tuff. Siliceous. Py throughout. massive py gravel at base.				6534	74	2	0.284
						Fine-grained green/red chert. massive py + asp along fract. 30° to core.							
						Foliated coarse grained pink grey METATUFF (Foliation 40° to core).							
75						Coarse pink/white banded with green red chert. 75.02 - 75.03 Qtz vein. @ 85° to core.							
						Hydraulic qtz breccia with RUFF clasts showing asp euhedral crystal growth with Qtz.							
						Clasts of red chert. Py mineralization within 1cm wide Qtz vein @ 75.69.							
76						½ cm wide siliceous band @ to core.				6535	76	2	0.02
	76.10.	1.90	1.73			Banded METATUFF with 1cm py bands @ to core foliation 45° to core.							
						METASILTSTONE 76.37 - 76.57.							
						Well folded Silicic TUFF white/grey black spec. folded 50° to core.							
77						METASILTSTONE dk grey banded minor pyr lenses.							
						Silicic coarse-grained TUFF. w.k siltstone clasts pyr + asp infilling fractures + disseminated in knots of pyr. Altered to pink colour				6536	78	2.	0.061
79	78.60	2.50	2.11.										

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-DAP 18
Page 8 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE		DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES			
78						METASILTSTONE.				6536	78	2	0.061			
						Qtz vein 78.23 - 78.60 v. minor asp.										
	78.60	2.50	2.11			78.60 - 78.72. Silicic band Trigect foliation 45° to core.										
79																
						METASILTSTONE - baldly baked core minor chert fragments.										
80	80.0	1.40	1.28							6537	80	2	0.059			
	80.70	0.70	0.65													
81																
						Qtz, pyr, asp band 60° to core @ 81.14.										
						Chert - nil 3cm. minor pyr.										
82						minor pyr bands long axis // to foliation				6538	82	2	0.021		0.009	
	82.70	2.0	1.90													

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-2AR18
Page 9 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES			
82						82.02 - 82.06. Coarse qtz band, 70° to core. Off-set by sub-parallel fracture to core infilled with py+asp.				6538	82	2	0.121		0.120	
	82.70	2.0	1.90			82.75 - 82.99. Qtz veining, pyr throughout										
83						Banded METASILTSTONE 30° to core. Pyr ladder veins define sub-vert foliation 40° to core.											
						83.03 pyr band 1-2mm wide. Folded silicic band with pyr+asp, dominant in fold hinge. 84.52 - 85.21											
84										6539	84.40	2.4	0.111			
	84.40	1.70	1.64			84.52 - 85.21.										
						Intensly deformed qtz/chert bands. Abundant asp >30% pyr >20%. Asp as euhedral crystals up to 3mm with disseminated pyr throughout.											
85						Asp dominates 84.50 - 84.90. Pervasive min foliation @ 50° to core. Bands grey/green in colour. 1-2 specks fine gold.				6540	85.20	0.80	29.74	28.02	22.62		
						METASILTSTONE with pyr along foliation.										
86										6541	86.0	0.80	0.210			
	86.70	2.30	2.20													

GEONORTH

DRILLHOLE LOG

Drillhole No. E-ZAP18
Page 10 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES			
86						METASILTSTONE dk grey				6541	86	0.80	0.210			
	86.70.	2.30	2.30													
87						86.86 - 87.10. Deformed silic/chert pyr/garnet zone - minor cos ? Anketite Garnets 2-5mm pink/brown.											
						Pale grey coarse METASILTSTONE ? METARENITE. grades into coarse dk SILTSTONE clasts with garnets											
88										6542	88	2	0.710	7.740	6.900	
						88.19. 1cm wide pale siliceous band.										
89						Pale pink band 2cm 88.90 - 89.11. Bordered with green chert/pyr/qtz - leucocratic coarse boudins and qtz-ab zone along base pyr dominates fold hinges and // to folded beds. folded 45° to core.											
	89.70	3.0.	2.97			Dk grey METASILTSTONE.										
90						Garnet rich green chert / qtz / pyr boudins				6543	90	2	0.064				

DRILLHOLE LOG

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H

Drillhole No. Z-[illegible]

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES			
90						90.35. SILTSTONE grades into coarse Silicic METATUFF.				6543	90	2.	0.044			
						90.60. 5cm wide Qtz pyr vein garnet-rich along base. Minor CO3 ?Ankerite Minor deformation with Qtz vein										
91						METATUFF										
						91.62. Qtz chert band 6cm wide, mm leucocratic/dk bands + garnet, arse + pyr										
92						METATUFF.				6544	92	2	0.038			
						Deformed silicic tuff @ 92.50										
	92.70	30	2.97													
93						Coarse pale grey METATUFF.										
						93.0-93.48. Banded spotted green/pink chert. Cross-cutting CO3 veins leucocratic leaders with abundant pyr. Badly deformed.										
94										6545	94	2	0.038			

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP17
Page 12 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
94						94.07 METATUFF grades into METASILTSTONE. 94.18 3cm wide silicic bead foliation along core. Foln 30° to core. Minor pyr & garnets.	
95	95.3	2.80	2.58			Banded METASILTSTONE. 30° to core. Foliation 40° to core. defined by pyr 'ladder' veins	
96						95.91 - 96.9 Qtz vein. Coarse milky + v. minor pyr. Jointed silicic green fine-grained METATUFF to core. Pyr along joints 30° 96.47 - 96.52 Qtz vein	
97						96.94 - 97.6 Qtz coarse + breccia green tuff + leucocratic frag. METATUFF grey green. coarse-grained towards base.	
	97.70	2.40	2.33			97.70 - 97.74 Pink chert to core.	
98							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
	6545	94	2	0.008
	6546	96	2	0.027
	6547	98	2	0.008

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-DH 8
Page 13 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE		DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
98						98.30 Sm silicic pink cherts + silicic CO_2 veining 1 to joints.				6547	98	2	0.008
						3 cm wide folded pink silicic zone (Fold 35° to core). with minor qtz vein + py							
99	99.0	1.30	1.30			dk grey METASILTSTONE.							
						py along fractures				6548	100	2	0.027
100	100.10	1.10	1.04			CO_2 veining.							
						100.89 – 101.07 Banded chert/lmst with core (leucocratic banding. Garnet zone above + py-zone at base of unit							
101						5cm silicic band 1cm wide							
						Dk grey METASILTSTONE.				6549	102	2	<0.005
102													

GEONORTH

DRILLHOLE LOG

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.S.H.

Drillhole No. Z-ZAP18

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE		DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES			
102	102·90	2·90	2·81							6549	102	2	<0.005			
						MEDIUM GRAINED GARNET BEARING METAPERIDOTITE										
103						103·26 - Grades into METAPERIDOTITE with pyr along fractures.										
						garnet zone @ 103·54 - 103·71.										
						Progressively more silicic										
104										6550	104	2	0.12%			
						104·02 - 105·60 Silicic pale green/grey black spc - intensely deformed hfk & chl/qtz mm pyr bands + asp: feldspathic/quartz mm banding along base. bands of sqtz/asp mm scale light grey/dk bands										
	105·70	1·8	1·99			Silicic METAPERIDOTITE.										
105						Pale grey/green silicic METAPERIDOTITE bedding 20° to core Silicic & filled fracture 60° to core.										
106						Qtz veining + CO3 cross-cutting veins.				6551	106	2	0.007			

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP-0
Page 15 of 32

PROJECT: ZAPOPAN
DRILL:
COORDINATES:

COMPANY:
COMMENCED:
ELEVATION:

CONTRACTOR:
COMPLETED:
AZIMUTH:

DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
106						METATUFF. garnet dsbd.	
						107·70 – 107·02 qz veining	
107						METATUFF.	
	107·70	3·0	2·96			mm banding of Silicic Mf & pyr	
108						108·41 – 108·44 CO3 vein Dip to core ? Dolerite or Andesite.	
						METATUFF.	
109						109·61 garnet zone 25° to core.	
	109.50	1·80	1·57			bordered TUFF.	
						dk grey METASILTSTONE ±	
110							

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
	6551	106	2	0·007
	6552	108	2	0·020
	6553	110	2	0·021

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-DDH18
Page 16 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.S.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
110										6553	110	2	0.021
						Garnet dated dk grey MEMBRANSTONE							
	110.70	6.90	0.90										
111						111.17 - 111.37 · Folded leucocratic, coarse tuff. band Fold 40° to core. mm banding at base.							
						111.87 · 1 cm Qtz band							
112										6554	112	2	0.011
						112.25 · 2 cm qtz/chl. band black spec. ? tourmaline + minor asp. ≤ @ 112°							
113						Banded qtz/garnet with pyr. lenses clongate 40° to bar							
	113.50	2.80	2.75			113.40 - 113.50 Silicic bedded TUFF.							
114										6555	114	2	<0.005

GEONORTH

DRILLHOLE LOG

Drillhole No. 2 ZAP018
Page 17 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES			
114										6555	114	2	<0.005			
						METASILTSTONE: dk grey garnet dusted										
115						115.48 - 116.05:										
						Folds deformed green/grey cherts. Will run along beds & cross bands with large lobes. Calcareous tuff bands is garnet rich & banding on mm scale.				6556	115.5	1.5	0.005			
										6557	116.0	0.5	0.054			
116																
						METASILTSTONE - garnet dusted										
	116.5	3.0	292													
117																
						Silica bands 2-3cm wide 20cm spacing.										
										6558	118.0	2	0.09			
118																

GEONORTH

DRILLHOLE LOG

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H

Drillhole No. 2 · ZAP 8
Page 18 of 32.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE	DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
118						garnet zone 25° to core			6558	118	2	0.019
119						10cm wide coarse qtz/musc pgy vein						
						minor CO_3 veining						
	119.6	2.10	2.07			119.55 - 119.61 Qtz/Bt/Chl. band ?tourmaline speck. > foliation 40° to core.						
120					119/300°	Fldsp. pale chert/flint + pgc. 60° to core - fold.			6559	120	2	0.005
						Silicic band.						
121						METABASIC/STONE dk grey						
						garnet zone 22° to core.			6561	122	2	0.007
122												

GEONORTH

DRILLHOLE LOG

Drillhole No. 2-ZAP18
Page 19 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.D.H.

DEPTH	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE		DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
122										6561	122	2	0.007
	122.60	3.0	2.55			122.83: Silicic tuff bed. black spec + 2 cm zone of mm pyr lgt/dk bands. garnet rich							
123													
						MELANOSTONE dk grey. pyr ladder veins define bedding and foliation.							
										6562	124	2	0.007
124						124.10 - 124.25: pyr/silica bands. 1 cm wide.							
	124.70	2.0	1.95										
125						125.46: CO3 veining							
						125.49 - 125.52: Folded & deformed silicic tuff./pyr/chert beds. garnet rich							
						Partly gltzed coarse SILTSTONE.				6563	126	2	over
126													

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP18
Page 20 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE	DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES		
126									6563	126	2	0.005		
127						127.0 – 127.81 Abundant CO_3 mm scale cross-cutting veins.								
128	127.80	3.10	3.02			128.02 garnet / dk. / sil / dk. band 60° to core. 1cm wide.			6564	128	2	<0.005		<0.005
						128.31 – garnet zone with 2cm of mm scale dk/lt grey banding, microfolds 45° to core – banded 25° to core.								
129						129.30 – 7cm coarse qtz veins.								
						Hard silicic METAMVP								
130									6565	130	2	0.005		

GEONORTH

DRILLHOLE LOG

Drillhole No. 2-ZAP 18
Page 21 of 32

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D. J. H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
130										6565	130	2	0.005
						Dk. METASILTSTONE. gradational into fine-grained silicic hff.							
131	130.90	3.10	2.70			131.15 - 131.45 Coarse hff. top 2 cm grade into silicic band. Garnet cist at base. ~15° to CA.							
						5cm wide folded chert/lap bands @ 132.85 Folded 40° to CA.				6566	132	2	0.009
	132.70	1.80	1.78										
133						Dk grey METASILTSTONE minor silicic bands. Garnet dusted.							
134	134.40	1.70	1.66							6567	134	2	0.05

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP-18
Page 22 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE	DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
134									6567	134	2	0.015
	134.40	1.70	1.66			134.30 2cm wide zone Pyr + garnets 15° to core.						
						Pyr within SILTSTONE elongate along foliation 40° to core.						
135						Grades into dk grey siliceous METATUFF.						
						135 : 2cm Pale grey Siliceous zone 60° to core. with folded 2cm Siliceous DK / lgt banded zone with pyr ± asp. 3cm Banded garnet/chl gf base.			6568	136	2	0.012
136						Garnet dsltd. METATUFF.						
	136.70	2.30	2.26									
						136 - 56 3cm variably banded cm scale siliceous / dk grey lft. folded 64° to core. approx. 60° bedding to core.						
137						137 : 4L Garnet / chl / dst. 2cm wide banded zone.						
138						METASILTSTONE dk grey garnet dsltd			6569	138	2	0.008

GEONORTH

DRILLHOLE LOG

Drillhole No.2 ZAP18
Page 23 of 32

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:
DRILL: | COMMENCED: | COMPLETED:
COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:
LOGGED BY: D.J.A.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
136							
						138.22. 1cm folded silica zone. Fold 40° to core	
						138.78 – 138.82. Qtz veining. Garnet-rich at base	
139							
						dk grey METAPELITE	
	139.80	3.10	2.90				
140						140.16 – 140.82. Folded light grey bandwidth METAPSAMMITE dk / light banding for 2–4cm. on margins of zone. Pyr + garnet-rich.	
141						dk grey METABASITE/STONE	
						141.38 1cm wide CO3 / calcite breccia veining.	
						141.70 – 142.10. Banded sequence. Qtz garnet ± pyr. Folded pyr / leucocratic bands dk/light	
142	142.70	2.90	2.86			bands. Qtz bands folded + disseminated pyr + garnet at base	

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
	6569	138	2	0.006
	6570	140	2	0.007
	6571	142	2	0.013

GEONORTH

DRILLHOLE LOG

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY:

Drillhole No. Z-AP-18

Page 29 of 32

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
142							
	142·70	2·40	2·56				
143						V d/c fine grained metapelite + minor cg veining	
144							
	144·70	2·0	2·0				
145						145 : 1. Folded pale grey siliceous tuff - minor pyrite. Garnet ± v. minor pyr.	
146	146·70	2·0	1·97.				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
	6571	142	2	0·03
	6572	144	2	0·016
	6573	146	2	0·05

GEONORTH

DRILLHOLE LOG

Drillhole No. 2-ZAP 18
Page 25 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE	DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
146									6573	146	2	0.015
						146.48. Garnet/pyx-zois vn bandings 5 cm.						
	146.70	2.0	1.97									
147												
148									6574	148	2	0.023
						Minor CO3 veining with dk grey marble/skarn. Largely massive.						
149	148.80	2.10	1.99									
150									6575	150	2	0.089
	150.90	2.10	2.06									

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP58
Page 26 of 32

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:
DRILL: | COMMENCED: | COMPLETED:
COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
150						150.10 – 150.20 Carbonate zone	
						Pale tuff with non-pyr. coal + pyr in fractures & garnet dusted	
151	150.90	2.10	2.06			150.70. Folded banded chl/pyr bands in Sericite and leucocratic tuff core. to 150.74	
						151.01. fan size garnets in pale tuff chl deformation zone to 151.06	
						151.69 & 151.82 banded garnet chl/pale tuff dk banding with leucocratic core. fine garnets.	
152							
						152.81 15° to core garnet zone	
	152.70	1.80	1.55			152.90 Chl. zone. garnets + 3-5cm banded tuff / chl. garnet. Garnet rich at base.	
153							
154							

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
	6575	150	2	0009
	6576	152	2	0021
	6577	154	2	0011

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP18
Page 27 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
154						154.0 Garnet rock with CO_3 vein. ?calcite				6577	154	2	0.011
						Banded light grey Sft/Chl garnets deformed. Scarce pyr - crosscut by CO_3 vein - ?Dolomite calcite? Hematite wall.							
155						Garnet-dusted dk grey MUDSTONE							
	155.70	3.0	2.86										
156						155.98 Intensely deformed chert. Lenticular dk seam. Lenticular rich in pyr. Qtz/Silica Sft at base pyr + hematite rich.				6578	156	2	0.196
157						Minor CO_3 ? Calcite veining within MUDSTONE							
158										6579	158	2	0.069
	158.70	3.0	2.92										

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP 18
Page 28 of 32

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:
DRILL: | COMMENCED: | COMPLETED:
COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
158										6579	158	2	0.069
						minor calcite veining within dk grey, massive METASILTSTONE.							
	158.70	3.0	2.92										
159						159.0 ferruginous band in Cg/sst							
160						159.98 - Pyritic Cht band/inf. with garnet at base and top.				6580	160	2	0.005
	160.20	1.50	1.38										
161	160.60	0.40	0.30										
						Cg veining within METASILTSTONE							
	161.50	0.90	0.83										
162										6581	162	2	0.011
	162.45	0.95	0.60										

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP 18
Page 29 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.S.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
162							
	162.45	0.95	0.60				
163						Bedded coarse/fine METASILTSTONE bedding 80° to core. Incipient foliation elongate par bedding	
164							
	164.25	1.80	1.77				
						CO3 veining with SILTSTONE	
165							
						Coarse silicic bands x-cut by CO3 veins.	
166	166.50	2.25	2.24				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
	6581	162	2	0.011
	6582	164	2	0.008
	6583	166	2	0.006

GEONORTH

DRILLHOLE LOG

Drillhole No. 2-ZAP 18
Page 30 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY:

DEPTH	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
166							
						METASILTSTONE	
	166.50	2.25	2.24				
167							
						Garnet/pyrite rich zone 2cm.	
	168.0	1.50	1.25			METASILTSTONE	
168							
169							
						Thin non-siliceous band.	
						METASILTSTONE	
170	170.90	2.90	2.63.				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES			
	6583	166	2	0.004			
	6584	168	2	0.041			
	6585	170	2	0.019		0.008	

GEONORTH

DRILLHOLE LOG

Drillhole No. 2-ZAP 18
Page 31 of 32

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE	DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
170									6585	170	2	0.008 0.008
						METASILTSTONE.						
171	170.70	2.90	2.63			bedding within METASILTSTONE sub // to core.						
						METASILTSTONE						
172									6586	172	2	0.010
						Garnet zone						
173						METASILTSTONE						
						ladder veins of py elongate to incipient foliation. 40° to core			6587	174	2	0.010
174	174.0	3.10	3.0									

GEONORTH

DRILLHOLE LOG

Drillhole No. 2 ~~-ZAP 18~~
Page 32 of 32

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE		DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES			
~~174~~																
	174.0	3.10	3.10							6587	174	2	0.010			
						Dk grey SILTSTONE:										
175.																
	175.10	1.10	0.97			175.10 E.O.H				6588	175.10	1.10	0.011		0.209	

GEONORTH

EXPLOREMIN PTY.LTD.

Diamond Drill Log: ZZAP/19

SUMMARY

CLIENT: ZAPOPAN N.L.

PROSPECT: ZAPOPAN

PROPOSED CO-ORDS E: 10150.0 N: 9898 R.L.: 100m
LAID OUT CO-ORDS E: 10162.0 N: 9890.0 R.L.: 100m
ACTUAL CO-ORDS E: 10162.2 N: 9890.2 R.L.: 100.9

PLANNED DEPTH (M): 200
TARGET DEPTH (M): 75-200
ACTUAL DEPTH (M): 203.3

BEARING ° Grid: 302 ° Mag:
INCLINATION -°: 65

PROPOSED BY: J.G.
PLANNED BY:
LAID OUT BY: MACJAP
SURVEYED BY:

DRILLED BY: ROCKDRILL

DATE COMMENCED: 88/04/20
DATE COMPLETED: 88/04/28

PRE-COLLAR (M): 75
HQ (M): 128.3
NQ (M):
BQ (M):
OTHER (M):
WEDGES PLACED:

COMMENTS/ASSAY SUMMARY:

DOWN HOLE SURVEYS

DEPTH (m): 100	AZIMUTH (mag. °): 313	INCLN (°): 61
DEPTH (m): 150	AZIMUTH (mag. °): 316	INCLN (°): 60
DEPTH (m): 200	AZIMUTH (mag. °): 320	INCLN (°): 57.5
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):

ANALABS

A division of MacDonald Hamilton & Co. Pty. Ltd. (Inc NSW)

(089) 84 3849

Cnr Coonawarra & Mataraa Rds, Winnellie

Fax: (089) 84 3984

ANALYTICAL REPORT No. 247.0 14.02423

THIS REPORT MUST BE READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

INVOICE TO:

ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

ORDER No.	PROJECT

DATE RECEIVED	RESULTS REQUIRED
28/04/88	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES
3	15/08/88	1

TOTAL No. OF SAMPLES: 58

SAMPLE NUMBERS	SAMPLE DESCRIPTION	ELEMENT/METHOD
Various	PC Prep: 033	Au,Au(1),Au(2)/313
Various	PC	As/401
Various	PC	As/404

RESULTS TO

ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

RESULTS TO

RESULTS TO

REMARKS

2-ZAP 19

PRE-COLLARS

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02423	15/08/88		1 OF 3

BE	SAMPLE No		As	As	Au	Au(1)	Au(2)			
	ZAP 19 00-02		35	-	0.013	-	-	ZZAP19		
2	ZAP 19 02-04		30	-	0.012	-	-			
	ZAP 19 04-06		55	-	0.005	-	-			
4	ZAP 19 06-08		25	-	0.005	-	-			
	ZAP 19 08-10		40	-	0.006	-	-			

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02423	15/08/88		2 OF 3

TUBE No.	SAMPLE No.		As	As	Au	Au(1)	Au(2)			
1	ZAP 19 10	12	25	–	<0.005	–	–			
2	ZAP 19 12	14	15	–	<0.005	–	–			
3	ZAP 19 14	16	20	–	0.006	–	–			
4	ZAP 19 16	18	25	–	<0.005	–	–			
5	ZAP 19 18	20	30	–	0.005	–	–			
6	ZAP 19 20	22	40	–	<0.005	–	–			
7	ZAP 19 22	24	40	–	<0.005	–	–			
8	ZAP 19 24	26	45	–	0.006	–	0.011			
9	ZAP 19 26	28	25	–	<0.005	–	–			
10	ZAP 19 28	30	30	–	0.015	–	–			
11	ZAP 19 30	32	15	–	0.007	–	–			
12	ZAP 19 32	34	25	–	0.005	–	–			
13	ZAP 19 34	36	30	–	<0.005	–	–			
14	ZAP 19 36	38	30	–	0.007	–	–			
15	ZAP 19 38	40	25	–	0.006	–	–			
16	ZAP 19 40	42	25	–	0.005	–	–			
17	ZAP 19 42	44	25	–	<0.005	–	–			
18	ZAP 19 44	46	35	–	0.008	–	–			
19	ZAP 19 46	48	55	–	0.178	–	–			
20	ZAP 19 48	50	90	–	0.044	–	–			
21	ZAP 19 50	52	45	–	0.012	–	–			
22	ZAP 19 52	54	50	–	0.022	–	–			
23	ZAP 19 54	56	55	–	<0.005	0.012	–			
24	ZAP 19 56	58	25	–	<0.005	–	–			
25	ZAP 19 58	60	15	–	0.005	–	–			

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02423	15/08/88		3 OF 3

TUBE No.	SAMPLE No		As	As	Au	Au(1)	Au(2)			
1	ZAP 19 60-62		30	-	0.008	-	-			
2	ZAP 19 62-64		8	-	<0.005	-	-			
3	ZAP 19 64-66		20	-	<0.005	-	-			
4	ZAP 19 66-68		25	-	<0.005	-	-			
5	ZAP 19 68-70		50	-	<0.005	-	0.008			
6	ZAP 19 70-72		90	-	0.012	-	-			
7	ZAP 19 72-74		10	-	<0.005	-	-			
8	ZAP 19 74-75		35	-	0.042	-	-			
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										
21										
22										
23	DETECTION		2	0.01	0.005	0.005	0.005			
24	UNITS		PPM	%	PPM	PPM	PPM			
25	METHOD		401	404	313	313	313			

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

ANALABS

A division of MacDonald Hamilton & Co. Pty. Ltd. (Inc NSW)

(089) 84 3849

Cnr Coonawarra & Mataranka Rds, Winnellie

Fax: (089) 84 3584

ANALYTICAL REPORT No. 247.0.14.02455

THIS REPORT MUST BE READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

INVOICE TO:

ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

ORDER No.	PROJECT

DATE RECEIVED	RESULTS REQUIRED
16/05/88	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES
3	15/08/88	1

TOTAL No. OF SAMPLES: 70

SAMPLE NUMBERS	SAMPLE DESCRIPTION	ELEMENT/METHOD
ZAP5464/533	DC Prep: 033	Au,Au(1),Au(2)/313
ZAP5464/533	DC	As/401

RESULTS TO:

MR ROD JOHNSON
ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

RESULTS TO:

RESULTS TO:

REMARKS

2 - ZAP 19

½ CORES

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02455	15/08/88		1 OF 3

TUBE No.	SAMPLE No.	As	Au	Au(1)	Au(2)			Hole	Depth
1	ZAP5464	45	0.007	-	0.008			2-ZAP19	74.3-75m
2	ZAP5465	35	0.008	-	-				75-76m
3	ZAP5466	50	0.006	-	-				76-78m
4	ZAP5467	15	<0.005	-	-				78-80m
5	ZAP5468	35	0.005	-	-				80-82m
6	ZAP5469	20	0.005	-	-				82-84m
7	ZAP5470	20	<0.005	-	-				84-86m
8	ZAP5471	<2	<0.005	-	-				86-88m
9	ZAP5472	5	<0.005	-	-				88-90m
10	ZAP5473	5	<0.005	-	-				90-92m
11	ZAP5474	<2	<0.005	-	-				92-94m
12	ZAP5475	15	<0.005	-	-				94-96m
13	ZAP5476	30	<0.005	-	-				96-98m
14	ZAP5477	40	<0.005	-	-				98-100m
15	ZAP5478	35	0.005	-	-				100-102m
16	ZAP5479	25	<0.005	-	-				102-104m
17	ZAP5480	15	0.005	-	-				104-106m
18	ZAP5481	<2	0.005	-	-				106-108m
19	ZAP5482	5	<0.005	-	-				108-110m
20	ZAP5483	10	0.006	-	-				110-112m
21	ZAP5484	9	0.006	-	-				112-114m
22	ZAP5485	25	0.009	-	-				114-116m
23	ZAP5486	20	<0.005	-	-				116-118m
24	ZAP5487	30	0.005	-	-				118-120m
25	ZAP5488	7	0.012	-	-				120-122m

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02455	15/08/88		2 OF 3

TUBE No.	SAMPLE No.	As	Au	Au(1)	Au(2)			hole	depth	
	ZAP5489	<2	0.008	–	–			Z-ZAP 19	122-124M	
	ZAP5490	15	0.012	–	–				124-126M	
3	ZAP5491	6	0.008	–	–				126-128M	
	ZAP5492	65	0.275	–	–				128-129.6M	
5	ZAP5493	190	0.409	0.616	–				129.6-130.1M	
	ZAP5494	20	0.010	–	–				130.1-132M	
	ZAP5495	15	0.008	–	–				135-136M	
8	ZAP5496	460	1.138	0.970	1.568				132-132.5M	
	ZAP5497	20	0.026	0.022	0.029				132.5-134.5M	
0	ZAP5498	20	0.005	–	–				138-140M	
	ZAP5499	130	0.054	–	–				134.5-135M	
2	ZAP5500	10	0.017	–	–				136-138M	
	ZAP5501	<2	0.006	–	–				140-142M	
	ZAP5502	15	0.021	–	–				142-144M	
5	ZAP5503	6	<0.005	–	–				146-148M	
	ZAP5504	6	<0.005	–	–				144-146M	
	ZAP5505	<2	<0.005	–	–				148-150M	
	ZAP5506	40	0.011	–	–				150-152M	
	ZAP5507	210	0.045	–	–				152-154M	
	ZAP5508	35	<0.005	–	–				154-156M	
	ZAP5509	<2	<0.005	–	–				156-158M	
	ZAP5510	<2	0.007	–	–				158-160M	
	ZAP5511	<2	0.005	–	–				160-162M	
	ZAP5512	80	0.014	–	–				162-164M	
	ZAP5513	<2	<0.005	–	–				164-166M	

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
– = element not determined

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02455	15/08/88		3 OF 3

TUBE No.	SAMPLE No.	As	Au	Au(1)	Au(2)			hole	depth	
1	ZAP5514	15	0.005	–	–			2-ZAP19	166-168m	
2	ZAP5515	35	0.008	–	–				168-170m	
3	ZAP5516	90	0.007	–	–				170-172m	
4	ZAP5517	6	<0.005	–	–				172-174m	
5	ZAP5518	60	0.007	–	–				174-176m	
6	ZAP5519	95	0.014	–	–				176-178m	
7	ZAP5520	85	0.005	–	–				178-180m	
8	ZAP5521	20	0.005	–	0.005				180-182m	
9	ZAP5522	20	0.008	–	–				182-184m	
10	ZAP5523	<2	0.008	–	–				184-186m	
11	ZAP5524	<2	0.020	–	–				186-188m	
12	ZAP5525	15	<0.005	–	–				188-190m	
13	ZAP5526	8	<0.005	–	–				190-192m	
14	ZAP5527	20	0.006	–	–				192-194m	
15	ZAP5528	7	0.009	–	–				194-196m	
16	ZAP5529	15	0.005	–	–				196-198m	
17	ZAP5530	10	0.005	–	–				198-200m	
18	ZAP5531	15	0.005	–	0.005				200-202m	
19	ZAP5532	<2	<0.005	–	–				202-203.2m	
20	ZAP5533	10	0.007	–	–					
21										
22										
23	DETECTION	2	0.005	0.005	0.005					
24	UNITS	PPM	PPM	PPM	PPM					
25	METHOD	401	313	313	313					

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

CORE RECOVERY LOG

PROSPECT/MINE: ZAPOPAN HOLE NO: Z-ZAP.19.

Logged By: D.J.H. Sheet: 1 / 1

Depth (m) From	Depth (m) To	Interval (m)	Recovery (m)	Depth (m) From	Depth (m) To	Interval (m)	Recovery (m)
74.30	74.55		0.24	137.25	138.60		1.44
74.55	75.45		0.92	138.60	140.10		1.40
75.45	75.55		0.14	140.50	143.50		1.84
75.55	76.0		0.18	143.50	146.50		2.58
76.0	76.50		0.50	146.50	149.50		2.95
76.50	77.03		0.42	149.50	150.95		2.97
77.03	77.44		0.20	150.95	152.50		1.37
77.44	77.60		0.25	152.50	155.10		1.54
77.60	78.16		0.54	155.10	158.20		2.54
78.16	78.70		0.52	158.20	161.30		3.00
78.70	79.25		0.51	161.30	164.0		3.10
79.25	79.35		0.09	164.0	167.10		2.58
79.35	79.65		0.20	167.10	170.20		3.08
79.65	80.10		0.46	170.20	173.20		2.86
80.10	80.40		0.30	173.20	176.30		3.0
80.40	80.75		0.28	176.30	179.40		2.96
80.75	82.0		1.10	179.40	182.45		2.98
82.0	82.80		0.72	182.45	185.50		3.08
82.80	82.90		0.93	185.50	188.50		2.96
82.90	83.06		6.11	188.50	191.20		2.74
83.90	86.65		2.64	191.20	194.20		3.80
86.65	88.70		2.01	194.20	197.30		2.91
88.70	90.45		0.11	197.30	200.30		3.0
90.45	92.65		1.62	200.30	203.30		3.0
92.65	94.30		2.07				
94.30	95.10		1.67				
95.10	95.74		0.75				
95.74	96.33		6.63				
96.33	96.59		0.22				
96.59	97.61		1.06				
97.61	98.76		1.25				
98.76	101.05		1.24				
101.05	103.15		2.32				
103.15	105.87		1.96				
105.87	108.92		2.10				
108.92	110.50		3.00				
110.50	113.50		1.47				
113.50	115.90		2.40				
115.90	118.50		2.36				
118.50	121.45		2.62				
121.45	124.32		2.87				
124.52	127.24		2.18				
127.24	127.69		3.15				
127.64	129.0		6.86				
129.0	130.35		1.46				
130.55	131.20		1.34				
131.20	134.50		6.80				
136.50	135.75		3.15				
135.75	3.7.25		1.36				

-06-83 90
4
val:
vered:
84

PROSPECT/MINE: ZAPOPAN HOLE NO: Z-ZAP 19

Logged By: D.S.H. Sheet: 1 / 2

Depth (m) From	Depth (m) To	SAMPLE NUMBER.		Depth (m) From	Depth (m) To	SAMPLE NUMBER	
CHIP →							
0	2	A 5426		96	98	A 5476	
2	4	" 27		98	100	" 77	
4	6	" 28		100	102	" 78	
6	8	" 29		102	104	" 79	
8	10	" 30		104	106	" 80	
10	12	" 31		106	108	" 81	
12	14	" 32		108	110	" 82	
14	16	" 33		110	112	" 83	
16	18	" 34		112	114	" 84	
18	20	" 35		114	116	" 85	
20	22	" 36		116	118	" 86	
22	24	" 37		118	120	" 87	
24	26	" 38		120	122	" 88	
26	28	" 39		122	124	" 89	
28	30	" 40		124	126	" 90	
30	32	" 41		126	128	" 91	
32	34	" 42		128	129.65	" 92	
34	36	" 43		129.65	130.10	" 93	
36	38	" 44		130.10	132	" 94	
38	40	" 45		132	132.5	" 96	
40	42	" 46		132.5	134.5	" 97	
42	44	" 47		134.5	135	" 99	
44	46	" 48		135	136	" 95	
46	48	" 49		136	138	A 5500	
48	50	" 50		138	140	A 5498	
50	52	" 51		140	142	A 5501	
52	54	" 52		142	144	A 5502	
54	56	" 53		144	146	" 04	
56	58	" 54		146	148	" 03	
58	60	" 55		148	150	" 05	
60	62	" 56		150	152	" 06	
62	64	" 57		152	154	" 07	
64	66	" 58		154	156	" 08	
66	68	" 59		156	158	" 09	
68	70	" 60		158	160	" 10	
70	72	" 61		160	162	" 11	
72	74	" 62		162	164	" 12	
74	75	" 63		164	166	" 13	
CORE → 75.3	75.0	" 64		166	168	" 14	
75.0	76.0	" 65		168	170	" 15	
76	78	" 66		170	172	" 16	
78	80	" 67		172	174	" 17	
80	82	" 68		174	176	" 18	
82	84	" 69		176	178	" 19	
84	86	" 70		178	180	" 20	
86	88	" 71		180	182	" 21	
88	90	" 72		182	184	" 22	
90	92	" 73		184	186	" 23	
92	94	" 74		186	188	" 24	
94	96	" 75		188	190	" 25	
				190	192	" 26	

CORE RECOVERY LOG

PROSPECT/MINE: ZAPOPAN HOLE NO: 2-ZAP-19

Logged By: D.S.M. Sheet: 2 of 2

Depth (m) From	Depth (m) To	SAMPLE NUMBER		Depth (m) From	Depth (m) To		
192	194	A5527					
194	196	" 28					
196	198	" 29					
198	200	" 30					
200	202	" 31					
202	203.20	" 32					

SHEET 1 of 2

LOGGED BY: D.S.H.

CORELOGGING DATA

AREA / LEASE ..... PROSPECT: ZAPOPAN ..... HOLE No: 2-ZAP 19

DIST. FROM COLLAR	BREAKS / METRE	RECOVERY	R.Q.D.	SPEC. GRAVITY	MAG. SUSCEPTIBILITY	ANGLE TO LONG CORE AXIS: So	ANGLE TO LONG CORE AXIS: Si	STRUCTURES	LITHOLOGY	ESTIMATED MINERAL PERCENTAGES: milky qtz.	sugary qtz.	f. gr. qtz.	musc.	biot.	garnet	chl.	act.	cbt.	tourm.	py.	po.	hemt.	base metal su.	aspy.	SAMPLE No.	ASSAY RSLTS: Au	ASSAY RSLTS: As	GEOLOGICAL COMMENTS (mainly texture)
120														tr				tr									
121												2				2				2						0.012	
122												2			½				1				tr				
123														tr		tr										0.058	
124										20						2				2						0.012	
125											4					20				1						0.012	
126												•						tr									
127												2				18		tr								0.008	
128																12				3						0.275	
129																											
130								b.i.f.				40			1	30	2			20		4	tr				Hem-rich B.i.f
131											½					40				d½						1.0	
132								b.i.f.		10		20			5	30	8	½	tr	6			tr				
133												5			1	20				d½						0.026	
134											4			tr	1	30		d½		1							
135								b.i.f.				8			2	40	10	tr		4		2				0.008	
136												2				5				<1						0.008	
137																2		tr		tr						0.017	
138											4			tr	4	18	3			2							

LITHOLOGICAL LEGEND:

- Sdm Mudstone
- cSdm Carbonaceous Mudstone
- Slt Siltstone
- Sst Sandstone
- Sgw Greywacke
- Sgg Conglomerate
- Sca Carbonate
- tAv Asbestone
- Sch Chert
- BIF B.I.F.
- caBIF B.I.F. Carbonate >15%
- chBIF B.I.F. Chlorite >40%
- actBIF B.I.F. Actinolite >40%
- mcBIF Mixed >20% (commonly includes garnets)
- Su Massive Sulphide
- Qz Quartz
- Mh Hornfels
- MBd Metadolerite
- Af Felsite
- Agr Granite
- Breccia/fault/rock
- Veining >30%
- Tourmaline >5%
- Arsenopyrite >0.5%
- Base metal sulphides >5%
- py Pyrite >5%
- po Iron sulphides >2%

SHEET 2 of 2

LOGGED BY: D.J.H

CORELOGGING DATA

AREA / LEASE ..... PROSPECT ZAPPAN ..... HOLE No ZAP 19

DIST. FROM COLLAR	BREAKS / METRE	RECOVERY	R.Q.D.	SPEC. GRAVITY	MAG. SUSCEPTILITY	ANGLE TO LONG CORE AXIS: So	ANGLE TO LONG CORE AXIS: Si	STRUCTURES	LITHOLOGY	ESTIMATED MINERAL PERCENTAGES: milky qtz.	sugary qtz.	f. gr. qtz.	muso.	biot.	garnet	chl.	act.	cbt.	tourm.	py.	po.	hem.	base metal su.	sapy.	SAMPLE No.	ASSAY RSLTS: Au	ASSAY RSLTS: As	GEOLOGICAL COMMENTS (mainly texture)
138													tr					tr		tr								
139								b.i.f.			3					5		2		2						0.005		? Basal B.i.f.
140											1					19		1										
141																21		2		2						0.005		
142																												

LITHOLOGICAL LEGEND:

Sm — Mudstone	Av — Aphanite	Su — Massive Sulphide		Veining > 30%	
cSm — Carbonaceous Mudstone	Ch — Chert	Qz — Quartz		Tourmaline > 5%	
Si — Siltstone	BIF — B.I.F.	Mn — Hornfels		Arsenopyrite > 0.5%	
Sst — Sandstone	cBIF — B.I.F. Carbonate > 15%	MBd — Metadolerite		Base metal sulphides > 5%	
Sgw — Greywacke	chBIF — B.I.F. Chlorite > 40%	Af — Felsite		Py — Pyrite > 5%	
Cgl — Conglomerate	actBIF — B.I.F. Actinolite > 40%	Agr — Granite		Po — Iron sulphides > 2%	
Sch — Carbonate	micBIF — Mica > 30% (commonly includes garnets)		Brecciated Rock		

PERCUSSION DRILL LOG

PROSPECT/MINE: ZAPPAN HOLE NO: Z-ZAC 14

Collar: 10150 E 9998 N ..... RL

Azimuth: 302 °Mag/grid Inclination: -65°

Date Drilled: 21/4/88 Logged By: D.S.T. Sheet: 1/2

Depth (m) From	Depth (m) To	Sample No.	Description Lithology	Qtz	Py	Apy	Au
0	2		Soils				
2	4		Heavily weathered oxidized Sltst.				
4	6		Oxidized dk grey Sltst. 10% buff/tan frag >5% AB	✓			
6	8		A.a. + silic chert frag	✓			
8	10		15% Chert frag: grey-buff <10% dk grey Sltst.				
10	12		Grey buff. <10% dk grey Sltst.				
12	14		A.a. 5% coarse dk buff <1% red chert				
14	16		10% coarse dk grey-buff				
16	18		60% Qtz + dk buff	✓			
18	20		60% milky Qtz. dk grey Sltst <10% green buff	✓			
20	22		60% Qtz 20% green chert 30% grey buff + grey buff	✓			
22	24		60% dk grey coarse buff 15% Qtz + green buff	✓			
24	26		30% Qtz + minor py Fe-act Sltst 60% dk buff				
26	28		60% coarse dk buff 40% green chert				
28	30		90% grn speck chert 10% milky Qtz	✓			
30	32		<10% Qtz 20% chert + dk grey Sltst	✓			
32	34		Dk grey Sltst: py nodules + laminae		✓		
34	36		A.a: Qtz 40%	✓	✓		
36	38		20% Qtz. grey/grey Sltst minor py				
38	40		Dk grey Sltst. minor py				
40	42		A.a. 10% pale grey chert				
42	44		50% speck grn chert 40% Sltst. 10% Qtz. Minor py within Sltst	✓	✓		
44	46		Dk grey Sltst. >10% Qtz. Speck chert. minor py	✓	✓		

PERCUSSION DRILL LOG

PROSPECT/MINE: ZARCAN HOLE NO: Z-RAB 19

Collar: ..... E ..... N ..... RL

Azimuth: ..... °Mag/grid Inclination: .....°

Date Drilled: ..... Logged By: D.S.M. Sheet: 2 / 2

Depth (m)		Sample	Description				
From	To	No.	Lithology	Qtz	Py	Apy	Au
46	48		10% smoky Qtz. pyr + apy	✓	✓	✓	
			Dk grey SLST				
48	50		50% smoky Qtz & pyr	✓	✓		
			Dk SLTST				
50	52		Pale green chert 20%	✓			
			SLTST 30% Qtz				
52	54		20% milky Qtz. Dk grey	✓	✓		
			SLTST + pyr				
54	56		<5% Qtz. SLTST & pyr	✓	✓		
56	58		SLTST: 20% pale green				
			& pink chert				
58	60		SLTST: <10% Qtz. Pyr	✓	✓		
			quartz + SLTST				
60	62		As above	✓	✓		
62	64		SLTST: + quartz. pyr. green				
			& pink chert <10%				
64	66		Dk grey SLTST. Pale green				
			chert 5% green/pink chert				
			10%				
66	68		As above. 20% qtz/pink				
			Chert				
68	70		<10% Qtz. 30% pale grn	✓	✓		
			chert. Red chert frag				
			50% Dk SLTST				
70	72		Pale grn. Diff. 20% dk		✓		
			SLTST. + pyr				
72	74		As above <10% SLTST		✓		
74	75		SLTST + pyr		✓		

DIAMOND DRILL LOG

PROSPECT/MINE: ZAPPAN HOLE NO: 2-ZAP-19

Collar: ..... E ..... N ..... RL

Azimuth: 302 °Mag/grid Inclination: -65 °

Date Commenced: 20/4/88 Precollar: 75 M

Date Completed: 24/4/88 HQ(3) ✓ NQ(3) .... BQ ...

Logged By: D.S.H. Sheet: 1/6

Depth (m)		Description
From	To	
74.3	75.0	METASILTSTONE: (frac: core). fine. dk grey. massive.
		minor pyr along fractures
75.0	75.20	CHERT: red/green. 44° to core. Minor CO_3 veining.
		pyr abundant: = grades into pale green chert. to
		75.34 Qtz veining 4mm wide
75.34	75.64	METASILTSTONE
75.64	75.72	Breccia: mm angular clasts of Slst in CO_3/Qtz
		matrix + chert frags
75.72	75.82	Coarse Slst. Cleavage @ 60° to core. fractured
		with Qtz ja: filling
75.82	76.19	Minor pyr within folds of Slst
76.19	77.0	Slst: Brecciated @ 77.50 - 77.55 (as above)
77.0	77.82	Pale green METACHERT - CO_3 rich
77.82	79.85	METASILTSTONE: Minor Tuff bed grey talc speck
		@ 78.7 - 79.2 Milky Qtz stringers & veinlets at
		base 23 cm pale green METACHERT at base
79.85	80.85	METASILTSTONE: brecciated toward base with
		CO_3/Qtz veining. Angular clasts - frost. clays
80.85	81.32	Fresh core
81.32	81.36	Pale green METACHERT - crushed: bedded 50° to core
81.36	83.13	Coarse grey METATUFF. minor interbedded pink
		CHERT. CO_3 bands 45° to core. Qtz + pyr + cpy veins
		82.77 - 82.78 @ 60° to core
		TUFF: finite veinlets
83.13	83.44	CHERT red/green. Pyr disseminated throughout
83.44	85.09	Coarse grey METATUFF. Qtz veining + pyr + cpy
		brecciating. Tuff @ 84.10 - 84.29
85.09	85.22	pale green METACHERT 4mm apart. mm pyr + cpy
		along upper & lower contacts
85.22	88.90	Interbedded METATUFF & METASILTSTONE. Bedded
		65° to core. foliation 35° to core. green/red chert
		garnet-rich asp + pyr at base 87.88 - 87.90
		88.02 - 88.15 Milky Qtz vein pyr + cpy to to
		core
88.90	89.53	Coarse pale green speckled/banded METACHERT
		Pyr + cpy in mm wide bands 40° to core. garnet-rich
		@ 89.49 - 89.53
89.53	96.04	Coarse grey METATUFF. 90.17 - pink chert inclusions
		90.70 - 91.34 Mod Silicic with light chert bands
		Red/green chert 50° to core. folded. 40° to core
		93.35 mm Qtz veinlets

DIAMOND DRILL LOG

PROSPECT/MINE: ZAPPA HOLE NO: Z-ZAP-19

Collar: ..... E ..... N ..... RL

Azimuth: .....°Mag/grid Inclination: .....°

Date Commenced: ..... Precollar: .....

Date Completed: ..... HQ(3) .... NQ(3) .... BQ ...

Logged By: D.S.M. Sheet: 2 / 6

Depth (m) From	Depth (m) To	Description
96.14	96.14	Pale green grt-dusted CHERT bed also rt 97.12 d.s. 47° layering in dk grey METATUFF, foliation 30° to core. Bedding 40° to core. Minor folding // to foliation
96.14	119.96	Interbedded METATUFF & METACHERT (Green) ppy grt
100.46	100.52	6mm Qtz CO3 vein abundant ppy ± apy ± grt
107.60	107.92	D.F.P. 40° to core @ 107.84
107.92	109.32	Folded METACHERT with chert in filling fractures
109.28	109.32	Folded 45° to core // to foliation
111.37	114.69	Qtz vein & minor ppy ± apy
111.69	119.96	Intensely deformed pale green-dk grey METACHERT Apy ± ppy folds @ 80° to core tight chert bands ± 10mm wide pale green bands ppy in fractures & bedded with chert
119.40	119.96	Banded grey/pale METACHERT Apy filled inner band 30° to core + CO3/ppy ± apy in filling fractures with TUFF
119.96	129.88	Interbedded fine dk SLATE & Green METACHERT folded with cerbral nodules of Sug Qtz Banded ppy & accessional apy
124.36	124.52	Qtz veining Intense defm Abundant ppy, Sph as B.F.F. ± hem-ppy ± mag-apy ± intense defm within CHERT also @ 130.23 - 132.38 (+ Qtz & chloritol apy)
129.88	130.29	Qtz veining Ppy ± Sph
132.94	132.12	Interbedded SLATE with chert (green) ppy bands @ 130.23 - 132.36 & 134.52 - 134.55 - 134.31 - 134.80 136.14 - 136.26 & 136.53 - 136.66 & 137.24 - 137.66
130.29	139.29	Milky Qtz vein Strongly Chl minor ppy
139.24	139.29	

DIAMOND DRILL LOG

PROSPECT/MINE: ZAPOPAN HOLE NO: 2-ZAP.19

Collar: .. E ..... N ..... RL

Azimuth: 302 °~~Mag~~/grid Inclination: -65 °

Date Commenced: ..... Precollar: .....

Date Completed: ..... HQ(3) ✓ NQ(3) .... BQ ...

Logged By: D.J.H. Sheet: 3/6

Depth (m) From	Depth (m) To	Description
139.29	139.39	METASILTSTONE as above
139.39	139.44	Qtz stringer
139.44	139.66	META SILTSTONE grey, massive
139.66	139.77	METACHERT Folded and squeezed. Silicic green Pyr throughout
139.77	140.93	METASILTSTONE fine grey Qtz/CO3 filled fractures and stringers
140.93	140.96	Badly damaged METACHERT Abundant CO3 + Pyr
140.96	142.16	Non cm scale interbedded CHERT and SILT STONE Coarse mica + asp within chert mm fractures infilled with Qtz Pink Chert band off-set by fractures Band 30° to core
142.16	142.79	METASILTSTONE fine grey
142.79	142.85	Deformed silicic METACHERT Coarse mica + abundant Pyr Folded 30° to core
142.85	144.05	METASILTSTONE fine grey Pyr blebs 25° to core axis
144.05	144.16	METACHERT green banded 60° to core
144.16	145.26	META CHERT pale green/grey Pink chert lenses Pyr throughout Folded bands @ 144.59 off-set by 30° Qtz/CO3 Pyr like fracture N to fold axis Pink chert with Qtz/Pyr inner
145.26	146.15	Deformed silty CHERT sequence Pyr in foliation 25° to core
146.15	146.71	METACHERT pink/green folded Coarse Pyr garnet Qtz mica band within
146.71	147.51	METASILTSTONE fine light grey
147.51	147.59	Milky Qtz zone minor veins minor pyr + asp
147.59	147.88	Fine grey SILTSTONE
147.88	147.89	METACHERT banded Pink
147.89	148.18	Silty CHERT Pink/green bands + Qtz/CO3 Stringers + asp throughout
148.18	149.44	METACHERT Banded: Intensly deformed green/yellow at top → pink/yellow → grey/white at base Clasts of coarse micas, pyr + asp
149.44	150.10	METAPELITE dk grey Fold axis // to foliation 30° to core
150.10	150.32	Deformed Qtz veining Minor Pyr
150.32	151.08	METASILTSTONE grey Ciarsd - dusted + garnet rich bands 1-2cm wide
151.08	151.09	Qtz vein Milky Minor pyr
151.09	151.69	METASILTSTONE as above
151.69	151.70	Qtz vein + CHERT frag Minor Pyr
151.70	152.34	METASILTSTONE / CHERT green/pink Pyr throughout

DIAMOND DRILL LOG

PROSPECT/MINE: ZAPOPAN HOLE NO: 2-ZAP.19

Collar: ..... E ..... N ..... RL

Azimuth: 302 °~~Mag~~/grid Inclination: -65 °

Date Commenced: ..... Precollar: .....

Date Completed: ..... HQ(3) ✓ NQ(3) .... BQ ...

Logged By: D.J.H... Sheet: 4 / 6

Depth (m) From	Depth (m) To	Description
152.34	152.48	META.CHERT. silicic. grey/green... Massive pyr, asp. in filling. 4cm. wide. fractures. and in. bands // to. bedding 40°. to. core.
152.48	152.84	SILTSTONE... grey.. Speckled. with... 1-2mm. garnets
152.84	152.91	Coarse. qtz. / Cb3. zone. Sub. to. core.
152.91	153.13	META. CHERT. bands. Garnet. rich.. intensly. deformed... abundant. pyr. in. fractures. 1-2 cm. wide. & in. fold. hinges
153.13	153.23	Abundant pyr. within. banding. of. silicic.. lenticular. chert META CHERT. banded. pale green / black / white. Abundant pyr... bands 30° to. core.
153.23	153.69	METASILTSTONE.. with. banded. garnets. 80° to core.
153.69	153.70	METACHERT. - folded. with. sulphide. rich. bands. 60°. to. core.
153.70	153.85	METASILTSTONE. grey. garnet. rich.
153.85	154.01	CHERT. . grey / black / green. 2-4mm. bands. top & bottom of. abundant. pyr.
154.01	155.31	METASILTSTONE. dk. grey. scattered. garnets.
155.31	155.32	Qtz. band. with. asp, pyr. Milky. white. qtz. 50° to core.
155.32	155.59	METASILTSTONE. grey. Garnet. rich. at. base.
155.59	155.84	METACHERT.. folded. silicic. with pyr. asp. in. fold. hinges as. well as. disseminated. throughout.
155.84	155.87	METACHERT. Green / black. speckled. Pyr... Fold. 20°. to core // to. foliation.
155.87	156.17	METASILTSTONE. grey., massive.. few. garnets.
156.17	156.31	METASILTSTONE. grey / green.
156.31	156.35	Qtz. band., asp. pyr., Chl. + actinolite
156.35	156.44	METASILTSTONE. grey. massive.
156.44	157.26	Silty. METACHERT. Fold. Qtz. bands ½ - 1 cm. wide.
157.26	157.28	Qtz. band. with. hematite. along. contacts. 70°. to. core. minor. pyr.
157.28	157.38	Recent. crush. zone.
157.38	159.16	CHERT. / Silty. CHERT.. pink / green / grey. with. minor. pyr.
159.16	160.93	METASILTSTONE. grey. banded. bedding. is. 30°. to. core Folded. about. 30°. to. core.
160.93	161.0	METACHERT. fine. green / grey.
161.0	162.84	METASILTSTONE.. Fine. grey.
162.84	162.85	CHERT.. band. coarse. green... with. pyr, garnet, qtz.. 50°. to. core.
162.85	162.93	METACHERT. Coarse.. green / black. speckled. Foliation.. 45°. to. core.
162.93	163.21	METASILTSTONE as above.

DIAMOND DRILL LOG

PROSPECT/MINE: ZIA ROMAN ..... HOLE NO: Z-ZRP-19

Collar: ..... E ..... N ..... RL

Azimuth: .....°Mag/grid Inclination: .....°

Date Commenced: ..... Precollar: .....

Date Completed: ..... HQ(3) .... NQ(3) .... BQ ...

Logged By: D.J.M. Sheet: 5 / 6

Depth (m) From	Depth (m) To	Description
163.21	164.0	METACHERT ... 2-4 cm wide Qtz veins. Abundant ... pyr. lining veins + in filling fractures. Minor apy. Iron with Qtz. @ 120° to core ...
164.0	164.94	Chert grey 1-2 mm Qtz bands 40° to core + folded tooldis (green) with leucocratic nodules ...
164.94	165.10	METASILTSTONE ...
165.10	168.30	Coarse grey METAVOLC with CHERT bands (green) @ 165.20 - 165.31 folded 40° to foliation ... bedded 10° to core ... 166.84 - 167.10 Garnet rich ...
		CHERT ...
167.78	168.10	Brecciated angular clasts of Chert in Qtz/CO3 matrix ...
168.10	168.30	Qtz vein ll to foliation (40°) to core ... pyr along basal contact ...
168.30	168.52	Banded METACHERT pale green/grey Grades into coarse speckled chert. Foliation 60° to core ... offset (1cm) by 2mm Qtz filled fracture @ to core axis ... also @ 169.37 - 169.72 ... garnet dusted ...
168.52	173.47	Dk grey METASILTSTONE, garnet dusted ...
173.47	174.43	Grades into dk coarse METAVOLC ...
174.43	174.83	Green METACHERT grey/white Sug Qtz bands folded 60° to core ... pyr ± apy within core. Abundant pyr along basal contact ...
174.83	175.19	METASILTSTONE ...
175.19	175.65	Qtz vein @ to core axis. Chert ± SILTST ± tem ... pyr. ± apy ± gal ... also @ 175.42 - 175.65 ...
175.19	177.58	METASILTSTONE ...
177.58	178.36	METACHERT dark leucocratic silt bands within core. Abundant pyr. rich CHERT folds ...
178.36	182.83	METASILTSTONE ...
182.83	186.11	Boudinaged green silicic METACHERT band ... pyr - apy bands 2-4 cm with dk interbedded chert ...
186.11	193.25	Bedded CHERTS and SILTST garnet rich CHERTS banded / folded green with white silicic bands - aggregate nodules central ... Bands @ 188.79 - 189.80 ... 190.64 - 192.94 - 193.0 SILTST @ 10° to core ...
193.25	199.72	METACHERT banded / folded Leucocratic bands @ to core bedding ... Pyr disseminated on margins & min lenses with the nodules ... Pyr also with dk grey black mm bands as a basal member ...

DIAMOND DRILL LOG

PROSPECT/MINE: ZAPOPAN HOLE NO: Z-ZAP.19

Collar: .. .. E . . ..: N ..... RL

Azimuth: 302 °~~Mag~~/grid Inclination: -65 °

Date Commenced: ..... Precollar: .....

Date Completed: ..... HQ(3) ✓ NQ(3) .... BQ ...

Logged By: D.D.H. Sheet: 6 / 6

Depth (m) From	Depth (m) To	Description
199.72	200.13	METASILTSTONE, grey, garnet-cluster
200.13	203.20	METACHERT, banded, banding of leucocratic chert with mm wide green/black/grey banding garnet & pyr rich
		E.O.H.
		h

LITHOLOGY LOG. 2-CHP 14.

74 SILTSTONE
red/green chert grades into pale green CO3/Qtz veining abundant pyr
75
Breccia/fault zone
Qtz veining.
76
SILTSTONE
77 Breccia
Breccia. chert silicic pale green. CO3 n.c. mica pyr.
78
SILTSTONE
pale-pink w/ bed banded speckled
79
milky Qtz. stringers & pockets CO3 - Qtz sphalerite rich
80
SILTSTONE
81 Breccia
fel. Fault zone
crushed chert
mm with chert bands
82 GREYWACKE
pyr along & Qtz band chert frag.
83
chert bed pale green silicic disseminated pyr.
GREYWACKE
84 pyr along joints
Qtz vein pyr + asp
85 MTA PELITE
fining towards banded chert
garnets pyr asp type
GREYWACKE
86 SILTSTONE
Qtz vein. pyr + asp.
87 GREYWACKE
SILTSTONE
GREYWACKE
garnet rich chert band. pyr + asp. red/green.
GREYWACKE
88 Qtz vein. pyr asp.
GREYWACKE
89

90 pale green sheared chert. 40° to core pyr along bands - Qtz veining + bands.
GREYWACKE
pink chert inclusions
GREYWACKE
91 Silica bands & META TUFF.
GREYWACKE
92 sheared/banded chert 40° to core 30° bedding to core
93 pyr bands
GREYWACKE
92:39
SILTSTONE
94
95
GREYWACKE
pyr. along foliation
96
97
banded chert 40° to core pyr along fracture.
98
pyr
99
GREYWACKE
pyr along joints
Qtz vein pyr + asp
100 MTA PELITE
fining towards
banded chert
garnets pyr asp type
at base contact.
GREYWACKE
101 SILTSTONE
GREYWACKE
102
103
104
105
GREYWACKE
calcite Qtz veining
106
107
108
109
110
111
pyr
banded chert
MTA PELITE
GREYWACKE
112
113
GREYWACKE
meta chert.
114
tuff band.
foliated 40 to core.
foliated chert 89.
115
meta chert. 30° to core.
chert foliated.
116
GREYWACKE.
117
30° to core pink/green Meta chert 30° to core.
118
GREYWACKE
119

2-2AT 19. SHEET 2/3.

Z-2 Ap 19.

SHEET 3/3

164 silty clst pyr + gnt + ser/Qtz bands folded clst bands. cm-scale folded clst. cm-scale folded clst.

165

166

167 CARBONACEOUS

168 Qtz vein/lens folded

169

170 gnt + pyr SILTSTONE

171

172

173 15° to core SILTSTONE

174

175 Qtz vein/lens folded clst + pyr

176 SILTSTONE

177 15° to core bedding folded clst

178 SILTSTONE

179

180

181 pyr/gnt-rich bands 45° to core. SILTSTONE

182 Qtz bnd. gnt + SILTSTONE

183 bedded clst with lenticular beds

184

185 SILTSTONE

186

187 black clst

188 gnt bnd.

189 SILTSTONE

190

191 CO3 Qtz vein

192 SILTSTONE

193

194

195 bedded metaclst.

196 SILTSTONE

197

198

199

200 clst bedded with bands of lenticular clasts

201

202 METASILTSTONE.

203

E.O.H.

EXPLOREMIN PTY.LTD.

Diamond Drill Log: ZZAP/20

SUMMARY

CLIENT: ZAPOPAN N.L.

PROSPECT: ZAPOPAN

PROPOSED CO-ORDS E: 9992.0 N: 9922.0 R.L.: 99
LAID OUT CO-ORDS E: 9992.0 N: 9922.0 R.L.: 99
ACTUAL CO-ORDS E: 9992.0 N: 9921.9 R.L.: 98.71

PLANNED DEPTH (M): 150
TARGET DEPTH (M): 40-150
ACTUAL DEPTH (M): 149.9

BEARING ° Grid: 032 ° Mag:
INCLINATION -°: 70

PROPOSED BY: J.G.
PLANNED BY: J.G.
LAID OUT BY: MACJAP
SURVEYED BY:

DRILLED BY: ROCKDRILL RIG 8

DATE COMMENCED: 88/05/20
DATE COMPLETED: 88/06/03

PRE-COLLAR (M): 41
HQ (M): 108.9
NQ (M):
BQ (M):
OTHER (M):
WEDGES PLACED:

COMMENTS/ASSAY SUMMARY:

66-82m (16m) 1.8 g/t Au

DOWN HOLE SURVEYS

DEPTH (m): 50	AZIMUTH (mag. °): 028	INCLN (°): 69
DEPTH (m): 100	AZIMUTH (mag. °): 026	INCLN (°): 68
DEPTH (m): 149	AZIMUTH (mag. °): 020	INCLN (°): 66
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):
DEPTH (m):	AZIMUTH (mag. °):	INCLN (°):

ANALABS

A division of Macdonald Hamilton & Co. Pty. Ltd.
Phone(09) 458 7999
52 Murray Road, Welshpool, W.A. 6101
Telex AA92560

RECEIVED 7 JUN 1988

ANALYTICAL REPORT No. 247.0.14.0207A

THIS REPORT MUST READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

ZAPOPAN NL
PO BOX 4045

DARWIN NT 5791

ORDER No.	PROJECT

DATE RECEIVED	RESULTS REQUIRED
31/05/88	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES	TOTAL No. OF SAMPLES
2	23/06/88	1	44

	PRE-TREATMENT							ANALYSIS		
SAMPLE NUMBERS	DRY	CRUSH	SPLIT	PULVERISE	SIEVE	OTHER SEE REMARKS	NONE	REFER TO ANALYSIS SECTION	PREPARATION	METHOD
6589/632	RO	Prep: 033						Au,Au(1),Au(2)/313		
6589/632	RO							As/401		
6589/632	RO							As/404		

RESULTS TO

MR ROD JOHNSON
ZAPOPAN NL
PO BOX 4045

DARWIN NT 5791

RESULTS TO

REMARKS

2-ZAP 20

STATE OF SAMPLES		ANALYSIS — PREPARATION				ANALYSIS — METHOD	
ore	WC	perchloric acid	A1	cold acid	CA	atomic absorbtion	AAS
ore	SC	hydrochloric acid	A2	specific sulphide	SS	x-ray fluorescence	XRF
	CU	nitric acid	A3	other mixed acids	Ma	spectrophotometry	SPEC
	Ro	aqua regia	A4	alkaline attack	AA	colorimetry	COL
	SO	nitric-perchloric	A5	volatilization	VO	chromatography	CHR
	PU	HF mixture	A6	ignition	IG	titration	TTN
	WA	HF under pressure	A7	pressed powder (XRF)	PP	other chemical means	CHEM
	TI	fusion	A8	glass fusion (XRF)	GF	miscellaneous	MISC
sediment	SS					fluorescence	FLUOR
neral	HM					inductively coupled plasma	ICP

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX | REPORT NUMBER | REPORT DATE | CLIENT ORDER No. | PAGE

247.0.14.02517 | 23/06/88 | | | 1 OF

TUBE No.	SAMPLE No.	As	As	Au	Au(1)	Au(2)			Depth	
1	6589	910	–	0.218	0.353	–				
2	6590	250	–	0.035	0.032	–			2-4	
3	6591	90	–	0.015	–	–			4-6	
4	6592	90	–	0.007	–	–			6-8	
5	6593	120	–	0.027	–	–			8-10	
6	6594	160	–	0.019	–	–			10-12	
7	6595	160	–	0.012	–	–			12-14	
8	6596	180	–	0.022	–	–			14-16	
9	6597	70	–	0.010	–	–			16-18	
10	6598	35	–	0.007	–	–			18-20	
11	6599	65	–	0.014	–	–			20-22	
12	6600	40	–	0.033	–	–			22-24	
13	6601	25	–	0.009	–	–			24-26	
14	6602	20	–	<0.005	–	–			26-28	
15	6603	20	–	0.021	–	–			28-30	
16	6604	90	–	0.023	–	–			30-32	
17	6605	15	–	0.006	–	–			32-34	
18	6606	40	–	0.007	–	–			34-36	
19	6607	7	–	<0.005	–	<0.005			36-38	
20	6608	10	–	<0.005	–	–			38-40	
21	6609	10	–	<0.005	–	<0.005			40-41	
22	6610	15	–	<0.005	–	–			40.90-42	
23	6611	10	–	<0.005	–	–			42-44	
24	6612	15	–	0.006	–	–			44-46	
25	6613	6	–	0.008	–	–			46-48	

Results in ppm unless otherwise specified
T = element present but concentration too low to measure
X = element concentration is below detection limit
– = element not determined

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. (1971) Ltd.

ANALYTICAL DATA

SAMPLE PREFIX | REPORT NUMBER | REPORT DATE | CLIENT ORDER No. | PAGE

247.0.14.02517 | 23/06/88 | | PAGE 2 OF 2

TUBE No.	SAMPLE No.	As	As	Au	Au(1)	Au(2)			Hole No	Depth
1	6614	25	--	<0.005	--	--			2 ZAP-20	48-50
	6615	20	--	<0.005	--	--				50-52
3	6616	15	--	0.005	--	--				52-54
	6617	10	--	0.014	--	--				54-56
5	6618	60	--	0.013	--	--				56-58
6	6619	2350	--	1.177	0.977	1.061				58-60
	6620	290	--	0.191	--	--				60-62
8	6621	35	--	0.156	--	--				62-64
	6622	35	--	0.020	--	--				64-66
0	6623	>2500	0.83	2.661	2.459	2.158				66-68
	6624	55	--	0.180	--	--				68-70
	6625	>2500	0.54	2.278	--	2.464				70-72
3	6626	560	--	0.358	--	--				72-74
	6627	120	--	0.450	--	--				74-75
5	6628	30	--	0.302	--	--				75-76
	6629	100	--	0.164	--	--				76-78
7	6630	490	--	0.214	--	--				78-80
9	6631	930	--	1.118	--	1.067				80-82
	6632	10	--	0.072	--	--				82-84
)										
	DETECTION	2	0.01	0.005	0.005	0.005				
	UNITS	PPM	%	PPM	PPM	PPM				
	METHOD	401	404	313	313	313				

Results in ppm unless otherwise specified.
T = element present but concentration too low to determine
X = element concentration is below detection limit
-- = element not determined

OFFICER

ANALABS

A division of Macdonald Hamilton & Co. Pty. Ltd.

Phone(09) 458 7999

52 Murray Road, Welshpool, W.A. 6101

Telex AA[illegible]60

ANALYTICAL REPORT No. 247.0.14.[illegible]631

THIS REPORT MUST READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL [illegible]

ORDER N[illegible] PRO[illegible]

ZAPOPAN NL
PO BOX 4045

DARWIN NT 5791

DATE RECEIVED	RESULTS REQUIRED
06/06/88	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES	TOTAL No. OF SAMPLES
2	28/06/88	1	69

ER OW	SAMPLE NUMBERS	PRE-TREATMENT: DRY	CRUSH	SPLIT	PULVERISE	SIEVE	OTHER SEE REMARKS	NONE	ANALYSIS: REFER TO ANALYSIS SECTION	PREPARATION	METHOD
	6633/67,6672/785		Prep: 833						Au,Au(1),Au(2)/313		
	6633/67,6672/785								As/401		

RESULTS TO

MR ROD JOHNSON
ZAPOPAN NL
PO BOX 4045

DARWIN NT 5791

RESULTS TO

REMARKS

Z-ZAP/20

21

STATE OF SAMPLES

hole core	WC
lit core	SC
tting	CU
ck	Ro
il	SO
lp	PU
ater	WA
sue	TI
eam sediment	SS
avy mineral	HM

ANALYSIS — PREPARATION

perchloric acid	A1	cold acid	CA
hydrochloric acid	A2	specific sulphide	SS
nitric acid	A3	other mixed acids	Ma
aqua regia	A4	alkaline attack	AA
nitric-perchloric	A5	volatilization	VO
HF mixture	A6	ignition	IG
HF under pressure	A7	pressed powder (XRF)	PP
fusion	A8	glass fusion (XRF)	GF

ANALYSIS — METHOD

atomic absorbtion	AAS
x-ray fluorescence	XRF
spectrophotometry	SPEC
colorimetry	COL
chromatography	CHR
titration	TTN
other chemical means	CHEM
miscellaneous	MISC
fluorescence	FLUOR
inductively coupled plasma	ICP

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty Ltd

ANALYTICAL DATA



SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER NO.	PAGE
	247.0.14.02531	28/06/88		1 OF

TUBE No.	SAMPLE No.	As	Au	Au(1)	Au(2)		Hole No	Depth		
1	6633	40	0.074	-	-		ZZAP20	84-86		
2	6634	85	0.052	-	-			86-88		
3	6635	350	0.020	-	-			88-90		
4	6636	20	0.034	-	0.032			90-91.20		
5	6637	120	0.038	-	-			92.75-94.57		
6	6638	25	0.118	-	-			91.24-92.75		
7	6639	10	0.025	-	-			97.40-99.30		
8	6640	100	0.066	-	-			96.19-97.40		
9	6641	60	0.037	-	-			94.57-96.19		
10	6642	45	0.009	-	-			102-104		
11	6643	20	0.026	-	-			104-106		
12	6644	9	<0.005	-	-			106-108		
13	6645	20	0.015	-	-			108-110		
14	6646	3	<0.005	-	-			110-112		
15	6647	<2	<0.005	-	-			99.30-101.09		
16	6648	15	0.067	-	-			101.09-102		
17	6649	6	<0.005	-	-			112-114		
18	6650	20	<0.005	-	-			114-116		
19	6651	10	<0.005	-	-			116-118		
20	6652	3	<0.005	-	-			118-120		
21	6653	70	<0.005	-	-			120-122		
22	6654	30	0.008	-	-			122-124		
23	6655	20	<0.005	-	-			124-126		
24	6656	10	<0.005	-	-			126-128		
25	6657	85	0.034	-	-			128-130		

Results in ppm unless otherwise specified
T = element present but concentration too low to measure
X = element concentration is below detection limit
- = element not determined

AUTHORISED OFFICER

ANALABS

A Division of Lindsay Ronaldson Hamilton & Co. Ltd.

ANALYTICAL DATA

RECEIVED 28 JUN 88

SAMPLE PREFIX | REPORT NUMBER 247.0.14.02531 | REPORT DATE 28/06/88 | CLIENT ORDER No. -6 | PAGE 1 OF 1

TUBE No	SAMPLE No.	As	Au	Au(1)	Au(2)		Hole No.	Depth
1	[illegible]	4	<0.005				ZAP 20	130-132
2	[illegible]	25	<0.005					132-134
3	[illegible]	5	<0.005					134-136
4	[illegible]	2	<0.005					136-138
5	[illegible]	30	0.007					138-140
6	[illegible]	15	0.075					140-142
7	[illegible]	15	0.010					142-144
8	[illegible]	20	<0.005					144-146
9	[illegible]	2	<0.005					146-148
10	[illegible]	2	<0.005					148-149.90
11	[illegible]	90	<0.005				ZAP 21	8-10m
12	[illegible]	160	<0.005					10-12m
13	[illegible]	85	<0.005					12-14m
14	[illegible]	260	0.010					14-16m
15	[illegible]	60	<0.005		<0.005			16-18m
16	[illegible]	85	<0.005					18-20m
17	[illegible]	70	<0.005					20-22m
18	[illegible]	180	0.013					22-24m
19	[illegible]	600	0.015					24-26m
20	[illegible]	1200	0.009					26-28m
21	[illegible]	85	0.319	0.294				28-30m
22	[illegible]	90	0.069					30-32m
23	[illegible]	110	0.010					32-34m
24	[illegible]	90	0.015					34-36m
25	[illegible]	45	<0.005					36-38m

Results in ppm unless otherwise specified
T = element present but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

for ANALABS

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA



SAMPLE PREFIX | REPORT NUMBER 247.0.14.02531 | REPORT DATE 28/06/88 | ORDER No. | PAGE

TUBE No.	SAMPLE No.	As	Au	Au(1)	Au(2)	Hole No.	Depth			
1	6667	70	0.134	–	–	ZAP-21	38	40m		
2	6668	30	0.022	–	–		40	42m		
3	6669	50	0.011	–	–		42	44m		
4	6670	65	0.010	–	–		44	46m		
5	6671	50	0.009	–	–		46	48m		
6	6672	50	<0.005	–	–		48	50m		
7	6673	80	0.008	–	–		50	52m		
8	6674	230	0.016	–	–		52	54m		
9	6675	1100	1.050	0.961	0.971		54	56m		
10	6676	970	0.076	–	0.091		56	58m		
11	6677	190	0.031	–	–		58	60m		
12	6678	140	0.035	–	–		60	62m		
13	6679	110	0.015	–	–		62	64m		
14	6700	170	0.016	–	–		64	66m		
15	6701	300	0.015	–	–		66	68m		
6	6702	140	0.023	–	0.029		68	70m		
7	6703	70	0.009	–	–		70	72m		
8	6704	120	0.012	–	–		72	74m		
9	6705	120	0.019	–	–		74	75m		
0										
1										
2										
3	DETECTION	2	0.005	0.005	0.005					
4	UNITS	PPM	PPM	PPM	PPM					
5	METHOD	401	313	313	313					

Results in ppm unless otherwise specified.
T = element present, but concentration too low to measure
X = element concentration is below detection limit
– = element not determined

AUTHORISED

CORE RECOVERY LOG

PROSPECT/MINE: ZAPOPAN HOLE NO: Z-ZAP 20

Logged By: ..... Sheet: ...../.....

Depth (m)		Interval	Recovery	Depth (m)		Interval	Recovery
From	To	(m)	(m)	From	To	(m)	(m)
40.90	42.30	1.40	1.31	104.50	105.20	0.70	0.30
42.30	43.00	0.70	0.59	105.20	105.35	0.15	0.15
43.00	44.10	1.10	0.53	105.35	105.70	0.35	0.25
44.10	44.60	0.50	0.50	105.70	107.50	1.8	1.79
44.60	45.10	0.50	0.49	107.50	109.10	1.60	1.51
45.10	45.70	0.60	0.52	109.10	111.10	2.0	1.86
45.70	46.0	0.30	0.21	111.10	112.30	1.20	1.21
46.00	47.30	1.30	1.22	112.30	114.15	1.85	1.66
47.30	47.90	0.60	0.57	114.15	115.40	1.25	1.26
47.90	48.20	0.70	0.38	115.40	116.80	1.40	1.31
48.20	49.60	1.40	0.96	116.80	117.95	1.15	1.08
49.60	50.50	0.90	0.84	117.95	119.0	1.05	1.05
50.50	50.90	0.40	0.34	119.0	121.10	2.10	1.91
50.90	51.80	0.90	0.86	121.10	123.10	2.0	1.92
51.80	53.0	1.20	1.16	123.10	124.45	1.35	1.35
53.0	53.80	0.80	0.49	124.45	127.65	3.20	2.94
53.80	54.20	0.40	0.32	127.65	129.50	1.85	1.84
54.20	55.10	1.10	—	129.50	131.0	1.50	1.42
55.10	55.90	0.80	0.35	131.10	132.40	1.40	1.18
55.90	56.60	0.70	0.46	132.40	133.70	1.30	1.09
56.60	58.95	2.45	2.46	133.70	135.85	2.15	1.85
58.95	62.05	3.10	2.74	135.85	137.55	1.70	1.44
62.05	64.20	2.15	2.09	137.55	138.40	0.85	0.75
64.20	66.60	2.40	2.03	138.40	139.75	1.35	1.27
66.60	67.30	0.70	0.70	139.75	141.25	2.50	2.16
67.30	70.0	1.70	1.57	141.25	142.90	1.65	0.92
70.0	70.60	0.60	0.57	142.90	144.50	1.60	1.46
70.60	72.70	2.10	1.80	144.50	146.90	2.40	2.21
72.70	73.90	1.20	1.09	146.90	149.90	3.00	3.00
73.90	76.40	2.60	2.22				
76.40	77.40	1.0	0.74				
77.40	79.70	2.30	2.01				
79.70	80.60	0.90	0.84				
80.60	83.50	2.90	1.54				
83.50	84.70	1.30	1.20				
84.70	85.60	0.90	0.80				
85.60	86.70	1.10	1.05				
86.70	87.20	0.50	0.50				
87.20	87.40	0.20	0.13				
87.40	88.10	0.70	0.46				
88.10	89.10	1.0	0.71				
89.10	89.90	0.80	0.21				
89.90	90.45	0.55	0.45				
90.45	91.35	0.90	0.72				
91.35	92.95	1.60	1.59				
92.95	95.85	2.90	2.83				
95.85	96.75	0.90	0.90				
96.75	99.10	2.35					
99.10	101.60	2.50	1.65				
101.60	104.50	2.90	2.88				

SHEET 1 of 2

CORELOGGING DATA

LOGGED BY: D.J.H.

AREA / LEASE ..... PROSPECT: ZAPOPAN HOLE No: Z-ZAP-20

DIST. FROM COLLAR	BREAKS / METRE	RECOVERY	R.Q.D.	SPEC. GRAVITY	MAG. SUSCEPTIBILITY	ANGLE TO LONG CORE AXIS: So	ANGLE TO LONG CORE AXIS: Si	STRUCTURES	LITHOLOGY	ESTIMATED MINERAL PERCENTAGES: milky qtz.	sugary qtz.	r. gr. qtz.	musc.	biot.	garnet	chl.	act.	cbt.	tourm.	py.	po.	hemt.	base metal su.	aspy.	Sericite	K-spar	SAMPLE No.	ASSAY RSLTS: Au	ASSAY RSLTS: As	GEOLOGICAL COMMENTS (mainly texture)
56																													
57															4	8	1			2									
58								b.i.f.				5				8	2	½		2	2	tr						Hem-rich b.i.f.
59								b.i.f.			5	10			½	20	5			5			2					
60								b.i.f.		2	1					5	tr			1								
61										1		5	tr			10	5	tr		2			tr	40				Sericite-tuff.
62												12	1	tr	20									tr				
63												2	2		40	5								40				
64										10		40	tr	<1	30	4							5	tr				
65												10			20	2			4									
66								b.i.f.				6	tr		22				1				40					
67											1				2	10	tr		½									
68										2					½	10			2			tr						
69								Qtz		14		6	tr		2	10	1		2			2					Vuggy Qtz
70										40					1	2			2			tr					Vuggy Qtz.
71								(Qtz)																				
72								b.i.f		10	2				1	20			2			tr						
73										16	5		tr		2	40	tr		3									
74								b.i.f			3				½	20	2		2									

LITHOLOGICAL LEGEND:

- Sdm Mudstone
- cSdm Carbonaceous Mudstone
- Slt Siltstone
- Snd Sandstone
- Sgw Greywacke
- Cgl Conglomerate
- Lmc Limestone
- tAv Andesite
- Sct Chert
- BIF B.I.F.
- caBIF B.I.F. Carbonate >15%
- chBIF B.I.F. Chlorite >40%
- actBIF B.I.F. Actinolite >40%
- micBIF Mica >30% (commonly includes garnets)
- Su Massive Sulphide
- go Gossan
- Mh Hornfels
- MBd Metadolerite
- Af Felsite
- Agr Granite
- Brecciated rock
- Veining >30%
- Tourmaline >5%
- Arsenopyrite >0.5%
- Base metal sulphides >5%
- py Pyrite >5%
- po Iron sulphides >2%

SHEET 2 of 2

LOGGED BY: D.S.H.

CORELOGGING DATA

AREA / LEASE ..... PROSPECT ZAPOPAN ..... HOLE No Z-ZAP 20

DIST. FROM COLLAR	BREAKS / METRE	RECOVERY	R.Q.D.	SPEC. GRAVITY	MAG. SUSCEPTIBILITY	ANGLE TO LONG CORE AXIS: So	ANGLE TO LONG CORE AXIS: Si	STRUCTURES	LITHOLOGY	ESTIMATED MINERAL PERCENTAGES: milky qtz.	sugary qtz.	f. gr. qtz.	musc.	biot.	garnet	chl	act.	cbt.	laurm.	py.	po.	hemt.	base metal su.	aspy.	SAMPLE No.	ASSAY RSLTS: Au	ASSAY RSLTS: As	GEOLOGICAL COMMENTS (mainly texture)
74								Qtz		15	4				2	15	tr			4				tr		0EA		
75								b.i.f.			6				4	18				1						0JA		
76												4			3	10				1½						0·16		
77																												
78								b.i.f.		2		2			½	10	tr			1				tr		0·2%		Basal B.i.f.
79								Qtz		14		10			½	15	2			12				tr				
80										8					1					tr						0·2%		
81										14		1			tr					8						1·067		
82										10										1						0·072		
83									CORE LOSS																			
84											1				16	tr		tr	½									
85										8		tr			8				1							0·07%		
86																	tr		½									

LITHOLOGICAL LEGEND:

- Sdm Mudstone
- cSdm Carbonaceous Mudstone
- Slt Siltstone
- Snd Sandstone
- Sgw Greywacke
- Cgl Conglomerate
- Sed Composite
- tAv Asbestone
- Sch Chert
- BIF B.I.F.
- caBIF B.I.F. Carbonate > 15%
- chBIF B.I.F. Chlorite > 40%
- actBIF B.I.F. Actinolite > 40%
- micBIF Mica > 30% (commonly includes garnets)
- Su Massive Sulphide
- Qz Quartz
- Mn Hornfels
- MBd Metadolerite
- Af Felsite
- Agr Granite
- Brecciated Rock
- Veining > 30%
- Tourmaline > 5%
- Arsenopyrite > 0.5%
- Base metal sulphides > 5%
- Py Pyrite > 5%
- Po Iron sulphides > 2%

PERCUSSION DRILL LOG

PROSPECT/MINE: ..... HOLE NO: E-BAP 20.

Collar: ..... E ..... N ..... RL

Azimuth: ..... °Mag/grid Inclination: .....°

Date Drilled: ..... Logged By: D.J.M. Sheet: 1./1.

Depth (m) From	Depth (m) To	Sample No.	Description: Lithology	Qtz	Py	Apy	Au
0	2	6589	70% milky qtz + weathered silicic tuff & clays	✓			
2	4	6590	40% clays. Slts N 20% grey black speck weathered tuff. Minor silicic tuff. minor pink chert weathered				
4	6	6591	20% qtz. 40% grey tuff. 20% silicic tuff. Slst clays weathered	✓			
6	8	6592	Pale tuff - weathered Slst clays. 40% dk green speck tuff				
8	10	6593	60% pale grey silicic tuff. minor Slst. < 20% qtz. Minor green tuff + clays	✓			
10	12	6594	As above. <5% Qtz. 10% pale green chert	✓			
12	14	6595	40% weathered green chert. minor qtz. Slst. 40% coarse & fine tuffs	✓			
14	16	6596	Dk Slst. 30% spec tuff. 20% hard tuff clays				
16	18	6597	as above	✓		✓	
18	20	6598	20% pale grey tuff Slst v. minor smoky qtz + veg				
20	22	6599	40% dk silicic tuff Slst weathered				
22	24	6600	Dk grey Slst. Partly weathered				
24	26	6601	Dk Slst. 10% hard fine silicic tuff clays				
26	28	6602	Dk Slst				
28	30	6603	30% hard fine silicic tuff Slst. v. minor milky qtz	✓			
WATER LEVEL 30	32	6604	As above	✓			
32	34	6605	Dk grey Slst				
34	36	6606	10% green chl coarse black speck tuff. <5% Qtz <10% hard silicic tuff Slst	✓			
36	38	6607	20% pale pink laced chert frag. 20% dk silicic tuff Slst				
38	40	6608	As above				
40	41	6609	<20% Chert. 40% dk silicic tuff 40% coarse green black speck tuff. minor Slst.				

DRILLHOLE LOG

Drillhole No. Z-ZAP20
Page 1 of 28

PROJECT: ZAPOPAN
DRILL: RIG 8
COORDINATES:

COMPANY: ROCKDRIL
COMMENCED: 20/5/88
ELEVATION:

CONTRACTOR:
COMPLETED: 2/6/88
AZIMUTH:

DECLINATION:
LOGGED BY: D.S. M.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
40							
						40.90 → bedded coarse & fine-grained tuffs. Chloritic in part to light grey-green colour. Minor pyr along fracture surfaces.	
41	40.90					Bedding 30° to core	
42							
	42.30	1.40	1.31			?grades into silicified mesostone @ 43.90	
43	43.90	0.10	0.59				BRK & FRACTURED CORE
44	44.10	1.10	0.53				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
40.9				
42	6610	1.1		
44	6611	2.		

GEONORTH

DRILLHOLE LOG

Drillhole No. 2-ZAP20
Page 2 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.S.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
~~44~~							
	44.10	1.10	0.59				
	44.60	0.50	0.50				
45							
	45.10	0.50	0.49			45:46 - grades back into variably bedded lvfs	
	45.70	0.60	0.52				
46	46.0	0.30	0.21				
47							
	47.30	1.30	1.22				
						47.20 Qtz / Silicic zone Cl. - rich. 2cm wide.	
	47.90	0.40	0.57				
48	48.20	0.70	0.38				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
46	6612	2		
48	6613	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. ZAP 20
Page 3 of 28

PROJECT: ZAPOPAN. COMPANY: CONTRACTOR:

DRILL: COMMENCED: COMPLETED:

COORDINATES: ELEVATION: AZIMUTH: DECLINATION:

LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
48	48.20	0.70	0.38				
						1 cm silicic vein with thin pale grey fine-grained silicic tuff.	
49							
	49.60	1.40	0.96				
						MUDAFF	
50							
	50.50	0.90	0.84			50.61 - 50.64 Pink/green. chert zone within fine silicic tuff.	
51	50.90	0.40	0.34			50.92 - tuff becomes fine-grained ?tourmaline blotch speck	
						51.42 - grades into dk MET SICISTONE.	
	51.80	0.90	0.86				
52							

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
50	6614	2		
52	6615	2		

DRILLHOLE LOG

Drillhole No. Z-ZAP20
Page 4 of 28

PROJECT: ZAPPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.S.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
52							
						52 - 52.4m Badly crushed core ? shear zone clay rich.	CORE
						Frag. of fine grey tuff with ½ cm dk black specks ? tourmaline	
53	53.0	1.20	1.16			53.21. 1cm wide green silicic zone.	FRACTURED
	53.80	0.80	0.49			METATUFF - fine, dk grey	BROKEN
54							
	54.20	0.40	0.32				
55							
	55.10	1.10	—				
						Dk grey METASILTSTONE	
	55.90	0.80	0.55			Rose calc band 1½ cm wide @ 55.96	
56							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
54	6616	2		
56	6617	2		

→ CORE LOSS

5660 0.70 0.45

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP 20
Page 5 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D. S. H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
56							
						Various bedded coarse and fine METAtuffs.	
	56.60	0.70	0.45				
57							
						Banded green chert. Garnetiferous. Py in bedding-planar Bands 2-3cm wide	
						Banded METAtuff on cm scale with mm py bands	
58						58.20 - thinly bd - pale pink/green/black py rich bands chert mm scale. Grades into fine-grained grey/green METAtuff @ 58.31	
	58.75	2.45	2.46			58.63 - 2mm wide py band to base of core	
59						Coarse-grained Chl METAtuff.	
						59.04 - banded Chl, qtz, py - qtz veins 5cm zone. mm banded Chl/qtz sheared zone 20% py	
						Grades into 14 cm qtz vein. Vuggy textures with 2-4 mm long euhedral grains of py, cpy & massive py along front. 1 cm wide Brecciated Chl silica with altered fragments 5cm wide qtz vein with euhedral py to 5-6mm in qtz intergrown.	
60						58.20 - 59.04 Strong foliation 50° to core. ? Porphyritic sericitized. Bedding 40°	

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
58	6618	2		
60	6619	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP20
Page 6 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
60						Bedded tuff sequence to 60.28. Pyr bands mm wide grading into progressively more siliceous MIXTURE. 2cm qtz vein. Euhedral crystal growth + fine pyr ± asp within vugs	
						MEDIUM STONE well str qtz veining, foliation 30° to core. Coarse pale silicic band 2cm wide 50° to core.	
61						61.12 1cm qtz folded ∥ bedding plane. 61.38 1½ cm recrystallised banding with bedding.	
						Coarse qtz veins 2cm wide vuggy. 61.45 Coarse qtz vein 2cm wide to 10 core.	
62	62.05	3.10	2.74			62.02 Qtz stringer coarse ppy vuggy pitted ? weathered sulphide. Fine grained NFF (? sericitic) in place of foliation 30° to core. 2cm qtz stringer @ 62.20	
						62.20 Progressively more silicic brecciated NFF. Intensely folded ∥ to foliation @ 30° to core. Felsic more dominant in rock NFF.	
63						63.46 - 63.55 DK MEDIUM STONE	
						Banded nulls - DK speck - Intrusive mix defines foliation @ 30° to core. Bedding 55° to core.	
64	64.20	2.15	2.09				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
62	6620	2		
64	6621	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP20
Page 7 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.S.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
64						64.06. Silicic altered tuff zone 1% Qtz veining minor hematite, pale buff & pink mm ? K-spar crude planes // to bedding.							
						64.63. Strongly chl. with pyr along fractures // to bedding							
						64.88. mm pyr bands & disseminated 2mm grains 3 mm to cm spacing within SiSt. pyr lenses long axis // to foliation							
65						65.22 - 65.32. Banded pyr, 1-2 mm crystals in silicic matrix (silled)							
						Banded dk grey METASILTSTONE garnet dusted grades into tuff with dk mm laminations defining foliation @ 45°			66	6622	2		
	6.60	2.40	2.03			66.38 tuff folded // to foliation 45° to core (Bedding 30° to core). Strongly banded on cm scale							
67													
	67.30	0.70	0.70			Banded coarse tuffs METATUFF							
									68	6623	2		
69													

GEONORTH

DRILLHOLE LOG

Drillhole No. 2 ZAP 20
Page 8 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.S.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
69						68.49 - 68.52. dk grey METASILTSTONE grad ahered contact. bedded 50° to core.	
						68.90 - 69.41. Qtz veining - chl. alteration with 2-4mm abundant asp xtals. & fine grained pyr. 2cm garnet zone along beds.	
						METASILTSTONE - garnet dusted.	
70	70.0	1.70	1.57			70.40 - 70.44. Silicic zone in bedding pyr - rich.	
	70.60	0.60	0.57			70.60 - 71.01. Qtz coarse - vuggy pyr up to 4mm xtals - & fine grained altered patches chl. altered sltst. inclusions	
71						71.83 - 71.86. Silicic zone + chl/pyr rich along bedding - aff. sch // to foliation	
72	72.70	2.10	1.80				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
70	6624	2		
72	6625	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP20
Page 9 of 29

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
72							
						72.34 – 1cm wide qtz veins with v minor pyr.	
						72.74 – 73.28 Qtz vein – deformed & fractured. Chl alteration + pyr filled fract. Core badly broken.	
	72.70	2.10	1.80				
73							
	73.90	1.20	1.09			Dk grey – METASILTSTONE – Foliation 38° to core. Bedding 50° to core.	
74							
						74.75 – 75.04 – coarse milky, vuggy qtz – fine pyr with vugs with euhedral xtls up to 5mm inside vugs – minor – euhedral Qtz needles growing into vugs up to 2.4mm long.	
75							
76	76.40	2.60	2.22				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
74	6626	2		
75	6627	1		
76	6628	1		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP20
Page 10 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES	
76														
	76.40	2.60	2.22			76.35 - 76.47 mm scale brecc of pyr, silica, chl, lesser MP with garbs along base & top of zone.								
77						MEDASLTSTONE = grey, dusted.								
	77.40	1.0	0.74											
						77.37								
						77.56 Broken qtz vein, vuggy, pyr, as previously described. Irregular growth.								
78						77.92 silica/pyr 2cm wide band.			78	6629	2			
						78.61 - 78.90. Intensely deformed chl. altered zone of MP. bounded with leucocratic boundaries. Broken qtz vein scale fr 1cm at base.								
79														
						79.22 and 79.30 thin qtz veins								
	79.70	2.30	2.04											
80									80	6630	2			
	80.60	0.90	0.84											

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP20
Page 11 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.S.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
80							
	80.60	0.90	0.84				
						Leucocratic banding with MELANOSOME	
81							
						Qtz vein (coarse) 3 L 41 2 cm wide	
82							
						Dk grey MELANOSOME	
83							
	83.50	2.90	1.54				
						Bands of leucocratic hbl ± to foliation	
84							
	84.70	1.20	1.20				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
82	6631	2		
84	6632	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-2AP20
Page 12 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D. J. M.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
84						grades into hard dk grey siliceous banded METATUFF.							
	84.70	1.20	1.20										
85													
	85.60	0.90	0.80										
							Strongly fractured core						
86						86.16 Bedding/cleavage NW with pyr.			86	6633	2		
	86.70	1.10	1.05										
87													
	87.20	0.50	0.50			87.0 - 87.16. Intensely brecciated silst. pebbly-albite (pink-olive) + Qtz matrix.							
	87.40	0.20	0.13			Interbedded green chert with coarse pale grey tuff.							
									88	6634	2		
88	88.10	0.70	0.46										

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP20
Page 13 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
88	88.10	0.70	0.46				
89	89.10	1.0	0.71			89.05: Shear zone graphitic sl. sheared qtz veining. 20cm	
90	89.90	0.80	0.21			90.22 - 90.26. Shear zone as above	
	90.45	0.55	0.45			OK Slst. Pyr bands dipping 60° to core	
91	91.35	0.90	0.72				
92	92.95	1.60	1.59				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
90	6635	2		
91.24	6636	1.2		

GEONORTH

DRILLHOLE LOG

Drillhole No. 2 - ZAP 20
Page 14 of 28

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:
DRILL: | COMMENCED: | COMPLETED:
COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:
LOGGED BY: D. J. H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
92							
						92.37 - Banded tuff with light/dark bands, pyr - top folded around leucocratic basalt - lam fract bands to 92.42	
	92.95	1.60	1.59				
93						93.14 - 93.20 - Silica band pale grey coarse grained minor pyr scattered throughout	
						again @ 93.41 - 93.47	
						and 93.91 - 93.99	
						coarse METATUFF - leucocratic basalts pyr, chl. foliation 35° to core bedding 40° to core:	
94						94.46 - 95.35	
						? Lamprophyre dyke	
95							
						95.41 - 95.62 - Zone of banded/veined tuff leucocratic - v.f. chl, pyr banding grading to basalt - dolerite - cut all.	
	95.85	2.90	2.83				
						95.85 - 96.07 - Phenocrysts pyr/chl coarse qtz - brecciating silst	
96							
	96.75	0.90	0.90				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES			
92.75	6638	1.51					
94.57	6637	1.82					

GEONORTH

DRILLHOLE LOG

Drillhole No. 2-ZAP20
Page 15 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.S.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
96	96.75	0.90	0.90				
						METASILTSTONE. Garnet-dusted	
97							
						97.86 - 97.94 Shear zone	
						97.54 - 97.59 Banded garnet zone. minor CO_3	
98						97.94 - 98.11. Fractured/brecciated CO_3 Veined METASILTSTONE hyd. rock - silici- zones on foliation bands and crosscut with CO_3 veining throughout	
						METASILTSTONE garnet dusted.	
99							
	99.10					99.10 - 99.21 Qtz vein minor fine asp & pyr	
100							

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
96.19	6641	1.62		
97.4	6640	1.21		
99.3	6639	1.9		

GEONORTH

DRILLHOLE LOG

Drillhole No. 2 - ZAP20
Page 16 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D. J. H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
100							
						100.57 - 100.92. Folded chl/tuff Se/ dk light bands on mm scale. + Silicic bands	
101							
						101.60 - 101.91. banded coarse silicic tuff. also 102.01 - 102.11.	
	101.60	2.50	1.65				
102							
						102.34 - 102.42. Chl. rich zone with silicic coarse tuff. 102.85. 3cm-size ? banded brown tuff-rich. (cutting) 203/vein 1cm wide silicic band @ 10/axis	
103							
						103.38 - 6 cm wide leucocratic band with mm scale light/dk/py bands + 4 cm garnet zone below	
104	104.50	2.90	2.88				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
101.09	6647	1.70		
102.0	6648	0.91		
104.0	6642	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP20
Page 17 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.S.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
104							
	104.30	2.40	2.38			104.30 - 105.44 Leucocratic banding Chl rich bands & quartzites with silicic zone. Insipient foliation 30° to core.	
105							
	105.20	0.70	0.30				
	105.35	0.15	0.15			Banded dk grey - METASILTSTONE.	
	105.70	0.35	0.25				
106						106.2x Qtz band - pink pink brown ?formation speckled from band. Quartz @ 106.83 & 106.67 Calcite	
107						Chl/silicic bands bedding 50° to core @ 107.15 - 107.16 & 107.18 - 107.20	
	107.50	2.0	1.79				
108							

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
106	6643	2		
108	6644	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. 2 - ZAP20
Page 18 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
108							
						108.03 - 108.06 Qtz band with bronze? sulphide? Splat. + py?	
						102.76 - 2cm - 5to - zone - 40° to core	
						Chert band + garnets @ 108.10 - 108.14	
						108.39 - 108.41 Qtz band + pink 'k' spar min lining wallrock contact - minor py' within fractures	
109							
	109.10	1.60	1.51				
						109.46 - 109.59 Coarse silicic zone	
						Coarse grey tuff banded + py/. Lower 6 cm cut. mic with py elongate along foliation 35° to core. Minor Qtz veining at base.	
110							
						Banded coarse/fine silicic tuffs	
						6 cm zone well chl rich tuff + chert band + green chloric min growth + cordierite	
111							
	111.10	2.0	1.86		@	111.57	
						111.68 silicic bands 2-3mm wide in 4 cm zone.	
112							
	112.30	1.20	1.21				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
110	66445	2		
112	66446	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. 2 - 88P20
Page 19 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
112	112.30	1.20	1.21			112.35: Tuff gradesinto dk grey MEDASILTSTONE.	
						112.84 - 2cm. Cht-rich banded silicic zone	
113						113.52: Banded coarse/green Mfk & silicic bands. (v) rct. 40° to cor.	
114							
	114.15	1.85	1.66			v. fine grained light grey silicic Mfk. 114.57 - 114.72.	
						114.88: 16 cm banded chert & leuco Mfk	
						? pyr. grades into dk Mfk & coarse dk green cubic mh ? cordierite (⊗ in shape)	
115						grades into dk fine-grained grey Tuff.	
	115.40	1.25	1.26			4cm silicic band folded // to foliation. 114.90 - 115.54	
						115.77: Chert-Dsh bands & coarse Mfk. fractures & off-set by (v) veins. v. minor sulph within 60° to cor.	
116	116.80	1.40	1.31				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
114	6649	2		
116	6650	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. 2 ZAP20
Page 2c of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
116							
						117.17 2cm wide schist ?altered(alt) zones p/r along contact. abc +3 cm wide at 117.25	
	116.80	1.40	1.31			Dk grey SILTSTONE: minor qtz veining.	
117						6cm qtz band with pyr cross-cut by CO3 @ 117.56.	
118	117.95	1.15	1.08			chl-act bands within dk METASILTSTONE	
119	119.0	1.05	1.05			118.70: 10 cm crush zone	
120							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
119	6651	2		
120	6652	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP20
Page 21 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.S.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
120							
						banded coarse & fine hblde foliation 35° to core bedding 40° to core.	
						120.40 - 120.40. Chl/Act/Pyr zone banding & deformed.	
						METABUFF	
121							
	121.10	2.10	1.91				
						121.41 - 121.43 - amber CO3 veining Sub// to bedding + CO3 filled crack zone (calcite). with scam chert and beds below.	
122							
						bedded METABUFF.	
123							
	123.10	2.0	1.92			123.25 - mm banded Lgt/dark zone with coarse leucocratic bands folded // to 35° foliation. Scattered pyr - Chl - Act Pyr defining foliation.	
						Dk grey METASILTSTONE	
124	124.45	1.35	1.35				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
122	6653	2		
124	6654	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. 2 - ZAP20
Page 22 of 28

PROJECT: ZA POPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE		DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
124													
	124.45	1.35	1.35			124.45 - 1cm silicic fracture with "metallic blue" sulphide + v. minor pyr. Chl							
						Dk grey MEDSILTSTONE							
125						125.26 - 125.51. Coarse bdd.							
126						Dk grey METASILTSTONE.			126	6655	2		
						occasional pyr bands.							
127						127.05 - 127.06. coarse silicic/pint band.							
	127.65	3.20	2.94			127.46 - 127.58 Chl rich zone with pnt mineral. bands.							
128						127.96 - 128.02 pyr zone			128	6656	2		

GEONORTH

DRILLHOLE LOG

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H.

Drillhole No. 2 - ZAP 20

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
128						coarse METATUFF - grades into DK s/bst:	
						128.27 pyr infilling geodes = sltly	
						125.77 - 125.97 : Calcite filled shear	
						zone. Intense CO_3 veining	
129							
	129.50	1.85	1.84			DK grey METASILTSTONE.	
						minor bedding 40° to core.	
130							
						130.85 - 130.86 Dk/maroon pink chert	
						band	
131	131.0	1.50	1.42				
						131.21 - 131.42 Chl-rich zone ? altered	
						bedding 40° to core.	
						pale grey METATUFF	
132	132.40	1.40	1.18				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
130	6657	2		
132	6658	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP 20
Page 24 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
132						131.90 - 132.35. Interbedded coarse lenticular tuff/ black bands + green cherts folded 85° to core	
	132.40	1.40	1.18			DK SILTSTONE	
						132.85 & 132.75 1-2 cm. Pale banding coarse spark + pyr. bedded 15° to core.	
133						Coarse ch/ TUFF	
	133.70	1.30	1.09				
134						134.15 gradational contact to dk grey METASILTSTONE.	
						134.59 - 134.63. CO_3 veined Intense	
135							
						Dk grey METASILTSTONE. minor CO_3 veining.	
	135.85	2.15	1.85				
136							

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
134	6659	2		
136	6660	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-CAP20
Page 25 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
136							
						136.92 - 137.53. Bedding 15° to core. Dull reddish/grey bands insipient foliation - from - black specks ? tourmaline. 55° to core.	
137							
	137.55	1.70	1.44				
138							
	138.40	0.85	0.75				
139							
						139.02. Pyr/Chl/Silicic zone. pyr along joints 'n' fractures. 10 cm.	
	139.75	1.35	1.27			Dk grey SILTSTONE - pyr-ll & foliate	
140							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
138	6661	2		
140	6662	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP20
Page 26 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D. J. H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
140						Bedded dk green tuff 140.11-.10cm	
						140.48-140.71. Chl rich band 30° to core.	
141							
	141.25	2.50	2.16			141.30-.10cm Qtz vein pyr rich	
142							
						142.42-142.80 Deformed chl rich tuff	
	142.90	1.65	0.92				
143							
144	144.50	1.60	1.46				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
142	6663	2		
140	6664	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. ± - ZAP 10
Page 27 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D. J. H.

DEPTH	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
144							
						144.38 - 24 cm zone 15° to core cal - sil + minor CO_3 & hematite	
	144.50	1.60	1.46				
145							
						145.51 - 146.0 Coarse cal-sil bed 2 cm folded deformed chert along base + scattered pyr.	
146							
	146.90	2.40	2.21				
147						Dk grey MICROSILTSTONE	
148							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
146	6665	2		
148	6666	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAPCO
Page 28 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D. J. H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
148						148.06. 28cm of CO3 veining within Dk Slst.	
149						Bedded dk grey MEDASILTSTONE: pyr bands - minor CO3 & hematite	
150	149.40	3.0	3.0.			149.90 E.O.H.	

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
149.9	6667	1.9		

GEONORTH

EXPLOREMIN PTY.LTD.

Diamond Drill Log: ZZAP/21

SUMMARY

CLIENT: ZAPOPAN N.L.

PROSPECT: ZAPOPAN

PROPOSED CO-ORDS E: 9976.0 N: 9897.0 R.L.: 103
LAID OUT CO-ORDS E: 9976.0 N: 9897.0 R.L.: 103
ACTUAL CO-ORDS E: 9977.5 N: 9898.8 R.L.: 99.21

PLANNED DEPTH (M): 195
TARGET DEPTH (M): 80-195
ACTUAL DEPTH (M): 187.8

BEARING ° Grid: 032 ° Mag:
INCLINATION -°: 70

PROPOSED BY: J.G.
PLANNED BY: J.G.
LAID OUT BY: MACJAP
SURVEYED BY:

DRILLED BY: ROCKDRILL RIG 8

DATE COMMENCED: 88/05/06
DATE COMPLETED: 88/12/06

PRE-COLLAR (M): 75
HQ (M): 112.8
NQ (M):
BQ (M):
OTHER (M):
WEDGES PLACED:

COMMENTS/ASSAY SUMMARY:

98-106m (8m) 3.2 g/t Au
(incl) (2m) 24.9 g/t Au

DOWN HOLE SURVEYS

DEPTH (m): 80 AZIMUTH (mag. °): 027 INCLN (°): 68
DEPTH (m): 130 AZIMUTH (mag. °): 021 INCLN (°): 60
DEPTH (m): 187 AZIMUTH (mag. °): 019 INCLN (°): 58
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):

ANALABS

A division of MacDonald Hamilton & Co. Pty. Ltd. (Inc NSW)

089 84 3845

Cnr Coonawarra & Mataranka Rds, Winnellie

Fax (089) 84 3984

ANALYTICAL REPORT No. 247.0.14.02520

THIS REPORT MUST BE READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

INVOICE TO:

ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

ORDER No.:

PROJECT: BRITTANIA

DATE RECEIVED: 08/06/88

RESULTS REQUIRED: ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES	TOTAL No. OF SAMPLES
	15/08/88	3	90

SAMPLE NUMBERS	SAMPLE DESCRIPTION	ELEMENT/METHOD
8856/71,121/76,BT 01 10	MI Prep: 033	Au,Au(1),Au(2)/313
8856/71,121/76,BT 01/10	MI	As/401

RESULTS TO:

MR ROD JOHNSON
ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

RESULTS TO:

RESULTS TO:

REMARKS

2-3AP 21

PRE-COLLAR

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02538	15/08/88		1 OF 4

TUBE No	SAMPLE No.	As	As	Au	Au(1)	Au(2)		hole	depth	
1	6668	350	-	0.042	-	-		ZAP21	0-2	
2	6669	>2500	0.27	1.005	1.118	1.057			2-4	
3	6670	160	-	0.035	-	-			4-6	
4	6671	130	-	0.033	-	-			6-8	

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02538	15/08/88		4 OF 4

TUBE No	SAMPLE No	As	As	Au	Au(1)	Au(2)
16						
17						
18						
19						
20						
21						
22						
23	DETECTION	2	0.01	0.005	0.005	0.005
24	UNITS	PPM	%	PPM	PPM	PPM
25	METHOD	401	404	313	313	313

Results in ppm unless otherwise specified
T = element present: but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

ANALABS

A division of Macdonald Hamilton & Co. Pty. Ltd.

Phone(09) 458 7999

52 Murray Road, Welshpool, W.A. 6101

Telex AA[illegible]60

ANALYTICAL REPORT No. 247.0.14.[illegible]631

THIS REPORT MUST READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL QUALIFIA[illegible]

ORDER N[illegible] PRO[illegible]

ZAPOPAN NL
PO BOX 4045

DARWIN NT 5791

DATE RECEIVED	RESULTS REQUIRED
06/06/88	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES	TOTAL No. OF SAMPLES
2	28/06/88	1	69

ER OW	SAMPLE NUMBERS	PRE-TREATMENT: DRY	CRUSH	SPLIT	PULVERISE	SIEVE	OTHER SEE REMARKS	NONE	ANALYSIS: REFER TO ANALYSIS SECTION	PREPARATION	METHOD
	6633/67,6672/705		Prep: 033						Au,Au(1),Au(2)/313		
	6633/67,6672/705								As/401		

RESULTS TO

MR ROD JOHNSON
ZAPOPAN NL
PO BOX 4045

DARWIN NT 5791

RESULTS TO

REMARKS

Z-ZAP/20

21

STATE OF SAMPLES		ANALYSIS — PREPARATION				ANALYSIS — METHOD	
ole core	WC	perchloric acid	A1	cold acid	CA	atomic absorbtion	AAS
lit core	SC	hydrochloric acid	A2	specific sulphide	SS	x-ray fluorescence	XRF
tting	CU	nitric acid	A3	other mixed acids	Ms	spectrophotometry	SPEC
ck	Ro	aqua regia	A4	alkaline attack	AA	colorimetry	COL
il	SO	nitric-perchloric	A5	volatilization	VO	chromatography	CHR
lp	PU	HF mixture	A6	ignition	IG	titration	TTN
ter	WA	HF under pressure	A7	pressed powder (XRF)	PP	other chemical means	CHEM
sue	TI	fusion	A8	glass fusion (XRF)	GF	miscellaneous	MISC
eam sediment	SS					fluorescence	FLUOR
evy mineral	HM					inductively coupled plasma	ICP

AUTHORISED OFFICER

ANALABS

A Division of Lakefield Herriter & Co. Ltd.

ANALYTICAL DATA

RECEIVED JUN 21 1988

SAMPLE PREFIX | REPORT NUMBER 247.0.14.02531 | REPORT DATE 28/06/88 | CLIENT ORDER No. | PAGE OF

TUBE No.	SAMPLE No.	As	Au	Au(1)	Au(2)	Hole No.	Depth From	Depth To
1	[illegible]	4	0.005			ZAP 20	130	132
2	[illegible]	25	<0.005				132	134
3	[illegible]	5	<0.005				134	136
4	[illegible]	<2	<0.005				136	138
5	[illegible]	20	0.009				138	140
6	[illegible]	15	0.075				140	142
7	[illegible]	15	0.010				142	144
8	[illegible]	20	<0.005				144	146
9	[illegible]	<2	<0.005				146	148
10	[illegible]	<2	<0.005				148	149.90
11	[illegible]	90	<0.005			ZAP-21	8	10m
12	[illegible]	160	<0.005				10	12m
13	[illegible]	85	<0.005				12	14m
14	[illegible]	260	0.010				14	16m
15	[illegible]	60	<0.005		<0.005		16	18m
16	[illegible]	95	<0.005				18	20m
17	[illegible]	70	<0.005				20	22m
18	[illegible]	180	0.013				22	24m
19	[illegible]	600	0.015				24	26m
20	[illegible]	1200	0.009				26	28m
21	[illegible]	85	0.319	0.294			28	30m
22	[illegible]	90	0.069				30	32m
23	[illegible]	110	0.010				32	34m
24	[illegible]	90	0.015				34	36m
25	[illegible]	45	<0.005				36	38m

Results in ppm unless otherwise specified
T = element present, but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

Approved by [illegible]

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA



SAMPLE PREFIX | REPORT NUMBER | REPORT DATE | FILE / ORDER No. | PAGE

		247.0.14.02531	28/06/88						
TUBE No.	SAMPLE No.	As	Au	Au(1)	Au(2)	Hole No.	Depth		
1	[illegible]	70	0.134	-	-	ZAP-21	38 - 40m		
2	[illegible]	30	0.022	-	-		40 - 42m		
3	[illegible]	50	0.011	-	-		42 - 44m		
4	[illegible]	65	0.010	-	-		44 - 46m		
5	[illegible]	50	0.009	-	-		46 - 48m		
6	[illegible]	50	0.005	-	-		48 - 50m		
7	[illegible]	80	0.008	-	-		50 - 52m		
8	[illegible]	230	0.016	-	-		52 - 54m		
9	[illegible]	1100	1.050	0.961	0.971		54 - 56m		
10	[illegible]	970	0.076	-	0.091		56 - 58m		
11	[illegible]	190	0.031	-	-		58 - 60m		
12	[illegible]	140	0.035	-	-		60 - 62m		
13	[illegible]	110	0.015	-	-		62 - 64m		
14	[illegible]	170	0.016	-	-		64 - 66m		
15	[illegible]	300	0.015	-	-		66 - 68m		
16	[illegible]	140	0.023	-	0.029		68 - 70m		
17	[illegible]	70	0.009	-	-		70 - 72m		
18	[illegible]	120	0.012	-	-		72 - 74m		
19	[illegible]	120	0.019	-	-		74 - 75m		
20									
21									
22									
23	DETECTION	2	0.005	0.005	0.005				
24	UNITS	PPM	PPM	PPM	PPM				
25	METHOD	401	313	313	313				

Results in ppm unless otherwise specified.
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

ANALABS

A division of Macdonald Hamilton & Co. Pty. Ltd.
Phone(09) 458 7999 — 52 Murray Road, Welshpool, W.A. 6101 — Telex AA92560

RECEIVED 14 JUN 1988

ANALYTICAL REPORT No. 247.0.14.0[illegible]3

THIS REPORT MUST READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

ZAPOPAN NL
PO BOX 4045

DARWIN NT 5791

ORDER No.	PROJECT
RM 78893	Z. ZAP 21

DATE RECEIVED	RESULTS REQUIRED
10/06/88	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES	TOTAL No. OF SAMPLES
2	22/06/88	1	25

	PRE-TREATMENT								ANALYSIS		
SAMPLE NUMBERS	DRY	CRUSH	SPLIT	PULVERISE	SIEVE	OTHER SEE REMARKS	NONE	REFER TO ANALYSIS SECTION	PREPARATION	METHOD
6792/816	DC Prep: 033							Au,Au(1),Au(2)/313		
6792/816	DC							As/401		
6792/816	DC							As/404		

RESULTS TO

MR ROD JOHNSON
ZAPOPAN NL
PO BOX 4045

DARWIN NT 5791

RESULTS TO

REMARKS

Z-ZAP 21

STATE OF SAMPLES		ANALYSIS — PREPARATION				ANALYSIS — METHOD	
core	WC	perchloric acid	A1	cold acid	CA	atomic absorbtion	AAS
core	SC	hydrochloric acid	A2	specific sulphide	SS	x-ray fluorescence	XRF
g	CU	nitric acid	A3	other mixed acids	Ma	spectrophotometry	SPEC
	Ro	aqua regia	A4	alkaline attack	AA	colorimetry	COL
	SO	nitric-perchloric	A5	volatilization	VO	chromatography	CHR
	PU	HF mixture	A6	ignition	IG	titration	TTN
	WA	HF under pressure	A7	pressed powder (XRF)	PP	other chemical means	CHEM
	TI	fusion	A8	glass fusion (XRF)	GF	miscellaneous	MISC
sediment	SS					fluorescence	FLUOR
mineral	HM					inductively coupled plasma	ICP

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hedrick Laboratories Ltd.

ANALYTICAL DATA

SAMPLE PREFIX | REPORT NUMBER | REPORT DATE | P.O. | CLIENT ORDER NO. | PAGE

		247.0.14.02543	22/06/88	RM 12893	1 OF

RECEIVED JUN 88

TUBE No.	SAMPLE No.	As	As	Au	Au(?)	Au(?)	Hole No.	
1	6792	200	–	0.073	–	–	ZZAP21	75-76
2	6793	25	–	0.009	–	–		76-78
3	6794	25	–	0.010	–	–		78-80
4	6795	>2500	0.38	0.496	–	–		80-82
5	6796	80	–	0.023	–	–		82-84
6	6797	160	–	0.340	–	–		84-86
7	6798	40	–	0.100	–	–		86-88
8	6799	550	–	0.785	–	1.126		88-90
9	6800	810	–	0.139	–	–		90-92
10	6801	85	–	0.048	–	–		92-94
11	6802	1150	–	22.300	26.400	25.900		94-96
12	6803	1300	–	0.306	–	–		96-98
13	6804	45	–	0.075	–	–		98-99
14	6805	>2500	1.90	2.283	–	1.875		99-100
15	6806	25	–	0.079	–	–		100-102
16	6807	250	–	0.614	0.633	0.277		102-104
17	6808	65	–	0.743	0.564	0.236		104-106
18	6809	35	–	0.032	–	–		106-108
19	6810	770	–	0.125	–	–		108-110
20	6811	50	–	0.033	–	–		110-112
21	6812	15	–	0.124	–	–		112-114
22	6813	6	–	0.184	–	0.228		114-116
23	6814	65	–	0.049	–	–		116-118
24	6815	15	–	0.112	–	–		118-120
25	6816	20	–	0.015	–	–		120-122

Results in ppm unless otherwise specified
T = element present but concentration too low to quantify
X = element concentration is below detection limit
– = element not determined

REPORTED BY
OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

RECEIVED 22 JUN 1988

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02543	22/06/88	RM 78[illegible]3	2

E	SAMPLE No.	As	As	Au	Au(1)	Au(2)				
1										
2										
4										
5										
8										
9										
1										
13										
16										
18										
20										
21										
2	DETECTION	2	0.01	0.005	0.005	0.005				
23	UNITS	PPM	%	PPM	PPM	PPM				
	METHOD	401	404	313	313	313				
25										

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

ANALABS

A division of MacDonald Hamilton & Co. Pty. Ltd. (Inc NSW)

(089) 84 3849 | Cnr Coonawarra & Mataram Rds, Winnellie | Fax: (089) 84 3964

ANALYTICAL REPORT No. 247 0 14 02558

THIS REPORT MUST BE READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

INVOICE TO:

ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

ORDER No.: RM 708854

PROJECT:

DATE RECEIVED: 14/06/88

RESULTS REQUIRED: ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES	TOTAL No. OF SAMPLES
2	30/06/88	1	26

SAMPLE NUMBERS	SAMPLE DESCRIPTION	ELEMENT/METHOD
6818/6843	CO Prep: 833	Au,Au(1),Au(2)/313
6918/6843	CO	As/481

RESULTS TO:

MR ROD JOHNSON
ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

RESULTS TO:

RESULTS TO:

REMARKS

Z-ZAP 21

1/2 CORES

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02558	15/08/88	RM 708894	1 OF 2

TUBE No.	SAMPLE No.	As	As	Au	Au(1)	Au(2)		hole	depth.	
1	6818	35	-	0.056	-	-		2-ZAP21	122-124m	
2	6819	9	-	0.016	-	0.018			124-126m	
3	6820	15	-	<0.005	-	-			126-128m	
4	6821	10	-	<0.005	-	-			128-130m	
5	6822	10	-	0.016	-	-			130-132m	
6	6823	20	-	0.010	-	-			132-134m	
7	6824	8	-	<0.005	-	-			134-136m	
8	6825	25	-	<0.005	-	-			136-138m	
9	6826	3	-	<0.005	-	-			138-140m	
10	6827	15	-	<0.005	-	-			140-142m	
11	6828	35	-	<0.005	-	-			142-144m	
12	6829	8	-	<0.005	-	-			144-146m	
13	6830	80	-	<0.005	-	-			146-148m	
14	6831	25	-	<0.005	-	-			148-150m	
15	6832	<2	-	<0.005	-	-			150-152m	
16	6833	60	-	0.012	-	-			152-154m	
17	6834	90	-	<0.005	-	-			154-156m	
18	6835	15	-	<0.005	-	-			156-158m	
19	6836	85	-	<0.005	-	-			158-160m	
20	6837	65	-	<0.005	-	-			160-162m	
21	6838	30	-	<0.005	-	0.009			162-164m	
22	6839	40	-	<0.005	-	-			164-166m	

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02558	15/08/88	RM 708894	2 OF 2

TUBE No	SAMPLE No.	As	As	Au	Au(1)	Au(2)				
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										
21										
22										
23	DETECTION	2	0.01	0.005	0.005	0.005				
24	UNITS	PPM	%	PPM	PPM	PPM				
25	METHOD	401	404	313	313	313				

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

ANALABS

A division of Macdonald Hamilton & Co. Pty. Ltd.

52 Murray Road, Welshpool, W.A. 6101

Phone(09) 458 7999

Telex AA62260

ANALYTICAL REPORT No. 247.0.14.0[illegible]

THIS REPORT MUST READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

ORDER NO. | PROJECT

ZAPOPAN NL.
PO BOX 4045

DARWIN NT 0801

DATE RECEIVED	RESULTS REQUIRED
17/06/88	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES	TOTAL No. OF SAMPLES
2	02/01/89	1	32

SAMPLE NUMBERS	PRE-TREATMENT: DRY	CRUSH	SPLIT	PULVERISE	SIEVE	OTHER SEE REMARKS	NONE	ANALYSIS: REFER TO ANALYSIS SECTION	PREPARATION	METHOD
6817,6844/54,6901/20	DC Prep: 033							Au,Au(1),Au(2)/313		
6817,6844/54,6901/20	DC							As/401		

REMARKS

RESULTS TO

MR ROD JOHNSON
ZAPOPAN NL.
PO BOX 4045

DARWIN NT 0801

2-ZAP 21

RESULTS TO

STATE OF SAMPLES

hole core	WC
split core	SC
cutting	CU
rock	Ro
soil	SO
pulp	PU
water	WA
tissue	TI
stream sediment	SS
heavy mineral	HM

ANALYSIS — PREPARATION

perchloric acid	A1	cold acid	CA
hydrochloric acid	A2	specific sulphide	SS
nitric acid	A3	other mixed acids	Ma
aqua regia	A4	alkaline attack	AA
nitric-perchloric	A5	volatilization	VO
HF mixture	A6	ignition	IG
HF under pressure	A7	pressed powder (XRF)	PP
fusion	A8	glass fusion (XRF)	GF

ANALYSIS — METHOD

atomic absorbtion	AAS
x-ray fluorescence	XRF
spectrophotometry	SPEC
colorimetry	COL
chromatography	CHR
titration	TTN
other chemical means	CHEM
miscellaneous	MISC
fluorescence	FLUOR
inductively coupled plasma	ICP

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02569	02/01/83		1 of 8

TUBE No.	SAMPLE No.	As	Au	Au(1)	Au(2)					Depth
1							Hole 28			
2	6844	70	0.006	-	-		ZAP 21			166-168
3	6845	<2	<0.005	-	-					168-170
4	6846	<2	<0.005	-	-					170-172
5	6847	2	<0.005	<0.005	-					172-174
6	6848	10	<0.005	-	-					174-176
7	6849	8	<0.005	<0.005	-					176-178
8	6850	50	<0.005	-	-					178-180
9	6851	<2	<0.005	-	-					180-182
10	6852	<2	<0.005	-	-					182-184
11	6853	<2	<0.005	-	-					184-186
12	6854	15	<0.005		-					186-188

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02569	02/01/88		OF

RECEIVED 6 JUL 1988

18										
19										
20										
21										
22										
23	DETECTION	2	0.005	0.005	0.005					
24	UNITS	PPM	PPM	PPM	PPM					
25	METHOD	401	313	313	313					

Results in ppm unless otherwise specified
T = element present, but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

CORE RECOVERY LOG

PROSPECT/MINE: ZAPOPAN HOLE NO: Z-ZAP 21

Logged By: ..... Sheet: ...../.....

Depth (m)		Interval	Recovery	Depth (m)		Interval	Recovery
From	To	(m)	(m)	From	To	(m)	(m)
75.0	76.40	1.40	1.27	146.15	146.55	0.40	0.36
76.40	77.40	1.0	0.97	146.55	148.60	0.95	0.77
77.40	79.60	2.20	1.97	148.60	149.70	1.10	0.78
79.60	81.0	1.40	1.26	149.70	151.40	1.70	1.36
81.0	83.30	2.30	2.13	151.40	152.80	1.40	1.32
83.30	85.50	2.20	2.17	152.80	155.20	2.40	1.98
85.50	87.0	1.50	1.44	155.20	158.20	3.0	1.49
87.0	88.60	1.6	1.43	158.20	161.30	3.10	3.0
88.60	90.00	1.40	1.39	161.30	162.70	1.40	1.32
90.00	91.40	1.40	1.26	162.70	163.60	0.90	0.90
91.40	92.0	0.60	0.42	163.60	166.80	3.20	
92.0	93.0	1.0	0.43	166.80	169.50	2.10	2.07
93.0	94.10	1.10	0.98	169.50	171.0	1.50	1.51
94.10	95.90	1.80	1.78	171.0	173.60	2.60	2.38
95.90	97.55	1.65	1.65	173.60	174.50	0.90	0.16
97.55	98.40	0.95	0.74	174.50	176.30	1.80	1.80
98.40	99.40	1.0	0.74	176.30	177.20	0.90	0.81
99.40	101.40	2.0	1.97	177.20	178.20	1.0	0.46
101.40	102.05	0.65	0.66	178.20	180.80	2.60	2.29
102.05	103.15	1.10	1.08	180.80	181.60	1.80	1.79
103.15	104.50	1.35	1.31	181.60	182.50	0.90	0.49
104.50	105.75	1.25	1.22	182.50	184.40	1.90	0.95
105.75	108.85	3.10	2.97	184.40	185.30	0.90	0.89
108.85	111.10	2.35	2.19	185.30	186.70	1.40	0.75
111.10	114.10	3.0	2.98	186.70	187.30	0.60	0.49
114.10	116.20	2.10	1.98	187.30	187.80	0.50	0.36
116.20	117.60	1.40	1.15				
117.60	118.60	1.0	0.93				
118.60	119.80	1.20	0.56				
119.80	120.80	1.0	0.49				
120.80	121.60	0.80	0.48				
121.60	122.60	1.0	1.0				
122.60	125.60	3.0	2.82				
125.60	126.70	1.10	1.04				
126.70	129.10	2.40	2.29				
129.10	131.50	2.40	2.34				
131.50	133.40	1.90	1.68				
133.40	135.0	1.60	1.55				
135.0	136.60	1.60	1.46				
136.60	137.50	0.90	0.90				
137.50	138.70	1.20	1.16				
138.70	140.70	2.0	1.79				
140.70	141.20	0.50	0.51				
141.20	141.50	0.30	0.23				
141.50	142.30	0.80	0.52				
142.30	143.35	1.05	0.72				
143.35	143.80	0.45	0.37				
143.80	145.20	1.40	1.26				
145.20	145.90	0.70	0.64				
145.90	147.15	0.55	0.41				

SHEET 1 of 3

LOGGED BY D.S.H.

CORELOGGING DATA

AREA / LEASE ..... PROSPECT ZAPOPAN ..... HOLE No ZAP 21

DIST. FROM COLLAR	BREAKS / METRE	RECOVERY	R.Q.D.	SPEC. GRAVITY	MAG. SUSCEPTIBILITY	ANGLE TO LONG CORE AXIS: So	ANGLE TO LONG CORE AXIS: S1	STRUCTURES	LITHOLOGY	ESTIMATED MINERAL PERCENTAGES: milky qtz.	sugary qtz.	f. gr. qtz.	museo.	biot.	garnet	chl.	act.	cbt.	tourm.	py.	po.	hemt.	base metal su.	aspy.	Sericite	SAMPLE No.	ASSAY RSLTS: Au	ASSAY RSLTS: As	GEOLOGICAL COMMENTS (mainly texture)
78																												
79																										0.10		Hem-rich b.i.f.
80								b.i.f.				30			5	5	4			5		2						
										2		10		5	3	20	5			3						0.50		
81								b.i.f.		8		10			5	30				4				3				
82														5	2	10				2						0.023		
83												2		tr		20	tr											
86												4				20	tr								10	0.360		
85								b.i.f.				10			8	20	5			5				1	40			sericite tuff.
86												5			10	30				2					30	0.100		
87								b.i.f.		tr	5	5			5	40				2					5			
88												2		tr	2	50	2								10	1.0		
89										1	10				4	16				5								
90								qtz		6	<1				1	6				3				<1		0.130		qtz / pyr vein.
91															1					<1						0.150		
92								b.i.f.		2	3				tr	5				2						0.050		
93														tr	3													
94										2		3			2	6	1			2						2.0		
95								b.i.f.																		29		euhedral asp within qtz vein.
96								qtz		35	20				4	6				10					4			

LITHOLOGICAL LEGEND:

- Mdst — Mudstone
- cMdst — Carbonaceous Mudstone
- Slst — Siltstone
- Sst — Sandstone
- Sgw — Greywacke
- Cgl — Conglomerate
- Lst — Limestone
- tAv — Achelone
- Cht — Chert
- BIF — B.I.F.
- cbBIF — B.I.F. Carbonate > 15%
- chBIF — B.I.F. Chlorite > 40%
- actBIF — B.I.F. Actinolite > 40%
- micBIF — Mica > 30% (accompanied by melutes, garnets)
- Su — Massive Sulphide
- Qz — Quartz
- Mh — Hornfels
- MBd — Metadolerite
- Af — Felsite
- Agr — Granite
- Breccia/Fault Rock
- Veining > 30%
- Tourmaline > 5%
- Arsenopyrite > 0.5%
- Base metal sulphides > 5%
- Py — Pyrite > 5%
- Po — Iron sulphides > 2%

SHEET 2 of 3

LOGGED BY: D.S.H.

CORELOGGING DATA

AREA / LEASE ..... PROSPECT ZAPOPAN ..... HOLE No 2-ZAP 21

DIST. FROM COLLAR	BREAKS / METRE	RECOVERY	R.Q.D.	SPEC. GRAVITY	MAG. SUSCEPTILITY	ANGLE TO LONG CORE AXIS: So	ANGLE TO LONG CORE AXIS: Si	STRUCTURES	LITHOLOGY	ESTIMATED MINERAL PERCENTAGES: milky qtz.	sugary qtz.	f. gr. qtz.	musc.	biot.	garnet	chl.	act.	cbt.	tourm.	py.	po.	hemt.	base metal su.	aspy.	SAMPLE No.	ASSAY RSLTS: Au	ASSAY RSLTS: As	GEOLOGICAL COMMENTS (mainly texture)
96								qtz b.i.f.		2	6	1			1	20	2			4				2		0.306		
97																											
98								qtz		14	2				tr					1						0.085		
99								qtz.		20	4			tr	<1													
								b.i.f.		10	5	2		2	1	15	5			20				5		2.0		Basal b.i.f.
100															tr	4				1						0.030		
101											1/2				tr	2	tr			2						0.80		
102										10	1					1		2		tr						0.80		
103										10		1		1	tr	1				1/2								
104								veining		5	1/2	2			1/2	tr		1		tr								
105								qtz		6						tr					1				1/2	0.50		
106										10					1	5				2					tr	0.032		
107										10		5		4	R					2				tr	1/2	0		
109												5			tr	25				1						0.125		
109								qtz			2	2		tr		5	1			1				tr				
110											4			tr	1	10	tr			1/2						0.033		
111															tr	12			1	tr								
112											1	1/2			1/2	5				1						0.124		
113											1/2	2				29				tr								
114																												

LITHOLOGICAL LEGEND:

- Sdm Mudstone
- cSdm Carbonaceous Mudstone
- Sst Siltstone
- Snd Sandstone
- Sgw Greywacke
- Sco Conglomerate
- Sca Carbonate
- tAv Asbestone
- Sct Chert
- Stf B.I.F.
- caStf B.I.F. Carbonate >15%
- chStf B.I.F. Chlorite >40%
- actStf B.I.F. Actinolite >40%
- micStf Micas >20% (specify) includes garnets
- Su Massive Sulphide
- Go Gossan
- Mh Hornfels
- MBd Metadolerite
- Af Felsite
- Agr Granite
- Breccia/Fault rock
- Veining >30%
- Tourmaline >5%
- Arsenopyrite >0.5%
- Base metal sulphides >5%
- py Pyrite >5%
- po Iron sulphides >2%

SHEET 3 of 3

LOGGED BY: D.S.H.

CORELOGGING DATA

AREA / LEASE ..... PROSPECT ZAPOPAN ..... HOLE No. ~~Z~~-ZAC 21

DIST. FROM COLLAR	BREAKS / METRE	RECOVERY	R.Q.D.	SPEC. GRAVITY	MAG. SUSCEPTILITY	ANGLE TO LONG CORE AXIS: So	ANGLE TO LONG CORE AXIS: S_1	STRUCTURES	LITHOLOGY	ESTIMATED MINERAL PERCENTAGES: milky qtz.	sugary qtz.	f. gr. qtz.	musc.	biot.	garnet	chl.	act.	cbt.	tourm.	py.	po.	hemt.	base metal su.	aspy.			SAMPLE No.	ASSAY RSLTS: Au	ASSAY RSLTS: As	GEOLOGICAL COMMENTS (mainly texture)
114																													
115								Qtz		20		2				2		1		tr								0.15g	
116										2				2		5				tr								0.05g	
117																6	4			½									
118								Qtz	55.55	2								1										0.05g	? crush zone.
119											1	1		1	tr	½		2		tr								0.1½	
120										2						tr		2											

LITHOLOGICAL LEGEND:

Sdm	Mudstone	tAn	Anhelene	Su	Massive Sulphide
cSdm	Carbonaceous Mudstone	Sct	Chert	go	Gossan
Sst	Siltstone	SIF	B.I.F.	Mh	Hornfels
Sst	Sandstone	caSIF	B.I.F. Carbonate >15%	MBd	Metadolerite
Sgw	Greywacke	chSIF	B.I.F. Chlorite >40%	Af	Felsite
Scg	Conglomerate	actSIF	B.I.F. Actinolite >40%	Agr	Granite
Sun	Carbonate	micSIF	Mica >30% (commonly includes garnets)		Brecciated Rock

	Veining >30%
	Tourmaline >5%
	Arsenopyrite >0.5%
	Base metal sulphides >5%
py	Pyrite >5%
po	Iron sulphides >2%

PERCUSSION DRILL LOG

PROSPECT/MINE: ZAPOPAN HOLE NO: Z-ZAP-21

Collar: 6.0m E ..... N ..... RL

Azimuth: 032° °~~Mag~~/grid Inclination: -70°

Date Drilled: 4/6/88 Logged By: D.J.H. Sheet: 1/2

Depth (m) From	Depth (m) To	Sample No.	Description Lithology	Qtz	Py	Apy	Au
0	2		Tailings. Sands				
2	4		Weathered pale grey coarse tuff <10% Qtz. Slst. clay rich	✓			
4	6		<10% weathered green chert 30% pale grey tuff 30% hard silicic tuff + slst				
6	8		10% hard tuff 60% pale green chert. Slst				
8	10		As above				
10	12		40% pale grey tuff. Weathered clays. Slst. V. minor hard silicic tuff				
12	14		70% coarse tuff. Dk slst clays				
14	16		Slst: minor clays				
16	18		as above				
18	20		Dk slst + minor hard tuffs clay rich				
20	22		as above				
22	24		40% Qtz. Coarse green ctl tuff (50%) <10% Slst. weathered clay-rich	✓			
24	26		80% coarse green tuff <5% Qtz. >15% Slst: clays	✓			
26	28		20% Qtz (milky). Hard green coarse tuff. Minor apy within Qtz.	✓	✓		
WATER GEL 28	30		Pale grey coarse spar tuff Dk green tuff. hi clays				
30	32		Dk grey slst. minor highly micaceous slst: ? pelite				
32	34		80% milky Qtz + apy + asp: Minor tuffs + Slst	✓	✓	✓	
34	36		50% milky Qtz. minor apy + asp. Dk slst. 30% mica rich slst	✓	✓	✓	
36	38		as above				
36	40		as above				
40	42		2% Dk slst. Mica-rich slst				
42	44		10% milky Qtz. Slst	✓			
44	46		70% mica-rich slst 50% milky Qtz: Pale grey spar tuff. 20% mica slst. dk slst + minor apy	✓	✓	✓	

1 asp within Qtz

PERCUSSION DRILL LOG

PROSPECT/MINE: ..... HOLE NO: 2-ZAP 21

Collar: ..... E ..... N ..... RL

Azimuth: ..... °Mag/grid Inclination: .....°

Date Drilled: ..... Logged By: D.D.H. Sheet: 2/2

Depth (m) From	Depth (m) To	Sample No.	Description Lithology	Qtz	Py	Apy	Au
46	48		Minor pale green chert. 60% Qtz. Dk. Sltst	✓			
48	50		<10% Qtz. 40% pale silicic hff Sltst	✓			
50	52		<60% Qtz. 30% pale pink/green chert >10% coarse ch. hff. Minor Sltst	✓			
52	54		10% green chert + coarse dk green hff. <20% Qtz + py ± asp. V. minor Sltst	✓	✓	✓	
54	56		60% Sltst. 30% pink/green cherts. Minor hff. <10% Qtz	✓			
56	58		Dk Sltst. V. minor qtz	✓			
58	60		10% milky Qtz. 10% green hff. + Sltst				
60	62		40% green chert 20% Qtz: minor scattered asp + galena + py within Qtz. as above	✓	✓		
62	64		as above				
64	66		40% green chert. 20% Qtz. 60% pale silicic hff. 25% green chert. minor Qtz + py ± asp	✓	✓	✓	
68	70		60% hard dk silicic hff. Sltst. 20% pink/green chert <10% milky Qtz.	✓			
70	72		15% green chert. <10% Qtz. Sltst with py. 60% hard dk silicic hff	✓			
72	74		as above	✓			
74	75		80% pink/green chert <10% Qtz. 10% hard silicic hff	✓			

DRILLHOLE LOG

Drillhole No. Z-ZAP21
Page 1 of 28

PROJECT: ZAPOPAN
DRILL: RIG 8
COORDINATES:

COMPANY: ROCKDRIL
COMMENCED: 5/6/88
ELEVATION:

CONTRACTOR:
COMPLETED: 12/6/88
AZIMUTH: 032° GRID

DECLINATION: -70°
LOGGED BY: D.J.H

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
75	75.0					75.12 2cm qtz band. v. fine silicic pink METATUFF.	
76	76.40	1.40	1.27			76.31 grades into dk fine grained METASILTSTONE.	
77	77.40	1.0	097			76.95 Incoming blank specks within banded tuff. ? Tourmaline Foliation 35° to core Bedding 50° to core. 77.49 grades into dk grey METASILTSTONE bedded up to cm bands.	
78						78.17 - 78.40 dk green tuff : with dk specks defining a foliation 30° to core. bedding 50° to core.	
79	79.60	2.20	197				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
75		75		
76	6792	76	1	
78	6793	78	2	

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-~~ZAP~~21
Page 2 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.S.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
79							
	79.60	2.20	1.97			79.60 - 79.87 mm banded basaltic, Chl, silicic, mica & buff mineral. Eroded vugs. Sulphides. - Banded formation x-cut by two silicic veins.	
80						METASILTSTONE.	
						80.71 - 8cm silicic band in bedding plane.	
81	81.0	1.40	1.26			81.02 - 81.10 Silicic bands 70° to axe.	
						81.39 - 81.49. Silicic mm banded Bar. euhedral asp (20%) + pyr bands. Chl rich. minor garnets at base	
						Silicic bands @ 81.59, 81.67 and 81.71	
82							
						82.47 Qtz / garnet vein 4cm.	
						Dk grey METASILTSTONE.	
83	83.30	2.30	2.13				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
	6794	80	2.	
	6795	82	2	

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP 21
Page 3 of 28

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE	DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
83	83·30	2·30	2·13			progressively more siliceous, finely banded on mm scale. Chl / silicic / dk / light buff coarse & fine bedded 45° to core.						
84									6796	84	2	
85						85·13. grades into ~~RHYOLITE~~ SILTSTONE						
	85·50	2·20	2·17			85·41 - 85·52. Qtz / chl / pyr - zone. recrystallized garnets. 85·75 - 85·83 Siliceous band 45° to core. Pyr-rich minor 3mm euhedral cubic grains. Abundant garnet in 15 cm below.						
86									6797	86	2	
						86·17 4 cm wide pyr-rich siliceous band 45° to core. 86·42 - 87·18. Chl-rich altered siltst. deformed bands with dissipient foliation 10° to bedding.						
87	87·0	1·50	1·44									

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP21
Page 4 of 28

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.S.H

DEPTH	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE	DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
87												
	87.0	1.50	1.44									
						87.36 4 cm siliceous band - eroded sulphides chl/garnet-rich. also @ 87.96 (1½ cm) - and						
						88.70 2cm.						
88									6798	88	2	
	88.60	1.6	1.43			dk grey - METABASALTSTONE.						
89												
90	9.00	1.40	1.39						6799	90	2	0.785 1.126
						90.23 - 90.26. Silicic band well pitted - ? weathered sulphides.						
						Bedded dk grey METABASALTSTONE with chl/pyr bands + garnet bands + garnet dusted.						
						90.67-90.70 silicic - chl. band containing pyr.						
91	91.40	1.40	1.26.									

GEONORTH

DRILLHOLE LOG

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H

Drillhole No. Z-ZAP21
Page 5 of 28

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE	DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
91												
	91.40	1.40	1.26									
92	92.0	0.60	0.42									
									6800	92	2	0.139
						92.41 CO_3 vein 2cm ?calcite						
93	93.0	1.0	0.63			Dk grey BIOTITE/GT STONE bedded + garnet diste - leucocratic bands and green chl inclusions 1-2cm wide 40cm spacing (approx).						
94	94.10	1.10	0.98						6801	94	2	0.048
95												
	95.90	1.80	1.78									

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP21
Page 6 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D. S. H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
95							
	95.90	1.80	1.78			95.34 - 95.37 Bedded silica/chert dk bands + pyr.	
						95.57 - 2cm silica/pyr zone	
						95.64 - 95.67 Qtz veh. euhedral 2-4mm asp + pyr - minor chl.	
96						Garnets a zone dipping 40° to core	
						95.81 - 96.02 Qtz band. Pyr in fractures mm wide.	
						96.18 3cm zone of silica/chl weathered vugs pyr partly infilling 1cm lenses with Qtz.	
						96.40 - 96.75 - pyr - chl. Silicic dk c pyr chl banding euhedral asp in 2-4mm xtals scattered through out.	
97						Qtz veins 97.01 - 97.16, 97.45 - 97.58 vuggy coarse pyr.	
						97.68 - 98.08 - chl - na qtz veining + silic pyr band 1cm thick @ 98.02.	
	97.55	1.65	1.65			METASEDIMENTS - foliation 30° to core	
						Chl/silicic zone 2-3 mm wide 10 cm spacing.	
98						98.56 - 98.74. Qtz band + cm size lenses along joints of pyr - chl - rich at base + garnet dusted.	
	98.40	0.95	0.74			98.80 1.6cm chl/metallic sulphide ? galena. band.	
						98.96 - 99.10 Qtz brecciated silst.	
99						pyr grains ~99m - 101m. with slight	
99	99.40	1.0	0.74				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES			
	6802	96	2	22.3	24.4	25.9	
	6803	98	2	0.306			
	6804	99	1	0.[illegible]			

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP21
Page 7 of 28

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
99						Breccia to 99.10.	
						99.15 - 5cm band a to core of Chl/garnet/silicic	
	99.40	1.0	0.74				
						99.55 - 99.71 Qtz / Chl pyr banding + veining - massive euhedral asp on - size grains. Garnets at base.	
100						99.81 - 100.11. Qtz veining - Asp banded + pyr/Chl - 2 dk mm banding for 4cm becoming massive Qtz. Silicic - Chl at base banded also at base.	
						100.96 Chl/silicic bands 1cm wide	
101							
						Dk grey METASILTSTONE.	
	101.40	2.0	1.97			minor pyr bands mm wide 30cm spacing.	
						Sparsely dusted with garnets.	
						101.84 Qtz coarse milky stringer. 2cm wide.	
102							
	102.05	0.65	0.66			102.27 - 10cm pyr banding 4cm spacing	
						102.59 - 102.62 Qtz veining pyr + dk green ? Act. mineral.	
103	103.15	1.0	1.08				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES			
	6804	99	1.				
	6805	100	1	2.28	1.93		
	6806	102	2	0.07			

GEONORTH

DRILLHOLE LOG

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.S.H.

Drillhole No. Z-ZAP 21
Page 9 of 28

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
103							
	103.15	1.10	1.06			103.68 – 103.68 Chl zone banded leucocratic tuff bandins	
104						103.98 – 104.04 Silicic band. Py-rich in fractures.	
	104.50	1.35	1.31				
						104.62 – 104.92 Silicic breccia of metasiltstone. Minor associated CO_3	
105						5cm below to 10cm Chl-rich zone. Banded upper & lwer. Leucocratic bandins	
						105.03 Coarse black speck 2cm. tuff band.	
	105.75	1.25	1.22			Metasiltstone progressively more tuffaceous.	
106						105.12 – 105.21 Chl zone. Intense CO_3 veining.	
						105.31 11cm of qtz vein 30°/1° to core minor pink ?K-Spar min.	
						106.05 – 106.15 Coarse bedded Chl. tuff 50° to core – progressively more silicic banding towards base	
107							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES		
104	6807	104	2	0.614	0.633	0.711
106	6808	106	2	0.743	0.564	0.236

GEONORTH

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR: | Z-ZAP 21 Page 9 of 28

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
107						107.21 – 107.24 CO_3 veining fractured Meta-siltstone.	
						107.42 – 107.45: Silicic banded + pyr in discrete lenses. Chl. altered above/below.	
108						107.62 Chl. zone + silicic banding. 107.90 3cm. Qtz vein. Abundant pink min ?K-Spar minor asp + pyr	
	108.85	3.10	2.92			108.87: CO_3 veining intensely deformed sub // to core.	
109						109.70 – 109.73 & 109.30 – 109.32 leucocratic boudins in coarse green ?chl bands. Minor pyr & asp.	
						110.25 3cm chl. band.	
110						110.32 boudinaged leucocratic felt in chl pyr band 2 cm wide.	
						110.82: Coarse leucocratic felt band min scale in 3cm zone 50° to core.	
						CO_2 veining within dk grey METASILTSTONE both // to and ⊻ cutting core.	
111	111.10	2.35	2.19				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
108	6809	108	2	0.032
110	6810	110	2	

GEONORTH

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR: | Page 2-ZAP 21 10 of 28

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.S.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
111							
	111.10	2.35	2.19				
						Dk grey METASILTSTONE.	
112							
113							
						113.65. Chl. Fm strongly bedded on mm scale — silica diffs.	
114						Tuff grades back into METASILTSTONE @ 114.10.	
	114.10	3.0	2.98			114.2 ± - 114.31. CO_3 breccia zone very thin veinlets	
						114.71 49 cm sh Qtz-veined coarse milky brecciating Slst. & angular fragments ?hydraulic breccia.	
115							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
	6811	112	2	
	6812	114	2	

GEONORTH

PROJECT: ZAPOPAN

COMPANY:

CONTRACTOR:

DRILL:

COMMENCED:

COMPLETED:

COORDINATES:

ELEVATION:

AZIMUTH:

DECLINATION:

LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE	DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
115												
						Dk grey METASILTSTONE						
116						116.14 - 116.16. Silicic zone			6813	116	2	
	116.20	2.10	1.98			116.96 - 117.07. Crush zone CO3 abundant						
						Dk grey METASILTSTONE	Broken core					
117							Badly fractured					
	117.60	1.40	1.15									
118						118.78 - 118.87. Qtz milky coarse veins			6814	118	2	
	118.60	1.0	0.93			Dk METASILTSTONE						
119												
	119.80	1.0	0.56									

GEONORTH

PROJECT: ZAPOPAN.
COMPANY:
CONTRACTOR:
Page 12 of 28 Z-ZAP 21

DRILL:
COMMENCED:
COMPLETED:

COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:

LOGGED BY: D.J.H

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCTURE
119							
						119.61 - 120.23	
	119.80	1.0	0.56			CO_3 mm scale veining within s/tst.	
120							
						120.82 - 121.11 Coarse fractured tuff 40° to core.	BADLY FRACTURED CORE
	120.80	1.0	0.49				
121							
						121.11 - 121.35 CO_3 veining within s/tst.	
	121.60	0.80	0.48			121.89 Qtz breccia - 4cm CO_3 veining + Chl alteration above & below.	
122							
						122.31 - 122.35 Banded leucocratic/ ok/pyr/chl/mm scale deformed. ~2-6 mm wide pyr veinlets with boudins.	
	122.60	1.0	1.0			122.83 - 122.88 Chl-rich zone 75° to core progressively more silicic s/tst.	
123							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
	6815	120	2	
	6816	122	2	

GEONORTH

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR: | Page 3 ZAP 21 of 28

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D. J. H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
123						123·02 dk grey METABASILTSTONE	
						123·18 - 123·21 1·2cm bedded bands 70° to cor.	
						123·34 - 123·46 CO3 veining. Siltstone grades into Coarse Cl. Tuff.	
124						123·88 bedded Cl. band - foliation 85° to cor	
						124·23 grades back to dk grey METABASILTSTONE	
125							
	125·60	3·0	2·82				
						125·45 CO3 veining cm wide	
						Siltstone bedded @ 70° to cor	
126							
						126·28 11cm Cl. 2u 30c	
	126·70	1·10	1·04				
127							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
	6818	124	2	
	6819	126	2	

GEONORTH

PROJECT: ZAPOPAN

COMPANY:

CONTRACTOR:

Z-ZAP 81
Page 14 of 28

DRILL:

COMMENCED:

COMPLETED:

COORDINATES:

ELEVATION:

AZIMUTH:

DECLINATION:

LOGGED BY: D.S.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
127							
						dk grey METASILTSTONE: Coarse to fine bedded sequences minor ppr as bands and lenses (75° to cnc)	
128							
129							
	129.10	2.40	2.29			129.0+. Intensly deformed pale green/grey chl. hyb. coarse. Light - dk bands - part chert-rich. becomes progressively more bedded boards base 80° to bcn	
130							
						Dk grey METASILTSTONE. minor chl veins. Foliation 65° bedding 80°	
131	131.50	2.40	2.34.				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
6820	128	2		
6821	130	2		

GEONORTH

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR: | Page 3 - ZAP 2 01 28

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.S.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
131							
	131.50	2.40	2.34			METASILTSTONE	
132							
						132.30 - 5cm band - pyr-rich fine-grained tuff with coarse grained dll light - banding - abundant x-cutting CO_3 veining.	
133						METASILTSTONE	
	133.40	1.90	1.68			133.41 - 133.56 Intense CO_3 brecciation of METASILTSTONE & banded banding } and rock in pyr. CO_3 veining extends 34cm backin into SLIST.	
134							
						METASILTSTONE	
	135.0	1.60	1.55				
135							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
132	6822	132	2	
134	6823	134	2	

GEONORTH

[redacted] PROJECT: [redacted] COMPANY: CONTRACTOR:

Page 16 of 28

DRILL: COMMENCED: COMPLETED:

COORDINATES: ELEVATION: AZIMUTH: DECLINATION:

LOGGED BY: D.S.H

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
135							
	135.0	1.60	1.55				
136						Dk grey - MEDIUM GRAINED basic [redacted]	
						CO_3 veining throughout.	
	136.60	1.60	1.46			Silt becomes progressively more coarse toward	
137							
	137.50	0.90	0.90				
138							
	138.70	1.20	1.16				
139							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
136	6824	136	2	
138	6825	138	2	

GEONORTH

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR: | Page 17. of 28 (Z-ZAP 21)

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H

DEPTH	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCTURE
139						139.62 - 139.60. Banded green/buff tuff - banded on mm scale pale banding at top. Lwr band of 2-3mm tourmaline needles + metallic silphide? galena - Folds about 85° to core.	
140						METADOLERITE - contact 60° to core speckled with 1-4 mm dk green mineral ?carbonate	
	140.70	2.0	1.79			140.71 - 140.78 Qtz veining - white/massive also @ 140.94 - 141.20	
141							CORE
	141.20	0.50	0.51			141.68 - 141.71 Silicified jasperoid banded dk/light + pyr bands ab 45° to core pyr + secondary CO_3 veining throughout.	FRACTURED
	141.50	0.30	0.23				
142							
	142.30	0.80	0.52			142.90 - 4cm Qtz band flanked upper & lower by banded 1mm dk/lt mm bands + pyr - csp - along Qtz - contact	BROKEN
143	143.35	1.05	0.72				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
	6826	140	2	
	6827	142	2	

GEONORTH

PROJECT: ZHAOPAIO | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
143							
	143.35	1.05	0.72				
						143.47 – 143.67 . CO_3 veining intense mm veins.	
	143.80	0.45	0.37				
144						METASILTSTONE	
						144.26 – 144.44 V. speckled s/ltst. elongate specks about foliation of 50° to c/a	
145						METASILTSTONE	
	145.20	1.40	1.26			145.37 – 145.42 Intensly deformed banded silica zone	
						METASILTSTONE,	
146	145.90	0.70	0.65				
						146.39. – CO_3 veining to 1cm core av 8cm zone. S/ltst grades into green chert band.	
						146.53 – Dk grey METASILTSTONE	
	146.60	0.70	0.64				
147	147.15	0.55	0.41				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
	6828	144	2	
	6829	146	2	

GEONORTH

PROJECT: EARPOA COMPANY: CONTRACTOR:

DRILL: COMMENCED: COMPLETED:

COORDINATES: ELEVATION: AZIMUTH: DECLINATION:

LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
147							
	147.15	0.55	0.41				
						147.82. Chert bands 1-2 cm wide. Intensly deformed within Sltst + Qtz & minor hematite - - - grades into Silicic MH zone	
	147.55	0.40	0.36				
148						148.20 Pale dk grey chert / Sltst - deformed. Interbedded. CO_3 veining 1-2 cm wide 10° to c.a.	
	148.60	0.95	0.77				
						dk Silicic METAMUDST	
149							
						149.70 - grades into Dk grey Metasiltstone.	
	149.70	1.10	0.78				
150							
						150.31 - 150.34 CO_3 rich breccia band with abundant Qtz veining extending up from this zone.	
						Dk grey - METASILTSTONE with ? Sed structures. 35° to c.a. bedding	
151	151.40	1.70	1.36				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
	6830	148	2	
	6831	150	2	

GEONORTH

PROJECT: [redacted]

COMPANY:

CONTRACTOR:

DRILL:

COMMENCED:

COMPLETED:

COORDINATES:

ELEVATION:

AZIMUTH:

DECLINATION:

LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
151	151.40	1.70	1.36				
						151.41 – 151.85 Qtz veining sub ll to core.	
152							
	152.80	1.40	1.32			Qtz Silicic dk/light bands mm Qtz → scale 2-4 cm wide rgr in banding	
153							
						153.05 – 155.01 dk/light mm scale silicic banding deformed. sub ll to core.	
154							
155	155.20	2.40	1.96				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
6832	152	2		
6833	154	2		

GEONORTH

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

Page 21 of 21

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY:

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
155							
	155·20	2·40	1·98				
156							Core fracture at 90° to bedding
157						157·76. Banded light/dk grn siliceous bands + abundant pyr. with fine light gray siliceous aff. Fully siliceous borders. Well deformed bands	
158							
	158·20	3·0	1·49			Fine light gray siliceous aff.	
159							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
	6834	156	2	
	6835	158	2	

GEONORTH

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
159							
160						dkgy METATUFF - grades into dk grey MICROSILTSTONE.	
161						Banded light/dk siliceous mm. bands + pyr. sub ⊥ to core. deformed	
	161.30	3.10	3.0				
162							
	162.70	1.40	1.32			lensoidal pyr defines foliation @ 50° to core.	
163	163.60	0.90	0.90				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
160	6836	160	2	
162	6837	162	2	

GEONORTH

PROJECT: [redacted] COMPANY: CONTRACTOR:

DRILL: COMMENCED: COMPLETED:

COORDINATES: ELEVATION: AZIMUTH: DECLINATION:

LOGGED BY: D.S.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
163							
	163·60	0·90	0·90				
164						dk grey MEGASCOPIC, massive	
165							
166							
						166·00 Silicic coarse blk inclusions within blk pyr-rich ban x-c.	
						166·79 hard pale grey silicic blk. surrounded by dk/lgt bands.	
	166·90						
167							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
6838	164	2		
6839	166	2		

GEONORTH

PROJECT: ZAPOPAN. COMPANY: CONTRACTOR:

DRILL: COMMENCED: COMPLETED:

COORDINATES: ELEVATION: AZIMUTH: DECLINATION:

LOGGED BY: D.S.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
167							
						Fine grained pale grey hard silicic METATUFF banded 10° to core	
168							
						168: Sh. grades fine silicic MT back to dk SLST.	
169							
	169.50	2.10	2.07				
170							
						Dk grey METASILTSTONE ? Sd. Stacking with SLST. fine-grained.	
171	171.0	1.50	1.51				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
	6844	168	2	
	6845	170	2	

GEONORTH

[redacted] PR[redacted]T: [redacted]OP [redacted] [redacted] MP[redacted] [redacted] CONTRACTOR: [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]

DRILL: COMMENCED: COMPLETED:

COORDINATES: ELEVATION: AZIMUTH: DECLINATION:

LOGGED BY: D.S.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
171	171.0	1.50	1.51			171.16 - 171.90 Metasiltstone coarsening & grading into tuffaceous unit with dominant foliation 50° to core.	
172						171.90 - back to dk grey METASILTSTONE	
173							
	173.60	2.60	2.38				
174	176.50	0.90	0.16			Dk grey METASILTSTONE.	
176							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
	6846	172	2	
	6847	174	2	

GEONORTH

PROJECT: EMPOPATA | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
175						175 - 71. Chl. zone with pyr. Leucocratic / dk silicic coarse with mm banding - mod pyr - minor folds silicic / qtz lenses to 176.22.	
176							
	176.30	1.80	1.80				
177						Dk grey METASILTSTONE.	
	177.20	0.90	0.81				
178							
	178.20	1.0	0.46			178.14 Coarse silicic boudin 2cm wide 4cm long	
						178.47 - 178.55 Banded mica / qtz + sulphide leases (pyr) 2-4mm + asp with 5cm long chl.	
179						Coarse with pyr-rich.	

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
	6848	176	2	
	6849	178	2	

GEONORTH

[redacted] PROJECT: 27 [redacted] COMPANY: [redacted] CONTRACTOR: [redacted]

DRILL: COMMENCED: COMPLETED:

COORDINATES: ELEVATION: AZIMUTH: DECLINATION:

LOGGED BY:

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
179						grades from SLST to coarse METATUFF	
180						180.73 84cm of Silicic bft cm size of green xtal grain scattered ?cordierite 3cm clear/milky qtz vein 6cm of green chert at upper zone strongly foliated to 45° to core.	
	180.80	2.60	2.29				
181							
	181.60	1.80	1.79				
182						Dk grey METASILTSTONE minor CO_3 veining.	
	182.50	0.90	0.69				
183							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
180	6850	180	2	
182	6851	182	2	

GEONORTH

PROJECT: ZN SPAN [redacted] COMPANY: [redacted] CONTRACTOR: [redacted]

DRILL: COMMENCED: COMPLETED:

COORDINATES: ELEVATION: AZIMUTH: DECLINATION:

LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
183							
						183.67. 2cm wide silicic band 65° to core.	
184							
	184.40	1.90	0.95				
185							
	185.30	0.90	0.89			Dk grey METASILTSTONE min pyr along fractures, minor CO3 veining mm wide.	
186							
	186.90	1.40	0.75				
187	187.30	0.60	0.49				
	187.80	T.D. 0.50	0.36				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
	6852	184	2	
	6853	186	2	
	6854	187.80	1.8	

T.D

GEONORTH

EXPLOREMIN PTY.LTD.

Diamond Drill Log: ZZAP/22

SUMMARY

CLIENT: ZAPOPAN N.L.

PROSPECT: ZAPOPAN

PROPOSED CO-ORDS E: 10023 N: 9876 R.L.: 98
LAID OUT CO-ORDS E: 10023 N: 9876 R.L.: 98
ACTUAL CO-ORDS E: 10023 N: 9875 R.L.: 97.8

PLANNED DEPTH (M): 195
TARGET DEPTH (M): 80-195
ACTUAL DEPTH (M): 154.4

BEARING ° Grid: 032 ° Mag:
INCLINATION -°: 70

PROPOSED BY: J.G.
PLANNED BY: J.G.
LAID OUT BY: MACJAP
SURVEYED BY:

DRILLED BY: ROCKDRILL RIG 8

DATE COMMENCED: 88/06/25
DATE COMPLETED: 88/07/01

PRE-COLLAR (M): 80
HQ (M): 74.4
NQ (M):
BQ (M):
OTHER (M):
WEDGES PLACED:

COMMENTS/ASSAY SUMMARY:

94.7-116m (21.3m) 1.3 g/t Au

DOWN HOLE SURVEYS

DEPTH (m): 94 AZIMUTH (mag. °): 024 INCLN (°): 61
DEPTH (m): 154 AZIMUTH (mag. °): 023 INCLN (°): 60
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):

ANALABS

A division of Macdonald Hamilton & Co Pty Ltd

Phone(09) 458 7999

52 Murray Road, Welshpool, W.A. 6101

Telex AA92560

RECEIVED 30 JUN 1988

ANALYTICAL REPORT No. 247.0X.14.0088

THIS REPORT MUST READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

JAPOPAN NL
PO BOX 4045

DARWIN NT 0801

ORDER	PROJECT
RM68[illegible]21	

DATE RECEIVED	RESULTS REQUIRED
30/06/88	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES	TOTAL No. OF SAMPLES
1	03/07/88	1	40

ER OW	SAMPLE NUMBERS	PRE-TREATMENT: DRY	CRUSH	SPLIT	PUL-VERISE	SIEVE	OTHER SEE REMARKS	NONE	ANALYSIS: REFER TO ANALYSIS SECTION	PREPARATION	METHOD
	7201-240	RC Prep: 035							Au,Au(1),Au(2)/313		

RESULTS TO

MR ROD JOHNSON
JAPOPAN NL
PO BOX 4045

DARWIN NT 0801

RESULTS TO

REMARKS

Z-ZAP 22

STATE OF SAMPLES

hole core	WC
ort core	SC
utting	CU
ock	Ro
oil	SO
uid	PU
ater	WA
ssue	TI
tream sediment	SS
eavy mineral	HM

ANALYSIS — PREPARATION

perchloric acid	A1	cold acid	CA
hydrochloric acid	A2	specific sulphide	SS
nitric acid	A3	other mixed acids	Ma
aqua regia	A4	alkaline attack	AA
nitric-perchloric	A5	volatilization	VO
HF mixture	A6	ignition	IG
HF under pressure	A7	pressed powder (XRF)	PP
fusion	A8	glass fusion (XRF)	GF

ANALYSIS — METHOD

atomic absorbtion	AAS
x-ray fluorescence	XRF
spectrophotometry	SPEC
colorimetry	COL
chromatography	CHR
titration	TTN
other chemical means	CHEM
miscellaneous	MISC
fluorescence	FLUOR
inductively coupled plasma	ICP

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co Pty Ltd

ANALYTICAL DATA



SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247 0.14.02620	03/07/88	R0881601	OF 2

TUBE No	SAMPLE No	Au	Au(1)	Au(2)						
							Hole No			
1	[illegible]0	1.551	1.270	1.595			ZEAR22	0-2		
2	[illegible]201	0.159	-	-				2-4		
3	[illegible]10	0.055	-					4-6		
4	[illegible]202	0.016		-				6-8		
5	[illegible]20[illegible]	0.011	-	-				8-10		
6	[illegible]20[illegible]	0.023	-	-				10-12		
7	[illegible]7207	0.005	-	-				12-14		
8	[illegible]7208	0.009	-	0.009				14-16		
9	[illegible]709	<0.005	-	-				16-18		
10	[illegible]7210	<0.005	-	-				18-20		
11	[illegible]7211	<0.005	-	-				20-22		
12	[illegible]7212	<0.005	-	-				22-24		
13	[illegible]7213	<0.005	-	-				24-26		
14	[illegible]7214	<0.005	-	-				26-28		
15	[illegible]7215	0.012	-	-				28-30		
16	[illegible]7216	0.005	-	-				30-32		
17	[illegible]17	0.005	-	-				32-34		
18	[illegible]18	0.009	-	-				34-36		
19	[illegible]219	0.143	-	-				36-38		
20	[illegible]220	0.005	-	-				38-40		
21	[illegible]221	SNR	-	-				40-42		
22	[illegible]222	0.015	-	-				42-44		
23	[illegible]223	<0.005	-	-				44-46		
24	[illegible]224	0.103	-	-				46-48		
25	[illegible]225	0.006	-	-				48-50		

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
- = element not determined

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co Pty Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02620	03/07/88	FM6801601	4 OF

RECEIVED 01

TUBE No	SAMPLE No	Au	Au(1)	Au(2)		Hole No	Depth
1	7225	0.014	-			ZZAP22	50-52
2	7227	0.016	-	-			52-54
3	7228	0.033	-				54-56
4	7229	0.017	0.014	0.017			56-58
5	7230	0.040	-	-			58-60
6	7231	0.008	-	-			60-62
7	7232	0.037	-				62-64
8	7233	0.009	-				64-66
9	7234	<0.005					66-68
10	7235	0.007	-	-			68-70
11	7236	0.005	-	-			70-72
12	7237	<0.005	-	-			72-74
13	7238	<0.005	-				74-76
14	7239	<0.005	-	-			76-78
15	7240	<0.005	-				78-80
16							
17							
18							
19							
20							
21							
22							
23	DETECTION	0.005	0.005	0.005			
24	UNITS	ppm	ppm	ppm			
25	METHOD	313	313	313			

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
- - = element not determined

AUTHORISED OFFICER

ANALABS

A division of Macdonald Hamilton & Co. Pty. Ltd.

Phone(09) 458 7999

52 Murray Road, Welshpool, W.A. 6101

Telex AA92560

ANALYTICAL REPORT No. 247.0.14.02655

THIS REPORT MUST READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

ORDER No.	PROJECT
058	

DATE RECEIVED	RESULTS REQUIRED
06/07/88	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES	TOTAL No. OF SAMPLES
3	14/07/88	1	55

ER OW	SAMPLE NUMBERS	PRE-TREATMENT: DRY	CRUSH	SPLIT	PULVERISE	SIEVE	OTHER SEE REMARKS	NONE	ANALYSIS: REFER TO ANALYSIS SECTION	PREPARATION	METHOD
	7296/338.7332/41	DC Prep: 803							Au,Au(1),Au(21/313		

RESULTS TO

MR ROD JOHNSON
ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

RESULTS TO

REMARKS

2-ZAP/22
23

STATE OF SAMPLES

ole core	WC
lit core	SC
tting	CU
ck	Ro
l	SO
ip	PU
ter	WA
sue	TI
eam sediment	SS
avy mineral	HM

ANALYSIS — PREPARATION

perchloric acid	A1	cold acid	CA
hydrochloric acid	A2	specific sulphide	SS
nitric acid	A3	other mixed acids	Ma
aqua regia	A4	alkaline attack	AA
nitric-perchloric	A5	volatilization	VO
HF mixture	A6	ignition	IG
HF under pressure	A7	pressed powder (XRF)	PP
fusion	A8	glass fusion (XRF)	GF

ANALYSIS — METHOD

atomic absorbtion	AAS
x-ray fluorescence	XRF
spectrophotometry	SPEC
colorimetry	COL
chromatography	CHR
titration	TTN
other chemical means	CHEM
miscellaneous	MISC
fluorescence	FLUOR
inductively coupled plasma	ICP

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	[illegible]0.14.[illegible]55	14/07/88	055[illegible]	[illegible] of [illegible]

TUBE No.	SAMPLE No.	Au	Au(1)	Au(2)		Hole No	Depth
1	[illegible]	<0.005	-	-		ZZAP22	79.80-82
2	[illegible]	<0.005	-	-			82-84
3	[illegible]	<0.005	-	-			84-86
4	[illegible]	<0.005	-	-			86-88
5	[illegible]	0.006	-	-			88-89
6	[illegible]	0.017	-	-			89-90
7	[illegible]	<0.005	-	-			90-92
8	[illegible]	<0.005	-	-			92-94.80
9	[illegible]	2.193	-	2.152			94.88-96.10
10	[illegible]	1.112	-	0.670			96.10-98
11	[illegible]	0.146	-	-			98-100
12	[illegible]	2.690	-	2.700			100-102
13	[illegible]	0.121	0.115	0.118			102-104
14	[illegible]	0.441	0.423	-			104-106
15	[illegible]	<.010	7.380	3.793			106-108
16	[illegible]	0.071	-	-			108-110
17	[illegible]	1.214	-	0.969			110-112
18	[illegible]	0.084	-	-			112-114
19	[illegible]	[illegible]142	[illegible]	1.427			114-116
20	[illegible]	0.01[illegible]	-	-			116-118
21	[illegible]	0.214	-	-			118-120
22	[illegible]	0.055	-	-			120-122
23	[illegible]	2.522	-	-			122-124
24	[illegible]	0.[illegible]39	-	-			124-126
25	[illegible]	3.[illegible]7	-	-			126-127

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

ANALABS

A Division of Meadowlark Hamilton & Co. (W.) Ltd.

ANALYTICAL DATA

SAMPLE PREFIX | REPORT NUMBER | REPORT DATE | CLIENT ORDER No.

247.0.14.02655 | 14/07/88 | 058

TUBE No.	SAMPLE No.	Au	Au(1)	Au(2)			
1	7311	2.360	2.680	4.840		ZZAP22	127-128
2	7312	0.134	–	–			128-130
3	7313	0.086	–	–			130-132
4	7314	0.021	–	–			132-134
5	7315	0.764	0.689	0.682		Z-ZAP23	0-2
6	7316	0.079	–	–			2-4
7	7317	0.027	–	–			4-6
8	7318	0.008	–	–			6-8
9	7319	0.189	–	–			8-10
10	7320	0.177	–	–			10-12
11	7321	0.020	–	–			12-14
12	7322	0.008	0.007	0.005			14-16
13	7323	0.007	–	–			16-18
14	7324	0.008	–	–			18-20
15	7325	0.007	–	–			20-22
16	7326	0.010	–	–			22-24
17	7327	0.009	–	–			24-26
18	7328	0.017	–	–			26-28
19	7329	<0.005	–	–			28-30
20	7330	0.007	–	–			30-32
21	7332	<0.005	–	–		ZZAP22	134-136
22	7333	0.016	–	–			136-138
23	7334	<0.005	–	–			138-140
24	7335	<0.005	–	–			140-142
25	7336	<0.005	–	–			142-144

Results in ppm unless otherwise specified

T = element present but concentration too low to determine

X = element concentration above upper limit of method

– = element not determined

ANALABS

A Division of Lasmo Canada Inc.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02655	14/07/88	078	3 OF 3

RECEIVED 19 JUL 88

TUBE No.	SAMPLE No.	Au	Au(1)	Au(2)			46/16		
1	7337	0.007	-	-			Z ZAP23	144-146	
2	7338	0.007	-	-				146-148	
3	7339	<0.005	-	-				148-150	
4	7340	<0.005	-	-				150-152	
5	7341	0.013	0.011	0.014				152-154.40	
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23	DETECTION	0.005	0.005	0.005					
24	UNITS	PPM	PPM	PPM					
25	METHOD	313	313	313					

Results in ppm unless otherwise specified
T = element present: but concentration too low to quantify
X = element concentration is below detection limit
– = element not determined

ANALABS

A division of MacDonald Hamilton & Co. Pty. Ltd. (Inc NSW)

(089) 84 3849 | Cnr Coonawarra & Mataram Rds, Winnellie | Fax: (089) 84 3984

ANALYTICAL REPORT No. 247.0.14.02819

THIS REPORT MUST BE READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

INVOICE TO:

ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

ORDER No.	PROJECT
058	

DATE RECEIVED	RESULTS REQUIRED
24/08/88	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES
3	31/08/88	1

TOTAL No. OF SAMPLES: 55

SAMPLE NUMBERS	SAMPLE DESCRIPTION	ELEMENT/METHOD
7286/330,7332/41	PU Prep: 014	As/401

RESULTS TO

J.GOULEVITCH
ZAPOPAN NL
PO BOX 93

EARLVILLE QLD 4870

RESULTS TO

RESULTS TO

REMARKS

Z-ZAP/22
23

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02819	31/08/88	058	1 OF 3

TUBE No.	SAMPLE No.	As				Hole N°	Depth			
1	7286	7				Z-ZAP 22	79.80-82			
2	7287	10					82-84			
3	7288	32					84-86			
4	7289	11					86-88			
5	7290	19					88-89			
6	7291	119					89-90			
7	7292	6					90-92			
8	7293	31					92-94.80			
9	7294	176					94.80-96.10			
10	7295	110					96.10-98			
11	7296	9					98-100			
12	7297	471					100-102			
13	7298	449					102-104			
14	7299	87					104-106			
15	7300	953					106-108			
16	7301	73					108-110			
17	7302	536					110-112			
18	7303	12					112-114			
19	7304	189					114-116			
20	7305	14					116-118			
21	7306	21					118-120			
22	7307	188					120-122			
23	7308	1240					122-124			
24	7309	107					124-126			
25	7310	308					126-127			

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02819	31/08/88	058	2 OF 3

TUBE No.	SAMPLE No.	As				Hole N°	Depth			
1	7311	10500				Z-ZAP 22	127-128			
2	7312	55					128-130			
3	7313	31					130-132			
4	7314	<2					132-134			
5	7315	5200								
6	7316	611								
7	7317	191								
8	7318	83								
9	7319	160								
10	7320	141								
11	7321	68								
12	7322	32								
13	7323	68								
14	7324	89								
15	7325	85								
16	7326	108								
17	7327	91								
18	7328	108								
19	7329	59								
20	7330	52								
21	7332	32				Z-ZAP 22	134-136			
22	7333	28					136-138			
23	7334	14					138-140			
24	7335	23					140-142			
25	7336	<2					142-144			

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02819	31/08/88	058	3 OF 3

TUBE No.	SAMPLE No.	As				Hole No	Depth			
1	7337	40				E-ZAP22	144-146			
2	7338	22					146-148			
3	7339	15					148-150			
4	7340	28					150-152			
5	7341	13					152-154.40			
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										
21										
22										
23	DETECTION	2								
24	UNITS	PPM								
25	METHOD	401								

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

CORE RECOVERY LOG

PROSPECT/MINE: ZAPOPAN HOLE NO: Z-ZAP 22

Logged By: ..... Sheet: ...../.....

Depth (m) From	Depth (m) To	Interval (m)	Recovery (m)	Depth (m) From	Depth (m) To	Interval (m)	Recovery (m)
79.80	80.80	1.0	1.05	150.10	151.30	1.20	0.95
80.80	82.30	1.50	1.30	151.30	152.40	1.10	0.84
82.30	83.80	1.50	1.28	152.40	154.40	2.0	1.89
83.80	84.60	0.80	0.59				
84.60	85.40	0.80	0.66				
85.40	86.60	1.20	1.10				
86.60	87.50	0.90	0.86				
87.50	88.20	0.70	0.68				
88.30	89.30	1.10	0.88				
89.30	90.90	1.60	1.51				
90.90	91.90	1.0	0.84				
91.90	93.20	1.30	1.21				
93.20	95.30	2.10	1.95				
95.30	98.0	2.70	2.46				
98.0	99.20	1.20	1.17				
99.20	101.20	2.0	1.79				
101.20	102.0	0.80	0.71				
102.0	104.80	2.80	2.67				
104.80	106.90	2.10	1.96				
106.90	107.80	0.90	0.84				
107.80	110.80	3.0	2.91				
110.80	113.80	3.0	2.94				
113.80	115.0	1.20	0.95				
115.0	116.80	1.80	1.53				
116.80	118.10	1.30	0.85				
118.10	118.90	0.80	0.66				
118.90	120.30	1.40	1.15				
120.30	122.80	2.50	2.43				
122.80	124.30	1.50	1.32				
124.30	125.50	1.20	1.08				
125.50	126.10	0.60	0.46				
126.10	127.50	1.40	1.18				
127.50	128.60	1.10	0.93				
128.60	130.60	2.0	1.63				
130.60	131.50	0.90	0.89				
131.50	132.45	0.95	0.72				
132.45	133.50	1.05	0.88				
133.50	134.70	1.20	1.08				
134.70	136.0	1.30	1.21				
136.0	137.15	1.15	0.90				
137.15	138.20	1.05	0.90				
138.20	139.40	1.20	1.12				
139.40	140.0	0.60	0.59				
140.0	140.60	0.60	0.37				
140.60	142.20	1.60	1.21				
142.20	144.90	2.70	2.54				
144.90	145.90	1.0	0.82				
145.90	146.20	0.30					
146.20	148.70	1.20	1.15				
148.70	150.10	1.30	1.13				

SHEET 1 of 3

LOGGED BY: D.J.H.

CORELOGGING DATA

AREA / LEASE ..... PROSPECT ZAPOPAN HOLE No. Z-ZAP 22

DIST. FROM COLLAR	BREAKS / METRE	RECOVERY	R.Q.D.	SPEC. GRAVITY	MAG. SUSCEPTILITY	ANGLE TO LONG CORE AXIS: So	ANGLE TO LONG CORE AXIS: Si	STRUCTURES	LITHOLOGY	ESTIMATED MINERAL PERCENTAGES: milky qtz.	sugary qtz.	f. gr. qtz.	musc.	biot.	garnet	chl.	act.	cbt.	tourm.	py.	po.	hemt.	base metal su.	sepy.	Sericite	K-Spar	SAMPLE No.	ASSAY RSLTS (PPM): Au	As	GEOLOGICAL COMMENTS (mainly texture)
92														2						½									Dk spck. coarse tuff.
93														<1						tr									
94								Qt3				4			tr	2	2			1									
95								b.i.f.				25				40	10			5	2		1					2.16	Hem.-rich B.i.f.
96								b.i.f.				20				10	3			2			tr					80	
97												10			2	20				2								0	S:/garnet/pgr banding
98								b.i.f.				5		tr	1	3	4			<1					10				?Sericitic tuff.
99										2	½			1		10	2								2			0.15	
100								Qt3		40						20	tr			<1			tr			2		2.70	
101								Qt3		35						10	8			2			tr						
102								b.i.f.		6	<1	4			tr	20				1			tr		15				sericite-tuff.
103								Qt3.		60					tr	20	<1											0.11	milky qtz veining
104								b.i.f.				2			3	25	tr			2								0.43	
105								b.i.f.			½	4		tr	4	20	2			3			tr						
106								b.i.f.				13		½	2	12	tr			3			<1					4.0	
107								Qt3		20		4		tr	tr	4	2			1									
108											2	<1				30	4			tr								0.07	
109										1		2		tr	1	12				tr									Finely banded dk Sltst.
110																													

LITHOLOGICAL LEGEND:

- Sdm Mudstone
- cSdm Carbonaceous Mudstone
- Slt Siltstone
- Sst Sandstone
- Sgw Greywacke
- Scg Conglomerate
- Sxx Composite
- tAv Andesitic Tuff
- Sch Chert
- BIF B.I.F.
- cbBIF B.I.F. Carbonate > 15%
- chBIF B.I.F. Chlorite > 40%
- actBIF B.I.F. Actinolite > 40%
- musBIF Mica > 30% (commonly includes garnets)
- Su Massive Sulphide
- Go Gossan
- Hn Hornfels
- MBd Metadolerite
- Af Felsite
- Agr Granite
- Brecciated Rock
- Veining > 30%
- Tourmaline > 5%
- Arsenopyrite > 0.5%
- Base metal sulphides > 5%
- Py Pyrite > 5%
- Fe Iron sulphides > 2%

SHEET 2 of 3

LOGGED BY: D.J.H.

CORELOGGING DATA

AREA / LEASE ..... PROSPECT ZAPOPAN ..... HOLE No: Z-ZAP 22

DIST. FROM COLLAR	BREAKS / METRE	RECOVERY	R.Q.D.	SPEC. GRAVITY	MAG. SUSCEPTILITY	ANGLE TO LONG CORE AXIS: So	ANGLE TO LONG CORE AXIS: Si	STRUCTURES	LITHOLOGY	ESTIMATED MINERAL PERCENTAGES: milky qtz.	sugary qtz.	f. gr. qtz.	musc.	biot.	garnet	chl	act.	cbl.	tourm.	py.	po.	hem.	base metal su.	aspy.	SAMPLE No.	ASSAY RSLTS: Au	ASSAY RSLTS: As	GEOLOGICAL COMMENTS (mainly texture)
110								b.i.f.		17		2				8				2				tr			
111								Qt3																		1.21	
								b.i.f.		15	1	2		tr	1	30	10			2				½			
112										8		8			2	24				2							
113														tr	1	2		½								0.096	CO_3 veining on mm scale
114																											Qt3 vein chl. at base
								Qt3		8	2	2			½	10	2			1							
115								b.i.f.				14			tr	12	4			3				tr		1.14	
116												tr						tr		1						0.042	
117								Qt3		15							20	2		1						0.042	?Shear zone
118										2				tr	tr												?shear zone
119																2	tr	½	¼							0.416	
120								Qt3		20	5	2		tr			½	1	4							0.092	Strongly brecciated veining.
121										2	8	1				6	tr	4	2							0.092	
122								b.i.f.																			
										13		5				15	2		4					½		0.520	
123								Qt3			½				2	4			2								
124												5			2	15		<1	½	2				tr		0.389	
125								?b.i.f.																			
								b.i.f.						tr	tr			tr									
126											2	4			2	12		tr	<1	2						0.22	
127								b.i.f.			2	10		tr		10	4		1	4				1		2.80	Basal B.i.f.
128																											

LITHOLOGICAL LEGEND:

- Mdst — Mudstone
- cMdst — Carbonaceous Mudstone
- Slst — Siltstone
- Sst — Sandstone
- Gwke — Greywacke
- Cgl — Conglomerate
- Lmst — Limestone
- tAn — Ashstone
- Cht — Chert
- BIF — B.I.F.
- cBIF — B.I.F. Carbonate >15%
- chBIF — B.I.F. Chlorite >40%
- actBIF — B.I.F. Actinolite >40%
- micBIF — Mica >30% (sometimes includes garnets)
- Su — Massive Sulphide
- Qz — Quartz
- Hfls — Hornfels
- MBd — Metadolerite
- Ap — Pelsite
- Agr — Granite
- Vein — Veining >30%
- Tourmaline >5%
- Arsenopyrite >0.5%
- Base metal sulphides >5%
- Py — Pyrite >5%
- Po — Iron sulphides >2%
- Breccia/Fracture

SHEET 3 of 3

LOGGED BY: D.J.H.

CORELOGGING DATA

AREA / LEASE ..... PROSPECT ZAPOPAN HOLE No 2-ZAP.22

DIST. FROM COLLAR	BREAKS / METRE	RECOVERY	R.Q.D.	SPEC. GRAVITY	MAG. SUSCEPTILITY	STRUCTURES: So (ANGLE TO LONG CORE AXIS)	STRUCTURES: Si (ANGLE TO LONG CORE AXIS)	STRUCTURES	LITHOLOGY	ESTIMATED MINERAL PERCENTAGES: milky qtz.	sugary qtz.	f. gr. qtz.	musc.	biot.	garnet	chl	act.	cbl.	tourm.	py.	po.	hemt.	base metal su.	aspy.	SAMPLE No.	ASSAY RSLTS: Au	ASSAY RSLTS: As	GEOLOGICAL COMMENTS (mainly texture)
128								Qtz		2				tr	2					1				tr				
129											1	2			tr	5			1	½						0.136	
130										2	1				2	5	tr	tr	2	1							Fractured core.
131																tr		½		½						0.046	
132											½	1		tr	½	1	tr			½						0.021	
133															tr			1		tr							
134																											

LITHOLOGICAL LEGEND:

- Sm — Mudstone
- cSm — Carbonaceous Mudstone
- Slt — Siltstone
- Sst — Sandstone
- Sgw — Greywacke
- Sgg — Conglomerate
- Scg — Conglomerate
- tAv — Achelona
- Sch — Chert
- Slf — B.I.F.
- cbSlf — B.I.F. Carbonate >15%
- chSlf — B.I.F. Chlorite >40%
- actSlf — B.I.F. Actinolite >40%
- mscSlf — Mica >30% (commonly includes garnets)
- Su — Massive Sulphide
- Go — Gossan
- Mh — Hornfels
- MBd — Metadolerite
- Af — Felsite
- Agr — Granite
- Brecciated Rock
- Veining >30%
- Tourmaline >5%
- Arsenopyrite >0.5%
- Base metal sulphides >5%
- py — Pyrite >5%
- po — Iron sulphides >2%

PERCUSSION DRILL LOG

PROSPECT/MINE: ZAPPAN..... HOLE NO: ~~7-7~~ 22 PRECOLLAR

Collar: ...6m..... E ..... N ..... RL

Azimuth: ..320°.. °~~Mag~~/grid Inclination: .-70 °

Date Drilled: 27.6.88.. Logged By: D.J.H.. Sheet: 1 / 2

Depth (m) From	Depth (m) To	Sample No.	Description: Lithology	Qtz	Py	Apy	Au
0	2	7201	Soils				
2	4	7202	Clays. Minor SltSt. V. minor sub Vein Qtz	✓			
4	6	7203	< 2% Qtz. dk SltSt + clays	✓			
6	8	7204	40% grey schistose frag. Coarse Mff. < 2% Qtz clays. < SltSt.	✓			
8	10	7205	2% stalky Qtz. Coarse green tuff. dk SltSt + clays	✓			
10	12	7206	< 2% dk SltSt. Minor py. 10% green chl. Mff. Clays	✓	✓		
12	14	7207	< 10% coarse Qtz. clays < 20% SltSt. Coarse chl Tuff	✓			
14	16	7208	Clays. Coarse SltSt. Minor dk. SltSt				
16	18	7209	Coarse dk & green chl Mff. dk SltSt. < 2% Qtz. clay rich	✓			
18	20	7210	As above				
20 OXIDATION BOUNDARY	22	7211	Much more SltSt. 60% dk SltSt.				
22	24	7212	80% dk SltSt. 20% minor SltSt				
24	26	7213	As above				
26	28	7214	50/50 above SltSt				
28	30	7215	As above				
30 WATER →	32	7216	< 20% Qtz + breccia - above SltSt.	✓			
32	34	7217	Minor py. mostly dk SltSt. < 2% Qtz	✓	✓		
34	36	7218	Dk SltSt. minor py + asy. Molds... common breccia		✓	✓	
36	38	7219	Minor metallic blue Sulf. dk SltSt. < 5% pale green clays. Minor py		✓		
38	40	7220	10% pale grey tuff. Dk SltSt. V. minor py.				
40	42	7221	10% light grey black grey tuff. 40% grey tuff. SltSt				
42	44	7222	< 5% milky / translucent Qtz + clear Calcite Qtz	✓			
44	46	7223	60% speck tuff. < 20% grey dk SltSt				
46	48	7224	< 1% grey coarse Mff. + clast				
48	50	7225	50% dk SltSt. minor grey Mff & coarse chl tuff.				

PERCUSSION DRILL LOG

PROSPECT/MINE: ZAPOPAN HOLE NO: Z-ZAP 22 PRECOLLAR

Collar: ..... E ..... N ..... RL

Azimuth: 032° °~~Mag~~/grid Inclination: -70°

Date Drilled: 27/6/88 Logged By: D.J.H. Sheet: 2/2

Depth (m)		Sample	Description				
From	To	No.	Lithology	Qtz	Py	Apy	Au
50	52	7226	Dk slst				
52	54	7227	Dk slst <2% pyr + ten nil		✓		
54	56	7228	Dk slst scarce pyr		✓		
56	58	7229	<2% milky qtz. Dk slst 10% pale grey spec Mf. Scarce pyr		✓		
58	60	7230	50% coarse grn lith. 20% green lustrous cherts pale speck lith + dk slst				
60	62	7231	10% smoky/milky qtz Dk slst <10% green chert pale lith <2% alt pale slst	✓			
62	64	7232	<2% ten-mod slst <2% qtz m.t. pyr + arp ± mm banding. Dusted pyr throughout - alt: mod pale lith	✓	✓	✓	
64	66	7233	As above	✓	✓	✓	
66	68	7234	Dk slst <5% green lith. minor pyr				
68	70	7235	As above				
70	72	7236	Dk slst				
72	74	7237	Dk slst <10% pale lith <2% milky qtz	✓			
74	76	7238	10% dk slst 30% green cryp chert with 20% pink alteration <2% qtz	✓			
76	78	7239	grey/brown silicic lith (20%) Dk slst <10% chert <2% qtz Scarce pyr	✓	✓		
78	80	7240	60% pink/green silicic alt lith <10% milky Qtz Dk slst Minor pyr	✓	✓		
			E.O.H.				

DRILLHOLE LOG

Drillhole No. Z-ZAP22
Page 1 of 15

PROJECT: ZAPCAN
DRILL: RIG 8
COORDINATES:

COMPANY: ROCKDRIL
COMMENCED: 28/6/88
ELEVATION:

CONTRACTOR:
COMPLETED: 1/7/88.
AZIMUTH: 032° GRID

DECLINATION: -70°
LOGGED BY: D.J.H

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
79						Dk grey metasiltstone with garnet band @ 80m. grades into pale tuff (silica) (50° to core)	
	79.80						
80							
						Pale silicic (light grey) tuff - CO_3 veining < mm scale commonly 65° to core + a green silicified ?silt at base (81.14 grades into dk siltst.	
81						81 cl. v. fine disseminated pyr ; v. scarce elongated asp. < mm in size. Pyr defines foliation 30° to core. 81.35 CO_3 rich dk siltst - fine disseminated pyr	
	8					81.62 Lam silicic band with pyr + fine asp along foliation 35° to core. Banded - bedded ~35° to core. Pyr + asp v. minor + vertical < mm in size.	
82	82.30	1.50	1.30				
						82.62 Dk siltst - grades into coarse chl tuff 2-3cm of intense CO_3 veining @ contact. CO_3 minor veining throughout	
83						Grades into coarse MEDIUM TO COARSE tuff with < mm wide CO_3 veins common along joints	
	83.80	1.50	1.28			83.80 - 84.36 Dk siltst. CO_3 brecciated with pyr + asp around siltst clasts - with CO_3 matrix. Zone of lt green + pitted ?oxidised sulph.	
84	84.60	0.80	0.51				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
79.50				
82	72286	2.20		

DRILLHOLE LOG

Drillhole No. Z-DAP22
Page 2 of 15

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:
DRILL: | COMMENCED: | COMPLETED:
COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:
LOGGED BY: D. S. M.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
84						84.56 – 86.69 Bedded dk siltst V. fine 55° to core.	
	84.60	0.80	0.54				
85						Dk grey MEDIMUDSTONE	
	85.40	0.80	0.56				
86						86.69 – 86.70 Qtz vein // to bedding 2cm chl ?alt above + pyt ?k-spar with Qtz Silicified Siltst at base + pyr 2cm	
	86.60	1.20	1.10				
87						86.70 – 87.48 Dk grey MEDIMUDSTONE 2cm wide light silicic band @ 86.8 grades into coarse tuff with developed foliation @ 86.9 35° to core occasional pyr bands – mm wide	
	87.50	0.90	0.86				
88						87.48 – 88.01 Speck tuff ?hornblende needles elongate // to 35° to core foliation	
	88.20	0.70	0.68				
						88.16 – 91.62 Fine pale silicic tuff Pale pink-green chert nodule @ 88.23 disseminated pyr + asp. nodule 4cm wide	
89							
	89.30	1.10	0.88				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
84	7287	2		
86	7288	2		
88	7289	2		
89	7290	1		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-2A-22
Page 3 of 15

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D. S. H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
89	89.30	1.60	1.51			89.24-89.53. pink/green chert-like ?alt. zone with silicic tuff. green/silicic banding at top. 45° ncs ± pyr disseminations with ? spect free Au?!	
90						Dk silstone	
91	90.90	1.00	1.51			91.62-92.39. Bedded dk slst. with dk green coarse silicic zones @ 92.0 (1 cm) & 92.15 (3 cm wide). slst: Tourmaline speck with elongate 35° to core. CO₃ veining < mm wide @ 91.64 & 91.92 ? ecanite scattered pyr through-out.	
92	91.90	1.0	0.84			92.39-92.53. Deformed dk/lgt silicic zone. acicular distort. elongate // to 50° to core. minor pyr.	
						92.53-93.19. Dk coarse tuff. Tourmaline 35° to core. grades into slst at base.	
93	93.20	1.30	1.21			93.19-94.52. Bedded dk slst. minor garnet-distal zone @ 94.0 & 94.6 2-4 cm wide 60° to core.	
94							

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
90	7291	1.0		
92	7292	2.0		
94.80	7293	2.80		

GEONORTH

DRILLHOLE LOG

Drillhole No. 2 ZAP 22
Page 4 of 15

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:
DRILL: | COMMENCED: | COMPLETED:
COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:
LOGGED BY: D. J. H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE	DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
94						94.52 - 3cm pale silicic band.						
						94.55 - 94.73 Silicic pale brff.						
						94.73 - 95.07 Deformed silicic zone with chl lepidote altn + banded/layered asp + pale ?yellow min.						
95								94.80	7293	2.80		
	95.30	2.10	1.95			95.07 - 95.79 Dk banded meta/siltstone						
						95.79 - 96.10 Silicic zone						
96												
						96.10 - 99.85	2y					
						10 Dk s/lst with mnr pale silicic bands		96.10	7294	1.30		
						96.70 - 12cm zone of Qtz/silicic altn ppy-rec, minor asp. CO_3 + cutting veins 1/2-3mm wide veins coated in past ? sulph. Strongly chl. altered						
97												
						97.59 4cm wide pale garnet/chl silicic boudin						
98	98.0	2.10	2.46					98.0	7295	1.90		
						Dk grey meta/siltstone 55° to cre Insitent foliation 35° to cae.						
						3cm wide silicified/garnet-rich zone @ 98.24 - 98.27						
99	99.20	1.20	1.17									

GEONORTH

DRILLHOLE LOG

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.S.H.

Drillhole No. Z-29P 22

Page 5 of 15

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
99	99.20	1.20	1.17			5cm x 4 m. pale silicic zone @ 99.12	
						99.85 - 100.17 Qtz veins, saltwn, pink green fine grained silicic ? clast. pitted from eroded sulph. * ? alt. slst	
100						Garnet distal mvm pgr dk grey MEMBRILLSTONE + mm tuff bands	
101	101.20	2.0	1.79			101.12 - 101.54 Coarse qtz vein pgr infilling fracture & cavities with lge qtz	
						101.72 - 101.79 pgr - v/f silica band pink garnet distal	
102	102.0	0.80	0.71				
						102.82 - 103.70 Coarse qtz breccia vein with occasional cm size tuff clasts. v. mvm pgr	
103							
						Dk grey MEMBRILLSTONE garnet v/f ± bands 55° to core. v. minor pgr bands.	
104	104.80	2.80	2.61				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
100	7296	2		
102	7297	2		
104	7298	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-DAP22
Page 6 of 15

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D S H

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
104													
						dk grey METASILTSTONE.							
	104·80	2·90	2·67										
105						105·47 folded Qtz vein 3cm wide folds // to foliation.							
						grades from s/st into finely banded silicic/pyr + asp 3cm deformed bands 13 cm wide.			106	7299	2		
106						106·74 - 106·21 pale silicic heavily deformed pitted py bearing zone // to bedding							
	106·90	2·10	1·96			METASILTSTONE							
107						107·17 py rich 2cm bleached silicic band.							
						107·51 - 107·56 Massive milky Qtz py vein extensively deformed.							
108	107·80	0·90	0·84			107·84 - 107·92 Qtz vein with py + asp along contact margins.			108	7300	2		
						107·99 5cm thick coarse green band 60° to c.a.							
109													

GEONORTH

DRILLHOLE LOG

Drillhole No. 2-ZAP22
Page 7 of 15

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:
DRILL: | COMMENCED: | COMPLETED:
COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:
LOGGED BY: D.J.H

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE		DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES			
109						108·59 - 110·69.										
						Dk grey s/ltst. Common small garnets in zones, approx 55° to core + pyr bands on 5cm freq ≤ mm wide also ⊥ to bedding										
110									110	7301	2					
						110·67 - 110·69 ?Chl/silicic band 65° to core.										
	110·80	3·0	2·94			110·69 - 111·14 Coarse qtz vein ⊥ to core with ⊥ to bedding base. Inclusions of dk s/ltst & cracle breccia. Massive pyr within foliation + v. minor asp.										
111						111·24 - 111·31 } silicic bands pyr											
						111·39 - 111·69 } rich esp. along contacts										
						111·57 - 111·96. Banded seq. of pyr rich flor wide silicic/s/ltst seq. 2-3cm wide bands on cm scale repetition.			112	7302	2					
112						Asp xtals at top of seq 2-3cm across ≤ 2% 1 cm band ⊥ foliation near garnet rich base. Seq 60° to core.											
113						112·93 - 113·0 Qtz band massive pyr rich + dk stringers of s/ltst v. little asp. vein @ 60° to core											
	113·80	3·0	2·94			Massive pyr 60% ± qtz bands throughout										
114									114	7303	2					

GEONORTH

DRILLHOLE LOG

Drillhole No. 2 - ZAP 22
Page 9 of 15

PROJECT: ZAPO PAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
119						Slst. grades into pale silicic tuff with insipient foliation of elongate mm pyr 35° to core.	
120	120.30	1.40	1.05			120.04 - 120.12 - milky Qtz band sub // to bedding ? 50° to core.	
						120.42 - 121.17 Silicified Slst with common Qtz (vuggy) veining. Abundant fine grained pyr + cpy - ? Hydraulic breccia of Slst + silicification. Intensly deformed pyr + extended acpy through out.	
121						121.57 - grades back to garnet dist'd Slst.	
						122.19 - 122.26 Qtz + pyr / cpy / garnet	
122						122.27 - 122.29 - Conc Qtz vein 30° to core boudinaged pyr - rich.	
	122.80	2.80	2.43				
123						123.0 - 123.8 Qtz pyr vein	
						Dk grey METASILTSTONE bedded 50° to core.	
						123.91 1ft zone of banded silicic/ch pyr bands pyr 2-4 mm (x2) bands at base Abundant small < 1mm garnets.	
124	124.30	1.50	1.32				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
120	7306	2		
122	7307	2		
124	7308	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. 2-BAP 22
Page 10 of 15

PROJECT: BAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
124							
	124.30	1.50	1.32			124.09 - 124.26 dk green chl aff. silicic 3cm banded sub-ll to bedding (coarse abund asp + pyr (30%) + pyr (20%))	
						25 cm silicic 3cm dk-light banding (& intensly deformed, abund (80%) py + asp (~20%) upper most. (@ 122.12)	
125							
	125.50	1.20	1.08			Dk grey MUDSTONE	
126							
	126.10	0.60	0.46				
						128.0 - 128.27 Coarse asp + pyr with sylicic zone or above, mm bedding - fractured - ll to fortuitous @ 60° fractured & cll-set by late-stage CO3 veining @ 15° & 25° to cm.	
127							
	127.50	1.40	1.15				
						128.69 - 8cm CO3 + abundant pyr vein.	
128							
	128.60	1.10	0.93				
129							

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
126	7309	2		
127	7310	1		
128	7311	1		

GEONORTH

DRILLHOLE LOG

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H.

Drillhole No. Z-ZAP22
Page 11 of 15

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
129						Silica fine-grained diff large garnet band @ 130.21 - 130.22	
130							
	130.60	2.0	1.63			D/K grey MEDIUM GRAINED minor silicic bands @ 50° to core	
131							CORE
	131.50	0.90	0.89				
132							BROKEN
	132.45	0.95	0.72				
133							
	133.50	1.05	0.80				
134							
	134.70	1.20	1.07				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
130	7312	2		
132	7313	2		
134	7314	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-[illegible]22
Page 1/2 of 15

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:
DRILL: | COMMENCED: | COMPLETED:
COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:
LOGGED BY: D.S.H

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
134						134.10 Core orientation device gives attitude of coarse mft bed 2 cm wide @ 038°/14°S Insipient foliation in @ 015°/70°S	
	134.70	1.20	1.08			attitude to core = 50° bedding 35° foliation.	
135						135.36 8 cm of leucocratic banding in dk / light - mm scale banding deformed about cgb - 35° to core pyr at cms bands. Garnets near base + CO_3 veing.	
136	136.0	1.30	1.21			136.60 - CO_3 veining + silicic / pyr bands 1-2 cm wide.	
137	137.15	1.15	0.90				
138	138.20	1.05	0.9			138.29 - 138.36 Cgt gar - CO_3 abundant. Fresh pyr. 138.66. 6-8 mm silicic veins with s Hbl. Grades into coarse grained CLT Tuff @ garnets along base.	
139	139.40	1.20	1.12				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
136	7332	2		
138	7333	2		

GEONORTH

DRILLHOLE LOG

Drillhole No.
Page 13 of 15

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:
DRILL: | COMMENCED: | COMPLETED:
COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:
LOGGED BY: D.J.M

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
139							
	139.60	1.20	1.12			Coarse dk. METANFF	
140	140.0	0.60	0.59			140.58 - 140.64 Banded dk/light coarse mft + tourmaline needles. metasediment // to 35° to core. pyr in 6mm central to end - 30c chls // to bedding @ 40° to core.	
	140.60	0.60	0.37				
141						Dk grey METASEDIMENT	
142							
	142.20	1.60	1.21			142.18 change to silicic bff - fine light grey. Minor Cpy + hematite veins. coarsens to core box with foliation 35° to core. Banded contact to dk slightly // to foliation. Box 144.38.	
143							
						METASEDIMENT - increasing fine coarse METANFF	
144	144.90	2.10	2.54				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
140	7334	2		
142	7335	2		
144	7336	2		

GEONORTH

DRILLHOLE LOG

Drillhole No.
Page 14 of 15

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:
DRILL: | COMMENCED: | COMPLETED:
COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:
LOGGED BY: D. J. H

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE	DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
144												
						144·38 – 144·57 Banded silicic dk/ light cl/ per band mm scale mesfolds.						
145	144·90	2·70	2·54			144·78 – 145·11 progressely silicic & coarse chl bft last 10 cm is pale green chert bedded 75° to core						
						DK – coarse Silst. at base.						
146	145·90	1·0	0·82					146	7337	2		
	146·20		0									
147						147·07 – 147·07 Banded silicic boudinage · light grey silicic mm/ dk bands · chl alt.						
	147·50	1·30	1·30									
148								148	7338	2		
	148·70	1·20	1·15									
149												

GEONORTH

DRILLHOLE LOG

Drillhole No. ? ZAP 22
Page 15 of 15

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D. S-H

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
149							
						149.30 - 10 — coarse chl zone bedded contact 35° to core.	
						149.37 - 149.83 Silicic zone banded light/dark + silica boudins	
150							
	150.10	1.30	1.13				
						150.48 - 150.63 Inclassy deformed silicic zone garnet & chl-rich at base (10 cm).	
151						Dk fine grey METASILTSTONE	
	151.30	1.20	0.95			151.59 - 151.78. Chl. rich coarse hfl zone - insipient foliation // to bedding @ 35°.	
152						5cm pyr rich zone (+ chl) at base pyr crudely banded (mm) // to bedding	
	152.40	1.10	0.84				
						Dk metasiltstone bedded 30° to core with minor CO3 / Hematite x-cutting veins	
153							
						154.29 ½cm wide pyr-rich Qtz vein 80° to core + 4mm vein @ 154.37.	
154						Dk grey METASILTSTONE	

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
150	7339	2		
152	7340	2		

GEONORTH

T.D 154.40 154.40 2.0 189.

T.D 154.40 7341 2.40

EXPLOREMIN PTY.LTD.

Diamond Drill Log: ZZAP/23

SUMMARY

CLIENT: ZAPOPAN N.L.

PROSPECT: ZAPOPAN

PROPOSED CO-ORDS E: 9946 N: 9941 R.L.: 99
LAID OUT CO-ORDS E: 9946 N: 9941 R.L.: 99
ACTUAL CO-ORDS E: 9946 N: 9941 R.L.: 100.9

PLANNED DEPTH (M): 150
TARGET DEPTH (M): 40-150
ACTUAL DEPTH (M): 115.3

BEARING ° Grid: 032 ° Mag:
INCLINATION -°: 70

PROPOSED BY: J.G.
PLANNED BY: J.G.
LAID OUT BY: MACJAP
SURVEYED BY:

DRILLED BY: ROCKDRILL RIG 8

DATE COMMENCED: 88/07/03
DATE COMPLETED: 88/07/09

PRE-COLLAR (M): 34
HQ (M): 81.3
NQ (M):
BQ (M):
OTHER (M):
WEDGES PLACED:

COMMENTS/ASSAY SUMMARY:

DOWN HOLE SURVEYS

DEPTH (m): 36 AZIMUTH (mag. °): 029 INCLN (°): 71
DEPTH (m): 80 AZIMUTH (mag. °): 026 INCLN (°): 70
DEPTH (m): 115 AZIMUTH (mag. °): 024 INCLN (°): 70
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):
DEPTH (m): AZIMUTH (mag. °): INCLN (°):

ANALABS

A division of Macdonald Hamilton & Co. Pty. Ltd.
Phone(09) 458 7999
52 Murray Road, Welshpool, W.A. 6101
Telex AA92560

ANALYTICAL REPORT No. 247.0.14.02655

THIS REPORT MUST READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

ORDER No.	PROJECT
056	

DATE RECEIVED	RESULTS REQUIRED
06/07/88	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES	TOTAL No. OF SAMPLES
1	14/07/88	1	55

ATE F PLES	PRE-TREATMENT								ANALYSIS		
ER OW	SAMPLE NUMBERS	DRY	CRUSH	SPLIT	PUL-VERISE	SIEVE	OTHER SEE-REMARKS	NONE	REFER TO ANALYSIS SECTION	PREPARATION	METHOD
	7256/338,7332/41	DC	Prep: 833						Au,Au(1),Au(21/313		

RESULTS TO

MR ROD JOHNSON
ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

RESULTS TO

REMARKS

2-ZAP/22
23

STATE OF SAMPLES

ole core	WC
it core	SC
tting	CU
ck	Ro
l	SO
ip	PU
ter	WA
sue	TI
eam sediment	SS
avy mineral	HM

ANALYSIS — PREPARATION

perchloric acid	A1	cold acid	CA
hydrochloric acid	A2	specific sulphide	SS
nitric acid	A3	other mixed acids	Ma
aqua regia	A4	alkaline attack	AA
nitric-perchloric	A5	volatilization	VO
HF mixture	A6	ignition	IG
HF under pressure	A7	pressed powder (XRF)	PP
fusion	A8	glass fusion (XRF)	GF

ANALYSIS — METHOD

atomic absorbtion	AAS
x-ray fluorescence	XRF
spectrophotometry	SPEC
colorimetry	COL
chromatography	CHR
titration	TTN
other chemical means	CHEM
miscellaneous	MISC
fluorescence	FLUOR
inductively coupled plasma	ICP

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. (SK) Ltd.

ANALYTICAL DATA

SAMPLE PREFIX | REPORT NUMBER | REPORT DATE | CLIENT ORDER No.

247.0.14.02655 | 14/07/88 | 058

TUBE No.	SAMPLE No.	Au	Au(1)	Au(2)		Type	Depth
1	7311	2.360	2.680	4.840		ZZAP22	127-128
2	7312	0.134	--	--			128-130
3	7313	0.086	--	--			130-132
4	7314	0.021	--	--			132-134
5	7315	0.764	0.689	0.682		Z-ZAP23	0-2
6	7316	0.079	--	--			2-4
7	7317	0.027	--	--			4-6
8	7318	0.008	--	--			6-8
9	7319	0.189	--	--			8-10
10	7320	0.177	--	--			10-12
11	7321	0.020	--	--			12-14
12	7322	0.008	0.007	0.005			14-16
13	7323	0.007	--	--			16-18
14	7324	0.008	--	--			18-20
15	7325	0.007	--	--			20-22
16	7326	0.010	--	--			22-24
17	7327	0.009	--	--			24-26
18	7328	0.017	--	--			26-28
19	7329	<0.005	--	--			28-30
20	7330	0.007	--	--			30-32
21	7331	<0.005	--	--		ZZAP22	134-136
22	7332	0.016	--	--			136-138
23	7334	<0.005	--	--			138-140
24	7335	<0.005	--	--			140-142
25	7336	<0.005	--	--			142-144

Results in ppm unless otherwise specified

T = element present but concentration too low to quantify

X = element concentration is below detection limit

— = element not determined

ANALABS

A Division of Lakefield Resources Limited

ANALYTICAL DATA

SAMPLE PREFIX | REPORT NUMBER | PREP DATE | CLIENT REF. No. | PAGE

247.0.14.02655 | 14/07/88 | 0 | 3 OF 3

RECEIVED 19 JUL 1988

TUBE No.	SAMPLE No.	Au	Au(1)	Au(2)			Hole ID	Depth
1	7337	0.007	--	--			Z ZAP22	144-146
2	7338	0.007	--	--				146-148
3	7339	<0.005	--	--				148-150
4	7340	<0.005	--	--				150-152
5	7341	0.013	0.011	0.014				152-154.40
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23	DETECTION	0.005	0.005	0.005				
24	UNITS	PPM	PPM	PPM				
25	METHOD	313	313	313				

Results in ppm unless otherwise specified

T = element present but concentration too low to quantify

X = element concentration is below detection limit

- = element not determined

ANALABS

A division of MacDonald Hamilton & Co. Pty. Ltd. (Inc NSW)

(089) 84 3849 | Cnr Coonawarra & Mataram Rds, Winnellie | Fax: (089) 84 3984

ANALYTICAL REPORT No. 247.0.14.02819

THIS REPORT MUST BE READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

INVOICE TO:

ZAPOPAN NL
PO BOX 4045

DARWIN NT 0801

ORDER No.	PROJECT
058	

DATE RECEIVED	RESULTS REQUIRED
24/08/88	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES
3	31/08/88	1

TOTAL No. OF SAMPLES: 55

SAMPLE NUMBERS	SAMPLE DESCRIPTION	ELEMENT/METHOD
7286/330,7332/41	PU Prep: 014	As/401

REMARKS

Z-ZAP/22
23

RESULTS TO:

J.GOULEVITCH
ZAPOPAN NL
PO BOX 93

EARLVILLE QLD 4870

RESULTS TO:

RESULTS TO:

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02819	31/08/88	058	2 OF 3

TUBE No.	SAMPLE No.	As				Hole N°	Depth			
1										
2										
3										
4										
5	7315	5200				ZAP23	0-2			
6	7316	611					2-4			
7	7317	191					4-6			
8	7318	83					6-8			
9	7319	160					8-10			
10	7320	141					10-12			
11	7321	68					12-14			
12	7322	32					14-16			
13	7323	68					16-18			
14	7324	89					18-20			
15	7325	85					20-22			
16	7326	108					22-24			
17	7327	91					24-26			
18	7328	108					26-28			
19	7329	59					28-30			
20	7330	52					30-32			
21										
22										
23										
24										
25										

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

ANALABS

A Division of Macdonald Hamilton & Co. Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No.	PAGE
	247.0.14.02819	31/08/88	058	3 OF 3

TUBE No.	SAMPLE No.	As				Hole N°	Depth			
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										
21										
22										
23	DETECTION	2								
24	UNITS	PPM								
25	METHOD	401								

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
— = element not determined

AUTHORISED OFFICER

ANALABS

A division of Macdonald Hamilton & Co Pty Ltd
52 Murray Road Welshpool W.A 6101
Phone(09) 458 7999
Telex AA92560

ANALYTICAL REPORT No. 247.0.14.02669

THIS REPORT MUST READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

ZAPOFAN NL
PO BOX 4045

DARWIN NT 0801

ORDER No.	PROJECT
063	

DATE RECEIVED	RESULTS REQUIRED
09/07/88	ASAP

No. OF PAGES OF RESULTS	DATE REPORTED	No. OF COPIES	TOTAL No. OF SAMPLES
1	25/07/88	1	16

ER DW.	SAMPLE NUMBERS	PRE-TREATMENT: DRY	CRUSH	SPLIT	PULVERISE	SIEVE	OTHER SEE REMARKS	NONE	ANALYSIS: REFER TO ANALYSIS SECTION	PREPARATION	METHOD
	7342/57	RC Prep: 833							Au,Au(1),Au(2)/313		
	7342/57	RC							As/401		

RESULTS TO

MR ROD JOHNSON
ZAPOFAN NL
PO BOX 4045

DARWIN NT 0801

RESULTS TO

REMARKS

Z-ZAP 23

STATE OF SAMPLES		ANALYSIS — PREPARATION				ANALYSIS — METHOD	
ole core	WC	perchloric acid	A1	cold acid	CA	atomic absorbtion	AAS
it core	SC	hydrochloric acid	A2	specific sulphide	SS	x-ray fluorescence	XRF
tting	CU	nitric acid	A3	other mixed acids	Ma	spectrophotometry	SPEC
	Ro	aqua regia	A4	alkaline attack	AA	colorimetry	COL
	SO	nitric-perchloric	A5	volatilization	VO	chromatography	CHR
	PU	HF mixture	A6	ignition	IG	titration	TTN
	WA	HF under pressure	A7	pressed powder (XRF)	PP	other chemical means	CHEM
	TI	fusion	A8	glass fusion (XRF)	GF	miscellaneous	MISC
eam sediment	SS					fluorescence	FLUOR
mineral	HM					inductively coupled plasma	ICP

AUTHORISED OFFICER _____

ANALABS

A Division of Macdonald Hamilton & Co Pty Ltd

ANALYTICAL DATA

SAMPLE PREFIX	REPORT NUMBER	REPORT DATE	CLIENT ORDER No	PAGE
	247.0.14.02669	25/07/88	063	1 OF 1

TUBE No	SAMPLE No	As	As	Au	Au(1)	Au(2)		Hole No	Depth	
	7342	15	-	0.118	-	-		ZAP 23	33.50 -	34.00
	7343	35	-	0.007	-	-			36 -	38
	7344	75	-	0.006	-	-			38 -	40
	7345	40	-	0.005	-	-			40 -	42
	7346	320	-	0.321	-	-			42 -	44
	7347	910	-	0.330	-	-			44 -	46
	7348	30	-	0.022	-	-			46 -	48
	7349	>2500	0.73	0.660	0.777	1.035			48 -	50
	7350	230	-	0.083	-	-			50 -	52
	7351	90	-	0.092	-	-			52 -	54
	7352	360	-	0.555	0.585	0.492			54 -	56
	7353	45	-	0.043	-	-			56 -	58
	7354	440	-	0.977	0.916	0.416			58 -	60
	7355	2400	-	0.170	-	-			60 -	62
	7356	>2500	0.75	0.223	-	-			62 -	64
	7357	35	-	0.222	-	-			64 -	66
	DETECTION	2	0.01	0.005	0.005	0.005				
	UNITS	PPM	%	PPM	PPM	PPM				
	METHOD	401	404	313	313	313				

Results in ppm unless otherwise specified
T = element present; but concentration too low to measure
X = element concentration is below detection limit
– = element not determined

AUTHORISED OFFICER _____

CORE RECOVERY LOG

PROSPECT/MINE: ZAPOPAN HOLE NO: ZZAP23

Logged By: ..... Sheet: ...../.....

Depth (m)		Interval	Recovery
From	To	(m)	(m)
33.50	34.90	1.40	0.97
34.90	35.60	0.70	0.39
35.60	36.20	0.60	0.47
36.20	36.90	0.70	0.70
36.90	38.40	1.50	1.41
38.40	39.70	1.30	1.24
39.70	40.70	1.0	0.78
40.70	41.80	1.10	0.76
41.80	42.40	0.60	0.56
42.40	42.90	0.50	0.37
42.90	44.40	1.50	1.38
44.40	46.0	1.60	1.48
46.0	47.50	1.50	1.31
47.50	48.20	0.70	0.70
48.20	49.90	1.70	1.27
49.90	50.40	0.50	0.31
50.40	51.40	1.0	0.81
51.40	53.20	1.80	1.73
53.20	54.0	0.80	0.80
54.0	54.60	0.60	0.56
54.60	55.40	0.80	0.81
55.40	56.10	0.70	0.40
56.10	56.90	0.80	0.71
56.90	57.90	1.0	0.83
57.90	58.80	0.90	0.89
58.80	60.50	1.70	1.43
60.50	61.30	0.80	0.74
61.30	61.90	0.60	0.33
61.90	63.10	1.20	0.88
63.10	64.30	1.20	0.92
64.30	65.0	0.70	0.61
65.0	65.90	0.90	0.84
65.90	66.90	1.0	0.94
66.90	67.10	0.20	0.18
67.10	68.0	0.90	0.76
68.0	68.80	0.80	0.78
68.80	69.40	0.60	0.61
69.40	70.80	1.40	0.99
70.80	71.90	1.10	1.08
71.90	72.90	1.0	0.93
72.90	73.90	1.0	0.79
73.90	75.90	2.0	1.76
75.90	76.70	0.80	0.79
76.70	78.0	1.30	1.18
78.0	79.4	1.40	1.31
79.40	80.10	0.70	0.70
80.10	81.0	0.90	0.63
81.10	81.70	0.70	0.52
81.70	81.90	0.20	0.21
81.90	82.30	0.40	0.31
82.30	82.60	0.30	0.16
82.60	83.0	0.40	0.33
83.0	83.90	0.90	0.72
83.90	84.70	0.80	0.73
84.70	85.10	0.40	0.29
85.10	86.40	1.30	1.22
86.40	89.30	2.90	2.74
89.30	90.60	1.30	1.21
90.60	91.50	0.90	0.59
91.50	92.0	0.50	0.38
92.0	92.60	0.60	0.31
92.60	93.20	0.60	0.59
93.20	94.20	1.0	0.84
94.20	95.10	0.90	0.86
95.10	95.90	0.80	0.62
95.90	96.50	0.60	0.55
96.50	96.90	0.30	0.30
96.90	97.60	0.70	0.59
97.60	98.30	0.70	0.57
98.30	99.50	1.20	1.07
99.50	101.50	2.0	2.0
101.50	102.20	0.70	0.51
102.20	104.10	1.90	1.81
104.10	105.90	1.80	1.81
105.90	108.0	2.10	2.02
108.0	109.30	1.30	1.27
109.30	111.60	2.30	2.18
111.60	113.70	2.10	1.94
113.70	115.30	1.60	1.49

SHEET 1 of 2

LOGGED BY: D.S.H.

CORELOGGING DATA

AREA / LEASE ..... PROSPECT ZAPOIAN ..... HOLE No Z-ZAP 23

DIST. FROM COLLAR	BREAKS / METRE	RECOVERY	R.Q.D.	SPEC. GRAVITY	MAG. SUSCEPTILITY	ANGLE TO LONG CORE AXIS: So	ANGLE TO LONG CORE AXIS: S1	STRUCTURES	LITHOLOGY	ESTIMATED MINERAL PERCENTAGES: milky qtz.	sugary qtz.	f. gr. qtz.	musc.	biot.	garnet	chl.	act.	cbt.	tourm.	py.	po.	hemt.	base metal su.	sepy.	Sericite	SAMPLE No.	ASSAY RSLTS: Au	ASSAY RSLTS: As	GEOLOGICAL COMMENTS (mainly texture)
40												1		2						tr							0.065		
41														1		tr				tr									
42								b.i.f.		4		1				20	2			4		2		tr					Hem-rich B.I.f.
43																											0.321		
44								b.i.f.		1					½					½				tr					
												8		tr	½	10		2			2			½			0.330		
45																													
46								b.i.f.				½			1	2				½									
47											1	½		tr	<1	5		½		3							0.022		?sericite - tuff.
48										10				1											2				
49														2		22				1							0.824		
50								b.i.f.			8					18	5			5				½			0.8		
51								Qtz		25		4		tr	1	12	tr			1							0.083		
52												1				10	tr			tr					10				
								b.i.f.			1	5		tr	4	40	5			1				tr			0.092		
53								Qtz		8		4			3	20	1			2				tr					
54								b.i.f		2		5			3	40	5			2				tr			0.186		
55								b.i.f.			1	5			1	10	1			2									
56												½			½	10				½							0.043		
57										6	1				1	16	1			½					40				
58																													

LITHOLOGICAL LEGEND:

- Mdst — Mudstone
- Cmdst — Carbonaceous Mudstone
- Slst — Siltstone
- Sst — Sandstone
- Gwke — Greywacke
- Cgl — Conglomerate
- Lmst — Limestone
- Tuff — Ashstone
- Chrt — Chert
- BIF — B.I.F.
- cbBIF — B.I.F. Carbonate >15%
- chlBIF — B.I.F. Chlorite >40%
- actBIF — B.I.F. Actinolite >40%
- musBIF — Mbas. >20% (commonly includes garnets)
- Ms — Massive Sulphide
- qz — Quartz
- Mfls — Hornfels
- MBd — Metadolerite
- Ap — Pelsite
- Agr — Granite
- Brecciated rock
- Veining >30%
- Tourmaline >5%
- Arsenopyrite >0.5%
- Base metal sulphides >5%
- py — Pyrite >5%
- po — Iron sulphides >2%

SHEET 2 of 2

LOGGED BY: D.S.H.

CORELOGGING DATA

AREA / LEASE ..... PROSPECT ZAPOPAN ..... HOLE No 2-ZAP 23

DIST. FROM COLLAR	BREAKS / METRE	RECOVERY	R.Q.D.	SPEC. GRAVITY	MAG. SUSCEPTILITY	ANGLE TO LONG CORE AXIS: So	ANGLE TO LONG CORE AXIS: Si	STRUCTURES	LITHOLOGY	ESTIMATED MINERAL PERCENTAGES: milky qtz.	sugary qtz.	f. gr. qtz.	musc.	biot.	garnet	chl.	act.	cbt.	tourm.	py.	po.	hemt.	base metal su.	aspy.		SAMPLE No.	ASSAY RSLTS: Au	ASSAY RSLTS: As	GEOLOGICAL COMMENTS (mainly texture)
58														·	4	10				3				tr	20				
59										2		2			2	20				5				1	2				
60								bif.																					
								Qtz		10		2		tr	4	10	2			3									
61											tr	7		tr	2	10				2					2				
62										5					1	14				1½				½					
63																													
								bif.		5	8				3	10		4		2				½				? Basal B.i.f.
64																													
										26		2			1	2		tr		1									
65								Qtz																					
											1	½				5				2									
66											2					12				tr									
67														tr		10													
68																													

LITHOLOGICAL LEGEND:

- Mdst — Mudstone
- Cbmd — Carbonaceous Mudstone
- Slst — Siltstone
- Sst — Sandstone
- Sgw — Greywacke
- Cgl — Conglomerate
- Lmst — Limestone
- Ash — Ashestone
- Cht — Chert
- BIF — B.I.F.
- cbBIF — B.I.F. Carbonate > 15%
- chBIF — B.I.F. Chlorite > 40%
- actBIF — B.I.F. Actinolite > 40%
- micBIF — Mica > 30% (approximate) includes garnets
- Sv — Massive Sulphide
- Qz — Quartz
- Hfls — Hornfels
- MBd — Metadolerite
- Ad — Felsite
- Agr — Granite
- Brecciated Rock
- Veining > 30%
- Tourmaline > 5%
- Arsenopyrite > 0.5%
- Base metal sulphides > 5%
- Py — Pyrite > 5%
- Po — Iron sulphides > 2%

PERCUSSION DRILL LOG

PROSPECT/MINE: ZAPOPAN HOLE NO: Z-ZAP.23

Collar: ..... E ..... N ..... RL

Azimuth: .032°. °Mag/~~Grid~~ Inclination: -70.°

Date Drilled: 3/7/88. Logged By: D.F.H. Sheet: 1./.1.

Depth (m) From	Depth (m) To	Sample No.	Description: Lithology	Qtz	Py	Apy	Au
0	2	7315	Soils. c. 10% coarse milky Qtz & weathered Sltst & clays	✓			
2	4	7316	40% milky Qtz. <10% pale. bff. weathered. <10% barren tuff. & clays.	✓			
4	6	7317	20% Smoky Qtz. Dk Sltst pale clays. <10% tuffs	✓			
6	8	7318	60% Sltst, 20% pale bff weathered. hi clays				
8	10	7319	as above				
10	12	7320	Dk Sltst. c. minor pyr. Fe-oxd in part. & clays. minor tuffs. weathered		✓		
12	14	7321	Pale grey bff (clean) bff minor Sltst. & clays				
14	16	7322	as above				
16	18	7323	<5% Smoky qtz, Dk Sltst <10% bff. & clays.	✓			
18	20	7324	Dk. Sltst <2% milky qtz <5% bff. minor clays & pyr.	✓	✓		
20	22	7325	as above. part Fe-oxd				
22	24	7326	<2% Qtz. 10% pale fine hard tuff, dk Sltst & v. minor pyr. clays. F. green/grey tuff				
<10m Bandanna							
24	26	7327	Dk Sltst. <10% pale bff <10% pale green bff.				
26	28	7328	<5% Qtz. coarse. dk Sltst minor pyr & aggregates of pyr within Sltst	✓	✓	✓	
28	30	7329	10% Qtz. milky. 60% pale grey bff. Sltst. minor pyr.	✓	✓		
30	32	7330	OPEN STOPE?				
32	34	—	Nil Sample. recovery				
			E.O.H. Pot: collapse				

DRILLHOLE LOG

Drillhole No. Z-ZAP 23
Page 1 of 17

PROJECT: ZAPOPAN
COMPANY: ROCKDRIL
CONTRACTOR:
DRILL: RIG 8.
COMMENCED: 5/7/88.
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH: 032° GRID
DECLINATION: -7°
LOGGED BY: D.S.H

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
33							
	33.50					33.50 → Fine pale/dk bedded silicic Metatuff Bedded @ 45° to core	
34						34.01 grades to dk grey MEDIUM SILICIFIED bedded as above.	
						34.59 light/dk bedded METATUFF.	
	34.90	1.40	0.97			35.0 - 35.10 Crush zone clay-rich.	
35						35.20 - 35.26 bedded pale green/cream chert zone with pale silicic bands	
	35.60	0.70	0.39			35.60-35.64 crush zone fresh clays	
						35.64 - 36.52 Dk silicified SLTST. grades in to fine pale hard silicic MT with dk ? hornblende needles defining foliation of 35° to core.	
36	36.20	0.60	0.47			36.66 - Tuff grades back to dk SLTST with pyr along fract.	
	36.90	0.70	0.70				
37						37.62 - 37.69 Alternating dk/light bands with ?epidote/chl/pyr/?K-Spar min. pyr-enriched within pale silicic zone 60° along bnd pyr defines foliation also @ 35° to core.	
38	38.90	1.50	1.41				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
33.50				
36.0	7342	2.50		
38.0	7343	2.0		

GEONORTH

DRILLHOLE LOG

Drillhole No. 2 7417 23
Page 2 of 7

PROJECT: ZAPOPAN
COMPANY: ROCK DRILL
CONTRACTOR:
DRILL: Rig 8
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D. S. H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
~~38~~							
	38.40	1.50	1.41			MEDIUM PP 38.19 - 38.25 pale green / pink ? alt. Silts banded with central 2cm band pyr, asp rich	
						38.52 - 38.62 pale green / cream / pink silica zone rich in pyr + asp // to foliation	
39						38.98 - 39.0 Qtz vein // to bedding with cm wide CO3 along contact.	
	39.70	1.30	1.24			39 - 41.90 Dk cm scale banded grey tuff well veth developed min segregation @ ~35° to core	
40						Dk grey MEDIUM BIOTITE min pyr	
	40.70	1.0	0.78				
41							
42	41.80	1.10	0.76			42.35 - 42.40 Contact zone	
						42.49 - 42.76 mm scale banding of light / dark silica bands, abundant hematite pyr asp sphene + pale yellow (Fk-so) 3cm basal section heavily pitted from leached sulph ?	
	42.40	0.60	0.56				
43	42.90	0.50	0.37				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
40	7344	2		
42	7345	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. 2 - ZAP 28
Page 3 of 17

PROJECT: ZAPPA
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D. S. H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
43						Core dk MEDIA/LITHOLOGY. Strong foliation 30° to core. Bedding 45° to core.	
						43.91 - 43.19 cm of altered Qtz / calc. veins poly yellow mm Garnet / pyr / silicic lens ank banding - on mm scale // to bedding. Minor folding // to foliation @ 30° to core. Abundant pyr.	
44							
	44.40	1.50	1.38			44.13 - 4 mm pyr band. 44.21 - 44.22. Epidote band // to foliation 35° to core.	
						44.57 - 44.62 Qtz vein. 44.82 - 44.96. Deformed silicic zone abund pyr pitted about top Qtz rich + mm dk bands all approx 45° to core.	
45						44.96 - 47.20 mm-scale banded tuff light fdk / coarse lithic 4-12 mm clasts beds 40° to core. Foliation 35° to core.	
	46.0	1.60	1.48				
46						46.14 - 46.17. pitted silicic band // to bedding. 45° to core.	
47						47.26 - 47.49. Broken Qtz vein. 47.49 - 47.56 Fresh core zone.	
	47.50	1.50	1.31			47.56 - 47.76. Pale silicic banded tuff - rich Qtz veins. grades c to dk SltSt (altered) → dk SltSt	
48							
	48.20	0.70	0.10				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
44	7346	2		
48	7348	2		

GEONORTH

DRILLHOLE LOG

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D. ⇒ H

Drillhole No. 2 ZAP 23

Page 4 of 17

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
48	48.2	0.70	0.70			48.2 - 48.43 Coarse foliated Slt/st band, 60° to core foliation 35° to core	
						20cm at base of pale green/garnet alteration zone = hornfelsed/bleached dk Slt/st + qtz bands.	
49						49.23 - 49.39 Silicic band 40% qtz ~20% carb. massive in crude bedding @ 50° to core. 2cm garnet-rich zone at base	
						49.69 - 49.70 metallic green "lens"	
50	49.90	1.70	1.27			band of qtz 70° to core. Silicic & dk mm bands of qtz for 6cm at base with 15cm qtz vein - minor silicic bands 3-4cm wide within pale grey Slt/st	
	50.40	0.50	0.39				
51						50.94 - 51.11 Clay infilled fault-zone with foliated fault gouge followed by 18cm of Chl alt Slt/st with	
	51.40	1.0	0.81			qtz veining. minor milky coarse qtz	
						Further 8cm zone of heavily fractured crush zone.	
52						51.11 - 52.09 bedded dk Slt/st with district foliation at 35° to core + bedding 50° to core.	
						52.09 - 52.83 Dk Slt/st garnet-clasted banded towards base	
						52.83 - 52.91 Coarse tuff band	
53		1.80				white qtz veins @ 53.09 - 53.20 52.91 - 53.0	
	53.20		1.73				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
50	7349	2		
52	7350	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. 2 ZAP23
Page 5 of 17

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.S.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE	DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
53												
	53.20	1.80	1.73			53.46 – 8cm silicic band with 10 cm coarse milky qtz vein + minor pyr ± ≤ 3% asp – both subhedral vuggy qtz gouth.						
						53.51-53.61 chl. alt banded seq // to bedding @ 65°. Silicic bands & pyr bands on mm scale						
54	54.0	0.80	0.80					54	7351	2		
						54.53. 12cm mm pyr, chl, silicic bands + minor scattered 9yr cm size pyr abundant & heavily gossanous dusted.						
	54.60	0.60	0.56									
						Similar bands @ 54.21 - 55.71 (4cm bands)						
55												
						Dk grey METASILTSTONE:						
	55.40	0.80	0.81			55.90-55.99 Crush zone.						
56								56	7352	2		
	56.10	0.70	0.40			56.31 – 57.83. Dk grey METASILTSTONE grades into green/grey black spec clasts NFF with foliation @ 30° to core						
						Beddeu 55°. minor gossanous dusted.						
57	57.90	0.80	0.71			57.63 – 3cm Qtz milky vein // to bedding						
						Dk grey METASILTSTONE						
	57.90	1.0	0.82									
58								58	7353	2		
	58.80	0.90	0.89									

GEONORTH

DRILLHOLE LOG

PROJECT: ZAPOPAN

COMPANY:

CONTRACTOR:

Drillhole No. ZAP23
Page 6 of 17

DRILL:

COMMENCED:

COMPLETED:

COORDINATES:

ELEVATION:

AZIMUTH:

DECLINATION:

LOGGED BY: D.S.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE	DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
59												
	58.80	0.90	0.89									
59						Dk grey bedded MUDSTONE						
60						Minor silica bands @ 60.0 - 60.8		60	7354	2		
						60.08 - 60.16 Bands chl/dk shale						
	60.50	1.70	1.43			siltstone/gyr. calc a garnets all approx						
						sub ll to bedding						
61												
	61.30	0.80	0.74			minor CO_3 with dk grey						
						MUDSTONE						
	61.90	0.60	0.53					62	7355	2		
62						62.96 minor stringer veining (2mm)						

DRILLHOLE LOG

Drillhole No. Z-ZAR23
Page 7 of 17

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
63							
	63.10	1.20	0.88			63.14. Qtz/pgr <cm vein.	
						63.27 - 65.57 18cm banded scg // to bedding lgt/dark mm bands ± pgr/chl + cub asb. - nct zone near top. + bleached edges. Xcuts bedding 60° to cor. Cross-cut by (O3, (? Odenite / Anhedrite) vein ½cm wide 25° to core.	
64							
	64.30	1.20	0.92				
						64.44 - 65.0 Qtz coarse ± pgr ± asb. occasional silicic boudins plus minor pgr 40° to core.	
65	65.0	0.90	0.61				
66	65.90	0.90	0.84			66.07 - 66.12. Silicic banding chl ± epidote pgr. parallel to bedding.	
						Dk silst grades into dk silicic tuff.	
						66.42; Fine silicic banding on mm scale with x-cutting dolomite vein 2mm wide. Imp. ment foliation 35° to core axis.	
67	66.90	1.0	0.94				
	67.10	0.20	0.18			66.89 Tuff grades to DI fine METASEDIMENT occasional chl wisps chl-rich bands, 2cm wide lgt/dk silicic banding on mm scale ± pgr ± chl at?	
68	68.0	0.90	0.76			67.91 - 68.0m crush zone	

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
64	7356	2		
66	7357	2		
68	7358	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-2A23
Page 8 of 17

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
68							
						68.60 - 68.63. Qtz vein massive ppy is filling small vugs & fractures. Also @ 68.71-68.74.	
	68.80	0.80	0.78				
69							
	69.40	0.60	0.61				
70							
						70.12 - 70.18. Intensly deformed silicic alt fpgr zone - brecciated. Core 45° to core.	
	70.80	1.40	0.99			70.23 - 70.34. Massive coarse milky qtz vein & part brecciating dk Sltst. Sltst becomes silicic @ 70.35.	
71							
						71.01 - 71.18 Banded zone ?alt green/pale silicic light/dk mm bands. off set by 2 Ankerite veins.	
	71.90	1.10	1.08				
72						72.11. 13cm Alt. banded zone with foliation @ 35° to core. Bands 1-2 cm wide & 1-1cm apart Light/dk silicic bands. also @ 72.42 - 72.44. 72.52 - 72.56	
	72.90	1.0	0.93			Grades into dk sltst by 72.96	
73	73.90	1.0	0.91				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
70	7359	2		
72	7360	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-2AP
Page 9 of 17

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.S.H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
73						Banded dk metasiltstone occasional silicic bands, dk/light banding + cbl 20 cm wavelength 2-5cm wide	
74	73.90	1.0	0.79				
						74.79 - 7cm cbl band	
75							
	75.90	2.0	1.76			75.91 - 75.99 CO_3-rich band	
76							
	76.70	0.80	0.79			76.87 Silicic bands + leucocratic bands 4cm wide chloritic bands at base with wavy scale ppx to 77.53	
77							
	78.0	1.30	1.18				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
74	7361	2		
76	7362	2		
77	7363	2		

GEONORTH

DRILLHOLE LOG

Drillhole No.
Page 10 of

PROJECT: COMPANY: CONTRACTOR:

DRILL: COMMENCED: COMPLETED:

COORDINATES: ELEVATION: AZIMUTH: DECLINATION:

LOGGED BY:

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
78							
79							
						79.29 – 79.31 Qtz ± pink K-spar. minor pyr. along contact margins.	
	79.40	1.40	1.31				
80							
	80.10	0.70	0.70				
81	81.0	0.90	0.63			D/k grey METASILTSTONE bedded coarse/fine v. occasional mm pyr bands + silicic & chl bands.	coarse / fine / fissile
	81.70	0.70	0.52				
	81.90	0.20	0.21				
82							
	82.30	0.40	0.31				
	82.60	0.30	0.16				
83	83.0	0.40	0.33				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
80	7364	2		
82	7365	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP 23
Page 11 of 17

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.S.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
83						83.13 - 83.15 Minor silici/cal. band: distinct foliation @ 35° to core bedding @ 55° to core.	
	83.90	0.90	0.72				
84						MEDIUM SILTSTONE:	
	84.70	0.10	0.73				
						84.89 - 85.0 CARB zone. Fgd clasts / prog.	
85	85.10	0.40	0.29				
						85.82. 10cm silicic / qtz zone with CO3 veining in top 2-3cm + light/dark mm bands.	
86							
	86.40	1.30	1.22				
						MEDIUM SILTSTONE - minor silicic bands	
87						87.73 - 87.79 Deformed silicic light/dark bands & boudins - foliated about 35° to core (1 for foliation.	
88							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
84	7366	2		
86	7367	2		
88	7368	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP23
Page 12 of 17

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
88							
						88.94 - 88.96 Qtz/fl. spar (pink) vein upper mont → hft zone	
89							
	89.30	2.90	2.74			89.0: Chl. dk speck. green coarse hft banded grades back to dk s/hst. Mnr 10 cm wavelength < cm stricie } pyr bands ⊥ to bedding @ 45° to cor.	
90							
	90.60	1.30	1.21			90.60: Borders dk s/hst foliate @ 30° bedding 55°. Qtz-rich zone @ 92.21 - 92.27	
91							
	91.50	0.90	0.89				
92	92.0	0.50	0.38				
	92.60	0.60	0.31				
93	93.20	0.60	0.54				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
90	7369	2		
92	7370	2		

GEONORTH

DRILLHOLE LOG

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H.

Drillhole No. Z-ZAP27
Page 13 of 17

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION
93	93.20	8.60	059			
						93.54 - 93.77 & 93.95 - 94.15. Qtz - sil zone with broken core. Broly fract. & CO3 invaded. Sl/Sl. Inclusion - within Qtz.
94	94.20	1.0	0.84			Crush zones @ 93.95 - 93.99 and 94.09 - 94.27.
						94.34 - 94.79. Coarse chl hbf. alt - clay-like pattern appearance. Basal 10 cm is hi in CO3 & fract. grades into silicic zone 75 cm wide → dk gray Sl/hf.
95	95.10	0.90	0.86			
96	95.90	0.80	0.62			
						Chl - dk bands @ 96.27 - 96.31 with intense CO3 veining
	96.50	0.60	0.53			
97	96.90	0.30	0.30			
						97.56 - 97.94. Intense CO3 veining
	97.60	0.70	0.59			
98	98.30	0.70	0.57			

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
94	7370	2		
96	7372	2		
98	7373	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-2AR23
Page 14 of 17

PROJECT: ZAPOPAN
COMPANY:
CONTRACTOR:
DRILL:
COMMENCED:
COMPLETED:
COORDINATES:
ELEVATION:
AZIMUTH:
DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
98	98.30	0.70	0.57			98.42 – 98.57 Intense calcsilicate zone.	
						Dk slst. largely massive v. little bedding. minor silicic mm bands.	
99							
	99.50	1.20	1.07				
100							
						MEDIA DIORITE	
101							
	101.50	2.0	2.0				
102							
	102.20	0.70	0.51			102.20 V. fine-grained silicified MEDIA DIORITE	
103							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
100	7374	2		
102	7375	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. 2-ZAP23
Page 15 of 17

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D. J. H.

DEPTH m	RUN m	INTERVAL m	RECOVERY m	%	SURVEY	DESCRIPTION	STRUCTURE
103						METABASITE/DIORITE	
104	104.10	1.90	1.81			104 - 106.24 Alteration zone pink ± lt grey silicic bedded & fractured. Bedding 50° to core. Green chert-like bands & garnets @ 104.36 - 104.46. 1cm silicic bands x-cut @ 20° to core. CO3 - fracture zones @ 105.51 - 105.89, 105.24 - 105.31, 105.46 - 105.47	
106	105.90	1.80	1.81			6-8 cm finely banded dk/lt gy mm bands + silicic centre @ 105.37-105.39, 105.64, 105.73 & 106.16 - 106.22.	
107						Dk. v. fine strat. with silicic bands at 107.97 & 108.04. Chl-rich at top. Scattered & crudely banded pyr. foliated // to elongate pyr. ? foliation @ 60°.	
108	108.0	2.10	2.02				

DEPTH m	SAMPLE NUMBER	INTERVAL m	WIDTH m	ANALYSES
104	7376	2		
106	7377	2		
108	7378	2		

GEONORTH

DRILLHOLE LOG

Drillhole No. Z-ZAP23
Page 16 of 17

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:
DRILL: | COMMENCED: | COMPLETED:
COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:
LOGGED BY: D.J.H.

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
108						108.39 - 108.46 or abov chl·ppr band with silicic bands & cross-cut by calcite: & @ 110.35 - 110.42.	
109	109.30	1.30	1.27			alt. silicic & SMB defines green/pink - scattered garnets 109.30 - 109.96. Core clt zone beaded 80° to core.	
110						DK grey METASILTSTONE	
111	111.60	2.30	2.18			light/dk silicic bands @ 111.76 - 111.80. 112.30 - 112.42	
112						ppr defines foliation @ 30° + bedding also seen @ 65° to core 112.34	
113	113.90	2.10	1.94				

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
110	7379	2		
112	7380	2		

GEONORTH

DRILLHOLE LOG

PROJECT: ZAPOPAN | COMPANY: | CONTRACTOR:

DRILL: | COMMENCED: | COMPLETED:

COORDINATES: | ELEVATION: | AZIMUTH: | DECLINATION:

LOGGED BY: D.J.H.

Drillhole No. Z-ZHP 27
Page 17 of 17

DEPTH m	RUN m	INTER-VAL m	RECOV-ERY m	%	SURVEY	DESCRIPTION	STRUCT-URE
113							
	113.70	2.10	1.94				
114						light dk siliceous bands at 114.03 - 114.12	
						v. occasional dkgr & x-cutting mm calcite veins	
115							
	115.30	1.60	1.49				
116						T.D.	
117							
118							

DEPTH m	SAMPLE NUMBER	INTER-VAL m	WIDTH m	ANALYSES
114	7381	2.		
115.30	7382	1.30		

GEONORTH



ABBREVIATIONS

abn	abundant	fr	vein	gp	epidote	gyp	gypsum	mag	magnetite	rdle	rhodonite
actn	actinolite	ggc	conglomerate	gt	talc	hd	hard	mgt	martite	rt	rutile
adm	admixture	gs	sandstone	hbl	hornblende	hem	hematite	mod	medium	rtd	rendmast(-ary)
agg	aggregate	gsh	siltstone/mudstone	hem	hematite	hex	hexagonal	mol	molybdenite	rtl	rutilated
amph	amphibolite	gtz	quartzite	hf	hornfelsed	hnbl	hornblende	mt	millerite	rtlzd	silicified
andes	andesite	GSR/Cpk	carbonate	hyp	hypersthene	ind	indurated	nd	nodular	rz	rhyolite
anhd	anhydrite		rock	ign	igneous	ipx	ilmenite	nod	nodule	sch	schistose
ap	apatite	anh	anhydrite	impg	impregnated	kln	kaolin	nrite	norite	sd	sand
A.P.	axial plane	chl	chlorite	in	intense	lbd	labradorite	obs	obsidian	sdg	sanding
arg	argillized	cly	clay	ingr	ingrained	lgr	lherzolite	oct	octahedral	sdy	sandstone
argy	argillaceous	clz	clinozoisite	intr	intrusive	lmt	limonite	ol	olivine	sh	shale
ark	arkose	cm	cm	ir	iron	lp	lapis	opx	orthopyroxene	sil	siliceous
ash	ashstone	cnd	conformable	irr	irregular	lpy	lapilli tuff	pgt	pegmatite	sl	slight
bas	basalt	cnt	concretion	jas	jasper	ls	limestone	phy	phyllite	slt	siltstone
bcc	brecciated	cnt	contact	jt	joint	lst	limestone	pink	pink	sm	smoky
bdd	bedded	cngl	conglomerate	kf	k-feldspar	lt	light	purp	purple	spl	splintery
b.l.l.	limited vert formation	cpy	chalcopyrite	kfd	kaolinized	mbl	medium	pyrg	pyrgmorphism	tgt	tuffaceous
bmf	bedding	crb	carbon	lam	laminated	mdu	moderate	qtz	quartz	tr	trace
bn	bornite	cst	crystal	lap	lapilli	mdy	mudstone	qtzy	quartzy (-ose)	tuff	tuff
bx	breccia/bx	cv	calcite	lf	leucoxene	mel	melanocratic	qtzp	quartz	tuffc	tuffaceous
bx	box	dk	dark	lfd	leucoxenized	mgt	magnetite	qtz/fsp	quartz	v	very
br	brown	dkn	darkened	lm	limonite	mic	micro	rd	rod	vcl/	vein/
bx	breccia	dol	dolomite	lmd	limonitized	mod	moderate	rhy	rhyolite	vcls	veinlets
brg	bearing	dsm	dissemin	lpr	lapis/pyrite	mtx	matrix	rk	rock	vcl	vein/
br	breccia	elvn	elevation	lt	light	mtz	monzonite	rkd	rocked	vert	vertical

Legend

- Drill hole and direction
- Creek
- Boundary of target area
- Boundary of alluvial diggings
- T8 Excavator trench
- Lease/Claim boundary
- Old alluvial pit
- Old hard rock shaft
- XXXXX Main lode on surface

G.N. M.N. 3.5°

ZAPOPAN N.L.

Scale 1:1000
0 20 40 60 80 100
metres

ZAPOPAN MINE
SHEET 095/096

SURVEY

CR88/413E

Rpt EPL 88/22 plate 1
Rpt EPL 87/6 plate 1

Date : 10-8-1987
Geol : J.G.
Drawn : S.B./A.P.H.
Revision : 4-2-1988

BAT 204

MCN 878
MLN 933
MCN 577
MLN 934
MLN 936
MLN 935
MLN 938
MLN 937
MCN 876
ERL 58
ZAPOPAN
ANTICLINE
TARGET 1
TARGET 2
TARGET 3
TARGET 4
TARGET 5
Battery Sands
(approx)
drain
10 300N
10 200N
10 100N
10 000N
9 900N
9 800N
9 700N
9 600N
9 300E
9 400E
9 500E
9 600E
9 700E
9 800E
9 900E
10 000E
10 100E
10 200E
10 300E
10 400E
10 500E
10 600E

ABBREVIATIONS

abun	abundant	f	with	sp	spodum	gyp	gypsum	mob	molybdenite	sche	scheelite
actn	actinolite	calc	calcareous	qtz	quartz	hd	hard	mot	mottled	sch	schist
adm	admixture	cb	cobble	fe/ferr	ferruginous	hem	hematite	mot	moderate	sd	sediment(-ary)
all/Qa	alluvium	conc	concrete	fol	foliation	hnfls	hornfels	mscs	muscovite	sh	shale
amph	amphibole	cbl	carbonaceous	fol	foliated	hbl	hornblende	mscs	muscovite	sil	siltstone
and	andesite	carbonate	fract	fractured	ign	igneous	mod	moderate	sl	slate
anhd	anhydrite	cbl/cc	conglomerate	frag	fragmented	kao	kaolin	mt	quartz	slt/st	siltstone
A.P.	aerial photo	clst	claystone	intr	intermed	plag	plagioclase	Qa	bedding	sme	smelge
arg	argillaceous	cal	chert	gab	gabbro	ser	sericite	qbh	kaolinite	sp	spinel
ash	arsenopyrite	cly	clay	gd	granodiorite	sh	shale	qtz	quartz		
atz	azurite	clv	cleavage	gr	granite	sil	silicified	rhy	rhyolite		
bas	basalt	c.m.	cream	gn	gneiss	sm	smoky	rock	rock		
bed	bedding	col	colluvial	gn	green	sst	sandstone	rock	rock		
bfrac	brecciated	cryst	crystal	gr	grain	st	stone	sch	schist		
bdd	bedded	cmbn	combination	gr	granular	sulf	sulphide	sch	schistose		
b.l.f.	banded iron formation	conc	concentrate	gr	gravel	sulph	sulphurous	sch	schistose		
bsalt	basalt	cgl	conglomerate	gab	gabbro (-ic)	pb	galena	sch	schistose		
bismuth	bismuthinite	cpy	chalcopyrite	grd	granodiorite	mag	magnetite	sch	schistose		
bl	black	cbl	coarse	grd	granodiorite	mal	malachite	sch	schistose		
bl	blue	dac	dacite	grn	granulite	mn	manganese	sch	schistose		
br	brown	dissem	disseminated	grn	granite	mar	marble	sch	schistose		
brg	bearing	dol	dolerite	gr	greywacke	mic	micaceous	sch	schistose		
br	breccia	dun	dunnite	grn	grain	min	mineral	sch	schistose		
		elon	elongate	gy	grey						

NOTE

1. Target area 1 & 2 constitute shallow exploration
2. Target area 3, 4 & 5 constitute deeper exploration

LEGEND

- Old hard rock shaft
- Old alluvial pit
- Drill hole and direction
- Lease / Claim boundary
- As (ppm) from augur drilling
- 100 ppm As contour
- T8 Excavator Trench
- Main lode on surface
- Creek
- Boundary of target area
- Plunge of folded So (eg 35°)
- Dip of cleavage / foliation (Sl)
- Dip of bedding (So)
- 54m RL Level
- 24m RL Level
- Boundary of alluvial diggings

GN
MN
3.5°

ZAPOPAN N.L.

Scale 1:1000
0 20 40 60 80 100
metres

ZAPOPAN MINE
SHEET 095/096

GEOLOGY

CR 88/411 E

Rpt EPL 88/22 plate 2
Rpt EPL 87/16 plate 2

Date 10-8-1987
Geol J.G.
Drawn S.H./A.P.H.
Revision 20-7-1988

BAT 205

9875 E 9900 E 9925 E 9950 E 9975 E 10000 E 10025 E 10050 E 10075 E 10100 E 10125 E 10150 E

10075 N 10050 N 10025 N 10000 N 9975 N 9950 N 9925 N 9900 N

MLN 934

ERL 58

ZRC 27 ZRC 26 ZRC 25 ZRC 24 ZRC 25R ZRC 23 ZRC 22 ZRC 21 ZRC 20 ZRC 19 ZRC 18 ZRC 17 ZRC 28 ZRC 29 ZRC 30 ZRC 31 ZRC 32 ZRC 33 ZRC 34 ZRC 35 ZRC 36 ZRC 37 ZRC 38 ZRC 39 ZRC 40 ZRC 41 ZRC 42 ZRC 43 ZRC 44 ZRC 45 ZRC 46 ZRC 46R ZRC 47

T15 T14 T13

AIR SHAFT

No.1 SHAFT

MAIN SHAFT

ZZAP 23 ZZAP 20 ZZAP 4 ZZAP 18 ZZAP 19 ZZAP 21 ZZAP 3 ZZAP 6 ZZAP 22 ZZAP 1 ZZAP 7

ERL 58

MCN 876
MLN 939

LEGEND

- Reverse circulation drillhole and direction
- Diamond drillhole and direction
- T14 Excavator trench
- Old hard rock shaft
- Air shaft
- Dip and cleavage / foliation (Si)
- Dip of bedding (So)
- 54 m RL level
- 24 m RL level
- Lease / claim boundary

GN MN 3.5°

EXPLOREMIN PTY. LTD.

SCALE 1:250

ZAPOPAN MINE
TARGET 1 DRILLING
CR88/413E

GEOLOGIST	J.G.	Rept. EPL 98/22	PLATE 3
DRAWN	J.C.		
DATE	OCTOBER 1988		
CLIENT	ZAPOPAN N.L.	MAP REFERENCE	PLAN NO.





ABBREVIATIONS

abun	abundant	calc	calcareous	fol	foliation
actin	actinolite	ca	calcite	fspr	feldspar
adm	adamellite	cass	cassiterite	fract	fractured
alt/Ox	alterium	cbs	carbonaceous	frag	fragmented
amp	amphibolite	cbt/CO_3	carbonate	ga	galena
andlu	andalite	chl	chlorite	gb	greenband
andl	andalusite	cht	chert	gbr	gabbro
A.P.	axial plane	cl	clay	ge	geothite
alt	altered	clv	cleavage	gn	green
apy	arsenopyrite	cm	cream	gns	gneiss
ark	arkose	coll	colluvial	gnt	garnet
ast	ashstone	com	common	goss	gossan (ous)
bas	basalt	congl	conglomerate	gph	graphite (itic)
breco	brecciated	cpy	chalcopyrite	gr	grained
bdd	bedded	cse	coarse	grd	granodiorite
b.i.f.	banded iron formation	dac	dacite	gre	greisse
biot	biotite	dk	dark	grss	grossularite
bismuth	bismuthinite	dissem	disseminated	grt	granite
bk	black	dol	dolerite	gw	greywacke
bl	blue	dom	dolomite	gy	gy
bn	brown	eluv	elevium	gyp	gypsum
brg	bearing	ep	epidote	hd	hard
br	broken	f	fine	hem	hematite
&	with	Fe/ferr	ferruginous	hfl	hornfels

kst	kaolinstone	nod	nodular	slst	siltstone
ign	igneous	nor	norite	Se	bedding
kao	kaolin	obs	obsidian	sph	sphalerite
knl	knotted	oer	outcrop	sst	sandstone
lam	laminated	og	orange	stipo	stilpnomelane
lap	lapilli	orth	orthoclase	stk	stockwork
lin	lineated	phy	phyllite	sulph/Ss	sulphide
lith	lithic	pk	pink	syen	syenite
lst	limestone	pl	purple	tour	tourmaline
lt	light	plag	plagioclase	tpz	topaz
med	medium	po	pyrrohite	tr	trace/s
mds	mudstone	porph	porphyry (itic)	trem	tremolite
metafmds	metamorphic	py	pyrite	tuff	tuffaceous
m	micro	qtz	quartz	v	very
mot	matrix	rd	red	vn/l	vein/lets
mer	interaline	rhy	rhyolite	volc	volcanic
mic	micaceous	rk	rock	wt	vitric
min	miner	se	terce	vert	vertical
moly	molybdenite	scht	schistite	wthm	weathered
mot	mottled	sch	schist	wt	white
mav	meteoric	sed	sediment (ary)	xtal	crystal
monz	monzonite	sh	shale	yw	yellow
musc	muscovite	sil	siliceous		
magn	magnetite	sl	slate		

LEGEND

- Siltstone
- Tuff
- Quartz >20%
- Quartz 5% - 20%
- Quartz <5%
- Chert >20%
- Chert 5% - 20%
- Chert <5%
- Core – bedding angle
- Core – cleavage/foliation angle
- Core – banding angle
- 0.255 Assay results in p.p.m.

CR88/413E

ZAPOPAN N.L.

0 Scale 1:250 30
metre

ZAPOPAN MINE
REVERSE CIRCULATION DRILLHOLES
ZRC 1 - 4
ASSAYS and GEOLOGY

GEOL D. HOLDEN	DATE 6 JUNE 1988	Rept. EPL 88/22 PLATE 4

BAT 014





ABBREVIATIONS

abun	abundant	calc	calcareous	fol	foliation
actn	actinolite	ca	calcite	fpar	feldspar
adm	adamellite	cass	cassiterite	fract	fractured
all/lla	alluvium	cbc	carbonaceous	frag	fragmented
amp	amphibolite	cbt/CO_3	carbonate	ga	galena
andes	andesite	chl	chlorite	gb	greenbond
andl	andalusite	cht	chert	gbr	gabbro
A.P.	axial plane	cl	clay	go	goethite
alt	altered	clv	cleavage	gn	green
apy	arsenopyrite	cm	cream	gns	gneiss
grt	artese	coll	colluvial	gnt	garnet
ast	ashstone	com	common	goss	gossan (eus)
bas	basalt	congl	conglomerate	gph	graphite (lite)
brecc	brecciated	cpy	chalcopyrite	gr	grained
bdd	bedded	cse	coarse	grd	granodiorite
b.i.f.	banded iron formation	dac	dacite	gre	greisson
biot	biotite	dk	dark	grss	grassuorite
bismuth	bismuthinite	dissem	disseminated	grt	granite
bk	black	dol	dolerite	gw	greywacke
bl	blue	dom	dolomite	gy	gy
br	brown	eluv	eluvium	gyp	gypsum
brg	bearing	ep	epidote	hd	hard
br	breccia	f	fine	hem	hematite
3	with	Fe/ferr	ferruginous	hfl	hornfels

hst	hematone	nod	nodular	stst	siltstone
ign	igneous	nor	norite	So	bedding
kao	kaolin	obs	obsidian	sph	sphalerite
knt	knotted	oer	outcrop	sst	sandstone
lam	laminated	og	orange	stipn	stippnemstone
lap	lapilli	orth	orthoclase	stk	stockwork
lin	lineated	phy	phyllite	sulph/S_2	sulphide
lith	lithic	pk	pink	syen	syenite
lst	limestone	pl	purple	tour	tourmaline
lt	light	plag	plagioclase	tpz	topaz
med	medium	po	pyrrotite	tr	trace/s
mds	mudstone	perph	porphyry (ritic)	trem	tremolite
metaSed/m	metamorphic	py	pyrite	tuff	tuffaceous
m	micro	qtz	quartz	v	very
met	metric	rd	red	vn/l	vein/lets
mer	microline	rhy	rhyolite	volc	volcanic
mic	micaceous	rk	rock	vit	vitric
min	minor	se	sericite	vert	vertical
moly	molybdenite	sche	scheelite	wlfm	wolframite
mot	mottled	sch	schist	wt	white
mav	massive	sed	sedimentary	xtal	crystal
mons	monzonite	sh	shale	yw	yellow
musc	muscovite	sil	siliceous		
magn	magnetite	sl	slate		

LEGEND

- Siltstone
- Tuff
- Quartz >20%
- Quartz 5% - 20%
- Quartz <5%
- Chert >20%
- Chert 5% - 20%
- Chert <5%
- Core – bedding angle
- Core – cleavage/foliation angle
- Core – banding angle
- 0.256 Assay results in p.p.m.

CR88/413E

ZAPOPAN N.L.

0 Scale 1 250 30
metre

ZAPOPAN MINE
REVERSE CIRCULATION DRILLHOLES
ZRC 5-8
ASSAYS and GEOLOGY

GEOL D. HOLDEN | DATE 6 JUNE 1988 | Rept. EPL 88/22 PLATE 5

BAT 015



ABBREVIATIONS

abun	abundant	calc	calcareous	fol	foliation	hst	hornstone	nod	nodular	slst	siltstone
actn	actinolite	ca	calcite	fspr	feldspar	ign	igneous	nor	norite	Se	bedding
adm	adamellite	cass	cassiterite	frast	fractured	kao	kaolin	obs	obsidian	sph	sphalerite
all/Qe	alluvium	cbs	carbonaceous	frag	fragmented	knt	knotted	ocr	outcrop	sst	sandstone
amp	amphibolite	cbt/CO_3	carbonate	ga	galena	lam	laminated	og	orange	stipn	stilpnomelane
andes	andesite	chl	chlorite	gb	greenbend	lap	lapilli	orth	orthoclase	strk	structure/s
andl	andalusite	cht	chert	gbr	gabbro	lim	limonite	phy	phyllite	sulph/Sz	sulphide
A.P.	axial plane	cl	clay	ge	goethite	lith	lithic	pk	pink	syen	syenite
alt	altered	clv	cleavage	gn	green	lst	limestone	pl	purple	tour	tourmaline
apy	arsenopyrite	cm	cream	gne	gneiss	lt	light	plag	plagioclase	vag	vapor
ark	arkose	colt	coluvial	gnt	garnet	med	medium	po	pyrrotite	tr	trace/s
ast	asbestos	com	common	gos	gossan (eus)	mds	mudstone	porph	porphyry (ritic)	trem	tremolite
bes	beesit	congl	conglomerate	gph	graphite (itic)	meta/morph	metamorphic	py	pyrite	tuff	tuffaceous
bxcs	brecciated	cpy	chalcopyrite	gr	grained	m	micro	qtz	quartz	v	very
bdd	bedded	cse	coarse	grd	granodiorite	mot	motrix	rd	red	vn/l	vein/lets
b.i.f.	banded iron formation	dac	dacite	gre	greisson	mer	mineline	rhy	rhyolite	volc	volcanic
biot	biotite	dk	dark	gres	greisuerite	mic	micaceous	rk	rock	vtrn	vitrin
bismuth	bismuthinite	dissem	disseminated	grt	granite	min	mineral	sc	scree	vert	vertical
blk	black	dol	dolerite	gw	greywacke	moly	molybdenite	scha	schaerite	wlfm	wulfenite
bl	blue	dsm	dolomite	gy	gy	mot	mottled	sch	schist	wt	white
bn	brown	eluv	eluvium	gyp	gypsum	mass	massive	sed	sediment(ary)	xtal	crystal
brg	bearing	ep	epidote	hd	hard	mons	monzonite	sh	shale	yw	yellow
br	broken	f	fine	hem	hematite	muse	muscovite	sil	siliceous		
&	with	Fe/ferr	ferruginous	hbl	hornbole	mags	magnetite	st	vein		

LEGEND

- Siltstone
- Tuff
- Quartz >20%
- Quartz 5% - 20%
- Quartz <5%
- Chert >20%
- Chert 5% - 20%
- Chert <5%
- Core – bedding angle
- Core – cleavage/foliation angle
- Core – banding angle
- 0.258 Assay results in p.p.m.

CR88/413E

ZAPOPAN N.L.

Scale 1 250

metre

ZAPOPAN MINE
REVERSE CIRCULATION DRILLHOLES
ZRC 9 - 12
ASSAYS and GEOLOGY

GEOL D. HOLDEN	DATE 6 JUNE 1988	Rept. EPL 88/22 PLATE 6

BAT 016





CR88/413E

ABBREVIATIONS

abun	abundant	calc	calcareous	fol	foliation	hst	hornstone	nod	nodular	slst	siltstone
actn	actinolite	ca	calcite	fper	feldspar	ign	igneous	nor	norite	So	bedding
adm	adamellite	cass	cassiterite	fract	fractured	kao	kaolin	obs	obsidian	sph	sphalerite
all/Qa	alluvium	cbc	carbonaceous	frag	fragmented	knt	knotted	ocr	outcrop	sst	sandstone
amp	amphibolite	cbt/CO3	carbonate	ga	galena	lam	laminated	og	orange	stipn	stilpnomelane
andes	andesite	chl	chlorite	gb	greenband	lap	lapilli	orth	orthoclase	stk	stockwork
andl	andalusite	cht	chert	gbr	gabbro	lin	lineated	phy	phyllite	sulph/Sz	sulphide
A.P	axial plane	cl	clay	ge	geothite	lith	lithic	pk	pink	syen	syenite
alt	altered	clv	cleavage	gn	green	lst	limestone	pl	purple	*our	tourmaline
apy	arsenopyrite	cm	cream	gne	gneiss	lt	light	plag	plagioclase	tpz	topaz
ort	artese	coll	colluvial	gnt	garnet	med	medium	po	pyrrotite	tr	trace/s
ash	ashstone	com	common	goss	gossan (ous)	mds	mudstone	porph	porphyry (litic)	trem	tremolite
bas	basalt	congl	conglomerate	gph	graphite (itic)	meta/metm	metamorphic	py	pyrite	tuff	tuffaceous
brecc	brecciated	cpy	chalcopyrite	gr	grained	m	micro	qtz	quartz	v	very
bdd	bedded	cse	coarse	grd	granodiorite	mat	matrix	rd	red	vn/l	vein/lets
b.i.f.	banded iron formation	dac	dacite	gre	greissen	mcr	microline	rhy	rhyolite	volc	volcanic
biot	biotite	dk	dark	gros	grossularite	mic	micaceous	rk	rock	vit	vitric
bismuth	bismuthinite	dissem	disseminated	grt	granite	min	minor	sc	scree	vert	vertical
blk	black	dol	dolerite	gw	greywacke	moly	molybdenite	sche	scheelite	wlfm	wolframite
bl	blue	dem	dolomite	gy	gy	mot	mottled	sch	schist	wt	white
bn	brown	eluv	eluvium	gyp	gypsum	mav	massive	sed	sediment(ary)	xtal	crystal
bng	bearing	ep	epidote	hd	hard	monz	monzonite	sh	shale	yw	yellow
br	broken	f	fine	hem	hematite	musc	muscovite	sil	siliceous		
c	with	Fe/ferr	ferruginous	hfl	hornfels	magn	magnetite	sl	slate		

LEGEND

- Siltstone
- Tuff
- Quartz >20%
- Quartz 5% - 20%
- Quartz <5%
- Chert >20%
- Chert 5% - 20%
- Chert <5%
- Core - bedding angle
- Core - cleavage/foliation angle
- Core - banding angle
- 0.256 Assay results in g.p.m.

ZAPOPAN N.L.

0 Scale 1:250 30

metre

ZAPOPAN MINE
REVERSE CIRCULATION DRILLHOLES
ZRC 13 - 16
ASSAYS and GEOLOGY

GEOL D. HOLDEN	DATE 6 JUNE 1988	Rept. EPL 88/22 PLATE 7

BAT 017





ABBREVIATIONS

abun	abundant	calc	calcareous	fol	foliation	hst	hornstone	nod	nodules		
actn	actinolite	ce	calcite	fpar	feldspar	ign	igneous	nor	norite		
adm	adamellite	cass	cassiterite	fract	fractured	kao	kaolin	obs	obsidian	sist	siltstone
all/lle	alluvium	cbs	carbonaceous	frag	fragmented	knt	knotted	oor	outcrop	So	bedding
amp	amphibolite	cbt/CO_3	carbonate	ga	galena	lam	laminated	og	orange	sph	sphalerite
andes	andesite	chl	chlorite	gb	greenband	lap	lapilli	orth	orthoclase	sst	sandstone
andl	andalusite	cht	chert	gbr	gabbro	lin	lineated	phy	phyllite	stlpn	stilpnomelane
A.R	axial plane	cl	clay	ge	geothite	lith	lithic	pk	pink	stk	stockwork
alt	altered	clv	cleavage	gn	green	ls	limestone	pl	purple	sulph/Ss	sulphide
apy	arsenopyrite	cnt	cream	gne	gneiss	lt	light	plag	plagioclase	syen	syenite
ark	arkose	coll	colluvial	gnt	garnet	med	medium	po	pyrrotite	tour	tourmaline
ast	ashstone	com	common	goss	goesan (sus)	mds	mudstone	perph	porphyry (itic)	tps	topaz
bas	basalt	cong	conglomerate	gph	graphite (itic)	mets/mets	metamorphic	py	pyrite	tr	trace/s
breer	brecciated	cpy	chalcopyrite	gr	grained	m	micro	qtz	quartz	trem	tremolite
bed	bedded	cse	coarse	grd	granodiorite	mat	matrix	rd	red	tuff	tuffaceous
b.i.f	banded iron formation	dac	dacite	gre	greisson	mer	microline	rhy	rhyolite	v	very
biot	biotite	dk	dark	gros	greesuerite	mic	micaceous	rk	rock	vn/l	vein/lets
bhmuth	bismuthinite	dissem	disseminated	grt	granite	min	miner	sc	scree	volc	volcanic
blk	black	dol	dolerite	gw	greywacke	moly	molybdenite	sche	scheelite	vit	vitric
bl	blue	dom	dolomite	gy	gy	mot	mottled	sch	schist	vert	vertical
brn	brown	eluv	eluvium	gyp	gypsum	mav	massive	sed	sedimentary	wlfm	wolframite
bng	bearing	sp	epidote	hd	hard	mons	monzonite	sh	shale	wt	white
br	broken	f	fine	hem	hematite	musc	muscovite	sil	siliceous	xtal	crystal
w	with	Fe/ferr	ferruginous	hfl	hornfels	magn	magnetite	st	slate	yw	yellow

CR88/413E

ZAPOPAN N.L.

0 Scale 1:250 30
metre

ZAPOPAN MINE
REVERSE CIRCULATION DRILLHOLES
ZRC 17 - 20
ASSAYS and GEOLOGY

GEOL D. HOLDEN | DATE 6 JUNE 1988 | Rept. EPL 88/22 PLATE 9

BAT 018





ABBREVIATIONS

abun	abundant	calc	calcareous	fol	foliation	hst	hornstone	nod	nodular	slst	siltstone
actn	actinolite	ca	calcite	fpar	feldspar	ign	igneous	nor	norite	So	bedding
adm	adamellite	cass	cassiterite	fract	fractured	kao	kaolin	obs	obsidian	sph	sphalerite
all/Qa	alluvium	cbc	carbonaceous	frag	fragmented	knt	knotted	ocr	outcrop	sst	sandstone
amp	amphibolite	cbt/CO_3	carbonate	ga	galena	lam	laminated	og	orange	stlpn	stilpnomelane
andes	andesite	chl	chlorite	gb	greenbond	lap	lapilli	orth	orthoclase	stk	stockwork
andl	andalusite	cht	chert	gbr	gabbro	lin	lineated	phy	phyllite	sulph/$S^{=}$	sulphide
A.P.	axial plane	cl	clay	ge	goethite	lith	lithic	pk	pink	syen	syenite
alt	altered	clv	cleavage	gn	green	ls	limestone	pl	purple	tour	tourmaline
apy	arsenopyrite	cm	cream	gne	gneiss	lt	light	plag	plagioclase	tpz	topaz
ark	arkose	coll	colluvial	gnt	garnet	med	medium	po	pyrrotite	tr	trace/s
ast	ashstone	com	common	goss	goassan (ous)	mds	mudstone	qtzph	porphyry(ritic)	trem	tremolite
bas	basalt	congl	conglomerate	gph	graphite (itic)	meta/mstm	metamorphic	py	pyrite	tuff	tuffaceous
brec ac	brecciated	cpy	chalcopyrite	gr	grained	m	misce	qtz	quartz	v	very
bdd	bedded	crse	coarse	grd	granodiorite	mat	matrix	rd	red	vn/l	vein/lets
b.i.f.	banded iron formation	dac	dacite	gre	greissen	mcr	microline	rhy	rhyolite	volc	volcanic
biot	biotite	dk	dark	gros	grossularite	mic	micaceous	rk	rock	vit	vitric
bismuth	bismuthinite	dissem	disseminated	grt	granite	min	minor	sc	scree	vert	vertical
blk	black	dol	noierite	gw	greywacke	moly	molybdenite	sche	scheelite	wlfm	wolframite
bl	blue	dom	dolomite	gy	gy	mot	mottled	sch	schist	wt	white
brn	brown	eluv	eluvium	gyp	gypsum	msv	massive	sed	sediment(ary)	xtal	crystal
bhg	bearing	ep	epidote	hd	hard	monz	monzonite	sh	shale	yw	yellow
br	broken	f	fine	hem	hematite	musc	muscovite	sil	siliceous		
$\bar{5}$	with	Fe/ferr	ferruginous	hfl	hornfels	magn	magnetite	sl	slate		

LEGEND

- Siltstone
- Tuff
- Quartz >20%
- Quartz 5% - 20%
- Quartz <5%
- Chert >20%
- Chert 5% - 20%
- Chert <5%
- Core - bedding angle
- Core - cleavage/foliation angle
- Core - banding angle
- 0·256 Assay results in p.p.m.

CR88/413E

ZAPOPAN N.L.

SCALE 1:250

5 0 5 10 15 20 25

METRES

ZAPOPAN MINE
REVERSE CIRCULATION DRILLHOLES
ZRC 51,52 & 53
ASSAYS and GEOLOGY

GEOLOGIST	DATE	
D HOLDEN	SEPTEMBER 1988	Rept EPL 88/22 PLATE 10

BAT 019





ABBREVIATIONS

abun	abundant	calc	calcareous	fol	foliation	hst	hornstone	nod	nodular	slst	siltstone
actn	actinolite	ca	calcite	fpor	feldspar	ign	igneous	nor	norite	So	bedding
adm	adamellite	cass	cassiterite	fract	fractured	kao	kaolin	obs	obsidian	sph	sphalerite
all/Qe	alluvium	cbc	carbonaceous	frag	fragmented	knt	knotted	ocr	outcrop	sst	sandstone
amp	amphibolite	cbt/CO_3	carbonate	ga	galena	lam	laminated	og	orange	stlpn	stilpnomelane
andes	andesite	cht	chlorite	gb	greenband	lap	lapilli	orth	orthoclase	stk	stockwork
andl	andalusite	cht	chert	gbr	gabbro	lin	lineated	phy	phyllite	sulph/S=	sulphide
A.P	axial plane	cl	clay	ge	geothite	lith	lithic	pk	pink	syen	syenite
alt	altered	clv	cleavage	gn	green	ls	limestone	pl	purple	tour	tourmaline
apy	arsenepyrite	cm	cream	gne	gneiss	lt	light	plag	plagioclase	tpz	topaz
ark	arkose	coll	colluvial	gnt	garnet	med	medium	po	pyrrohite	tr	trace/s
ast	ashstone	com	common	goss	gossan (ous)	mds	mudstone	porph	porphyry (itic)	trem	tremolite
bas	basalt	congl	conglomerate	gph	graphite (itic)	meta/nem	metamorphic	py	pyrite	tuff	tuffaceous
brecc	brecciated	cpy	chalcopyrite	gr	grained	m	micro	qtz	quartz	v	very
bdd	bedded	cse	coarse	grd	granodiorite	mat	matrix	rd	red	vn/l	vein/lets
b.i.f.	banded iron formation	dac	dacite	gre	greissen	mcr	microline	rhy	rhyolite	volc	volcanic
biot	biotite	dk	dark	gros	grossularite	mic	micaceous	rk	rock	wt	vitric
bismuth	bismuthinite	disem	disseminated	grt	granite	min	minor	sc	scree	vert	vertical
blk	black	dol	dolerite	gw	greywacke	moly	molybdenite	sche	scheelite	wolfm	wolframite
bl	blue	dom	dolomite	gy	gy	mot	mottled	sch	schist	wt	white
bn	brown	eluv	eluvium	gyp	gypsum	mav	massive	sed	sediment(ary)	xtal	crystal
brng	bearing	ep	epidote	hd	hard	mons	monzonite	sh	shale	yw	yellow
br	broken	f	fine	hem	hematite	musc	muscovite	sil	siliceous		
℄	with	Fe/ferr	ferruginous	hfl	hornfels	magn	magnetite	sl	slate		

LEGEND

- Siltstone
- Tuff
- Quartz >20%
- Quartz 5% - 20%
- Quartz <5%
- Chert >20%
- Chert 5% - 20%
- Chert <5%
- Core – bedding angle
- Core – cleavage / foliation angle
- Core – banding angle
- 0.256 Assay results in ppm

ZAPOPAN N.L.

SCALE 1:250

5 0 5 10 15 20 25

METRES

ZAPOPAN MINE

REVERSE CIRCULATION DRILLHOLES

ZRC 54 & 55

ASSAYS and GEOLOGY

GEOLOGIST	DATE	
D HOLDEN	SEPTEMBER 1988	Rept EPL 88/22 PLATE 11

BAT 020

CR88/413





ABBREVIATIONS

abun	abundant	calc	calcareous	fol	foliation	hst	hornstone	nod	nodular	slst	siltstone
actn	actinolite	ca	calcite	fpar	feldspar	ign	igneous	nor	norite	So	bedding
adm	adamellite	cass	cassiterite	fract	fractured	kao	kaolin	obs	obsidian	sph	sphalerite
all/Qa	alluvium	cbc	carbonaceous	frag	fragmented	knt	knotted	oor	outcrop	sst	sandstone
amp	amphibolite	cbt/CO3	carbonate	ga	galena	lam	laminated	og	orange	stipn	stilpnomelane
andes	andesite	chl	chlorite	gb	greenband	lap	lapilli	orth	orthoclase	stk	stockwerk
andl	andalusite	cht	chert	gbr	gabbro	lin	lineated	phy	phyllite	sulph/S=	sulphide
A.P.	axial plane	cl	clay	ge	geothite	lith	lithic	pk	pink	syen	syenite
alt	altered	clv	cleavage	gn	green	ls	limestone	pl	purple	tour	tourmaline
apy	arsenopyrite	cm	cream	gne	gneiss	lt	light	plag	plagioclase	top	topaz
ark	arkose	coll	colluvial	gnt	garnet	med	medium	po	pyrrotite	tr	trace/s
ast	ashstone	com	common	goss	gossan (ous)	mds	mudstone	porph	porphyry (itic)	trem	tremolite
bas	basalt	congl	conglomerate	gph	graphite (itic)	meta/metam	metamorphic	py	pyrite	tuff	tuffaceous
brec	brecciated	cpy	chalcopyrite	gr	grained	m	micro	qtz	quartz	v	very
bdd	bedded	cse	coarse	grd	granodiorite	mat	matrix	rd	red	vn/-l	vein/lets
b.i.f.	banded iron formation	dac	dacite	gre	greissen	mcr	microline	rhy	rhyolite	volc	volcanic
biot	biotite	dk	dark	grss	grossularite	mic	micaceous	rk	rock	vrt	vitric
bismuth	bismuthinite	dsem	disseminated	grt	garnet	min	minor	sc	scree	vert	vertical
blk	black	dol	dolerite	gw	greywacke	moly	molybdenite	sche	scheelite	wflm	wolframite
bl	blue	dom	dolomite	gy	gy	mot	mottled	sch	schist	wt	white
bn	brown	eluv	eluvium	gyp	gypsum	mav	massive	sed	sediment (ary)	xtal	crystal
brng	bearing	ep	epidote	hd	hard	mons	monzonite	sh	shale	yw	yellow
br	broken	f	fine	hem	hematite	musc	muscovite	sil	siliceous		
c	with	Fe/ferr	ferruginous	hfl	hornfels	magn	magnetite	sl	slate		

LEGEND

- Siltstone
- Tuff
- Quartz >20%
- Quartz 5% - 20%
- Quartz <5%
- Chert >20%
- Chert 5% - 20%
- Chert <5%
- Core – bedding angle
- Core – cleavage / foliation angle
- Core – banding angle
- 0.256 Assay results in p.p.m

CR88/413E

ZAPOPAN N.L.

Scale 1:250

ZAPOPAN MINE
REVERSE CIRCULATION DRILLHOLES
ZRC 19-27,55
ASSAYS and GEOLOGY (SECTION SA)

GEOL: D. HOLDEN | DATE: JULY 1988 | Rept. EPL 88/22 PLATE 12

BAT 021





ABBREVIATIONS

abun	abundant	calc	calcareous	fol	foliation	hst	hornstone	ned	nodular	slst	siltstone
actn	actinolite	ca	calcite	fpar	feldspar	ign	igneous	nor	norite	Sa	bedding
adm	adamellite	cass	cassiterite	fract	fractured	kao	kaolin	obs	obsidian	sph	sphalerite
all/Qa	alluvium	cbc	carbonaceous	frag	fragmented	knt	knotted	oct	outcrop	sst	sandstone
amp	amphibolite	cbt/CO_3	carbonate	go	galena	lam	laminated	og	orange	stlpn	stilpnomelane
andes	andesite	chl	chlorite	gh	greenhand	lap	lapilli	orth	orthoclase	stk	stockwork
andt	andalusite	cht	chert	gbr	gabbro	lin	lineated	phy	phyllite	sulph/S=	sulphide
A.P.	axial plane	cl	clay	ge	geothite	lith	lithic	pk	pink	syen	syenite
alt	altered	clv	cleavage	gn	green	lst	limestone	pl	purple	tour	tourmaline
apy	arsenopyrite	cm	cream	gne	gneiss	lt	light	plag	plagioclase	tpz	topaz
ark	arkose	coll	colluvial	gnt	garnet	med	medium	po	pyrrotite	tr	trace /s
ast	ashstone	com	common	goss	gossan (eus)	mds	mudstone	perph	porphyry (itic)	trem	tremolite
bas	basalt	congl	conglomerate	gph	graphite (itic)	meta/metm	metamorphic	py	pyrite	tuff	tuffaceous
breca	brecciated	cpy	chalcopyrite	gr	grained	m	micro	qtz	quartz	v	very
bdd	bedded	cse	coarse	grd	granodiorite	mat	matrix	rd	red	vn/l	vein/lets
b.i.f.	banded iron formation	dac	dacite	gres	greisen	mer	mieroline	rhy	rhyolite	volc	volcanic
biot	biotite	dk	dark	gros	grossularite	mic	micaceous	rk	rock	vit	vitric
bismuth	bismuthinite	dissem	disseminated	grt	granite	min	minor	sc	scree	vert	vertical
blk	black	dol	dolerite	gw	greywacke	moly	molybdenite	sche	schelelite	wlfm	wolframite
bl	blue	dom	dolomite	gy	gy	mot	mottled	sch	schist	wt	white
bn	brown	eluv	eluvium	gyp	gypsum	msv	massive	sed	sediment(ary)	xtal	crystal
brng	bearing	ep	epidote	hd	hard	monz	monzonite	sh	shale	yw	yellow
br	broken	f	fine	hem	hematite	musc	muscovite	sil	siliceous		
w	with	Fe/ferr	ferruginous	hfl	hornfels	magn	magnetite	sl	slate		

LEGEND

- Siltstone
- Tuff
- Quartz >20%
- Quartz 5% - 20%
- Quartz <5%
- Chert >20%
- Chert 5% - 20%
- Chert <5%
- Core - bedding angle
- Core - cleavage/foliation angle
- Core - banding angle
- 0.256 Assay results in p.p.m.

CR88/413E

ZAPOPAN N.L.

Scale 1:250

metre

ZAPOPAN MINE
REVERSE CIRCULATION DRILLHOLES
ZRC 28-34, ZZAP 23
ASSAYS and GEOLOGY (SECTION SB)

GEOL D HOLDEN | DATE JULY 1988 | Rept. EPL 88/22 PLATE 13

BAT 022





ABBREVIATIONS

abun	abundant	calc	calcareous	fol	foliation	hst	hornstone	nod	nodular	s/s f	sandstone
actn	actinolite	ca	calcite	fpar	feldspar	ign	igneous	nor	norite	So	bedding
adm	adamellite	cass	cassiterite	fract	fractured	kao	kaolin	obs	obsidian	sph	sphalerite
all/Qa	alluvium	cbc	carbonaceous	frag	fragmented	knt	knotted	ocr	outcrop	sst	sandstone
amp	amphibolite	cbt/CO3	carbonate	ga	galena	lam	laminated	og	orange	stripm	stripnomelane
andes	andesite	chl	chlorite	gb	greenband	lap	lapilli	orth	orthoclase	stk	stockwork
andl	andalusite	cht	chert	gbr	gabbro	lin	lineated	phy	phyllite	sulph/S=	sulphide
A.P.	axial plane	cl	clay	ge	geothite	lith	lithic	pk	pink	syen	syenite
alt	altered	clv	cleavage	gn	green	lst	limestone	pl	purple	tour	tourmaline
apy	arsenopyrite	cm	cream	gne	gneiss	lt	light	plag	plagioclase	tpz	topaz
ark	arkose	coll	colluvial	gnt	garnet	med	medium	po	pyrrohite	tr	trace/s
ast	ashstone	com	common	goss	gossan (eus)	mds	mudstone	porph	porphyritic	tremn	tremolite
bas	basalt	congl	conglomerate	gph	graphite (itic)	meta/mesm	metamorphic	py	pyrite	tuff	tuffaceous
breac	brecciated	cpy	chalcopyrite	gr	grained	m	micro	qtz	quartz	v	very
bdd	bedded	cse	coarse	grd	granodiorite	mat	matrix	rd	red	vn/t	vein/lets
b.i.f.	banded iron formation	dac	dacite	gre	greissen	mcr	microline	rhy	rhyolite	volc	volcanic
biot	biotite	dk	dark	gros	grossularite	mic	micaceous	rk	rock	vit	vitric
bismuth	bismuthinite	dissem	disseminated	grt	granite	min	minor	sc	scree	vert	vertical
blk	black	dol	dolerite	gw	greywacke	moly	molybdenite	sche	schaulite	wolfm	wolframite
bl	blue	dom	dolomite	gy	gy	mot	mottled	sch	schist	wt	white
bn	brown	eluv	eluvium	gyp	gypsum	mav	massive	sed	sediment(ary)	xtal	crystal
bng	bearing	ep	epidote	hd	hard	monz	monzonite	sn	shale	yw	yellow
br	broken	f	fine	hem	hematite	musc	muscovite	sil	siliceous		
c	with	Fe/ferr	ferruginous	hfl	hornfels	magn	magnetite	sl	slate		

LEGEND

- Siltstone
- Tuff
- Quartz >20%
- Quartz 5% - 20%
- Quartz <5%
- Chert >20%
- Chert 5% - 20%
- Chert <5%
- Core – bedding angle
- Core – cleavage/foliation angle
- Core – banding angle
- 0.256 Assay results in p.p.m

CR88/413E

ZAPOPAN N.L.

0 Scale 1:250 30 metre

ZAPOPAN MINE
REVERSE CIRCULATION DRILLHOLES
ZRC 35 - 39
ASSAYS and GEOLOGY (SECTION SC)

GEOL D. HOLDEN | DATE: JULY 1988 | Rept. EPL 88/22 PLATE 14

BAT 023





ABBREVIATIONS

abun	abundant	calc	calcareous	fol	foliation	hst	hornstone	nod	nodular	sltst	siltstone
actn	actinolite	cd	calcite	fspr	feldspar	ign	igneous	nor	norite	So	bedding
adm	adamellite	cass	cassiterite	fract	fractured	kao	kaolin	obs	obsidian	sph	spherulite
all/Qa	alluvium	cbc	carbonaceous	frag	fragmented	knt	knotted	ocr	ourstrep	sst	sandstone
amp	amphibolite	cbt/CO_3	carbonate	go	galena	lam	laminated	og	orange	stipn	stilpnomelane
andes	andesite	chl	chlorite	gb	greenband	lap	lapilli	orth	orthoclase	stk	stockwork
andl	andalusite	cht	chert	gbr	gabbro	lin	lineated	phy	phyllite	sulph/S=	sulphide
A.P.	axial plane	cl	clay	ge	geothite	lith	lithic	pk	pink	syen	syenite
alt	altered	clv	cleavage	gn	green	ls	limestone	pl	purple	tour	tourmaline
apy	arsenopyrite	cm	cream	gne	gneiss	lt	light	plag	plagioclase	tpz	topaz
ark	arkose	coll	colluvial	gnt	garnet	med	medium	po	pyrrhotite	tr	trace/s
Ash	ashstone	com	common	goss	glossan (ous)	mds	mudstone	porph	porphyry (itic)	trem	tremolite
bas	basalt	congl	conglomerate	gph	graphite (itic)	meta/metm	metamorphic	py	pyrite	tuff	tuffaceous
brecc	brecciated	cpy	chalcopyrite	gr	grained	m	micro	qtz	quartz	v	very
bds	bedded	cse	coarse	grd	granodiorite	mot	matrix	rd	red	vn(s)	vein/lets
b.i.f	banded iron formation	doc	calcite	gre	greissen	mct	microline	rhy	rhyolite	volc	volcanic
biot	biotite	dk	dark	grss	grossularite	mic	micaceous	rk	rock	vit	vitric
bismuth	bismuthinite	dissem	disseminated	grt	granite	min	mineral	sc	scene	vert	vertical
blk	black	dol	dolerite	gw	greywacke	moly	molybdenite	scne	scheelite	wlfrm	wolframite
bl	blue	dom	dolomite	gy	gy	mot	mottled	sch	schist	wt	white
bn	brown	eluv	eluvium	gyp	gypsum	mav	massive	swd	sedimentary	xtal	crystal
bng	bearing	ep	epidote	hd	hard	inonz	inclinazite	sh	shale	yw	yellow
br	broken	f	fine	hem	hematite	musc	muscovite	sil	siliceous		
C	with	fe/ferr	ferruginous	hfl	hornfels	magn	magnetite	st	scale		

CR88/413E

ZAPOPAN N.L.

Scale 1:250

metre

ZAPOPAN MINE
REVERSE CIRCULATION DRILLHOLES
ZRC 40-44, ZZAP 20,21
ASSAYS and GEOLOGY (SECTION SD)

GEOL D HOLDEN | DATE JULY 1988 | Rept. EPL 88/22 PLATE 15

BAT 024





ABBREVIATIONS

abun	abundant	calc	calcareous	fol	foliation	hst	hornstone	nod	nodular	sist	siltstone
actn	actinolite	ca	calcite	fspar	feldspar	ign	igneous	ncr	norite	So	bedding
adm	adamellite	cass	cassiterite	fract	fractured	kao	kaolin	obs	obsidian	sph	sphalerite
all/Qe	alluvium	cbc	carbonaceous	frag	fragmented	knt	knotted	ocr	ocherop.	sst	sandstone
amp	amphibolite	cbt/CO3	carbonate	ga	galena	lam	laminated	og	orange	stipn	stilpnomelane
andes	andesite	chl	chlorite	gb	greenbond	lap	lapilli	orth	orthoclase	stk	stockwork
andl	andalusite	cht	chert	gbr	gabbro	lin	lineated	phy	phyllite	sulph/S	sulphide
A.P	axial plane	cl	clay	ge	geothite	lith	lithic	pk	pink	syen	syenite
alt	altered	clv	cleavage	gn	green	lst	limestone	pl	purple	tour	tourmaline
apy	arsenopyrite	cm	cream	gne	gneiss	lt	light	plag	plagioclase	qtz	quartz
ark	arkose	coll	colluvial	gnt	garnet	med	medium	pe	pyrrhotite	tr	trace/s
ast	asbestos	com	common	goss	gossan (ous)	mds	mudstone	porph	porphyry (+ritic)	trem	tremolite
bas	basalt	congl	conglomerate	gph	graphite (itic)	melu/metn	metamorphic	py	pyrite	tuff	tuffaceous
bracc	brecciated	cpy	chalcopyrite	gr	grained	m	micro	qtz	quartz	v	very
bdd	bedded	cse	coarse	grd	granodiorite	mat	matrix	rd	red	vn/l	vein/lets
b.i.f.	banded iron formation	dac	dacite	gre	greissen	mcr	microline	rhy	rhyolite	volc	volcanic
biot	biotite	dk	dark	gros	grossularite	mic	micaceous	slk	sick	wt	white
bismuth	bismuthinite	dissem	disseminated	grt	granite	min	mineral	sc	screen	vert	vertical
bk	black	dol	dolerite	gw	greywacke	moly	molybdenite	sche	scheelite	wlfm	wolframite
bl	blue	dom	dolomite	gy	gypsum	mot	mottled	sch	schist	wt	white
bn	brown	eluv	eluvium	gyp	gypsum	msv	massive	sed	sediment (ary)	xtal	crystal
brng	bearing	up	epidote	hd	hard	mons	monzonite	sh	shale	yw	yellow
br	broken	f	fine	hem	hematite	musc	muscovite	sil	siliceous		
c	with	Fe/ferr	ferruginous	hfl	hornfels	magn	magnetite	sl	slate		

LEGEND

- Siltstone
- Tuff
- Quartz >20%
- Quartz 5% - 20%
- Quartz <5%
- Chert >20%
- Chert 5% - 20%
- Chert <5%
- Core — bedding angle
- Core — cleavage / foliation angle
- Core — banding angle
- 0.256 Assay results in p.p.m.

CR88/413E

ZAPOPAN N.L.

0 Scale 1:250 30
metre

ZAPOPAN MINE
REVERSE CIRCULATION DRILLHOLES
ZRC 45 - 47
ASSAYS and GEOLOGY (SECTION SE)

GEOL D HOLDEN | DATE JULY 1988 | Rept EPL 88/22 PLATE 16

BAT 025





ABBREVIATIONS

abun	abundant	calc	calcareous	fol	foliation	hst	hornstone	nod	nodular	slst	siltstone
actn	actinolite	ca	calcite	fspar	feldspar	ign	igneous	nor	norite	So	bedding
adm	adamellite	cass	cassiterite	fract	fractured	kao	kaolin	obs	obsidian	sph	sphalerite
all/Qa	alluvium	cbc	carbonaceous	frag	fragmented	knt	knotted	oct	outcrop	sst	sandstone
amp	amphibolite	cbt/CO3	carbonate	ga	galena	lam	laminated	org	orange	stlpn	stilpnomelane
andes	andesite	chl	chlorite	gb	greenbond	lap	lapilli	orth	orthoclase	stk	stockwork
andl	andalusite	cht	chert	gbr	gabbro	lin	lineated	phy	phyllite	sulph/S=	sulphide
A.P.	axial plane	cl	clay	ge	geomite	lith	lithic	pk	pink	syen	syenite
alt	altered	clv	cleavage	gn	green	lst	limestone	pl	purple	tour	tourmaline
apy	arsenopyrite	cm	cream	gne	gneiss	lt	light	plag	plagioclase	topz	topaz
ark	arkose	coll	colluvial	gnt	garnet	med	medium	po	pyrrotite	tr	trace/A
ash	ashstone	com	common	goss	gossan (fous)	mds	mudstone	porph	porphyry (itic)	trem	tremolite
bas	basalt	congl	conglomerate	gph	graphite (itic)	meta/mesm	metamorphic	py	pyrite	tuff	tuffaceous
breac	brecciated	cpy	chalcopyrite	gr	grained	m	micro	qtz	quartz	v	very
bdd	bedded	cse	coarse	grd	granodiorite	mat	matrix	rd	red	vn/l	vein/lets
b.i.f.	banded iron formation	dac	dacite	gre	greissen	mcr	microline	rhy	rhyolite	volc	volcanic
Biot	biotite	dk	dark	gros	grossularite	mic	micaceous	rk	rock	vit	vitric
bismuth	bismuthinite	dissem	disseminated	grt	granite	min	minor	sc	scree	vert	vertical
blk	black	dol	dolerite	gw	greywacke	moly	molybdenite	schc	schcelite	wlfrm	wolframite
bl	blue	dom	dolomite	gy	gy	mot	mottled	sch	schist	wt	white
bn	brown	eluv	eluvium	gyp	gypsum	msv	massive	sed	sediment(ary)	xtal	crystal
brng	bearing	ep	epidote	hd	hard	monz	monzonite	sh	shale	yw	yellow
br	broken	f	fine	hem	hematite	musc	muscovite	sil	siliceous		
c	with	Fe/ferr	ferruginous	hfl	hornfels	magn	magnetite	sl	slate		

CR 88/413E

LEGEND

- Siltstone
- Tuff
- Quartz >20%
- Quartz 5% - 20%
- Quartz <5%
- Chert >20%
- Chert 5% - 20%
- Chert <5%
- Core - bedding angle
- Core - cleavage / foliation angle
- Core - banding angle
- 0.258 Assay results in p.p.m.

ZAPOPAN N.L.

0 Scale 250 30 metre

DATE JUN 88

GEOL D.H

DRN A.P.H

REVISION

Rept. EPL 88/22
PLATE 17

ZAPOPAN MINE
DIAMOND DRILLHOLES
ZZAP 18,19
ASSAYS and GEOLOGY

BAT 026


9900 N
9920 N
9940 N
9960 N
10000 E
9980 N
10020 E
9960 E
9980 E
ZZAP 21
ZZAP 20





ABBREVIATIONS

abun	abundant	calc	calcareous	fol	foliation	hst	hornstone	nod	nodular	sist	siltstone
actn	actinolite	ca	calcite	fpar	feldspar	ign	igneous	nor	norite	So	bedding
adm	adamsellite	cass	cassiterite	fract	fractured	kao	kaolin	obs	obsidian	sph	Tuff
all/Qal	alluvium	cbs	carbonaceous	frag	fragmented	knt	knotted	oct	outcrop	sst	sandstone
amp	amphibolite	cbt/CO3	carbonate	ga	galena	lam	laminated	og	orange	stkn	stilpnomelane
andes	andesite	chl	chlorite	gb	greenbend	lap	lapilli	orth	orthoclase	stk	stockwork
andl	andalusite	cht	chert	gbr	gabbro	lin	lineated	phy	phyllite	sulph/S=	sulphide
A.P	axial plane	cl	clay	ge	geothite	lith	lithic	pk	pink	syen	syenite
alt	altered	clv	cleavage	gn	green	ls	limestone	pl	purple	tour	tourmaline
apy	arsenopyrite	cm	cream	gne	gneiss	lt	light	plag	plagioclase	toz	topaz
ark	arkose	coll	colluvial	gnt	garnet	med	medium	po	pyrrotite	tr	trace/s
ast	ashstone	com	common	goss	gossan (ous)	mds	mudstone	porph	porphyry (itic)	trem	tremolite
bas	basalt	congl	conglomerate	gph	graphite (itic)	meta/hem	metamorphic	py	pyrite	tuff	tuffaceous
bruc	brecciated	cpy	chalcopyrite	gr	grained	m	micro	qtz	quartz	v	very
bdd	bedded	cse	coarse	grd	granodiorite	met	matrix	rd	red	vn/l	vein/lets
b.i.f.	banded iron formation	dac	dacite	gre	greissen	mer	mineroline	rhy	rhyolite	volc	volcanic
biot	biotite	dk	dark	gros	grossularite	mic	micaceous	rk	rock	wit	vitric
bismuth	bismuthinite	dissem	disseminated	grt	granite	min	minor	sc	scree	vert	vertical
blk	black	dol	dolerite	gw	greywacke	moly	molybdenite	scheel	scheelite	wlfm	wolframite
bl	blue	dom	dolomite	gy	gy	mot	mottled	sch	schist	wt	white
bn	brown	eluv	eluvium	gyp	gypsum	mssv	massive	sed	sediment(ary)	xtal	crystal
bng	bearing	ep	epidote	hd	hard	mons	monzonite	sh	shale	yw	yellow
br	broken	f	fine	hem	hematite	muse	muscovite	sil	siliceous		
c	with	Fe/ferr	ferrugineus	hfl	hornfels	magn	magnetite	sl	slate		

LEGEND

- Siltstone
- Tuff
- Quartz >20%
- Quartz 5% - 20%
- Quartz <5%
- Chert >20%
- Chert 5% - 20%
- Chert <5%
- Core – bedding angle
- Core – cleavage/foliation angle
- Core – banding angle
- 0.256 Assay results in p.p.m.

CR88/413E

ZAPOPAN N.L.

0 Scale 1:250 30
metre

DATE JUN 88
GEOL D.H.
DRN A.P.H.
REVISION
Rept. EPL 88/22
PLATE 19

ZAPOPAN MINE
DIAMOND DRILLHOLES
ZZAP 22
ASSAYS and GEOLOGY

BAT 028





ABBREVIATIONS

abun	abundant	calc	calcareous	fol	foliation	hst	hornstone	nod	nodular	slst	siltstone
actn	actinolite	cc	calcite	fspr	feldspar	ign	igneous	nor	norite	So	bedding
adm	adamellite	cass	cassiterite	fract	fractured	kao	kaolin	obs	obsidian	sph	sphalerite
alt/Qz	alkalivum	carb	carbonaceous	frag	fragmented	knt	knotted	ocr	outcrop	sst	sandstone
amp	amphibolite	cbt/CO_3	carbonate	ga	galena	lam	laminated	og	orange	stlpn	stilpnomelane
andes	andesite	chl	chlorite	gb	greenband	lap	lapilli	orth	orthoclase	stk	stockwork
andl	andalusite	cht	chert	gbr	gabbro	lin	lineated	phy	phyllite	sulph/S	sulphide
A.R	axial plane	cl	clay	ge	geothite	lith	lithic	pt	pink	syen	syenite
alt	altered	clv	cleavage	gn	green	lst	limestone	pl	purple	tour	tourmaline
apy	arsenopyrite	cm	cream	gne	gneiss	lt	light	plag	plagioclase	tpz	topaz
ark	arkose	coll	colluvial	gnt	garnet	med	medium	po	pyrrotite	tr	trace/s
ast	ashstone	com	common	goss	gossan (ous)	mds	mudstone	porph	porphyry (itic)	tremo	tremolite
bas	basalt	congl	conglomerate	gph	graphite (itic)	meta/morph	metamorphic	py	pyrite	tuff	tuffaceous
breec	brecciated	cpy	chalcopyrite	gr	grained	m	micro	qtz	quartz	v	very
bdd	bedded	cse	coarse	grd	granoderite	mat	matrix	rd	red	vn/l	vein/lets
b.i.f.	banded iron formation	dac	decite	grn	greissen	mer	meroline	rhy	rhyolite	volc	volcanic
biot	biotite	dk	dark	gnvc	granularite	mic	micaceous	rk	rock	vit	vitric
bismuth	bismuthinite	disem	disseminated	grt	granite	min	minor	sc	sericite	vert	vertical
blk	black	dol	dolerite	gw	greywacke	moly	molybdenite	sche	scheelite	wlfm	wolframite
bl	blue	dom	dolomite	gy	gy	mot	mottled	sch	schist	wt	white
br	brown	eluv	eluvium	gyp	gypsum	mav	massive	sed	sediment(ary)	xtal	crystal
bng	bearing	ep	epidote	hd	hard	mons	monzonite	sh	shale	yw	yellow
br	broken	f	fine	hem	hamatite	muse	muscovite	sil	siliceous		
⁊	with	Fe/ferr	ferruginous	hfl	hornfels	magn	magnetite	sl	slate		

LEGEND

- Siltstone
- Tuff
- Quartz >20%
- Quartz 5% – 20%
- Quartz <5%
- Chert >20%
- Chert 5% – 20%
- Chert <5%
- Core – bedding angle
- Core – cleavage/fcliation angle
- Core – banding angle
- 0·256 Assay results in p.p.m.

DATE	JUN 88
GEOL	D.H.
DRN	A.P.H.
REVISION	
Rept. EPL 88/22 PLATE 20	

ZAPOPAN N.L.

Scale 1:250

0 30 metre

CR 88/413E

ZAPOPAN MINE
DIAMOND DRILLHOLES
ZZAP 23
ASSAYS and GEOLOGY

BAT 029