




EL3008 CYPRUS -GREENBUSHES  
MLN 748 UNITED URANIUM


MLN 748 UNITED URANIUM  
MCN 1169 PACIFIC GOLD MINES

| LEGEND                                                 |                              |
|--------------------------------------------------------|------------------------------|
| ls Limestone.                                          | sl Slightly.                 |
| cht Chert.                                             | mod Moderately.              |
| bf Banded ferruginous (micaceous, amphibolitic) chert. | ht Highly.                   |
| tu Tuff.                                               | bk Black.                    |
| rh Rhyolite.                                           | bl Blue.                     |
| ms Mudsstone.                                          | br Brown.                    |
| sh Shale/slate.                                        | gr Grey.                     |
| ph Phyllite.                                           | gn Green.                    |
| slst Siltstone.                                        | rd Red.                      |
| st Sandstone.                                          | pu Purple.                   |
| gw Graywacke.                                          | wh White.                    |
| con Conglomerate.                                      | fg Fine grained.             |
| do Dolomite.                                           | mg Medium grained.           |
| ch Cherty.                                             | co Coarse grained.           |
| go Gossanous.                                          | suff Sulphide.               |
| fe Ferruginous.                                        | py Pyrite.                   |
| sc Scandite.                                           | py Pyrrhotite.               |
| al Aluminous.                                          | asp Arsenopyrite.            |
| mn Manganiferous.                                      | scr Siderite.                |
| ca Carbonaceous.                                       | sp Sphalerite.               |
| ch Carbonaceous.                                       | gl Galena.                   |
| ch Carbonaceous.                                       | ch Chalcocite.               |
| ch Carbonaceous.                                       | cu Oxidized copper minerals. |
| ch Carbonaceous.                                       | min Minor.                   |
| ch Carbonaceous.                                       | max Abundant.                |
| ch Carbonaceous.                                       | dis Disseminated.            |
| ch Carbonaceous.                                       | eu Euhedral.                 |
| ch Carbonaceous.                                       | lim Limonite.                |
| ch Carbonaceous.                                       | qtz Quartz.                  |
| ch Carbonaceous.                                       | vn Vain.                     |
| ch Carbonaceous.                                       | vd Veined.                   |
| ch Carbonaceous.                                       | vg Veining.                  |
| ch Carbonaceous.                                       | st Stockwork.                |
| ch Carbonaceous.                                       | g Gossanous zone.            |
| ch Carbonaceous.                                       | sc Scales/float.             |
| ch Carbonaceous.                                       | sub Subcrop.                 |
| ch Carbonaceous.                                       | oc Outcrop.                  |
| ch Carbonaceous.                                       | q Alluvium.                  |

| SYMBOLS               |                                                |
|-----------------------|------------------------------------------------|
| Geological boundary.  | Rock chip sample with gold (arbitrary silver). |
| Fault.                | Values in p.p.m. or percentage.                |
| Fault (inferred).     | Anticline axis.                                |
| Shear zone.           | Overturned anticline axis.                     |
| Quartz vein.          | Syncline axis.                                 |
| Breccia.              | Overturned syncline axis.                      |
| Bedding.              | Base of Oxide Zone                             |
| Foliation.            |                                                |
| Surface pit.          |                                                |
| Surface outcrop.      |                                                |
| Underground workings. |                                                |

 Cyprus Minerals Australia Company

|                                                       |                  |
|-------------------------------------------------------|------------------|
| Project                                               | NP               |
| Project Partner                                       |                  |
| <b>NORTHERN HERCULES<br/>DRILL SECTION LINE 1450N</b> |                  |
| <b>C888/244I</b>                                      |                  |
| Map Ref. ANG                                          | Latitude         |
| Surveyed GCM                                          | Date             |
| Scale 1:250                                           |                  |
| Drawn                                                 | Date             |
| Report                                                | Drawing NP W4098 |




EL. 3008 CYPRIUS - GREENBUSHES  
MLN 748 UNITED URANIUM

MLN 748 UNITED URANIUM  
MCN 1169 PACIFIC GOLD MINES

| LEGEND                                                  |                              |
|---------------------------------------------------------|------------------------------|
| ls Limestone.                                           | sl Slightly.                 |
| cht Chert.                                              | mod Moderately.              |
| BIF Banded ferruginous (micaceous, amphibolitic) chert. | hi Highly.                   |
| tf Tuff.                                                | lk Black.                    |
| rhy Rhyolite.                                           | bl Blue.                     |
| ms Mudstone.                                            | br Brown.                    |
| sh Shale/slate.                                         | gy Grey.                     |
| ph Phyllite.                                            | gn Green.                    |
| slc Siltstone.                                          | rd Red.                      |
| sst Sandstone.                                          | pk Pink.                     |
| gw Greywacke.                                           | pr Purple.                   |
| comp Conglomerate.                                      | wh White.                    |
| di Dolomite.                                            | fg Fine grained.             |
| chty Cherty.                                            | mg Medium grained.           |
| gss Gossanous.                                          | cg Coarse grained.           |
| fs Ferruginous.                                         | py Pyrite.                   |
| sl Siliceous.                                           | pr Pyrrhotite.               |
| mn Manganese.                                           | asp Arsenopyrite.            |
| cb Carbonaceous.                                        | scn Sphalerite.              |
| ca Calcareous.                                          | sp Sphalerite.               |
| talc Talc.                                              | cyp Chalcopyrite.            |
| kaol Kaolinitic.                                        | cu Oxidized copper minerals. |
| mic Micaceous.                                          | mn Minor.                    |
| ser Sericite.                                           | max Abundant.                |
| fel Felsitic.                                           | dis Determined.              |
| tsr Tserulitic.                                         | eu Euhedral.                 |
| am Amphibolitic.                                        | lm Limonite.                 |
| nd Nodular (siliceous nodules).                         | qtz Quartz.                  |
| vol Volcanolithic.                                      | vn Varn.                     |
| phb Phyllo.                                             | vm Varn.                     |
| br Brecciated.                                          | vmp Varn.                    |
| mf Micro-mass folded.                                   | sk Stockwork.                |
| spot Spotted.                                           | gss Gossanous zone.          |
| bd Banded.                                              | ac Scarce/float.             |
| lm Laminated.                                           | wls Subcrop.                 |
| st Streaky.                                             | oc Outcrop.                  |
| mot Mottled.                                            | q Aqueous.                   |
| ss Streaked.                                            |                              |
| fo Foliated.                                            |                              |
| blk Blocky.                                             |                              |
| fr Fracture.                                            |                              |

| SYMBOLS               |                                     |
|-----------------------|-------------------------------------|
| Geological boundary.  | Rock chip sample with gold content. |
| Fault.                | Values in p.p.m. or percentage.     |
| Fault (inferred).     |                                     |
| Shear zone.           | Anticline axis.                     |
| Quartz vein.          | Overtaken anticline axis.           |
| Bedding.              | Syncline axis.                      |
| Foliation.            | Overtaken syncline axis.            |
| Surface pit.          | Base of Oxide Zone.                 |
| Surface outcrop.      |                                     |
| Underground Workings. |                                     |

|                 |                          |                  |
|-----------------|--------------------------|------------------|
| Project         | N7                       |                  |
| Project Partner | NORTHERN HERCULES        |                  |
|                 | DRILL SECTION LINE 1400N |                  |
|                 | CA 88/244I               |                  |
| Map Ref. ANG    | Latitude                 | Longitude        |
| Surveyed G.C.M. | Scale 1:250              |                  |
| Drawn           | Date                     | Drawing N7 W4097 |
| Report          |                          |                  |



# LEGEND

ls Limestone.

cht Chert.

blf Banded ferruginous (micaceous, amphibolitic) chert.

tl Tuff.

rhy Rhyolite.

md Mudstone.

sh Shale/slate.

ph Phyllite.

slst Siltstone.

sst Sandstone.

gw Greywacke.

cong Conglomerate.

dob Dolerite.

chry Cherty.

gss Gossanous.

fer Ferruginous.

sil Siliceous.

mn Manganiferous.

cb Carbonaceous.

calc Calcareous.

talc Talc.

mic Micaceous.

ser Sericitic.

fel Felspathic.

am Amphibolitic.

nod Nodular (nodules).

vol Volcanolithic.

bre Breccia.

bed Bedding.

fol Foliation.

sp Spotted.

lms Laminated.

str Stratified.

mt Mottled.

fol Foliated.

bl Blocky.

fs Felsic.

sl Slightly.

mod Moderately.

h Highly.

bk Black.

br Brown.

gy Gray.

gr Green.

rd Red.

pk Pink.

pur Purple.

wh White.

fg Fine grained.

mg Medium grained.

cg Coarse grained.

suff Sulphide.

py Pyrite.

prh Pyrrhotite.

ars Arsenopyrite.

scd Scheelite.

sp Sphalerite.

qlz Quartz.

cpy Chalcopyrite.

cc Outlined copper minerals.

min Minor.

max Abundant.

dis Disseminated.

eu Euhedral.

lim Limonite.

qtz Quartz.

vn Vein.

vng Veining.

shw Shale/slate.

gss Gossanous zone.

sc Score/float.

sub Subcrop.

oc Outcrop.

q Alluvium.

| SYMBOLS |                                         |
|---------|-----------------------------------------|
| —       | Geological boundary.                    |
| ---     | Fault.                                  |
| ---     | Fault (inferred).                       |
| ---     | Shear zone.                             |
| ---     | Quartz vein.                            |
| ---     | Bedrock.                                |
| ---     | Bedding.                                |
| ---     | Foliation.                              |
| ---     | Surface pit.                            |
| ---     | Surface contour.                        |
| +       | Rock chip sample with 0.1 to 0.2% gold. |
| +       | Anticline axis.                         |
| +       | Overturned anticline axis.              |
| +       | Syncline axis.                          |
| +       | Overturned syncline axis.               |

Cyprus Minerals Australia Company

Project

MOLINE

Nº A-85-116

Project Partner

GREENBUSHES LTD.

**NORTHERN HERCULES**

**Drill Section Line, 1375N**

**CR 88/244I**

Map Ref. ANG

Latitude

Longitude

Surveyed

G. C. H.

Date

Scale

1:250


Drawn


Date

Drawing Nº

W4307

Report






| LEGEND                                                  |                              |
|---------------------------------------------------------|------------------------------|
| ls Limestone.                                           | sl Slightly.                 |
| cht Chert.                                              | mod Moderately.              |
| BIF Banded ferruginous (micaceous, amphibolitic) chert. | h High.                      |
| tf Tuff.                                                | bk Black.                    |
| ms Mudstone.                                            | bl Blue.                     |
| sh Shale/slate.                                         | br Brown.                    |
| ph Phyllite.                                            | gy Grey.                     |
| slt Silstone.                                           | gr Green.                    |
| st Sandstone.                                           | rd Red.                      |
| gw Greywacke.                                           | pk Pink.                     |
| cong Conglomerate.                                      | pur Purple.                  |
| dol Dolomite.                                           | wh White.                    |
| chty Cherty.                                            | fg Fine grained.             |
| ges Gossanous.                                          | mg Medium grained.           |
| fe Ferruginous.                                         | cg Coarse grained.           |
| al Siliceous.                                           | sul Sulphides.               |
| mn Mangiferous.                                         | py Pyrite.                   |
| ca Carbonaceous.                                        | per Peridotite.              |
| cal Calcareous.                                         | ars Arsenopyrite.            |
| talc Talc.                                              | scn Sphalerite.              |
| ker Kersantite.                                         | sp Sphalerite.               |
| mic Micaceous.                                          | cpy Chalcopyrite.            |
| ser Sericitic.                                          | cu Oxidized copper minerals. |
| fel Felspathic.                                         | min Minor.                   |
| tour Tourmalinitic.                                     | max Abundant.                |
| am Amphibolitic.                                        | dis Disseminated.            |
| nod Nodular (silica nodules).                           | eu Euhedral.                 |
| vol Volcanitic.                                         | lim Limonite.                |
| pel Pelitic.                                            | qtz Quartz.                  |
| br Braciated.                                           | vn Vain.                     |
| m-m Micro-mass folded.                                  | veined Veined.               |
| sp Spotted.                                             | vg Veining.                  |
| lamin Laminated.                                        | st Stockwork.                |
| str Strubby.                                            | goss Gossanous zone.         |
| mot Mottled.                                            | sc Scree/float.              |
| shd Sheared.                                            | sub Subcrop.                 |
| fol Folded.                                             | oc Outcrop.                  |
| blk Blocky.                                             | a Alluvium.                  |
| fs Flase.                                               |                              |


| SYMBOLS              |                                                                            |
|----------------------|----------------------------------------------------------------------------|
| Geological boundary. | Rock chip sample with gold/arsenic silver. Values in p.p.m. or percentage. |
| Fault.               |                                                                            |
| Fault (inferred).    |                                                                            |
| Shear zone.          | Anticline axis.                                                            |
| Quartz vein.         | Overturned anticline axis.                                                 |
| Breccia.             | Syncline axis.                                                             |
| Bedding.             | Overturned syncline axis.                                                  |
| Foliation.           |                                                                            |
| Surface pit.         |                                                                            |
| Surface coastline.   |                                                                            |

 Cyprus Minerals Australia Company

|                           |                  |                  |
|---------------------------|------------------|------------------|
| Project                   | MOLINE           | Nº A-85-116      |
| Project Partner           | GREENBUSHES LTD. |                  |
| <b>NORTHERN HERCULES</b>  |                  |                  |
| Drill Section Line, 1325N |                  |                  |
| <b>688 / 244 I</b>        |                  |                  |
| Map Ref.                  | ANG              | Latitude         |
| Surveyed                  | G. C. M.         | Date             |
| Drawn                     |                  | Scale 1:250      |
| Report                    |                  | Drawing Nº W4306 |




E.L.3008 (CYPRUS-GREENBUSHES)



- LEGEND**
- |                                                         |                               |
|---------------------------------------------------------|-------------------------------|
| ls Limestone.                                           | sl Slightly.                  |
| ch Chert.                                               | mod Moderately.               |
| BIF Banded ferruginous (micaceous, amphibolitic) chert. | hi Highly.                    |
| ti Tuff.                                                | bk Black.                     |
| rhy Rhyolite.                                           | bl Blue.                      |
| ms Mudstone.                                            | br Brown.                     |
| sh Shale/slate.                                         | gy Grey.                      |
| ph Phyllite.                                            | gn Green.                     |
| st Siltstone.                                           | rd Red.                       |
| ss Sandstone.                                           | pk Pink.                      |
| sw Greywacke.                                           | pr Purple.                    |
| cong Conglomerate.                                      | wh White.                     |
| dol Dolomite.                                           | fg Fine grained.              |
| chty Cherty.                                            | mod Medium grained.           |
| gas Gascon.                                             | cg Coarse grained.            |
| fe Ferruginous.                                         | sg Sulphides.                 |
| sil Siliceous.                                          | py Pyrite.                    |
| mn Mangiferous.                                         | po Pyrrhotite.                |
| ch Carbonaceous.                                        | msy Magnetite.                |
| ca Calcareous.                                          | scr Siderite.                 |
| tal Talc.                                               | sp Spinelite.                 |
| kaol Kaolinitic.                                        | oxy Oxidized copper minerals. |
| mic Micaceous.                                          | min Minor.                    |
| ser Sericitic.                                          | abs Abundant.                 |
| fel Felspathic.                                         | dis Disseminated.             |
| tour Tourmalinitic.                                     | eu Euhedral.                  |
| am Amphibolitic.                                        | lm Limonite.                  |
| nod Nodular (talc nodules).                             | qtz Quartz.                   |
| vol Volcanolithic.                                      | em Emerald.                   |
| pbil Pebbly.                                            | vnd Veined.                   |
| br Brecciated.                                          | vng Veinlet.                  |
| mi Micro-mass folded.                                   | sk Stockwork.                 |
| spot Spotted.                                           | oc Oolitic zone.              |
| lam Laminated.                                          | sc Screen float.              |
| str Stralv.                                             | sub Subcrop.                  |
| mt Mottled.                                             | oc Outcrop.                   |
| shd Shaded.                                             | q Albunum.                    |
| fol Folded.                                             |                               |
| blky Blochy.                                            |                               |
| fs Fissile.                                             |                               |
- SYMBOLS**
- |                       |                                            |
|-----------------------|--------------------------------------------|
| Geological boundary.  | Rock chip sample with gold/arsenic silver. |
| Fault.                | Value in p.p.m. or percentage.             |
| Fault (inferred).     |                                            |
| Shear zone.           | Anticline axis.                            |
| Quartz vein.          | Overtuned anticline axis.                  |
| Breccia.              | Syncline axis.                             |
| Foliation.            | Overtuned syncline axis.                   |
| Surface pit.          | Base of Oxide Zone.                        |
| Surface coveen.       |                                            |
| Underground Workings. |                                            |

Cyprus Minerals Australia Company

|                 |                          |                   |
|-----------------|--------------------------|-------------------|
| Project         | N9                       |                   |
| Project Partner | NORTHERN HERCULES        |                   |
|                 | DRILL SECTION LINE 1300N |                   |
|                 | C88/244I                 |                   |
| Map Ref. ANG    | Latitude                 | Longitude         |
| Surveyed GCM    | Date                     | Scale 1:250       |
| Drawn           | Date                     | Drawing No. W4295 |
| Report          |                          |                   |



nanoTeslas

|           |
|-----------|
| >600      |
| 575 - 600 |
| 550 - 575 |
| 525 - 550 |
| 500 - 525 |
| 475 - 500 |
| 450 - 475 |
| 425 - 450 |
| <400      |


47000 to be added to all readings to get Total Magnetic Field.

Instrument: Geometrics G826  
Proton Precession Magnetometer.

milliseconds



|       |
|-------|
| < 65  |
| 60-65 |
| 55-60 |
| 50-55 |
| 45-50 |
| 40-45 |

Tx: 15KVA  
Rx: IPR-8  
Array: Gradient  
Contractor: Scintrex  
Survey: June, 1987.



Cyprus Minerals Australia Limited


|                               |                         |                  |
|-------------------------------|-------------------------|------------------|
| Project                       | MOLINE                  | Nº A 85-16C      |
| Project Partner               | GREENBUSHES TIN LIMITED |                  |
| <b>WATERHOLE</b>              |                         |                  |
| <b>CHARGEABILITY CONTOURS</b> |                         |                  |
| (On Magnetic Contour Base)    |                         |                  |
| Map Ref. ANG                  | Latitude                | Longitude        |
| Surveyed GCM                  | Date Sept, 1985         | Scale 1:1000     |
| Drawn                         | Date                    | Drawing Nº W4090 |
| Report                        |                         |                  |




### APPARENT RESISTIVITY

Tx: 15 KVA  
Rx: 1PR 8  
ARRAY: Gradient  
CONTRACTOR: Scintrex  
SURVEYED: June 1987

#### OHM / METRES




#### nanoTeslas



47000 to be added to all readings  
to get Total Magnetic Field

INSTRUMENT : GEOMETRICS G.826  
PROTON PRECESSION MAGNETOMETER



Cyprus Minerals Australia Limited

Project MOLINE N° A-85-116C

Project Partner GREENBUSHES TIN LIMITED

### WATERHOLE APPARENT RESISTIVITY CONTOURS (On Magnetic Contour Base)

Map Ref. ANG Latitude Longitude



Surveyed G.C.M. Date Sept, 1985 Scale 1:1000

Drawn Date Drawing N° W4089


Report

6888/244T

Enclosure 77




nanoTeslas




47000 to be added to all readings to get Total Magnetic Field.  
INSTRUMENT: Geometrics G 826 Proton Precession Magnetometer

milliseconds



Tx: 15 KVA  
Rx: IPR 8  
ARRAY: Gradient  
CONTRACTOR: Scintrex  
SURVEYED: June 1987




CYPRUS MINERALS AUSTRALIA COMPANY

|                               |                         |              |
|-------------------------------|-------------------------|--------------|
| Project                       | MOLINE                  | Nº A-85-116C |
| Project Partner               | GREENBUSHES TIN LIMITED |              |
| <b>MANGO</b>                  |                         |              |
| <b>CHARGEABILITY CONTOURS</b> |                         |              |
| (on magnetic contour base)    |                         |              |
| Map Ref                       | ANG                     | Latitude     |
| Surveyed                      | GCM                     | Date         |
| Drawn                         |                         | Date         |
| Report                        |                         | Drawing Nº   |
|                               |                         | Scale        |
|                               |                         | 1:1000       |
|                               |                         | W4091        |

888/2441

Enclosure 78







**CHARGEABILITY SURVEY**

**Tx: 15 KVA**  
**Rx: IPR 8**  
**ARRAY: Gradient**  
**CONTRACTOR: Scintrex**  
**SURVEYED: June 1987**


**MILLISECONDS**

-  > 12
-  10-12
-  8-10
-  6-8
-  2-6

**nanoTeslas**

-  >47700
-  47650-47700
-  47600-47650
-  47550-47600
-  47500-47550
-  47450-47500
-  47400-47450
-  47350-47400
-  47300-47350
-  <47300

**INSTRUMENT**  
Geometrics G813 Proton Precession Magnetometer  
Survey: June 1986  
47000 to be added to all readings.



 Cyprus Minerals Australia Company

|                               |                         |           |                   |
|-------------------------------|-------------------------|-----------|-------------------|
| Project                       | MOLINE                  | Nº        | A 116A            |
| Project Partner               | GREENBUSHES TIN LIMITED |           |                   |
| <b>PAW PAW PROSPECT</b>       |                         |           |                   |
| <b>CHARGEABILITY CONTOURS</b> |                         |           |                   |
| (On Magnetic Contour Base)    |                         |           |                   |
| Map Ref. ANG                  | Latitude                | Longitude |                   |
| Surveyed                      | G.C.M.                  | Date      | Scale 1:1000      |
| Drawn                         | Zink Drafting           | DATE      | Drawing Nº W 4088 |

RESISTIVITY SURVEY

Tx: 15 KVA  
Rx: 1PR 8  
ARRAY: Gradient  
CONTRACTOR: Schlöter  
SURVEYED: June 1987


OHM / METERS

- < 400
- 400-500
- 500-600
- 600-700
- 700-800
- 800-900
- 900-1000
- > 1000

nanoTeslas

- > 47700
- 47650-47700
- 47600-47650
- 47550-47600
- 47500-47550
- 47450-47500
- 47400-47450
- 47350-47400
- 47300-47350
- < 47300

INSTRUMENT  
Geometrics G813 Proton Precession Magnetometer  
Survey June 1986  
47000 to be added to all readings.




Cyprus Minerals Australia Company

|                                                                                             |                         |           |                   |
|---------------------------------------------------------------------------------------------|-------------------------|-----------|-------------------|
| Project                                                                                     | MOLINE                  | Nº        | A-85-116A         |
| Project Partner                                                                             | GREENBUSHES TIN LIMITED |           |                   |
| <b>PAW PAW</b><br><b>APPARENT RESISTIVITY CONTOURS</b><br><b>(On Magnetic Contour Base)</b> |                         |           |                   |
| Map Ref. ANG                                                                                | Latitude                | Longitude |                   |
| Surveyed                                                                                    | G.C.M.                  | Date      | Scale 1:1000      |
| Drawn                                                                                       | Zani Drafting           | Date      | Drawing Nº W62825 |










Cyprus Minerals Australia Company

|                                  |             |                 |  |
|----------------------------------|-------------|-----------------|--|
| Project MOLINE                   |             | N° A-85-116     |  |
| Project Partner GREENBUSHES LTD. |             |                 |  |
| <b>BANANA</b>                    |             |                 |  |
| Drill Section 10650mE            |             |                 |  |
| <b>CB88/244I</b>                 |             |                 |  |
| Map Ref. ANG                     | Latitude    | Longitude       |  |
| Surveyed G.C.M.                  | Date        | Scale 1:250     |  |
| Drawn H.D.S.                     | Date 7/7/88 | Drawing NY W488 |  |
| Report                           |             |                 |  |







15100N




15000N




14900N




14800N




14700N




14600N




14200N




14100N




14000N



13900N



13800N




Cyprus Minerals Australia Company

|                                         |                   |                   |
|-----------------------------------------|-------------------|-------------------|
| Project                                 | SOUTHERN HERCULES | Nº                |
| Project Partner                         | GREENBUSHES LTD.  |                   |
| <b>SOUTHERN HERCULES</b>                |                   |                   |
| <b>Costean Geology and Geochemistry</b> |                   |                   |
| Map Ref. ANG                            | Latitude          | Longitude         |
| Surveyed                                | T.P.              | Date              |
| Drawn                                   | Date              | Drawing Nº V06.44 |
| Report                                  |                   |                   |


88/244T

Enclosure 8




SOIL GEOCHEMISTRY

GOLD ASSAYS IN P.P.B.



- Quartz Reef
- Dip/slope of bedding
- Strike of bedding
- Pit or trench
- slr sillstone
- gw greywacke
- sh shale
- lim limonitic
- qtz vnd quartz veined
- py pyritic
- Sample Number

Costean Geochemistry with Au/Ag values in PPM



**Cyprus Gold Australia Corporation**

Project: MOINE N° A-85-116

Project Partner: GREENBUSHES LTD

**SOUTHERN HERCULES**

**SOIL GOLD CONTOURS**



**SHOWING COSTEAN RESULTS**

**SHEET 1**


| Map Ref. ANG | Latitude    | Longitude        |
|--------------|-------------|------------------|
| Surveyed     | Date        | Scale 1:1000     |
| Drawn H.D.S. | Date 2/6/88 | Drawing N° W4681 |



BASELINE




AT70001 to be added to all readings  
INSTRUMENT: Geometrics G812 Proton Precession Magnetometer  
SURVEYED: November 1987




Cyprus Minerals Australia Company

|                                 |                         |                  |           |
|---------------------------------|-------------------------|------------------|-----------|
| Project                         | MOLINE                  | Nº               | A-85-118A |
| Project Partner                 | GREENBUSHES TIN LIMITED |                  |           |
| <b>STOCKYARD</b>                |                         |                  |           |
| <b>CR 88/244J</b>               |                         |                  |           |
| <b>Ground Magnetic Contours</b> |                         |                  |           |
| Map Ref. AMS                    | Latitude                | Longitude        |           |
| Surveyed 1987/11/15             | Date                    | Scale 1:50,000   |           |
| Drawn 1988/01/15                | Date                    | Drawing Nº W4815 |           |
| Report                          |                         |                  |           |




nanoTeslas



47000 nT to be added to All Values.

Instrument: Geometrics G813  
Proton Precession Magnetometer.  
Survey: November, 1987.



|                                   |                         |              |            |
|-----------------------------------|-------------------------|--------------|------------|
| CYPRUS MINERALS AUSTRALIA COMPANY |                         |              |            |
| Project                           | MOLINE                  | N° A-85-116C |            |
| Project Partner                   | GREENBUSHES TIN LIMITED |              |            |
| <b>AREA 17000 NORTH</b>           |                         |              |            |
| <b>GROUND MAGNETIC CONTOURS</b>   |                         |              |            |
| <b>6888/2441</b>                  |                         |              |            |
| Map Ref.                          | ANG                     | Latitude     | Longitude  |
| Surveyed                          | G.C.M.                  | Date         | Sept, 1985 |
| Drawn                             |                         | Date         |            |
| Report                            |                         | Drawing N°   | W4819      |