



OPEN FILE

**EL 8003 - HOMESTEAD
RELINQUISHED AREA**

UNDER MINERAL CLAIM APPLICATION

**28.04.93 - 27.04.95
Batchelor 1:100,000 Map Sheet**

CR 95 / 470]

Distribution:

C. Fawcett
June 1995

NTDME
Territory Goldfields NL

Territory Goldfields N.L.

A.C.N. 063 635 325
Cosmo Howley Mine, Via Hayes Creek, Northern Territory
Postal Address: PO Box 36046 Winellie, Northern Territory 0820
Telephone: (089) 782 499 Fax: (089) 782 467

TABLE OF CONTENTS

1.0	SUMMARY.....	1
2.0	LOCATION & TENURE	1
3.0	GEOLOGY.....	1
3.1	Regional Geology	1
3.2	Local Geology.....	3
4.0	PREVIOUS EXPLORATION.....	3
5.0	DOMINION EXPLORATION	5
5.1	Soil Sampling.....	5
5.2	Rock Chip Sampling	5
5.3	Stream Sediment Sampling.....	6
5.4	Aircore Drilling	6
5.5	R.C. Percussion Drilling.....	6
6.0	REFERENCES	7

LIST OF FIGURES

Figure	1	Tenement Location
	2	Fact Geology

LIST OF PLATES

Plate	1	Soil Sample Locations and Numbers
	2	Stream and Rock Chip Sampling
	3	RC and Aircore Drilling

LIST OF APPENDICES

Appendix	1	Soil Sample Logs and Assay Results
	2	Rock Chip Sampling Logs and Assay Results
	3	Stream Sediment Sample Logs and Assay Results
	4	Aircore Logs and Assay Results
	5	RC Drill Logs and Assay Results

1.0 SUMMARY

Exploration over EL8003 has consisted of gridding, soil sampling, rock chip sampling, stream sediment sampling, aircore drilling and RC percussion drilling.

The licence, comprising eight (8) graticular blocks, was granted to Dominion Gold Operations on 28 April 1993 for a period of five (5) years. Three (3) blocks were relinquished on 24 March 1995.

The stratigraphy of the tenement area is made up of Koolpin Formation, Gerowie Tuff and Mt. Bonnie Formation sediments in a structurally complex setting.

This report outlines the work carried out over the relinquished blocks of EL8003.

2.0 LOCATION AND TENURE

EL8003 is located approximately 130km south east of Darwin on the Ban Ban 1:50,000 (14/3-111) sheet. The relinquished block under Mineral Claim application is situated between latitudes 13°21'S and 13°22'S and longitudes 131°30'E and 131°31'E. (See Figure 1).


The area is accessed via station tracks from Ban Ban Springs homestead.

EL8003 was granted to Dominion Gold Operations on 27 April 1993 for a period of five (5) years. Three (3) blocks were relinquished on 24 March 1995. Mineral claim applications were submitted for one block on the 9 June 1995 by Territory Goldfields. The remaining portion of the tenement was acquired by Territory Goldfields NL in May 1995 from Dominion.

3.0 GEOLOGY

3.1 *Regional Geology*

The Pine Creek Inlier is a roughly triangular area of about 66,000km² south and east of Darwin, which contain Early Proterozoic metasedimentary rocks resting on a gneissic and granitic archaean basement. The metasediments represent fluvial, shallow water and intertidal basinal sequence up to 14km thick (Needham et al, 1980).



1 : 100,000



HOMESTEAD EL 8003 TENEMENT MAP

PROJECT: WOOLWONGA NORTH STATE: N.T.

ORIGINATOR: R.Motton Date: May 1994 DRAWN/REVISED: J.V. May 1994

SCALE: 1 : 100,000 FIGURE No: 1 PLAN No: 2D-T96



Dominion Mining Limited

During the Top End Orogeny (1870-1780Ma) the rocks were metamorphosed to mainly greenschist facies, however, amphibolite facies dominates in the northeast in the Alligator Rivers region. Proven Archaean rocks are restricted to mainly granite-gneiss of the Rum Jungle, Waterhouse and Nanambu Complexes which formed mantled gneiss domes near the presently exposed western and eastern margins of the inlier.

The sedimentary rocks are mainly shale, siltstone, sandstone, conglomerate, carbonate rocks and iron formations. Felsic to mafic volcanism and associated tuffaceous sediments are also present. The sedimentary sequence is intruded by transitional igneous rocks including pre-tectonic dolerite sills and syn to post tectonic granitoid plutons and dolerite lopoliths and dykes. Largely undeformed platform covers of Middle Proterozoic to Mesozoic strata overlie this sequence.

3.2 Local Geology

The Homestead EL8003 covers units of the South Alligator and Finnis River Groups of Lower Proterozoic sediments on the eastern contact of the Burnside Granite.


Dominant lithologies are the carbonaceous pelites of the Koolpin Formation, tuffs and pelites of the Gerowie Tuff and mixed sediments of the overlying Mt. Bonnie Formation. The Koolpin Formation and Gerowie Tuff units are both intruded by units of Zamu dolerite. (See Figure 2).

In general the Koolpin Formation outcrops as well defined strike ridges trending NNW. The areas of Gerowie Tuff and Mt. Bonnie Formation outcrop as low, scree covered, rises.

The area is structurally complex with evidence of cross faulting and strike faulting.

4.0 PREVIOUS EXPLORATION

EL 8003 has been explored by a number of companies, including AAR Ltd., Geopeko Ltd., CSR Ltd., Magnum Gold NL, Zapopan NL and Rosequartz Mining Ltd. The main aspects of each of these companies activities are as follows:



GEOLOGY

[illegible]

Geology continued

	EARLY PROTEROZOIC	UNCERTAINTY
Cadiz Granite	<u>Yes</u>	Gneiss <i>parryensis</i> <i>antennatus</i>
McMinn Granite	<u>Yes</u>	Gneiss <i>parryensis</i> <i>antennatus</i> - <i>implis</i> <i>gravel</i>
Arnscliffe Granite	<u>Yes</u>	<i>Macropyrus</i> - <i>implis</i> <i>antennatus</i>
Fremont Granite	<u>Yes</u>	<i>Paraphrytic</i> - <i>Antennatus</i> <i>implis</i> <i>gravel</i>
Shawnee Granite	<u>Yes</u>	<i>Paraphrytic</i> <i>implis</i> <i>antennatus</i>
David Springs Granite	<u>Yes</u>	<i>Paraphrytic</i> - <i>Antennatus</i> <i>implis</i> <i>gravel</i>
Arnscliffe Granite	<u>Yes</u>	<i>Paraphrytic</i> - <i>Antennatus</i> <i>implis</i> <i>gravel</i>

Continue reading

	Zone Delineate	File	Model outcome
SPRINGERS NEVER GROW UP	Boreal Creek Watershed	File	Substrate grain size
		File	Substrate grain size
	Alluvial Fan Formation Lower Box	File	Substrate grain size
		File	Substrate grain size
SOUTHERN ALLUVIAL CANYON	Alluvial Fan Formation	File	Substrate grain size
		File	Substrate grain size
	Alluvial Fan Formation	File	Substrate grain size
		File	Substrate grain size
MT. PAINTEBRIDGE CANYON	Alluvial Fan Formation	File	Substrate grain size
		File	Substrate grain size


** Dominion Mining Limited**

PROJECT: WOOLWONGA NORTH

PROSPECT:	N.T.
-----------	------

EL 8003

FACT GEOLOGY



ORIGINATOR: R.M.

Date: May 94

PLATE N^o: 2

SCALE: L.C.

DRAWN: 1:25000

PLAN Nº:	2D-G239
----------	---------

- AAR Ltd EL2103, 1980
Extensive regional gridding, ground radiometrics and rock chip (40) sampling.
- Geopeko Ltd EL4177, 1984
Stream sediment sampling and rock chip sampling, with diamond drilling at the old Mt. Ellison Cu mine and at various magnetic anomalies.
- CSR Ltd/Dominion JV EL4177, 1986
Soil sampling (303) & rock chip sampling. Much of the soil sampling was arsenic assays only.
- Rosequartz Mining Ltd EL5589 & EL5835, 1988-1989
Stream sediment (38) sampling, soil sampling (134 BLEG) and rock chip (265) sampling.
- Magnum Gold NL EL7373 & EL7148, 1992
Stream Sediment (3) sampling, soil sampling (43 BLEG) and rock chip sampling (37).

5.0 DOMINION EXPLORATION

During the first year of tenure Dominion conducted gridding, soil sampling, rock chip sampling, stream sediment sampling, air core drilling and reverse circulation percussion drilling.

5.1 *Soil Sampling*

Soil sampling was carried out to test stream sediment anomalies from previous exploration.

At each site a single 2kg sample of soil was collected and sieved to -2mm. Samples were submitted to Amdel Laboratories, Darwin for analysis of Au, As, Cu, Bi and Mn and to Assaycorp, Pine Creek, for analysis of Au, Cu, Bi, As, Pb and Mn.

Sample numbers, locations and gold results are shown in Plate 1 and Appendix 1.

5.2 *Rock Chip Sampling*

Rock chip sampling was carried out in areas of anomalous stream sediment geochemistry. Samples were analysed for Au, Cu, As, Bi and Mn.

Sample numbers, locations and results can be seen in Plate 2 and Appendix 2.

5.3 *Stream Sediment Sampling*

Stream sediment samples were collected from selected sites. Samples were sieved to -2mm size fraction to collect a 2-3kg sample.

Samples were submitted to Assaycorp for analysis of Au, As, Bi, Cu and Mn. Sample locations, numbers and results can be seen in Plate 2 and Appendix 3.

5.4 *Aircore Drilling*

Aircore holes were drilled to saporditic bedrock on a 400m x 50m grid. Drilling was carried out by Tracey Drilling of Tennant Creek.

Samples were submitted to Amdel for analysis of Au, As, Cu and Bi. Samples numbers and locations are shown in Plate 3 and results in Appendix 4.

5.5 *R.C. Percussion Drilling*

Soil and aircore anomalies were followed up with R.C. drilling. Holes were sampled using 3m composites. Drilling was carried out by Gomex Drilling of Katherine using a truck mounted RCD drill rig.

Samples were submitted to Amdel, Darwin for analysis of Au, As, Cu and Bi.

Sample numbers and locations are shown in Plate 3 and results in Appendix 5.

No exploration was conducted over EL8003 during the second year of tenure. Work consisted of the compilation and review of all data.

6.0 REFERENCES

- Bredhauer, H. (1994) EL8003 - Homestead, Annual Report Year One of Tenure, 28 April 1993 to 27 April 1994. Unpublished report to the NTDME.
- Fawcett, C.J., (1995) EL8003 - Homestead, Annual Report Year Two of Tenure, 28 April 1994 to 27 April 1995. Unpublished report to the NTDME.
- Needham, R.S. , Crick, J.H. and Stuart-Smith, P.G. (1980)
'Regional Geology of the Pine Creek Geosyncline' In Proceedings of the International Uranium Symposium. International Atomic Energy Agency, Vienna p1-22.

APPENDIX 1

SOIL SAMPLE LOGS

AND

ASSAY RESULTS



DOMINION MINING LIMITED

GEOCHEMICAL SAMPLING

Project: WOOLWONGA NORTH Prospect: AAR GRID & HMC GRID Page 1 of 1
 Sample Type: SOIL - 2mm Sampler: NTM Date: 4/8/93
 Laboratory: ASSAYCORP AC 8868 Analytical Methods: FASO CR, AAS/MA-3

Co-ordinate/ Location	Description	Sample No. Prefix <u>B19</u>	Analysis				
			Au	As	Bi	Cu	Mn
<u>AAR GRID</u> 12500N 32250E	Gray silt & Psk o/c Ssl.	D41007	1	304	<1	112	166
12500N 32200E	Fawn br. silt, Ssl, Qtzite = gV.	D41008	1	51	<1	24	184
12500N 32150E	Gray silt, Qtzite, = gV, lam./Mn	D41009	<1	90	<1	29	279
12500N 32100E	Gray silt, Ssl s/crop & gV	D41010	<1	72	<1	53	201
12500N 32050E	Gray/fawn silt + Ssl s/crop	D41011	<1	84	<1	36	45
12500N 32000E	Fawn br. silt & Ssl & gV	D41012	2	243	5	49	32
12500N 31950E	Fawn gray silt + Qtz scree + Ssl s/crop	D41013	<1	67	1	42	364
12500N 31925E	Red br. silt + Fe coated gV + Ssl PdZ = 3191E	D41014	3	58	<1	46	986
12500N 31900E	Red br. silt + PdZ s/crop + Fe cont gV	D41015	4	42	<1	41	108
12500N 31850E	Red br. silt + PdZ + gV scree	D41016	3	56	<1	54	783
12500N 32300E	Gray silt + Psk Ssl s/crop, No Qtz	D41017	2	33	<1	89	196
12500N 32350E	Fawn br. silt + Ssl scree gV = 32370E	D41018	3	45	<1	78	98
12500N 32400E	Red clay after PdZ rare Qtz float	D41019	4	41	<1	41	158
12500N 32450E	Red clay after PdZ o/c 20m N	D41020	3	32	<1	60	73
12500N 32500E	Red clay after PdZ s/crop gV = 32516E	D41021	3	76	<1	61	137
12500N 32550E	Red clay, PdZ; clv/Alv.	D41022	3	216	<1	108	85
12500N 32600E	Red clay, gV float, gossanous float	D41023	4	118	<1	66	94

Remarks



Natalia
AASDILS XLS

MT. ELISON


Page / of /

Date: 18/11/93

Analytical Methods: AA9

[illegible]

Remarks



ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 08868

Dominion Mining Ltd

Distribution

N.T.Motton.

Client Reference: 2613/Motton

Date Received: 07/08/1993

Project :

Number of Samples: 37

Cost Code:


Sample Preparation

Analysis	Analytical Technique	Precision & Accuracy	Detection Limit	Data Units
Au	FA50	Acc. $\pm$ 15%	1	ppb
Au(R)	FA50	Acc. $\pm$ 15%	1	ppb
As	AAS/MA-3	Prec. $\pm$ 10%	1	ppm
Bi	AAS/MA-3	Prec. $\pm$ 10%	1	ppm
Cu	AAS/MA-3	Prec. $\pm$ 10%	1	ppm
Mn	AAS/MA-3	Prec. $\pm$ 10%	2	ppm

EL8003

Authorisation: Ray Wooldridge

Report Dated: 23/08/1993



ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 08868

Page 1 of 2

Sample	Au (ppb)	Au(R) (ppb)	As (ppm)	Bi (ppm)	Cu (ppm)	Mn (ppm)
D 41007	1		304	<1	112	166
D 41008	1		51	<1	24	184
D 41009	<1	<1	90	<1	29	279
D 41010	<1		72	<1	53	201
D 41011	<1		84	<1	36	452
D 41012	2		243	5	49	329
D 41013	<1	1	67	1	42	364
D 41014	3	3	58	<1	46	986
D 41015	4	3	42	<1	41	1081
D 41016	3	4	56	<1	54	783
D 41017	2	1	33	<1	89	196
D 41018	3		45	<1	78	983
D 41019	4		41	<1	41	1582
D 41020	3	5	32	<1	60	733
D 41021	3	4	76	<1	61	1377
D 41022	3		216	<1	108	854
D 41023	4	3	118	<1	66	946



DOMINION MINING LIMITED

GEOCHEMICAL SAMPLING

Project: WOOLWONGA NORTH

Prospect: MAR - E28003

Page 3 of 4

Sample Type: SOIL - 2mm

Sampler: NTM

Date: 7/7/93

Laboratory: AMDEL 3DN 0568

Analytical Methods: _____

Co-ordinate/ Location	Description	Sample No. Prefix B/9	Analysis			
			Au	As	Mn	Bi

13750N 32500E	Osa ALB7, Rvg & Snd ocp	359	8	110	2250	1.1
13750N 32550E	Osa LB6, Rvg & Sct E slope	360	4	52	1890	1.0

13750N 32450E	Osa RB7, elv, Sct/Ssl col, Rvg	363	14	140	2540	3.5
13750N 32400E	Osa RLB6, Snd? col	364	4	64	1370	2.0
13750N 32350E	Osa AG, alv silt D	365	6	42	960	1.4
13750N 32300E	Osa RB7, Snd elv, E slope	366	3	56	1080	1.1
13750N 32250E	Osa RB7, fer, Snd ocp, E slope	367	2	58	1000	1.7
13750N 32200E	Osa LB6, Snd/Ssl elv, W slope	368	4	26	780	0.5
13750N 32150E	Osa LB6, Ssl/Snd elv, W slope	369	3	32	720	0.5
13750N 32100E	Osa ALB6, Snd elv/col, W slope	370	4	40	520	0.6
13750N 32050E	Osa ALB6, Snd col	371	3	40	650	0.9
13750N 31990E	Osa ALB6, Snd (Psk) elv, E slope	372	1	46	155	0.4
13750N 31950E	Osa AG, Sct/Snd, E slope	373	<1	200	170	1.3
13750N 31900E	Osa AG, Sct/Snd, E slope	374	1	92	290	0.7

Remarks



Project: WOOLWONGA NORTH

Prospect: AAR GRID-EL8-03 Page 4 of 4

Sample Type: Soil - 2 mm

Sampler: NTM

Date: 6/7/93

Laboratory: ANDGL 31)N 0568

Analytical Methods: A49, A46H

[illegible]

Remarks



GEOCHEMICAL SAMPLING

Project: WOOLWONGA NORTH Prospect: MT. ELLISON Page 1 of 2
 Sample Type: SOIL - 1.56 mm Sampler: NTM Date: 12/10/93
 Laboratory: 4C10435 Analytical Methods: _____

Co-ordinate/ Location	Description	Sample No. Prefix B19	Analysis			
			Au	As	Cu	Bi
13250N 31250E	Osa A3, Smd ocp, (Psk), 92 40% ^{Hilltop}	701	7	28	174	10
13250N 31300E	Osa AB3, Smd ocp, (Psk), 92 5%, 5°NE	702	2	56	142	10
13250N 31350E	Osa A3, Smd ocp 90% N, 92 41%, 10°N	703	2	10	232	5
13250N 31400E	Osa A3, Smd AB3 ocp, Rvg ocp 92 30%, 5°N	704	5	46	165	12
13250N 31450E	Osa A/B3, Smd elv (Psk) fer, 92 5%, 8°E	705	<1	42	107	4
13250N 31500E	Osa A3, Smd sree, 92 5%, 8°W	706	<1	54	126	1
13250N 31200E	Osa A2, Smd/Ssl/Rvg elv, fer 92 30%, 5°N	707	<1	70	108	6
13250N 31150E	Osa AB4, Smd/Ssl, Rvg fer cty ocp, 3°W	708	3	6	101	<1
13250N 31100E	Osa B4, Smd elv, possibly Gdl/contact, 3°W	709	2	3	80	<1
13250N 31050E	Osa R4, 92 5% col, Gdl flt, 3°NW	710	3	5	101	2
13250N 31000E	Osa R3, 92 3%, alv, 3°N	711	4	<1	226	3
13250N 30950E	Osa R3, Gdl elv, 41% 92, 2°NW	712	3	<1	186	2
13250N 30900E	Osa R3, clv/alv, No rocks, 1°N D.	713	3	11	243	4
13250N 30850E	Osa B3, clv, No rocks 1°N D.	714	6	2	144	16
13250N 30800E	Osa B3, alv clay, 1% 92 flt D.	715	5	4	79	3
13250N 30750E	Osa R3, nearby Gdl ocp, clv 1°N D.	716	3	14	54	<1
13500N 31250E	Osa AB3, Smd ocp, 5°NW, 2% 92	717	<1	16	135	1
13480N 31300E	Osa B3, Smd elv, 5% 92, 5°N	718	<1	18	174	2
13500N 31350E	Osa BA2, Rvg elv/Smd elv, 80% 92, 8°SW	719	3	21	41	<1
13500N 31200E	Osa BA2, Smd ind, Rvg ocp 10mE, 5°NW	720	2	16	185	4
13500N 31150E	Osa A3, Rvg ocp, Smd Avug, 8°E	721	1	15	163	1
1349 N 31100E	Osa A3, Rvg ocp, Smd, 5°W	722	1	63	332	6
13500N 31050E	Osa AB3, Ssl/Sct, 92 30%, N, 5°S	723	1	19	123	2
13500N 31000E	Osa AB3, Ssl/Sct, 92 10% elv, 5°S	724	<1	48	147	18
13500N 30950E	Osa AB3, Ssl elv, 92 2% flt, 5°SW	725	1	18	104	2
13500N 30900E	Osa R3, Rvg ocp, Gdl/Smd contact, 3°SW	726	1	41	89	1
13500N 30850E	Osa RB3, Smd clv, 92 2%, 3°SW	727	10	20	100	3
13500N 30750E	Osa R3, Rvg & Gdl ocp fer, 2°N	728	9	1	170	5
13750N 31150E	Osa AB3, Smd/Ssl elv, 92 30%, 5°SW	729	2	30	72	1
13770N 31100E	Osa AB3, Smd/Ssl/Sct elv, 3°SW	730	2	22	59	<1

Remarks D. - drilling required to attain basement geology

ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 10435

Dominion Mining Ltd

Distribution

N. Motton

Client Reference: 20976

Date Received:

12/10/1993

Project :

Number of Samples:

36

Cost Code:

Sample Preparation


Analysis	Analytical Technique	Precision & Accuracy	Detection Limit	Data Units
Au	FA50	Acc. $\pm$ 15%	1	ppb
Au(R)	FA50	Acc. $\pm$ 15%	1	ppb
As	AAS/MA-3	Prec. $\pm$ 10%	1	ppm
Cu	AAS/MA-3	Prec. $\pm$ 10%	1	ppm
Bi	AAS/MA-3	Prec. $\pm$ 10%	1	ppm

EL 8003 - AAR
grid

Sols. - 1/4"

Authorisation: Ray Wooldridge

Report Dated: 22/10/1993



ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847


Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 10435

Page 1 of 2

Sample	Au (ppb)	Au(R) (ppb)	As (ppm)	Cu (ppm)	Bi (ppm)
B 19701	7	5	28	174	10
B 19702	2		56	142	10
B 19703	2		10	232	5
B 19704	5	4	46	165	12
B 19705	<1		42	107	4
B 19706	<1		54	126	1
B 19707	<1		70	108	6
B 19708	3		6	101	<1
B 19709	2		3	80	<1
B 19710	3		5	101	2
B 19711	4		<1	226	3
B 19712	3		<1	186	2
B 19713	3		11	243	4
B 19714	6	6	2	144	16
B 19715	5		4	79	3
B 19716	3		14	54	<1
B 19717	<1		6	135	1
B 19718	<1		18	174	2
B 19719	3		21	41	<1
B 19720	2		16	185	4
B 19721	1		15	163	1
B 19722	1		63	332	6
B 19723	1		19	123	2
B 19724	<1	1	48	147	18
B 19725	1		18	104	2



ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 10435

Page 2 of 2

Sample	Au (ppb)	Au(R) (ppb)	As (ppm)	Cu (ppm)	Bi (ppm)
B 19726	1		41	89	1
B 19727	10		20	100	3
B 19728	9	10	1	170	5
B 19729	2		30	72	1
B 19730	2		22	59	<1
B 19731	1		58	1945	10
B 19732	<1		82	675	3
B 19733	3		9	290	2
B 19734	<1	<1	47	140	20
B 19735	<1		18	92	6
B 19736	40	31	49	123	82

GEOCHEMICAL SAMPLING

Project: WOOLWONGA NORTH Prospect: EL8003 (AAR) Page 1 of 1
Sample Type: SOIL - 2mm Sampler: NTM Date: 24/8/93
Laboratory: ASSAYCORP 9311 Analytical Methods: FA 50, AAS/MA-3

Co-ordinate/ Location	Description	Sample No. Prefix <u>D44</u>	Analysis			
			Au	Au(A)	As	Bi
<u>13490N 32325E</u>	<u>OSA - red fawn br. Sand ocp</u> ^{U slope 8°E}	<u>902</u>	<u>9</u>		<u>21</u>	<u>1</u>
<u>13500N 32275E</u>	<u>OSA - chocolate grey, Sand ocp</u> ^{6°NE}	<u>903</u>	<u>4</u>		<u>46</u>	<u>3</u>

Remarks D=DRILLING REQUIRED DUE TO OVERBURDEN

ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 09311

Dominion Mining Ltd

Distribution

N. Motton

Client Reference: 20969

Date Received:

25/08/1993

Project :

Number of Samples:

28

Cost Code:


Sample Preparation

Analysis	Analytical Technique	Precision & Accuracy	Detection Limit	Data Units
Au	FA50	Acc. $\pm$ 15%	1	ppb
Au(R)	FA50	Acc. $\pm$ 15%	1	ppb
As	AAS/MA-3	Prec. $\pm$ 10%	1	ppm
Bi	AAS/MA-3	Prec. $\pm$ 10%	1	ppm
Mn	AAS/MA-3	Prec. $\pm$ 10%	2	ppm

WWLGA Month
EL8003

Authorisation: Ray Wooldridge

Report Dated: 09/09/1993



ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 09311

Page 1 of 2

Sample	Au (ppb)	Au(R) (ppb)	As (ppm)	Bi (ppm)	Mn (ppm)
--------	-------------	----------------	-------------	-------------	-------------

D44902	9		21	1	753
D44903	4		46	3	909

ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 08642

Dominion Mining Ltd

Distribution

N T Motton

Client Reference: 6387

Date Received:

28/07/1993

Project :

Number of Samples:

183

Cost Code:


Sample Preparation

Analysis	Analytical Technique	Precision & Accuracy	Detection Limit	Data Units
Au	FA50	Acc. $\pm$ 15%	1	ppb
Au(R)	FA50	Acc. $\pm$ 15%	1	ppb
Cu	AAS/MA-3	Prec. $\pm$ 10%	1	ppm
Pb	AAS/MA-3	Prec. $\pm$ 10%	2	ppm
As	AAS/MA-3	Prec. $\pm$ 10%	1	ppm
Bi	AAS/MA-3	Prec. $\pm$ 10%	1	ppm

*McCalluma Creek
WVLA Anth.*

Authorisation: Ray Wooldridge

Report Dated: 05/08/1993



ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847


Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 08642

Page 4 of 8

Sample	Au (ppb)	Au(R) (ppb)	Cu (ppm)	Pb (ppm)	As (ppm)	Bi (ppm)
B19527	3		69	23	42	<1
B19528	3		58	24	83	<1
B19529	5		47	19	8	<1
B19530	13	8	70	29	65	2
B19531	3		49	16	17	<1
B19532	2		39	23	14	<1
B19533	3		71	18	9	<1
B19534	5		96	19	10	<1
B19535	3		75	16	6	<1
B19536	7		85	10	25	<1
B19537	6		31	7	18	<1
B19538	3		67	13	42	1
B19539	2	2	85	14	65	<1
B19540	2		86	12	27	<1
B19541	5		78	22	33	<1
B19542	9	13	74	10	50	<1
B19543	7		114	21	51	<1
B19544	2		109	27	26	<1
B19545	6		62	25	26	<1
B19546	7		92	67	150	1
B19547	5	3	171	81	41	<1
B19548	7		193	140	45	1
B19549	5		144	98	28	<1
B19550	3		29	50	10	<1



ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847


Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 08642

Page 5 of 8

Sample	Au (ppb)	Au(R) (ppb)	Cu (ppm)	Pb (ppm)	As (ppm)	Bi (ppm)
B19551	15	7	44	1018	220	<1
B19552	10	6	69	19	24	<1
B19553	180	240	51	12	38	<1
B19554	240	245	49	4	58	<1
B19555	265	265	50	9	49	<1
B19556	15	14	47	10	11	<1
B19557	125	94	64	9	42	<1
B19558	78	59	52	10	39	<1



ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 08642

Page 8 of 8

Sample	Au (ppb)	Au(R) (ppb)	Cu (ppm)	Pb (ppm)	As (ppm)	Bi (ppm)
B19630	6		170	54	20	1

Final

ANALYTICAL REPORT

SAMPLE	Au	AuDp1	Mn	As	Bi
B 19358	0.003	--	340	34	0.7
B 19359	0.008	--	2250	110	1.1
B 19360	0.004	0.003	1890	52	1.0
B 19363	0.014	--	2540	140	3.5
B 19364	0.004	--	1370	64	2.0
B 19365	0.006	--	960	42	1.4
B 19366	0.003	--	1080	56	1.1
B 19367	0.002	--	1000	58	1.7
B 19368	0.004	--	780	26	0.5
B 19369	0.003	--	720	32	0.5
B 19370	0.004	--	520	40	0.6
B 19371	0.003	--	650	40	0.9
B 19372	0.001	--	155	46	0.4
B 19373	<0.001	--	170	200	1.3
B 19374	0.001	--	290	92	0.7
B 19375	0.004	--	1520	48	0.7
B 19376	0.003	--	460	70	5.5
B 19377	0.002	0.001	240	125	1.4
B 19378	0.005	--	510	68	2.0
B 19379	0.10	0.23	1320	24	1.6
B 19380	0.004	--	660	46	2.6
B 19381	0.007	--	2010	42	3.3
B 19382	0.001	--	1200	68	3.7
B 19383	0.001	--	1630	78	1.1
B 19384	<0.001	0.001	460	105	1.1
B 19385	<0.001	--	250	40	1.1
B 19386	<0.001	--	310	770	4.0
B 19387	<0.001	--	280	92	2.7

UNITS	ppm	ppm	ppm	ppm	ppm
DET.LIM	0.001	0.001	4	0.2	0.1
SCHEME	AAS9	AAS9	AAS1	AA6H XRF1	AA6H

APPENDIX 2

ROCK CHIP SAMPLING LOGS

AND

ASSAY RESULTS



DOMINION MINING LIMITED


PK

GEOCHEMICAL SAMPLING

Project: WOOLWONGA NORTH Prospect: EL8003-^{AAR}GRID Page 1 of 2
Sample Type: ROCK CHIP Sampler: NTM Date: 24/8/93
Laboratory: ASSAY CORP AC9312 Analytical Methods: FASO, AAS/MA-3

Co-ordinate/ Location	Description	Sample No. Prefix D41	Analysis			
			Au	Cu	As	Bi

13501N 32301E	Sgt - sugary - rare VgZ	041	<0.01	28	28	4
14100N 32493E	VgZ - in Gd1	042	0.01	53	108	9
14100N 32484E	VgZ - red coating	043	<0.01	17	13	<1
14100N 32460E	VgZ - in Gd1 - red coating	044	0.08	24	35	5
14020N 32450E	VgZ - red fe coating	045	<0.01	16	17	<1



ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 09312

Dominion Mining Ltd

Distribution

N. Motton

Client Reference: 20970

Date Received: 26/08/1993

Project :

Number of Samples: 33

Cost Code:


Sample Preparation

Analysis	Analytical Technique	Precision & Accuracy	Detection Limit	Data Units
Au	FA50	Acc. $\pm$ 15%	0.01	ppm
Au(R)	FA50	Acc. $\pm$ 15%	0.01	ppm
Cu	AAS/MA-3	Prec. $\pm$ 10%	1	ppm
As	AAS/MA-3	Prec. $\pm$ 10%	1	ppm
Bi	AAS/MA-3	Prec. $\pm$ 10%	1	ppm
Mn	AAS/MA-3	Prec. $\pm$ 10%	2	ppm

EL 8003
Rock chips from
soil samples.

Authorisation: Ray Wooldridge

Report Dated: 12/09/1993



ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 09312

Page 1 of 2

Sample	Au (ppm)	Au(R) (ppm)	Cu (ppm)	As (ppm)	Bi (ppm)	Mn (ppm)
D41041	<0.01		28	28	4	263
D41042	0.01		53	108	9	316
D41043	<0.01		17	13	<1	521
D41044	0.08		24	35	5	185
D41045	<0.01		16	17	<1	186

APPENDIX 3

STREAM SEDIMENT SAMPLE LOGS

AND

ASSAY RESULTS




Project: WOOLNONGA NORTH Prospect: MT. ELLISON Page 1 of 1
Sample Type: STREAM SEDIMENT Sampler: NTM Date: 1/10/93
Laboratory: ASSAYCORP AC 10265 Analytical Methods: BLEG/ZKG : AAS/MA-3

Remarks

Prefix	SAMPLE	ANON	ANDE	PROSPECT	TYPE	Colour	Material	Erosion	Au BLEB	-60#As ppm
--------	--------	------	------	----------	------	--------	----------	---------	---------	------------

B	18529	8520980	771770	Ban Ban sed.-2mm	wet sieved	gravel	active			
B	18530	8521160	771360	Ban Ban sed.-2mm	red clay	passive				



ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 08341

Dominion Mining Ltd

Distribution

N.Motton

Client Reference: 20955

Date Received:

12/07/1993

Project :

Number of Samples:

11

Cost Code:

Sample Preparation

Analysis	Analytical Technique	Precision & Accuracy	Detection Limit	Data Units
Au	BLEG/2Kg	Prec. $\pm$ 15%	0.1	ppb
Mn	AAS/MA-3	Prec. $\pm$ 10%	2	ppm
As	AAS/MA-3	Prec. $\pm$ 10%	1	ppm


~~Ant. Felt~~

EL8003

WUGA NTH.

Authorisation: Ray Wooldridge

Report Dated: 18/07/1993



ASSAYCORP PTY LTD

A.C.N. 052 982 911

174 Ward Street, Pine Creek, N.T. 0847

P.O. Box 41, Pine Creek, N.T. 0847

Telephone (089) 76 1262

Facsimile (089) 76 1310

ASSAY CODE: AC 08341

Page 1 of 1

Sample	Au (ppb)	Mn (ppm)	As (ppm)
B18829	19.2	504	70
B18830	4.3	760	1

APPENDIX 4

AIRCORE LOGS

AND

ASSAY RESULTS



DOMINION MINING LIMITED

VACUUM DRILL LOG

Contractor: REG TRALEY - AIR CORE

Project: WOOLWONGA NORTH

Logged: NH

Prospect: AAR - EL 8003

Sampled: EX-10X

Page 3 of 3

Date: 26/10/93

Hole No.	Co-ordinates	Sloped Vector	Primary Descriptor	Secondary Descriptor						Remarks	Sample No.	Interval	Au	As	Depth	E m Blade	E m Hammer
				Alt	Comp	Mn	Rock	Text	Weth								
AAC.34	14100N 3251SE	1°SE	Ssl LB6 clv	asc	-	-	-	gzvf	whl	base @ 2.8m	D41712	2.7-3	6	10	3		
AAC.35	14100N 32550E	2°SE	Ssl LB5 Rng	-	cly	5% 92	-	gzvf	whl		D41713	2.7-3	11	15	3		
AAC.36	14100N 3252SE	2°SE	Ssl LB6	fer	cly	-	-	gzvf	whl	Psg?	D41714	2.7-3	3	40	3		
AAC.37	14100N 32500E	3°SE	Snd AN7 ch	-	-	-	-	gzvf	whl	Psk!	D41715	1.7-2	14	60	2		
AAC.38	14100N 3247SE	3°SE	Grd LB6	-	-	-	-	gzvf	whl		D41716	1.7-2	6	10	2		
AAC.39	14100N 32450E	2°E	Gpp AB6	-	-	5% 92	-	gzvf	whl	land	D41717	1.7-2	160	360	2		
AAC.40	14100N 3242SE	2°E	Ssl LB7	fer	-	-	-	gzvf	whl	platinum	D41718	2.7-3	4	15	3		
AAC.41	13900N 32500E	3°NW	Ssl LB3	-	-	-	-	gzvf	whl		D41719	1.7-2	5	<5	2		
AAC.42	13900N 3247SE	1°NE	Ssl/sc LB5 Rng?	-	-	10% 92	-	gzvf	whl	crack. Rng?	D41720	1.7-2	3	90	2		
AAC.43	13900N 32450E	2°NE	Ssl? LB6 Rng	fer	-	20% 92	-	gzvf	whl	HOGE ABD.	D41721	2-2.2	2	115	2.2		
AAC.44	13900N 3242SE	2°E	Gpp? LB4 powder	-	-	-	-	gzvf	whl	possibly Gdl	D41722	2.7-3	5	<5	3		
AAC.45	13900N 32400E	1°E	Gdl LB5	-	-	-	-	gzvf	whl		D41723	2.7-3	12	65	3		
AAC.46	13900N 3237SE	2°E	Gdl? LB5	-	-	-	-	gzvf	whl		D41724	1.7-2	8	35	2		



21 Marjorie Street, Berrimah, Northern Territory
Postal Address : P.O. Box 58, Berrimah, N.T. 0828
Telephone: (089) 322 637 Facsimile: (089) 323 531

Mr. N. Motton
Exploration Division
Dominion Mining Limited
PO Box 37321
WINNELLIE
NT 0821

ANALYSIS REPORT :

Your Reference : 20991

Our Reference : 3DN1015

Samples Received : 27/10/93

Results Reported : 01/11/93

Number of Samples : 58

Report Pages : 1 to 2

This report relates specifically to the samples tested in so far as the samples supplied are truly representative of the sample source.

If you have any enquiries please contact the undersigned quoting our reference as above.

EL8003
L. W. Leger Mth
(Alan Lane)


Report Codes:

N.A. -Not Analysed
L.N.R. -Listed But Not Received
I.S. -Insufficient Sample

A. Ciplys
Approved Signature:
for

ALAN CIPLYS
Manager - Darwin
AMDEL LABORATORIES LIMITED
A.C.N. 009 076 555

93AAAL001-051



ANALYTICAL REPORT

D41712	0.006	--	10	140	<1
D41713	0.011	--	15	130	<1
D41714	0.003	--	40	95	2
D41715	0.014	0.012	60	93	<1
D41716	0.006	--	10	24	<1
D41717	0.16	0.20	360	92	1
D41718	0.004	--	15	195	<1
D41719	0.005	--	<5	62	<1
D41720	0.003	--	90	175	<1
D41721	0.002	--	115	95	<1

Page 1 of 2

Final

ANALYTICAL REPORT

SAMPLE	Au	AuDp1	As	Cu	Bi
D41722	0.005	--	<5	16	<1
D41723	0.012	--	65	145	4
D41724	0.008	--	35	14	<1

NITS	ppm	ppm	ppm	ppm	ppm
DET. LIM	0.001	0.001	0.001	0.001	0.001
SCHEME	AA9	AA9	AA9	AA9	AA9

APPENDIX 5

RC DRILL LOGS

AND

ASSAY RESULTS



DRILL SUMMARY

Hole No. 93AARC.001			Project WOODLUNGA NORTH			Drill Type RCP		
Prospect AAR GRID - CATTLE YARDS			Location BAN BAN STATION			Size		
Co-ords N E			RL			Pre Collar		
Logged by NTM			Hole Commenced			Drilled by RSTAMEL SC		
Sampled by DB			Hole Completed			Rig Type OMEGA 2		
Total Depth								
Survey	Depth							
	Inclination							
	Azimuth ()							
Purpose								
Geological Summary								
PAGE 1 OF 2								
AMDEL JDB No. 3DN 1182 E210 Series by Au FA1 D586 " " Au AA7 RESPLITS								
Significant Assays								
From	To	Metres	Au	As	Cu	Bi	No.	Remarks
15	18	3	0.34	180	160	41	D58667	
15	16	1	0.21	180	170	5	E21035	$\bar{x} = 0.2$ % change = 76%. OK
16	17	1	0.49	200	130	8	E21036	
17	18	1	0.08	160	155	4	E21037	
18	21	3	0.27	1900	220	4	D58668	
18	19	1	0.22	1500	220	7	E21038	$\bar{x} = 0.28 = \bar{x}(Au)$ % change = 102%. OK
19	20	1	0.25	2700	210	6	E21039	
20	21	1	0.36	1200	240	10	E21040	
21	24	3	0.45	4290	145	9	D58669	
21	22	1	0.66	4350	120	14	E21041	$\bar{x}(Au) = 0.39$ % change = 87%. OK
22	23	1	0.25	1500	160	8	E21042	
23	24	1	0.26	520	165	12	E21043	



DOMINION MINING LIMITED

DRILL SUMMARY

Hole No. 932ARL.001		Project WOODLONDGA NORTH		Drill Type RCP	
Prospect CATTLE YARDS				Location BAN BAN	
Co-ords N E		RL		Pre Collar	
Logged by NFM		Hole Commenced		Drilled by GOMEX	
Sampled by DB		Hole Completed		Rig Type ROTAMEC 50	
Total Depth					
Survey	Depth				
	Inclination				
	Azimuth ()				
Purpose					
Geological Summary					
PAGE 2 OF 2					
AMDEL					
JOB. No. 3DN1182					
RESPLITS					
Significant Assays					
From	To	Metres	As	As	Remarks
30	33	3	0.84	150	160 1 DS8672
30	31	1	0.28	190	140 7 E21044
31	32	1	1.45	30	165 8 E21045
32	33	1	1.05	<20	91 6 E21046
33	36	3	0.57	340	115 <1 DS8673
33	34	1	0.61	160	62 3 E21047
34	35	1	0.63	430	150 3 E21048
35	36	1	0.49	700	195 4 E21049
36	39	3	0.24	650	200 <1 DS8674
36	37	1	0.26	900	200 6 E21050
37	38	1	0.13	420	220 3 E21051
38	39	1	0.10	60	175 4 E21052
39	42	3	0.42	310	340 3 DS8675
39	40	1	0.15	170	220 5 E21053
40	41	1	0.35	390	280 6 E21054
41	42	1	0.84	420	420 9 E21055



DOMINION MINING LIMITED

Page 1 of 3

DRILL LOG

Method: RC PERC.

Project: WAGA NORTH

Prospect: CITTYEARDS - AAR

Hole No: ARC.01

Collar co-ordinates:

Nominal N: 114 090

E: 32462

Surveyed N:

E:

RL:

Inclination: 60°

Azimuth: 267° (mag)

Date: 10/11/93

Logged: nam

Sampled: DOUG. B

Laboratory: AMDEL

Analytical Method: AA7

Job No: 3DN 1116

Downhole Survey?:

Depth		Lithology Code	Description	Rvg →	Mineralization			Sample No's Prefix <u>AS8</u>	Assay Results			
From	To				yz	py			Au	As	Cu	Bi
0	1	Ucy	RB7, trace clv, fer									
	2	Gdl? Gpp	RB7, gap, asr, cly, whl, gzm, fer, Rvg? buck white		10%							
	3	Gdl? Gpp	OB7, gap, cly, whl, gzm, fer		2%			662 (6-3)	0.33	450	115	<1
	4	Gdl? Gpp	YOB7, whl, gzm, lim (trace); Rvg W to A2, massive, buck		10%							
	5	Gdl? Gpp	YOB7, whl, gzm, lim; Rvg W, massive, buck		5%							
	6	Gpp	YOB7, whl, gzm, lim; Rvg W, massive, buck, i poor return 0-6m		5%			663	0.15	730	105	<1
	7	Gpp	YOB, whl, gzm, qz grains, lim; Rvg W, massive, buck		2%							
	8	Gpp/Rfe	OB7, cly, gzm, common lim; Rvg / Rfz		5%							
	9	Set/Gpp	Gpp-minor, YOB, whl, gzm & Set-bx, lim, AS, wmd		5%			664	0.14	500	90	<1
	10	Gpp	AL6, wmd, asi, lim & trace sulphide (diss/gzf)									
	11	Gpp/Set	AL6, wsl, asi, lim (common), py? (minor) dis, gzf, ash		1%, 2%							
	12	Gpp?	AB6, wmd, lim (common), asi		<1%			665	0.25	430	76	<1
	13	Gpp	A7, wsl to fresh, minor lim, minor py, asi	Box		2%						
	14	Gpp	A7, fresh, asi, gzm/c		2%	5%						
	15	Gpp?	A7, fresh, asi, gzm/c; py, dis, gzf	Rvg	5%	5%		666	0.24	65	190	<1
	16	Gpp?	A7, fresh, asr, gzm; py, dis, gzf; wet	Rvg	5%	5%						
	17	Gdl?	A8, fresh, asi, gzm, hb; py, dis, gzf, i		1%	1%						
	18	Gdl?	A8, fresh, asi, fel, gzf	Rvg	2%	1%		667	0.34	180	160	<1
	19	Gpp	A7, fresh, asi, qz, gzy; py, dis & mass.	Rvg	1%	5%						
	20	Gpp	A7, fresh, asr, qz, gzy; py-dis		1%	2%						



DOMINION MINING LIMITED

Page 2 of 3

DRILL LOG

Method: RC PERC. Project: WINGA N. Prospect: LITTLE YARDS Hole No: ALC.01

Collar co-ordinates: Nominal N: 14090 E: 32462 Surveyed N: _____ E: _____ RL: _____

Inclination: 60° Azimuth: 267° (neg) Date: 10/11/93 Logged: NTM Sampled: Doni B.

Laboratory: AMDEL Analytical Method: AA7 Job No: 3DN 1116 Downhole Survey?: _____

Depth		Lithology Code	Description	Mineralization			Sample No's Prefix <u>DS8</u>	Assay Results			
From	To			qz	py			Au	As	Cu	Bi
20	21	Gpp	fresh, gzy/c, qz, fel, asi; py - dis	-	2%		668	0.27	1900	220	4
	22	Gpp	fresh, gzc, qz, fel, asi; py - dis & mas, asp - trace	-	5%						
	23	Gpp	fresh, gzc, qz, fel, asi; py - dis. indistinct qz grains	1	3%						
	24	Gpp	DITTO trace sp		5%		669	0.45	4290	145	9
	25	Gpp	DITTO Rvg	1%	1%						
	26	Gpp	DITTO Rvg	5%	5%						
	27	Gpp	DITTO	1%	2%		670	0.04	310	155	<1
	28	Sct/Gpp	DITTO + Sct - AG7, gzv, fresh,	1%	2%						
	29	Sct	Sct - gzv, AG7, fresh; py - dis, gzv	1%	2%						
	30	Sct/Ssl	Sct - DITTO Ssl - dark grey, opaque, qz f; white, gzf - Rvg; py - mas.	10%	10%		671	0.10	740	190	<1
	31	Sct/Ssl	Sct - DITTO, asi, Ssl - AG7, opq & trl, asi (poss. Gpp)	-	1%						
	32	Gpp	Gpp - A7, translucent, asi, fresh, gzn, py - dis	1%	2%						
	33	ipp	Gpp - A7, DITTO py		2%		672	0.84	150	160	1
	34	ipp	Gpp - A7, DITTO		1%						
	35	Gpp	Gpp - DITTO		1%						
	36	Gpp	ipp - DITTO		2		673	0.57	340	115	<1
	37	Gpp	Gpp - DITTO Rvg	3%	3%						
	38	ipp	Gpp - DITTO Rvg	2%	3%						
	39	Gpp	Gpp - DITTO	1%	2%		674	0.24	650	200	<1
	40	Gpp/Gdl	Gpp - DITTO Gdl - W, gel, fresh - minor	5%	2%						



Method: RC PERC ✓

Project: WNCN A.

Prospect: CATTLEYARDS, AAR GRD Hole No: ARC.01

Nominal N: 14090

E: 3246Z

Surveyed N:

E:

RL:

Inclination:

69.

Azimuth: _____

267. incg

Date:

10/11/93

Logged:

Handwritten signature

Sampled:

Douglas B.

Laboratory: AMDEL

Analytical Method: AA7

Job No: 3DN 1116

Downhole Survey?:


Depth		Lithology Code	Description	Mineralization			Sample No's Prefix D58	Assay Results			
From	To			gZ	PY			Au	AS	Cu	Bi
40	41	Gpp?	Gpp - fresh, gZ y. amethystine gZ grains, 451, gZm/y	11%	21%						
	42	Gpp?	DITTO	51%	11%		675	0.42	310	340 3	
	43	Gpp?	DITTO	11%	11%						
	44	Gpp	DITTO	11%	11%						
	45	Gpp	DITTO	11%	11%		676	0.14	115	240 <1	
	46		HOLD ABD. @ 45m								
			DUE BROKEN HAMMER								
			Gpp could be silicified Gdl?								

Final

ANALYTICAL REPORT

SAMPLE	Au	AuDup1	As	Cu	Bi
D58651					
D58652					
D58653					
D58654					
D58655					
D58656					
D58657					
D58658					
D58659					
D58660					
D58661					
D58662	0.33	--	450	115	<1
D58663	0.15	--	730	105	<1
D58664	0.14	--	500	90	<1
D58665	0.25	--	430	76	<1
D58666	0.24	--	65	190	<1
D58667	0.34	--	180	160	<1
D58668	0.27	--	1900	220	4
D58669	0.45	--	4290	145	9
D58670	0.04	--	310	155	<1
D58671	0.06	0.13	740	190	<1
D58672	0.84	--	150	160	1
D58673	0.57	--	340	115	<1
D58674	0.24	--	650	200	<1
D58675	0.42	--	310	340	3
D58676	0.14	--	115	240	<1

UNITS	ppm	ppm	ppm	ppm	ppm
DET.LIM	0.02	0.02	5	1	1
SCHEME	AA7	AA7	AA7	AA7	AA7



EL 8003

• Mount Ellison

landing ground


■ Ban Ban Springs

EL 8003


Legend

- Sample location
- Sample number
- Sample location
- Sample number

DOMINION MINING LIMITED	
PROJECT: WOOLWONGA	
PROSPECT: HOMESTEAD - EL 8003	
N.T.	
SOIL GEOCHEMISTRY	
Au (ppb) & Sample No.	
ORIG: R.Motion	DRAWN BY: M.G./J.V.
SCALE: 1 : 10 000	PLATE No: 1
DATE: May 1994	PLAN No: 2D-C153



DOMINION MINING LIMITED			
PROJECT: WOOLWONGA		PROSPECT: HOMESTEAD - EL 8003	
SCALE: 1:10 000		DATE: May 1994	
DRAWN BY: M.G./J.V.		PLATE No: 2	
PLAN No: 2D-C157			



DOMINION MINING LIMITED	
PROJECT: WOOLWONGA	
PROSPECT: HOMESTEAD - EL 8003	N.T.
RC, VACUUM & AIRCORE DRILLING	
Au (ppb) & Sample No.	
ORIG: R.Motton	DRAWN BY: M.G./J.V.
SCALE: 1" TO 600'	PLATE No: 3
DATE: May 1994	PLAN No: 2D-D27