



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 1
Finalized Date: 13-JUN-2007
Account: URAOIL

QC CERTIFICATE AS07046694

Project: ETHEL CREEK

P.O. No.: 210912

This report is for 33 Soil samples submitted to our lab in Alice Springs, NT, Australia on 8-MAY-2007.

The following have access to data associated with this certificate:

BILL BANNISTER

DAVID OFARRELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Au-TL43	Trace Level Au - 25g AR	ICP-MS
ME-ICP43	Up to 17 element add-on AR Au	ICP-AES

To: URANIUM OIL AND GAS
ATTN: DAVID OFARRELL
PO BOX 4112
VICTORIA PARK WA 6979

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Wayne Abbott, Operations Manager, Western Australia



Account: URAOIL

Project: ETHEL CREEK

QC CERTIFICATE OF ANALYSIS AS07046694

Sample Description	Method Analyte Units LOR	Au-TL43 Au ppm 0.001	ME-ICP43 As ppm 1	ME-ICP43 Cu ppm 1	ME-ICP43 Pb ppm 1	ME-ICP43 Zn ppm 1
ST-252 Target Range - Lower Bound Upper Bound ST-421 Target Range - Lower Bound Upper Bound BLANK Target Range - Lower Bound Upper Bound 14512 DUP Target Range - Lower Bound Upper Bound	STANDARDS					
	ST-252	0.060	44	85	122	86
	Target Range - Lower Bound	0.048	39	75	110	76
	Upper Bound	0.064	49	93	136	96
	ST-421	0.453	56	3460	1860	922
	Target Range - Lower Bound	0.380	49	3130	1620	827
	Upper Bound	0.490	63	3830	1985	1015
	BLANKS					
	BLANK	<0.001	<1	<1	<1	<1
	Target Range - Lower Bound	<0.001	<1	<1	<1	<1
	Upper Bound	0.002	2	2	2	2
	DUPLICATES					
	14512	<0.001	7	11	8	17
	DUP	<0.001	8	13	9	20
	Target Range - Lower Bound		5	9	6	15
	Upper Bound	0.003	10	15	11	22
14532 DUP Target Range - Lower Bound Upper Bound	<0.001	6	11	8	27	
	0.001	7	12	9	30	
		4	9	6	24	
	0.003	9	14	11	33	