



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 1
Finalized Date: 12-JUN-2007
Account: URAOIL

QC CERTIFICATE AS07046695

Project: ETHEL CREEK

P.O. No.: 210913

This report is for 9 Rock samples submitted to our lab in Alice Springs, NT, Australia on 8-MAY-2007.

The following have access to data associated with this certificate:

BILL BANNISTER

DAVID OFARRELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
LEV-01	Waste Disposal Levy
LOG-22	Sample login - Rcd w/o BarCode
WSH-22	"Wash" pulverizers
PUL-21	Pulverize entire sample

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP43	Up to 17 element add-on AR Au	ICP-AES
Au-TL43	Trace Level Au - 25g AR	ICP-MS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: URANIUM OIL AND GAS
ATTN: DAVID OFARRELL
PO BOX 4112
VICTORIA PARK WA 6979

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Wayne Abbott, Operations Manager, Western Australia



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - A

Total # Pages: 3 (A)


Finalized Date: 12-JUN-2007

Account: URAOIL

Project: ETHEL CREEK

QC CERTIFICATE OF ANALYSIS AS07046695

Method	Au-TL43	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP43	ME-ICP43	ME-ICP43	ME-ICP43
Analyte	Au	K	Th	U	W	As	Cu	Pb	Zn
Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.001	0.01	20	10	10	1	1	1	1
Sample Description									
STANDARDS									
BM-9/A	0.02	<20	<10	<10					
Target Range - Lower Bound	<0.01		<10	<10					
Upper Bound	0.03		20	20					
G2000	0.41	<20	<10	10					
Target Range - Lower Bound	0.37	<20	<10	<10					
Upper Bound	0.47	40	20	20					
ST-252	0.060								
ST-252	0.055								
ST-252	0.049					41	85	114	84
Target Range - Lower Bound	0.048					39	75	110	76
Upper Bound	0.064					49	93	136	96
ST-421	0.466					52	3640	1910	957
Target Range - Lower Bound	0.380					49	3130	1620	827
Upper Bound	0.490					63	3830	1985	1015
BLANKS									
BLANK	<0.01	<20	<10	<10					
BLANK	0.001								
BLANK	0.001					<1	<1	<1	<1
Target Range - Lower Bound	<0.001	<0.01	<20	<10	<10	<1	<1	<1	<1
Upper Bound	0.002	0.02	40	20	20	2	2	2	2
DUPLICATES									
FLUSH C	0.002								
DUP	0.002					1	29	2	7
Target Range - Lower Bound							25		4
Upper Bound	0.004					3	33	4	10
LURC 6472	0.24	220	<10	<10					
DUP	0.24	210	<10	<10					
Target Range - Lower Bound	0.21	160							
Upper Bound	0.27	270	30	30					



Account: URAOIL

Project: ETHEL CREEK

Sample Description	Method Analyte Units LOR	Au-TL43 Au ppm	ME-ICP41 K %	ME-ICP41 Th ppm	ME-ICP41 U ppm	ME-ICP41 W ppm	ME-ICP43 As ppm	ME-ICP43 Cu ppm	ME-ICP43 Pb ppm	ME-ICP43 Zn ppm
		0.001	0.01	20	10	10	1	1	1	1
LURC 5474 DUP Target Range - Lower Bound Upper Bound		DUPLICATES 0.001 <0.001 0.003								
LU 1 -80# DUP Target Range - Lower Bound Upper Bound		0.29 0.27 0.25 0.31	<20 30	<10 10	<10 10					
LU 3 -80# DUP Target Range - Lower Bound Upper Bound		<0.001 <0.001 0.003								