
HyMap Data Acquisition Report

AUGUST 2006



CAMECO AUSTRALIA PTY LTD

Arnhem Land, NT

TABLE OF CONTENTS

1. PROJECT OVERVIEW	1
2. ACQUISITION SUMMARY	1
3. HYMAP AIRBORNE IMAGING SENSOR	2
4. SURVEY PLANNING AND SPECIFICATIONS	4
4.1 PLANNING REPORT	5
4.2 FLIGHT LINE LAYOUT.....	8
5. HYMAP DATA PRODUCTS	10
5.1 RADIANCE DATA FILES	12
5.2 REFLECTANCE DATA FILES	15
5.3 GEOCORRECTION DATA FILES	16
6. DATA DELIVERY INFORMATION	19
7. ANNEXES	47
7.1 GPS FLIGHTPATH MAP	
7.2 HYMAP DATA COVERAGE MAP	
7.3 HYMAP OPERATOR DATA LOG	

1. PROJECT OVERVIEW

HyVista Corporation was contracted by Cameco Australia Pty Ltd. to acquire hyperspectral data over selected areas in Arnhem Land, Northern Territory. The data acquisition was proposed to occur during the top end dry season from April to September 2006. The data acquisition occurred on the 19th August 2006. A total of 29 HyMap image strips covering approximately 1,150km² were acquired at a spatial resolution of 5m. The HyMap data products that have been delivered are radiance, reflectance and geocorrected data. The following report contains information on sensor specifications, survey site parameters, flight logs, image mosaics and HyVista data product information.

2. ACQUISITION SUMMARY

Site Name(s) : cameco
Location : Arnhem Land, NT
Date of Acquisition : 19 th August 2006
Company : Cameco Australia Pty Ltd
Contact : Geoff Beckitt – Geoff_Beckitt@cameco.com.au
HVC Contact : Peter Cocks – pac@hyvista.com

3. HYMAP™ AIRBORNE IMAGING SENSOR

The HyMap sensor is an airborne imaging system that is used for earth resources remote sensing. It records a digital image of the earth's sunlit surface underneath the aircraft but unlike standard aerial cameras, the HyMap records images in a large number of wavelengths. In essence, the HyMap is an airborne spectrometer and like spectrometers used in analytical chemistry, it can detect and identify materials by the spectral features contained in the recorded data.

The HyMap records an image of the earth's surface by using a rotating scan mirror which allows the image to build line by line as the aircraft flies forward. The reflected sunlight collected by the scan mirror is then dispersed into different wavelengths by four spectrometers in the system. The spectral and image information from the spectrometers is digitised and recorded on tape.

The HyMap sensor utilizes four 32-element detector arrays (1 Si, 3 liquid-nitrogen cooled InSb) to provide 126 spectral channels covering the 450nm to 2500nm spectral range over a 512 pixel swath.

To minimise distortion induced in the image by aircraft pitch, roll and yaw motions, the HyMap is mounted in a gyro-stabilised platform (Zeiss SM2000). While the platform minimises the effects of aircraft motion, small image distortions remain. These residual motions are monitored with a 3 axis gyro, 3 axis accelerometer system (IMU – inertial monitoring unit). The system currently used with the HyMap is a Boeing C-MIGITS II.

Associated with the actual HyMap optical system is an electronics sub-system which is rack mounted in the aircraft. This electronics sub-system provides the sensor with power and contains a computer system that controls the data acquisition process. There is a touch screen monitor used by the operator to set data acquisition parameters, start and stop recording, view the image as it is being acquired and review various engineering status indicators (power, temperature etc).

The HyMap system has been designed to operate in aircraft that have standard aerial photo-ports. The angular width of the recorded image is 61.3 degrees or about 2.3 km when operating 2000m above ground level. Typically, the spatial resolution achieved with the HyMap is in the range 3 to 10 m.


The general technical specifications of the HyMap system are given in the tables below:

Typical Operational Parameters	
Platform	Light, twin engine aircraft e.g. Cessna 404, unpressurised
Altitudes	2000 – 5000 m AGL
Ground Speeds	110 – 180 kts

Spatial Configuration	
IFOV	2.5 mr along track 2.0 mr across track
FOV	61.3 degrees (512 pixels)
Swath	2.3 km at 5m IFOV (along track) 4.6 km at 10m IFOV (along track)

Typical Spectral Configuration			
<i>Module</i>	<i>Spectral range</i>	<i>Bandwidth across module</i>	<i>Average spectral sampling interval</i>
VIS	0.45 – 0.89 μm	15 – 16 nm	15 nm
NIR	0.89 – 1.35 μm	15 – 16 nm	15 nm
SWIR1	1.40 – 1.80 μm	15 – 16 nm	13 nm
SWIR2	1.95 – 2.48 μm	18 – 20 nm	17 nm

The following figures show the HyMap and associated electronics installed in a light, twin-engine aircraft.



4. SURVEY PLANNING AND SPECIFICATIONS

HyVista Corporation established in consultation with the client an optimum survey plan designed to deliver a combination of spatial resolution and survey efficiency.

For survey operations and flight logistics and planning, HyVista utilises two integrated software and hardware packages.

The first is Flitemap (Jeppesen - www.jeppesen.com) which is a high resolution moving map and flight planning application. Using HyVista propriety software, flight line information is plotted as user waypoints and entered to the FliteMap database. This information then can be used to plan day to day flight logistics and flight logging and reporting. Another important feature of Flitemap is the ability to log the GPS signal from the HyMap system while in flight. A GPS signal is transmitted from the HyMap system via the Omnistar 3000LR DGPS as RTCM. This signal is recorded every second and plotted on the Flitemap display and can also be saved for archiving and reporting purposes to easily and quickly show terrain coverage and target acquisition completion.

The second and most important survey operation software/hardware package is Eztrack Aerial Survey System (TRACK' AIR – www.trackair.com). The system is a combination of specially developed software and hardware tools integrated to streamline airborne survey operations. The system consists of an equipment kit and the TRACKER planning and reporting software. This includes the TECI (Tracker External Camera Interface), snapSHOT software running on a laptop, a panel display for pilot viewing and a complementary cross track indicator (CTI) for the pilot. The Eztrack is a complete Aerial Survey System which starts at the planning stages of a survey mission. Utilising snapXYZ and snapPLAN a survey area consisting of flight lines can be planned in minutes from any waypoint or polygon coordinates. Flight lines are stored in a database system making it easy to archive and report survey missions. Tracker also accepts many different projections and datums making it easy to use with different client needs. Actual flight operation utilises the Eztrack hardware and snapSHOT software. The Eztrack receives a GPS signal transmitted from the HyMap system via the Omnistar 3000LR DGPS as RTCM. This increases the accuracy of flight line operations.

4.1 PLANNING REPORT

Site Name : NT - Cameco

Project name: AUS2006
Project number: AUS2006

Flying height agl: 2000 m
Field of view: 61

TOTAL QUANTITIES

Totals for runs + strips
Total lines: 29
Total length (km): 489 km
Total length (nm): 264 nm

Strip number: 1

Course: 090°/270°
Length: 14.4 km
Swath width: 2356 m

WGS84 Start: -12 15.267 / 133 37.294
WGS84 End: -12 15.272 / 133 45.233

UTM Start: [53] 350 074 / 8644 926
UTM End: [53] 364 467 / 8644 987

Strip number: 2

Course: 090°/270°
Length: 14.4 km
Swath width: 2356 m

WGS84 Start: -12 16.351 / 133 37.289
WGS84 End: -12 16.357 / 133 45.229

UTM Start: [53] 350 076 / 8642 928
UTM End: [53] 364 469 / 8642 988

Strip number: 3

Course: 090°/270°
Length: 14.4 km
Swath width: 2356 m

WGS84 Start: -12 17.441 / 133 37.295
WGS84 End: -12 17.446 / 133 45.235

UTM Start: [53] 350 096 / 8640 919
UTM End: [53] 364 489 / 8640 980

Strip number: 4

Course: 090°/270°
Length: 14.4 km
Swath width: 2356 m

WGS84 Start: -12 18.530 / 133 37.295
WGS84 End: -12 18.530 / 133 45.235

UTM Start: [53] 350 107 / 8638 912
UTM End: [53] 364 499 / 8638 981

Strip number: 5

Course: 090°/270°
Length: 9.8 km
Swath width: 2356 m

WGS84 Start: -12 20.210 / 133 24.819
WGS84 End: -12 20.220 / 133 30.252

UTM Start: [53] 327 508 / 8635 690
UTM End: [53] 337 357 / 8635 727

Strip number: 6

Course: 090°/270°
Length: 9.8 km
Swath width: 2356 m

WGS84 Start: -12 21.304 / 133 24.818
WGS84 End: -12 21.309 / 133 30.252

UTM Start: [53] 327 519 / 8633 673
UTM End: [53] 337 368 / 8633 719

Strip number: 7

Course: 090°/270°
Length: 9.8 km
Swath width: 2356 m

WGS84 Start: -12 22.393 / 133 24.803
WGS84 End: -12 22.403 / 133 30.238

UTM Start: [53] 327 504 / 8631 665
UTM End: [53] 337 354 / 8631 702

Strip number: 8

Course: 090°/270°
Length: 18.9 km
Swath width: 2356 m

WGS84 Start: -12 23.478 / 133 19.798
WGS84 End: -12 23.497 / 133 30.238

UTM Start: [53] 318 444 / 8629 608
UTM End: [53] 337 365 / 8629 686

Strip number: 9

Course: 090°/270°
Length: 9.8 km
Swath width: 2356 m

WGS84 Start: -12 24.585 / 133 24.812
WGS84 End: -12 24.591 / 133 30.242

UTM Start: [53] 327 543 / 8627 623
UTM End: [53] 337 384 / 8627 669

Strip number: 10

Course: 000°/180°
Length: 22.4 km
Swath width: 2356 m

WGS84 Start: -12 45.280 / 133 19.756
WGS84 End: -12 33.112 / 133 19.837

UTM Start: [53] 318 623 / 8589 410
UTM End: [53] 318 628 / 8611 847

Strip number: 11

Course: 000°/180°
Length: 22.4 km
Swath width: 2356 m

WGS84 Start: -12 45.281 / 133 20.861
WGS84 End: -12 33.113 / 133 20.946

UTM Start: [53] 320 623 / 8589 422
UTM End: [53] 320 636 / 8611 858

Strip number: 12

Course: 000°/180°
Length: 22.4 km
Swath width: 2356 m

WGS84 Start: -12 45.310 / 133 21.975
WGS84 End: -12 33.142 / 133 22.055

UTM Start: [53] 322 640 / 8589 381
UTM End: [53] 322 645 / 8611 817

Strip number: 13

Course: 000°/180°
Length: 22.4 km
Swath width: 2356 m

WGS84 Start: -12 45.292 / 133 23.085
WGS84 End: -12 33.128 / 133 23.169

UTM Start: [53] 324 648 / 8589 427
UTM End: [53] 324 662 / 8611 854

Strip number: 14

Course: 000°/180°
Length: 22.4 km
Swath width: 2356 m

WGS84 Start: -12 45.311 / 133 24.213
WGS84 End: -12 33.143 / 133 24.297

UTM Start: [53] 326 691 / 8589 404
UTM End: [53] 326 705 / 8611 839

Strip number: 15

Course: 000°/180°
Length: 22.4 km
Swath width: 2356 m

WGS84 Start: -12 45.321 / 133 25.318
WGS84 End: -12 33.152 / 133 25.400

UTM Start: [53] 328 690 / 8589 398
UTM End: [53] 328 703 / 8611 834

Strip number: 16

Course: 000°/180°
Length: 10.3 km
Swath width: 2356 m

WGS84 Start: -12 45.350 / 133 26.427
WGS84 End: -12 39.740 / 133 26.468

UTM Start: [53] 330 698 / 8589 357
UTM End: [53] 330 709 / 8599 701

Strip number: 17

Course: 000°/180°
Length: 10.3 km
Swath width: 2356 m

WGS84 Start: -12 45.364 / 133 27.537
WGS84 End: -12 39.759 / 133 27.572

UTM Start: [53] 332 707 / 8589 343
UTM End: [53] 332 709 / 8599 677

Strip number: 18

Course: 000°/180°
Length: 10.3 km
Swath width: 2356 m

WGS84 Start: -12 45.364 / 133 28.647
WGS84 End: -12 39.759 / 133 28.681

UTM Start: [53] 334 715 / 8589 354
UTM End: [53] 334 717 / 8599 689

Strip number: 19

Course: 000°/180°
Length: 10.3 km
Swath width: 2356 m

WGS84 Start: -12 45.365 / 133 29.756
WGS84 End: -12 39.759 / 133 29.796

UTM Start: [53] 336 723 / 8589 365
UTM End: [53] 336 734 / 8599 700

Strip number: 20

Course: 000°/180°
Length: 10.3 km
Swath width: 2356 m

WGS84 Start: -12 45.365 / 133 30.861
WGS84 End: -12 39.759 / 133 30.900

UTM Start: [53] 338 722 / 8589 376
UTM End: [53] 338 733 / 8599 711

Strip number: 21

Course: 000°/180°
Length: 10.3 km
Swath width: 2356 m

WGS84 Start: -12 45.365 / 133 31.971
WGS84 End: -12 39.760 / 133 32.005

UTM Start: [53] 340 730 / 8589 388
UTM End: [53] 340 733 / 8599 722

Strip number: 22

Course: 000°/180°
Length: 10.3 km
Swath width: 2356 m

WGS84 Start: -12 45.365 / 133 33.075
WGS84 End: -12 39.760 / 133 33.113

UTM Start: [53] 342 729 / 8589 399
UTM End: [53] 342 740 / 8599 733

Strip number: 23

Course: 000°/180°
Length: 10.3 km
Swath width: 2356 m

WGS84 Start: -12 45.365 / 133 34.181
WGS84 End: -12 39.760 / 133 34.218

UTM Start: [53] 344 729 / 8589 410
UTM End: [53] 344 740 / 8599 744

Strip number: 24

Course: 000°/180°
Length: 28.7 km
Swath width: 2356 m

WGS84 Start: -12 45.350 / 133 35.304
WGS84 End: -12 29.759 / 133 35.406

UTM Start: [53] 346 762 / 8589 448
UTM End: [53] 346 792 / 8618 192

Strip number: 25

Course: 000°/180°
Length: 28.7 km
Swath width: 2356 m

WGS84 Start: -12 45.369 / 133 36.419
WGS84 End: -12 29.783 / 133 36.519

UTM Start: [53] 348 779 / 8589 424
UTM End: [53] 348 809 / 8618 159

Strip number: 26

Course: 000°/180°
Length: 28.7 km
Swath width: 2356 m

WGS84 Start: -12 45.392 / 133 37.533
WGS84 End: -12 29.801 / 133 37.628

UTM Start: [53] 350 796 / 8589 392
UTM End: [53] 350 818 / 8618 136

Strip number: 27

Course: 000°/180°
Length: 29.0 km
Swath width: 2356 m

WGS84 Start: -12 45.410 / 133 38.643
WGS84 End: -12 29.684 / 133 38.741

UTM Start: [53] 352 804 / 8589 370
UTM End: [53] 352 833 / 8618 363

Strip number: 28

Course: 000°/180°
Length: 29.0 km
Swath width: 2356 m

WGS84 Start: -12 45.410 / 133 39.757
WGS84 End: -12 29.683 / 133 39.855

UTM Start: [53] 354 820 / 8589 381
UTM End: [53] 354 850 / 8618 374


Strip number: 29


Course: 090°/270°
Length: 12.0 km
Swath width: 2356 m

WGS84 Start: -12 29.576 / 133 37.566
WGS84 End: -12 29.572 / 133 44.207

UTM Start: [53] 350 703 / 8618 550
UTM End: [53] 362 732 / 8618 617

TRACKER
Flight Line Layout
NT – Cameco





HyMap Survey Overview

ARNHEM LAND

Cameco Australia Pty Ltd



5. HYMAP DATA PRODUCTS

The data processing and data products that HyVista Corporation delivered were radiance calibrated data (at sensor), atmospheric correction (to apparent reflectance) and geometric correction. All data are delivered as ENVI™ compatible files and was delivered on a Maxtor external hard drive.

In operation, the HyMap sensor records 128 spectral bands of data. However, the delivered data contains 126 bands because two bands (band 1 and 33 of the VIS module) are deleted during the pre-processing steps.

Spectral and radiometric calibration of the HyMap sensor was accomplished prior to the survey and this information was used to allow the conversion of the raw DN counts to radiance values in $\mu\text{W}/\text{cm}^2 \text{ nm sr}$.

Atmospheric correction (spectral processing to remove the effects of atmospheric absorptions and scattering) was performed using the HyCorr software package. HyCorr is a program for converting raw, “near-raw” or radiance HYMAP images to apparent surface reflectance. HyCorr offers two levels of processing. The simpler level is essentially compatible with ATREM3 processing. The more advanced level consists of an ATREM pass followed by an EFFORT polishing pass to remove systematic ATREM errors.

Geometric correction algorithms were used to correct the hyperspectral data. The HyMap system is mounted on a Zeiss SM2000 gyro-stabilised platform that provides 5 degrees of pitch and roll correction and 8 degrees of yaw correction. High quality DGPS integrated with a Boeing CMIGITS II GPS/INS inertial monitoring unit was used to provide sensor pointing data to precisely geocode the raw data. Geometric correction factors are provided to convert the data to map coordinates and provide GIS ready, map-based products.

Listed below is a summary of the pre-processing stages.

Radiance	<i>Radiometric Calibration Date</i> <i>DN_Rad File</i> <i>Software Version</i>	01/08/2006 calibration_hymap2_01aug2006.txt 2.3
Reflectance	<i>Software</i> <i>Aerosol Model</i> <i>Atmospheric Model</i> <i>Total Ozone</i> <i>Visibility</i> <i>H2O vapour modeling</i> <i>EFFORT correction</i>	HyCorr v2 Continental Mid Latitude Summer 0.34 (atm-cm) 50 km Minerals, Rocks and Soils YES
Geocorrection	<i>Software</i> <i>Digital Elevation Model</i>	HyGeo v1.6 SRTM 3

Below is listed the files that are delivered followed by a complete description of each.

Radiance Data Files

“filename”_rad.bil – HyMap image data, 126 channels x 512 pixels x N lines (BIL format).
“filename”_rad.hdr – associated ENVI header file.
“filename”_q.img – single band (VIS ch25) quicklook image (BSQ format). **image will be flipped*
“filename”_q.hdr – associated ENVI header file.
“filename”_mask.bsq – masking output file (BSQ format).
“filename”_mask.hdr – associated ENVI header file.
“filename”_c.cal – internal lamp data, 128 channels x 10 pixels.
“filename”_c.hdr – associated ENVI header file.
“filename”_d.drk – dark current data, 128 channels x 10 pixels.
“filename”_d.hdr – associated ENVI header file.
“filename”.JPG – composite true colour (3 band RGB) image in JPG format.

Reflectance Data Files

“filename”_ref.bil – HyMap image data, 126 channels x 512 pixels x N lines (BIL format).
“filename”_ref.hdr – associated ENVI header file.
“filename”_h2o.bil – water vapour band image.
“filename”_h2o.hdr – associated ENVI header file.
“filename”_eff_gain_sli – HyCorr EFFORT gain spectral library.
“filename”_eff_gain_sli.hdr – associated ENVI header file.
“filename”_eff_model_sli – HyCorr EFFORT model spectral library.
“filename”_eff_model_sli.hdr – associated ENVI header file.
“filename”_eff_raw_sli – HyCorr EFFORT final calibration spectral library.
“filename”_eff_raw_sli.hdr – associated ENVI header file.

Geocorrection Data Files

“filename”_geo.img – 3 band colour (RGB) geocoded “quicklook” image.
“filename”_geo.hdr – associated ENVI header file.
“filename”_geo.ers – associated ER-MAPPER header file.
“filename”_glt.bsq – Geographic Lookup Table file.
“filename”_glt.hdr – associated ENVI header file.
“filename”_igm.bil – Input Geometry file.
“filename”_igm.hdr – associated ENVI header file.
“filename”.gps – HyMap navigation file.
“filename”_ephemeris.txt – Aircraft ephemeris data for each scan line.
“filename”_report.txt – summary of the geocorrection parameters.

5.1 Radiance Data Files

“filename”_rad.bil

This file is the 126 band, 512 pixel wide image in BIL format that has been converted to physical units of radiance (strictly, the measurement is “at sensor radiance”). The data is in $\mu\text{W}/\text{cm}^2 \text{ nm sr}$.


The in-flight recorded DN (digital numbers) have been corrected for dark current/electronic offsets and converted to radiance using laboratory radiometric calibration information and in-flight measurements of the on-board calibration lamp.

Typically the file will be labelled as “filename”_rad.bil or “filename”_radiance.bil to further indicate that the data is in radiance units.

The preferred data format is a two byte, integer format and the data is rescaled to preserve dynamic range, especially in the SWIR range. This rescaling involves multiplying bands 1 – 62 by 1000 and bands 63 – 126 by 4000.

The wavelength and bandwidth (in nanometres) information is imbedded in the ENVI header file (*.hdr).

A typical radiance spectrum (over a vegetated scene) is shown below.



The HyMap sensor has 4 spectrometers (VIS, NIR, SWIR1 and SWIR2), each producing 32 spectral bands of imagery. The VIS and NIR provide contiguous sampling across the 900 nm region. In fact, the spectrometers are set up to provide a slight overlap in the long wavelength region of the VIS spectrometer and the short wavelength region of the NIR spectrometer.

Image data is written in band order from the VIS to the NIR to the SWIR1 to the SWIR2 spectrometer and this leads to the bands being in wavelength order except at the VIS – NIR overlap.

Typically, band 30 (the last band of the VIS spectrometer) of the radiance data will have a wavelength larger than band 31 (the first band of the NIR spectrometer).

When radiance spectra are plotted as a Z-profile in ENVI, the line of the plot is connected to the data points in band order, not wavelength order. This can give a “strange” appearance to the plot in the VIS-NIR overlap region.

“filename”_q.img

This file is a single band image in BSQ format. The file is used to provide a “quicklook” at the HyMap image. The image has the same dimensions as the radiance file but will be displayed in a mirrored orientation as it has been derived from the “raw” HyMap data. Therefore the image is displayed “as it is recorded on the HyMap system”. The band used is from VIS ch25.

“filename”_mask.bsq

This file is the masking output file. The file has the same dimensions as a 1-band image with byte formatting. A 1 value in a pixel represents a valid pixel while a 0 in the pixel represents an invalid mapped pixel in the radiance file. The masking process also sets pixels between 0 and the MinDN value back to zero, thus removing any negative radiance values that may have been generated due to very low signal bands with noise levels of greater than 1DN standard deviation. The file is imported by ENVI and used for masking corrupt pixels during data analysis.

“filename”_c.cal


During image acquisition, the HyMap sensor measures the on-board calibration lamp, acquiring a 10 pixel wide “image” after alternate image scan lines. This data is in DN and is used by HyVista Corp. during the radiometric pre-processing. The data in this file are not dark current/offset corrected. Typically, this file will be delivered in the HyMap 128 channel mode. (NOTE: in the 126 band radiance data, bands 1 and 32 have been deleted)

To most users, this file is of little value and has some properties that require additional information from HyVista Corp for a complete understanding.

“filename”_d.drk


During image acquisition, the HyMap sensor measures detector dark currents and offsets, acquiring a 10 pixel wide “image” after alternate image scan lines. The data is in DN and can be used to examine the dark current statistics. Typically, this file will be delivered in the HyMap 128 channel mode. (NOTE: in the 126 band radiance data, bands 1 and 32 have been deleted)

A typical mean dark current spectrum is shown below where data from the 4 spectrometers can be easily recognised.



Typical dark current noise (in rms DN) is shown in the following figure. Again the 4 spectrometer data can be easily recognised. Note that the details of both the mean and rms dark currents will be dependent of which detector array is installed at the time of the survey and on the electronic gains set during the laboratory calibration.

Note also that the rms dark current noise is dependent on the scan line acquisition rate. The higher the line rate, the higher the rms noise.



“filename”.JPG

This file is a 3-band colour image of the imported data. It is displayed as RGB as R-VISch18, G-VISch10, B-VISch4. It is radiance corrected and gaussian stretched to provide the best quality picture and is provided in the common JPG image format.

5.2 Reflectance Data Files

HyVista Corporation produces reflectance data files from the software HYCORR. HYCORR is a program for converting radiance HYMAP images to apparent surface reflectance. It offers two levels of processing. The simpler level is essentially compatible with ATREM3 processing. The more advanced level consists of an ATREM pass followed by an EFFORT polishing pass to remove systematic ATREM errors. EFFORT processing has been used on this dataset and the derived files are explained below.

“filename”_ref.bil

This is the main reflectance product. It is an ENVI file-pair with the same dimensions as the input image. It is also a BIL short-integer image and has been scaled by 10,000. (reflectance*10000.) Wavelength is displayed as um.

“filename”_h2o.bil

This file is the water-vapour band image. This gives the amount of water vapour modelled for each pixel. It has the same #samples and #lines as the input image but only 1 band. It is a short-integer image. It has (water vapour in atm-cm) * 1000.

“filename”_eff_gain_sli

This file is the HyCorr EFFORT gain spectral library. It is the EFFORT gain and error in finding the gain: It is in ENVI spectral library format.

“filename”_eff_model_sli

This file is the HyCorr EFFORT model spectral library. It is in ENVI spectral library format.

“filename”_eff_raw_sli

This file is the HyCorr EFFORT final calibration spectral library. It is in ENVI spectral library format.

5.3 Geocorrection Data Files

HyVista Corporation uses proprietary software for geocorrecting hyperspectral images collected by the HyMap airborne hyperspectral scanner. The software uses HyMap sensor position and orientation data collected at the same time as the image to calculate the position of each pixel in the image. The software uses this position information to map input image pixel values onto a geo-referenced grid of output image pixels.

The geocorrection software also makes use of a Digital Elevation Model (or DEM) of the geographic region containing the imagery.

The geocorrection software produces an "_igm" input geometry file, a "_glt" geometry lookup table file and, finally, the geo-corrected output image. All geocoded products are in the UTM projection and WGS84 datum. These files are explained in detail as follows.

"filename"_geo.img

Typically a 3 band colour (RGB) geocoded "quicklook" image. Bands used to derive the "true colour" image are R-ch15, G-ch9, B-ch3. When geocoded flight lines are mosaiced together, make sure to set the background value to ignore to -99. The null pixels around the images have this value. The "quicklook" image is produced with an associated ENVI header file and also produced with an associated ER-MAPPER header file. ("filename"_geo.ers)

"filename"_glt.bsq

The geometric lookup table file represents much of the important information that is created in the geo-correction process. The "_glt" file contains the information about which original pixel occupies which output pixel in the final product. Additionally, it is sign-coded to indicate if a certain output pixel is "real" or a nearest-neighbor in-fill pixel. The "_glt" file is a geo-corrected product, with a fixed pixel size projected into a rotated UTM system. The pixel size, scene elevation, UTM zone number, and rotation angle information is reported in an associated ASCII header file. The "_glt" file is two-byte integer binary data in a BIL format. The two bands of the "_glt" file refer to original sample number and original line number, respectively. The sign of the value indicates whether the pixel is an actual image pixel, located at its proper position indicated by a positive value) or a nearest-neighbor in-fill pixel placed to fill an under-sampled image gap (indicated by a negative value). A zero value signifies that no input pixel corresponds to this output pixel.

The importance of the "_glt" image and its role in identifying image gaps and in-fill pixels must be stressed, especially for studies involving small targets. The geometric lookup table file can be used to geo-correct any band or derived product through a simple lookup table procedure.

"filename"_igm.bil

Input geometry file that denotes the UTM Easting and Northing values derived by the geo-correction process for each original image pixel. The first band contains UTM Easting values in meters and the second band contains UTM Northing values in meters for each

original pixel. The input geometry file has the same spatial size as the raw HyMap imagery. The file is double precision, binary data in a BIL format. The pixel size, and UTM zone number information are given in an associated ASCII header file. The input geometry file itself is not geo-corrected, but does contain the geo-location information for each original raw pixel.

“filename”.gps

This file is the HyMap navigation file. The *.gps files is a multi-column ASCII file that is derived from the *.log file by HyVista Corp. proprietary software. The program “unpacks” the *.log file, synchronises times and generates an output which is indexed by scan line number. Not all possible parameters are supplied to a client; again it depends on the specifics of the survey contract. The table below shows the total list of possible output parameters.

Parameter	Example	Description	Comment
CMIGITS Time	419819098.2	Internal CMIGITS time in microseconds	Of no interest or value to end user
Pitch	0.85741807	IMU output Decimal degrees	
Roll	1.14817758	IMU output Decimal degrees	
Heading	-67.36104012	IMU output Decimal degrees	
Lat	39.9147011	DGPS output Decimal degrees (neg = Sth)	
Long	-116.3251269	DGPS output Decimal degrees (0 to 180 E, 0 to -180 W)	
Alt	4754.163811	DGPS output Metres above MSL	
UTC Time	61606.1032/5/10/2000	DGPS output Time of day in seconds /day/month/year	61606.1032= 17 Hrs,6 Min,46.1 Seconds
Grnd Spd	81.97301031	DGPS output Metres per second	
True Track	293.4184839	DGPS output Decimal degrees (0 to 360)	
DGPS	1	DGPS status 1 = DGPS being received 0 = no DGPS received	
Satellites	5	Number of satellites being received	
Line Num.	1	Image scan line number	
VME time	344844473	Internal computer tick time in microseconds	Of no interest or value to end user

All of the above timing, position and pointing information has been referenced to the **end** of the image scan line.

The parameters are derived as follows.

Once per second, the DGPS receiver generates an interrupt signal. At the time of this interrupt, the system records the VME time (referred to as tick time) and the CMIGITS time, both in microseconds. The DGPS receiver then sends UTC time, lat, long, altitude etc to the system referenced to the time of the interrupt signal.

At the end of each image scan line, VME time is recorded. The CMIGITS sends pitch, roll and heading information to the system at a 10 Hz rate and time tagged with CMIGITS time.

The program uses the CMIGITS and VME tick times to synchronise (and interpolate) the other parameters, including UTC time, to the time corresponding to the end of a scan line.

One question that might arise is “if the time is referenced to the end of the image scan line, what positional difference occurs from the centre pixel of the scan line to the end pixel?”

In the following table, the relationship between scan rate (lines per second) and along track positional difference between middle and end pixel is shown.

Line Rate (lines per second)	Time period per scan line (pixel 1 to pixel 512) in milliseconds	Difference(centre to last pixel) at 100 Kts	Difference (centre to last pixel) at 120 Kts	Difference (centre to last pixel) at 140 Kts
8	42.6	1.05 m	1.3 m	1.5 m
10	34.1	1.35 m	1.0 m	1.2 m
12	28.4	0.7 m	0.85 m	1.0 m
14	24.3	0.6 m	0.75 m	0.85 m
16	21.3	0.55 m	0.65 m	0.75 m

Thus it can be seen that unless positional information and/or geo-correction is being attempted at the metre or less precision, that the fact that the timing information generated is referenced to the end of the scan line rather than the centre contributes minimal error. The differences are smaller than the positional information derived from the DGPS and smaller than the accuracy of the IMU pointing information when traced to actual ground positions.

“filename”_ephemeris.txt

Aircraft ephemeris information for each scan line. The file contains: line number, UTM X meters), UTM Y (meters), altitude (meters), pitch (degrees), roll (degrees), and heading (degrees).

“filename”_report.txt

This file contains a summary of data used and generated by the geo-correction process.

6. DATA DELIVERY INFORMATION

All HyMap data has been delivered on Maxtor external hard drive (100GB). The data was dispatched for delivery on 28/08/2006 via courier.

Filename Conventions

The base filenames and directory naming convention used for the delivered HyMap data products are as follows.

Site Name

NT - Cameco

File Name

hy2-2006-08-19_cameco_01

DVD File/Directory List

Each DVD contains a base directory relating to the relevant flight line. Each base directory contains sub-directories for *radiance*, *geocorrection* and *reflectance* products. The files contained on the hard drive are listed below.

Generated on 2006-08-28 15:21 by Directory Lister v0.8.1		
g:\cameco\	35,704,407 KB	2006-08-28
<hy2-2006-08-19_cameco_01>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_02>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_03>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_04>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_05>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_06>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_07>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_08>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_09>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_10>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_11>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_12>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_13>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_14>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_15>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_16>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_17>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_18>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_19>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_20>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_21>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_22>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_23>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_24>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_25>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_26>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_27>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_28>	<DIR>	2006-08-28
<hy2-2006-08-19_cameco_29>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_01\	1,138,377 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-	44,416 KB	2006-08-28

19_cameco_01\geocorrection\		
hy2-2006-08-19_cameco_01_igm.bil	20,586 KB	2006-08-24
hy2-2006-08-19_cameco_01_glt.bsq	9,110 KB	2006-08-24
hy2-2006-08-19_cameco_01_geo.ers	1 KB	2006-08-24
hy2-2006-08-19_cameco_01.gps	704 KB	2006-08-19
hy2-2006-08-19_cameco_01_geo.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_01_glt.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_01_igm.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_01_geo.img	13,664 KB	2006-08-24
hy2-2006-08-19_cameco_01.ini	0 KB	2006-08-24
hy2-2006-08-19_cameco_01_geo.lim	5 KB	2006-08-24
hy2-2006-08-19_cameco_01_ephemeris.txt	341 KB	2006-08-24
hy2-2006-08-19_cameco_01_report.txt	4 KB	2006-08-24
g:\cameco\hy2-2006-08-19_cameco_01\L2\	211,104 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_01\L2\L2D\	211,104 KB	2006-08-28
<mosaic_temp>	<DIR>	2006-08-28
hy2-2006-08-19_cameco_01_rad_xtr.bil	34,310 KB	2006-08-24
hy2-2006-08-19_cameco_01_rad_xtr_geo.bil	45,548 KB	2006-08-24
hy2-2006-08-19_cameco_01_rad_xtr_geo.ers	1 KB	2006-08-24
hy2-2006-08-19_cameco_01_rad_xtr.hdr	1 KB	2006-08-24
hy2-2006-08-19_cameco_01_rad_xtr_geo.hdr	1 KB	2006-08-24
hy2-2006-08-19_cameco_01_rad_xtr_geo.lim	5 KB	2006-08-24
g:\cameco\hy2-2006-08-19_cameco_01\L2\L2D\mosaic_temp\	131,239 KB	2006-08-28
Stitch01030405.bil	131,239 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_01\radiance\	446,042 KB	2006-08-28
hy2-2006-08-19_cameco_01_rad.bil	432,306 KB	2006-08-23
hy2-2006-08-19_cameco_01_mask.bsq	1,716 KB	2006-08-23
hy2-2006-08-19_cameco_01_c.cal	4,288 KB	2006-08-19
hy2-2006-08-19_cameco_01_d.drk	4,290 KB	2006-08-19
hy2-2006-08-19_cameco_01_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_01_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_01_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_01_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_01_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_01_q.img	3,432 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_01\reflectance\	436,814 KB	2006-08-28
hy2-2006-08-19_cameco_01_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_01_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_01_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_01_h2o.bil	3,431 KB	2006-08-25
hy2-2006-08-19_cameco_01_ref.bil	432,306 KB	2006-08-25
hy2-2006-08-19_cameco_01_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_01_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_01_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_01_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_01_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_01_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_02\	1,077,615 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_02\geocorrection\	45,524 KB	2006-08-28
hy2-2006-08-19_cameco_02_igm.bil	22,170 KB	2006-08-24
hy2-2006-08-19_cameco_02_glt.bsq	8,886 KB	2006-08-24
hy2-2006-08-19_cameco_02_geo.ers	1 KB	2006-08-24

hy2-2006-08-19_cameco_02.gps	758 KB	2006-08-19
hy2-2006-08-19_cameco_02_geo.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_02_glt.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_02_igm.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_02_geo.img	13,329 KB	2006-08-24
hy2-2006-08-19_cameco_02.ini	0 KB	2006-08-24
hy2-2006-08-19_cameco_02_geo.lim	5 KB	2006-08-24
hy2-2006-08-19_cameco_02_ephemeris.txt	371 KB	2006-08-24
hy2-2006-08-19_cameco_02_report.txt	4 KB	2006-08-24
g:\cameco\hy2-2006-08-19_cameco_02\L2\	81,386 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_02\L2\L2D\	81,386 KB	2006-08-28
hy2-2006-08-19_cameco_02_rad_xtr.bil	36,950 KB	2006-08-24
hy2-2006-08-19_cameco_02_rad_xtr_geo.bil	44,429 KB	2006-08-24
hy2-2006-08-19_cameco_02_rad_xtr_geo.ers	1 KB	2006-08-24
hy2-2006-08-19_cameco_02_rad_xtr.hdr	1 KB	2006-08-24
hy2-2006-08-19_cameco_02_rad_xtr_geo.hdr	1 KB	2006-08-24
hy2-2006-08-19_cameco_02_rad_xtr_geo.lim	5 KB	2006-08-24
g:\cameco\hy2-2006-08-19_cameco_02\radiance\	480,362 KB	2006-08-28
hy2-2006-08-19_cameco_02_rad.bil	465,570 KB	2006-08-23
hy2-2006-08-19_cameco_02_mask.bsq	1,848 KB	2006-08-23
hy2-2006-08-19_cameco_02_c.cal	4,618 KB	2006-08-19
hy2-2006-08-19_cameco_02_d.drk	4,620 KB	2006-08-19
hy2-2006-08-19_cameco_02_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_02_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_02_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_02_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_02_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_02_q.img	3,696 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_02\reflectance\	470,342 KB	2006-08-28
hy2-2006-08-19_cameco_02_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_02_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_02_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_02_h2o.bil	3,695 KB	2006-08-25
hy2-2006-08-19_cameco_02_ref.bil	465,570 KB	2006-08-25
hy2-2006-08-19_cameco_02_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_02_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_02_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_02_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_02_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_02_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_03\	940,404 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_03\geocorrection\	42,865 KB	2006-08-28
hy2-2006-08-19_cameco_03_igm.bil	19,122 KB	2006-08-24
hy2-2006-08-19_cameco_03_glt.bsq	9,103 KB	2006-08-24
hy2-2006-08-19_cameco_03_geo.ers	1 KB	2006-08-24
hy2-2006-08-19_cameco_03.gps	654 KB	2006-08-19
hy2-2006-08-19_cameco_03_geo.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_03_glt.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_03_igm.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_03_geo.img	13,654 KB	2006-08-24
hy2-2006-08-19_cameco_03.ini	0 KB	2006-08-24
hy2-2006-08-19_cameco_03_geo.lim	5 KB	2006-08-24
hy2-2006-08-19_cameco_03_ephemeris.txt	321 KB	2006-08-24

hy2-2006-08-19_cameco_03_report.txt	4 KB	2006-08-24
g:\cameco\hy2-2006-08-19_cameco_03\L2\	77,391 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_03\L2\L2D\	77,391 KB	2006-08-28
hy2-2006-08-19_cameco_03_rad_xtr.bil	31,870 KB	2006-08-24
hy2-2006-08-19_cameco_03_rad_xtr_geo.bil	45,514 KB	2006-08-24
hy2-2006-08-19_cameco_03_rad_xtr_geo.ers	1 KB	2006-08-24
hy2-2006-08-19_cameco_03_rad_xtr.hdr	1 KB	2006-08-24
hy2-2006-08-19_cameco_03_rad_xtr_geo.hdr	1 KB	2006-08-24
hy2-2006-08-19_cameco_03_rad_xtr_geo.lim	5 KB	2006-08-24
g:\cameco\hy2-2006-08-19_cameco_03\radiance\	414,322 KB	2006-08-28
hy2-2006-08-19_cameco_03_rad.bil	401,562 KB	2006-08-23
hy2-2006-08-19_cameco_03_mask.bsq	1,594 KB	2006-08-23
hy2-2006-08-19_cameco_03_c.cal	3,983 KB	2006-08-19
hy2-2006-08-19_cameco_03_d.drk	3,985 KB	2006-08-19
hy2-2006-08-19_cameco_03_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_03_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_03_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_03_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_03_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_03_q.img	3,188 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_03\reflectance\	405,826 KB	2006-08-28
hy2-2006-08-19_cameco_03_eff_gain.sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_03_eff_model.sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_03_eff_raw.sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_03_h2o.bil	3,187 KB	2006-08-25
hy2-2006-08-19_cameco_03_ref.bil	401,562 KB	2006-08-25
hy2-2006-08-19_cameco_03_eff_gain.sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_03_eff_model.sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_03_eff_raw.sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_03_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_03_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_03_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_04\	1,210,936 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_04\geocorrection\	43,809 KB	2006-08-28
hy2-2006-08-19_cameco_04_igm.bil	21,864 KB	2006-08-24
hy2-2006-08-19_cameco_04_glt.bsq	8,327 KB	2006-08-24
hy2-2006-08-19_cameco_04_geo.ers	1 KB	2006-08-24
hy2-2006-08-19_cameco_04.gps	748 KB	2006-08-19
hy2-2006-08-19_cameco_04_geo.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_04_glt.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_04_igm.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_04_geo.img	12,490 KB	2006-08-24
hy2-2006-08-19_cameco_04.ini	0 KB	2006-08-24
hy2-2006-08-19_cameco_04_geo.lim	5 KB	2006-08-24
hy2-2006-08-19_cameco_04_ephemeris.txt	370 KB	2006-08-24
hy2-2006-08-19_cameco_04_report.txt	4 KB	2006-08-24
g:\cameco\hy2-2006-08-19_cameco_04\L2\	229,529 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_04\L2\L2D\	229,529 KB	2006-08-28
<mosaic_temp>	<DIR>	2006-08-28
hy2-2006-08-19_cameco_04_rad_xtr.bil	36,440 KB	2006-08-24
hy2-2006-08-19_cameco_04_rad_xtr_geo.bil	41,633 KB	2006-08-24

hy2-2006-08-19_cameco_04_rad_xtr_geo.ers	1 KB	2006-08-24
hy2-2006-08-19_cameco_04_rad_xtr.hdr	1 KB	2006-08-24
hy2-2006-08-19_cameco_04_rad_xtr_geo.hdr	1 KB	2006-08-24
hy2-2006-08-19_cameco_04_rad_xtr_geo.lim	5 KB	2006-08-24
g:\cameco\hy2-2006-08-19_cameco_04\L2\L2D\mosaic_temp\	151,449 KB	2006-08-28
Stitch010102.bil	77,305 KB	2006-08-24
Stitch010304.bil	74,139 KB	2006-08-24
Stitch010102.ers	1 KB	2006-08-24
Stitch010304.ers	1 KB	2006-08-24
Stitch010102.hdr	1 KB	2006-08-24
Stitch010304.hdr	1 KB	2006-08-24
g:\cameco\hy2-2006-08-19_cameco_04\radiance\	473,732 KB	2006-08-28
hy2-2006-08-19_cameco_04_rad.bil	459,144 KB	2006-08-23
hy2-2006-08-19_cameco_04_mask.bsq	1,822 KB	2006-08-23
hy2-2006-08-19_cameco_04_c.cal	4,555 KB	2006-08-19
hy2-2006-08-19_cameco_04_d.drk	4,555 KB	2006-08-19
hy2-2006-08-19_cameco_04_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_04_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_04_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_04_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_04_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_04_q.img	3,645 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_04\reflectance\	463,865 KB	2006-08-28
hy2-2006-08-19_cameco_04_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_04_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_04_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_04_h2o.bil	3,644 KB	2006-08-25
hy2-2006-08-19_cameco_04_ref.bil	459,144 KB	2006-08-25
hy2-2006-08-19_cameco_04_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_04_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_04_eff_raw_sli.hdr	44 KB	2006-08-25
hy2-2006-08-19_cameco_04_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_04_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_04_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_05\	686,501 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_05\geocorrection\	31,579 KB	2006-08-28
hy2-2006-08-19_cameco_05_igm.bil	13,932 KB	2006-08-24
hy2-2006-08-19_cameco_05_glt.bsq	6,770 KB	2006-08-24
hy2-2006-08-19_cameco_05_geo.ers	1 KB	2006-08-24
hy2-2006-08-19_cameco_05.gps	477 KB	2006-08-19
hy2-2006-08-19_cameco_05_geo.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_05_glt.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_05_igm.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_05_geo.img	10,155 KB	2006-08-24
hy2-2006-08-19_cameco_05.ini	0 KB	2006-08-24
hy2-2006-08-19_cameco_05_geo.lim	6 KB	2006-08-24
hy2-2006-08-19_cameco_05_ephemeris.txt	233 KB	2006-08-24
hy2-2006-08-19_cameco_05_report.txt	4 KB	2006-08-24
g:\cameco\hy2-2006-08-19_cameco_05\L2\	57,079 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_05\L2\L2D\	57,079 KB	2006-08-28
hy2-2006-08-19_cameco_05_rad_xtr.bil	23,220 KB	2006-08-25
hy2-2006-08-19_cameco_05_rad_xtr_geo.bil	33,851 KB	2006-08-25

hy2-2006-08-19_cameco_05_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_05_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_05_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_05_rad_xtr_geo.lim	6 KB	2006-08-25
mos_line_tmpl.txt	0 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_05\radiance\	301,872 KB	2006-08-28
hy2-2006-08-19_cameco_05_rad.bil	292,572 KB	2006-08-23
hy2-2006-08-19_cameco_05_mask.bsq	1,161 KB	2006-08-23
hy2-2006-08-19_cameco_05_c.cal	2,903 KB	2006-08-19
hy2-2006-08-19_cameco_05_d.drk	2,903 KB	2006-08-19
hy2-2006-08-19_cameco_05_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_05_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_05_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_05_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_05_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_05_q.img	2,323 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_05\reflectance\	295,971 KB	2006-08-28
hy2-2006-08-19_cameco_05_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_05_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_05_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_05_h2o.bil	2,322 KB	2006-08-25
hy2-2006-08-19_cameco_05_ref.bil	292,572 KB	2006-08-25
hy2-2006-08-19_cameco_05_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_05_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_05_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_05_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_05_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_05_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_06\	696,988 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_06\geocorrection\	30,751 KB	2006-08-28
hy2-2006-08-19_cameco_06_igm.bil	14,238 KB	2006-08-24
hy2-2006-08-19_cameco_06_glt.bsq	6,310 KB	2006-08-24
hy2-2006-08-19_cameco_06_geo.ers	1 KB	2006-08-24
hy2-2006-08-19_cameco_06_gps	487 KB	2006-08-19
hy2-2006-08-19_cameco_06_geo.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_06_glt.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_06_igm.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_06_geo.img	9,465 KB	2006-08-24
hy2-2006-08-19_cameco_06.ini	0 KB	2006-08-24
hy2-2006-08-19_cameco_06_geo.lim	5 KB	2006-08-24
hy2-2006-08-19_cameco_06_ephemeris.txt	240 KB	2006-08-24
hy2-2006-08-19_cameco_06_report.txt	4 KB	2006-08-24
g:\cameco\hy2-2006-08-19_cameco_06\L2\	55,287 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_06\L2\L2D\	55,287 KB	2006-08-28
hy2-2006-08-19_cameco_06_rad_xtr.bil	23,730 KB	2006-08-25
hy2-2006-08-19_cameco_06_rad_xtr_geo.bil	31,550 KB	2006-08-25
hy2-2006-08-19_cameco_06_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_06_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_06_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_06_rad_xtr_geo.lim	5 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_06\radiance\	308,502 KB	2006-08-28
hy2-2006-08-19_cameco_06_rad.bil	298,998 KB	2006-08-23

hy2-2006-08-19_cameco_06_mask.bsq	1,187 KB	2006-08-23
hy2-2006-08-19_cameco_06_c.cal	2,965 KB	2006-08-19
hy2-2006-08-19_cameco_06_d.drk	2,968 KB	2006-08-19
hy2-2006-08-19_cameco_06_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_06_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_06_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_06_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_06_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_06_q.img	2,374 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_06\reflectance\	302,447 KB	2006-08-28
hy2-2006-08-19_cameco_06_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_06_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_06_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_06_h2o.bil	2,373 KB	2006-08-25
hy2-2006-08-19_cameco_06_ref.bil	298,998 KB	2006-08-25
hy2-2006-08-19_cameco_06_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_06_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_06_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_06_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_06_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_06_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_07\	673,740 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_07\geocorrection\	29,106 KB	2006-08-28
hy2-2006-08-19_cameco_07_igm.bil	13,806 KB	2006-08-24
hy2-2006-08-19_cameco_07_glt.bsq	5,834 KB	2006-08-24
hy2-2006-08-19_cameco_07_geo.ers	1 KB	2006-08-24
hy2-2006-08-19_cameco_07_gps	472 KB	2006-08-19
hy2-2006-08-19_cameco_07_geo.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_07_glt.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_07_igm.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_07_geo.img	8,751 KB	2006-08-24
hy2-2006-08-19_cameco_07.ini	0 KB	2006-08-24
hy2-2006-08-19_cameco_07_geo.lim	5 KB	2006-08-24
hy2-2006-08-19_cameco_07_ephemeris.txt	231 KB	2006-08-24
hy2-2006-08-19_cameco_07_report.txt	4 KB	2006-08-24
g:\cameco\hy2-2006-08-19_cameco_07\L2\	52,188 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_07\L2\L2D\	52,188 KB	2006-08-28
hy2-2006-08-19_cameco_07_rad_xtr.bil	23,010 KB	2006-08-25
hy2-2006-08-19_cameco_07_rad_xtr_geo.bil	29,171 KB	2006-08-25
hy2-2006-08-19_cameco_07_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_07_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_07_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_07_rad_xtr_geo.lim	5 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_07\radiance\	299,142 KB	2006-08-28
hy2-2006-08-19_cameco_07_rad.bil	289,926 KB	2006-08-23
hy2-2006-08-19_cameco_07_mask.bsq	1,151 KB	2006-08-23
hy2-2006-08-19_cameco_07_c.cal	2,875 KB	2006-08-19
hy2-2006-08-19_cameco_07_d.drk	2,878 KB	2006-08-19
hy2-2006-08-19_cameco_07_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_07_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_07_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_07_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_07_rad.hdr	4 KB	2006-08-23

hy2-2006-08-19_cameco_07_q.img	2,302 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_07\reflectance\	293,304 KB	2006-08-28
hy2-2006-08-19_cameco_07_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_07_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_07_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_07_h2o.bil	2,301 KB	2006-08-25
hy2-2006-08-19_cameco_07_ref.bil	289,926 KB	2006-08-25
hy2-2006-08-19_cameco_07_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_07_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_07_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_07_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_07_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_07_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_08\	1,277,618 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_08\geocorrection\	54,617 KB	2006-08-28
hy2-2006-08-19_cameco_08_igm.bil	26,244 KB	2006-08-24
hy2-2006-08-19_cameco_08_glt.bsq	10,809 KB	2006-08-24
hy2-2006-08-19_cameco_08_geo.ers	1 KB	2006-08-24
hy2-2006-08-19_cameco_08.gps	898 KB	2006-08-19
hy2-2006-08-19_cameco_08_geo.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_08_glt.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_08_igm.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_08_geo.img	16,213 KB	2006-08-24
hy2-2006-08-19_cameco_08.ini	0 KB	2006-08-24
hy2-2006-08-19_cameco_08_geo.lim	5 KB	2006-08-24
hy2-2006-08-19_cameco_08_ephemeris.txt	442 KB	2006-08-24
hy2-2006-08-19_cameco_08_report.txt	4 KB	2006-08-24
g:\cameco\hy2-2006-08-19_cameco_08\L2\	97,792 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_08\L2\L2D\	97,792 KB	2006-08-28
hy2-2006-08-19_cameco_08_rad_xtr.bil	43,740 KB	2006-08-25
hy2-2006-08-19_cameco_08_rad_xtr_geo.bil	54,045 KB	2006-08-25
hy2-2006-08-19_cameco_08_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_08_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_08_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_08_rad_xtr_geo.lim	5 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_08\radiance\	568,633 KB	2006-08-28
hy2-2006-08-19_cameco_08_rad.bil	551,124 KB	2006-08-23
hy2-2006-08-19_cameco_08_mask.bsq	2,187 KB	2006-08-23
hy2-2006-08-19_cameco_08_c.cal	5,468 KB	2006-08-19
hy2-2006-08-19_cameco_08_d.drk	5,468 KB	2006-08-19
hy2-2006-08-19_cameco_08_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_08_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_08_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_08_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_08_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_08_q.img	4,376 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_08\reflectance\	556,575 KB	2006-08-28
hy2-2006-08-19_cameco_08_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_08_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_08_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_08_h2o.bil	4,374 KB	2006-08-25
hy2-2006-08-19_cameco_08_ref.bil	551,124 KB	2006-08-25

hy2-2006-08-19_cameco_08_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_08_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_08_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_08_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_08_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_08_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_09\	684,254 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_09\geocorrection\	29,557 KB	2006-08-28
hy2-2006-08-19_cameco_09_igm.bil	14,022 KB	2006-08-24
hy2-2006-08-19_cameco_09_glt.bsq	5,924 KB	2006-08-24
hy2-2006-08-19_cameco_09_geo.ers	1 KB	2006-08-24
hy2-2006-08-19_cameco_09.gps	480 KB	2006-08-19
hy2-2006-08-19_cameco_09_geo.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_09_glt.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_09_igm.hdr	0 KB	2006-08-24
hy2-2006-08-19_cameco_09_geo.img	8,886 KB	2006-08-24
hy2-2006-08-19_cameco_09.ini	0 KB	2006-08-24
hy2-2006-08-19_cameco_09_geo.lim	5 KB	2006-08-24
hy2-2006-08-19_cameco_09_ephemeris.txt	235 KB	2006-08-24
hy2-2006-08-19_cameco_09_report.txt	4 KB	2006-08-24
g:\cameco\hy2-2006-08-19_cameco_09\L2\	52,997 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_09\L2\L2D\	52,997 KB	2006-08-28
hy2-2006-08-19_cameco_09_rad_xtr.bil	23,370 KB	2006-08-25
hy2-2006-08-19_cameco_09_rad_xtr_geo.bil	29,620 KB	2006-08-25
hy2-2006-08-19_cameco_09_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_09_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_09_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_09_rad_xtr_geo.lim	5 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_09\radiance\	303,823 KB	2006-08-28
hy2-2006-08-19_cameco_09_rad.bil	294,462 KB	2006-08-23
hy2-2006-08-19_cameco_09_mask.bsq	1,169 KB	2006-08-23
hy2-2006-08-19_cameco_09_c.cal	2,920 KB	2006-08-19
hy2-2006-08-19_cameco_09_d.drk	2,923 KB	2006-08-19
hy2-2006-08-19_cameco_09_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_09_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_09_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_09_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_09_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_09_q.img	2,339 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_09\reflectance\	297,876 KB	2006-08-28
hy2-2006-08-19_cameco_09_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_09_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_09_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_09_h2o.bil	2,337 KB	2006-08-25
hy2-2006-08-19_cameco_09_ref.bil	294,462 KB	2006-08-25
hy2-2006-08-19_cameco_09_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_09_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_09_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_09_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_09_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_09_hycorr_settings.txt	1 KB	2006-08-25

g:\cameco\hy2-2006-08-19_cameco_10\	1,396,191 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_10\geocorrection\	64,141 KB	2006-08-28
hy2-2006-08-19_cameco_10_igm.bil	28,368 KB	2006-08-23
hy2-2006-08-19_cameco_10_glt.bsq	13,708 KB	2006-08-23
hy2-2006-08-19_cameco_10_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_10.gps	975 KB	2006-08-19
hy2-2006-08-19_cameco_10_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_10_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_10_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_10_geo.img	20,562 KB	2006-08-23
hy2-2006-08-19_cameco_10.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_10_geo.lim	40 KB	2006-08-23
hy2-2006-08-19_cameco_10_ephemeris.txt	482 KB	2006-08-23
hy2-2006-08-19_cameco_10_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_10\L2\	115,863 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_10\L2\L2D\	115,863 KB	2006-08-28
hy2-2006-08-19_cameco_10_rad_xtr.bil	47,280 KB	2006-08-25
hy2-2006-08-19_cameco_10_rad_xtr_geo.bil	68,540 KB	2006-08-25
hy2-2006-08-19_cameco_10_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_10_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_10_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_10_rad_xtr_geo.lim	40 KB	2006-08-25
mos_line_tmpl.txt	0 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_10\radiance\	614,653 KB	2006-08-28
hy2-2006-08-19_cameco_10_rad.bil	595,728 KB	2006-08-23
hy2-2006-08-19_cameco_10_mask.bsq	2,364 KB	2006-08-23
hy2-2006-08-19_cameco_10_c.cal	5,910 KB	2006-08-19
hy2-2006-08-19_cameco_10_d.drk	5,910 KB	2006-08-19
hy2-2006-08-19_cameco_10_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_10_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_10_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_10_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_10_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_10_q.img	4,730 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_10\reflectance\	601,533 KB	2006-08-28
hy2-2006-08-19_cameco_10_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_10_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_10_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_10_h2o.bil	4,728 KB	2006-08-25
hy2-2006-08-19_cameco_10_ref.bil	595,728 KB	2006-08-25
hy2-2006-08-19_cameco_10_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_10_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_10_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_10_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_10_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_10_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_11\	1,424,683 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_11\geocorrection\	66,259 KB	2006-08-28

hy2-2006-08-19_cameco_11_igm.bil	28,890 KB	2006-08-23
hy2-2006-08-19_cameco_11_glt.bsq	14,337 KB	2006-08-23
hy2-2006-08-19_cameco_11_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_11.gps	993 KB	2006-08-19
hy2-2006-08-19_cameco_11_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_11_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_11_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_11_geo.img	21,506 KB	2006-08-23
hy2-2006-08-19_cameco_11.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_11_geo.lim	41 KB	2006-08-23
hy2-2006-08-19_cameco_11_ephemeris.txt	486 KB	2006-08-23
hy2-2006-08-19_cameco_11_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_11\L2\	119,880 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_11\L2\L2D\	119,880 KB	2006-08-28
hy2-2006-08-19_cameco_11_rad_xtr.bil	48,150 KB	2006-08-25
hy2-2006-08-19_cameco_11_rad_xtr_geo.bil	71,687 KB	2006-08-25
hy2-2006-08-19_cameco_11_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_11_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_11_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_11_rad_xtr_geo.lim	41 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_11\radiance\	625,962 KB	2006-08-28
hy2-2006-08-19_cameco_11_rad.bil	606,690 KB	2006-08-23
hy2-2006-08-19_cameco_11_mask.bsq	2,408 KB	2006-08-23
hy2-2006-08-19_cameco_11_c.cal	6,018 KB	2006-08-19
hy2-2006-08-19_cameco_11_d.drk	6,020 KB	2006-08-19
hy2-2006-08-19_cameco_11_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_11_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_11_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_11_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_11_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_11_q.img	4,816 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_11\reflectance\	612,582 KB	2006-08-28
hy2-2006-08-19_cameco_11_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_11_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_11_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_11_h2o.bil	4,815 KB	2006-08-25
hy2-2006-08-19_cameco_11_ref.bil	606,690 KB	2006-08-25
hy2-2006-08-19_cameco_11_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_11_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_11_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_11_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_11_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_11_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_12\	1,363,588 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_12\geocorrection\	66,411 KB	2006-08-28
hy2-2006-08-19_cameco_12_igm.bil	27,438 KB	2006-08-23
hy2-2006-08-19_cameco_12_glt.bsq	15,010 KB	2006-08-23
hy2-2006-08-19_cameco_12_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_12.gps	943 KB	2006-08-19
hy2-2006-08-19_cameco_12_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_12_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_12_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_12_geo.img	22,516 KB	2006-08-23

hy2-2006-08-19_cameco_12.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_12_geo.lim	41 KB	2006-08-23
hy2-2006-08-19_cameco_12_ephemeris.txt	457 KB	2006-08-23
hy2-2006-08-19_cameco_12_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_12\L2\	120,825 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_12\L2\L2D\	120,825 KB	2006-08-28
hy2-2006-08-19_cameco_12_rad_xtr.bil	45,730 KB	2006-08-25
hy2-2006-08-19_cameco_12_rad_xtr_geo.bil	75,052 KB	2006-08-25
hy2-2006-08-19_cameco_12_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_12_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_12_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_12_rad_xtr_geo.lim	41 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_12\radiance\	594,503 KB	2006-08-28
hy2-2006-08-19_cameco_12_rad.bil	576,198 KB	2006-08-23
hy2-2006-08-19_cameco_12_mask.bsq	2,287 KB	2006-08-23
hy2-2006-08-19_cameco_12_c.cal	5,715 KB	2006-08-19
hy2-2006-08-19_cameco_12_d.drk	5,718 KB	2006-08-19
hy2-2006-08-19_cameco_12_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_12_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_12_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_12_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_12_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_12_q.img	4,575 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_12\reflectance\	581,848 KB	2006-08-28
hy2-2006-08-19_cameco_12_eff_gain.sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_12_eff_model.sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_12_eff_raw.sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_12_h2o.bil	4,573 KB	2006-08-25
hy2-2006-08-19_cameco_12_ref.bil	576,198 KB	2006-08-25
hy2-2006-08-19_cameco_12_eff_gain.sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_12_eff_model.sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_12_eff_raw.sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_12_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_12_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_12_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_13\	1,390,442 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_13\geocorrection\	63,918 KB	2006-08-28
hy2-2006-08-19_cameco_13_igm.bil	28,248 KB	2006-08-23
hy2-2006-08-19_cameco_13_glt.bsq	13,671 KB	2006-08-23
hy2-2006-08-19_cameco_13_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_13.gps	971 KB	2006-08-19
hy2-2006-08-19_cameco_13_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_13_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_13_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_13_geo.img	20,507 KB	2006-08-23
hy2-2006-08-19_cameco_13.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_13_geo.lim	40 KB	2006-08-23
hy2-2006-08-19_cameco_13_ephemeris.txt	475 KB	2006-08-23
hy2-2006-08-19_cameco_13_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_13\L2\	115,479 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_13\L2\L2D\	115,479 KB	2006-08-28

hy2-2006-08-19_cameco_13_rad_xtr.bil	47,080 KB	2006-08-25
hy2-2006-08-19_cameco_13_rad_xtr_geo.bil	68,356 KB	2006-08-25
hy2-2006-08-19_cameco_13_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_13_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_13_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_13_rad_xtr_geo.lim	40 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_13\radiance\	612,052 KB	2006-08-28
hy2-2006-08-19_cameco_13_rad.bil	593,208 KB	2006-08-23
hy2-2006-08-19_cameco_13_mask.bsq	2,354 KB	2006-08-23
hy2-2006-08-19_cameco_13_c.cal	5,885 KB	2006-08-19
hy2-2006-08-19_cameco_13_d.drk	5,885 KB	2006-08-19
hy2-2006-08-19_cameco_13_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_13_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_13_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_13_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_13_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_13_q.img	4,709 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_13\reflectance\	598,993 KB	2006-08-28
hy2-2006-08-19_cameco_13_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_13_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_13_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_13_h2o.bil	4,708 KB	2006-08-25
hy2-2006-08-19_cameco_13_ref.bil	593,208 KB	2006-08-25
hy2-2006-08-19_cameco_13_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_13_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_13_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_13_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_13_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_13_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_14\	1,364,678 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_14\geocorrection\	61,178 KB	2006-08-28
hy2-2006-08-19_cameco_14_igm.bil	27,834 KB	2006-08-23
hy2-2006-08-19_cameco_14_glt.bsq	12,751 KB	2006-08-23
hy2-2006-08-19_cameco_14_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_14_gps	957 KB	2006-08-19
hy2-2006-08-19_cameco_14_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_14_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_14_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_14_geo.img	19,126 KB	2006-08-23
hy2-2006-08-19_cameco_14.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_14_geo.lim	40 KB	2006-08-23
hy2-2006-08-19_cameco_14_ephemeris.txt	465 KB	2006-08-23
hy2-2006-08-19_cameco_14_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_14\L2\	110,186 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_14\L2\L2D\	110,186 KB	2006-08-28
hy2-2006-08-19_cameco_14_rad_xtr.bil	46,390 KB	2006-08-25
hy2-2006-08-19_cameco_14_rad_xtr_geo.bil	63,753 KB	2006-08-25
hy2-2006-08-19_cameco_14_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_14_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_14_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_14_rad_xtr_geo.lim	40 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_14\radiance\	603,083 KB	2006-08-28

hy2-2006-08-19_cameco_14_rad.bil	584,514 KB	2006-08-23
hy2-2006-08-19_cameco_14_mask.bsq	2,320 KB	2006-08-23
hy2-2006-08-19_cameco_14_c.cal	5,798 KB	2006-08-19
hy2-2006-08-19_cameco_14_d.drk	5,800 KB	2006-08-19
hy2-2006-08-19_cameco_14_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_14_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_14_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_14_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_14_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_14_q.img	4,641 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_14\reflectance\	590,230 KB	2006-08-28
hy2-2006-08-19_cameco_14_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_14_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_14_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_14_h2o.bil	4,639 KB	2006-08-25
hy2-2006-08-19_cameco_14_ref.bil	584,514 KB	2006-08-25
hy2-2006-08-19_cameco_14_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_14_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_14_eff_raw_sli.hdr	44 KB	2006-08-25
hy2-2006-08-19_cameco_14_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_14_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_14_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_15\	1,408,683 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_15\geocorrection\	64,572 KB	2006-08-28
hy2-2006-08-19_cameco_15_igm.bil	28,632 KB	2006-08-23
hy2-2006-08-19_cameco_15_glt.bsq	13,771 KB	2006-08-23
hy2-2006-08-19_cameco_15_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_15.gps	984 KB	2006-08-19
hy2-2006-08-19_cameco_15_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_15_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_15_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_15_geo.img	20,656 KB	2006-08-23
hy2-2006-08-19_cameco_15.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_15_geo.lim	41 KB	2006-08-23
hy2-2006-08-19_cameco_15_ephemeris.txt	481 KB	2006-08-23
hy2-2006-08-19_cameco_15_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_15\L2\	116,618 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_15\L2\L2D\	116,618 KB	2006-08-28
hy2-2006-08-19_cameco_15_rad_xtr.bil	47,720 KB	2006-08-25
hy2-2006-08-19_cameco_15_rad_xtr_geo.bil	68,855 KB	2006-08-25
hy2-2006-08-19_cameco_15_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_15_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_15_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_15_rad_xtr_geo.lim	41 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_15\radiance\	620,372 KB	2006-08-28
hy2-2006-08-19_cameco_15_rad.bil	601,272 KB	2006-08-23
hy2-2006-08-19_cameco_15_mask.bsq	2,386 KB	2006-08-23
hy2-2006-08-19_cameco_15_c.cal	5,965 KB	2006-08-19
hy2-2006-08-19_cameco_15_d.drk	5,965 KB	2006-08-19
hy2-2006-08-19_cameco_15_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_15_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_15_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_15_q.hdr	0 KB	2006-08-19

hy2-2006-08-19_cameco_15_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_15_q.img	4,773 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_15\reflectance\	607,121 KB	2006-08-28
hy2-2006-08-19_cameco_15_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_15_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_15_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_15_h2o.bil	4,772 KB	2006-08-25
hy2-2006-08-19_cameco_15_ref.bil	601,272 KB	2006-08-25
hy2-2006-08-19_cameco_15_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_15_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_15_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_15_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_15_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_15_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_16\	698,494 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_16\geocorrection\	30,837 KB	2006-08-28
hy2-2006-08-19_cameco_16_igm.bil	14,268 KB	2006-08-23
hy2-2006-08-19_cameco_16_glt.bsq	6,324 KB	2006-08-23
hy2-2006-08-19_cameco_16_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_16.gps	491 KB	2006-08-19
hy2-2006-08-19_cameco_16_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_16_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_16_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_16_geo.img	9,486 KB	2006-08-23
hy2-2006-08-19_cameco_16.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_16_geo.lim	20 KB	2006-08-23
hy2-2006-08-19_cameco_16_ephemeris.txt	243 KB	2006-08-23
hy2-2006-08-19_cameco_16_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_16\L2\	55,421 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_16\L2\L2D\	55,421 KB	2006-08-28
hy2-2006-08-19_cameco_16_rad_xtr.bil	23,780 KB	2006-08-25
hy2-2006-08-19_cameco_16_rad_xtr_geo.bil	31,619 KB	2006-08-25
hy2-2006-08-19_cameco_16_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_16_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_16_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_16_rad_xtr_geo.lim	20 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_16\radiance\	309,153 KB	2006-08-28
hy2-2006-08-19_cameco_16_rad.bil	299,628 KB	2006-08-23
hy2-2006-08-19_cameco_16_mask.bsq	1,189 KB	2006-08-23
hy2-2006-08-19_cameco_16_c.cal	2,973 KB	2006-08-19
hy2-2006-08-19_cameco_16_d.drk	2,973 KB	2006-08-19
hy2-2006-08-19_cameco_16_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_16_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_16_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_16_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_16_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_16_q.img	2,380 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_16\reflectance\	303,082 KB	2006-08-28
hy2-2006-08-19_cameco_16_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_16_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_16_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_16_h2o.bil	2,378 KB	2006-08-25

hy2-2006-08-19_cameco_16_ref.bil	299,628 KB	2006-08-25
hy2-2006-08-19_cameco_16_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_16_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_16_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_16_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_16_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_16_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_17\	707,309 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_17\geocorrection\	31,060 KB	2006-08-28
hy2-2006-08-19_cameco_17_igm.bil	14,460 KB	2006-08-23
hy2-2006-08-19_cameco_17_glt.bsq	6,334 KB	2006-08-23
hy2-2006-08-19_cameco_17_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_17.gps	497 KB	2006-08-19
hy2-2006-08-19_cameco_17_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_17_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_17_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_17_geo.img	9,500 KB	2006-08-23
hy2-2006-08-19_cameco_17.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_17_geo.lim	21 KB	2006-08-23
hy2-2006-08-19_cameco_17_ephemeris.txt	242 KB	2006-08-23
hy2-2006-08-19_cameco_17_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_17\L2\	55,791 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_17\L2\L2D\	55,791 KB	2006-08-28
hy2-2006-08-19_cameco_17_rad_xtr.bil	24,100 KB	2006-08-25
hy2-2006-08-19_cameco_17_rad_xtr_geo.bil	31,668 KB	2006-08-25
hy2-2006-08-19_cameco_17_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_17_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_17_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_17_rad_xtr_geo.lim	21 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_17\radiance\	313,312 KB	2006-08-28
hy2-2006-08-19_cameco_17_rad.bil	303,660 KB	2006-08-23
hy2-2006-08-19_cameco_17_mask.bsq	1,205 KB	2006-08-23
hy2-2006-08-19_cameco_17_c.cal	3,013 KB	2006-08-19
hy2-2006-08-19_cameco_17_d.drk	3,013 KB	2006-08-19
hy2-2006-08-19_cameco_17_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_17_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_17_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_17_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_17_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_17_q.img	2,411 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_17\reflectance\	307,146 KB	2006-08-28
hy2-2006-08-19_cameco_17_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_17_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_17_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_17_h2o.bil	2,410 KB	2006-08-25
hy2-2006-08-19_cameco_17_ref.bil	303,660 KB	2006-08-25
hy2-2006-08-19_cameco_17_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_17_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_17_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_17_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_17_ref.hdr	4 KB	2006-08-25
hy2-2006-08-	1 KB	2006-08-25

19_cameco_17_hycorr_settings.txt		
g:\cameco\hy2-2006-08-19_cameco_18\	657,658 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_18\geocorrection\	31,214 KB	2006-08-28
hy2-2006-08-19_cameco_18_igm.bil	13,278 KB	2006-08-23
hy2-2006-08-19_cameco_18_glt.bsq	6,892 KB	2006-08-23
hy2-2006-08-19_cameco_18_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_18.gps	457 KB	2006-08-19
hy2-2006-08-19_cameco_18_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_18_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_18_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_18_geo.img	10,338 KB	2006-08-23
hy2-2006-08-19_cameco_18.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_18_geo.lim	20 KB	2006-08-23
hy2-2006-08-19_cameco_18_ephemeris.txt	224 KB	2006-08-23
hy2-2006-08-19_cameco_18_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_18\L2\	56,612 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_18\L2\L2D\	56,612 KB	2006-08-28
hy2-2006-08-19_cameco_18_rad_xtr.bil	22,130 KB	2006-08-25
hy2-2006-08-19_cameco_18_rad_xtr_geo.bil	34,460 KB	2006-08-25
hy2-2006-08-19_cameco_18_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_18_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_18_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_18_rad_xtr_geo.lim	20 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_18\radiance\	287,703 KB	2006-08-28
hy2-2006-08-19_cameco_18_rad.bil	278,838 KB	2006-08-23
hy2-2006-08-19_cameco_18_mask.bsq	1,107 KB	2006-08-23
hy2-2006-08-19_cameco_18_c.cal	2,765 KB	2006-08-19
hy2-2006-08-19_cameco_18_d.drk	2,768 KB	2006-08-19
hy2-2006-08-19_cameco_18_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_18_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_18_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_18_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_18_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_18_q.img	2,215 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_18\reflectance\	282,128 KB	2006-08-28
hy2-2006-08-19_cameco_18_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_18_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_18_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_18_h2o.bil	2,213 KB	2006-08-25
hy2-2006-08-19_cameco_18_ref.bil	278,838 KB	2006-08-25
hy2-2006-08-19_cameco_18_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_18_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_18_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_18_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_18_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_18_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_19\	714,683 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_19\geocorrection\	31,992 KB	2006-08-28

hy2-2006-08-19_cameco_19_igm.bil	14,568 KB	2006-08-23
hy2-2006-08-19_cameco_19_glt.bsq	6,660 KB	2006-08-23
hy2-2006-08-19_cameco_19_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_19.gps	501 KB	2006-08-19
hy2-2006-08-19_cameco_19_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_19_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_19_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_19_geo.img	9,991 KB	2006-08-23
hy2-2006-08-19_cameco_19.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_19_geo.lim	21 KB	2006-08-23
hy2-2006-08-19_cameco_19_ephemeris.txt	246 KB	2006-08-23
hy2-2006-08-19_cameco_19_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_19\L2\	57,605 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_19\L2\L2D\	57,605 KB	2006-08-28
hy2-2006-08-19_cameco_19_rad_xtr.bil	24,280 KB	2006-08-25
hy2-2006-08-19_cameco_19_rad_xtr_geo.bil	33,302 KB	2006-08-25
hy2-2006-08-19_cameco_19_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_19_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_19_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_19_rad_xtr_geo.lim	21 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_19\radiance\	315,653 KB	2006-08-28
hy2-2006-08-19_cameco_19_rad.bil	305,928 KB	2006-08-23
hy2-2006-08-19_cameco_19_mask.bsq	1,214 KB	2006-08-23
hy2-2006-08-19_cameco_19_c.cal	3,035 KB	2006-08-19
hy2-2006-08-19_cameco_19_d.drk	3,035 KB	2006-08-19
hy2-2006-08-19_cameco_19_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_19_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_19_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_19_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_19_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_19_q.img	2,430 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_19\reflectance\	309,432 KB	2006-08-28
hy2-2006-08-19_cameco_19_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_19_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_19_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_19_h2o.bil	2,428 KB	2006-08-25
hy2-2006-08-19_cameco_19_ref.bil	305,928 KB	2006-08-25
hy2-2006-08-19_cameco_19_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_19_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_19_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_19_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_19_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_19_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_20\	676,972 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_20\geocorrection\	29,767 KB	2006-08-28
hy2-2006-08-19_cameco_20_igm.bil	13,836 KB	2006-08-23
hy2-2006-08-19_cameco_20_glt.bsq	6,078 KB	2006-08-23
hy2-2006-08-19_cameco_20_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_20.gps	476 KB	2006-08-19
hy2-2006-08-19_cameco_20_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_20_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_20_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_20_geo.img	9,117 KB	2006-08-23

hy2-2006-08-19_cameco_20.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_20_geo.lim	20 KB	2006-08-23
hy2-2006-08-19_cameco_20_ephemeris.txt	233 KB	2006-08-23
hy2-2006-08-19_cameco_20_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_20\L2\	53,473 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_20\L2\L2D\	53,473 KB	2006-08-28
hy2-2006-08-19_cameco_20_rad_xtr.bil	23,060 KB	2006-08-25
hy2-2006-08-19_cameco_20_rad_xtr_geo.bil	30,391 KB	2006-08-25
hy2-2006-08-19_cameco_20_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_20_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_20_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_20_rad_xtr_geo.lim	20 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_20\radiance\	299,793 KB	2006-08-28
hy2-2006-08-19_cameco_20_rad.bil	290,556 KB	2006-08-23
hy2-2006-08-19_cameco_20_mask.bsq	1,153 KB	2006-08-23
hy2-2006-08-19_cameco_20_c.cal	2,883 KB	2006-08-19
hy2-2006-08-19_cameco_20_d.drk	2,883 KB	2006-08-19
hy2-2006-08-19_cameco_20_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_20_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_20_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_20_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_20_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_20_q.img	2,308 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_20\reflectance\	293,939 KB	2006-08-28
hy2-2006-08-19_cameco_20_eff_gain.sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_20_eff_model.sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_20_eff_raw.sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_20_h2o.bil	2,306 KB	2006-08-25
hy2-2006-08-19_cameco_20_ref.bil	290,556 KB	2006-08-25
hy2-2006-08-19_cameco_20_eff_gain.sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_20_eff_model.sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_20_eff_raw.sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_20_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_20_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_20_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_21\	706,561 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_21\geocorrection\	32,761 KB	2006-08-28
hy2-2006-08-19_cameco_21_igm.bil	14,322 KB	2006-08-23
hy2-2006-08-19_cameco_21_glt.bsq	7,071 KB	2006-08-23
hy2-2006-08-19_cameco_21_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_21.gps	492 KB	2006-08-19
hy2-2006-08-19_cameco_21_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_21_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_21_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_21_geo.img	10,607 KB	2006-08-23
hy2-2006-08-19_cameco_21.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_21_geo.lim	23 KB	2006-08-23
hy2-2006-08-19_cameco_21_ephemeris.txt	239 KB	2006-08-23
hy2-2006-08-19_cameco_21_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_21\L2\	59,251 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_21\L2\L2D\	59,251 KB	2006-08-28

hy2-2006-08-19_cameco_21_rad_xtr.bil	23,870 KB	2006-08-25
hy2-2006-08-19_cameco_21_rad_xtr_geo.bil	35,356 KB	2006-08-25
hy2-2006-08-19_cameco_21_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_21_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_21_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_21_rad_xtr_geo.lim	23 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_21\radiance\	310,323 KB	2006-08-28
hy2-2006-08-19_cameco_21_rad.bil	300,762 KB	2006-08-23
hy2-2006-08-19_cameco_21_mask.bsq	1,194 KB	2006-08-23
hy2-2006-08-19_cameco_21_c.cal	2,983 KB	2006-08-19
hy2-2006-08-19_cameco_21_d.drk	2,985 KB	2006-08-19
hy2-2006-08-19_cameco_21_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_21_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_21_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_21_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_21_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_21_q.img	2,389 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_21\reflectance\	304,226 KB	2006-08-28
hy2-2006-08-19_cameco_21_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_21_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_21_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_21_h2o.bil	2,387 KB	2006-08-25
hy2-2006-08-19_cameco_21_ref.bil	300,762 KB	2006-08-25
hy2-2006-08-19_cameco_21_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_21_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_21_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_21_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_21_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_21_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_22\	705,522 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_22\geocorrection\	31,397 KB	2006-08-28
hy2-2006-08-19_cameco_22_igm.bil	14,394 KB	2006-08-23
hy2-2006-08-19_cameco_22_glt.bsq	6,496 KB	2006-08-23
hy2-2006-08-19_cameco_22_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_22_gps	495 KB	2006-08-19
hy2-2006-08-19_cameco_22_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_22_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_22_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_22_geo.img	9,744 KB	2006-08-23
hy2-2006-08-19_cameco_22.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_22_geo.lim	20 KB	2006-08-23
hy2-2006-08-19_cameco_22_ephemeris.txt	242 KB	2006-08-23
hy2-2006-08-19_cameco_22_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_22\L2\	56,493 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_22\L2\L2D\	56,493 KB	2006-08-28
hy2-2006-08-19_cameco_22_rad_xtr.bil	23,990 KB	2006-08-25
hy2-2006-08-19_cameco_22_rad_xtr_geo.bil	32,480 KB	2006-08-25
hy2-2006-08-19_cameco_22_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_22_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_22_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_22_rad_xtr_geo.lim	20 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_22\radiance\	311,882 KB	2006-08-28

hy2-2006-08-19_cameco_22_rad.bil	302,274 KB	2006-08-23
hy2-2006-08-19_cameco_22_mask.bsq	1,200 KB	2006-08-23
hy2-2006-08-19_cameco_22_c.cal	2,998 KB	2006-08-19
hy2-2006-08-19_cameco_22_d.drk	3,000 KB	2006-08-19
hy2-2006-08-19_cameco_22_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_22_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_22_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_22_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_22_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_22_q.img	2,400 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_22\reflectance\	305,749 KB	2006-08-28
hy2-2006-08-19_cameco_22_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_22_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_22_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_22_h2o.bil	2,399 KB	2006-08-25
hy2-2006-08-19_cameco_22_ref.bil	302,274 KB	2006-08-25
hy2-2006-08-19_cameco_22_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_22_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_22_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_22_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_22_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_22_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_23\	693,715 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_23\geocorrection\	30,515 KB	2006-08-28
hy2-2006-08-19_cameco_23_igm.bil	14,178 KB	2006-08-23
hy2-2006-08-19_cameco_23_glt.bsq	6,233 KB	2006-08-23
hy2-2006-08-19_cameco_23_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_23_gps	487 KB	2006-08-19
hy2-2006-08-19_cameco_23_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_23_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_23_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_23_geo.img	9,350 KB	2006-08-23
hy2-2006-08-19_cameco_23.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_23_geo.lim	21 KB	2006-08-23
hy2-2006-08-19_cameco_23_ephemeris.txt	240 KB	2006-08-23
hy2-2006-08-19_cameco_23_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_23\L2\	54,820 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_23\L2\L2D\	54,820 KB	2006-08-28
hy2-2006-08-19_cameco_23_rad_xtr.bil	23,630 KB	2006-08-25
hy2-2006-08-19_cameco_23_rad_xtr_geo.bil	31,167 KB	2006-08-25
hy2-2006-08-19_cameco_23_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_23_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_23_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_23_rad_xtr_geo.lim	21 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_23\radiance\	307,202 KB	2006-08-28
hy2-2006-08-19_cameco_23_rad.bil	297,738 KB	2006-08-23
hy2-2006-08-19_cameco_23_mask.bsq	1,182 KB	2006-08-23
hy2-2006-08-19_cameco_23_c.cal	2,953 KB	2006-08-19
hy2-2006-08-19_cameco_23_d.drk	2,955 KB	2006-08-19
hy2-2006-08-19_cameco_23_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_23_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_23_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_23_q.hdr	0 KB	2006-08-19

hy2-2006-08-19_cameco_23_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_23_q.img	2,364 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_23\reflectance\	301,178 KB	2006-08-28
hy2-2006-08-19_cameco_23_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_23_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_23_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_23_h2o.bil	2,363 KB	2006-08-25
hy2-2006-08-19_cameco_23_ref.bil	297,738 KB	2006-08-25
hy2-2006-08-19_cameco_23_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_23_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_23_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_23_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_23_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_23_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_24\	1,724,777 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_24\geocorrection\	77,767 KB	2006-08-28
hy2-2006-08-19_cameco_24_igm.bil	35,154 KB	2006-08-23
hy2-2006-08-19_cameco_24_glt.bsq	16,302 KB	2006-08-23
hy2-2006-08-19_cameco_24_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_24.gps	1,208 KB	2006-08-19
hy2-2006-08-19_cameco_24_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_24_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_24_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_24_geo.img	24,454 KB	2006-08-23
hy2-2006-08-19_cameco_24.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_24_geo.lim	52 KB	2006-08-23
hy2-2006-08-19_cameco_24_ephemeris.txt	591 KB	2006-08-23
hy2-2006-08-19_cameco_24_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_24\L2\	140,156 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_24\L2\L2D\	140,156 KB	2006-08-28
hy2-2006-08-19_cameco_24_rad_xtr.bil	58,590 KB	2006-08-25
hy2-2006-08-19_cameco_24_rad_xtr_geo.bil	81,512 KB	2006-08-25
hy2-2006-08-19_cameco_24_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_24_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_24_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_24_rad_xtr_geo.lim	52 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_24\radiance\	761,683 KB	2006-08-28
hy2-2006-08-19_cameco_24_rad.bil	738,234 KB	2006-08-23
hy2-2006-08-19_cameco_24_mask.bsq	2,930 KB	2006-08-23
hy2-2006-08-19_cameco_24_c.cal	7,323 KB	2006-08-19
hy2-2006-08-19_cameco_24_d.drk	7,325 KB	2006-08-19
hy2-2006-08-19_cameco_24_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_24_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_24_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_24_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_24_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_24_q.img	5,861 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_24\reflectance\	745,170 KB	2006-08-28
hy2-2006-08-19_cameco_24_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_24_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_24_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_24_h2o.bil	5,859 KB	2006-08-25

hy2-2006-08-19_cameco_24_ref.bil	738,234 KB	2006-08-25
hy2-2006-08-19_cameco_24_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_24_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_24_eff_raw_sli.hdr	44 KB	2006-08-25
hy2-2006-08-19_cameco_24_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_24_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_24_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_25\	1,740,085 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_25\geocorrection\	80,323 KB	2006-08-28
hy2-2006-08-19_cameco_25_igm.bil	35,334 KB	2006-08-23
hy2-2006-08-19_cameco_25_glt.bsq	17,251 KB	2006-08-23
hy2-2006-08-19_cameco_25_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_25.gps	1,214 KB	2006-08-19
hy2-2006-08-19_cameco_25_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_25_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_25_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_25_geo.img	25,876 KB	2006-08-23
hy2-2006-08-19_cameco_25.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_25_geo.lim	52 KB	2006-08-23
hy2-2006-08-19_cameco_25_ephemeris.txt	590 KB	2006-08-23
hy2-2006-08-19_cameco_25_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_25\L2\	145,199 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_25\L2\L2D\	145,199 KB	2006-08-28
hy2-2006-08-19_cameco_25_rad_xtr.bil	58,890 KB	2006-08-25
hy2-2006-08-19_cameco_25_rad_xtr_geo.bil	86,254 KB	2006-08-25
hy2-2006-08-19_cameco_25_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_25_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_25_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_25_rad_xtr_geo.lim	52 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_25\radiance\	765,583 KB	2006-08-28
hy2-2006-08-19_cameco_25_rad.bil	742,014 KB	2006-08-23
hy2-2006-08-19_cameco_25_mask.bsq	2,945 KB	2006-08-23
hy2-2006-08-19_cameco_25_c.cal	7,360 KB	2006-08-19
hy2-2006-08-19_cameco_25_d.drk	7,363 KB	2006-08-19
hy2-2006-08-19_cameco_25_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_25_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_25_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_25_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_25_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_25_q.img	5,891 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_25\reflectance\	748,980 KB	2006-08-28
hy2-2006-08-19_cameco_25_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_25_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_25_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_25_h2o.bil	5,889 KB	2006-08-25
hy2-2006-08-19_cameco_25_ref.bil	742,014 KB	2006-08-25
hy2-2006-08-19_cameco_25_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_25_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_25_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_25_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_25_ref.hdr	4 KB	2006-08-25
hy2-2006-08-	1 KB	2006-08-25

19_cameco_25_hycorr_settings.txt		
g:\cameco\hy2-2006-08-19_cameco_26\	1,786,622 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_26\geocorrection\	80,152 KB	2006-08-28
hy2-2006-08-19_cameco_26_igm.bil	36,444 KB	2006-08-23
hy2-2006-08-19_cameco_26_glt.bsq	16,714 KB	2006-08-23
hy2-2006-08-19_cameco_26_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_26.gps	1,252 KB	2006-08-19
hy2-2006-08-19_cameco_26_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_26_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_26_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_26_geo.img	25,070 KB	2006-08-23
hy2-2006-08-19_cameco_26.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_26_geo.lim	52 KB	2006-08-23
hy2-2006-08-19_cameco_26_ephemeris.txt	614 KB	2006-08-23
hy2-2006-08-19_cameco_26_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_26\L2\	144,362 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_26\L2\L2D\	144,362 KB	2006-08-28
hy2-2006-08-19_cameco_26_rad_xtr.bil	60,740 KB	2006-08-25
hy2-2006-08-19_cameco_26_rad_xtr_geo.bil	83,568 KB	2006-08-25
hy2-2006-08-19_cameco_26_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_26_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_26_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_26_rad_xtr_geo.lim	52 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_26\radiance\	789,632 KB	2006-08-28
hy2-2006-08-19_cameco_26_rad.bil	765,324 KB	2006-08-23
hy2-2006-08-19_cameco_26_mask.bsq	3,037 KB	2006-08-23
hy2-2006-08-19_cameco_26_c.cal	7,593 KB	2006-08-19
hy2-2006-08-19_cameco_26_d.drk	7,593 KB	2006-08-19
hy2-2006-08-19_cameco_26_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_26_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_26_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_26_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_26_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_26_q.img	6,075 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_26\reflectance\	772,475 KB	2006-08-28
hy2-2006-08-19_cameco_26_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_26_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_26_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_26_h2o.bil	6,074 KB	2006-08-25
hy2-2006-08-19_cameco_26_ref.bil	765,324 KB	2006-08-25
hy2-2006-08-19_cameco_26_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_26_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_26_eff_raw_sli.hdr	44 KB	2006-08-25
hy2-2006-08-19_cameco_26_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_26_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_26_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_27\	1,808,043 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_27\geocorrection\	78,380 KB	2006-08-28

hy2-2006-08-19_cameco_27_igm.bil	37,074 KB	2006-08-23
hy2-2006-08-19_cameco_27_glt.bsq	15,745 KB	2006-08-23
hy2-2006-08-19_cameco_27_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_27.gps	1,268 KB	2006-08-19
hy2-2006-08-19_cameco_27_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_27_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_27_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_27_geo.img	23,617 KB	2006-08-23
hy2-2006-08-19_cameco_27.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_27_geo.lim	52 KB	2006-08-23
hy2-2006-08-19_cameco_27_ephemeris.txt	619 KB	2006-08-23
hy2-2006-08-19_cameco_27_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_27\L2\	140,568 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_27\L2\L2D\	140,568 KB	2006-08-28
hy2-2006-08-19_cameco_27_rad_xtr.bil	61,790 KB	2006-08-25
hy2-2006-08-19_cameco_27_rad_xtr_geo.bil	78,724 KB	2006-08-25
hy2-2006-08-19_cameco_27_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_27_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_27_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_27_rad_xtr_geo.lim	52 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_27\radiance\	803,283 KB	2006-08-28
hy2-2006-08-19_cameco_27_rad.bil	778,554 KB	2006-08-23
hy2-2006-08-19_cameco_27_mask.bsq	3,090 KB	2006-08-23
hy2-2006-08-19_cameco_27_c.cal	7,723 KB	2006-08-19
hy2-2006-08-19_cameco_27_d.drk	7,725 KB	2006-08-19
hy2-2006-08-19_cameco_27_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_27_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_27_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_27_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_27_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_27_q.img	6,181 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_27\reflectance\	785,810 KB	2006-08-28
hy2-2006-08-19_cameco_27_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_27_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_27_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_27_h2o.bil	6,179 KB	2006-08-25
hy2-2006-08-19_cameco_27_ref.bil	778,554 KB	2006-08-25
hy2-2006-08-19_cameco_27_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_27_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_27_eff_raw_sli.hdr	44 KB	2006-08-25
hy2-2006-08-19_cameco_27_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_27_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_27_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_28\	1,805,951 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_28\geocorrection\	80,909 KB	2006-08-28
hy2-2006-08-19_cameco_28_igm.bil	36,846 KB	2006-08-23
hy2-2006-08-19_cameco_28_glt.bsq	16,850 KB	2006-08-23
hy2-2006-08-19_cameco_28_geo.ers	1 KB	2006-08-23
hy2-2006-08-19_cameco_28.gps	1,260 KB	2006-08-19
hy2-2006-08-19_cameco_28_geo.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_28_glt.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_28_igm.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_28_geo.img	25,275 KB	2006-08-23

hy2-2006-08-19_cameco_28.ini	0 KB	2006-08-23
hy2-2006-08-19_cameco_28_geo.lim	53 KB	2006-08-23
hy2-2006-08-19_cameco_28_ephemeris.txt	619 KB	2006-08-23
hy2-2006-08-19_cameco_28_report.txt	4 KB	2006-08-23
g:\cameco\hy2-2006-08-19_cameco_28\L2\	145,715 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_28\L2\L2D\	145,715 KB	2006-08-28
hy2-2006-08-19_cameco_28_rad_xtr.bil	61,410 KB	2006-08-25
hy2-2006-08-19_cameco_28_rad_xtr_geo.bil	84,248 KB	2006-08-25
hy2-2006-08-19_cameco_28_rad_xtr_geo.cfg	0 KB	2006-08-25
hy2-2006-08-19_cameco_28_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_28_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_28_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_28_rad_xtr_geo.lim	53 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_28\radiance\	798,343 KB	2006-08-28
hy2-2006-08-19_cameco_28_rad.bil	773,766 KB	2006-08-23
hy2-2006-08-19_cameco_28_mask.bsq	3,071 KB	2006-08-23
hy2-2006-08-19_cameco_28_c.cal	7,675 KB	2006-08-19
hy2-2006-08-19_cameco_28_d.drk	7,678 KB	2006-08-19
hy2-2006-08-19_cameco_28_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_28_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_28_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_28_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_28_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_28_q.img	6,143 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_28\reflectance\	780,984 KB	2006-08-28
hy2-2006-08-19_cameco_28_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_28_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_28_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_28_h2o.bil	6,141 KB	2006-08-25
hy2-2006-08-19_cameco_28_ref.bil	773,766 KB	2006-08-25
hy2-2006-08-19_cameco_28_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_28_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_28_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_28_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_28_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_28_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_29\	859,234 KB	2006-08-28
<geocorrection>	<DIR>	2006-08-28
<L2>	<DIR>	2006-08-28
<radiance>	<DIR>	2006-08-28
<reflectance>	<DIR>	2006-08-28
g:\cameco\hy2-2006-08-19_cameco_29\geocorrection\	40,056 KB	2006-08-28
hy2-2006-08-19_cameco_29_geo.bak	1 KB	2006-08-25
hy2-2006-08-19_cameco_29_igm.bil	17,514 KB	2006-08-25
hy2-2006-08-19_cameco_29_glt.bsq	7,741 KB	2006-08-25
hy2-2006-08-19_cameco_29_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_29.gps	599 KB	2006-08-19
hy2-2006-08-19_cameco_29_geo.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_29_glt.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_29_igm.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_29_geo.img	11,612 KB	2006-08-25
hy2-2006-08-19_cameco_29_geo.jgw	0 KB	2006-08-25
hy2-2006-08-19_cameco_29_geo.jpg	2,287 KB	2006-08-25
hy2-2006-08-19_cameco_29_ephemeris.txt	296 KB	2006-08-25
hy2-2006-08-19_cameco_29_report.txt	4 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_29\L2\	67,904 KB	2006-08-28
<L2D>	<DIR>	2006-08-28

g:\cameco\hy2-2006-08-19_cameco_29\L2\L2D\	67,904 KB	2006-08-28
hy2-2006-08-19_cameco_29_rad_xtr.bil	29,190 KB	2006-08-25
hy2-2006-08-19_cameco_29_rad_xtr_geo.bil	38,706 KB	2006-08-25
hy2-2006-08-19_cameco_29_rad_xtr.cfg	0 KB	2006-08-25
hy2-2006-08-19_cameco_29_rad_xtr_geo.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_29_rad_xtr.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_29_rad_xtr_geo.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_29_rad_xtr_geo.lim	5 KB	2006-08-25
g:\cameco\hy2-2006-08-19_cameco_29\radiance\	379,483 KB	2006-08-28
hy2-2006-08-19_cameco_29_rad.bil	367,794 KB	2006-08-23
hy2-2006-08-19_cameco_29_mask.bsq	1,460 KB	2006-08-23
hy2-2006-08-19_cameco_29_c.cal	3,648 KB	2006-08-19
hy2-2006-08-19_cameco_29_d.drk	3,650 KB	2006-08-19
hy2-2006-08-19_cameco_29_c.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_29_d.hdr	4 KB	2006-08-19
hy2-2006-08-19_cameco_29_mask.hdr	0 KB	2006-08-23
hy2-2006-08-19_cameco_29_q.hdr	0 KB	2006-08-19
hy2-2006-08-19_cameco_29_rad.hdr	4 KB	2006-08-23
hy2-2006-08-19_cameco_29_q.img	2,921 KB	2006-08-19
g:\cameco\hy2-2006-08-19_cameco_29\reflectance\	371,790 KB	2006-08-28
hy2-2006-08-19_cameco_29_eff_gain_sli	1 KB	2006-08-25
hy2-2006-08-19_cameco_29_eff_model_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_29_eff_raw_sli	492 KB	2006-08-25
hy2-2006-08-19_cameco_29_h2o.bil	2,919 KB	2006-08-25
hy2-2006-08-19_cameco_29_ref.bil	367,794 KB	2006-08-25
hy2-2006-08-19_cameco_29_eff_gain_sli.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_29_eff_model_sli.hdr	42 KB	2006-08-25
hy2-2006-08-19_cameco_29_eff_raw_sli.hdr	43 KB	2006-08-25
hy2-2006-08-19_cameco_29_h2o.hdr	0 KB	2006-08-25
hy2-2006-08-19_cameco_29_ref.hdr	4 KB	2006-08-25
hy2-2006-08-19_cameco_29_hycorr_settings.txt	1 KB	2006-08-25
g:\cameco\L2\	3,684,085 KB	2006-08-28
<L2D>	<DIR>	2006-08-28
g:\cameco\L2\L2D\	3,684,085 KB	2006-08-28
<cameco_01-04>	<DIR>	2006-08-28
<cameco_05-09>	<DIR>	2006-08-28
<cameco_10-29>	<DIR>	2006-08-28
<temp>	<DIR>	2006-08-28
g:\cameco\L2\L2D\cameco_01-04\	212,242 KB	2006-08-28
hy2-2006-08-19_cameco_01-04_L1mos.bil	141,568 KB	2006-08-24
hy2-2006-08-19_cameco_01-04_L1mos.ers	1 KB	2006-08-24
hy2-2006-08-19_cameco_01-04_L1mos.hdr	2 KB	2006-08-24
hy2-2006-08-19_cameco_01-04_L1mos_fcir.jgw	0 KB	2006-08-24
hy2-2006-08-19_cameco_01-04_L1mos_nclr.jgw	0 KB	2006-08-24
hy2-2006-08-19_cameco_01-04_L1mos_tm741.jgw	0 KB	2006-08-24
hy2-2006-08-19_cameco_01-04_L1mos_fcir.jpg	2,310 KB	2006-08-24
hy2-2006-08-19_cameco_01-04_L1mos_nclr.jpg	2,156 KB	2006-08-24
hy2-2006-08-19_cameco_01-04_L1mos_tm741.jpg	2,362 KB	2006-08-24
hy2-2006-08-19_cameco_01-04_L1mos_fcir.tfw	0 KB	2006-08-24
hy2-2006-08-19_cameco_01-04_L1mos_nclr.tfw	0 KB	2006-08-24
hy2-2006-08-19_cameco_01-04_L1mos_tm741.tfw	0 KB	2006-08-24

hy2-2006-08-19_cameco_01-04_L1mos_fcir.tif	21,280 KB	2006-08-24
hy2-2006-08-19_cameco_01-04_L1mos_nclr.tif	21,280 KB	2006-08-24
hy2-2006-08-19_cameco_01-04_L1mos_tm741.tif	21,280 KB	2006-08-24
g:\cameco\L2\L2D\cameco_05-09\	328,056 KB	2006-08-28
hy2-2006-08-19_cameco_05-09_L1mos.bil	220,753 KB	2006-08-25
hy2-2006-08-19_cameco_05-09_L1mos.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_05-09_L1mos.hdr	3 KB	2006-08-25
hy2-2006-08-19_cameco_05-09_L1mos_fcir.jgw	0 KB	2006-08-25
hy2-2006-08-19_cameco_05-09_L1mos_nclr.jgw	0 KB	2006-08-25
hy2-2006-08-19_cameco_05-09_L1mos_tm741.jgw	0 KB	2006-08-25
hy2-2006-08-19_cameco_05-09_L1mos_fcir.jpg	2,605 KB	2006-08-25
hy2-2006-08-19_cameco_05-09_L1mos_nclr.jpg	2,569 KB	2006-08-25
hy2-2006-08-19_cameco_05-09_L1mos_tm741.jpg	2,617 KB	2006-08-25
hy2-2006-08-19_cameco_05-09_L1mos_fcir.tfw	0 KB	2006-08-25
hy2-2006-08-19_cameco_05-09_L1mos_nclr.tfw	0 KB	2006-08-25
hy2-2006-08-19_cameco_05-09_L1mos_tm741.tfw	0 KB	2006-08-25
hy2-2006-08-19_cameco_05-09_L1mos_fcir.tif	33,169 KB	2006-08-25
hy2-2006-08-19_cameco_05-09_L1mos_nclr.tif	33,169 KB	2006-08-25
hy2-2006-08-19_cameco_05-09_L1mos_tm741.tif	33,169 KB	2006-08-25
g:\cameco\L2\L2D\cameco_10-29\	1,995,240 KB	2006-08-28
hy2-2006-08-19_cameco_10-29_L1mos.bil	1,343,056 KB	2006-08-25
hy2-2006-08-19_cameco_10-29_L1mos.hdr	1 KB	2006-08-25
hy2-2006-08-19_cameco_10-29_L1mos_fcir.jgw	0 KB	2006-08-25
hy2-2006-08-19_cameco_10-29_L1mos_nclr.jgw	0 KB	2006-08-25
hy2-2006-08-19_cameco_10-29_L1mos_tm741.jgw	0 KB	2006-08-25
hy2-2006-08-19_cameco_10-29_L1mos_fcir.jpg	15,859 KB	2006-08-25
hy2-2006-08-19_cameco_10-29_L1mos_nclr.jpg	14,450 KB	2006-08-25
hy2-2006-08-19_cameco_10-29_L1mos_tm741.jpg	17,009 KB	2006-08-25
hy2-2006-08-19_cameco_10-29_L1mos_fcir.tfw	0 KB	2006-08-25
hy2-2006-08-19_cameco_10-29_L1mos_nclr.tfw	0 KB	2006-08-25
hy2-2006-08-19_cameco_10-29_L1mos_tm741.tfw	0 KB	2006-08-25
hy2-2006-08-19_cameco_10-29_L1mos_fcir.tif	201,621 KB	2006-08-25
hy2-2006-08-19_cameco_10-29_L1mos_nclr.tif	201,621 KB	2006-08-25
hy2-2006-08-19_cameco_10-29_L1mos_tm741.tif	201,621 KB	2006-08-25
g:\cameco\L2\L2D\temp\	1,148,547 KB	2006-08-28
hy2-2006-08-19_cameco_rad_xtr_geo_mos.bil	1,132,251 KB	2006-08-25
hy2-2006-08-19_cameco_rad_xtr_geo_mos.ers	1 KB	2006-08-25
hy2-2006-08-19_cameco_rad_xtr_geo_mos.hdr	10 KB	2006-08-25
hy2-2006-08-19_cameco_rad_xtr_geo_mos.jgw	0 KB	2006-08-25
hy2-2006-08-19_cameco_rad_xtr_geo_mos.jpg	16,285 KB	2006-08-25


7. ANNEXES

The following annexes contain ;

7.1 GPS FLIGHTPATH MAP

7.2 HYMAP DATA COVERAGE MAP




7.3 HYMAP OPERATOR DATA LOG



NT - Cameco

HyMap Coverage Overview

Cameco Australia Pty Ltd



HYMAP OPERATOR DATA LOG

Flight # 19-3-06 Client: CAMECO Survey Region: UTC Operator: UTC
Pilot: RICHTER Navigator: CHAS Aircraft: 130 Time Standard: UTC Instrument ID:
Ground Test: of DAS s/w version: SCI s/w version:
Comments:

Survey Line Data

Strip No.	Site/Line Name	Company	Start Time UTC	Run No.	Drift P/S	GPS Track Direction	Altitude ASL	Ground Speed	Mirror Speed	F/U	No. of Scan Lines	Comments
1	TEST	0	00:00	1	-1.6	60	7536	15	14		1118	
2	Cameco 1		01:06	1	0.7	90	7503	136	14		3432	
3	Cameco 2		01:22	1	0.2	89	7464	130	15		3696	
4	Cameco 3		01:29	1	2.8	270	7566	153	15		3183	
5	Cameco 4		01:36	1	0.3	89	7490	123	15		3645	
6	Cameco 5		01:47	1	1.8	271	7762	146.53	15		2323	
7	Cameco 6		01:52	1	-1.2	89	7687	144	15		2374	
8	Cameco 7		01:57	1	1.2	270	7756	145	15		2302	
9	Cameco 8		02:04	1	-0.5	89	7657	138	15		4376	
10	Cameco 9		02:12	1	0.6	270	7625	145	15		2339	
11	Cameco 29		02:22	1	0.5	90	8009	139	15		2921	
12	Cameco 28		02:30	1	1.2	179	7963	152	15		6143	
13	Cameco 27		02:40	1	0.2	0	7973	145	15		6181	
14	Cameco 26		02:49	1	0.5	180	8005	144	15		6075	
15	Cameco 25		02:58	1	1.1	359	7992	151	15		5891	
16	Cameco 24		03:07	1	1.0	179	8035	149	15		5861	
17	Cameco 23		03:16	1	1.4	359	8015	145	15		2364	
18	Cameco 22		03:20	1	0.3	180	8002	145	15		2400	

SMOKE

011

015



HYMAP OPERATOR DATA LOG

Flight # Date: 19-8-06 Client: Survey Region: CAMEZO Operator:
 Pilot: RICHARD Navigator: J.S.S. Aircraft: T-30 Time Standard: UTC Instrument ID:
 Ground Test: of Tape Drive # 1 DAS s/w version: SCI s/w version:
 Comments:

Survey Line Data

Strip No.	Site/Line Name	Company	Start Time UTC	Run No.	Drift P/S	GPS Track Direction	Altitude ASL	Ground Speed	Mirror Speed	F/U	No. of Scan Lines	Comments
19	Camezo 21		03:25	1	1.5	0	8002	146	15		2389	
20	Camezo 20		03:29	1	0.1	180	8094	148.5	15		2308	
21	Camezo 19		03:34	1	7.4	359	8068	140	15		2430	
22	Camezo 18		03:39	1	0.2	180	8035	152	15		2215	
23	Camezo 17		03:45	1	0.7	0	8058	153	15		2411	
24	Camezo 16		03:48	1	0.9	180	8084	144	15		2380	
25	Camezo 15		04:01	1	0.3	180	7989	149	15		4773	
26	Camezo 14		04:09	1	0.5	359	7949	148	15		4641	
27	Camezo 13		04:16	1	0.3	180	8146	145	15		4709	
28	Camezo 12		04:24	1	0.5	359	7999	148	15		4575	
29	Camezo 11		04:31	1	0.1	180	8097	146	15		4816	
30	Camezo 10		04:39	1	0.7	6	7953	148	15		4730	
31	Ranger 6		04:55	1	0.6	160	5325	114	16		5425	Bumpy
32	Ranger 5		04:03	1	1.4	342	5174	120	16		2514	Bumpy

2
 R16C