



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Page: 1
Finalized Date: 22-APR-2012
Account: WEDES

QC CERTIFICATE AS12075742

Project: Limbla

P.O. No.: LI120411

This report is for 78 Rock samples submitted to our lab in Alice Springs, NT, Australia on 11-APR-2012.

The following have access to data associated with this certificate:

ANDY BENNETT

GRAHAM BUBNER

CHRIS GAUGHAN

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LEV-01 | Waste Disposal Levy |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-21 | Crush entire sample >70% -6 mm |
| PUL-23 | Pulv Sample - Split/Retain |
| PUL-QC | Pulverizing QC Test |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------------|------------|
| Au-AA26 | Ore Grade Au 50g FA AA finish | AAS |
| ME-MS61r | 48 element four acid ICP-MS + REEs | |

To: WESTERN DESERT RESOURCES
ATTN: CHRIS GAUGHAN
LEVEL 1, 26 GREENHILL ROAD
WAYVILLE SA 5034

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Wayne Abbott, Operations Manager, Western Australia



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Project: Limbla

Page: 2 - A
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 22-APR-2012
Account: WESEDES

QC CERTIFICATE OF ANALYSIS AS12075742

| Method Analyte Units LOR | Au-AA26 Au ppm 0.01 | ME-MS61r Ag ppm 0.01 | ME-MS61r Al % 0.01 | ME-MS61r As ppm 0.2 | ME-MS61r Ba ppm 10 | ME-MS61r Be ppm 0.05 | ME-MS61r Bi ppm 0.01 | ME-MS61r Ca % 0.01 | ME-MS61r Cd ppm 0.02 | ME-MS61r Ce ppm 0.01 | ME-MS61r Co ppm 0.1 | ME-MS61r Cr ppm 1 | ME-MS61r Cs ppm 0.05 | ME-MS61r Cu ppm 0.2 | ME-MS61r Fe % 0.01 |
|-----------------------------------|------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|------------------------------|-----------------------------|
| Sample Description | | | | | | | | | | | | | | | |
| STANDARDS | | | | | | | | | | | | | | | |
| BL-4a | | 0.65 | 6.28 | 3.9 | 250 | 64.9 | 0.77 | 3.00 | 0.07 | 63.0 | 25.4 | 76 | 0.37 | 87.4 | 5.08 |
| BL-4a | | 0.66 | 6.24 | 3.7 | 250 | 65.1 | 0.84 | 2.95 | 0.07 | 64.5 | 25.4 | 73 | 0.37 | 88.1 | 5.01 |
| BL-4a | | 0.82 | 7.43 | 4.2 | 300 | 65.6 | 0.83 | 3.54 | 0.08 | 71.5 | 28.7 | 83 | 0.41 | 98.1 | 5.22 |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| MRGeo08 | | 4.82 | 7.47 | 34.9 | 1050 | 3.25 | 0.65 | 2.62 | 2.33 | 73.1 | 21.6 | 93 | 11.35 | 607 | 4.00 |
| MRGeo08 | | 4.60 | 7.52 | 34.2 | 1030 | 3.26 | 0.69 | 2.59 | 2.31 | 74.0 | 21.5 | 92 | 11.55 | 628 | 3.96 |
| MRGeo08 | | 4.80 | 7.81 | 35.7 | 1070 | 3.25 | 0.67 | 2.68 | 2.47 | 80.7 | 22.2 | 94 | 12.00 | 620 | 4.10 |
| Target Range - Lower Bound | | 4.16 | 7.00 | 29.7 | 920 | 2.80 | 0.63 | 2.35 | 2.01 | 72.9 | 18.4 | 82 | 11.00 | 568 | 3.61 |
| Upper Bound | | 5.10 | 8.57 | 36.7 | 1270 | 3.54 | 0.79 | 2.90 | 2.50 | 89.1 | 22.8 | 102 | 13.60 | 694 | 4.43 |
| OREAS-101a | | 0.58 | 5.36 | 17.0 | 170 | 6.78 | 0.44 | 1.11 | 0.03 | >500 | 47.4 | 31 | 2.22 | 432 | 9.86 |
| OREAS-101a | | 0.58 | 5.14 | 17.2 | 170 | 6.55 | 0.46 | 1.07 | 0.04 | >500 | 48.2 | 26 | 2.20 | 411 | 9.31 |
| OREAS-101a | | 0.58 | 5.68 | 17.6 | 180 | 6.89 | 0.47 | 1.19 | 0.03 | >500 | 49.7 | 28 | 2.32 | 460 | 10.60 |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| OxK95 | 3.60 | | | | | | | | | | | | | | |
| OxK95 | 3.60 | | | | | | | | | | | | | | |
| OxK95 | 3.60 | | | | | | | | | | | | | | |
| OxK95 | 3.56 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | 3.31 | | | | | | | | | | | | | | |
| Upper Bound | 3.76 | | | | | | | | | | | | | | |
| SG56 | 1.03 | | | | | | | | | | | | | | |
| SG56 | 1.01 | | | | | | | | | | | | | | |
| SG56 | 1.01 | | | | | | | | | | | | | | |
| SG56 | 1.03 | | | | | | | | | | | | | | |
| SG56 | 0.99 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | 0.96 | | | | | | | | | | | | | | |
| Upper Bound | 1.10 | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Page: 2 - B
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 22-APR-2012
Account: WESEDES

Project: Limbla

QC CERTIFICATE OF ANALYSIS AS12075742

| Method Analyte Units LOR | ME-MS61r Ga ppm 0.05 | ME-MS61r Ge ppm 0.05 | ME-MS61r Hf ppm 0.1 | ME-MS61r In ppm 0.005 | ME-MS61r K % 0.01 | ME-MS61r La ppm 0.5 | ME-MS61r Li ppm 0.2 | ME-MS61r Mg % 0.01 | ME-MS61r Mn ppm 5 | ME-MS61r Mo ppm 0.05 | ME-MS61r Na % 0.01 | ME-MS61r Nb ppm 0.1 | ME-MS61r Ni ppm 0.2 | ME-MS61r P ppm 10 | ME-MS61r Pb ppm 0.5 |
|-----------------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-------------------------------|-----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|
| Sample Description | | | | | | | | | | | | | | | |
| STANDARDS | | | | | | | | | | | | | | | |
| BL-4a | 16.10 | 0.14 | 4.4 | 0.054 | 0.41 | 29.4 | 20.0 | 1.33 | 634 | 26.5 | 3.56 | 8.2 | 145.0 | 1140 | 258 |
| BL-4a | 16.55 | 0.15 | 4.3 | 0.056 | 0.41 | 30.1 | 19.9 | 1.31 | 627 | 27.0 | 3.54 | 8.1 | 145.5 | 1130 | 263 |
| BL-4a | 18.65 | 0.14 | 4.9 | 0.063 | 0.48 | 33.4 | 20.2 | 1.58 | 749 | 31.1 | 4.23 | 9.3 | 169.5 | 1330 | 305 |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| MRGeo08 | 17.90 | 0.21 | 3.4 | 0.198 | 3.11 | 35.1 | 35.3 | 1.36 | 517 | 15.15 | 1.96 | 21.1 | 702 | 1000 | 1075 |
| MRGeo08 | 18.70 | 0.16 | 3.3 | 0.199 | 3.09 | 36.4 | 35.9 | 1.36 | 511 | 15.05 | 1.95 | 20.4 | 688 | 980 | 1065 |
| MRGeo08 | 19.05 | 0.17 | 3.6 | 0.204 | 3.18 | 39.2 | 33.0 | 1.41 | 528 | 15.45 | 2.02 | 21.5 | 707 | 1030 | 1095 |
| Target Range - Lower Bound | 17.50 | <0.05 | 2.8 | 0.161 | 2.79 | 36.3 | 30.4 | 1.24 | 506 | 13.65 | 1.76 | 18.3 | 617 | 910 | 965 |
| Upper Bound | 21.5 | 0.27 | 3.6 | 0.207 | 3.43 | 45.5 | 37.6 | 1.54 | 630 | 16.75 | 2.18 | 22.5 | 755 | 1140 | 1180 |
| OREAS-101a | 28.1 | 1.13 | 3.8 | 0.042 | 2.22 | 830 | 28.3 | 1.19 | 919 | 20.1 | 0.06 | 48.5 | 9.3 | 1210 | 22.6 |
| OREAS-101a | 28.1 | 1.11 | 3.6 | 0.044 | 2.11 | 800 | 26.8 | 1.14 | 884 | 19.50 | 0.06 | 46.8 | 9.0 | 1160 | 22.7 |
| OREAS-101a | 28.9 | 1.07 | 4.0 | 0.046 | 2.37 | 880 | 27.0 | 1.27 | 974 | 20.8 | 0.06 | 51.5 | 9.4 | 1290 | 25.5 |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| OxK95 | | | | | | | | | | | | | | | |
| OxK95 | | | | | | | | | | | | | | | |
| OxK95 | | | | | | | | | | | | | | | |
| OxK95 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| SG56 | | | | | | | | | | | | | | | |
| SG56 | | | | | | | | | | | | | | | |
| SG56 | | | | | | | | | | | | | | | |
| SG56 | | | | | | | | | | | | | | | |
| SG56 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Project: Limbla

Page: 2 - C
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 22-APR-2012
Account: WESEDES

QC CERTIFICATE OF ANALYSIS AS12075742

| Method Analyte Units LOR | ME-MS61r Rb ppm 0.1 | ME-MS61r Re ppm 0.002 | ME-MS61r S % 0.01 | ME-MS61r Sb ppm 0.05 | ME-MS61r Sc ppm 0.1 | ME-MS61r Se ppm 1 | ME-MS61r Sn ppm 0.2 | ME-MS61r Sr ppm 0.2 | ME-MS61r Ta ppm 0.05 | ME-MS61r Te ppm 0.05 | ME-MS61r Th ppm 0.2 | ME-MS61r Ti % 0.005 | ME-MS61r Tl ppm 0.02 | ME-MS61r U ppm 0.1 | ME-MS61r V ppm 1 |
|-----------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|-----------------------------|---------------------------|
| Sample Description | | | | | | | | | | | | | | | |
| STANDARDS | | | | | | | | | | | | | | | |
| BL-4a | 19.8 | 0.017 | 0.24 | 0.11 | 13.8 | 7 | 3.5 | 235 | 0.98 | 0.19 | 13.2 | 0.275 | 0.14 | 1230 | 530 |
| BL-4a | 20.1 | 0.015 | 0.24 | 0.12 | 13.9 | 8 | 3.5 | 233 | 0.95 | 0.21 | 13.4 | 0.271 | 0.13 | 1240 | 517 |
| BL-4a | 22.6 | 0.019 | 0.28 | 0.14 | 15.3 | 7 | 3.6 | 276 | 1.12 | 0.21 | 15.0 | 0.323 | 0.15 | 1470 | 626 |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| MRGeo08 | 197.0 | 0.010 | 0.31 | 5.00 | 12.5 | 2 | 4.1 | 298 | 1.73 | <0.05 | 19.4 | 0.489 | 1.11 | 6.1 | 111 |
| MRGeo08 | 207 | 0.010 | 0.30 | 4.90 | 12.7 | 2 | 4.0 | 296 | 1.70 | <0.05 | 20.8 | 0.484 | 1.12 | 6.4 | 110 |
| MRGeo08 | 213 | 0.010 | 0.32 | 5.12 | 12.4 | 2 | 3.9 | 307 | 1.79 | <0.05 | 21.4 | 0.499 | 1.06 | 6.4 | 112 |
| Target Range - Lower Bound | 187.0 | 0.006 | 0.27 | 4.08 | 11.0 | <1 | 3.5 | 272 | 1.48 | <0.05 | 19.2 | 0.454 | <0.02 | 5.6 | 99 |
| Upper Bound | 229 | 0.016 | 0.35 | 5.64 | 13.6 | 4 | 4.7 | 332 | 1.92 | 0.21 | 23.9 | 0.566 | 0.04 | 7.0 | 123 |
| OREAS-101a | 194.0 | 0.106 | 0.10 | 1.18 | 8.9 | 10 | 8.5 | 19.9 | 2.43 | 0.11 | 34.7 | 0.334 | 0.73 | 420 | 81 |
| OREAS-101a | 191.0 | 0.103 | 0.09 | 1.11 | 8.9 | 10 | 7.8 | 19.7 | 2.23 | 0.10 | 36.6 | 0.310 | 0.69 | 403 | 76 |
| OREAS-101a | 202 | 0.109 | 0.10 | 1.21 | 9.1 | 10 | 8.1 | 20.6 | 2.62 | 0.12 | 37.1 | 0.357 | 0.69 | 440 | 85 |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| OxK95 | | | | | | | | | | | | | | | |
| OxK95 | | | | | | | | | | | | | | | |
| OxK95 | | | | | | | | | | | | | | | |
| OxK95 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| SG56 | | | | | | | | | | | | | | | |
| SG56 | | | | | | | | | | | | | | | |
| SG56 | | | | | | | | | | | | | | | |
| SG56 | | | | | | | | | | | | | | | |
| SG56 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Project: Limbla

Page: 2 - D
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 22-APR-2012
Account: WESEDES

QC CERTIFICATE OF ANALYSIS AS12075742

| Method Analyte Units LOR | ME-MS61r W ppm 0.1 | ME-MS61r Y ppm 0.1 | ME-MS61r Zn ppm 2 | ME-MS61r Zr ppm 0.5 | ME-MS61r Dy ppm 0.05 | ME-MS61r Er ppm 0.03 | ME-MS61r Eu ppm 0.03 | ME-MS61r Gd ppm 0.05 | ME-MS61r Ho ppm 0.01 | ME-MS61r Lu ppm 0.01 | ME-MS61r Nd ppm 0.1 | ME-MS61r Pr ppm 0.03 | ME-MS61r Sm ppm 0.03 | ME-MS61r Tb ppm 0.01 | ME-MS61r Tm ppm 0.01 |
|-----------------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Sample Description | | | | | | | | | | | | | | | |
| STANDARDS | | | | | | | | | | | | | | | |
| BL-4a | 1.9 | 23.7 | 42 | 190.0 | 4.40 | 2.64 | 1.13 | 4.81 | 0.85 | 0.35 | 26.3 | 7.10 | 5.07 | 0.76 | 0.35 |
| BL-4a | 1.9 | 24.7 | 42 | 189.5 | 4.37 | 2.53 | 1.12 | 4.84 | 0.88 | 0.35 | 26.2 | 7.17 | 5.16 | 0.76 | 0.34 |
| BL-4a | 2.1 | 26.6 | 49 | 217 | 4.53 | 2.77 | 1.26 | 4.96 | 0.94 | 0.39 | 29.3 | 8.01 | 5.70 | 0.83 | 0.37 |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| MRGeo08 | 5.3 | 26.2 | 832 | 101.0 | 5.18 | 3.06 | 1.54 | 5.80 | 0.99 | 0.41 | 32.9 | 8.67 | 6.40 | 0.92 | 0.41 |
| MRGeo08 | 5.3 | 27.8 | 820 | 99.1 | 5.30 | 3.01 | 1.53 | 5.81 | 1.05 | 0.42 | 32.7 | 8.83 | 6.57 | 0.92 | 0.41 |
| MRGeo08 | 5.4 | 28.3 | 848 | 107.0 | 5.05 | 3.03 | 1.60 | 5.67 | 1.05 | 0.43 | 34.9 | 9.42 | 6.85 | 0.95 | 0.42 |
| Target Range - Lower Bound | 4.3 | 24.3 | 712 | 92.2 | 3.99 | 2.37 | 1.20 | 4.92 | 0.79 | 0.32 | 26.5 | 7.02 | 5.24 | 0.73 | 0.32 |
| Upper Bound | 6.1 | 29.9 | 874 | 126.0 | 5.51 | 3.27 | 1.70 | 6.78 | 1.09 | 0.46 | 36.1 | 9.56 | 7.16 | 1.01 | 0.46 |
| OREAS-101a | 19.7 | 137.5 | 22 | 117.0 | 27.7 | 15.95 | 8.85 | 36.0 | 5.21 | 1.92 | 392 | 131.5 | 50.9 | 5.33 | 2.05 |
| OREAS-101a | 18.8 | 141.5 | 21 | 114.0 | 27.5 | 14.90 | 8.62 | 36.6 | 5.35 | 1.91 | 381 | 130.0 | 51.5 | 5.28 | 2.01 |
| OREAS-101a | 20.4 | 145.5 | 24 | 126.0 | 26.6 | 15.45 | 9.00 | 34.3 | 5.47 | 1.99 | 396 | 133.5 | 52.7 | 5.47 | 2.11 |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| OxK95 | | | | | | | | | | | | | | | |
| OxK95 | | | | | | | | | | | | | | | |
| OxK95 | | | | | | | | | | | | | | | |
| OxK95 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| SG56 | | | | | | | | | | | | | | | |
| SG56 | | | | | | | | | | | | | | | |
| SG56 | | | | | | | | | | | | | | | |
| SG56 | | | | | | | | | | | | | | | |
| SG56 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 2 - E
 Total # Pages: 5 (A - E)
 Plus Appendix Pages
 Finalized Date: 22-APR-2012
 Account: WESEDES

Project: Limbla

QC CERTIFICATE OF ANALYSIS AS12075742

| Sample Description | Method Analyte Units LOR | ME-MS61r Yb ppm 0.03 |
|----------------------------|-----------------------------------|-------------------------------|
| STANDARDS | | |
| BL-4a | | 2.35 |
| BL-4a | | 2.36 |
| BL-4a | | 2.55 |
| Target Range - Lower Bound | | |
| Upper Bound | | |
| MRGeo08 | | 2.72 |
| MRGeo08 | | 2.79 |
| MRGeo08 | | 2.85 |
| Target Range - Lower Bound | | 2.13 |
| Upper Bound | | 2.95 |
| OREAS-101a | | 13.55 |
| OREAS-101a | | 13.45 |
| OREAS-101a | | 14.30 |
| Target Range - Lower Bound | | |
| Upper Bound | | |
| OxK95 | | |
| OxK95 | | |
| OxK95 | | |
| OxK95 | | |
| Target Range - Lower Bound | | |
| Upper Bound | | |
| SG56 | | |
| SG56 | | |
| SG56 | | |
| SG56 | | |
| SG56 | | |
| Target Range - Lower Bound | | |
| Upper Bound | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Project: Limbla

Page: 3 - A
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 22-APR-2012
Account: WESEDES

QC CERTIFICATE OF ANALYSIS AS12075742

| Sample Description | Method Analyte Units LOR | Au-AA26 | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|----------------------------|-----------------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Au | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Ce | Co | Cr | Cs | Cu | Fe |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | % |
| | | 0.01 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 | 0.2 | 0.01 |
| BLANKS | | | | | | | | | | | | | | | | |
| BLANK | | <0.01 | | | | | | | | | | | | | | |
| BLANK | | <0.01 | | | | | | | | | | | | | | |
| BLANK | | <0.01 | | | | | | | | | | | | | | |
| BLANK | | <0.01 | | | | | | | | | | | | | | |
| BLANK | | <0.01 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.01 | | | | | | | | | | | | | | |
| Upper Bound | | 0.02 | | | | | | | | | | | | | | |
| BLANK | | | <0.02 | <0.01 | <0.2 | <10 | <0.05 | <0.01 | <0.01 | <0.02 | <0.01 | <0.1 | <1 | <0.05 | <0.2 | 0.01 |
| BLANK | | | <0.02 | 0.01 | <0.2 | <10 | <0.05 | <0.01 | 0.01 | <0.02 | 0.01 | <0.1 | 1 | <0.05 | 0.2 | 0.01 |
| BLANK | | | 0.02 | 0.01 | <0.2 | <10 | <0.05 | <0.01 | 0.01 | <0.02 | 0.08 | 0.1 | 1 | <0.05 | 0.3 | 0.01 |
| Target Range - Lower Bound | | | <0.01 | <0.01 | <0.2 | <10 | <0.05 | <0.01 | <0.01 | <0.02 | <0.01 | <0.1 | <1 | <0.05 | <0.2 | <0.01 |
| Upper Bound | | | 0.02 | 0.02 | 0.4 | 20 | 0.10 | 0.02 | 0.02 | 0.04 | 0.02 | 0.2 | 2 | 0.10 | 0.4 | 0.02 |
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL | | 0.03 | | | | | | | | | | | | | | |
| DUP | | 0.03 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.02 | | | | | | | | | | | | | | |
| Upper Bound | | 0.04 | | | | | | | | | | | | | | |
| ORIGINAL | | 0.07 | | | | | | | | | | | | | | |
| DUP | | 0.07 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.06 | | | | | | | | | | | | | | |
| Upper Bound | | 0.08 | | | | | | | | | | | | | | |
| ORIGINAL | | <0.01 | | | | | | | | | | | | | | |
| DUP | | <0.01 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.01 | | | | | | | | | | | | | | |
| Upper Bound | | 0.02 | | | | | | | | | | | | | | |
| ORIGINAL | | <0.01 | | | | | | | | | | | | | | |
| DUP | | <0.01 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.01 | | | | | | | | | | | | | | |
| Upper Bound | | 0.02 | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: Limbla

Page: 3 - B
 Total # Pages: 5 (A - E)
 Plus Appendix Pages
 Finalized Date: 22-APR-2012
 Account: WESEDES

QC CERTIFICATE OF ANALYSIS AS12075742

| Method Analyte Units LOR | ME-MS61r Ga ppm 0.05 | ME-MS61r Ge ppm 0.05 | ME-MS61r Hf ppm 0.1 | ME-MS61r In ppm 0.005 | ME-MS61r K % 0.01 | ME-MS61r La ppm 0.5 | ME-MS61r Li ppm 0.2 | ME-MS61r Mg % 0.01 | ME-MS61r Mn ppm 5 | ME-MS61r Mo ppm 0.05 | ME-MS61r Na % 0.01 | ME-MS61r Nb ppm 0.1 | ME-MS61r Ni ppm 0.2 | ME-MS61r P ppm 10 | ME-MS61r Pb ppm 0.5 |
|-----------------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-------------------------------|-----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|
| Sample Description | | | | | | | | | | | | | | | |
| BLANK | BLANKS | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| BLANK | <0.05 | <0.05 | <0.1 | <0.005 | <0.01 | <0.5 | <0.2 | <0.01 | <5 | <0.05 | <0.01 | <0.1 | <0.2 | <10 | <0.5 |
| BLANK | <0.05 | <0.05 | <0.1 | <0.005 | <0.01 | <0.5 | <0.2 | <0.01 | <5 | <0.05 | 0.01 | <0.1 | 0.3 | <10 | <0.5 |
| BLANK | <0.05 | <0.05 | <0.1 | <0.005 | <0.01 | <0.5 | <0.2 | <0.01 | <5 | <0.05 | 0.01 | <0.1 | 0.3 | <10 | <0.5 |
| Target Range - Lower Bound | <0.05 | <0.05 | <0.1 | <0.005 | <0.01 | <0.5 | <0.2 | <0.01 | <5 | <0.05 | <0.01 | <0.1 | <0.2 | <10 | <0.5 |
| Upper Bound | 0.10 | 0.10 | 0.2 | 0.010 | 0.02 | 1.0 | 0.4 | 0.02 | 10 | 0.10 | 0.02 | 0.2 | 0.4 | 20 | 1.0 |
| ORIGINAL | DUPLICATES | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Project: Limbla

Page: 3 - C
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 22-APR-2012
Account: WESEDES

QC CERTIFICATE OF ANALYSIS AS12075742

| Method Analyte Units LOR | ME-MS61r Rb ppm 0.1 | ME-MS61r Re ppm 0.002 | ME-MS61r S % 0.01 | ME-MS61r Sb ppm 0.05 | ME-MS61r Sc ppm 0.1 | ME-MS61r Se ppm 1 | ME-MS61r Sn ppm 0.2 | ME-MS61r Sr ppm 0.2 | ME-MS61r Ta ppm 0.05 | ME-MS61r Te ppm 0.05 | ME-MS61r Th ppm 0.2 | ME-MS61r Ti % 0.005 | ME-MS61r Tl ppm 0.02 | ME-MS61r U ppm 0.1 | ME-MS61r V ppm 1 |
|-----------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|-----------------------------|---------------------------|
| Sample Description | | | | | | | | | | | | | | | |
| BLANK | BLANKS | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| BLANK | <0.1 | <0.002 | <0.01 | <0.05 | <0.1 | <1 | <0.2 | 0.2 | <0.05 | <0.05 | <0.2 | <0.005 | <0.02 | <0.1 | <1 |
| BLANK | <0.1 | <0.002 | <0.01 | <0.05 | 0.1 | <1 | <0.2 | 0.2 | <0.05 | <0.05 | <0.2 | <0.005 | <0.02 | <0.1 | 1 |
| BLANK | 0.1 | <0.002 | <0.01 | <0.05 | <0.1 | <1 | <0.2 | 0.2 | <0.05 | <0.05 | <0.2 | <0.005 | <0.02 | <0.1 | 1 |
| Target Range - Lower Bound | <0.1 | <0.002 | <0.01 | <0.05 | <0.1 | <1 | <0.2 | <0.2 | <0.05 | <0.05 | <0.2 | <0.005 | <0.02 | <0.1 | <1 |
| Upper Bound | 0.2 | 0.004 | 0.02 | 0.10 | 0.2 | 5 | 0.4 | 0.4 | 0.10 | 0.10 | 0.4 | 0.010 | 0.04 | 0.2 | 2 |
| ORIGINAL | DUPLICATES | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Project: Limbla

Page: 3 - D
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 22-APR-2012
Account: WESEDES

QC CERTIFICATE OF ANALYSIS AS12075742

| Method Analyte Units LOR | ME-MS61r W ppm 0.1 | ME-MS61r Y ppm 0.1 | ME-MS61r Zn ppm 2 | ME-MS61r Zr ppm 0.5 | ME-MS61r Dy ppm 0.05 | ME-MS61r Er ppm 0.03 | ME-MS61r Eu ppm 0.03 | ME-MS61r Gd ppm 0.05 | ME-MS61r Ho ppm 0.01 | ME-MS61r Lu ppm 0.01 | ME-MS61r Nd ppm 0.1 | ME-MS61r Pr ppm 0.03 | ME-MS61r Sm ppm 0.03 | ME-MS61r Tb ppm 0.01 | ME-MS61r Tm ppm 0.01 |
|-----------------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Sample Description | | | | | | | | | | | | | | | |
| BLANK | BLANKS | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| ORIGINAL | DUPLICATES | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 3 - E
 Total # Pages: 5 (A - E)
 Plus Appendix Pages
 Finalized Date: 22-APR-2012
 Account: WESEDES

Project: Limbla

QC CERTIFICATE OF ANALYSIS AS12075742

| Sample Description | Method Analyte Units LOR | ME-MS61r Yb ppm 0.03 |
|--|-----------------------------------|--|
| BLANK BLANK BLANK BLANK BLANK Target Range - Lower Bound Upper Bound | | BLANKS |
| BLANK BLANK BLANK Target Range - Lower Bound Upper Bound | | <0.03 <0.03 <0.03 <0.03 0.06 |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | DUPLICATES |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | |



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: Limbla

Page: 4 - A
 Total # Pages: 5 (A - E)
 Plus Appendix Pages
 Finalized Date: 22-APR-2012
 Account: WESEDES

QC CERTIFICATE OF ANALYSIS AS12075742

| | Method Analyte Units LOR | Au-AA26 Au ppm 0.01 | ME-MS61r Ag ppm 0.01 | ME-MS61r Al % 0.01 | ME-MS61r As ppm 0.2 | ME-MS61r Ba ppm 10 | ME-MS61r Be ppm 0.05 | ME-MS61r Bi ppm 0.01 | ME-MS61r Ca % 0.01 | ME-MS61r Cd ppm 0.02 | ME-MS61r Ce ppm 0.01 | ME-MS61r Co ppm 0.1 | ME-MS61r Cr ppm 1 | ME-MS61r Cs ppm 0.05 | ME-MS61r Cu ppm 0.2 | ME-MS61r Fe % 0.01 |
|----------------------------|-----------------------------------|------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|------------------------------|-----------------------------|
| Sample Description | | | | | | | | | | | | | | | | |
| | | DUPLICATES | | | | | | | | | | | | | | |
| ORIGINAL | | 0.30 | | | | | | | | | | | | | | |
| DUP | | 0.33 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.29 | | | | | | | | | | | | | | |
| Upper Bound | | 0.34 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| LI11010 | | <0.01 | 0.06 | 0.23 | 0.6 | 10 | <0.05 | 0.02 | 0.02 | <0.02 | 0.31 | 0.5 | 4 | 0.06 | 4.6 | 0.80 |
| DUP | | <0.01 | 0.02 | 0.23 | 0.6 | 10 | <0.05 | 0.02 | 0.03 | <0.02 | 0.34 | 0.5 | 8 | 0.05 | 4.4 | 0.82 |
| Target Range - Lower Bound | | <0.01 | 0.03 | 0.21 | 0.4 | <10 | <0.05 | <0.01 | <0.01 | <0.02 | 0.30 | 0.4 | 5 | <0.05 | 4.1 | 0.76 |
| Upper Bound | | 0.02 | 0.05 | 0.25 | 0.8 | 20 | 0.10 | 0.03 | 0.04 | 0.04 | 0.35 | 0.6 | 7 | 0.10 | 4.9 | 0.86 |
| | | | | | | | | | | | | | | | | |
| LI11030 | | | 0.06 | 6.05 | <5 | 370 | 0.42 | 0.03 | 10.30 | 0.09 | 40.2 | 47.2 | 684 | 1.44 | 90.7 | 5.83 |
| DUP | | | 0.05 | 5.48 | <0.2 | 340 | 0.45 | 0.03 | 9.63 | 0.08 | 39.7 | 46.3 | 706 | 1.27 | 89.8 | 5.36 |
| Target Range - Lower Bound | | | 0.04 | 5.47 | 2.3 | 320 | 0.36 | 0.02 | 9.46 | 0.06 | 37.9 | 44.3 | 659 | 1.24 | 85.5 | 5.31 |
| Upper Bound | | | 0.07 | 6.06 | 2.9 | 390 | 0.51 | 0.04 | 10.45 | 0.11 | 42.0 | 49.2 | 731 | 1.47 | 95.0 | 5.88 |
| | | | | | | | | | | | | | | | | |
| LI11044 | | | <0.01 | 0.05 | 0.2 | 10 | <0.05 | 0.01 | 0.03 | <0.02 | 3.35 | 0.4 | 4 | 0.05 | 12.0 | 0.26 |
| DUP | | | <0.02 | 0.07 | 0.3 | 10 | <0.05 | 0.01 | 0.03 | <0.02 | 3.40 | 0.4 | 3 | 0.05 | 11.8 | 0.25 |
| Target Range - Lower Bound | | | <0.01 | 0.05 | <0.2 | <10 | <0.05 | <0.01 | 0.02 | <0.02 | 3.20 | 0.3 | 2 | <0.05 | 11.1 | 0.23 |
| Upper Bound | | | 0.02 | 0.07 | 0.4 | 20 | 0.10 | 0.02 | 0.04 | 0.04 | 3.55 | 0.5 | 5 | 0.10 | 12.7 | 0.28 |
| | | | | | | | | | | | | | | | | |
| LI11064 | | | 0.02 | 8.54 | 1.0 | 410 | 1.33 | 0.12 | 7.78 | 0.13 | 76.1 | 46.5 | 196 | 1.69 | 52.7 | 7.04 |
| DUP | | | 0.03 | 8.45 | 0.8 | 410 | 1.26 | 0.11 | 7.78 | 0.13 | 74.2 | 46.4 | 194 | 1.67 | 52.3 | 6.98 |
| Target Range - Lower Bound | | | <0.01 | 8.06 | 0.7 | 370 | 1.18 | 0.10 | 7.38 | 0.10 | 71.4 | 44.0 | 184 | 1.55 | 49.7 | 6.65 |
| Upper Bound | | | 0.04 | 8.93 | 1.1 | 450 | 1.41 | 0.13 | 8.18 | 0.16 | 78.9 | 48.9 | 206 | 1.81 | 55.3 | 7.37 |
| | | | | | | | | | | | | | | | | |
| LI11067 | | <0.01 | | | | | | | | | | | | | | |
| DUP | | 0.01 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.01 | | | | | | | | | | | | | | |
| Upper Bound | | 0.02 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| LI11078 | | | 0.04 | 6.96 | <5 | 340 | 2.55 | 0.40 | 10.10 | 0.09 | 75.4 | 35.2 | 712 | 0.20 | 203 | 7.28 |
| DUP | | | 0.03 | 7.56 | <5.0 | 390 | 2.66 | 0.40 | 10.90 | 0.08 | 85.6 | 36.2 | 762 | 0.22 | 217 | 7.86 |
| Target Range - Lower Bound | | | 0.02 | 6.89 | 4.6 | 330 | 2.42 | 0.37 | 9.97 | 0.06 | 76.5 | 33.8 | 699 | 0.15 | 199.5 | 7.18 |
| Upper Bound | | | 0.05 | 7.63 | 5.5 | 400 | 2.79 | 0.43 | 11.05 | 0.11 | 84.5 | 37.6 | 775 | 0.27 | 221 | 7.96 |
| | | | | | | | | | | | | | | | | |
| ORIGINAL | | <0.01 | | | | | | | | | | | | | | |
| DUP | | 0.01 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.01 | | | | | | | | | | | | | | |
| Upper Bound | | 0.02 | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: Limbla

Page: 4 - B
 Total # Pages: 5 (A - E)
 Plus Appendix Pages
 Finalized Date: 22-APR-2012
 Account: WESEDES

QC CERTIFICATE OF ANALYSIS AS12075742

| Method Analyte Units LOR | ME-MS61r Ga ppm 0.05 | ME-MS61r Ge ppm 0.05 | ME-MS61r Hf ppm 0.1 | ME-MS61r In ppm 0.005 | ME-MS61r K % 0.01 | ME-MS61r La ppm 0.5 | ME-MS61r Li ppm 0.2 | ME-MS61r Mg % 0.01 | ME-MS61r Mn ppm 5 | ME-MS61r Mo ppm 0.05 | ME-MS61r Na % 0.01 | ME-MS61r Nb ppm 0.1 | ME-MS61r Ni ppm 0.2 | ME-MS61r P ppm 10 | ME-MS61r Pb ppm 0.5 |
|--|----------------------------------|---------------------------------|------------------------------|-------------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------------|------------------------------|------------------------------|
| Sample Description | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | DUPLICATES | | | | | | | | | | | | | | |
| LI11010 DUP Target Range - Lower Bound Upper Bound | 0.71 0.68 0.61 0.78 | <0.05 <0.05 <0.05 0.10 | <0.1 <0.1 <0.1 0.2 | <0.005 <0.005 <0.005 0.010 | 0.01 0.01 <0.01 0.02 | <0.5 <0.5 <0.5 1.0 | 0.4 0.3 <0.2 0.4 | 0.05 0.06 0.04 0.07 | 98 152 114 136 | 0.24 0.30 0.21 0.33 | 0.04 0.03 0.02 0.05 | 0.1 0.1 <0.1 0.2 | 4.1 2.4 2.9 3.6 | 10 10 <10 20 | 0.5 0.5 <0.5 1.0 |
| LI11030 DUP Target Range - Lower Bound Upper Bound | 12.85 12.55 12.00 13.40 | 0.33 0.31 0.25 0.39 | 2.0 1.9 1.8 2.1 | 0.063 0.064 0.055 0.072 | 0.33 0.32 0.30 0.35 | 18.2 18.0 16.7 19.5 | 7.0 7.4 6.6 7.8 | 8.14 7.44 7.39 8.19 | 1220 1130 1110 1240 | 0.13 0.12 0.07 0.18 | 1.00 0.92 0.90 1.02 | 2.0 2.0 1.8 2.2 | 180.5 179.0 170.5 189.0 | 650 610 590 670 | 2.0 2.0 1.4 2.6 |
| LI11044 DUP Target Range - Lower Bound Upper Bound | 0.23 0.23 0.17 0.29 | <0.05 <0.05 <0.05 0.10 | <0.1 <0.1 <0.1 0.2 | <0.005 <0.005 <0.005 0.010 | 0.01 0.01 <0.01 0.02 | 1.5 1.5 0.9 2.1 | 0.4 0.4 <0.2 0.6 | 0.01 0.01 <0.01 0.02 | 46 37 34 49 | 0.12 0.11 0.06 0.17 | 0.02 0.02 <0.01 0.03 | 0.2 0.1 <0.1 0.2 | 1.0 1.0 0.8 1.3 | 20 20 <10 30 | <0.5 0.5 <0.5 1.0 |
| LI11064 DUP Target Range - Lower Bound Upper Bound | 18.15 17.90 17.05 19.00 | 0.30 0.33 0.25 0.38 | 0.7 0.7 0.6 0.8 | 0.093 0.090 0.082 0.101 | 0.94 0.92 0.87 0.99 | 35.8 34.8 33.0 37.6 | 17.0 15.7 15.3 17.4 | 4.59 4.58 4.35 4.82 | 1350 1340 1275 1415 | 0.49 0.48 0.41 0.56 | 1.67 1.68 1.58 1.77 | 11.7 10.8 10.6 11.9 | 127.0 127.5 120.5 134.0 | 2230 2160 2080 2310 | 9.2 9.3 8.3 10.2 |
| LI11067 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | |
| LI11078 DUP Target Range - Lower Bound Upper Bound | 26.1 27.3 25.3 28.1 | 0.25 0.17 0.15 0.27 | 1.0 1.0 0.9 1.2 | 0.120 0.125 0.111 0.134 | 0.20 0.21 0.18 0.23 | 34.9 40.9 35.5 40.3 | 4.2 4.4 3.9 4.7 | 5.15 5.62 5.11 5.66 | 1580 1720 1565 1740 | 0.27 0.26 0.20 0.33 | 0.48 0.52 0.47 0.54 | 5.9 6.0 5.6 6.3 | 110.5 115.5 107.0 119.0 | 1520 1590 1470 1640 | 7.4 7.6 6.6 8.4 |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: Limbla

Page: 4 - C
 Total # Pages: 5 (A - E)
 Plus Appendix Pages
 Finalized Date: 22-APR-2012
 Account: WESEDES

QC CERTIFICATE OF ANALYSIS AS12075742

| Method Analyte Units LOR | ME-MS61r Rb ppm 0.1 | ME-MS61r Re ppm 0.002 | ME-MS61r S % 0.01 | ME-MS61r Sb ppm 0.05 | ME-MS61r Sc ppm 0.1 | ME-MS61r Se ppm 1 | ME-MS61r Sn ppm 0.2 | ME-MS61r Sr ppm 0.2 | ME-MS61r Ta ppm 0.05 | ME-MS61r Te ppm 0.05 | ME-MS61r Th ppm 0.2 | ME-MS61r Ti % 0.005 | ME-MS61r Tl ppm 0.02 | ME-MS61r U ppm 0.1 | ME-MS61r V ppm 1 |
|-----------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|-----------------------------|---------------------------|
| Sample Description | | | | | | | | | | | | | | | |
| ORIGINAL DUP | DUPLICATES | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| LI11010 DUP | 0.5 | <0.002 | <0.01 | 0.07 | 0.3 | <1 | 0.2 | 5.8 | <0.05 | <0.05 | <0.2 | <0.005 | <0.02 | <0.1 | 4 |
| Target Range - Lower Bound | 0.5 | <0.002 | <0.01 | 0.06 | 0.3 | <1 | <0.2 | 5.9 | <0.05 | <0.05 | <0.2 | <0.005 | <0.02 | <0.1 | 4 |
| Upper Bound | 0.4 | <0.002 | <0.01 | <0.05 | 0.2 | <1 | <0.2 | 5.4 | <0.05 | <0.05 | <0.2 | <0.005 | <0.02 | <0.1 | 3 |
| | 0.6 | 0.004 | 0.02 | 0.10 | 0.4 | 2 | 0.4 | 6.3 | 0.10 | 0.10 | 0.4 | 0.010 | 0.04 | 0.2 | 5 |
| LI11030 DUP | 5.8 | <0.002 | 0.01 | <0.05 | 68.4 | 1 | 0.8 | 315 | 0.13 | <0.05 | 1.8 | 0.389 | 0.03 | 0.3 | 212 |
| Target Range - Lower Bound | 5.4 | <0.002 | 0.01 | <0.05 | 66.6 | 1 | 0.8 | 290 | 0.13 | <0.05 | 1.7 | 0.384 | 0.03 | 0.2 | 213 |
| Upper Bound | 5.2 | <0.002 | <0.01 | <0.05 | 64.0 | <1 | 0.6 | 287 | 0.07 | <0.05 | 1.5 | 0.362 | <0.02 | <0.1 | 201 |
| | 6.0 | 0.004 | 0.02 | 0.10 | 71.0 | 2 | 1.0 | 318 | 0.19 | 0.10 | 2.0 | 0.411 | 0.04 | 0.4 | 224 |
| LI11044 DUP | 0.5 | <0.002 | <0.01 | <0.05 | 0.2 | <1 | <0.2 | 1.0 | <0.05 | <0.05 | 0.3 | <0.005 | <0.02 | 0.2 | 1 |
| Target Range - Lower Bound | 0.5 | <0.002 | <0.01 | <0.05 | 0.2 | <1 | <0.2 | 1.1 | <0.05 | <0.05 | 0.3 | <0.005 | <0.02 | 0.2 | 2 |
| Upper Bound | 0.4 | <0.002 | <0.01 | <0.05 | <0.1 | <1 | <0.2 | 0.8 | <0.05 | <0.05 | <0.2 | <0.005 | <0.02 | <0.1 | <1 |
| | 0.6 | 0.004 | 0.02 | 0.10 | 0.3 | 2 | 0.4 | 1.3 | 0.10 | 0.10 | 0.4 | 0.010 | 0.04 | 0.3 | 2 |
| LI11064 DUP | 49.6 | <0.002 | <0.01 | 0.13 | 44.7 | 2 | 1.2 | 247 | 0.72 | <0.05 | 5.2 | 0.793 | 0.24 | 1.1 | 210 |
| Target Range - Lower Bound | 45.4 | 0.002 | <0.01 | 0.12 | 43.5 | 2 | 1.2 | 248 | 0.65 | <0.05 | 6.0 | 0.747 | 0.24 | 1.1 | 207 |
| Upper Bound | 45.0 | <0.002 | <0.01 | 0.07 | 41.8 | <1 | 0.9 | 235 | 0.60 | <0.05 | 5.1 | 0.727 | 0.20 | 0.9 | 197 |
| | 50.0 | 0.004 | 0.02 | 0.18 | 46.4 | 3 | 1.5 | 260 | 0.77 | 0.10 | 6.1 | 0.814 | 0.28 | 1.3 | 220 |
| LI11067 DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| LI11078 DUP | 7.5 | <0.002 | <0.01 | 0.12 | 40.7 | 1 | 4.0 | 785 | 0.66 | 0.08 | 14.8 | 0.274 | 0.02 | 5.3 | 145 |
| Target Range - Lower Bound | 7.9 | <0.002 | <0.01 | 0.13 | 42.7 | 1 | 4.2 | 858 | 0.68 | <0.05 | 13.1 | 0.291 | 0.02 | 5.5 | 159 |
| Upper Bound | 7.2 | <0.002 | <0.01 | 0.07 | 39.5 | <1 | 3.7 | 780 | 0.59 | <0.05 | 13.1 | 0.263 | <0.02 | 5.0 | 143 |
| | 8.2 | 0.004 | 0.02 | 0.18 | 43.9 | 2 | 4.5 | 863 | 0.75 | 0.10 | 14.8 | 0.302 | 0.04 | 5.8 | 161 |
| ORIGINAL DUP | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |

QC CERTIFICATE OF ANALYSIS AS12075742

| Method Analyte Units LOR | ME-MS61r W ppm 0.1 | ME-MS61r Y ppm 0.1 | ME-MS61r Zn ppm 2 | ME-MS61r Zr ppm 0.5 | ME-MS61r Dy ppm 0.05 | ME-MS61r Er ppm 0.03 | ME-MS61r Eu ppm 0.03 | ME-MS61r Gd ppm 0.05 | ME-MS61r Ho ppm 0.01 | ME-MS61r Lu ppm 0.01 | ME-MS61r Nd ppm 0.1 | ME-MS61r Pr ppm 0.03 | ME-MS61r Sm ppm 0.03 | ME-MS61r Tb ppm 0.01 | ME-MS61r Tm ppm 0.01 |
|-----------------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Sample Description | | | | | | | | | | | | | | | |
| ORIGINAL DUP | DUPLICATES | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| LI11010 DUP | 0.1 | 0.3 | 2 | <0.5 | <0.05 | 0.03 | <0.03 | <0.05 | 0.01 | <0.01 | 0.1 | 0.03 | 0.03 | 0.01 | <0.01 |
| Target Range - Lower Bound | 0.1 | 0.3 | 2 | <0.5 | <0.05 | 0.03 | <0.03 | <0.05 | 0.01 | <0.01 | 0.1 | 0.03 | 0.03 | 0.01 | <0.01 |
| Upper Bound | <0.1 | 0.2 | <2 | <0.5 | <0.05 | <0.03 | <0.03 | <0.05 | <0.01 | <0.01 | <0.1 | <0.03 | <0.03 | <0.01 | <0.01 |
| LI11030 DUP | 0.1 | 18.6 | 61 | 44.1 | 3.58 | 2.07 | 1.34 | 4.13 | 0.69 | 0.25 | 20.5 | 5.08 | 4.29 | 0.62 | 0.26 |
| Target Range - Lower Bound | 0.1 | 18.3 | 64 | 44.4 | 3.42 | 1.99 | 1.28 | 3.97 | 0.67 | 0.25 | 19.9 | 4.88 | 4.07 | 0.60 | 0.25 |
| Upper Bound | <0.1 | 17.4 | 57 | 41.5 | 3.19 | 1.85 | 1.18 | 3.70 | 0.62 | 0.22 | 18.6 | 4.58 | 3.84 | 0.55 | 0.23 |
| LI11044 DUP | 0.1 | 2.7 | <2 | 0.8 | 0.48 | 0.31 | 0.06 | 0.47 | 0.10 | 0.05 | 1.7 | 0.42 | 0.41 | 0.08 | 0.04 |
| Target Range - Lower Bound | 0.1 | 2.6 | <2 | 0.7 | 0.48 | 0.30 | 0.06 | 0.44 | 0.10 | 0.05 | 1.7 | 0.43 | 0.41 | 0.08 | 0.04 |
| Upper Bound | <0.1 | 2.4 | <2 | <0.5 | 0.39 | 0.25 | <0.03 | 0.37 | 0.08 | 0.04 | 1.5 | 0.36 | 0.35 | 0.06 | 0.03 |
| LI11064 DUP | 0.7 | 37.3 | 108 | 19.4 | 6.78 | 3.86 | 2.28 | 7.77 | 1.35 | 0.50 | 37.0 | 9.35 | 7.77 | 1.19 | 0.50 |
| Target Range - Lower Bound | 0.7 | 36.7 | 108 | 19.2 | 6.85 | 3.89 | 2.26 | 7.78 | 1.39 | 0.50 | 37.4 | 9.30 | 7.71 | 1.18 | 0.51 |
| Upper Bound | 0.5 | 35.1 | 101 | 17.8 | 6.25 | 3.55 | 2.07 | 7.14 | 1.26 | 0.45 | 34.3 | 8.60 | 7.13 | 1.09 | 0.46 |
| LI11067 DUP | 0.9 | 39.0 | 115 | 20.8 | 7.38 | 4.20 | 2.47 | 8.41 | 1.48 | 0.55 | 40.1 | 10.05 | 8.35 | 1.28 | 0.55 |
| LI11078 DUP | 0.5 | 32.1 | 74 | 12.5 | 5.30 | 3.15 | 2.26 | 6.72 | 1.09 | 0.46 | 38.7 | 9.85 | 8.14 | 1.03 | 0.44 |
| Target Range - Lower Bound | 0.5 | 33.1 | 81 | 14.4 | 5.34 | 3.29 | 2.31 | 6.92 | 1.11 | 0.48 | 41.2 | 10.55 | 8.36 | 1.06 | 0.46 |
| Upper Bound | 0.4 | 30.9 | 72 | 12.3 | 4.87 | 2.95 | 2.08 | 6.26 | 1.01 | 0.42 | 36.9 | 9.41 | 7.60 | 0.96 | 0.41 |
| ORIGINAL DUP | 0.6 | 34.3 | 83 | 14.6 | 5.77 | 3.49 | 2.49 | 7.38 | 1.19 | 0.52 | 43.0 | 11.00 | 8.90 | 1.13 | 0.49 |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 4 - E
 Total # Pages: 5 (A - E)
 Plus Appendix Pages
 Finalized Date: 22-APR-2012
 Account: WESEDES

Project: Limbla

QC CERTIFICATE OF ANALYSIS AS12075742

| Sample Description | Method Analyte Units LOR | ME-MS61r Yb ppm 0.03 |
|--|-----------------------------------|-------------------------------|
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | DUPLICATES | |
| LI11010 DUP Target Range - Lower Bound Upper Bound | 0.03 0.03 <0.03 0.06 | |
| LI11030 DUP Target Range - Lower Bound Upper Bound | 1.70 1.64 1.51 1.83 | |
| LI11044 DUP Target Range - Lower Bound Upper Bound | 0.30 0.29 0.24 0.35 | |
| LI11064 DUP Target Range - Lower Bound Upper Bound | 3.32 3.37 3.06 3.63 | |
| LI11067 DUP Target Range - Lower Bound Upper Bound | | |
| LI11078 DUP Target Range - Lower Bound Upper Bound | 3.09 3.22 2.89 3.42 | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | |



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: Limbla

Page: 5 - A
 Total # Pages: 5 (A - E)
 Plus Appendix Pages
 Finalized Date: 22-APR-2012
 Account: WESEDES

QC CERTIFICATE OF ANALYSIS AS12075742

| Sample Description | Method Analyte Units LOR | Au-AA26 Au ppm 0.01 | ME-MS61r Ag ppm 0.01 | ME-MS61r Al % 0.01 | ME-MS61r As ppm 0.2 | ME-MS61r Ba ppm 10 | ME-MS61r Be ppm 0.05 | ME-MS61r Bi ppm 0.01 | ME-MS61r Ca % 0.01 | ME-MS61r Cd ppm 0.02 | ME-MS61r Ce ppm 0.01 | ME-MS61r Co ppm 0.1 | ME-MS61r Cr ppm 1 | ME-MS61r Cs ppm 0.05 | ME-MS61r Cu ppm 0.2 | ME-MS61r Fe % 0.01 |
|----------------------------|-----------------------------------|------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|------------------------------|-----------------------------|
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL | | <0.01 | | | | | | | | | | | | | | |
| DUP | | <0.01 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.01 | | | | | | | | | | | | | | |
| Upper Bound | | 0.02 | | | | | | | | | | | | | | |
| ORIGINAL | | 0.11 | | | | | | | | | | | | | | |
| DUP | | 0.07 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.08 | | | | | | | | | | | | | | |
| Upper Bound | | 0.10 | | | | | | | | | | | | | | |
| ORIGINAL | | 0.09 | | | | | | | | | | | | | | |
| DUP | | 0.14 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.10 | | | | | | | | | | | | | | |
| Upper Bound | | 0.13 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Project: Limbla

Page: 5 - B
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 22-APR-2012
Account: WESEDES

QC CERTIFICATE OF ANALYSIS AS12075742

| Sample Description | Method Analyte Units LOR | ME-MS61r Ga ppm 0.05 | ME-MS61r Ge ppm 0.05 | ME-MS61r Hf ppm 0.1 | ME-MS61r In ppm 0.005 | ME-MS61r K % 0.01 | ME-MS61r La ppm 0.5 | ME-MS61r Li ppm 0.2 | ME-MS61r Mg % 0.01 | ME-MS61r Mn ppm 5 | ME-MS61r Mo ppm 0.05 | ME-MS61r Na % 0.01 | ME-MS61r Nb ppm 0.1 | ME-MS61r Ni ppm 0.2 | ME-MS61r P ppm 10 | ME-MS61r Pb ppm 0.5 |
|--|-----------------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-------------------------------|-----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | DUPLICATES | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Project: Limbla

Page: 5 - C
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 22-APR-2012
Account: WESEDES

QC CERTIFICATE OF ANALYSIS AS12075742

| Sample Description | Method Analyte Units LOR | ME-MS61r Rb ppm 0.1 | ME-MS61r Re ppm 0.002 | ME-MS61r S % 0.01 | ME-MS61r Sb ppm 0.05 | ME-MS61r Sc ppm 0.1 | ME-MS61r Se ppm 1 | ME-MS61r Sn ppm 0.2 | ME-MS61r Sr ppm 0.2 | ME-MS61r Ta ppm 0.05 | ME-MS61r Te ppm 0.05 | ME-MS61r Th ppm 0.2 | ME-MS61r Ti % 0.005 | ME-MS61r Tl ppm 0.02 | ME-MS61r U ppm 0.1 | ME-MS61r V ppm 1 |
|--|-----------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|-----------------------------|---------------------------|
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | DUPLICATES | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Project: Limbla

Page: 5 - D
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 22-APR-2012
Account: WESEDES

QC CERTIFICATE OF ANALYSIS AS12075742

| Sample Description | Method Analyte Units LOR | ME-MS61r W ppm 0.1 | ME-MS61r Y ppm 0.1 | ME-MS61r Zn ppm 2 | ME-MS61r Zr ppm 0.5 | ME-MS61r Dy ppm 0.05 | ME-MS61r Er ppm 0.03 | ME-MS61r Eu ppm 0.03 | ME-MS61r Gd ppm 0.05 | ME-MS61r Ho ppm 0.01 | ME-MS61r Lu ppm 0.01 | ME-MS61r Nd ppm 0.1 | ME-MS61r Pr ppm 0.03 | ME-MS61r Sm ppm 0.03 | ME-MS61r Tb ppm 0.01 | ME-MS61r Tm ppm 0.01 |
|--|-----------------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | DUPLICATES | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Project: Limbla

Page: 5 - E
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 22-APR-2012
Account: WESEDES

QC CERTIFICATE OF ANALYSIS AS12075742

| Sample Description | Method Analyte Units LOR | ME-MS61r Yb ppm 0.03 |
|--|-----------------------------------|-------------------------------|
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | DUPLICATES | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | |
| | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22-APR-2012
Account: WESEDES

Project: Limbla

QC CERTIFICATE OF ANALYSIS AS12075742

| Method | CERTIFICATE COMMENTS |
|----------------------|--|
| ME-MS61r ME-MS61r | Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method. |