

AT092		0.00	1.00	0.290
AT092		1.00	2.00	0.230
AT092		2.00	3.00	0.530
AT092		3.00	4.00	1.350
AT092		4.00	5.00	1.450
AT092		5.00	6.00	1.080
AT092		6.00	7.00	1.450
AT092		7.00	8.00	2.110
AT092		8.00	9.00	1.880
AT092		9.00	10.00	6.500
AT092		10.00	11.00	2.770
AT092		11.00	12.00	1.330
AT092		12.00	13.00	1.190
AT092		13.00	14.00	2.650
AT092		14.00	15.00	3.750
AT092		15.00	16.00	1.570
AT092		16.00	17.00	1.300
AT092		17.00	18.00	0.570
AT092		18.00	19.00	0.390
AT092		19.00	20.00	0.160
AT092		20.00	21.00	0.520
AT092		21.00	22.00	0.420
AT092		22.00	23.00	0.090
AT092		23.00	24.00	0.080
AT093		0.00	1.00	0.260
AT093		1.00	2.00	0.100
AT093		2.00	3.00	0.030
AT093		3.00	4.00	0.030
AT093		4.00	5.00	0.050
AT093		5.00	6.00	0.040
AT093		6.00	7.00	0.130
AT093		7.00	8.00	0.580
AT093		8.00	9.00	0.570
AT093		9.00	10.00	0.510
AT093		10.00	11.00	0.240
AT093		11.00	12.00	0.140
AT093		12.00	13.00	0.160
AT093		13.00	14.00	0.030
AT093		14.00	15.00	0.000
AT093		15.00	16.00	0.020
AT093		16.00	17.00	0.030
AT093		17.00	18.00	0.090
AT093		18.00	19.00	0.080
AT093		19.00	20.00	0.060
AT093		20.00	21.00	0.100
AT093		21.00	22.00	0.120
AT093		22.00	23.00	0.080
AT093		23.00	24.00	0.100
AT094	9401	0.00	1.00	0.090
AT094	9402	1.00	2.00	0.010
AT094	9403	2.00	3.00	0.030
AT094	9404	3.00	4.00	0.100
AT094	9405	4.00	5.00	0.050
AT094	9406	5.00	6.00	0.040
AT094	9407	6.00	7.00	0.060
AT094	9408	7.00	8.00	0.230
AT094	9409	8.00	9.00	0.150
AT094	9410	9.00	10.00	0.070
AT094	9411	10.00	11.00	0.030
AT094	9412	11.00	12.00	0.000

AT094	9413	12.00	13.00	0.000
AT094	9414	13.00	14.00	0.000
AT094	9415	14.00	15.00	0.010
AT094	9416	15.00	16.00	0.000
AT094	9417	16.00	17.00	0.000
AT094	9418	17.00	18.00	0.000
AT095		0.00	1.00	0.010
AT095		1.00	2.00	0.010
AT095		2.00	3.00	0.040
AT095		3.00	4.00	0.150
AT095		4.00	5.00	0.080
AT095		5.00	6.00	0.030
AT095		6.00	7.00	0.010
AT095		7.00	8.00	0.000
AT095		8.00	9.00	0.000
AT095		9.00	10.00	0.000
AT095		10.00	11.00	0.000
AT095		11.00	12.00	0.000
AT096		0.00	1.00	0.000
AT096		1.00	2.00	0.040
AT096		2.00	3.00	0.040
AT096		3.00	4.00	0.080
AT096		4.00	5.00	0.020
AT096		5.00	6.00	0.020
AT096		6.00	7.00	0.010
AT096		7.00	8.00	0.010
AT096		8.00	9.00	0.000
AT096		9.00	10.00	0.010
AT096		10.00	11.00	0.000
AT096		11.00	12.00	0.030
AT096		12.00	13.00	0.030
AT096		13.00	14.00	0.560
AT096		14.00	15.00	0.600
AT096		15.00	16.00	0.310
AT096		16.00	17.00	0.230
AT096		17.00	18.00	0.130
AT096		18.00	19.00	0.110
AT096		19.00	20.00	0.000
AT096		20.00	21.00	0.050
AT096		21.00	22.00	0.050
AT096		22.00	23.00	0.020
AT096		23.00	24.00	0.020
AT097		0.00	1.00	1.040
AT097		1.00	2.00	1.160
AT097		2.00	3.00	0.520
AT097		3.00	4.00	0.600
AT097		4.00	5.00	0.300
AT097		5.00	6.00	0.230
AT097		6.00	7.00	0.140
AT097		7.00	8.00	0.220
AT097		8.00	9.00	0.250
AT097		9.00	10.00	0.310
AT097		10.00	11.00	0.000
AT097		11.00	12.00	0.000
AT098		0.00	1.00	0.260
AT098		1.00	2.00	0.150
AT098		2.00	3.00	0.140
AT098		3.00	4.00	0.140
AT098		4.00	5.00	0.760
AT098		5.00	6.00	0.570

AT098	6.00	7.00	0.230
AT098	7.00	8.00	0.260
AT098	8.00	9.00	0.750
AT098	9.00	10.00	0.200
AT098	10.00	11.00	0.100
AT098	11.00	12.00	0.100
AT098	12.00	13.00	0.040
AT098	13.00	14.00	0.020
AT098	14.00	15.00	0.000
AT098	15.00	16.00	0.000
AT098	16.00	17.00	0.000
AT098	17.00	18.00	0.040
AT099	0.00	1.00	0.070
AT099	1.00	2.00	0.020
AT099	2.00	3.00	0.020
AT099	3.00	4.00	0.010
AT099	4.00	5.00	0.030
AT099	5.00	6.00	0.000
AT099	6.00	7.00	0.020
AT099	7.00	8.00	0.010
AT099	8.00	9.00	0.020
AT099	9.00	10.00	0.030
AT099	10.00	11.00	0.040
AT099	11.00	12.00	0.070
AT099	12.00	13.00	0.050
AT099	13.00	14.00	0.040
AT099	14.00	15.00	0.070
AT099	15.00	16.00	0.200
AT099	16.00	17.00	1.000
AT099	17.00	18.00	1.430
AT099	18.00	19.00	1.000
AT099	19.00	20.00	1.030
AT099	20.00	21.00	0.890
AT099	21.00	22.00	0.310
AT099	22.00	23.00	0.120
AT099	23.00	24.00	0.080
AT100	0.00	1.00	0.020
AT100	1.00	2.00	0.010
AT100	2.00	3.00	0.000
AT100	3.00	4.00	0.000
AT100	4.00	5.00	0.000
AT100	5.00	6.00	0.010
AT100	6.00	7.00	0.000
AT100	7.00	8.00	0.010
AT100	8.00	9.00	0.040
AT100	9.00	10.00	0.120
AT100	10.00	11.00	0.050
AT100	11.00	12.00	0.040
AT100	12.00	13.00	0.000
AT100	13.00	14.00	0.010
AT100	14.00	15.00	0.000
AT100	15.00	16.00	0.010
AT100	16.00	17.00	0.000
AT100	17.00	18.00	0.080
AT100	18.00	19.00	0.110
AT100	19.00	20.00	0.100
AT100	20.00	21.00	0.110
AT100	21.00	22.00	0.060
AT100	22.00	23.00	0.050
AT100	23.00	24.00	0.030

AT101		0.00	1.00	0.050
AT101		1.00	2.00	0.050
AT101		2.00	3.00	0.040
AT101		3.00	4.00	0.070
AT101		4.00	5.00	0.140
AT101		5.00	6.00	0.170
AT101		6.00	7.00	0.280
AT101		7.00	8.00	0.210
AT101		8.00	9.00	0.180
AT101		9.00	10.00	0.130
AT101		10.00	11.00	0.100
AT101		11.00	12.00	0.050
AT101		12.00	13.00	0.230
AT101		13.00	14.00	0.060
AT101		14.00	15.00	0.070
AT102	10201	0.00	1.00	0.150
AT102	10202	1.00	2.00	0.230
AT102	10203	2.00	3.00	0.300
AT102	10204	3.00	4.00	0.180
AT102	10205	4.00	5.00	0.230
AT102	10206	5.00	6.00	0.300
AT102	10207	6.00	7.00	0.190
AT102	10208	7.00	8.00	0.100
AT102	10209	8.00	9.00	0.070
AT102	10210	9.00	10.00	0.060
AT102	10211	10.00	11.00	0.030
AT102	10212	11.00	12.00	0.020
AT103		0.00	1.00	0.040
AT103		1.00	2.00	0.000
AT103		2.00	3.00	0.010
AT103		3.00	4.00	0.030
AT103		4.00	5.00	0.650
AT103		5.00	6.00	1.960
AT103		6.00	7.00	0.720
AT103		7.00	8.00	0.650
AT103		8.00	9.00	0.570
AT103		9.00	10.00	0.070
AT103		10.00	11.00	0.080
AT103		11.00	12.00	0.050
AT103		12.00	13.00	0.020
AT103		13.00	14.00	0.020
AT103		14.00	15.00	0.040
AT104		0.00	1.00	0.020
AT104		1.00	2.00	0.010
AT104		2.00	3.00	0.010
AT104		3.00	4.00	0.010
AT104		4.00	5.00	0.000
AT104		5.00	6.00	0.030
AT104		6.00	7.00	0.060
AT104		7.00	8.00	0.050
AT104		8.00	9.00	0.210
AT104		9.00	10.00	0.370
AT104		10.00	11.00	0.280
AT104		11.00	12.00	0.130
AT104		12.00	13.00	0.210
AT104		13.00	14.00	0.280
AT104		14.00	15.00	0.240
AT104		15.00	16.00	0.090
AT104		16.00	17.00	0.060
AT104		17.00	18.00	0.020

AT104		18.00	19.00	0.020
AT104		19.00	20.00	0.020
AT104		20.00	21.00	0.020
AT105		0.00	1.00	0.050
AT105		1.00	2.00	0.010
AT105		2.00	3.00	0.040
AT105		3.00	4.00	0.000
AT105		4.00	5.00	0.010
AT105		5.00	6.00	0.030
AT105		6.00	7.00	0.000
AT105		7.00	8.00	0.030
AT105		8.00	9.00	0.000
AT105		9.00	10.00	0.000
AT105		10.00	11.00	0.200
AT105		11.00	12.00	0.230
AT105		12.00	13.00	0.090
AT105		13.00	14.00	0.040
AT105		14.00	15.00	0.040
AT105		15.00	16.00	0.020
AT105		16.00	17.00	0.010
AT105		17.00	18.00	0.010
AT105		18.00	19.00	0.020
AT105		19.00	20.00	0.020
AT105		20.00	21.00	0.010
AT105		21.00	22.00	0.010
AT105		22.00	23.00	0.010
AT105		23.00	24.00	0.030
AT106		0.00	1.00	0.010
AT106		1.00	2.00	0.000
AT106		2.00	3.00	0.010
AT106		3.00	4.00	0.010
AT106		4.00	5.00	0.010
AT106		5.00	6.00	0.030
AT106		6.00	7.00	0.040
AT106		7.00	8.00	0.030
AT106		8.00	9.00	0.020
AT106		9.00	10.00	0.040
AT106		10.00	11.00	0.000
AT106		11.00	12.00	0.100
AT106		12.00	13.00	0.400
AT106		13.00	14.00	0.300
AT106		14.00	15.00	0.150
AT106		15.00	16.00	0.100
AT106		16.00	17.00	0.080
AT106		17.00	18.00	0.100
AT107	10701	0.00	1.00	0.220
AT107	10702	1.00	2.00	0.030
AT107	10703	2.00	3.00	0.020
AT107	10704	3.00	4.00	0.020
AT107	10705	4.00	5.00	0.030
AT107	10706	5.00	6.00	0.040
AT107	10707	6.00	7.00	0.040
AT107	10708	7.00	8.00	0.040
AT107	10709	8.00	9.00	0.020
AT107	10710	9.00	10.00	0.000
AT107	10711	10.00	11.00	0.010
AT107	10712	11.00	12.00	0.020
AT107	10713	12.00	13.00	0.030
AT107	10714	13.00	14.00	0.070
AT107	10715	14.00	15.00	0.210

AT107	10716	15.00	16.00	0.480
AT107	10717	16.00	17.00	0.510
AT107	10718	17.00	18.00	0.720
AT107	10719	18.00	19.00	0.630
AT107	10720	19.00	20.00	3.260
AT107	10721	20.00	21.00	5.540
AT107	10722	21.00	22.00	2.430
AT107	10723	22.00	23.00	0.930
AT107	10724	23.00	24.00	0.300
AT107	10725	24.00	25.00	0.550
AT107	10726	25.00	26.00	0.180
AT107	10727	26.00	27.00	0.110
AT108	10801	0.00	1.00	0.420
AT108	10802	1.00	2.00	0.080
AT108	10803	2.00	3.00	0.080
AT108	10804	3.00	4.00	0.060
AT108	10805	4.00	5.00	0.150
AT108	10806	5.00	6.00	0.160
AT109	10901	0.00	1.00	1.480
AT109	10902	1.00	2.00	0.140
AT109	10903	2.00	3.00	0.070
AT109	10904	3.00	4.00	0.050
AT109	10905	4.00	5.00	0.010
AT109	10906	5.00	6.00	0.000
AT109	10907	6.00	7.00	0.000
AT109	10908	7.00	8.00	0.000
AT109	10909	8.00	9.00	0.000
AT109	10910	9.00	10.00	0.030
AT109	10911	10.00	11.00	0.000
AT109	10912	11.00	12.00	0.000
AT109	10913	12.00	13.00	0.020
AT109	10914	13.00	14.00	0.130
AT109	10915	14.00	15.00	0.070
AT109	10916	15.00	16.00	0.090
AT109	10917	16.00	17.00	0.030
AT109	10918	17.00	18.00	0.020
AT109	10919	18.00	19.00	0.010
AT109	10920	19.00	20.00	0.000
AT109	10921	20.00	21.00	0.000
AT109	10922	21.00	22.00	0.000
AT109	10923	22.00	23.00	0.000
AT109	10924	23.00	24.00	0.000
AT110	11001	0.00	1.00	0.020
AT110	11002	1.00	2.00	0.010
AT110	11003	2.00	3.00	0.000
AT110	11004	3.00	4.00	0.000
AT110	11005	4.00	5.00	0.020
AT110	11006	5.00	6.00	0.000
AT110	11007	6.00	7.00	0.000
AT110	11008	7.00	8.00	0.010
AT110	11009	8.00	9.00	0.000
AT110	11010	9.00	10.00	0.010
AT110	11011	10.00	11.00	0.010
AT110	11012	11.00	12.00	0.000
AT110	11013	12.00	13.00	0.000
AT110	11014	13.00	14.00	0.020
AT110	11015	14.00	15.00	0.130
AT110	11016	15.00	16.00	0.320
AT110	11017	16.00	17.00	0.410
AT110	11018	17.00	18.00	0.560

AT110	11019	18.00	19.00	0.530
AT110	11020	19.00	20.00	0.270
AT110	11021	20.00	21.00	0.170
AT110	11022	21.00	22.00	0.330
AT110	11023	22.00	23.00	0.440
AT110	11024	23.00	24.00	0.300
AT111	11101	0.00	1.00	0.190
AT111	11102	1.00	2.00	0.090
AT111	11103	2.00	3.00	0.460
AT111	11104	3.00	4.00	0.630
AT111	11105	4.00	5.00	0.480
AT111	11106	5.00	6.00	0.420
AT111	11107	6.00	7.00	0.200
AT111	11108	7.00	8.00	0.140
AT111	11109	8.00	9.00	0.020
AT111	11110	9.00	10.00	0.400
AT111	11111	10.00	11.00	0.830
AT111	11112	11.00	12.00	0.290
AT111	11113	12.00	13.00	0.130
AT111	11114	13.00	14.00	1.020
AT111	11115	14.00	15.00	1.420
AT111	11116	15.00	16.00	1.130
AT111	11117	16.00	17.00	0.490
AT111	11118	17.00	18.00	0.120
AT111	11119	18.00	19.00	0.270
AT111	11120	19.00	20.00	0.200
AT111	11121	20.00	21.00	0.150
AT111	11122	21.00	22.00	0.340
AT111	11123	22.00	23.00	0.190
AT111	11124	23.00	24.00	0.140
AT112	11201	0.00	1.00	0.140
AT112	11202	1.00	2.00	1.810
AT112	11203	2.00	3.00	1.320
AT112	11204	3.00	4.00	2.120
AT112	11205	4.00	5.00	0.650
AT112	11206	5.00	6.00	0.310
AT112	11207	6.00	7.00	0.430
AT112	11208	7.00	8.00	0.560
AT112	11209	8.00	9.00	0.370
AT112	11210	9.00	10.00	0.490
AT112	11211	10.00	11.00	0.650
AT112	11212	11.00	12.00	0.880
AT112	11213	12.00	13.00	0.810
AT112	11214	13.00	14.00	0.780
AT112	11215	14.00	15.00	0.560
AT112	11216	15.00	16.00	0.420
AT112	11217	16.00	17.00	0.540
AT112	11218	17.00	18.00	0.310
AT113	11301	0.00	1.00	0.080
AT113	11302	1.00	2.00	0.050
AT113	11303	2.00	3.00	0.050
AT113	11304	3.00	4.00	0.050
AT113	11305	4.00	5.00	0.060
AT113	11306	5.00	6.00	0.030
AT113	11307	6.00	7.00	0.040
AT113	11308	7.00	8.00	0.120
AT113	11309	8.00	9.00	0.100
AT113	11310	9.00	10.00	0.050
AT113	11311	10.00	11.00	0.030
AT113	11312	11.00	12.00	0.040

AT113	11313	12.00	13.00	0.040
AT113	11314	13.00	14.00	0.750
AT113	11315	14.00	15.00	0.930
AT113	11316	15.00	16.00	0.250
AT113	11317	16.00	17.00	0.130
AT113	11318	17.00	18.00	0.110
AT113	11319	18.00	19.00	0.200
AT113	11320	19.00	20.00	0.120
AT113	11321	20.00	21.00	0.050
AT113	11322	21.00	22.00	0.060
AT113	11323	22.00	23.00	0.050
AT113	11324	23.00	24.00	0.030
AT114	11401	0.00	1.00	0.940
AT114	11402	1.00	2.00	0.800
AT114	11403	2.00	3.00	0.310
AT114	11404	3.00	4.00	0.240
AT114	11405	4.00	5.00	0.070
AT114	11406	5.00	6.00	0.080
AT114	11407	6.00	7.00	0.080
AT114	11408	7.00	8.00	0.050
AT114	11409	8.00	9.00	0.090
AT114	11410	9.00	10.00	0.070
AT114	11411	10.00	11.00	0.120
AT114	11412	11.00	12.00	0.560
AT114	11413	12.00	13.00	0.160
AT114	11414	13.00	14.00	0.090
AT114	11415	14.00	15.00	0.060
AT115	11501	0.00	1.00	0.060
AT115	11502	1.00	2.00	0.000
AT115	11503	2.00	3.00	0.000
AT115	11504	3.00	4.00	0.180
AT115	11505	4.00	5.00	0.050
AT115	11506	5.00	6.00	0.010
AT115	11507	6.00	7.00	0.000
AT115	11508	7.00	8.00	0.000
AT115	11509	8.00	9.00	0.020
AT115	11510	9.00	10.00	0.800
AT115	11511	10.00	11.00	0.830
AT115	11512	11.00	12.00	0.530
AT115	11513	12.00	13.00	0.380
AT115	11514	13.00	14.00	0.180
AT115	11515	14.00	15.00	0.150
AT116	11601	0.00	1.00	0.150
AT116	11602	1.00	2.00	0.190
AT116	11603	2.00	3.00	4.110
AT116	11604	3.00	4.00	7.100
AT116	11605	4.00	5.00	5.970
AT116	11606	5.00	6.00	1.710
AT116	11607	6.00	7.00	0.590
AT116	11608	7.00	8.00	0.300
AT116	11609	8.00	9.00	0.230
AT116	11610	9.00	10.00	0.180
AT116	11611	10.00	11.00	0.070
AT116	11612	11.00	12.00	0.110
AT117	11701	0.00	1.00	0.110
AT117	11702	1.00	2.00	0.060
AT117	11703	2.00	3.00	0.060
AT117	11704	3.00	4.00	0.290
AT117	11705	4.00	5.00	0.070
AT117	11706	5.00	6.00	0.240



AT117	11707	6.00	7.00	0.410
AT117	11708	7.00	8.00	0.110
AT117	11709	8.00	9.00	0.060
AT117	11710	9.00	10.00	0.040
AT117	11711	10.00	11.00	0.030
AT117	11712	11.00	12.00	0.060
AT117	11713	12.00	13.00	0.060
AT117	11714	13.00	14.00	0.030
AT117	11715	14.00	15.00	0.020
AT117	11716	15.00	16.00	0.030
AT117	11717	16.00	17.00	0.030
AT117	11718	17.00	18.00	0.090
MGMRC001	RC1001	0.00	1.00	FILL
MGMRC001	RC1002	1.00	2.00	FILL
MGMRC001	RC1003	2.00	3.00	0.000
MGMRC001	RC1004	3.00	4.00	0.000
MGMRC001	RC1005	4.00	5.00	0.000
MGMRC001	RC1006	5.00	6.00	0.000
MGMRC001	RC1007	6.00	7.00	0.000
MGMRC001	RC1008	7.00	8.00	0.000
MGMRC001	RC1009	8.00	9.00	0.000
MGMRC001	RC1010	9.00	10.00	0.000
MGMRC001	RC1011	10.00	11.00	0.000
MGMRC001	RC1012	11.00	12.00	0.000
MGMRC001	RC1013	12.00	13.00	0.000
MGMRC001	RC1014	13.00	14.00	0.000
MGMRC001	RC1015	14.00	15.00	0.000
MGMRC001	RC1016	15.00	16.00	0.530
MGMRC001	RC1017	16.00	17.00	0.000
MGMRC001	RC1018	17.00	18.00	0.000
MGMRC001	RC1019	18.00	19.00	0.000
MGMRC001	RC1020	19.00	20.00	0.000
MGMRC001	RC1021	20.00	21.00	0.090
MGMRC001	RC1022	21.00	22.00	0.310
MGMRC001	RC1023	22.00	23.00	0.000
MGMRC001	RC1024	23.00	24.00	0.000
MGMRC001	RC1025	24.00	25.00	0.050
MGMRC001	RC1026	25.00	26.00	3.340
MGMRC001	RC1027	26.00	27.00	0.590
MGMRC001	RC1028	27.00	28.00	0.450
MGMRC001	RC1029	28.00	29.00	0.900
MGMRC001	RC1030	29.00	30.00	0.160
MGMRC001	RC1031	30.00	31.00	0.520
MGMRC001	RC1032	31.00	32.00	0.000
MGMRC001	RC1033	32.00	33.00	0.000
MGMRC001	RC1034	33.00	34.00	0.000
MGMRC001	RC1035	34.00	35.00	0.000
MGMRC001	RC1036	35.00	36.00	1.940
MGMRC001	RC1037	36.00	37.00	0.020
MGMRC001	RC1038	37.00	38.00	0.170
MGMRC001	RC1039	38.00	39.00	0.110
MGMRC001	RC1040	39.00	40.00	0.060
MGMRC001	RC1041	40.00	41.00	0.520
MGMRC001	RC1042	41.00	42.00	1.620
MGMRC001	RC1043	42.00	43.00	0.490
MGMRC001	RC1044	43.00	44.00	0.990
MGMRC001	RC1045	44.00	45.00	5.060
MGMRC001	RC1046	45.00	46.00	0.690
MGMRC001	RC1047	46.00	47.00	0.750
MGMRC001	RC1048	47.00	48.00	0.140