Yumei Mining (Australia) Pty Limited

ACN: 157 933 643

EL30220

FINAL REPORT FOR PERIOD ENDING

20 August 2015

Licensee: Yumei Mining (Australia) Pty Limited

Jingyan

20 August 2015

Tenements Report Index

Holder/Operator:	Yumei Mining (Australia) Pty Limited
Tenement:	EL30220
Project:	Optimistic Dam
Reporting period:	10, Oct, 2014 to 9, Oct, 2015
Author:	Jingyan
Latitude:	23°14'to 23°24'
Longitude	135°38'to 135°46'
1:250,000 SHEET	SF 53-15 Illogwa Creek
1:100,000 map	Braham 6051
Mineral province:	Indiana province
Commodities:	Copper and Gold

Key words: Geochemical survey, Geological survey

Copyright

This report is the copyright of Yumei Mining (Australia) Pty Ltd and is submitted under NT minerals act 2010. Yumei Mining authorised NT department of Mines and Energy to copy and distribute the report.

Table of contents

1. Summary	1
2. Introduction	1
3. Location and Land use	1
4.Tenement status	2
5.Tenement Geology	2
6. Historic exploration	3
7. Current exploration program	5
8. Conclusion	6
9. References	7

1. Summary

EL30220 was acquired to launch geological survey and geochemical soil survey within the whole area. We considered it has potential for gold and copper mineralization in this area.

The work carried out on EL30220 during the period of first tenure, included a review of existing datasets, geological survey and geochemical survey. We found nothing significant values for further exploration work. So we decide to surrender the license to concentrate efforts on higher priority tenements somewhere else.

2. Introduction

The report summaries exploration activities undertaken exploration license EL30220 for the first year. The out exploration work was carried out during late May to early Jun, about half a month.

3. Location and Land use

EL30220 is located in 250km north eastern of Alice Springs, east of Harts Range, 35km south of plenty highway. Access is via unsealed roads and tracks within a pastoral lease. The tenement area has some desert vegetation, part of which is food for cattle. All cattle are belong to Indiana station.



Figure1

Tenement location

4.Tenement status

EL30220 was granted to Yumei Mining contain 47 blocks, 148.22 square

km on 20 Oct 2014 for a period of six years over vacant personal land.

Details of EL30220 are shown in the table1

Table1

Tenement detail

Tenement	Holder	Granted	Expiry	Blocks
El30220	Yumei Mining	10,Oct 2014	9,Oct 2020	47blocks,
				148.22km ²

5. Tenement Geology

The tenement is located in the Neoproterozoic eastern Arunta province (Indiana Province) with shallow of red soil and Cambrian sediment cover. This tenement is considered by Yumei Mining to have potential of copper and gold mineralization.

6. Historic exploration

Previous companies attempt base metal exploration, and red metal considered this tenement to have potential to host intrusive style copper nickel mineralization. However they didn't find anything significant. All details of historic exploration shown below.

Table2

License	Years	Company	Reports	Summary
EL23998	2004-7	BHP Billiton	CR2006-0343	The Huckitta Project comprised 11
		Sumitomo Metal	2007-0289	tenements for 12,241 square km
		Mining		situated 200-300km east of Alice
				Springs. First application for tenure
				was made on 13/04/2000, target
				was Fe-Ox-Cu-Au. Exploration
				airborne gravity survey, ground
				gravity follow up of targets, and
				diamond drilling of six targets.
EL21919	2002-	Tanami gold	CR2004-0056	A regional geological assessment of
	05		2005-0484	the Harts Ranges Group identified a
				number of ultramafic bodies in
				EL22919 but they were considered
				too small to host economic PGE
				deposits. The possible extension of
				the Illogwa retrograde shear zoon
				into the SW corner of the lease
				prospective for epithermal Arltunga
				Winnecke style copper-gold
				mineralization. The prospective will
				need re-evaluation if the Harts
				Range group are metamorphosed
				Centralia Superbasin sediments.
				Rockchip sampling showed no
				elevated gold values.
EL9519	1996-	Pasminco	CR1998-0044	Stream sediments sampling
	97			produced a series of weak gold
				anomalies associated with silicified
				calc-silicate rocks
EL8861	1994-	Poseidon Gold	CR1996-0178	Previous work by BHP had outlined
	95			elevated Au-Pt-Pd values. Work
				concentrated on verifying these
				results.29 RAB holes failed to return
				any significant values.
EL7178	1990-	BHP Minerals	CR1992-0212	Aeromap anomalies followed up
EL7179	92			with ground map, EM and VLF
				surveys. Rock chip, soil and drainage
				sampling surveys. RC drilling
				conducted to test magnetic
				anomalies. Nothing significant.

7. Current exploration program

Geochemical soil survey has been carried out within this tenement area, and 61 samples have been sampled during the period of late May to early June. All samples were sent to ASL to analysis, the result showed no significant values in this area. Samples analysis details shown in table3

details of sample analysis

NO.	Au (ppm)	Ag (ppm)	U (ppm)	As (ppm)	Cu (ppm)
a1	<0.001	<0.1	0.5	1.2	9.9
1	<0.001	<0.1	0.38	<0.5	8.2
2	<0.001	<0.1	0.46	<0.5	8.2
3	<0.001	<0.1	0.44	0.6	7.3
4	<0.001	<0.1	0.55	0.8	9.4
5	<0.001	<0.1	0.46	<0.5	7.7
6	<0.001	<0.1	0.41	0.9	7.6
7	<0.001	<0.1	0.42	<0.5	6.8
8	<0.001	<0.1	0.45	<0.5	6.9
9	<0.001	<0.1	0.4	1	6.9
10	<0.001	<0.1	0.43	0.5	7.3
11	<0.001	<0.1	0.53	<0.5	7.7
12	<0.001	<0.1	0.55	0.9	7.2
13	<0.001	<0.1	0.32	<0.5	5
14	<0.001	<0.1	0.38	0.9	6.8
15	<0.001	<0.1	0.53	1.2	10.7
16	<0.001	<0.1	0.62	2.1	13
17	<0.001	<0.1	0.39	1	8.2
18	<0.001	<0.1	0.4	0.5	7.4
19	<0.001	<0.1	0.46	1.1	8
20	<0.001	<0.1	0.43	<0.5	5.4
21	<0.001	<0.1	0.4	<0.5	5.4
22	<0.001	<0.1	0.48	0.5	6.2
23	<0.001	<0.1	0.41	<0.5	6.2
24	<0.001	<0.1	0.45	<0.5	6.1
25	<0.001	<0.1	0.38	<0.5	6.3
26	<0.001	<0.1	0.42	0.5	6.6
27	<0.001	<0.1	0.39	0.8	6.1
28	<0.001	<0.1	0.4	<0.5	5.2

Table3

NO.	Au (ppm)	Ag (ppm)	U (ppm)	As (ppm)	Cu (ppm)
29	<0.001	<0.1	0.41	1.1	7.8
30	<0.001	<0.1	0.36	0.8	6.8
31	<0.001	<0.1	0.38	1.1	5.8
32	<0.001	<0.1	0.42	<0.5	6.7
33	<0.001	<0.1	0.54	0.7	7.8
34	<0.001	<0.1	0.46	<0.5	7.8
35	<0.001	<0.1	0.47	0.5	7.8
36	<0.001	<0.1	0.42	<0.5	6.6
37	<0.001	<0.1	0.48	1.4	8.3
38	<0.001	<0.1	0.45	<0.5	7.5
39	<0.001	<0.1	0.39	0.7	7.1
40	<0.001	<0.1	0.61	1.1	14.9
41	<0.001	<0.1	0.64	0.5	9.2
42	<0.001	<0.1	0.38	0.9	7.1
43	< 0.001	<0.1	0.43	<0.5	7.3
44	< 0.001	<0.1	0.56	<0.5	7.9
45	< 0.001	<0.1	0.63	0.5	10.2
46	< 0.001	<0.1	0.47	<0.5	7.4
47	< 0.001	<0.1	0.49	0.5	9.7
48	< 0.001	<0.1	0.4	<0.5	6.5
49	<0.001	<0.1	0.38	1.1	6.2
50	< 0.001	<0.1	0.31	<0.5	5.6
51	< 0.001	<0.1	0.36	<0.5	5.5
52	0.003	<0.1	0.32	0.7	5.3
53	< 0.001	<0.1	0.38	1.1	4.8
54	< 0.001	<0.1	0.37	0.6	5.7
55	< 0.001	<0.1	0.39	1.5	5.7
56	<0.001	<0.1	0.41	0.7	6.7
57	<0.001	<0.1	0.38	0.8	7.1
58	<0.001	<0.1	0.37	<0.5	5.9
59	<0.001	<0.1	0.4	0.6	6.3
60	<0.001	<0.1	0.42	0.5	7.6

8. Conclusion

Based on the analysis results shown above, we didn't find any elements anomalies for further exploration work, all of them are at low grade, so we decide to surrender it and concentrate on other priority tenements.

9. References

Illogwa Creek SF/53-15 geological series map 1:250,000, D.R, Senior, B.R,

Offe.

EL28747 Annual report for period ending