

MFdbase_assays

HOLE	FROM	TO	SAMPLE	Cu%	Pb%	Zn%	Co%	Ni%	Ag g/t
FRC44	0.00	1.00	48866	0.0250	0.0100	0.0100	0.0080	0.0090	0.5
FRC44	1.00	2.00	48867	0.0400	0.0100	0.0010	0.0220	0.0110	0.5
FRC44	2.00	3.00	48868	0.0750	0.0100	0.0010	0.0370	0.0150	0.5
FRC44	3.00	4.00	48869	0.1450	0.0100	0.0050	0.0490	0.0250	0.5
FRC44	4.00	5.00	48870	0.1500	0.0100	0.0100	0.0280	0.0240	0.5
FRC44	5.00	6.00	48871	0.1750	0.0050	0.0150	0.0320	0.0310	0.5
FRC44	6.00	7.00	48872	0.1650	0.0010	0.0100	0.0300	0.0300	0.5
FRC44	7.00	8.00	48873	0.1250	0.0050	0.0100	0.0230	0.0250	0.5
FRC44	8.00	9.00	48874	0.1100	0.0050	0.0100	0.0220	0.0220	0.5
FRC44	9.00	10.00	48875	0.2300	0.0050	0.0100	0.0260	0.0350	0.5
FRC44	10.00	11.00	48876	0.2200	0.0050	0.0100	0.0340	0.0300	0.5
FRC44	11.00	12.00	48877	0.3050	0.0100	0.0100	0.0410	0.0330	0.5
FRC44	12.00	13.00	48878	0.2450	0.0050	0.0050	0.0280	0.0250	0.5
FRC44	13.00	14.00	48879	0.1250	0.0050	0.0010	0.0130	0.0120	0.5
FRC44	14.00	15.00	48880	0.0600	0.0100	0.0010	0.0040	0.0080	0.5
FRC44	15.00	16.00	48881	0.0550	0.0100	0.0010	0.0030	0.0060	0.5
FRC44	16.00	17.00	48882	0.0750	0.0050	0.0010	0.0060	0.0090	0.5
FRC44	17.00	18.00	48883	0.1200	0.0010	0.0100	0.0110	0.0220	0.5
FRC44	18.00	19.00	48884	0.0850	0.0010	0.0100	0.0130	0.0230	0.5
FRC44	19.00	20.00	48885	0.1400	0.0010	0.0100	0.0170	0.0320	0.5
FRC44	20.00	21.00	48886	0.1700	0.0010	0.0100	0.0140	0.0330	0.5
FRC44	21.00	22.00	48887	0.1000	0.0010	0.0050	0.0100	0.0220	0.5
FRC44	22.00	23.00	48888	0.0700	0.0010	0.0050	0.0140	0.0140	0.5
FRC44	23.00	24.00	48889	0.0900	0.0010	0.0050	0.0160	0.0150	0.5
FRC44	24.00	25.00	48890	0.0700	0.0010	0.0050	0.0110	0.0120	0.5
FRC44	25.00	26.00	48891	0.0700	0.0010	0.0010	0.0040	0.0070	0.5
FRC44	26.00	27.00	48892	0.0800	0.0050	0.0150	0.0060	0.0080	0.5
FRC44	27.00	28.00	48893	0.0700	0.0010	0.0010	0.0040	0.0090	0.5
FRC44	28.00	29.00	48894	0.0650	0.0050	0.0010	0.0020	0.0060	0.5
FRC44	29.00	30.00	48895	0.0700	0.0100	0.0010	0.0050	0.0060	0.5
FRC44	30.00	31.00	48896	0.0500	0.0010	0.0010	0.0020	0.0050	0.5
FRC44	31.00	32.00	48897	0.0550	0.0050	0.0010	0.0030	0.0040	0.5
FRC44	32.00	33.00	48898	0.1000	0.0100	0.0010	0.0080	0.0060	0.5
FRC44	33.00	34.00	48899	0.0750	0.0050	0.0010	0.0030	0.0050	0.5
FRC44	34.00	35.00	48900	0.0750	0.0050	0.0010	0.0050	0.0060	0.5
FRC44	35.00	36.00	48901	0.0600	0.0050	0.0010	0.0060	0.0050	0.5
FRC44	36.00	37.00	48902	0.0550	0.0010	0.0010	0.0050	0.0060	0.5
FRC44	37.00	38.00	48903	0.0700	0.0050	0.0010	0.0070	0.0060	0.5
FRC44	38.00	39.00	48904	0.0900	0.0100	0.0010	0.0100	0.0080	0.5
FRC44	39.00	40.00	48905	0.0500	0.0010	0.0010	0.0030	0.0050	0.5
FRC44	40.00	41.00	48906	0.0700	0.0010	0.0010	0.0030	0.0050	0.5
FRC44	41.00	42.00	48907	0.0800	0.0050	0.0010	0.0100	0.0070	0.5
FRC44	42.00	43.00	48908	0.0650	0.0010	0.0010	0.0070	0.0050	0.5
FRC44	43.00	44.00	48909	0.0650	0.0050	0.0010	0.0040	0.0060	0.5
FRC44	44.00	45.00	48910	0.0850	0.0050	0.0010	0.0100	0.0090	0.5
FRC44	45.00	46.00	48911	0.0900	0.0050	0.0050	0.0080	0.0130	0.5
FRC44	46.00	47.00	48912	0.0950	0.0050	0.0010	0.0070	0.0180	0.5
FRC44	47.00	48.00	48913	0.0650	0.0050	0.0010	0.0050	0.0110	0.5
FRC44	48.00	49.00	48914	0.0550	0.0100	0.0050	0.0040	0.0060	0.5
FRC44	49.00	50.00	48915	0.0650	0.0010	0.0010	0.0060	0.0050	0.5
FRC44	50.00	51.00	48916	0.0550	0.0050	0.0010	0.0070	0.0070	0.5

MFdbase_assays

HOLE	FROM	TO	SAMPLE	Cu%	Pb%	Zn%	Co%	Ni%	Ag g/t
FRC44	51.00	52.00	48917	0.0550	0.0010	0.0010	0.0070	0.0090	0.5
FRC44	52.00	53.00	48918	0.0600	0.0010	0.0010	0.0050	0.0120	0.5
FRC44	53.00	54.00	48919	0.0750	0.0010	0.0010	0.0070	0.0110	0.5
FRC44	54.00	55.00	48920	0.0650	0.0100	0.0100	0.0050	0.0070	0.5
FRC44	55.00	56.00	48921	0.0750	0.0010	0.0010	0.0040	0.0060	0.5
FRC44	56.00	57.00	48922	0.0950	0.0050	0.0010	0.0150	0.0080	0.5
FRC44	57.00	58.00	48923	0.0800	0.0010	0.0010	0.0030	0.0050	0.5
FRC44	58.00	59.00	48924	0.1000	0.0050	0.0050	0.0070	0.0080	0.5
FRC44	59.00	60.00	48925	0.0900	0.0050	0.0010	0.0080	0.0090	0.5
FRC44	60.00	61.00	48926	0.0750	0.0050	0.0010	0.0030	0.0050	0.5
FRC44	61.00	62.00	48927	0.0400	0.0010	0.0010	0.0030	0.0040	0.5
FRC44	62.00	63.00	48928	0.0200	0.0010	0.0010	0.0005	0.0020	0.5
FRC44	63.00	64.00	48929	0.0350	0.0010	0.0010	0.0040	0.0030	0.5
FRC44	64.00	65.00	48930	0.5300	0.0010	0.0010	0.0060	0.0100	0.5
FRC44	65.00	66.00	48931	0.4300	0.0100	0.0010	0.0090	0.0190	3.0
FRC44	66.00	67.00	48932	0.0750	0.0250	0.0300	0.0060	0.0070	3.0
FRC44	67.00	68.00	48933	2.0200	0.0010	0.0010	0.0300	0.0270	0.5
FRC44	68.00	69.00	48934	0.0550	0.0050	0.0010	0.0050	0.0090	0.5
FRC44	69.00	70.00	48935	0.0650	0.0010	0.0010	0.0110	0.0090	0.5
FRC44	70.00	71.00	48936	0.0500	0.0010	0.0010	0.0060	0.0060	0.5
FRC44	71.00	72.00	48937	0.1050	0.0010	0.0010	0.0060	0.0060	0.5
FRC44	72.00	73.00	48938	0.0600	0.0010	0.0010	0.0080	0.0070	0.5
FRC44	73.00	74.00	48939	0.1750	0.0010	0.0010	0.0080	0.0160	0.5
FRC44	74.00	75.00	48940	0.4100	0.0100	0.0100	0.0060	0.0150	0.5
FRC44	75.00	76.00	48941	0.0300	0.0100	0.0250	0.0030	0.0050	0.5
FRC44	76.00	77.00	48942	0.0600	0.0050	0.0050	0.0170	0.0200	0.5
FRC44	77.00	78.00	48943	0.0450	0.0100	0.0300	0.0060	0.0040	0.5
FRC44	78.00	79.00	48944	0.0550	0.0010	0.0010	0.0120	0.0080	0.5
FRC44	79.00	80.00	48945	0.0850	0.0050	0.0250	0.0070	0.0070	0.5
FRC44	80.00	81.00	48946	0.0950	0.0050	0.0050	0.0060	0.0080	0.5
FRC44	81.00	82.00	48947	0.0950	0.0010	0.0010	0.0040	0.0070	0.5
FRC44	82.00	83.00	48948	0.0700	0.0050	0.0010	0.0030	0.0050	0.5
FRC44	83.00	84.00	48949	0.1150	0.0010	0.0050	0.0050	0.0080	0.5
FRC44	84.00	85.00	48950	0.1550	0.0010	0.0010	0.0040	0.0090	0.5
FRC44	85.00	86.00	48951	0.1250	0.0050	0.0010	0.0050	0.0070	0.5
FRC44	86.00	87.00	48952	0.0400	0.0010	0.0010	0.0040	0.0040	0.5
FRC44	87.00	88.00	48953	0.0800	0.0010	0.0010	0.0060	0.0080	0.5
FRC44	88.00	89.00	48954	0.5500	0.0050	0.0010	0.0270	0.0320	0.5
FRC44	89.00	90.00	48955	0.2450	0.0150	0.0350	0.0270	0.0430	2.0
FRC44	90.00	91.00	48956	0.1700	0.0050	0.0050	0.0270	0.0450	0.5
FRC44	91.00	92.00	48957	0.1250	0.0010	0.0010	0.0100	0.0160	0.5
FRC44	92.00	93.00	48958	0.0750	0.0010	0.0010	0.0070	0.0100	0.5
FRC44	93.00	94.00	48959	0.0450	0.0010	0.0010	0.0090	0.0080	0.5
FRC44	94.00	95.00	48960	0.0500	0.0010	0.0010	0.0120	0.0090	0.5
FRC44	95.00	96.00	48961	0.0500	0.0010	0.0010	0.0080	0.0090	0.5
FRC44	96.00	97.00	48962	0.0550	0.0050	0.0100	0.0220	0.0340	2.0
FRC44	97.00	98.00	48963	0.0100	0.0050	0.0100	0.0290	0.0650	2.0
FRC44	98.00	99.00	48964	0.0200	0.0100	0.0050	0.0320	0.0650	3.0
FRC44	99.00	100.00	48965	0.0800	0.0100	0.0050	0.0370	0.0700	4.0
FRC44	100.00	101.00	48966	0.2350	0.0050	0.0010	0.0160	0.0230	3.0
FRC44	101.00	102.00	48967	0.1500	0.0100	0.0010	0.0100	0.0170	3.0

MFdbase_assays

HOLE	FROM	TO	SAMPLE	Cu%	Pb%	Zn%	Co%	Ni%	Ag g/t
FRC44	102.00	103.00	48968	0.2350	0.0050	0.0010	0.0140	0.0220	3.0
FRC44	103.00	104.00	48969	0.3550	0.0010	0.0010	0.0260	0.0280	2.0
FRC44	104.00	105.00	48970	0.4100	0.0050	0.0010	0.0090	0.0150	0.5
FRC44	105.00	106.00	48971	0.0850	0.0010	0.0010	0.0110	0.0260	0.5
FRC44	106.00	107.00	48972	0.1100	0.0010	0.0010	0.0100	0.0200	0.5
FRC44	107.00	108.00	48973	0.0750	0.0150	0.0100	0.0170	0.0310	0.5
FRC44	108.00	109.00	48974	0.1900	0.0150	0.0050	0.1150	0.0600	0.5
FRC44	109.00	110.00	48975	0.3000	0.0150	0.0010	0.3200	0.0900	0.5
FRC44	110.00	111.00	48976	0.2450	0.0250	0.0050	0.2400	0.0700	0.5