



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Page: 1
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 25-JUL-2014
This copy reported on 29-JUL-2014
Account: ONEEXP

CERTIFICATE AS14104389

P.O. No.: A29922-1

This report is for 88 Soil samples submitted to our lab in Alice Springs, NT, Australia on 10-JUL-2014.

The following have access to data associated with this certificate:

GEOFF BOGIE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
ME-ICP61a	High Grade Four Acid ICP-AES	ICP-AES

To: ONEVA EXPLORATION P/L
ATTN: GEOFF BOGIE
PO BOX 0845
ALICE SPRINGS NT 0871

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 2 - A
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2014
 Account: ONEEXP

CERTIFICATE OF ANALYSIS AS14104389

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA25 Au ppm 0.01	ME-ICP61a Ag ppm 1	ME-ICP61a Al % 0.05	ME-ICP61a As ppm 50	ME-ICP61a Ba ppm 50	ME-ICP61a Be ppm 10	ME-ICP61a Bi ppm 20	ME-ICP61a Ca % 0.05	ME-ICP61a Cd ppm 10	ME-ICP61a Co ppm 10	ME-ICP61a Cr ppm 10	ME-ICP61a Cu ppm 10	ME-ICP61a Fe % 0.05	ME-ICP61a Ga ppm 50
AGX101		0.21	<0.01	<1	7.41	<50	770	<10	<20	3.16	<10	20	20	30	4.48	<50
AGX102		0.21	<0.01	<1	7.05	<50	740	<10	<20	0.90	<10	10	10	20	2.75	<50
AGX103		0.20	<0.01	<1	3.96	<50	440	<10	<20	16.90	<10	20	70	30	2.55	<50
AGX104		0.22	<0.01	1	7.26	<50	250	<10	<20	4.59	<10	40	100	100	7.14	<50
AGX105		0.22	<0.01	<1	7.24	<50	220	<10	<20	4.50	<10	40	120	100	7.83	<50
AGX106		0.21	<0.01	1	6.80	<50	540	<10	<20	1.18	<10	10	70	30	3.35	<50
AGX107		0.21	<0.01	<1	6.73	<50	650	<10	<20	5.88	<10	20	160	20	3.45	<50
AGX108		0.22	<0.01	<1	8.23	<50	870	<10	<20	1.87	<10	10	90	70	4.96	<50
AGX109		0.22	0.01	<1	8.43	<50	450	<10	<20	3.42	<10	20	110	30	6.04	<50
AGX110		0.22	<0.01	<1	8.48	<50	700	<10	<20	2.17	<10	30	150	20	5.67	<50
AGX111		0.21	<0.01	<1	8.05	<50	520	<10	<20	2.55	<10	20	70	30	5.39	<50
AGX112		0.21	<0.01	<1	6.97	<50	510	<10	<20	3.58	<10	20	80	30	3.51	<50
AGX113		0.21	<0.01	<1	7.25	<50	380	<10	<20	2.22	<10	20	80	20	3.55	<50
AGX114		0.22	<0.01	<1	7.73	<50	380	<10	<20	3.12	<10	20	90	20	4.56	<50
AGX115		0.21	<0.01	<1	7.85	<50	420	<10	<20	4.47	<10	20	100	20	4.63	<50
AGX116		0.22	<0.01	1	6.80	<50	270	<10	<20	7.45	<10	40	430	100	4.30	<50
AGX117		0.22	0.03	1	5.04	<50	150	<10	<20	6.59	<10	40	990	700	4.89	<50
AGX118		0.23	<0.01	<1	7.48	<50	750	<10	<20	3.31	<10	20	30	30	4.92	<50
AGX119		0.21	<0.01	<1	7.73	<50	440	<10	<20	2.22	<10	20	60	60	4.45	<50
AGX120		0.21	<0.01	<1	5.92	<50	510	<10	<20	3.69	<10	20	140	40	3.45	<50
AGX121		0.22	<0.01	<1	6.99	<50	520	<10	<20	2.33	<10	20	80	30	5.02	<50
AGX122		0.21	<0.01	<1	8.12	<50	530	<10	<20	3.43	<10	10	70	50	4.56	<50
AGX123		0.22	<0.01	<1	9.03	<50	400	<10	<20	4.91	<10	20	60	20	5.53	<50
AGX124		0.21	<0.01	<1	8.24	<50	520	<10	<20	3.40	<10	20	50	30	3.93	<50
AGX125		0.22	<0.01	<1	6.78	<50	1480	<10	<20	10.95	<10	20	70	20	3.77	<50
AGX126		0.22	<0.01	<1	8.05	<50	760	<10	<20	3.10	<10	30	140	20	4.35	<50
AGX127		0.22	<0.01	1	8.18	<50	670	<10	<20	3.93	<10	20	70	50	4.38	<50
AGX128A		0.22	<0.01	<1	7.61	<50	760	<10	<20	6.67	<10	20	60	30	3.29	<50
AGX128B		0.22	<0.01	<1	7.93	<50	410	<10	<20	4.02	<10	20	200	70	5.02	<50
AGX129		0.21	<0.01	<1	9.04	<50	530	<10	<20	5.63	<10	30	70	50	6.07	<50
AGX130		0.22	<0.01	<1	6.85	<50	560	<10	<20	2.49	<10	10	110	10	3.48	<50
AGX131		0.21	<0.01	<1	9.21	<50	420	<10	<20	2.52	<10	20	100	40	5.69	<50
AGX132		0.22	<0.01	<1	7.87	<50	410	<10	<20	2.90	<10	20	70	30	5.59	<50
AGX133		0.21	0.01	4	7.57	<50	510	<10	<20	1.13	<10	20	90	50	4.64	<50
AGX134		0.22	<0.01	<1	8.27	<50	410	<10	<20	3.55	<10	20	70	10	4.13	<50
AGX135		0.21	<0.01	1	5.82	<50	650	<10	<20	2.24	<10	20	30	20	14.10	<50
AGX136		0.21	<0.01	1	8.00	<50	450	<10	<20	2.80	<10	30	90	150	6.11	<50
AGX137		0.22	<0.01	1	9.25	<50	440	<10	<20	5.35	<10	20	40	40	5.56	<50
AGX138		0.21	<0.01	1	8.60	<50	510	<10	<20	2.77	<10	20	90	20	6.13	<50
AGX139		0.21	<0.01	1	7.47	<50	460	<10	<20	2.77	<10	20	70	40	6.62	<50



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 2 - B
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2014
 Account: ONEEXP

CERTIFICATE OF ANALYSIS AS14104389

Sample Description	Method Analyte Units LOR	ME-ICP61a K %	ME-ICP61a La ppm	ME-ICP61a Mg %	ME-ICP61a Mn ppm	ME-ICP61a Mo ppm	ME-ICP61a Na %	ME-ICP61a Ni ppm	ME-ICP61a P ppm	ME-ICP61a Pb ppm	ME-ICP61a S %	ME-ICP61a Sb ppm	ME-ICP61a Sc ppm	ME-ICP61a Sr ppm	ME-ICP61a Th ppm	ME-ICP61a Ti %
		0.1	50	0.05	10	10	0.05	10	50	20	0.05	50	10	10	50	0.05
AGX101		2.1	<50	1.24	800	<10	2.53	20	1920	<20	<0.05	<50	10	480	<50	0.53
AGX102		3.1	<50	0.24	250	<10	2.35	<10	120	<20	<0.05	<50	10	70	<50	0.26
AGX103		0.6	<50	0.85	330	<10	0.26	20	350	<20	<0.05	<50	20	300	<50	0.41
AGX104		0.8	<50	2.00	1130	<10	1.28	50	390	<20	<0.05	<50	30	130	<50	0.73
AGX105		0.8	<50	1.71	1180	<10	1.37	60	270	<20	<0.05	<50	40	120	<50	0.79
AGX106		1.4	<50	0.69	350	<10	0.95	30	170	<20	<0.05	<50	10	220	<50	0.40
AGX107		1.2	<50	1.58	560	<10	1.71	60	310	20	<0.05	<50	20	390	<50	0.29
AGX108		2.4	<50	1.44	2300	<10	1.09	40	370	<20	<0.05	<50	20	180	<50	0.39
AGX109		1.6	<50	1.24	1420	<10	1.43	50	350	20	<0.05	<50	20	280	<50	0.38
AGX110		2.8	50	2.17	2410	<10	1.41	110	590	<20	<0.05	<50	30	190	<50	0.46
AGX111		1.7	50	1.19	820	<10	1.46	30	210	20	<0.05	<50	20	210	<50	0.41
AGX112		1.5	<50	1.24	630	<10	1.79	40	330	20	0.07	<50	10	260	<50	0.38
AGX113		1.3	<50	1.07	680	<10	2.11	90	270	<20	<0.05	<50	10	290	<50	0.39
AGX114		1.5	<50	1.22	900	<10	1.89	40	470	20	<0.05	<50	20	240	<50	0.39
AGX115		1.0	<50	1.44	1160	<10	2.05	50	740	20	<0.05	<50	20	370	<50	0.27
AGX116		0.8	<50	3.26	800	<10	1.59	140	210	<20	<0.05	<50	30	280	<50	0.23
AGX117		0.5	<50	5.38	1030	<10	1.10	240	220	<20	<0.05	<50	40	170	<50	0.21
AGX118		1.0	50	1.43	810	<10	1.87	30	940	<20	<0.05	<50	20	440	<50	0.65
AGX119		1.5	<50	1.23	680	<10	1.73	20	490	<20	<0.05	<50	20	310	<50	0.55
AGX120		1.3	<50	1.39	570	<10	1.40	60	400	<20	<0.05	<50	20	250	<50	0.28
AGX121		1.5	<50	0.93	1050	<10	1.46	30	420	<20	<0.05	<50	20	230	<50	0.37
AGX122		1.5	<50	1.37	760	<10	2.25	40	1430	<20	<0.05	<50	10	520	<50	0.48
AGX123		1.4	<50	1.58	1150	<10	2.09	20	820	<20	<0.05	<50	20	420	<50	0.45
AGX124		1.3	<50	1.35	670	<10	2.14	60	540	<20	<0.05	<50	10	540	<50	0.27
AGX125		1.1	<50	1.58	440	<10	0.64	30	430	<20	<0.05	<50	10	330	<50	0.28
AGX126		1.7	<50	2.01	730	<10	2.38	80	1400	<20	<0.05	<50	10	490	<50	0.32
AGX127		1.0	<50	1.58	850	<10	2.27	50	570	<20	<0.05	<50	10	550	<50	0.30
AGX128A		1.1	<50	1.32	550	<10	1.95	30	430	<20	<0.05	<50	10	500	<50	0.23
AGX128B		1.2	<50	1.41	1380	<10	1.26	60	420	20	<0.05	<50	20	320	<50	0.40
AGX129		1.6	<50	1.68	1420	<10	1.49	30	960	20	<0.05	<50	30	360	<50	0.39
AGX130		1.0	<50	1.21	660	<10	1.72	40	200	<20	<0.05	<50	20	240	<50	0.26
AGX131		1.8	<50	1.91	1220	<10	1.77	40	530	<20	<0.05	<50	30	250	<50	0.47
AGX132		1.6	<50	1.03	1550	<10	1.43	30	460	<20	<0.05	<50	20	250	<50	0.53
AGX133		2.0	<50	1.27	1010	<10	1.01	50	290	20	<0.05	<50	20	130	<50	0.47
AGX134		1.2	<50	0.93	990	<10	2.07	30	320	20	<0.05	<50	10	310	<50	0.35
AGX135		1.0	<50	0.84	3030	<10	2.09	30	4980	20	<0.05	<50	10	210	<50	0.25
AGX136		1.6	<50	1.47	1360	10	1.43	50	500	20	<0.05	<50	20	240	<50	0.43
AGX137		1.3	<50	1.41	1300	<10	1.90	40	1060	30	<0.05	<50	20	500	<50	0.45
AGX138		1.3	60	1.45	1200	<10	1.81	40	710	20	<0.05	<50	20	240	<50	0.43
AGX139		1.4	<50	1.11	1740	<10	1.83	50	960	50	<0.05	<50	20	310	<50	0.37



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 2 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2014
 Account: ONEEXP

CERTIFICATE OF ANALYSIS AS14104389

Sample Description	Method Analyte Units LOR	ME-ICP61a Ti ppm 50	ME-ICP61a U ppm 50	ME-ICP61a V ppm 10	ME-ICP61a W ppm 50	ME-ICP61a Zn ppm 20
AGX101		<50	<50	110	<50	140
AGX102		<50	<50	30	<50	50
AGX103		<50	<50	160	<50	190
AGX104		<50	<50	230	<50	130
AGX105		<50	<50	260	<50	130
AGX106		<50	<50	90	<50	50
AGX107		<50	<50	100	<50	50
AGX108		<50	<50	120	<50	110
AGX109		<50	<50	110	<50	110
AGX110		<50	<50	130	<50	120
AGX111		<50	<50	100	<50	190
AGX112		<50	<50	90	<50	60
AGX113		<50	<50	90	<50	70
AGX114		<50	<50	100	<50	80
AGX115		<50	<50	120	<50	70
AGX116		<50	<50	140	<50	60
AGX117		<50	<50	140	<50	80
AGX118		<50	<50	160	<50	80
AGX119		<50	<50	130	<50	100
AGX120		<50	<50	90	<50	70
AGX121		<50	<50	120	<50	70
AGX122		<50	<50	110	<50	70
AGX123		<50	<50	150	<50	290
AGX124		<50	<50	110	<50	190
AGX125		<50	<50	110	<50	70
AGX126		<50	<50	110	<50	80
AGX127		<50	<50	120	<50	80
AGX128A		<50	<50	80	<50	210
AGX128B		<50	<50	140	<50	100
AGX129		<50	<50	180	<50	80
AGX130		<50	<50	70	<50	50
AGX131		<50	<50	130	<50	80
AGX132		<50	<50	120	<50	70
AGX133		<50	<50	110	<50	140
AGX134		<50	<50	100	<50	80
AGX135		<50	<50	60	<50	80
AGX136		<50	<50	120	<50	80
AGX137		<50	<50	140	<50	80
AGX138		<50	<50	120	<50	70
AGX139		<50	<50	100	<50	100



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 3 - A
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2014
 Account: ONEEXP

CERTIFICATE OF ANALYSIS AS14104389

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA25 Au ppm 0.01	ME-ICP61a Ag ppm 1	ME-ICP61a Al % 0.05	ME-ICP61a As ppm 50	ME-ICP61a Ba ppm 50	ME-ICP61a Be ppm 10	ME-ICP61a Bi ppm 20	ME-ICP61a Ca % 0.05	ME-ICP61a Cd ppm 10	ME-ICP61a Co ppm 10	ME-ICP61a Cr ppm 10	ME-ICP61a Cu ppm 10	ME-ICP61a Fe % 0.05	ME-ICP61a Ga ppm 50
AGX140		0.21	<0.01	<1	7.73	<50	490	<10	<20	3.80	<10	30	50	60	4.92	<50
AGX141		0.22	<0.01	1	8.21	<50	1160	<10	<20	3.55	<10	40	50	80	6.17	<50
AGX142		0.22	<0.01	1	8.12	<50	1410	<10	<20	3.75	<10	20	30	30	3.87	<50
AGX143		0.21	<0.01	1	8.09	<50	560	<10	<20	3.21	<10	20	40	30	5.26	<50
AGX144		Not Recvd														
AGX148		0.21	<0.01	1	8.71	<50	370	<10	<20	4.99	<10	20	100	40	5.57	<50
AGX149		0.22	<0.01	1	8.65	<50	280	<10	<20	5.39	<10	30	20	290	5.90	<50
AGX150		0.22	<0.01	1	7.85	<50	470	<10	<20	3.55	<10	20	110	20	5.03	<50
AGX151		0.21	<0.01	1	8.52	<50	360	<10	<20	4.76	<10	20	60	30	5.08	<50
AGX152		0.21	<0.01	1	8.32	<50	490	<10	<20	4.04	<10	20	160	30	5.63	<50
AGX153		0.21	<0.01	<1	8.45	<50	300	<10	<20	4.53	<10	20	50	50	4.72	<50
AGX154		0.22	<0.01	1	8.34	<50	280	<10	<20	4.58	<10	20	70	30	5.15	<50
AGX155		0.21	<0.01	2	8.32	<50	380	<10	<20	3.43	<10	20	90	30	5.31	<50
AGX156		0.22	0.01	1	7.87	<50	270	<10	<20	4.18	<10	20	70	50	4.74	<50
AGX157		0.22	0.01	<1	8.67	<50	370	<10	<20	4.79	<10	20	80	20	5.20	<50
AGX158		0.22	<0.01	1	8.23	<50	310	<10	<20	4.56	<10	20	50	50	4.82	<50
AGX159		0.22	<0.01	1	8.25	<50	290	<10	<20	4.56	<10	20	70	20	4.04	<50
AGX160		0.22	<0.01	<1	8.61	<50	400	<10	<20	4.45	<10	20	110	40	5.69	<50
AGX161		0.22	0.01	1	7.12	<50	480	<10	<20	4.14	<10	20	110	40	4.77	<50
AGX162		0.22	<0.01	1	8.44	<50	370	<10	<20	4.20	<10	20	70	40	5.21	<50
AGX163		0.21	<0.01	1	7.08	<50	540	<10	<20	3.40	<10	20	150	30	4.73	<50
AGX164		0.21	<0.01	1	8.13	<50	350	<10	<20	4.46	<10	20	90	40	5.28	<50
AGX165		0.22	<0.01	1	7.61	<50	380	<10	<20	4.28	<10	20	130	50	4.64	<50
AGX167		0.22	<0.01	1	2.29	<50	100	<10	<20	11.15	<10	30	30	10	6.98	<50
AGX170		0.22	<0.01	1	8.12	<50	470	<10	<20	3.57	<10	20	130	30	4.40	<50
AGX171		0.21	<0.01	<1	7.78	<50	1100	<10	<20	1.34	<10	10	20	20	3.15	<50
AGX173		0.22	<0.01	1	8.64	<50	370	<10	<20	4.22	<10	20	50	50	4.80	<50
AHW001		0.22	<0.01	1	7.97	<50	720	<10	<20	3.77	<10	20	30	40	4.44	<50
AHW002		0.22	<0.01	1	8.13	<50	870	<10	<20	6.26	<10	20	50	60	4.78	<50
AHW003		0.22	<0.01	1	8.48	<50	610	<10	<20	4.70	<10	30	20	40	5.10	<50
AHW004		0.22	<0.01	<1	7.50	<50	400	<10	<20	2.41	<10	10	40	20	3.36	<50
AHW005		0.22	<0.01	<1	7.11	<50	300	<10	<20	1.77	<10	10	90	10	3.29	<50
AHW006		0.21	<0.01	<1	7.62	<50	430	<10	<20	2.04	<10	20	70	10	5.02	<50
AHW007		0.21	<0.01	<1	7.24	<50	560	<10	<20	2.33	<10	20	170	50	4.18	<50
ALB101		0.22	<0.01	<1	6.89	<50	1970	<10	<20	6.27	<10	40	660	30	3.73	<50
ALB102		0.22	<0.01	<1	4.49	<50	390	<10	<20	1.25	<10	10	50	10	2.62	<50
ALB103		0.21	<0.01	<1	4.84	<50	370	<10	<20	0.74	<10	10	50	20	2.79	<50
ALB104		0.22	<0.01	<1	5.39	<50	460	<10	<20	1.69	<10	20	70	20	3.17	<50
ALB105		0.21	<0.01	<1	4.88	<50	360	<10	<20	0.92	<10	10	50	20	2.94	<50
ALB106		0.21	<0.01	<1	6.61	<50	500	<10	<20	2.29	<10	10	60	20	3.68	<50



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 3 - B
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2014
 Account: ONEEXP

CERTIFICATE OF ANALYSIS AS14104389

Sample Description	Method Analyte Units LOR	ME-ICP61a K %	ME-ICP61a La ppm	ME-ICP61a Mg %	ME-ICP61a Mn ppm	ME-ICP61a Mo ppm	ME-ICP61a Na %	ME-ICP61a Ni ppm	ME-ICP61a P ppm	ME-ICP61a Pb ppm	ME-ICP61a S %	ME-ICP61a Sb ppm	ME-ICP61a Sc ppm	ME-ICP61a Sr ppm	ME-ICP61a Th ppm	ME-ICP61a Ti %
		0.1	50	0.05	10	10	0.05	10	50	20	0.05	50	10	10	50	0.05
AGX140		1.1	<50	1.91	830	<10	1.69	40	910	<20	<0.05	<50	10	550	<50	0.44
AGX141		1.3	<50	2.45	870	<10	1.38	50	1040	<20	<0.05	<50	20	460	<50	0.55
AGX142		0.8	<50	1.65	570	<10	2.36	40	730	<20	<0.05	<50	10	580	<50	0.26
AGX143		1.1	<50	1.78	800	<10	1.36	60	550	<20	<0.05	<50	20	380	<50	0.37
AGX144																
AGX148		0.9	<50	1.84	1430	<10	1.72	40	1020	<20	<0.05	<50	30	460	<50	0.38
AGX149		0.9	<50	1.78	1100	<10	1.59	30	650	<20	<0.05	<50	20	440	<50	0.36
AGX150		1.3	<50	1.31	1150	<10	1.79	50	580	<20	<0.05	<50	10	280	<50	0.39
AGX151		1.0	<50	1.34	1050	<10	2.10	30	630	<20	<0.05	<50	20	370	<50	0.41
AGX152		1.7	<50	1.67	1270	<10	1.37	50	640	<20	<0.05	<50	20	290	<50	0.44
AGX153		1.0	<50	1.21	1040	<10	2.16	30	740	<20	<0.05	<50	20	350	<50	0.41
AGX154		0.9	<50	1.54	1230	<10	2.29	40	940	<20	<0.05	<50	20	330	<50	0.44
AGX155		1.2	<50	1.77	1070	<10	2.18	40	800	<20	<0.05	<50	20	290	<50	0.43
AGX156		0.8	<50	1.38	1090	<10	2.34	40	820	<20	<0.05	<50	20	320	<50	0.46
AGX157		0.9	<50	1.36	1100	<10	2.12	40	880	<20	<0.05	<50	20	370	<50	0.44
AGX158		1.0	<50	1.22	980	<10	2.19	30	790	<20	<0.05	<50	20	340	<50	0.44
AGX159		0.8	<50	1.11	850	<10	2.45	30	520	<20	<0.05	<50	20	360	<50	0.33
AGX160		1.0	<50	1.47	1170	<10	2.34	50	700	<20	<0.05	<50	30	380	<50	0.44
AGX161		1.4	<50	1.48	1000	<10	1.60	40	440	20	<0.05	<50	20	270	<50	0.41
AGX162		1.1	<50	1.56	1100	<10	2.40	40	950	<20	<0.05	<50	20	350	<50	0.51
AGX163		1.3	<50	1.58	980	<10	1.52	70	550	<20	<0.05	<50	20	260	<50	0.37
AGX164		1.1	<50	1.51	1090	<10	2.18	50	850	20	<0.05	<50	20	340	<50	0.46
AGX165		1.2	<50	1.63	1040	<10	1.96	60	770	<20	<0.05	<50	20	350	<50	0.38
AGX167		0.3	<50	4.30	2420	<10	0.39	20	510	20	<0.05	<50	10	70	<50	0.13
AGX170		1.3	<50	1.46	1200	<10	2.46	60	860	<20	<0.05	<50	20	310	<50	0.39
AGX171		1.4	100	0.89	500	<10	2.52	10	250	<20	<0.05	<50	10	260	<50	0.27
AGX173		1.1	<50	1.16	950	<10	1.97	40	590	<20	<0.05	<50	20	400	<50	0.43
AHW001		1.1	<50	1.46	910	<10	1.81	30	1110	<20	<0.05	<50	20	570	<50	0.37
AHW002		1.0	<50	1.93	680	<10	2.18	50	870	<20	<0.05	<50	20	610	<50	0.32
AHW003		0.7	<50	1.98	900	<10	2.29	30	1740	<20	<0.05	<50	20	700	<50	0.33
AHW004		1.2	<50	1.07	540	<10	2.38	30	600	<20	<0.05	<50	10	290	<50	0.36
AHW005		1.3	<50	1.05	500	<10	2.03	30	360	<20	<0.05	<50	10	230	<50	0.30
AHW006		1.3	<50	0.93	770	<10	1.79	30	290	<20	<0.05	<50	10	190	<50	0.40
AHW007		1.5	<50	1.78	560	<10	1.80	80	570	<20	<0.05	<50	10	370	<50	0.36
ALB101		0.7	<50	4.34	860	<10	2.39	230	320	<20	0.13	<50	10	370	<50	0.22
ALB102		1.2	<50	0.64	420	<10	0.81	20	330	20	<0.05	<50	10	160	<50	0.34
ALB103		1.3	<50	0.55	370	<10	0.73	20	230	<20	<0.05	<50	10	120	<50	0.33
ALB104		1.4	<50	0.94	470	<10	0.88	30	240	<20	<0.05	<50	10	190	<50	0.38
ALB105		1.3	<50	0.59	400	<10	0.85	20	280	<20	0.05	<50	10	140	<50	0.36
ALB106		1.2	<50	1.25	590	<10	1.50	30	320	<20	<0.05	<50	10	280	<50	0.39



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 3 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2014
 Account: ONEEXP

CERTIFICATE OF ANALYSIS AS14104389

Sample Description	Method Analyte Units LOR	ME-ICP61a Ti ppm 50	ME-ICP61a U ppm 50	ME-ICP61a V ppm 10	ME-ICP61a W ppm 50	ME-ICP61a Zn ppm 20
AGX140		<50	<50	120	<50	90
AGX141		<50	<50	170	<50	110
AGX142		<50	<50	90	<50	60
AGX143		<50	<50	140	<50	80
AGX144						
AGX148		<50	<50	140	<50	70
AGX149		<50	<50	200	<50	60
AGX150		<50	<50	100	<50	70
AGX151		<50	<50	140	<50	60
AGX152		<50	<50	130	<50	70
AGX153		<50	<50	140	<50	60
AGX154		<50	<50	140	<50	60
AGX155		<50	<50	130	<50	80
AGX156		<50	<50	130	<50	60
AGX157		<50	<50	150	<50	60
AGX158		<50	<50	140	<50	60
AGX159		<50	<50	130	<50	40
AGX160		<50	<50	140	<50	70
AGX161		<50	<50	120	<50	70
AGX162		<50	<50	130	<50	70
AGX163		<50	<50	130	<50	70
AGX164		<50	<50	140	<50	60
AGX165		<50	<50	120	<50	70
AGX167		<50	<50	40	<50	130
AGX170		<50	<50	120	<50	60
AGX171		<50	<50	50	<50	40
AGX173		<50	<50	140	<50	60
AHW001		<50	<50	130	<50	70
AHW002		<50	<50	130	<50	90
AHW003		<50	<50	130	<50	90
AHW004		<50	<50	70	<50	40
AHW005		<50	<50	90	<50	60
AHW006		<50	<50	110	<50	60
AHW007		<50	<50	110	<50	90
ALB101		<50	<50	100	<50	180
ALB102		<50	<50	70	<50	60
ALB103		<50	<50	70	<50	40
ALB104		<50	<50	80	<50	60
ALB105		<50	<50	80	<50	40
ALB106		<50	<50	100	<50	60



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 4 - A
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2014
 Account: ONEEXP

CERTIFICATE OF ANALYSIS AS14104389

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA25 Au ppm 0.01	ME-ICP61a Ag ppm 1	ME-ICP61a Al % 0.05	ME-ICP61a As ppm 50	ME-ICP61a Ba ppm 50	ME-ICP61a Be ppm 10	ME-ICP61a Bi ppm 20	ME-ICP61a Ca % 0.05	ME-ICP61a Cd ppm 10	ME-ICP61a Co ppm 10	ME-ICP61a Cr ppm 10	ME-ICP61a Cu ppm 10	ME-ICP61a Fe % 0.05	ME-ICP61a Ga ppm 50
ALB107		0.21	<0.01	<1	5.00	<50	370	<10	<20	0.92	<10	10	50	10	2.89	<50
ALB108		0.21	<0.01	<1	6.01	<50	400	<10	<20	2.10	<10	10	60	20	3.42	<50
ALB109		0.21	<0.01	<1	5.31	<50	420	<10	<20	0.87	<10	10	50	20	2.97	<50
ALB110		0.21	<0.01	<1	4.88	<50	430	<10	<20	0.87	<10	10	40	20	2.66	<50
APB107		0.21	<0.01	<1	7.17	<50	640	<10	<20	7.16	<10	20	120	30	3.66	<50
APB108		0.21	<0.01	<1	6.65	<50	550	<10	<20	0.88	<10	10	40	20	3.34	<50
APB109		0.22	<0.01	<1	5.95	<50	470	<10	<20	5.85	<10	10	30	10	2.84	<50
APB110		0.21	<0.01	<1	7.03	<50	450	<10	<20	1.92	<10	20	40	30	3.65	<50



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 4 - B
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2014
 Account: ONEEXP

CERTIFICATE OF ANALYSIS AS14104389

Sample Description	Method Analyte Units LOR	ME-ICP61a K %	ME-ICP61a La ppm	ME-ICP61a Mg %	ME-ICP61a Mn ppm	ME-ICP61a Mo ppm	ME-ICP61a Na %	ME-ICP61a Ni ppm	ME-ICP61a P ppm	ME-ICP61a Pb ppm	ME-ICP61a S %	ME-ICP61a Sb ppm	ME-ICP61a Sc ppm	ME-ICP61a Sr ppm	ME-ICP61a Th ppm	ME-ICP61a Ti %
		0.1	50	0.05	10	10	0.05	10	50	20	0.05	50	10	10	50	0.05
ALB107		1.2	<50	0.51	340	<10	0.62	20	220	<20	<0.05	<50	10	130	<50	0.36
ALB108		1.3	<50	0.89	440	<10	1.29	30	380	<20	<0.05	<50	10	220	<50	0.38
ALB109		1.5	<50	0.55	450	<10	0.65	20	310	<20	<0.05	<50	10	130	<50	0.34
ALB110		1.4	<50	0.54	410	<10	0.73	20	260	<20	<0.05	<50	10	130	<50	0.30
APB107		1.7	<50	1.31	450	<10	0.43	40	260	20	<0.05	<50	10	170	<50	0.45
APB108		1.7	<50	0.32	340	<10	0.85	10	170	<20	<0.05	<50	10	90	<50	0.34
APB109		1.3	<50	0.59	340	<10	1.38	20	230	20	<0.05	<50	10	200	<50	0.36
APB110		1.1	<50	0.78	490	<10	1.47	20	160	20	<0.05	<50	10	180	<50	0.37



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 4 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2014
 Account: ONEEXP

CERTIFICATE OF ANALYSIS AS14104389

Sample Description	Method Analyte Units LOR	ME-ICP61a Ti ppm 50	ME-ICP61a U ppm 50	ME-ICP61a V ppm 10	ME-ICP61a W ppm 50	ME-ICP61a Zn ppm 20
ALB107		<50	<50	70	<50	40
ALB108		<50	<50	90	<50	50
ALB109		<50	<50	70	<50	50
ALB110		<50	<50	70	<50	40
APB107		<50	<50	130	<50	60
APB108		<50	<50	70	<50	50
APB109		<50	<50	80	<50	60
APB110		<50	<50	90	<50	60



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25-JUL-2014
Account: ONEEXP

CERTIFICATE OF ANALYSIS AS14104389

	CERTIFICATE COMMENTS
Applies to Method:	<p>LABORATORY ADDRESSES</p> <p>Processed at ALS Perth located at 32 Oxleigh Drive, Malaga, Perth, WA, Australia. Au-AA25 ME-ICP61a</p> <p>Processed at ALS Alice Springs located at 13 Price Street, Alice Springs, NT, Australia. LEV-01 LOG-22 WEI-21</p>