



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 1
Finalized Date: 1-JUL-2007
Account: URAOIL

CERTIFICATE AS07057971

Project: TREASURE

P.O. No.: 218922

This report is for 197 Soil samples submitted to our lab in Alice Springs, NT, Australia on 12-JUN-2007.

The following have access to data associated with this certificate:

BILL BANNISTER

DAVID OFARRELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
DRY-21	High Temperature Drying
SCR-43	Screen to -500um, discard plus
LEV-01	Waste Disposal Levy
PUL-QC	Pulverizing QC Test
WSH-22	"Wash" pulverizers
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: URANIUM OIL AND GAS
ATTN: DAVID OFARRELL
PO BOX 4112
VICTORIA PARK WA 6979

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Wayne Abbott, Operations Manager, Western Australia



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - A

Total # Pages: 6 (A)

Finalized Date: 1-JUL-2007

Account: URAOIL

Project: TREASURE

CERTIFICATE OF ANALYSIS AS07057971

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 As ppm 2	ME-ICP41 Bi ppm 2	ME-ICP41 Co ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Ga ppm 10	ME-ICP41 Mo ppm 1	ME-ICP41 Pb ppm 2	ME-ICP41 Ti % 0.01	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	PUL-QC Pass75um % 0.01
FLUSH A		<0.02													
FLUSH B		<0.02													
FLUSH C		<0.02													
TSS 001		2.05	<2	<2	8	17	10	<1	7	0.19	<10	52	<10	45	
TSS 002		1.98	<2	<2	9	19	10	<1	9	0.21	<10	58	<10	51	
TSS 003		2.17	<2	<2	8	18	10	<1	7	0.20	<10	52	<10	48	
TSS 004		2.13	<2	<2	8	15	10	<1	7	0.20	<10	50	<10	44	
TSS 005		2.17	<2	<2	9	18	10	<1	7	0.23	<10	56	<10	49	
TSS 006		1.95	<2	<2	9	18	10	<1	8	0.22	<10	57	<10	52	
TSS 007		2.14	2	<2	7	14	10	<1	7	0.13	<10	45	<10	34	97.9
TSS 008		1.68	<2	<2	7	15	10	<1	6	0.14	<10	44	<10	36	
TSS 009		1.62	2	<2	7	17	10	<1	8	0.18	<10	45	<10	44	
TSS 010		1.88	5	<2	9	20	10	<1	9	0.20	<10	57	<10	56	
TSS 011		2.07	5	2	8	21	10	<1	9	0.19	<10	56	<10	55	
TSS 012		2.12	6	<2	11	30	10	<1	12	0.20	<10	64	<10	64	
TSS 013		2.00	3	<2	12	28	10	1	13	0.27	<10	82	<10	71	
TSS 014		2.22	5	<2	9	25	10	<1	9	0.19	<10	51	<10	50	
TSS 015		2.08	2	<2	9	25	10	<1	9	0.19	<10	63	<10	55	
TSS 016		1.91	2	<2	6	13	<10	<1	6	0.13	<10	43	<10	36	
TSS 017		2.23	2	<2	6	12	10	<1	6	0.14	<10	40	<10	34	
TSS 018		1.66	<2	<2	7	15	10	<1	8	0.12	<10	46	<10	38	
TSS 019		1.99	3	<2	8	17	10	<1	7	0.11	<10	45	<10	39	
TSS 020		2.37	3	<2	8	16	10	<1	6	0.13	<10	53	<10	41	
TSS 021		2.55	6	<2	5	12	<10	<1	7	0.05	<10	40	<10	27	
TSS 022		2.14	3	<2	7	19	10	<1	9	0.13	<10	45	<10	45	
TSS 023		2.35	2	<2	10	24	10	<1	7	0.14	<10	48	<10	37	
TSS 024		2.00	<2	<2	8	19	10	<1	7	0.21	<10	55	<10	54	
TSS 025		1.84	<2	<2	8	16	10	<1	7	0.20	<10	51	<10	51	
TSS 026		1.81	5	<2	11	21	10	<1	9	0.24	<10	75	<10	56	
TSS 027		2.04	2	<2	8	16	10	<1	6	0.22	<10	53	<10	54	
TSS 028		2.01	3	<2	8	19	10	<1	7	0.19	<10	50	<10	50	
TSS 029		1.73	3	<2	8	20	10	<1	8	0.15	<10	49	<10	48	
TSS 030		1.90	3	<2	7	17	10	<1	7	0.15	<10	47	<10	42	
TSS 031		2.06	<2	<2	8	21	10	<1	9	0.18	<10	57	<10	52	
TSS 032		1.94	4	<2	12	24	10	<1	10	0.26	<10	79	<10	74	
TSS 033		2.09	<2	<2	9	20	10	<1	9	0.21	<10	62	<10	59	
TSS 034		2.12	<2	<2	14	40	10	<1	14	0.28	<10	93	<10	80	
TSS 035		2.09	<2	<2	19	80	10	<1	11	0.33	<10	78	<10	99	
TSS 036		1.78	3	2	11	43	10	1	12	0.30	<10	140	<10	104	
TSS 037		2.06	2	<2	9	19	<10	<1	5	0.16	<10	42	<10	49	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - A

Total # Pages: 6 (A)

Finalized Date: 1-JUL-2007

Account: URAOIL

Project: TREASURE

CERTIFICATE OF ANALYSIS AS07057971

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 As ppm 2	ME-ICP41 Bi ppm 2	ME-ICP41 Co ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Ga ppm 10	ME-ICP41 Mo ppm 1	ME-ICP41 Pb ppm 2	ME-ICP41 Ti % 0.01	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	PUL-QC Pass75um % 0.01
TSS 038		1.87	<2	<2	6	16	10	<1	4	0.11	<10	43	<10	37	
TSS 039		1.49	2	2	14	30	10	<1	11	0.31	<10	72	<10	79	
TSS 040		2.12	2	<2	10	19	<10	<1	7	0.14	<10	56	<10	42	
TSS 041		2.01	2	<2	9	21	10	<1	11	0.11	<10	55	<10	32	
TSS 042		1.56	2	<2	6	16	<10	<1	5	0.10	<10	39	<10	34	
TSS 043		1.78	2	<2	5	12	<10	<1	5	0.08	<10	38	<10	28	
TSS 044		2.32	<2	<2	8	17	<10	<1	6	0.07	<10	39	<10	31	
TSS 045		1.86	2	<2	6	13	10	<1	6	0.09	<10	40	<10	33	
TSS 046		1.85	6	<2	6	12	<10	<1	5	0.09	<10	41	<10	31	98.8
TSS 047		1.85	<2	<2	9	17	10	<1	6	0.20	<10	53	<10	53	
TSS 048		1.98	<2	<2	7	15	10	<1	6	0.16	<10	47	<10	41	
TSS 049		1.84	<2	<2	7	15	10	<1	7	0.16	<10	47	<10	42	
TSS 050		1.62	3	<2	8	18	10	<1	8	0.18	<10	54	<10	47	
TSS 051		1.76	<2	<2	7	17	10	<1	8	0.16	<10	54	<10	44	
TSS 052		1.42	2	<2	8	23	10	<1	8	0.17	<10	52	<10	51	
TSS 053		1.86	2	<2	6	13	10	<1	6	0.17	<10	42	<10	43	
TSS 054		2.20	<2	<2	10	20	10	<1	7	0.23	<10	56	<10	59	
TSS 055		2.18	3	<2	8	17	10	<1	7	0.18	<10	57	<10	50	
TSS 056		1.58	3	<2	12	21	10	<1	10	0.27	<10	79	<10	68	
TSS 057		1.93	4	<2	10	19	10	<1	10	0.20	<10	67	<10	51	
TSS 058		1.27	3	<2	13	30	10	<1	13	0.31	<10	92	<10	83	
TSS 059		2.00	<2	<2	14	35	10	<1	14	0.29	<10	91	<10	81	
TSS 060		2.14	3	<2	11	29	10	<1	7	0.17	<10	66	<10	66	
TSS 061		1.94	3	<2	9	26	10	<1	7	0.15	<10	46	<10	50	
TSS 062		1.76	3	<2	10	20	10	<1	9	0.28	<10	67	<10	64	
TSS 063		1.82	<2	<2	8	24	<10	1	7	0.12	<10	48	10	44	
TSS 064		2.18	<2	<2	9	20	<10	<1	6	0.13	<10	40	<10	35	
TSS 065		1.78	3	<2	8	18	10	<1	7	0.08	<10	47	<10	35	
TSS 066		2.19	2	<2	7	23	10	<1	11	0.16	<10	43	<10	40	
TSS 067		1.73	3	<2	12	33	10	<1	6	0.15	<10	56	<10	36	
TSS 068		1.91	6	<2	10	23	10	1	7	0.12	<10	50	<10	36	
TSS 069		1.80	3	<2	7	16	<10	<1	4	0.09	<10	44	<10	32	
TSS 070		1.89	6	<2	9	18	10	<1	7	0.17	<10	52	<10	54	
TSS 071		1.63	4	<2	9	22	10	<1	10	0.17	<10	64	<10	53	
TSS 072		2.15	6	<2	10	25	10	<1	11	0.22	<10	77	<10	60	
TSS 073		2.13	4	<2	14	31	10	<1	11	0.33	<10	87	<10	90	
TSS 074		1.44	4	<2	20	57	10	<1	12	0.36	<10	98	<10	106	
TSS 075		1.57	3	<2	14	44	10	<1	16	0.33	<10	88	<10	82	
TSS 076		1.62	2	<2	8	20	10	<1	7	0.21	<10	56	<10	58	
TSS 077		2.15	<2	<2	8	20	10	<1	8	0.18	<10	55	<10	54	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 4 - A

Total # Pages: 6 (A)

Finalized Date: 1-JUL-2007

Account: URAOIL

Project: TREASURE

CERTIFICATE OF ANALYSIS AS07057971

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 As ppm 2	ME-ICP41 Bi ppm 2	ME-ICP41 Co ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Ga ppm 10	ME-ICP41 Mo ppm 1	ME-ICP41 Pb ppm 2	ME-ICP41 Ti % 0.01	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	PUL-QC Pass75um % 0.01
TSS 078		1.52	7	2	14	40	10	<1	10	0.31	<10	87	<10	84	
TSS 079		1.73	<2	3	12	25	10	<1	11	0.30	<10	83	<10	75	
TSS 080		1.87	<2	4	9	17	10	<1	10	0.23	<10	62	<10	50	
TSS 081		2.01	<2	<2	12	27	10	<1	10	0.31	<10	81	<10	64	
TSS 082		1.64	<2	2	11	19	10	<1	13	0.31	<10	77	<10	57	
TSS 083		1.97	<2	<2	10	16	10	<1	5	0.18	<10	54	<10	51	
TSS 084		2.03	<2	2	11	33	10	1	12	0.27	<10	73	<10	67	
TSS 085		2.47	<2	<2	7	22	<10	<1	6	0.13	<10	47	<10	42	99.9
TSS 086		2.07	<2	<2	6	15	<10	<1	6	0.10	<10	43	<10	33	
TSS 087		1.72	2	<2	8	18	10	<1	8	0.14	<10	54	<10	32	
TSS 088		1.67	<2	2	6	15	10	<1	10	0.11	<10	43	<10	35	
TSS 089		2.32	<2	2	6	16	10	<1	11	0.10	<10	32	<10	34	
TSS 090		2.24	<2	<2	8	28	10	<1	8	0.12	<10	52	<10	39	
TSS 091		1.94	<2	<2	12	25	10	<1	6	0.14	<10	51	<10	34	
TSS 092		1.26	<2	<2	7	16	<10	<1	6	0.13	<10	45	<10	36	
TSS 093		2.25	<2	2	7	16	10	<1	8	0.14	<10	48	<10	42	
TSS 094		2.03	<2	<2	8	18	10	<1	7	0.14	<10	51	<10	40	
TSS 095		2.09	<2	<2	7	17	10	<1	8	0.18	<10	52	<10	47	
TSS 096		1.78	<2	<2	8	17	10	<1	8	0.16	<10	55	<10	44	
TSS 097		1.80	3	3	10	25	10	1	12	0.17	<10	68	<10	51	
TSS 098		2.34	<2	3	14	30	10	1	24	0.30	<10	88	<10	64	
TSS 099		2.41	<2	<2	20	46	20	1	49	0.38	<10	103	<10	101	
TSS 100		1.94	<2	2	12	31	10	1	12	0.26	<10	77	<10	69	
TSS 101		1.40	2	2	8	19	10	<1	10	0.19	<10	61	<10	47	
TSS 102		1.49	<2	2	8	18	10	<1	9	0.18	<10	58	<10	49	
TSS 103		1.73	<2	<2	12	29	10	1	14	0.28	<10	82	<10	67	
TSS 104		1.86	<2	<2	17	36	10	1	16	0.33	<10	90	<10	86	
TSS 105		1.72	<2	<2	9	30	10	2	6	0.19	<10	43	<10	45	
TSS 106		2.21	<2	<2	8	19	10	<1	7	0.12	<10	41	<10	37	
TSS 107		2.17	<2	<2	11	28	10	<1	11	0.26	<10	73	<10	64	
TSS 108		2.13	<2	<2	9	28	10	1	7	0.18	<10	63	<10	59	
TSS 109		2.08	<2	<2	8	19	10	<1	6	0.13	<10	49	<10	40	
TSS 110		1.90	<2	<2	9	20	10	<1	7	0.17	<10	52	<10	43	
TSS 111		1.78	<2	<2	7	17	10	<1	6	0.16	<10	47	<10	42	
TSS 112		1.96	<2	<2	7	19	10	<1	5	0.11	<10	47	<10	31	
TSS 113		2.05	<2	<2	8	25	10	<1	6	0.14	<10	50	<10	34	
TSS 114		2.27	4	<2	6	15	10	1	10	0.11	<10	48	<10	30	
TSS 115		1.78	4	<2	10	24	10	<1	8	0.14	<10	53	<10	33	
TSS 116		2.08	3	<2	9	20	10	<1	8	0.16	<10	54	<10	51	
TSS 117		2.50	<2	<2	8	19	10	<1	9	0.18	<10	56	<10	52	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 5 - A

Total # Pages: 6 (A)

Finalized Date: 1-JUL-2007

Account: URAOIL

Project: TREASURE

CERTIFICATE OF ANALYSIS AS07057971

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 As ppm 2	ME-ICP41 Bi ppm 2	ME-ICP41 Co ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Ga ppm 10	ME-ICP41 Mo ppm 1	ME-ICP41 Pb ppm 2	ME-ICP41 Ti % 0.01	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	PUL-QC Pass75um % 0.01
TSS 118		2.37	4	<2	8	18	10	<1	7	0.17	<10	55	<10	52	
TSS 119		2.21	4	<2	8	19	10	<1	8	0.17	<10	53	<10	51	
TSS 120		1.95	5	<2	8	20	10	<1	8	0.15	<10	52	<10	49	
TSS 121		2.50	7	<2	8	19	10	<1	9	0.13	<10	46	<10	46	
TSS 122		2.16	4	<2	8	20	10	<1	8	0.17	<10	56	<10	53	
TSS 123		2.07	2	<2	10	18	10	<1	10	0.23	<10	68	<10	57	
TSS 124		2.04	4	<2	12	31	10	<1	11	0.24	<10	82	<10	74	96.9
TSS 125		2.23	2	<2	14	38	10	<1	12	0.32	<10	86	<10	90	
TSS 126		2.01	5	<2	14	31	10	<1	11	0.31	<10	91	<10	91	
TSS 127		2.09	5	<2	11	35	10	<1	13	0.18	<10	90	<10	75	
TSS 128		2.21	<2	<2	8	22	10	<1	7	0.11	<10	49	<10	45	
TSS 129		2.03	2	<2	9	14	10	<1	6	0.18	<10	52	<10	54	
TSS 130		2.08	<2	<2	12	23	10	<1	12	0.25	<10	76	<10	67	
TSS 131		2.32	3	<2	11	29	10	<1	8	0.16	<10	54	<10	60	
TSS 132		2.49	7	<2	11	31	10	1	6	0.14	<10	65	<10	59	
TSS 133		2.63	4	<2	8	22	10	<1	8	0.14	<10	55	<10	47	
TSS 134		2.08	<2	<2	7	15	<10	<1	5	0.10	<10	42	<10	37	
TSS 135		2.19	7	<2	9	21	10	<1	6	0.12	<10	51	<10	43	
TSS 136		1.75	<2	<2	9	31	<10	<1	4	0.11	<10	50	<10	28	
TSS 137		2.33	4	<2	11	27	10	<1	7	0.18	<10	62	<10	59	
TSS 138		2.27	4	<2	11	29	10	<1	7	0.22	<10	66	<10	68	
TSS 139		2.21	<2	<2	9	22	10	<1	7	0.15	<10	58	<10	51	
TSS 140		2.28	2	<2	6	16	10	<1	7	0.10	<10	45	<10	39	
TSS 141		2.08	3	<2	10	27	10	<1	11	0.16	<10	69	<10	53	
TSS 142		1.97	<2	3	13	29	10	<1	14	0.27	<10	81	<10	74	
TSS 143		2.01	5	2	17	36	10	1	10	0.36	<10	94	<10	95	
TSS 144		2.11	<2	2	13	25	10	<1	11	0.27	<10	70	<10	75	
TSS 145		1.83	2	<2	14	41	10	<1	10	0.32	<10	91	<10	91	
TSS 146		2.04	5	<2	14	36	10	<1	15	0.29	<10	77	<10	85	
TSS 147		2.17	4	<2	13	46	10	<1	13	0.27	<10	90	<10	79	
TSS 148		1.81	3	<2	11	22	10	<1	14	0.23	<10	79	<10	60	
TSS 149		1.58	2	<2	9	25	10	<1	11	0.15	<10	65	<10	47	
TSS 150		1.75	3	<2	5	16	10	<1	6	0.07	<10	41	<10	27	
TSS 151		2.33	<2	<2	9	27	10	2	7	0.09	<10	55	<10	37	
TSS 152		2.37	<2	<2	10	30	10	1	5	0.12	<10	57	<10	47	
TSS 153		1.82	<2	<2	9	19	10	<1	9	0.17	<10	58	<10	43	
TSS 154		2.20	<2	<2	9	20	10	<1	7	0.13	<10	59	<10	43	
TSS 155		2.31	2	<2	7	22	<10	<1	4	0.08	<10	37	<10	38	
TSS 156		2.32	2	<2	7	19	10	<1	5	0.09	<10	47	<10	37	
TSS 157		1.64	2	<2	6	16	<10	<1	5	0.10	<10	41	<10	36	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 6 - A

Total # Pages: 6 (A)

Finalized Date: 1-JUL-2007

Account: URAOIL

Project: TREASURE

CERTIFICATE OF ANALYSIS AS07057971

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 As ppm 2	ME-ICP41 Bi ppm 2	ME-ICP41 Co ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Ga ppm 10	ME-ICP41 Mo ppm 1	ME-ICP41 Pb ppm 2	ME-ICP41 Ti % 0.01	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	PUL-QC Pass75um % 0.01
TSS 158		2.09	2	<2	8	48	10	1	33	0.09	<10	44	<10	35	
TSS 159		2.16	2	<2	7	22	<10	<1	13	0.10	<10	42	<10	27	
TSS 160		2.21	<2	<2	10	32	10	1	10	0.15	<10	55	<10	46	
TSS 161		2.08	2	<2	8	26	10	<1	11	0.13	<10	51	<10	42	
TSS 162		2.28	<2	<2	5	17	10	<1	7	0.09	<10	42	<10	29	
TSS 163		1.65	<2	<2	8	21	10	<1	10	0.13	<10	57	<10	43	99.5
TSS 164		1.83	<2	<2	7	19	10	<1	9	0.11	<10	51	<10	41	
TSS 165		2.35	<2	<2	7	17	10	<1	7	0.13	<10	52	<10	39	
TSS 166		1.77	2	3	10	36	10	1	9	0.19	<10	92	<10	69	
TSS 167		2.09	<2	<2	9	21	10	<1	10	0.16	<10	62	<10	45	
TSS 168		1.86	<2	2	16	33	10	<1	12	0.32	<10	96	<10	84	
TSS 169		2.13	<2	3	13	28	10	<1	16	0.30	<10	86	<10	75	
TSS 170		1.86	<2	2	16	43	10	<1	7	0.36	<10	88	<10	86	
TSS 171		2.45	<2	3	10	20	10	<1	11	0.20	<10	68	<10	51	
TSS 172		1.81	2	2	13	29	10	<1	15	0.27	<10	81	<10	73	
TSS 173		2.12	<2	<2	13	34	10	<1	14	0.29	<10	84	<10	70	
TSS 174		1.91	<2	2	15	39	10	<1	9	0.33	<10	87	<10	91	
TSS 175		1.74	<2	<2	9	36	10	1	6	0.09	<10	47	<10	53	
TSS 176		1.93	3	<2	7	19	10	<1	7	0.10	<10	46	<10	33	
TSS 177		1.94	<2	2	11	31	10	<1	9	0.26	<10	63	<10	65	
TSS 178		2.24	<2	<2	7	20	10	<1	7	0.09	<10	54	<10	35	
TSS 179		2.01	2	<2	6	13	<10	<1	3	0.07	<10	25	<10	18	
TSS 180		2.16	<2	<2	6	17	10	<1	5	0.07	<10	39	<10	28	
TSS 181		2.18	3	<2	6	15	10	<1	5	0.08	<10	41	<10	32	
TSS 182		2.03	<2	<2	6	19	10	<1	5	0.09	<10	44	<10	35	
TSS 183		2.35	<2	<2	6	14	10	<1	5	0.07	<10	42	<10	29	
TSS 184		2.20	3	<2	8	21	10	<1	6	0.15	<10	48	<10	47	
TSS 185		2.18	2	<2	10	19	10	<1	8	0.18	<10	60	<10	55	
TSS 186		2.04	2	<2	8	20	10	<1	7	0.11	<10	47	<10	39	
TSS 187		1.94	3	<2	6	16	<10	<1	7	0.09	<10	41	<10	36	
TSS 188		2.17	4	<2	6	15	10	<1	6	0.09	<10	43	<10	35	
TSS 189		2.36	4	<2	9	22	10	<1	10	0.13	<10	65	<10	46	
TSS 190		2.11	3	<2	8	20	10	<1	8	0.12	<10	53	<10	44	
TSS 191		2.41	4	<2	8	19	10	<1	8	0.14	<10	58	<10	41	
TSS 192		2.03	2	<2	10	26	10	<1	10	0.18	<10	66	<10	54	
TSS 193		2.77	<2	<2	8	24	10	<1	8	0.19	<10	56	<10	55	
TSS 194		2.41	2	<2	8	19	10	<1	8	0.20	<10	58	<10	55	