



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

CERTIFICATE PH07140405

Project: TREASURE

P.O. No.: 210927

This report is for 5 Rock samples submitted to our lab in Alice Springs, NT, Australia on 28-NOV-2007.

The following have access to data associated with this certificate:

DAVID OFARRELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
CRU-21	Crush entire sample >70% -6 mm

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41	51 anal. aqua regia ICPMS

To: URANIUM OIL AND GAS
ATTN: DAVID OFARRELL
PO BOX 4112
VICTORIA PARK WA 6979

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: QUOTE FOR ME-MS41 AS PER DISCUSSION WITH WAYNE ABBOTT 5/12/07

Signature:

Wayne Abbott, Operations Manager, Western Australia



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: TREASURE

CERTIFICATE OF ANALYSIS PH07140405

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm	ME-MS41 Cs ppm
1107003		1.27	0.03	0.24	0.3	<0.2	<10	50	0.12	0.04	0.12	0.01	2.41	1.7	6	0.14
1107009		1.20	0.01	0.7	0.7	<0.2	20	140	1.64	3.39	0.43	0.07	33.5	6.3	10	5.13
1107010		0.78	0.02	0.36	0.8	<0.2	10	120	1.47	0.34	0.07	0.04	13.55	2.1	3	1.44
1107011		0.97	0.02	2.86	0.5	<0.2	<10	450	0.49	0.73	0.48	0.05	46.6	16.2	59	13.6
1107012		0.61	0.02	3.56	0.3	<0.2	<10	750	0.65	1.23	0.08	0.03	31.3	17.3	61	13.1

Comments: QUOTE FOR ME-MS41 AS PER DISCUSSION WITH WAYNE ABBOTT 5/12/07

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: TREASURE

CERTIFICATE OF ANALYSIS PH07140405

Sample Description	Method Analyte Units LOR	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
1107003		6.1	0.36	0.7	<0.05	0.03	0.01	<0.005	0.13	1.3	0.6	0.02	40	0.12	<0.01	0.11
1107009		59.2	1.59	2.57	0.07	0.06	<0.01	0.009	0.34	17.3	6	0.21	380	1.08	0.01	0.67
1107010		23.1	0.78	1.16	<0.05	0.26	0.01	<0.005	0.14	9.2	2.5	0.05	291	0.37	0.02	0.13
1107011		42.1	3.88	12.05	0.18	0.19	<0.01	0.06	1.97	25.9	39.8	1.68	529	0.83	0.06	0.39
1107012		21.7	4.53	13.05	0.14	0.27	0.01	0.049	2.45	17.3	48.3	2.12	615	0.19	0.04	0.28

Comments: QUOTE FOR ME-MS41 AS PER DISCUSSION WITH WAYNE ABBOTT 5/12/07

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: TREASURE

CERTIFICATE OF ANALYSIS PH07140405

Method Analyte Units LOR	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm	ME-MS41 Th ppm	ME-MS41 Ti %
Sample Description	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
1107003	4.4	370	7.5	5.9	<0.001	<0.01	<0.05	0.7	<0.2	<0.2	5	<0.01	0.01	0.2	<0.005
1107009	18.2	2030	6.2	38.3	<0.001	<0.01	0.1	3.6	0.7	2.8	5.2	0.01	0.01	9.3	0.04
1107010	5.8	200	9	13.2	<0.001	<0.01	0.07	1.4	0.2	0.9	10.6	<0.01	<0.01	3.6	0.005
1107011	28.1	2020	6.3	178	<0.001	0.01	0.05	12.6	0.6	4.1	10.1	<0.01	0.04	9.8	0.287
1107012	28.9	300	15.3	215	<0.001	0.03	<0.05	10.8	0.4	3.1	13.3	<0.01	0.03	7.8	0.319

Comments: QUOTE FOR ME-MS41 AS PER DISCUSSION WITH WAYNE ABBOTT 5/12/07

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: TREASURE

CERTIFICATE OF ANALYSIS PH07140405

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5
1107003		0.02	0.14	3	0.18	3.89	<2	0.9
1107009		0.17	6.91	13	0.47	18	17	3.8
1107010		0.05	1.53	3	0.12	8.42	3	8.7
1107011		0.81	1.61	71	0.76	15	83	6.9
1107012		1	0.83	87	0.2	5.44	108	9.2

Comments: QUOTE FOR ME-MS41 AS PER DISCUSSION WITH WAYNE ABBOTT 5/12/07

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 28-DEC-2007

Account: URAOIL

Project: TREASURE

CERTIFICATE OF ANALYSIS PH07140405

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).