

ANNUAL TECHNICAL REPORT
EL 29667
“RIDDOCH”
YEAR 1 (2013/2014)



Author:	Michael Schwarz
Date:	15 th July 2014
Tenement Holders:	DBL Blues Pty Ltd 100%
Tenement:	EL29667 “Riddoch”
Reporting Period:	3 rd June 2013 to 2 nd June 2014 (Year 1)
Distribution:	Core Exploration Ltd (1) Geoscience.Info (Dept Resources - Minerals & Energy,1)
Map Sheet:	Alice Springs 1:250,000 sheet (SF5314) Riddoch 1:100,000 sheet (5851)
Target Commodity:	Gold
Keywords:	Literature review, mineral potential modeling, gold, quartz veins, epigenetic, structure

CONTENTS

- 1.0. Summary
- 2.0. Introduction
- 3.0. Geology & Mineralisation
- 4.0. Tenure
- 5.0. Previous Exploration
 - 5.1. Historical Exploration
- 6.0. Year 1 (2013/2014) Work Summary & Discussion
- 7.0. Rehabilitation
- 8.0. Year 1 Expenditure
- 9.0. Year 2 (2014/2015) Proposed Expenditure

LIST OF TABLES

<i>Table No</i>	<i>Title</i>
4.1	Tenure Details
8.1	Activity details for the Year 1 reporting period
9.1	Proposed exploration activities and expenditure for the Year 2 reporting period

LIST OF FIGURES

<i>Figure No</i>	<i>Title</i>
1.1	Location Map of EL29667
3.1	Extract from Alice Springs 1:250,000 Geology

Copyright Statement

The owned information acquired by Core Exploration Ltd includes all information under the previous work by Core Exploration Ltd and work during reporting year sections. The rest of the information has been sourced from open reports and data through the Department of Resources - Minerals and Energy. The Minister has authority to publish the copyrighted information accordingly.

1.0 Summary

EL29667 "Riddoch" is located approximately 85 km northeast of Alice Springs. Access is by the Arltunga Road from the Stuart Highway via The Garden Homestead. Access within the area is by means of station tracks (Figure 1.1). During the reporting period Core Exploration undertook a detailed review of GIS datasets and mineral potential modeling based on epigenetic vein hosted gold systems

Having completed detailed mineral potential modelling for the region around the Pattersons Gold Prospect on EL 27709, the company now plans to undertake detailed soil sampling, further geological mapping and rock chip sampling across priority targets. Exploration activities may also include a detailed prospect-scale IP geophysical survey to identify disseminated sulphides associated with gold mineralisation in quartz veins. The interpretation of geophysical results and sample geochemistry will be incorporated with existing datasets for target generation works and the development of drilling proposals for the Project.




Figure 1.1: Location Map of EL29667

2.0 Introduction

This report details first year exploration conducted within Exploration Licence 29667 “Riddoch”. The tenement is held by DBL Blues Pty Ltd (100%), a subsidiary of Core Exploration Limited. The tenement is located approximately 85 km northeast of Alice Springs. Access is by the Arltunga Road from the Stuart Highway via The Garden Homestead. Access within the area is by means of station tracks.

Access within the tenement is limited; the general area is hilly with only a few vehicle tracks available. Due to seasonal rains, much of the area is overgrown inhibiting detailed ground. The rivers are prone to flooding during heavy rainfalls over the summer. Accommodation can be found at Ambalindum Station (30min drive) or Ross River (45min drive). The climate is typical of central Australia, hot summers and mild winters.

3.0 Geology and Mineralisation

EL29667 is located in the Proterozoic Aileron Province of the Central Arunta Region. The rocks dominantly comprise variably metamorphosed sediments, volcanics, calcsilicates, amphibolites and granite (Figure 3.1). The dominant structures appear to trend northeast. The geology of the Aileron Province is detailed by Murrell (1989) and Zhao & Cooper (1992).

The area is underlain by the Palaeoproterozoic Strangways Metamorphic Complex, which forms part of the Aileron Province. The older rocks are overlain unconformably by Amadeus Basin sediments which have been strongly folded and faulted within the west-northwest trending Winnecke Nappe. The northern part of the area is underlain by Cadney Metamorphics, a sequence of calc silicates, marble and gneisses. The rest of the area is underlain by undifferentiated gneiss of the Arltunga Gneiss complex. The Heavitree Quartzite and Bitter Springs Formation occur as fault bounded outliers in the southern part of the Exploration Licence. Strongly sheared zones are present within the basement and similar zones host gold mineralisation at the Winnecke Goldfield to the north-west.

4.0 Tenure

Exploration Licence 29667 was granted to DBL Blues on the 3rd June 2013. The tenement overlaps pastoral leases PPL1124 (Ambalindum Station) and PPL 1095 (The Gardens). Tenure details are summarised in Table 4.1.

Table 4.1 Summary tenement detail for EL 27709

Tenement	Owner	Date Granted	Tenure	Size	Rent Year 2	Expenditure Commitment
EL 29667	DBL Blues Pty Ltd 100%	03/06/2013	6 Years	49 blocks 152.37 km ²	\$1,884	\$19,000




Figure 3.1 Extract from Alice Springs 1:250,000 Geology

5.0 Previous Exploration

5.1 *Historical Exploration*

The earliest modern exploration in the area was conducted on EL49 by Centamin Ltd during the early 1970's

Alcoa Australia explored the Hale River Basin from 1979 to 1983 under EL1860. Exploration was undertaken for roll-front uranium deposits (Howard, 1980 and 1981). Some zones of uneconomic uranium mineralisation were discovered but they are located outside of EL27709.

EL3558 was held by Uranerz Australia during 1982. Some reconnaissance work was done for uranium within the strongly sheared retrogressed zones in the basement, no anomalies were found (Booth et al, 1983).

EL4674 was explored from 1985 to 1989. Exploration for gold was undertaken by two local prospectors (G. Bohning and E. Bowman). Initial work included prospecting and metal detecting (Carthew, 1986). Further prospecting of the Cavenagh Range area was undertaken during the second year. The John Bull prospect was also visited and sampled (Carthew, 1988). A drilling programme was undertaken in late 1987-early 1988 to test the Pattersons Gully (John Bull) prospect and the Cavanagh Range/Whites Gully area (Murrell, 1988). Thirty seven RC percussion holes were completed. The best results were from hole PG-3 at Pattersons Gully with 3m at 1.9g/t Au from 46m downhole. This hole also had elevated base metal values (Pb up to 0.11%). No work was undertaken in the final year and the EL was surrendered (Murrell, 1989).

EL5100 was held by Conapaira Metals. Some reconnaissance activities were carried out during 1988 but nothing substantial was achieved (Garside, 1988).

Ramsgate Resources explored EL5486 during 1988 (James, 1988). Some rock chip sampling was completed however Ramsgate concentrated their activities on the Mordor Complex.

EL5809 was explored by White Industries from 1988 to 1990. Stream sediment sampling (-80#, heavy mineral and BLEG) was undertaken but the results were disappointing. Some reconnaissance rock chip sampling also proved discouraging (Stidolph, 1989).

In 1990 White Industries was granted EL6596 which covered the same ground previously held under EL4674. A field inspection of the Cavenagh Range area was carried out, however the most prospective ground was held under claim and the EL was surrendered (Murrell, 1991).

Shandona Pty Ltd (Alice Springs prospectors) held EL8785 from 1996 to 1998. Some stream sediment samples were collected and panned for gold with poor results. The reports on this work were not available.

CRA Exploration explored the Mordor complex under EL9371 from 1995 to 1997. CRA followed up a GEOTEM conductive anomaly near the fault contact between basement and Heavitree Quartzite (McCoy et al, 1997). Limonitic float in the vicinity returned 0.12% Cu. CRA postulated that the anomaly might be related to mineralisation within the Amadeus Basin sequence (?Bitter Springs Formation). No further work was done.

EL22625 was held by Tanami Exploration from 2001 to 2005. Little exploration was carried out by Tanami during this period. Minor rock chip sampling was carried out during a visit to the John Bulls Surprise gold prospect. The best result was 3.5g/t Au from a sample of the mullock (Rohde, 2005).

Cullen Resources undertook some reconnaissance work in the area during 2008 under EL25620. The Pattersons Gully prospect was visited and rock chip samples collected which returned low values for gold – maximum 45ppb Au (Hamilton et al, 2008).

6.0 Year 4 Work Summary & Discussion

Core Exploration completed a thorough review of historical exploration work completed within the Riddoch tenement during the 2013-2014 reporting period, in conjunction with EL 27709. The Arltunga-Winnecke Goldfields have been extensively explored for gold by various companies, including well-funded modern gold explorers Normandy NFM and Tanami Gold. The gold at Arltunga and Winnecke is contained within massive white quartz veins which contain pyrite and rare chalcopyrite. The veins are hosted by various rock units in the Arunta basement and overlying Amadeus Basin. Their emplacement has been interpreted to be related to the ca.320 Ma Alice Springs orogeny. These auriferous veins extend beyond and between the two known goldfields, including at Pattersons (also known as John Bulls Surprise). The greatest problem with this gold system is the extreme variability of results from the same vein and between adjacent prospects. Rock chips from known prospects can frequently return >10 g/t Au, but drilling results have consistently failed to return economic grades and widths, despite intersecting the veins.

Core Exploration undertook a detailed review of GIS datasets and mineral potential modelling based on epigenetic vein hosted gold systems.

A number of geological features were identified as potentially having an important role in the development of gold bearing epigenetic quartz veins:

- North-easterly structures
- Retrogressive alteration
- Outcropping quartz dominant vein systems
- Contacts between the Heavitree Quartzite and Palaeoproterozoic basement
- Zones of dilation along regional structures including inflections and fault jogs
- Zones of demagnetization associated with retrogressive alteration

Each of these features were identified within various datasets (Landsat, Google Earth, regional magnetics, Aster data) and incorporated into a mineral potential model within the company's GIS system. Each geological feature was given a weighting according to how likely it is to influence the development of the targeted epithermal quartz veins.

A comparison was then made between known occurrences of epithermal gold mineralisation, elevated gold in rock chip samples from previous explorers and the geological environment as determined from the interpretation exercise.

The results indicated a number of areas that were previously unidentified as target areas for further work including soil sampling, rock chip sampling and mapping.

Core plans to undertake the next stage of ground-truthing these targets in the 2014-2015 field season.

7.0 Rehabilitation

There were no earth disturbing activities on the tenement. No rehabilitation was required.

8.0 Year 1 (2013/2014) Expenditure

Year one (1) expenditure details are summarised in table 8.1 below. A formal statement was lodged with the Department of Mines and Energy on the 30th June 2014.

Table 8.1 Activity details for the Year 1 reporting period

ACTIVITY DETAILS FOR THE REPORTING PERIOD		
Admissible Expenditure	Specify the work undertaken	\$AU Claimed
A. Geological Activities and Prospecting	Field trip to determine logistics for access	\$ 790
B. Geochemical Activities	Opportunistic sampling of quartz veins	\$ 532
C. Geophysical and Remote Sensing Activities		
D. Drilling		
E. Bulk Sampling and Earthworks		
F. Rehabilitation		
G. Pre-feasibility inc. Metallurgical and Environmental		
H. Office Studies	Detailed review of GIS datasets and mineral potential modelling based on epigenetic vein hosted gold systems	\$ 650
I. Overheads (not to exceed 15% of the sum of A to H above)		\$ 197
J. (Preliminary Exploration – Yr 1)		
K. Total Expenditure Claimed		\$ 2,169
L. Covenant for this reporting period	\$19,000	

9.0 Year 2 (2014/2015) Proposed Activities and Expenditure

Core Exploration proposes to complete the following exploration activities within EL 29667 during the next reporting period:

Having completed detailed mineral potential modelling for the region (in conjunction with EL 27709) around the Pattersons Gold Prospect the company now plans to undertake detailed soil sampling, further geological mapping and rock chip sampling across priority targets. Exploration activities may also include a detailed prospect-scale IP geophysical survey to identify disseminated sulphides associated with gold mineralisation in quartz veins.

The interpretation of geophysical results and sample geochemistry will be incorporated with existing datasets for target generation works and the development of drilling proposals for the Project.

Table 9.1 Proposed exploration activities and expenditure for the Year 2 reporting period

ACTIVITY DETAILS FOR THE NEXT REPORTING PERIOD		
Admissible Expenditure	Specify the work to be undertaken	\$AU Proposed
A. Geological Activities and Prospecting	Rock chip and soil sampling	\$ 10,000
B. Geochemical Activities	Analysis of rock chips and soil samples	\$ 8,500
C. Geophysical and Remote Sensing Activities	IP geophysical surveying over gold bearing veins and geophysical interpretation	\$ 20,000
D. Drilling		
E. Bulk Sampling and Earthworks		
F. Rehabilitation		
G. Pre-feasibility inc. Metallurgical and Environmental		
H. Office Studies	Target generation and development of drilling proposals	\$ 5,000
I. Overheads (not to exceed 15% of the sum of A to H above)		\$ 1,500
J. Covenant for next reporting period		\$ 45,000