



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 1
Finalized Date: 27-APR-2007
Account: ARARES

CERTIFICATE AS07035310

Project: Lucy Creek

P.O. No.: 0561

This report is for 192 Pulp samples submitted to our lab in Alice Springs, NT, Australia on 11-APR-2007.

The following have access to data associated with this certificate:

JOHN GOULEVITCH

KELVIN HUSSEY

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| HOM-01 | Homogenise Sample |
| LOG-22 | Sample login - Rcd w/o BarCode |
| WSH-22 | "Wash" pulverizers |
| LEV-01 | Waste Disposal Levy |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-----------------------------|------------|
| ME-MS62s | Up to 54 elements by ICP-MS | ICP-MS |

To: ARAFURA RESOURCES NL
ATTN: JOHN GOULEVITCH
REAR UNIT LOT 3047 EXPORT DRIVE
BERRIMAH NT 0828

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Shaun Kenny, Brisbane Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - A

Total # Pages: 6 (A)

Finalized Date: 27-APR-2007

Account: ARARES

Project: Lucy Creek

CERTIFICATE OF ANALYSIS AS07035310

| Sample Description | Method Analyte Units LOR | WEI-21 | ME-MS62s | ME-MS62s | ME-MS62s | ME-MS62s | ME-MS62s |
|----------------------|-----------------------------------|-----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Ce | La | Sr | Th | U |
| | | kg | ppm | ppm | ppm | ppm | ppm |
| | | 0.02 | 0.01 | 0.5 | 0.02 | 0.2 | 0.1 |
| FLUSH A | | <0.02 | 23.3 | 13.2 | 236 | 4.7 | 0.7 |
| FLUSH B | | <0.02 | 22.1 | 12.5 | 222 | 4.8 | 0.7 |
| FLUSH C | | <0.02 | 26.7 | 14.8 | 237 | 5.4 | 0.7 |
| COMP - 760001 760002 | | 0.21 | 34.8 | 18.3 | 141.0 | 7.2 | 20.4 |
| COMP - 760003 760005 | | 0.31 | 29.8 | 15.2 | 394 | 7.0 | 17.4 |
| COMP - 760022 760023 | | 0.21 | 61.1 | 30.7 | 71.5 | 12.3 | 3.3 |
| COMP - 760024 760025 | | 0.21 | 68.0 | 33.6 | 73.8 | 14.2 | 3.8 |
| COMP - 760026 760027 | | 0.21 | 53.8 | 26.8 | 83.1 | 10.9 | 3.7 |
| COMP - 760028 760029 | | 0.21 | 58.5 | 28.7 | 71.3 | 12.2 | 3.5 |
| COMP - 760030 760031 | | 0.21 | 57.7 | 28.8 | 75.5 | 11.7 | 4.1 |
| COMP - 760032 760033 | | 0.21 | 56.5 | 27.5 | 106.5 | 11.1 | 5.9 |
| COMP - 760034 760036 | | 0.30 | 65.8 | 32.7 | 120.0 | 12.8 | 9.1 |
| COMP - 760038 760040 | | 0.31 | 157.0 | 62.8 | 354 | 23.6 | 22.2 |
| COMP - 760041 760042 | | 0.21 | 47.9 | 24.5 | 65.7 | 10.4 | 9.8 |
| COMP - 760043 760044 | | 0.21 | 48.3 | 25.1 | 80.1 | 10.2 | 6.2 |
| COMP - 760045 760046 | | 0.21 | 56.1 | 27.2 | 136.5 | 11.5 | 11.5 |
| COMP - 760047 760048 | | 0.21 | 46.2 | 24.3 | 89.0 | 10.3 | 8.1 |
| COMP - 760049 760050 | | 0.21 | 51.4 | 25.3 | 120.0 | 10.4 | 4.9 |
| COMP - 760051 760052 | | 0.21 | 48.8 | 25.0 | 123.0 | 10.3 | 12.3 |
| COMP - 760053 760054 | | 0.21 | 64.0 | 30.9 | 152.0 | 13.7 | 15.1 |
| COMP - 760055 760056 | | 0.21 | 51.2 | 24.6 | 142.0 | 9.4 | 24.8 |
| COMP - 760058 760060 | | 0.30 | 53.6 | 25.0 | 355 | 8.6 | 20.5 |
| COMP - 760061 760062 | | 0.21 | 101.5 | 41.8 | >500 | 16.3 | 18.1 |
| COMP - 760064 760065 | | 0.21 | 72.3 | 34.6 | 87.3 | 15.6 | 7.7 |
| COMP - 760066 760067 | | 0.21 | 67.3 | 33.4 | 51.1 | 14.4 | 3.3 |
| COMP - 760068 760070 | | 0.21 | 56.8 | 28.2 | 76.0 | 12.8 | 4.0 |
| COMP - 760081 760082 | | 0.21 | 44.2 | 20.9 | 102.5 | 8.6 | 5.9 |
| COMP - 760083 760084 | | 0.21 | 53.5 | 26.7 | 148.0 | 10.8 | 8.1 |
| COMP - 760085 760086 | | 0.21 | 43.5 | 21.4 | 90.5 | 8.6 | 3.0 |
| COMP - 760087 760088 | | 0.21 | 52.3 | 26.9 | 100.5 | 10.9 | 2.8 |
| COMP - 760089 760091 | | 0.31 | 54.3 | 26.9 | 272 | 10.9 | 2.8 |
| COMP - 760101 760102 | | 0.21 | 47.8 | 23.8 | 63.9 | 9.7 | 2.7 |
| COMP - 760107 760108 | | 0.21 | 52.0 | 24.2 | 66.7 | 8.8 | 4.4 |
| COMP - 760109 760110 | | 0.21 | 47.7 | 21.8 | 34.7 | 7.7 | 7.4 |
| COMP - 760111 760112 | | 0.21 | 39.7 | 14.6 | 30.9 | 5.5 | 7.4 |
| COMP - 760113 760114 | | 0.21 | 106.5 | 46.2 | 108.5 | 18.1 | 8.3 |
| COMP - 760115 760116 | | 0.21 | 107.0 | 48.4 | 132.5 | 19.5 | 6.9 |
| COMP - 760117 760118 | | 0.21 | 107.0 | 52.7 | 49.3 | 22.5 | 4.7 |
| COMP - 760119 760120 | | 0.21 | 49.5 | 23.5 | 29.7 | 10.8 | 4.0 |
| COMP - 760127 760129 | | 0.30 | 39.5 | 19.4 | 162.0 | 8.2 | 4.5 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - A

Total # Pages: 6 (A)

Finalized Date: 27-APR-2007

Account: ARARES

Project: Lucy Creek

CERTIFICATE OF ANALYSIS AS07035310

| Sample Description | Method Analyte Units LOR | WEI-21 | ME-MS62s | ME-MS62s | ME-MS62s | ME-MS62s | ME-MS62s |
|----------------------|-----------------------------------|-----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Ce | La | Sr | Th | U |
| | | kg | ppm | ppm | ppm | ppm | ppm |
| | | 0.02 | 0.01 | 0.5 | 0.02 | 0.2 | 0.1 |
| COMP - 760130 760131 | | 0.21 | 54.0 | 27.2 | 267 | 11.3 | 4.4 |
| COMP - 760132 760133 | | 0.21 | 51.7 | 25.8 | 389 | 10.7 | 3.8 |
| COMP - 760137 760138 | | 0.21 | 46.9 | 23.4 | 106.0 | 9.8 | 2.4 |
| COMP - 760139 760140 | | 0.21 | 47.5 | 23.8 | 179.5 | 9.6 | 3.3 |
| COMP - 760141 760143 | | 0.30 | 46.1 | 22.2 | 196.0 | 9.1 | 2.9 |
| COMP - 760144 760145 | | 0.21 | 45.2 | 22.3 | 194.5 | 9.1 | 2.8 |
| COMP - 760147 760148 | | 0.21 | 46.6 | 22.9 | 241 | 9.5 | 2.2 |
| COMP - 760149 760150 | | 0.21 | 59.9 | 30.2 | 134.0 | 11.9 | 3.2 |
| COMP - 760151 760152 | | 0.21 | 36.9 | 18.7 | 173.0 | 7.9 | 7.1 |
| COMP - 760153 760154 | | 0.21 | 29.8 | 13.5 | 85.8 | 4.5 | 9.9 |
| COMP - 760155 760156 | | 0.21 | 26.3 | 11.2 | 74.8 | 4.2 | 7.2 |
| COMP - 760157 760158 | | 0.21 | 41.3 | 16.4 | 56.4 | 6.5 | 5.3 |
| COMP - 760159 760160 | | 0.21 | 91.4 | 38.3 | 149.0 | 15.0 | 6.8 |
| COMP - 760161 760162 | | 0.21 | 93.0 | 44.9 | 42.4 | 19.9 | 5.1 |
| COMP - 760163 760164 | | 0.21 | 79.7 | 37.2 | 40.6 | 14.5 | 5.4 |
| COMP - 760170 760171 | | 0.21 | 22.3 | 11.2 | 486 | 4.5 | 8.5 |
| COMP - 760172 760173 | | 0.21 | 31.9 | 16.7 | 430 | 6.6 | 16.8 |
| COMP - 760174 760175 | | 0.21 | 35.4 | 17.2 | 281 | 7.6 | 18.0 |
| COMP - 760176 760177 | | 0.21 | 50.4 | 24.5 | 352 | 10.3 | 23.9 |
| COMP - 760188 760189 | | 0.21 | 53.6 | 25.8 | 124.5 | 11.3 | 17.7 |
| COMP - 760190 760191 | | 0.21 | 50.1 | 24.6 | 171.5 | 10.1 | 18.7 |
| COMP - 760192 760193 | | 0.21 | 46.2 | 22.6 | 177.0 | 8.9 | 15.2 |
| COMP - 760194 760195 | | 0.21 | 44.1 | 22.2 | 141.5 | 9.3 | 15.3 |
| COMP - 760207 760209 | | 0.28 | 114.5 | 45.2 | >500 | 18.3 | 16.0 |
| COMP - 760260 760261 | | 0.21 | 78.1 | 33.9 | >500 | 15.3 | 22.9 |
| COMP - 760262 760263 | | 0.21 | 158.0 | 56.6 | >500 | 19.7 | 19.4 |
| COMP - 760270 760271 | | 0.21 | 83.5 | 60.0 | >500 | 11.3 | 20.0 |
| COMP - 760272 760273 | | 0.21 | 33.4 | 16.2 | 452 | 7.8 | 11.7 |
| COMP - 760274 760275 | | 0.21 | 39.8 | 20.4 | >500 | 10.0 | 13.1 |
| COMP - 760276 760277 | | 0.21 | 25.5 | 12.9 | 380 | 6.0 | 18.7 |
| COMP - 760278 760279 | | 0.21 | 34.7 | 16.8 | 462 | 8.6 | 25.5 |
| COMP - 760280 760281 | | 0.21 | 21.7 | 10.9 | 126.5 | 4.7 | 18.6 |
| COMP - 760282 760283 | | 0.21 | 25.5 | 11.9 | 214 | 5.4 | 17.5 |
| COMP - 760284 760286 | | 0.31 | 44.2 | 20.3 | 240 | 9.1 | 12.4 |
| COMP - 760288 760289 | | 0.21 | 43.5 | 21.0 | 164.5 | 9.0 | 19.0 |
| COMP - 760290 760291 | | 0.21 | 51.8 | 25.5 | 93.2 | 10.4 | 5.6 |
| COMP - 760294 760296 | | 0.31 | 56.3 | 27.5 | 132.0 | 11.4 | 6.4 |
| COMP - 760300 760301 | | 0.21 | 57.3 | 28.5 | 132.5 | 11.7 | 5.8 |
| COMP - 760302 760303 | | 0.21 | 49.2 | 24.1 | 133.5 | 10.0 | 9.0 |
| COMP - 760304 760306 | | 0.31 | 53.1 | 29.6 | >500 | 10.1 | 12.6 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 4 - A

Total # Pages: 6 (A)

Finalized Date: 27-APR-2007

Account: ARARES

Project: Lucy Creek

CERTIFICATE OF ANALYSIS AS07035310

| Sample Description | Method Analyte Units LOR | WEI-21 | ME-MS62s | ME-MS62s | ME-MS62s | ME-MS62s | ME-MS62s |
|----------------------|-----------------------------------|-----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Ce | La | Sr | Th | U |
| | | kg | ppm | ppm | ppm | ppm | ppm |
| | | 0.02 | 0.01 | 0.5 | 0.02 | 0.2 | 0.1 |
| COMP - 760310 760311 | | 0.21 | 104.5 | 80.2 | >500 | 12.7 | 19.6 |
| COMP - 760312 760313 | | 0.21 | 35.7 | 18.5 | 297 | 7.7 | 11.8 |
| COMP - 760314 760315 | | 0.21 | 36.5 | 17.9 | 306 | 7.3 | 10.4 |
| COMP - 760316 760317 | | 0.21 | 20.1 | 10.6 | 484 | 5.8 | 16.7 |
| COMP - 760318 760319 | | 0.21 | 22.3 | 11.7 | 283 | 4.4 | 10.7 |
| COMP - 760320 760321 | | 0.21 | 39.0 | 20.0 | 174.5 | 7.7 | 11.0 |
| COMP - 760328 760329 | | 0.21 | 39.4 | 19.1 | 45.7 | 7.7 | 5.6 |
| COMP - 760330 760331 | | 0.21 | 48.9 | 24.5 | 63.9 | 9.9 | 4.0 |
| COMP - 760332 760333 | | 0.20 | 53.2 | 26.3 | 56.6 | 10.6 | 3.7 |
| COMP - 760334 760335 | | 0.21 | 46.9 | 23.1 | 45.8 | 9.3 | 8.8 |
| COMP - 760336 760337 | | 0.21 | 47.8 | 23.7 | 49.4 | 9.5 | 13.9 |
| COMP - 760338 760340 | | 0.31 | 51.2 | 25.3 | 54.8 | 10.9 | 6.4 |
| COMP - 760343 760344 | | 0.21 | 51.0 | 25.4 | 115.0 | 10.4 | 9.3 |
| COMP - 760345 760346 | | 0.21 | 50.4 | 24.8 | 91.4 | 10.2 | 7.7 |
| COMP - 760348 760349 | | 0.21 | 54.4 | 27.7 | 141.5 | 10.8 | 9.7 |
| COMP - 760350 760351 | | 0.21 | 77.7 | 36.1 | 299 | 15.5 | 15.4 |
| COMP - 760352 760353 | | 0.21 | 78.0 | 34.8 | 360 | 14.6 | 18.2 |
| COMP - 760354 760355 | | 0.21 | 63.5 | 22.8 | >500 | 10.7 | 16.5 |
| COMP - 760356 760357 | | 0.21 | 114.0 | 50.8 | 277 | 20.1 | 12.3 |
| COMP - 760358 760359 | | 0.21 | 73.6 | 34.4 | 71.2 | 14.6 | 5.5 |
| COMP - 760360 760361 | | 0.21 | 82.6 | 30.8 | 74.1 | 10.3 | 4.9 |
| COMP - 760362 760363 | | 0.21 | 40.5 | 19.3 | 31.5 | 8.5 | 4.0 |
| COMP - 760421 760422 | | 0.21 | 27.0 | 13.6 | 252 | 5.4 | 30.2 |
| COMP - 760452 760453 | | 0.21 | 33.1 | 15.9 | 235 | 6.3 | 46.2 |
| COMP - 760454 760456 | | 0.31 | 32.1 | 15.3 | 204 | 6.5 | 26.0 |
| COMP - 760492 760493 | | 0.21 | 101.5 | 41.3 | >500 | 17.0 | 33.9 |
| COMP - 760505 760506 | | 0.21 | 27.1 | 14.6 | 163.5 | 6.3 | 17.6 |
| COMP - 760507 760508 | | 0.21 | 39.0 | 18.7 | 189.5 | 7.8 | 20.1 |
| COMP - 760510 760512 | | 0.31 | 29.0 | 14.4 | 150.5 | 6.3 | 18.1 |
| COMP - 760513 760514 | | 0.21 | 38.8 | 20.9 | 127.0 | 8.0 | 10.4 |
| COMP - 760515 760516 | | 0.21 | 21.6 | 11.0 | 160.5 | 4.1 | 13.7 |
| COMP - 760517 760518 | | 0.21 | 43.8 | 21.1 | 265 | 9.2 | 24.4 |
| COMP - 760519 760520 | | 0.21 | 44.2 | 21.9 | 122.5 | 9.0 | 9.1 |
| COMP - 760521 760522 | | 0.21 | 70.8 | 48.7 | 336 | 12.2 | 12.8 |
| COMP - 760523 760524 | | 0.21 | 80.5 | 54.1 | >500 | 15.0 | 20.0 |
| COMP - 760525 760526 | | 0.21 | 90.4 | 90.5 | >500 | 10.1 | 26.7 |
| COMP - 760527 760528 | | 0.21 | 78.8 | 70.2 | >500 | 11.1 | 27.6 |
| COMP - 760530 760531 | | 0.21 | 92.3 | 78.7 | >500 | 13.3 | 31.1 |
| COMP - 760532 760533 | | 0.21 | 75.5 | 60.6 | >500 | 10.2 | 32.0 |
| COMP - 760534 760535 | | 0.21 | 29.4 | 14.9 | 231 | 6.2 | 19.0 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 5 - A

Total # Pages: 6 (A)

Finalized Date: 27-APR-2007

Account: ARARES

Project: Lucy Creek

CERTIFICATE OF ANALYSIS AS07035310

| Sample Description | Method Analyte Units LOR | WEI-21 | ME-MS62s | ME-MS62s | ME-MS62s | ME-MS62s | ME-MS62s |
|----------------------|-----------------------------------|-----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Ce | La | Sr | Th | U |
| | | kg | ppm | ppm | ppm | ppm | ppm |
| | | 0.02 | 0.01 | 0.5 | 0.02 | 0.2 | 0.1 |
| COMP - 760536 760537 | | 0.21 | 29.4 | 15.5 | 161.0 | 5.6 | 18.4 |
| COMP - 760538 760540 | | 0.21 | 33.6 | 16.9 | 187.5 | 7.5 | 19.2 |
| COMP - 760541 760542 | | 0.21 | 70.3 | 72.2 | >500 | 8.0 | 24.5 |
| COMP - 760543 760545 | | 0.31 | 56.9 | 44.3 | 284 | 9.5 | 30.1 |
| COMP - 760547 760548 | | 0.21 | 43.3 | 32.7 | 249 | 6.8 | 21.2 |
| COMP - 760550 760552 | | 0.31 | 31.9 | 17.0 | 103.5 | 6.2 | 10.1 |
| COMP - 760553 760554 | | 0.21 | 33.7 | 16.6 | 122.5 | 6.3 | 12.4 |
| COMP - 760555 760556 | | 0.21 | 46.1 | 22.6 | 387 | 11.2 | 36.2 |
| COMP - 760557 760558 | | 0.21 | 43.1 | 21.5 | 379 | 9.0 | 23.6 |
| COMP - 760559 760560 | | 0.21 | 44.7 | 22.0 | 217 | 9.3 | 14.7 |
| COMP - 760561 760562 | | 0.21 | 43.2 | 21.3 | 206 | 10.1 | 6.9 |
| COMP - 760563 760564 | | 0.21 | 41.9 | 21.5 | 220 | 8.0 | 9.8 |
| COMP - 760567 760568 | | 0.21 | 44.2 | 21.8 | 104.0 | 9.5 | 3.9 |
| COMP - 760596 760597 | | 0.21 | 90.5 | 42.8 | 55.6 | 18.0 | 5.2 |
| COMP - 760599 760600 | | 0.21 | 89.7 | 30.1 | 58.8 | 10.3 | 5.5 |
| COMP - 760601 760602 | | 0.21 | 23.2 | 11.4 | 327 | 4.6 | 39.0 |
| COMP - 760603 760604 | | 0.21 | 35.6 | 17.0 | 304 | 7.3 | 14.5 |
| COMP - 760605 760606 | | 0.21 | 50.8 | 24.5 | 169.0 | 11.4 | 6.8 |
| COMP - 760607 760608 | | 0.21 | 39.7 | 20.6 | 79.6 | 8.2 | 6.8 |
| COMP - 760610 760612 | | 0.31 | 42.3 | 20.5 | 71.0 | 8.8 | 3.5 |
| COMP - 760613 760614 | | 0.21 | 47.9 | 23.8 | 49.6 | 10.1 | 2.6 |
| COMP - 760615 760616 | | 0.21 | 47.6 | 23.1 | 41.7 | 9.9 | 2.2 |
| COMP - 760617 760618 | | 0.21 | 53.6 | 25.6 | 38.4 | 10.8 | 2.8 |
| COMP - 760619 760620 | | 0.21 | 44.8 | 21.7 | 40.8 | 9.2 | 3.5 |
| COMP - 760621 760622 | | 0.21 | 47.3 | 23.3 | 36.2 | 9.8 | 3.0 |
| COMP - 760623 760624 | | 0.21 | 46.3 | 22.6 | 39.8 | 9.5 | 3.1 |
| COMP - 760625 760626 | | 0.21 | 40.7 | 19.5 | 31.1 | 8.3 | 3.1 |
| COMP - 760627 760628 | | 0.21 | 48.3 | 23.6 | 46.1 | 10.2 | 3.0 |
| COMP - 760630 760631 | | 0.21 | 42.1 | 20.0 | 49.1 | 8.6 | 2.4 |
| COMP - 760632 760633 | | 0.21 | 44.3 | 22.4 | 70.3 | 9.0 | 2.4 |
| COMP - 760634 760635 | | 0.21 | 69.6 | 31.2 | >500 | 15.3 | 11.2 |
| COMP - 760636 760637 | | 0.21 | 44.0 | 18.3 | 412 | 7.7 | 10.1 |
| COMP - 760638 760639 | | 0.21 | 65.3 | 26.9 | >500 | 12.2 | 8.0 |
| COMP - 760640 760641 | | 0.21 | 69.6 | 31.0 | 164.5 | 13.9 | 6.9 |
| COMP - 760650 760651 | | 0.21 | 43.6 | 21.2 | 483 | 9.4 | 13.5 |
| COMP - 760663 760664 | | 0.21 | 51.7 | 24.9 | 74.3 | 10.5 | 7.2 |
| COMP - 760665 760667 | | 0.21 | 54.3 | 26.3 | 68.5 | 11.1 | 6.6 |
| COMP - 760676 760677 | | 0.21 | 56.9 | 26.4 | 181.0 | 11.5 | 17.7 |
| COMP - 760679 760680 | | 0.21 | 38.5 | 19.0 | 210 | 6.5 | 21.6 |
| COMP - 760681 760682 | | 0.21 | 41.7 | 20.1 | 273 | 7.8 | 15.1 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 6 - A

Total # Pages: 6 (A)

Finalized Date: 27-APR-2007

Account: ARARES

Project: Lucy Creek

CERTIFICATE OF ANALYSIS AS07035310

| Sample Description | Method Analyte Units LOR | WEI-21 | ME-MS62s | ME-MS62s | ME-MS62s | ME-MS62s | ME-MS62s |
|----------------------|-----------------------------------|-----------|----------|----------|----------|----------|----------|
| | | Recvd Wt. | Ce | La | Sr | Th | U |
| | | kg | ppm | ppm | ppm | ppm | ppm |
| | | 0.02 | 0.01 | 0.5 | 0.02 | 0.2 | 0.1 |
| COMP - 760683 760684 | | 0.21 | 53.7 | 26.6 | 166.5 | 11.6 | 11.0 |
| COMP - 760685 760686 | | 0.21 | 43.7 | 22.0 | 105.0 | 9.1 | 12.1 |
| COMP - 760687 760688 | | 0.21 | 45.7 | 22.8 | 84.2 | 9.5 | 10.5 |
| COMP - 760690 760691 | | 0.21 | 54.4 | 27.2 | 79.7 | 10.8 | 8.9 |
| COMP - 760692 760693 | | 0.21 | 55.2 | 27.4 | 71.7 | 11.4 | 7.4 |
| COMP - 760694 760695 | | 0.21 | 54.1 | 26.8 | 76.2 | 10.8 | 5.7 |
| COMP - 760696 760697 | | 0.21 | 52.4 | 26.3 | 61.2 | 10.9 | 11.4 |
| COMP - 760698 760699 | | 0.21 | 54.5 | 26.6 | 78.2 | 10.8 | 8.8 |
| COMP - 760700 760701 | | 0.21 | 47.4 | 24.2 | 68.4 | 9.8 | 8.1 |
| COMP - 760702 760703 | | 0.21 | 45.5 | 22.4 | 69.2 | 9.3 | 8.2 |
| COMP - 760704 760706 | | 0.32 | 36.9 | 19.5 | 363 | 7.5 | 27.7 |
| COMP - 760708 760709 | | 0.21 | 62.6 | 27.5 | 155.5 | 10.4 | 27.7 |
| COMP - 760710 760711 | | 0.21 | 122.0 | 48.8 | >500 | 19.4 | 20.4 |
| COMP - 760712 760713 | | 0.21 | 93.6 | 42.8 | 305 | 18.3 | 16.3 |
| COMP - 760714 760715 | | 0.21 | 87.8 | 43.1 | 42.3 | 18.1 | 8.9 |
| COMP - 760716 760717 | | 0.21 | 94.4 | 38.4 | 48.0 | 13.4 | 11.7 |
| COMP - 760718 760719 | | 0.21 | 96.6 | 34.8 | 37.9 | 12.1 | 12.2 |
| COMP - 760720 760721 | | 0.21 | 69.6 | 32.1 | 49.6 | 13.7 | 5.8 |
| COMP - 760722 760724 | | 0.31 | 47.3 | 24.0 | 301 | 10.4 | 26.4 |
| COMP - 760725 760726 | | 0.21 | 53.8 | 26.6 | 188.0 | 12.0 | 22.0 |
| COMP - 760728 760729 | | 0.21 | 45.1 | 22.7 | 79.0 | 9.4 | 7.9 |
| COMP - 760730 760731 | | 0.21 | 54.5 | 27.5 | 94.1 | 11.4 | 4.1 |
| COMP - 760732 760733 | | 0.21 | 55.4 | 28.0 | 79.0 | 11.1 | 2.6 |
| COMP - 760734 760735 | | 0.21 | 51.2 | 25.3 | 66.3 | 10.1 | 2.2 |
| COMP - 760736 760737 | | 0.21 | 54.3 | 27.1 | 63.0 | 11.0 | 2.6 |
| COMP - 760738 760739 | | 0.21 | 51.9 | 26.1 | 55.6 | 10.3 | 2.5 |
| COMP - 760740 760741 | | 0.21 | 60.5 | 30.4 | 59.4 | 12.1 | 2.8 |
| COMP - 760742 760744 | | 0.31 | 49.8 | 24.6 | 160.0 | 10.8 | 14.2 |
| COMP - 760745 760746 | | 0.21 | 59.3 | 30.0 | 230 | 12.7 | 18.1 |
| COMP - 760748 760749 | | 0.21 | 46.6 | 23.0 | 214 | 9.6 | 13.4 |
| COMP - 760750 760751 | | 0.21 | 57.4 | 29.6 | 78.7 | 12.0 | 8.7 |
| COMP - 760752 760753 | | 0.21 | 49.6 | 25.0 | 87.1 | 10.0 | 6.1 |