


Line Line 8340  
Liberator  
for  
Haddington Resources


Field Job 804  
ZONGE ZPLOT 7.35  
File 8340N.Z, Plotted 08 Jul 08



TIME DOMAIN IP SURVEY DATA  
Apparent RESISTIVITY  
values in ohm-meters

SURVEY LINE DATA  
A - Spacing= 10 m  
  
Survey Date= July 08


[Plot limits] and LOGARITHMIC CONTOURS  
( Interval: 0.10 )  
[22.6] 200.  
25.1 251.  
31.6 [313.]  
39.8  
50.1  
63.1  
79.4  
100.\*  
126.  
158.





Line Line 8340  
Liberator  
for  
Haddington Resources

Field Job 804  
ZONGE ZPLOT 7.35  
File 8340N.Z, Plotted 08 Jul 08




TIME DOMAIN IP SURVEY DATA  
METAL FACTOR

using Newmont Chargeability  
and Apparent Resistivity

SURVEY LINE DATA  
A - Spacing= 10 m  
Survey Date= July 08


[Plot limits] and ARITHMETIC CONTOURS  
( Interval: 50.00 )

[14.7]  
50.0  
100.  
150.  
200.  
250.\*  
300.  
350.  
400.  
[410.]



Line Line 8340  
Liberator  
for  
Haddington Resources

Field Job 804  
ZONGE ZPLOT 7.35  
File 8340N.Z, Plotted 08 Jul 08



TIME DOMAIN IP SURVEY DATA  
PEAK VOLTAGE Vp  
values in millivolts

SURVEY LINE DATA  
A - Spacing= 10 m  
Survey Date= July 08

[Plot limits] and ARITHMETIC CONTOURS ( Interval: 10.00 )					
[1.8]	100*	200*	300*	400*	500*
10.	110	210	310	410	510
20.	120	220	320	420	520
30.	130	230	330	430	530
40.	140	240	340	440	540
50.*	150*	250*	350*	450*	550*
60.	160	260	360	460	[556]
70.	170	270	370	470	
80.	180	280	380	480	
90.	190	290	390	490	

