



GBS GOLD AUSTRALIA PTY LTD

ANNUAL EXPLORATION REPORT
COMBINED TECHNICAL REPORTING FOR EL's 22966,
22967, 22968, 22970, 23605, 24127 AND 24262
FOR PERIOD ENDING 30 May 2009
MOLINE GROUP
Mt Evelyn SD5305 1:250,000
Ranford Hill 5370 1:100,000
Titleholder: Michael Daniel Teelow

Distribution:

- 1. DPIFM Darwin NT**
- 2. GBS Gold Australia Perth**
- 3. Burnside Operations P/L Brocks Creek**
- 4. Union Reefs, Pine Creek**

GBS Report No. PC/MO/09-20

Zia U. Bajwah
June 2009

SUMMARY

The Moline Group of tenements is located about 200 km SE of Darwin along the Kakadu Highway with a distance of about 45 km from Pine Creek. It comprises 7 exploration licences (EL 22966, EL 22967 EL 22968, EL 22970, EL 23605, EL 24127, EL 24262) and surrounds the Moline gold field. It

The exploration tenements are situated within the central region of the Pine Creek Orogen, which is characterised by open to tight, upright N to NW-trending folds of the Palaeoproterozoic meta-sedimentary and volcanic rocks. NW-trending overturned anticlines of the Mt Bonnie Formation sediments dominate the central tenements, with some exposures of refolded Gerowie Tuff further to the northwest. Folded Burrell Creek Formation sediments are the dominant lithology further north and south on EL's 24127, 24262, 22966.

During the reporting period a peripheral review of the Moline Group was undertaken; it supports significant mineral potential of the project area. Project area contains a number of mined out gold deposits which have produced significant quantities of gold in the past and the area still has considerable exploration potential. Technical review of the data suggests that there is possibility of additional ore. In the area, gold mineralisation occurs within greywacke, siltstone and carbonaceous phyllite of the Mt Bonnie Formation. It is also confined to meta-greywacke and slate of the Burrell Creek Formation, which are the most prospective lithologies in the Pine Creek Orogen.

In 2009-10 reporting year, project area will be explored for gold uranium and base metals mineralisation. For this purpose, area identified during this review will undergo soil/rock chip sampling along with geological mapping. If encouraging results received, some RAB/RC drilling may also take place.

TABLE OF CONTENTS

	SUMMARY	2
1.0	INTRODUCTION	4
2.0	LOCATION AND ACCESS	4
3.0	TENEMENT STATUS AND OWNERSHIP	4
4.0	GEOLOGICAL SETTING	6
5.0	PREVIOUS MINING AND EXPLORATION	8
5.1	Gold Mineralisation and Potential	13
6.0	EXPLORATION DURING CURRENT TENURE	16
7.0	PLANNED EXPLORATION FOR 2009-10	17
8.0	REFERENCES	17

List of Figures

Figure 1: Tenement Location Map

Figure 2: Geology Map showing prospects within Moline Tenements

Table 1: Tenement Details of the Moline Group

Appendix 1: Expenditure details of Moline Group tenements

1.0 INTRODUCTION

The Moline Group of tenements (EL 22966, EL 22967 EL 22968, EL 22970, EL 23605, EL 24127, EL 24262) comprises 7 exploration licences which surrounds the Moline gold field, located in the Mount Evelyn (1:250 000) sheet. It has produced 2.68 tonnes of gold from 1882-1991. In the following exploration activity conducted during the reporting period is presented.


2.0 LOCATION AND ACCESS

The Moline tenement group is located approximately 200 km SE of Darwin, but is further by road. Access is from Pine Creek (220 km SE of Darwin) along the Kakadu Highway (approximately 45 km east of Pine Creek). Access within the tenements is possible during the dry season using old mining tracks and station tracks (Figure 1). Topography consists of low hills and ridges, usually with good rock outcrop, which drain into the Mary River via Bowerbird, Evelyn, Eureka and O'Neil Creeks. The Mary River forms the northern boundary of EL24127, and the Wandie Creek is close to the southern boundary of the tenement group. Vegetation consists of open savannah woodlands.

3. TENEMENT STATUS AND OWNERSHIP

The Moline tenement group is held by Michael Daniel Teelow, who also holds MLN1059 over the Moline mines (Figure 1). An option agreement dated 30 October 2003, and a Deed of Variation dated 12 November 2004 gave GBS subsidiary Terra Gold Mining Limited the option to prospect and explore for minerals on the tenements during the option period. An application (ML 24173; by Teelow) covers all of MLN 1059 and a large portion of EL 23605. Activities on MLN1059 will be reported separately, although exploration in the Moline group covers both the EL's as well as MLN1059. Other tenure within the tenements include; MLN 41 (covers Evelyn base metals; held by Newmont

Figure 1: Tenement Location Map



Woodcutters Pty Ltd); and MCN's 2399-2403 (covering Mt Gardiner base metals; held by Phillip Anthony Johns (50%) and Derek Dixon (50%)). These tenements will expire on 31 December 2011. The Teelow Moline exploration tenements were granted for 6 years (except EL 24262; 2 years). Underlying cadastre is the Mary River Wildlife Ranch Pty Ltd (No. 1631) for the whole area except for a small portion of Crown Lease (CLP1617) held by the Moline Golf Club (Inc) that underlies EL22970.


Table 1: Tenement Details for Moline Group

Tenement	Date Granted	Date Expiry	No. Blocks
EL 22966	01/05/2003	30/04/2011	3 blocks
EL 22967	01/05/2003	30/04/2011	1 block
EL 22968	01/05/2003	30/04/2011	1 block
EL 22970	01/05/2003	30/04/2011	17 blocks
EL 23605	20/03/2003	19/03/2011	19 blocks
EL 24127	15/10/2004	14/10/2010	18 blocks
EL 24262	03/03/2005	02/03/2011	22 blocks
		Total (area)	81 blocks

4. GEOLOGICAL SETTING

The tenements are situated within the central region of the Pine Creek Orogen, which is characterised by open to tight, upright N to NW-trending folds of the Palaeoproterozoic meta-sedimentary and volcanic rocks (Ferenczi and Sweet, 2005). The geology (from the 1:250,000 map) within the tenement areas is shown in Figure 2. NW-trending overturned anticlines of Mt Bonnie Formation sediments dominate the central tenements, with some exposures of refolded Gerowie tuff further to the northwest. Folded Burrell Creek Formation sediments are the dominant lithology further north and south on EL's 24127,

Figure 2: Geological setting of the project area



24262, 22966, 22967 and 22968. Portions of McCarthys Granite are mapped on EL24262, and Allamber Springs Granite is recorded on the western boundaries of EL's 22970 and 24127. Bludells Dolerite is mapped as a wormlike body within the Allamber Springs Granite on EL24127, and is considered to be a mafic end-member of the host pluton (Stuart-Smith et al. 1993). Mineralogical evidence suggests that these rocks predate the host granite intrusions, and may represent remnant rafts of Zamu Dolerite (Ferenczi and Sweet, 2005). There is a tendency for gold mineralisation to be focused in anticlinal settings within strata of the South Alligator Group and lower parts of the Finnis River Group. This sequence evolved from initial low energy shallow basinal sedimentation to higher energy deeper water flysch facies. Some of the gold mineralisation appears to be related to the I-type members of Cullen Batholith, formed during the evolution of hydrothermal fluids as a result of fractionation and differentiation processes (Bajwah, 1994).

5. PREVIOUS MINING AND EXPLORATION

Ferenczi and Sweet (2005) summarised the early history of gold discovery in the Moline area. Gold was first discovered at Northern Hercules mine (also called Eureka) by Chinese miners in 1882. Underground mining of the high-grade (31g/t Au) oxidised veins by various companies continued sporadically until 1957, producing 1.15t Au (Stuart-Smith et al, 1988). Retreatment of tailings in 1987, and open cut mining by Moline Management Pty Ltd from 1988 – 1991 recovered a further 1.23t Au. These mines are almost wholly within MLN1059. United Uranium's work on **AP1488, AP1835, EL44** during the late 1960's/early 1970's is one of the first records of modern exploration in the Moline area. Drilling at Stockyard prospect intersected a pyritic dark grey siltstone with 5ft of 3.67g/t Au and 336g/t Ag at 60ft in PDH4, which tested an outcropping gossan. Follow-up drilling intersected 2.5ft of 3.67g/t Au and 281g/t Ag in DDH5, which was located 80ft away. Other holes intersected only weak sulphide mineralisation, and United Uranium concluded that the lode died out with depth. CRA explored a large area under

several tenements for shalehosted base metals (including **EL 1091**) which covered most of the Moline area for only a year in 1977. Work done showed base metal anomalies at Evelyn (considered to be partly due to contamination) and in the McCarthy's area (outside current tenure) with some minor anomalies 'worth field-checking'. One of the best results came from anomaly 10.7 (approx 192800E / 8488200N; on EL23605) which had 153ppm Pb and 445ppm Zn and found to be caused by thin anomalous ironstone horizons. Follow-up soil sampling repeated earlier results, and rock chip sampling returned a maximum value of 746ppm Pb, 3300ppm Zn and 357ppm Cu. The absolute metal values were not high enough, so CRA relinquished the area.

EL 2029 was held for 1 year in 1979/1980 by Australia and New Zealand Exploration Company. A total of 365 stream sediment and 246 heavy mineral concentrate samples were collected. Best value within the current tenure was 660ppm Pb and 760ppm Zn (Sample 14953; in Evelyn mine area). No anomalies were found 'to warrant further work' and the ground was dropped.

EL2825 covered 3 blocks on the southern boundary of EL24262 for 1 year in 1980. A review of the prospectivity concluded that the EL lay in a portion of the Pine Creek geosyncline where saddle reef mineralisation may occur. No fieldwork was carried out to test the idea, due to 'circumstances beyond the control of the EL holder'.

EL3619 covered the same area as EL2825, and the licence was taken out a few months after the expiry of EL2825, and held for 6 years until 1988. The Wandie JV (Aardeau Mining and RGC Exploration) reported exploration on this licence together with a licence further east (EL 3618) which contained the numerous Mt Davis copper prospects. Eluvial and alluvial sampling on EL3619 by Aardeau returned a max value of 5.35ppm Au from an eluvial sample (which was concentrated by a 'gold separator', similar to a Wilfley Table). The Wandie JV kept 2 of the 3 blocks in EL3619 under **EL 4852** for 2 years. Work consisted of sampling of the eluvial dumps at Rockwall returned an average of 0.49g/t Au and no base metal anomalism. Maximum Au value came from a pyritic quartz dump sample (2.13g/t Au; sample 61666). The Moline tenement area was explored under several different licences by the Greenbushes/Cyprus/Amoco (Moline Joint Venture) in the 1980's. **EL 3008** was held over most of the Moline area, and in 1985 an aeromagnetic

survey and geochemical sampling outlined several new anomalous zones, most notably Moline (Dam) and 'Western Ridge' (Tumbling Dice-Lay lode line). When EL3008

expired, **EL 4492** covered regional prospects while **ERL's 75 and 76** covered the Moline, Tumbling Dice and Hercules prospects (now MLN1059). Areas east of the old workings were explored under **EL 4894**. EL4894 covered one block of EL22966, and eastern blocks of EL23605. Cyprus also explored the 12 blocks on EL 24262 under **EL5094** in the late 1980's. **EL 5674** covered 5 blocks of EL24127, in the northeast of the Moline tenement area. Exploration done by the Moline JV on the various tenements between 1984 and 1989 included;

- Aeromagnetic survey on 200m lines x 15m at 80m height
- Follow-up ground magnetic survey/IP surveys over areas highlighted from aeromagnetic surveys
- Rock chip sampling
- Stream sediment sampling, soil sampling, heavy mineral sampling
- Costeining
- Gridding
- Drilling - most drilling quickly focussed on prospects within MLN1059 (Moline, Hercules, Tumbling Dice).

Some drilling of Paw Paw, Simple Dreams, High Chinese, Divot, Banana prospects. The aeromagnetic survey outlined 2 anomalies of note:

- a) 210 nT anomaly at 3400N (approx MGA 193530E / 8485610N) south of Hercules, on the Hercules line
- b) 180nT anomaly at 4600N (Moline Dam / now Moline mine)
- c) Western Ridge anomaly (Tumbling Dice line)

The follow-up ground magnetics delineated 2 sub-parallel anomalies at 3400N: i) western anomaly (3450N / 2320E) which is the inferred nose of a plunging anticline, and ii) eastern anomaly, characterised by sheared greywacke and chert, with extensive quartz veining. Not much follow-up work has been recorded on the 3400N anomaly; most of the work concentrated on the Moline and Tumbling Dice anomalies. Work on **EL 5094** concentrated around the Skinners prospect, where some free gold was found. 4 RC holes

(MRC548 - 551) had a best intercept of 1m @ 0.87g/t Au from 3m. The intercept confirmed the anomaly but was not ore grade so the ground was relinquished. Moline JV tenements were dropped or expired by 1992, when mining at Moline ceased. Other explorers came into the area.

EL 5851 covered 6 blocks of EL22970, in the area around the Evelyn mine, including Eitherway prospect. Renison carried out BLEG sampling, which returned a maximum value of 1.85ppb so the area was relinquished after one year. Driffield Mining held 3 leases for around a year in 1989 in the Moline tenement area.

EL6083 covered one block on the far south of EL22970, and EL6084 covered 2 blocks on the northern boundary of EL22970. EL6085 covered one block each from EL22967, 22968 and EL24262 (next to Mt Gardiner Cu-Pb-Zn prospect). Work done seems to be limited to reconnaissance rock chip sampling, and the company concluded that there was little likelihood of a successful discovery in the area. **EL6839** covered one block on EL22970 for 3 years from 1989. Northern gold outlined 2 weakly anomalous zones from stream sediment sampling (maximum value of 4.2ppb Au). **EL6599** covered the Eitherway prospect for a year in 1989. Zinnanda collected 43 rock chip samples with anomalous gold values from a quartz vein siltstone which were confirmed in follow-up work. Zinnanda recommended further work and areas of interest were covered by MCN's 3181 – 3187, and MCN's 3088 – 3098. Rock chip sampling on the MLN's returned below level of detection, and the ground was relinquished. **EL 6792** covered the same area as EL 6085. Shell Australia became interested in the area due to its NW-trending linear magnetic anomaly, and saw the area as being in a structurally favourable site for mineralisation. Eleven stream sediment samples taken within the area downgraded the prospectivity, with maximum value of 2.7ppb Au. The area was dropped after less than 18 months. **EL 7007** covered 6 blocks of EL 24262 in the southern portion of the Moline tenements. Stream sediment sampling with a 1km² density gave 'no results of interest' and no further work was done. **EL 7028** covered 4 blocks of EL22970, including an unnamed Cu and alluvial Au mineral occurrences. Geochemical sampling highlighted a Zn anomaly. Newcrest Mining explored the periphery around Moline under the large **EL 7584**.

Newcrest were searching for gold mineralisation concentrated in structures in carbonate lithologies. Most of the work on the licence was completed in the first year, and comprised gridded magnetics, rock chip and soil sampling, and 4 scout RC holes totalling 427m. The base metal potential of the area had not been evaluated, so Newcrest (later Aztec Mining/Normandy Poseidon) carried out exploration for base metals. A Pb-Zn geochemical anomaly at Skinners prospect was highlighted from this work. The ground was relinquished after Newcrest unsuccessfully offered the ground to several local explorers.

EL7678 covered the same 3 blocks as EL6792 and 6085 did in previous years. Newcrest carried out stream sediment sampling (22 samples at -20#) with all samples returning <1ppb Au. EL8198 also covered the same ground **EL7888** covered one block on EL22970. Newcrest processed the airborne magnetics and concluded that there were no magnetic anomalies on the ground, and dropped the ground.

EL8555 covered the same blocks as EL23506 does today. Nicron Resources (Newcrest/Woodcutters) held an option to explore during Year 1 for base metals. Work carried out included soil sampling, mapping, diamond drilling (2 holes; MOLD1 and MOLD2) and petrography work, concentrating on the Cowbell prospect. Results were unremarkable. Compass Resources carried out gold exploration during Year 2, which included drilling at High Chinese, Paw Paw, Strongbow and Cornwall, as well as BLEG sampling and rock chip sampling. Northern Gold managed exploration from Year 3 to Year 5, and carried out infill soil sampling, MMI geochemical sampling, and RC drilling over Moline North and Low Chinese. Further geochemical sampling and scout drilling were planned but not carried out before the licence lapsed. **EL 8671** covered 2 blocks on EL 22970. A low level NW-trending soil anomaly was outlined by Northern Gold, and earlier prospecting showed elevated Cu, Pb and Zn from rock chip sampling.

EL 8684 covered 3 western blocks of EL 24127, plus areas further west outside the Moline tenements. The part of the tenement on EL24127 was evaluated by soil sampling on 400m x 25m lines, with maximum value of 0.5ppb Au.

EL 9033 covered 2 southern blocks of EL22970, near the Moline golf course. Delta Gold collected 21 stream and 35 rock chip samples which outlined anomalism in the central

eastern portion of the licence. Follow-up soil sampling (338 samples) gave a 1600m x 1000m anomaly (on 2ppb cutoff). Further testing included 10 trenches, with no anomalous values obtained from beneath the Tertiary conglomerate. Delta concluded that the Tertiary Conglomerate (not the underlying Proterozoic rocks) were the source of the anomalism.

EL 9051 covered the 12 SE corner blocks of EL 24262. Northern Gold collected 1140 soil samples over the term of the licence with the several low order gold anomalies outlined. An anomaly of up to 15ppb Au was found over 2 sample lines which were followed up with rock chip sampling (maximum value 6.18g/t Au and 2510ppm As).

EL 9587 covers the same 2 blocks as EL9033. Northern Gold took 74 soil samples in regional sampling, and 18 soil samples to target the extension of a BLEG soil anomaly. Results show a coincident low order anomaly over 'Bowerbird Creek system', with stream sediment sampling also confirming anomalous Au. **EL 9597** covered a large area west of the Moline tenement area, and the western parts of EL22970 and 24127. Northern Gold collated previous historic data and reviewed satellite imagery and digital terrain modelling. The 17 soil samples had a max value of 2.6ppb Au.

EL 10418 covers 22 blocks (from SE corner) of EL 24262. Exploration consisted of prospecting around the old Wandie workings, with some gold nuggets found.

4.1 Gold Mineralisation and Potential

Gold was first discovered at Northern Hercules mine (also called Eureka) by Chinese miners in 1882. Underground mining of the high-grade (31g/t Au) oxidised veins by various companies continued sporadically until 1957, producing 1.15t Au (Stuart-Smith et al. 1988). Retreatment of tailings in 1987, and open cut mining by Moline Management Pty Ltd from 1988 – 1991 recovered a further 1.23t Au. These mines are almost wholly within MLN1059. Ferenczi and Sweet (2005) divided the gold occurrences into 2 types within the Moline goldfield;

a) Quartz vein-hosted Au (discordant to bedding, infilling NNW shear zones which are generally conformable to regional axial plane cleavage. Examples include Hercules

North, Cornwall, Redback and Last Hope. Gold is present as submicroscopic inclusions within arsenopyrite, and less commonly in pyrite and chalcopyrite, with some coarse free gold. Mostly hosted in greywacke beds of Mount Bonnie or Burrell Creek Formation meta-sediments. The High Chinese/Low Chinese trend on EL23605 has yielded coarse nuggety gold from metal detecting prospecting.

b) Sulphide vein-hosted Au (associated with pyritic chert, pyritic carbonaceous shales of lower Mt Bonnie Formation, usually along F3 fold crests. Gold is associated with Fe-As-Zn-sulphides. Examples include Moline Dam, School, Tumbling Dice, Four (Moline North), Trig, Dingo, Swan, Trig South, Stockyard and Sneakys.

The lodes follow 2 main directions;

a) NW (315° magnetic) dipping between 50° and 80° SW, trending nearly parallel to strike of strata (typical of Moline orebody)

b) NNW (345° magnetic), both dipping SW between 50° and 80°, cut across structure and stratigraphy (North Hercules shear zones and reefs). In the previous exploration programs, a number of prospects/occurrences have been discovered over the Moline group of tenements. Some of the significant prospects have been mentioned above and required systematic exploration with fresh ideas. NNW trending Shears and anticlinal structures (D3) appears to be the most promising geological settings within the Mount Bonnie and Burrell Creek formations in the vicinity of I-type fractionated granites such as Allamby Springs Granite. This is a large granite body and has been responsible for the formation of several sizeable gold deposits on the western side (Bajwah, 1994). On the eastern side, skarn gold prospect such as Dustbowl indicates the development of the mineral system. On the Burnside area, high resolution magnetic survey clearly shows magnetic anomalies and ridges which appears to be related to significant gold deposits. Perhaps in the Moline area, similar survey could help to detect magnetic anomalies at buried at depth.

During 2006-07, under GBS Gold Australia a campaign of diamond drilling was undertaken (Bajwah, 2007). This involved 2 diamond drill holes for a total of 231 metres. During drilling, **370 samples** were retrieved and analysed for **Au, AS, Ag, Cu, Pb Zn**. During the reporting period, a reconnaissance visit was undertaken to plan for the

following year's exploration program. During 2006-07, an in-depth review of the project area was undertaken to identify the mineral potential of the area. A soil/rock chip

sampling program was initiated over the project area and so far, 136 geochemical samples have been collected, however, these have not been analysed yet. In addition two diamond holes were drilled on EL 23605 for a total depth of **321 metres**. Details of drillholes are given in appendix 2 and 3. During drilling, **370 samples** were retrieved which were analysed for **Au, AS, Ag, Cu, Pb Zn**.

Both holes were drilled into the Burrell Creek Formation. At a number of depth intervals quartz veins system was encountered with sulfides disseminated in the rock with greywacke and siltstone common lithologies. Variable degree of wall rock alterations were observed, particularly in the vicinity of quartz vein systems. First significant quartz vein system in drill hole HEX001 was intersected at about 60 metre depth (1.05 g/t to 1.88 g/t). This intersection also characterised by higher Arsenic contents ranging from 220 ppm to 9660 ppm. Drillhole HEX002 also intersected rocks of the Burrell Creek Formation with some Mount Bonnie Formation beds. However, HEX002 was weakly mineralised probably due to poorly developed quartz vein system at various stratigraphic horizons. A notable intersection was observed from 148.96 metre to 150.05 metre and assayed 2.76 g/t.

During 2007-09 reporting year, comprehensive program of soil sampling was undertaken in the project area in order to assess the gold potential of the area. For this purpose, a total of 3241 soil samples were assayed for Au, As and base metals. Of the 3241 samples assayed, 106 samples showed gold concentrations above 100 ppb. Sample EX04798 showed Au concentration as high as 8210 ppb, whereas 7 samples contain Au concentrations from 1 000 to 5 000 ppm. There are 9 samples with Au concentrations from 500 to 1 000 ppb. 88 samples are characterised by Au values from 100 to 500 ppb. Spatial distribution of these samples defines a NW Au anomalous trend covering 6 km by 2 km. It may be noted that this gold anomalous trend is similar to that defined in the NW parts of the Pine Creek Orogen which host significant gold deposits.

6.0 EXPLORATION DURING CURRENT TENURE

During the reporting period, company resources remained focused in the development of projects such as Chinese South (Extension), Toms Gully and Cosmo Deeps projects with a budget of tens of million dollars. Chinese South (Extension) came on-line in April and Toms Gully commenced production in July 2008. At the same time significant progress was made in developing Maud Creek deposit with the targeted production of over 75 000 ounces of gold per year. For this purpose a specialised circuit developed by GEOCOAT® technology will be built at Union Reefs treatment facility. This technology will have the ability to process refractory ore with upto 90% gold recovery. However, on 15 September 2008, GBS Gold Australia was declared under voluntary receivership, and all exploration and mining projects were placed under 'Care and Maintenance'.

During the reporting period a peripheral review of the Moline Group was undertaken; it supports significant mineral potential of the project area. Project area contains a number of mined out gold deposits which have produced significant quantities of gold in the past and the area still has considerable exploration potential. Technical review of the data suggests that there is possibility of additional ore. In the area, gold mineralisation occurs within greywacke, siltstone and carbonaceous phyllite of the Mt Bonnie Formation. It is also confined to meta-greywacke and slate of the Burrell Creek Formation, which are the most prospective lithologies in the Pine Creek Orogen.

During 2008-09 additional work completed within the project area consisted of:

1. Reconnaissance field visit
2. Tenement Administration
3. Report Preparation

During the current year, exploration activity costed \$38753.00 and details of each tenement are given in Appendix 1.

7.0 PLANNED EXPLORATION FOR 2009-10

Currently, GBS Gold Australia is under voluntary administration, however, Forbes Manhattan, a Canadian investment bank has announced to acquire all GBS Gold Australia assets with the intention to commence gold production in an immediate future. It is expected agreement between Forbes Manhattan and company Administrators will be signed soon and that will lead to company operations again in the region.

In 2009-10 reporting year, project area will be explored for gold uranium and base metals mineralisation. For this purpose, area identified during this review will undergo soil/rock chip sampling along with geological mapping. If encouraging results received, some RAB/RC drilling may also take place. A minimum budget of \$108000.00 is proposed for the Moline Group of tenements and details are given in Appendix 1.

REFERENCES

- Ahmad, M., Wygralak, A.S., Ferenczi, P.A., and Bajwah, Z.U. 1993. Explanatory Notes and Mineral Deposit Data Sheets. *1:250,000 Metallogenic Map Series, Department of Mines and Energy, Northern Territory Geological Survey.*
- Bajwah, Z.U., 1994. A contribution of geology, petrology and geochemistry to the Cullen Batholith and related hydrothermal activity responsible for mineralisation, Pine Creek Geosyncline, Northern Territory. *Northern Territory Geological Survey, Report 8.*
- Bajwah, Z.U., 2007. Annual Exploration Report Combined Technical Reporting for EL's 22966, 22967, 22968, 22970, 23605, 24127 and 24262 for Period Ending 1 May 2007, Moline Group. *GBS Gold Australia Pty Ltd Annual Report to Department of Primary Industry, Fisheries and Mines, Darwin*
- Ferenczi, P.A., and Sweet, I.P., 2005. 1:250 000 Geological Map Series Explanatory Notes, Mount Evelyn SD 53-05. *Northern Territory Geological Survey.*
- Orridge, G.R., 2004. Exploration Licence 23605 at Moline Northern Territory; Report for the first year of Tenure ending 19th March 2004 (unpubl); *Northern Territory Geological Survey Company Report CR2004-0229.*
- Orridge, G.R., 2005a. Exploration Licence 23605 at Moline NT; Annual Report for the Second Year of Tenure ending 19th March 2005 (unpubl); *Northern Territory Geological Survey Company Report CR2005-0139.*
- Orridge, G.R., 2005b. Exploration Licences 22966, 22967, 22968 & 22970 Near Moline Northern Territory Annual Report for the Year Ending 30th April 2005 (unpubl); *Northern Territory Geological Survey Company Report CR2005-0165.*
- Orridge, G.R., 2005c. Exploration Licence 24127 Bowerbird near Moline NT. Annual Report for Year 1 (unpubl); *Northern Territory Geological Survey Company Report CR2005-0446.*
- Stuart-Smith, P.G., Bagas, L., and Needham, R.S., 1988. 1:100 000 Geological Map Commentary Ranford Hill Northern Territory. *Bureau of Mineral Resources, Geology and*

Geophysics, Australian Govt Publishing Service, Canberra.
 Stuart-Smith, P.G., Needham, R.S., Page R.W., and Wyborn L.A.I., 1993. Geology and mineral deposits of the Cullen Mineral Field. *Bureau of Mineral Resources Australia, Bulletin 229*.

Appendix 1 Exploration Expenditure Statement for the Moline Group

NORTHERN TERRITORY EXPLORATION EXPENDITURE FOR MINERAL TENEMENT
--

<i>Section 1. Tenement type, number and operation name: (One licence only per form even if combined reporting has been approved)</i>

Type	Exploration Licence
Number	22966
Operation Name (optional)	Moline

<i>Section 2. Period covered by this return:</i>

Twelve-month period:		If Final Report:	
From	1 May 2008	From	
To	30 April 2009	To	
Covenant for the reporting period:		\$22000.00	

Section 3. Give title of accompanying technical report:	
Title of Technical Report	ANNUAL EXPLORATION REPORT COMBINED TECHNICAL REPORTING FOR EL's 22966, 22967, 22968, 22970, 23605, 24127 AND 24262 FOR PERIOD ENDING 30 April 2009 , MOLINE GROUP
Author	Zia U. Bajwah

Section 4. Locality of operation:	
Geological Province Geographic Location	Pine Creek Orogen Moline

Section 5. Work program for the next twelve months:	
Activities proposed (please mark with an "X"):	
<input checked="" type="checkbox"/> Literature review	<input checked="" type="checkbox"/> Drilling and/or costeaning
<input checked="" type="checkbox"/> Geological mapping	<input type="checkbox"/> Airborne geophysics
<input type="checkbox"/> Rock/soil/stream sediment sampling	<input type="checkbox"/> Ground geophysics
<input checked="" type="checkbox"/> Other:	
Estimated Cost: \$20000.00	

Section 6. Summary of operations and expenditure:	
Please include salaries, wages, consultants fees, field expenses, fuel and transport, administration and overheads under the appropriate headings below. Mark the work done for the appropriate subsections with an "X" or similar, except where indicated. Complete the right-hand columns to indicate the data supplied with the Technical Report.	
Do not include the following as expenditure (if relevant, these may be	
<ul style="list-style-type: none"> Insurance Company Prospectus Rent & Department Fees Bond 	<ul style="list-style-type: none"> Transfer costs Title Search Legal costs Advertising
	<ul style="list-style-type: none"> Land Access Compensation Meetings with Land Councils Payments to Traditional Owners Fines

Exploration Work type	Work Done (mark with an "X" or provide details)	Expenditure	Data and Format Supplied in the Technical Report	
			Digital	Hard copy
Office Studies				
Literature search				
Database compilation				
Computer modelling				
Reprocessing of data				
General research	x	1568.00		
Report preparation	x	1800.00		
Other (specify)Admin	x	1550.00		
Subtotal		\$4918.00		
Airborne Exploration Surveys (state line kms)				
Aeromagnetics		kms		
Radiometrics		kms		
Electromagnetics		kms		
Gravity		kms		
Digital terrain modelling		kms		
Other (specify)		kms		
Subtotal		\$		
Remote Sensing				
Aerial photography				
LANDSAT				
SPOT				
MSS				
Other (specify)				
Subtotal		\$		
Ground Exploration Surveys				
Geological Mapping				
Regional				
Reconnaissance	x	1490.00		
Prospect				
Underground				
Costean				
Ground Geophysics				
Radiometrics				
Magnetics				
Gravity				
Digital terrain modelling				
Electromagnetics				

Exploration Work type	Work Done (mark with an "X" or provide details)	Expenditure	Data and Format Supplied in the Technical Report	
			Digital	Hard copy
SP/AP/EP				
IP				
AMT/CSAMT				
Resistivity				
Complex resistivity				
Seismic reflection				
Seismic refraction				
Well logging				
Geophysical interpretation				
Petrophysics				
Other (specify) Consultant				

Geochemical Surveying and Geochronology (state number of samples)							
Drill (cuttings, core, etc.)							
Stream sediment							
Soil							
Rock chip							
Laterite							
Water							
Biogeochemistry							
Isotope							
Whole rock							
Mineral analysis							
Laboratory analysis (type)							
Petrology							
Other (specify) Consultant							
Ground Exploration Subtotal				\$1490.00			
Drilling (state number of holes & metres)							
Diamond		holes		metres			
Reverse circulation (RC)		holes		metres			
Rotary air blast (RAB)		holes		metres			

Section 7. Comments on your exploration activities:

I certify that the information contained herein, is a true statement of the operations carried out and the monies expended on the above mentioned tenement during the period specified as required under the *Northern Territory Mining Act* and the Regulations thereunder.

☐ I have attached the Technical Report

1. Name: Zia U. Bajwah

Position: Geologist

Signature:

Date: 04/06/2009

2. Name:

Position:

Signature:

Date:

NORTHERN TERRITORY EXPLORATION EXPENDITURE FOR MINERAL TENEMENT
--

Section 7. Tenement type, number and operation name: (One licence only per form even if combined reporting has been approved)
--

Type	Exploration Licence
Number	22967
Operation Name (optional)	Moline

Section 8. Period covered by this return:
--

Twelve-month period:		If Final Report:	
From	1 May 2008	From	
To	30 April 2009	To	
Covenant for the reporting period:		\$12000.00	

Section 9. Give title of accompanying technical report:
--

Title of Technical Report	ANNUAL EXPLORATION REPORT COMBINED TECHNICAL REPORTING FOR EL's 22966, 22967, 22968, 22970, 23605, 24127 AND 24262 FOR PERIOD ENDING 30 April 2009, MOLINE GROUP
Author	Zia U. Bajwah

Section 10. Locality of operation:

Geological Province Geographic Location	Pine Creek Orogen Moline
--	---

Section 11. Work program for the next twelve months:

Activities proposed (please mark with an "X"):

<input type="checkbox"/>	Literature review	<input checked="" type="checkbox"/>	Drilling and/or costeaning
<input checked="" type="checkbox"/>	Geological mapping	<input checked="" type="checkbox"/>	Airborne geophysics
<input type="checkbox"/>	Rock/soil/stream sediment sampling	<input type="checkbox"/>	Ground geophysics
<input checked="" type="checkbox"/>		<input type="checkbox"/>	Other:

Estimated Cost: \$12000.00

Section 12. Summary of operations and expenditure:

Please include salaries, wages, consultants fees, field expenses, fuel and transport, administration and overheads under the appropriate headings below. Mark the work done for the appropriate subsections with an "X" or similar, except where indicated. Complete the right-hand columns to indicate the data supplied with the Technical Report.

Do not include the following as expenditure (if relevant, these may be

- | | | |
|--------------------------|------------------|----------------------------------|
| • Insurance | • Transfer costs | • Land Access Compensation |
| • Company Prospectus | • Title Search | • Meetings with Land Councils |
| • Rent & Department Fees | • Legal costs | • Payments to Traditional Owners |
| • Bond | • Advertising | • Fines |

Exploration Work type	Work Done (mark with an "X" or provide details)	Expenditure	Data and Format Supplied in the Technical Report		
			Digital	Hard copy	
Office Studies					
Literature search					
Database compilation					
Computer modelling					
Reprocessing of data					
General research			1589.00		
Report preparation	x		1200.00		
Other (specify)Admin	x		1150.00		
	Subtotal	\$3939.00			
Airborne Exploration Surveys (state line kms)					

Exploration Work type	Work Done (mark with an "X" or provide details)	Expenditure	Data and Format Supplied in the Technical Report	
			Digital	Hard copy
Aeromagnetics		kms		
Radiometrics		kms		
Electromagnetics		kms		
Gravity		kms		
Digital terrain modelling		kms		
Other (specify)		kms		
	Subtotal	\$		
Remote Sensing				
Aerial photography				
LANDSAT				
SPOT				
MSS				
Other (specify)				
	Subtotal	\$		
Ground Exploration Surveys				
<i>Geological Mapping</i>				
Regional				
Reconnaissance	x	1200.00		
Prospect				
Underground				
Costean				
<i>Ground Geophysics</i>				
Radiometrics				
Magnetics				
Gravity				
Digital terrain modelling				
Electromagnetics				
SP/AP/EP				
IP				
AMT/CSAMT				
Resistivity				
Complex resistivity				
Seismic reflection				
Seismic refraction				
Well logging				
Geophysical interpretation				
Petrophysics				

Exploration Work type	Work Done (mark with an "X" or provide details)	Expenditure	Data and Format Supplied in the Technical Report	
			Digital	Hard copy
Other (specify) Consultant				

Geochemical Surveying and Geochronology <i>(state number of samples)</i>					
Drill (cuttings, core, etc.)					
Stream sediment					
Soil					
Rock chip					
Laterite					
Water					
Biogeochemistry					
Isotope					
Whole rock					
Mineral analysis					
Laboratory analysis (type)					
Petrology					
Other (specify) Consultant		x			
Ground Exploration Subtotal			\$1200.00		
Drilling (state number of holes & metres)					
Diamond		holes	metres		
Reverse circulation (RC)		holes	metres		
Rotary air blast (RAB)		holes	metres		
Air-core		holes	metres		
Auger		holes	metres		
Other (specify)		holes	metres		
Subtotal			\$		
Other Operations					
Costeaining/Trenching					
Bulk sampling					
Mill process testing					
Ore reserve estimation					
Underground development (describe)					

Mineral processing		
Other (specify)		
	Subtotal	\$
Access and Rehabilitation		
Track maintenance		
Rehabilitation		
Monitoring		
Other (specify)		
	Subtotal	\$
TOTAL EXPENDITURE		\$5139.00

Section 7. Comments on your exploration activities:

I certify that the information contained herein, is a true statement of the operations carried out and the monies expended on the above mentioned tenement during the period specified as required under the *Northern Territory Mining Act* and the Regulations thereunder.

<input type="checkbox"/> I have attached the Technical Report	
1. Name: Zia U. Bajwah Position: Geologist Signature: Date: 05/0/2009	2. Name: Position: Signature: Date:

**NORTHERN TERRITORY EXPLORATION EXPENDITURE
FOR MINERAL TENEMENT**

Section 13. Tenement type, number and operation name: (One licence only per form even if combined reporting has been approved)

Type	Exploration Licence
Number	22968
Operation Name (optional)	Moline

Section 14. Period covered by this return:

Twelve-month period:		If Final Report:	
From	1 May 2008	From	
To	30 April 2009	To	
Covenant for the reporting period:		\$8000.00	

Section 15. Give title of accompanying technical report:

Title of Technical Report	ANNUAL EXPLORATION REPORT COMBINED TECHNICAL REPORTING FOR EL's 22966, 22967, 22968, 22970, 23605, 24127 AND 24262 FOR PERIOD ENDING 30 April 2009, MOLINE GROUP
Author	Zia U. Bajwah

Section 16. Locality of operation:	
Geological Province Geographic Location	Pine Creek Orogen Moline

Section 17. Work program for the next twelve months:	
Activities proposed (please mark with an "X"): <input type="checkbox"/> Literature review <input checked="" type="checkbox"/> Geological mapping <input type="checkbox"/> Rock/soil/stream sediment sampling	<input checked="" type="checkbox"/> Drilling and/or costeaning <input checked="" type="checkbox"/> Airborne geophysics <input type="checkbox"/> Ground geophysics <input type="checkbox"/> Other:
Estimated Cost: \$8000.00	

Section 18. Summary of operations and expenditure:	
Please include salaries, wages, consultants fees, field expenses, fuel and transport, administration and overheads under the appropriate headings below. Mark the work done for the appropriate subsections with an "X" or similar, except where indicated. Complete the right-hand columns to indicate the data supplied with the Technical Report.	
Do not include the following as expenditure (if relevant, these may be <ul style="list-style-type: none"> Insurance Company Prospectus Rent & Department Fees Bond Transfer costs Title Search Legal costs Advertising Land Access Compensation Meetings with Land Councils Payments to Traditional Owners Fines 	

Exploration Work type	Work Done (mark with an "X" or provide details)	Expenditure	Data and Format Supplied in the Technical Report	
			Digital	Hard copy
Office Studies				
Literature search				
Database compilation				
Computer modelling				

Exploration Work type	Work Done (mark with an "X" or provide details)		Expenditure	Data and Format Supplied in the Technical Report	
				Digital	Hard copy
Reprocessing of data			1156.00 1070.00 1000.00		
General research	x				
Report preparation	x				
Other (specify)Admin	x				
Subtotal			\$3226.00		
Airborne Exploration Surveys (state line kms)					
Aeromagnetics		kms			
Radiometrics		kms			
Electromagnetics		kms			
Gravity		kms			
Digital terrain modelling		kms			
Other (specify)		kms			
Subtotal			\$		
Remote Sensing					
Aerial photography					
LANDSAT					
SPOT					
MSS					
Other (specify)					
Subtotal			\$		
Ground Exploration Surveys			920.00		
Geological Mapping					
Regional					
Reconnaissance	x				
Prospect					
Underground					
Costean					
Ground Geophysics					
Radiometrics					
Magnetics					
Gravity					
Digital terrain modelling					
Electromagnetics					
SP/AP/EP					
IP					
AMT/CSAMT					
Resistivity					

Exploration Work type	Work Done (mark with an "X" or provide details)	Expenditure	Data and Format Supplied in the Technical Report	
			Digital	Hard copy
Complex resistivity				
Seismic reflection				
Seismic refraction				
Well logging				
Geophysical interpretation				
Petrophysics				
Other (specify) Consultant				

Geochemical Surveying and Geochronology (state number of samples)					
Drill (cuttings, core, etc.)					
Stream sediment					
Soil					
Rock chip					
Laterite					
Water					
Biogeochemistry					
Isotope					
Whole rock					
Mineral analysis					
Laboratory analysis (type)					
Petrology					
Other (specify)					
Consultant					
Ground Exploration Subtotal			\$920.00		
Drilling (state number of holes & metres)					
Diamond		holes	metres		
Reverse circulation (RC)		holes	metres		
Rotary air blast (RAB)		holes	metres		
Air-core		holes	metres		
Auger		holes	metres		
Other (specify)		holes	metres		
Subtotal			\$		

Other Operations		
Costeasing/Trenching		
Bulk sampling		
Mill process testing		
Ore reserve estimation		
Underground development (describe)		
Mineral processing		
Other (specify)		
	Subtotal	\$
Access and Rehabilitation		
Track maintenance		
Rehabilitation		
Monitoring		
Other (specify)		
	Subtotal	\$
TOTAL EXPENDITURE		\$4146.00

[illegible]

Section 7. Comments on your exploration activities:

I certify that the information contained herein, is a true statement of the operations carried out and the monies expended on the above mentioned tenement during the period specified as required under the *Northern Territory Mining Act* and the Regulations thereunder.

☐ I have attached the Technical Report

1. Name: Zia U. Bajwah

Position: Geologist

Signature:

Date: 05/06/2009

2. Name:

Position:

Signature:

Date:

NORTHERN TERRITORY EXPLORATION EXPENDITURE FOR MINERAL TENEMENT
--

Section 19. Tenement type, number and operation name: (One licence only per form even if combined reporting has been approved)

Type	Exploration Licence
Number	22970
Operation Name (optional)	Moline

Section 20. Period covered by this return:

Twelve-month period:		If Final Report:	
From	1 May 2008	From	
To	30 April 2009	To	
Covenant for the reporting period:		\$22000.00	

Section 21. Give title of accompanying technical report:

Title of Technical Report	ANNUAL EXPLORATION REPORT COMBINED TECHNICAL REPORTING FOR EL's 22966, 22967, 22968, 22970, 23605, 24127 AND 24262 FOR PERIOD ENDING 30 April 2009, MOLINE GROUP
Author	Zia U. Bajwah

Section 22. Locality of operation:

Geological Province Geographic Location	Pine Creek Orogen Moline
--	---

Section 23. Work program for the next twelve months:

Activities proposed (please mark with an "X"):

<input checked="" type="checkbox"/> Literature review	<input checked="" type="checkbox"/> Drilling and/or costeaning
<input checked="" type="checkbox"/> Geological mapping	<input type="checkbox"/> Airborne geophysics
<input type="checkbox"/> Rock/soil/stream sediment sampling	<input type="checkbox"/> Ground geophysics
<input checked="" type="checkbox"/> Other:	

Estimated Cost: \$18000.00

Section 24. Summary of operations and expenditure:

Please include salaries, wages, consultants fees, field expenses, fuel and transport, administration and overheads under the appropriate headings below. Mark the work done for the appropriate subsections with an "X" or similar, except where indicated. Complete the right-hand columns to indicate the data supplied with the Technical Report.

Do not include the following as expenditure (if relevant, these may be

- | | | |
|--------------------------|------------------|----------------------------------|
| • Insurance | • Transfer costs | • Land Access Compensation |
| • Company Prospectus | • Title Search | • Meetings with Land Councils |
| • Rent & Department Fees | • Legal costs | • Payments to Traditional Owners |
| • Bond | • Advertising | • Fines |

Exploration Work type		Work Done (mark with an "X" or provide details)	Expenditure	Data and Format Supplied in the Technical Report	
				Digital	Hard copy
Office Studies					
Literature search					
Database compilation					
Computer modelling					
Reprocessing of data					
General research		x	1875.00		
Report preparation		x	1420.00		
Other (specify) Admin		x	975.00		
		Subtotal	\$4270.00		
Airborne Exploration Surveys (state line kms)					
Aeromagnetics			kms		

Exploration Work type	Work Done (mark with an "X" or provide details)	Expenditure	Data and Format Supplied in the Technical Report	
			Digital	Hard copy
Radiometrics		kms		
Electromagnetics		kms		
Gravity		kms		
Digital terrain modelling		kms		
Other (specify)		kms		
Subtotal		\$		
Remote Sensing				
Aerial photography				
LANDSAT				
SPOT				
MSS				
Other (specify)				
Subtotal		\$		
Ground Exploration Surveys				
<i>Geological Mapping</i>				
Regional				
Reconnaissance		1630.00		
Prospect				
Underground				
Costean				
<i>Ground Geophysics</i>				
Radiometrics				
Magnetics				
Gravity				
Digital terrain modelling				
Electromagnetics				
SP/AP/EP				
IP				
AMT/CSAMT				
Resistivity				
Complex resistivity				
Seismic reflection				
Seismic refraction				
Well logging				
Geophysical interpretation				
Petrophysics				
Other (specify)				

Exploration Work type	Work Done (mark with an "X" or provide details)	Expenditure	Data and Format Supplied in the Technical Report	
			Digital	Hard copy
Consultant				

Geochemical Surveying and Geochronology <i>(state number of samples)</i>						
Drill (cuttings, core, etc.)						
Stream sediment						
Soil						
Rock chip						
Laterite						
Water						
Biogeochemistry						
Isotope						
Whole rock						
Mineral analysis						
Laboratory analysis (type)						
Petrology						
Other (specify)						
Consultant						
Ground Exploration Subtotal			\$1630.00			
Drilling (state number of holes & metres)						
Diamond		holes	metres			
Reverse circulation (RC)		holes	metres			
Rotary air blast (RAB)		holes	metres			
Air-core		holes	metres			
Auger		holes	metres			
Other (specify)		holes	metres			
Subtotal			\$			
Other Operations						
Costeaming/Trenching						
Bulk sampling						
Mill process testing						
Ore reserve estimation						
Underground development (describe)						
Mineral processing						

Other (specify)		
	Subtotal	\$
Access and Rehabilitation		
Track maintenance		
Rehabilitation		
Monitoring		
Other (specify)		
	Subtotal	\$
TOTAL EXPENDITURE		\$5900.00

Section 7. Comments on your exploration activities:

I certify that the information contained herein, is a true statement of the operations carried out and the monies expended on the above mentioned tenement during the period specified as required under the *Northern Territory Mining Act* and the Regulations thereunder.

☐ I have attached the Technical Report

1. Name: Zia U. Bajwah

Position: Geologist

Signature:

Date: 05/06/2009

2. Name:

Position:

Signature:

Date:

NORTHERN TERRITORY EXPLORATION EXPENDITURE FOR MINERAL TENEMENT

Section 25. Tenement type, number and operation name: (One licence only per form even if combined reporting has been approved)

Type	Exploration Licence
Number	23605
Operation Name (optional)	Moline

Section 26. Period covered by this return:

Twelve-month period:		If Final Report:	
From	1 May 2008	From	
To	30 April 2009	To	
Covenant for the reporting period:		\$26000.00	

Section 27. Give title of accompanying technical report:	
Title of Technical Report	ANNUAL EXPLORATION REPORT COMBINED TECHNICAL REPORTING FOR EL's 22966, 22967, 22968, 22970, 23605, 24127 AND 24262 FOR PERIOD ENDING 30 April 2009 MOLINE GROUP
Author	Zia U. Bajwah

Section 28. Locality of operation:	
Geological Province Geographic Location	Pine Creek Orogen Moline

Section 29. Work program for the next twelve months:	
Activities proposed (please mark with an "X"): <input type="checkbox"/> Literature review <input checked="" type="checkbox"/> Geological mapping <input type="checkbox"/> Rock/soil/stream sediment sampling	<input checked="" type="checkbox"/> Drilling and/or costeaning <input checked="" type="checkbox"/> Airborne geophysics <input type="checkbox"/> Ground geophysics <input type="checkbox"/> Other:
Estimated Cost: \$26000.00	

Section 30. Summary of operations and expenditure:	
Please include salaries, wages, consultants fees, field expenses, fuel and transport, administration and overheads under the appropriate headings below. Mark the work done for the appropriate subsections with an "X" or similar, except where indicated. Complete the right-hand columns to indicate the data supplied with the Technical Report.	
Do not include the following as expenditure (if relevant, these may be	
<ul style="list-style-type: none"> Insurance Company Prospectus Rent & Department Fees Bond 	<ul style="list-style-type: none"> Transfer costs Title Search Legal costs Advertising
	<ul style="list-style-type: none"> Land Access Compensation Meetings with Land Councils Payments to Traditional Owners Fines

Exploration Work type	Work Done (mark with an "X" or provide details)		Expenditure	Data and Format Supplied in the Technical Report	
				Digital	Hard copy
Office Studies			2640.00 2300.00 1530.00		
Literature search					
Database compilation					
Computer modelling					
Reprocessing of data					
General research	x				
Report preparation	x			x	
Other (specify)Admin/Wage	x				
Subtotal		\$6470.00			
Airborne Exploration Surveys (state line kms)					
Aeromagnetics		kms			
Radiometrics		kms			
Electromagnetics		kms			
Gravity		kms			
Digital terrain modelling		kms			
Other (specify)		kms			
Subtotal		\$			
Remote Sensing					
Aerial photography					
LANDSAT					
SPOT					
MSS					
Other (specify)					
Subtotal		\$			
Ground Exploration Surveys			2560.00		
Geological Mapping					
Regional					
Reconnaissance	x				
Prospect					
Underground					
Costean					
Ground Geophysics					
Radiometrics					
Magnetics					
Gravity					

Exploration Work type	Work Done (mark with an "X" or provide details)	Expenditure	Data and Format Supplied in the Technical Report	
			Digital	Hard copy
Digital terrain modelling				
Electromagnetics				
SP/AP/EP				
IP				
AMT/CSAMT				
Resistivity				
Complex resistivity				
Seismic reflection				
Seismic refraction				
Well logging				
Geophysical interpretation				
Petrophysics				
Other (specify)				
Consultant				

Geochemical Surveying and Geochronology (state number of samples)				
Drill (cuttings, core, etc.)				
Stream sediment				
Soil				
Rock chip				
Laterite				
Water				
Biogeochemistry				
Isotope				
Whole rock				
Mineral analysis				
Laboratory analysis (type)				
Petrology				
Other (specify)				
Consultant				
Ground Exploration Subtotal		\$2560.00		
Drilling (state number of holes & metres)				
Diamond		holes	metres	
Reverse circulation		holes	metres	

Section 7. Comments on your exploration activities:

I certify that the information contained herein, is a true statement of the operations carried out and the monies expended on the above mentioned tenement during the period specified as required under the *Northern Territory Mining Act* and the Regulations thereunder.

☐ I have attached the Technical Report

1. Name: Zia U. Bajwah

Position: Geologist

Signature:

Date: 05/06/2009

2. Name:

Position:

Signature:

Date:

NORTHERN TERRITORY EXPLORATION EXPENDITURE FOR MINERAL TENEMENT
--

Section 31. Tenement type, number and operation name: (One licence only per form even if combined reporting has been approved)

Type	Exploration Licence
Number	24127
Operation Name (optional)	Moline

Section 32. Period covered by this return:

Twelve-month period:		If Final Report:	
From	1 May 2008	From	
To	30 April 2009	To	
Covenant for the reporting period:		\$24000.00	

Section 33. Give title of accompanying technical report:

Title of Technical Report	ANNUAL EXPLORATION REPORT COMBINED TECHNICAL REPORTING FOR EL's 22966, 22967, 22968, 22970, 23605, 24127 AND 24262 FOR PERIOD ENDING 30 April 2009, MOLINE GROUP
Author	Zia U. Bajwah

Section 34. Locality of operation:	
Geological Province Geographic Location	Pine Creek Orogen Moline

Section 35. Work program for the next twelve months:	
Activities proposed (please mark with an "X"): <input type="checkbox"/> Literature review <input checked="" type="checkbox"/> Geological mapping <input type="checkbox"/> Rock/soil/stream sediment sampling	<input checked="" type="checkbox"/> Drilling and/or costeaning <input type="checkbox"/> Airborne geophysics <input type="checkbox"/> Ground geophysics <input type="checkbox"/> Other:
Estimated Cost: \$24000.00	

Section 36. Summary of operations and expenditure:
<p>Please include salaries, wages, consultants fees, field expenses, fuel and transport, administration and overheads under the appropriate headings below. Mark the work done for the appropriate subsections with an "X" or similar, except where indicated. Complete the right-hand columns to indicate the data supplied with the Technical Report.</p>
<p>Do not include the following as expenditure (if relevant, these may be</p> <ul style="list-style-type: none"> • Insurance • Company Prospectus • Rent & Department Fees • Bond • Transfer costs • Title Search • Legal costs • Advertising • Land Access Compensation • Meetings with Land Councils • Payments to Traditional Owners • Fines

Exploration Work type	Work Done (mark with an "X" or provide details)	Expenditure	Data and Format Supplied in the Technical Report	
			Digital	Hard copy
Office Studies				
Literature search				
Database compilation				
Computer modelling				
Reprocessing of data				

Exploration Work type	Work Done (mark with an "X" or provide details)		Expenditure	Data and Format Supplied in the Technical Report	
				Digital	Hard copy
General research	x		1790.00		
Report preparation	x		1500.00		
Other (specify)Admin/Wage	x		2280.00		
Subtotal			\$5570.00		
Airborne Exploration Surveys (state line kms)					
Aeromagnetics		kms			
Radiometrics		kms			
Electromagnetics		kms			
Gravity		kms			
Digital terrain modelling		kms			
Other (specify)		kms			
Subtotal			\$		
Remote Sensing					
Aerial photography					
LANDSAT					
SPOT					
MSS					
Other (specify)					
Subtotal			\$		
Ground Exploration Surveys					
Geological Mapping					
Regional					
Reconnaissance		x	2560.00		
Prospect					
Underground					
Costean					
Ground Geophysics					
Radiometrics					
Magnetics					
Gravity					
Digital terrain modelling					
Electromagnetics					
SP/AP/EP					
IP					
AMT/CSAMT					
Resistivity					

Exploration Work type	Work Done (mark with an "X" or provide details)	Expenditure	Data and Format Supplied in the Technical Report	
			Digital	Hard copy
Complex resistivity				
Seismic reflection				
Seismic refraction				
Well logging				
Geophysical interpretation				
Petrophysics				
Other (specify)				
Consultant				

Geochemical Surveying and Geochronology <i>(state number of samples)</i>									
Drill (cuttings, core, etc.)									
Stream sediment									
Soil									
Rock chip									
Laterite									
Water									
Biogeochemistry									
Isotope									
Whole rock									
Mineral analysis									
Laboratory analysis (type)									
Petrology									
Other (specify)									
Consultant									
Ground Exploration Subtotal				\$2560.00					
Drilling (state number of holes & metres)									
Diamond		holes		metres					
Reverse circulation (RC)		holes		metres					
Rotary air blast (RAB)		holes		metres					
Air-core		holes		metres					
Auger		holes		metres					
Other (specify)		holes		metres					
Subtotal				\$					

Section 7. Comments on your exploration activities:

I certify that the information contained herein, is a true statement of the operations carried out and the monies expended on the above mentioned tenement during the period specified as required under the *Northern Territory Mining Act* and the Regulations thereunder.

☐ I have attached the Technical Report

1. Name: Zia U. Bajwah

Position: Geologist

Signature:

Date: 05/06/2009

2. Name:

Position:

Signature:

Date:

