



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 1
Finalized Date: 22-FEB-2010
This copy reported on 23-FEB-2010
Account: WEDES

CERTIFICATE AS10012024

Project: EAST ROVER

P.O. No.: 0306

This report is for 325 Percussion samples submitted to our lab in Alice Springs, NT, Australia on 4-FEB-2010.

The following have access to data associated with this certificate:

JOHN FABRAY

BRETT SANDO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
PUL-QC	Pulverizing QC Test
PUL-23	Pulv Sample - Split/Retain
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **WESTERN DESERT RESOURCES**
ATTN: JOHN FABRAY
LEVEL 1, 26 GREENHILL ROAD
WAYVILLE SA 5034

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: Results reissued with amended sample IDs

Signature:

Wayne Abbott, Operations Manager, Western Australia



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - A

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
200235		1.70	<0.5	2.16	<5	100	0.8	<2	12.80	<0.5	15	14	31	1.06	<10	1.25
200236		2.41	<0.5	1.92	<5	90	0.7	<2	13.30	<0.5	14	13	10	1.02	<10	1.13
200237		1.10	<0.5	2.02	<5	80	1.1	<2	16.40	<0.5	17	17	97	1.39	<10	1.09
200238		0.91	<0.5	4.32	6	200	2.0	4	5.53	<0.5	26	34	62	2.31	10	2.48
200239		0.79	<0.5	3.80	<5	190	2.1	2	4.90	<0.5	16	31	71	2.09	10	2.31
200240		1.00	<0.5	3.90	<5	230	2.2	6	3.62	<0.5	13	26	61	1.79	10	2.86
200241		0.83	<0.5	3.93	<5	230	2.2	4	3.45	<0.5	12	29	63	1.88	10	2.80
200242		0.68	<0.5	4.19	<5	340	2.0	3	1.49	<0.5	7	16	61	1.75	10	3.39
200243		0.44	0.5	3.65	7	300	3.3	<2	2.76	<0.5	9	14	100	1.79	10	3.20
200244		0.60	<0.5	5.04	<5	290	2.4	3	1.44	<0.5	12	22	80	2.04	10	4.12
200245		0.93	<0.5	7.74	5	330	3.4	<2	0.54	<0.5	28	26	28	3.71	20	4.83
200246		3.22	<0.5	7.76	<5	350	2.9	3	0.42	<0.5	18	25	20	3.83	10	5.70
200247		3.12	<0.5	7.72	5	350	2.8	4	0.33	<0.5	16	26	11	4.11	20	5.46
200248		3.00	<0.5	7.26	<5	330	2.6	<2	0.35	<0.5	15	26	11	3.87	20	4.96
200249		3.00	<0.5	7.22	<5	330	2.7	8	0.24	<0.5	19	24	9	3.88	10	5.06
200250		0.37	<0.5	5.21	<5	310	2.1	<2	0.28	<0.5	12	16	15	2.98	10	3.63
200251		0.89	<0.5	6.32	<5	330	2.2	3	0.23	<0.5	10	19	9	3.00	10	4.21
200252		1.78	0.7	5.65	<5	290	1.8	3	0.21	<0.5	9	17	8	2.92	10	3.85
200253		2.93	<0.5	5.12	<5	250	1.8	2	0.20	<0.5	9	19	8	2.87	10	3.60
200254		3.65	<0.5	6.02	<5	300	2.0	2	1.01	<0.5	11	21	25	3.07	10	4.25
200255		3.04	<0.5	6.39	<5	330	2.1	7	0.22	<0.5	10	20	8	3.31	20	4.47
200256		0.73	<0.5	6.23	<5	310	2.4	6	0.49	<0.5	12	24	28	3.27	10	4.36
200257		2.65	<0.5	6.77	7	340	2.2	4	0.44	<0.5	10	24	16	3.80	20	4.56
200258		1.82	<0.5	5.83	<5	270	2.2	5	0.32	<0.5	9	23	15	3.11	10	4.05
200259		2.31	<0.5	6.09	8	290	2.1	2	0.56	<0.5	11	22	21	3.16	10	4.20
200260		2.27	<0.5	6.45	5	480	2.0	6	0.35	<0.5	12	25	18	3.10	10	4.84
200261		2.45	<0.5	6.28	<5	480	1.9	3	0.37	<0.5	13	21	19	3.02	10	4.67
200262		3.22	<0.5	6.33	<5	340	2.3	6	0.35	<0.5	12	22	19	3.02	10	4.74
200263		1.40	<0.5	6.27	<5	310	2.1	4	0.40	<0.5	12	21	22	3.45	10	4.41
200264		3.22	<0.5	5.33	<5	260	1.9	3	0.27	<0.5	9	19	15	2.68	10	3.72
200265		3.40	<0.5	6.40	<5	310	2.2	3	0.42	<0.5	12	23	17	3.38	10	4.29
200266		2.70	<0.5	5.79	<5	280	2.0	8	0.56	<0.5	11	21	19	3.09	10	3.80
200267		4.43	<0.5	5.97	6	280	2.1	6	0.40	<0.5	11	19	19	3.38	10	4.04
200268		5.04	<0.5	5.97	<5	290	2.1	5	0.30	<0.5	12	20	16	3.63	10	4.09
200269		1.35	<0.5	5.49	<5	260	1.8	4	0.23	<0.5	12	19	11	3.66	10	3.57
200270		3.51	<0.5	6.75	5	310	2.2	2	0.20	<0.5	12	23	12	4.24	20	3.68
200271		3.48	1.5	7.20	6	340	2.3	2	0.22	<0.5	12	21	12	4.66	20	4.33
200272		4.10	<0.5	6.91	<5	310	2.2	<2	0.39	<0.5	12	19	11	4.27	10	3.84
200273		5.37	<0.5	6.77	<5	340	2.3	<2	0.54	<0.5	12	18	15	3.80	10	3.88
200274		3.72	<0.5	6.48	<5	300	2.0	2	0.60	<0.5	10	19	11	3.74	10	3.78

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - B

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10
200235		20	8.93	569	2	0.05	16	350	8	0.04	7	5	68	<20	0.11	<10
200236		10	9.24	576	1	0.05	16	440	8	0.02	<5	4	67	<20	0.10	<10
200237		20	11.25	735	2	0.06	25	2940	14	0.04	<5	4	70	<20	0.10	<10
200238		20	3.67	370	1	0.09	51	6340	14	0.06	<5	9	56	20	0.21	<10
200239		20	2.55	364	2	0.07	31	7430	15	0.03	<5	8	45	<20	0.19	<10
200240		20	1.86	293	1	0.07	23	6230	16	0.02	<5	7	37	20	0.18	<10
200241		20	1.80	291	2	0.07	24	6230	15	0.02	<5	7	37	<20	0.19	<10
200242		30	0.73	188	1	0.05	15	4010	10	0.01	7	7	23	20	0.16	<10
200243		20	0.53	286	2	0.05	18	>10000	8	0.01	<5	6	22	<20	0.13	<10
200244		30	0.91	179	1	0.06	19	3910	9	0.01	<5	10	20	<20	0.23	<10
200245		50	1.27	268	1	0.05	40	1810	3	0.01	<5	16	14	20	0.35	<10
200246		40	1.30	324	1	0.04	22	1190	5	0.01	<5	15	13	20	0.33	<10
200247		40	1.36	349	1	0.04	21	1010	5	0.01	8	16	11	20	0.34	<10
200248		30	1.27	324	1	0.03	18	940	7	0.03	6	15	12	20	0.33	<10
200249		30	1.12	288	1	0.03	18	790	6	0.01	5	15	9	20	0.31	<10
200250		30	0.65	185	1	0.04	13	940	6	0.01	5	10	11	<20	0.25	<10
200251		30	0.65	145	1	0.04	12	850	5	0.01	6	12	9	20	0.31	<10
200252		20	0.54	134	1	0.04	9	760	5	0.01	6	11	8	20	0.28	<10
200253		20	0.49	133	2	0.03	13	630	7	0.01	7	10	7	<20	0.25	<10
200254		30	1.08	195	2	0.04	17	1150	8	0.01	<5	11	13	20	0.29	<10
200255		30	0.68	173	1	0.04	13	750	7	0.01	<5	12	10	20	0.30	<10
200256		30	0.79	177	1	0.04	15	1140	5	0.01	<5	12	13	20	0.34	<10
200257		30	0.81	192	1	0.04	14	900	6	0.01	5	13	10	20	0.32	<10
200258		30	0.66	157	2	0.04	12	770	6	0.01	5	11	9	20	0.30	10
200259		30	0.82	186	1	0.04	13	890	8	0.01	<5	12	9	<20	0.30	<10
200260		30	0.79	206	1	0.05	13	810	7	0.01	8	12	13	20	0.31	<10
200261		30	0.76	198	1	0.05	12	830	7	0.01	7	11	12	<20	0.30	<10
200262		30	0.76	184	1	0.04	13	830	4	0.01	5	12	13	20	0.34	<10
200263		30	0.83	198	1	0.04	14	820	8	0.01	<5	12	11	20	0.36	10
200264		30	0.58	137	1	0.04	9	660	3	0.01	7	11	9	20	0.30	<10
200265		30	0.82	197	1	0.07	14	760	7	0.01	6	13	14	20	0.33	<10
200266		30	0.84	202	1	0.09	11	660	6	0.01	6	11	13	<20	0.30	10
200267		30	0.80	198	1	0.05	12	680	6	0.01	6	12	10	<20	0.31	<10
200268		30	0.75	195	1	0.04	12	610	4	0.01	<5	12	8	<20	0.31	<10
200269		20	0.69	197	1	0.04	17	570	5	0.01	<5	11	9	<20	0.31	<10
200270		40	0.76	233	<1	0.05	12	670	7	0.01	<5	13	8	20	0.34	<10
200271		40	0.78	241	<1	0.05	13	680	6	0.01	<5	14	8	20	0.36	10
200272		40	0.77	254	<1	0.39	11	600	5	<0.01	<5	13	14	20	0.33	<10
200273		40	0.83	251	<1	0.18	12	640	6	<0.01	5	13	13	20	0.32	<10
200274		30	0.84	256	<1	0.28	11	630	7	0.01	5	13	13	20	0.32	<10

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - C

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200235		<10	32	<10	18	<0.01	
200236		<10	27	<10	17	<0.01	
200237		<10	38	<10	25	0.01	
200238		10	56	<10	54	<0.01	
200239		10	54	10	48	<0.01	
200240		10	49	<10	46	<0.01	
200241		10	52	<10	48	<0.01	
200242		<10	31	<10	44	<0.01	
200243		10	28	<10	64	<0.01	
200244		10	48	<10	62	<0.01	96.9
200245		<10	74	<10	117	<0.01	
200246		<10	75	<10	84	<0.01	
200247		<10	78	<10	77	<0.01	
200248		<10	74	<10	73	<0.01	
200249		10	78	10	72	<0.01	
200250		10	59	<10	47	<0.01	
200251		<10	65	10	35	<0.01	
200252		<10	54	<10	29	<0.01	
200253		<10	51	<10	28	<0.01	
200254		10	58	<10	39	<0.01	
200255		<10	61	<10	35	<0.01	
200256		10	65	<10	46	<0.01	
200257		<10	62	<10	37	<0.01	
200258		10	57	10	33	<0.01	
200259		<10	60	<10	36	<0.01	
200260		<10	64	<10	42	<0.01	
200261		10	61	<10	40	<0.01	
200262		<10	65	<10	39	<0.01	
200263		10	67	10	38	<0.01	
200264		<10	54	<10	29	<0.01	
200265		<10	66	10	38	<0.01	
200266		10	62	<10	36	<0.01	
200267		10	64	<10	38	<0.01	
200268		<10	64	<10	40	<0.01	
200269		10	61	<10	39	<0.01	
200270		<10	65	10	44	<0.01	
200271		<10	72	<10	46	<0.01	
200272		<10	67	10	43	<0.01	
200273		<10	69	10	41	<0.01	
200274		<10	65	<10	35	<0.01	

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - A

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
200275		1.22	<0.5	6.68	<5	330	2.0	2	0.97	<0.5	10	20	15	3.25	20	3.63
200276		3.64	<0.5	7.72	<5	370	2.3	<2	1.17	<0.5	10	24	17	3.92	20	3.64
200277		3.10	0.7	7.04	<5	340	2.0	<2	1.28	<0.5	10	20	11	3.53	10	3.50
200278		1.69	<0.5	6.29	<5	290	1.8	<2	0.82	<0.5	10	17	7	3.91	10	2.93
200279		0.90	0.5	6.74	<5	320	2.0	2	0.67	<0.5	11	19	8	3.96	20	3.19
200280		0.48	<0.5	7.13	6	350	2.2	2	0.79	<0.5	11	24	19	3.98	10	3.78
200281		0.30	<0.5	6.75	<5	330	2.0	<2	0.89	<0.5	12	20	10	4.24	10	3.21
200282		0.40	1.2	6.74	<5	330	2.0	2	1.18	<0.5	10	17	11	3.19	20	3.15
200283		2.54	<0.5	6.38	<5	320	1.9	2	0.79	<0.5	8	19	7	3.05	10	3.00
200284		1.77	<0.5	6.91	<5	330	2.0	<2	0.88	<0.5	9	19	9	3.36	20	3.14
200285		1.98	<0.5	7.11	<5	340	1.9	<2	1.16	<0.5	9	22	6	3.36	20	3.02
200286		2.72	<0.5	7.36	<5	340	2.0	2	1.33	<0.5	9	21	10	3.84	20	3.06
200287		1.66	<0.5	7.57	<5	370	2.0	<2	1.26	<0.5	8	21	7	3.67	20	3.32
200288		1.36	<0.5	7.08	<5	330	2.3	<2	1.51	<0.5	12	22	35	3.62	20	3.58
200289		2.11	<0.5	6.74	<5	330	2.0	2	0.82	<0.5	9	19	7	3.31	10	2.90
200290		3.84	0.7	6.44	<5	330	1.9	2	0.87	<0.5	9	21	13	3.56	10	2.89
200291		1.73	0.6	6.19	<5	320	1.9	4	0.74	<0.5	8	18	9	3.56	10	2.80
200292		2.98	<0.5	6.28	<5	320	1.9	2	0.81	<0.5	8	18	8	3.91	10	2.67
200293		1.56	<0.5	6.77	<5	340	2.0	3	0.58	<0.5	10	19	227	4.31	20	2.84
200294		0.58	<0.5	6.36	5	330	1.9	<2	1.08	<0.5	8	17	9	3.36	10	2.62
200295		1.25	<0.5	7.24	<5	420	2.1	<2	1.07	<0.5	8	16	4	3.27	10	3.07
200296		1.47	<0.5	7.89	<5	440	2.4	<2	1.05	<0.5	9	19	6	3.55	20	3.90
200297		2.62	<0.5	8.50	<5	480	2.5	<2	0.91	<0.5	10	21	9	4.00	20	3.61
200298		2.40	<0.5	6.84	<5	390	2.1	<2	0.90	<0.5	8	16	7	3.10	10	3.02
200299		3.02	<0.5	7.42	<5	420	2.2	2	1.26	<0.5	8	17	8	3.45	10	3.26
200300		1.55	0.6	7.06	<5	380	2.0	2	1.25	<0.5	9	22	11	4.09	20	3.00
200301		1.07	<0.5	7.00	<5	380	2.0	<2	1.28	<0.5	9	21	11	3.75	10	3.02
200302		1.83	<0.5	6.96	<5	400	2.1	<2	1.05	<0.5	9	21	24	3.92	20	2.99
200303		3.29	<0.5	7.16	<5	410	2.1	<2	1.41	<0.5	13	21	28	3.81	20	3.13
200304		3.60	<0.5	7.15	<5	410	1.9	<2	1.88	<0.5	16	21	15	4.11	20	2.85
200305		3.96	<0.5	7.44	<5	430	2.0	<2	2.58	<0.5	10	21	14	3.69	20	3.28
200306		2.81	<0.5	7.31	5	420	2.0	<2	2.27	<0.5	9	19	15	3.85	10	3.39
200307		2.71	<0.5	7.30	<5	430	2.2	<2	1.14	<0.5	9	23	9	3.92	10	3.39
200308		2.86	<0.5	7.39	<5	430	2.2	<2	1.40	<0.5	9	22	8	3.79	10	3.62
200309		0.65	<0.5	7.31	<5	430	2.2	<2	1.65	<0.5	8	21	7	3.92	20	3.41
200310		3.08	<0.5	6.89	<5	400	2.1	<2	1.30	<0.5	14	19	12	3.79	10	3.32
200311		4.13	<0.5	7.49	6	430	2.2	<2	1.41	<0.5	16	21	17	4.01	10	3.47
200312		2.45	<0.5	7.57	<5	430	2.2	<2	1.34	<0.5	11	24	11	4.26	20	3.44
200313		3.70	<0.5	7.14	<5	390	2.0	<2	1.32	<0.5	10	25	10	3.96	20	3.28
200314		4.43	<0.5	7.15	<5	370	1.9	<2	1.43	<0.5	9	24	13	3.99	10	3.16

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - B

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200275		40	0.94	308	<1	0.76	11	810	6	0.01	<5	13	21	<20	0.35
200276		50	1.14	380	<1	0.82	13	880	5	<0.01	<5	15	22	20	0.37
200277		40	1.12	409	<1	0.91	12	730	7	<0.01	<5	14	22	20	0.34
200278		40	0.85	331	<1	0.77	10	590	4	<0.01	6	13	19	20	0.33
200279		40	0.79	301	<1	0.79	13	620	8	<0.01	6	14	20	20	0.35
200280		40	0.96	307	<1	0.48	13	780	6	0.05	6	14	15	20	0.34
200281		30	0.92	351	<1	0.76	13	600	6	0.02	<5	14	18	20	0.33
200282		40	0.98	332	<1	0.94	8	770	8	0.01	<5	13	21	20	0.35
200283		30	0.76	328	<1	0.86	10	540	6	<0.01	<5	12	17	20	0.31
200284		30	0.80	361	<1	1.02	10	590	5	0.01	<5	13	22	20	0.32
200285		40	0.76	421	<1	1.25	10	580	4	<0.01	<5	14	24	20	0.34
200286		40	0.97	522	<1	1.35	10	590	7	0.01	6	14	25	20	0.34
200287		40	1.06	522	<1	1.30	11	610	6	<0.01	<5	15	23	20	0.35
200288		40	1.22	458	<1	0.69	13	1290	7	0.03	5	14	23	20	0.31
200289		30	0.54	337	<1	1.14	11	540	5	0.03	<5	14	23	20	0.31
200290		30	0.46	320	<1	0.86	10	540	4	0.03	<5	13	18	20	0.30
200291		30	0.42	294	<1	0.87	10	510	5	0.02	5	12	19	20	0.31
200292		30	0.44	274	<1	1.02	10	570	5	0.01	<5	13	21	20	0.31
200293		40	0.50	276	<1	1.07	11	540	8	0.03	7	13	21	20	0.32
200294		30	0.41	300	<1	1.20	9	510	5	<0.01	<5	13	25	20	0.31
200295		40	0.46	280	<1	1.25	10	550	6	<0.01	6	14	26	20	0.33
200296		40	0.52	306	<1	1.14	10	600	7	<0.01	6	15	26	20	0.36
200297		40	0.62	335	<1	1.29	13	670	8	<0.01	7	17	26	20	0.36
200298		40	0.44	262	<1	1.14	10	510	4	<0.01	<5	13	24	20	0.32
200299		40	0.48	332	<1	1.20	10	560	7	<0.01	<5	14	27	20	0.35
200300		30	0.49	392	<1	1.16	11	570	6	0.01	8	14	26	20	0.35
200301		30	0.49	366	<1	1.15	11	580	5	0.01	6	14	27	20	0.34
200302		30	0.50	346	<1	1.01	11	570	7	0.02	5	14	22	20	0.33
200303		30	0.58	411	<1	1.06	13	570	6	0.01	7	14	27	20	0.33
200304		30	0.70	575	<1	1.24	15	580	6	0.01	<5	14	32	20	0.35
200305		40	0.54	587	1	1.28	9	550	<2	0.01	<5	14	33	<20	0.36
200306		40	0.52	622	<1	1.11	9	560	<2	0.01	<5	14	31	<20	0.33
200307		40	0.60	326	1	0.94	9	610	<2	0.01	5	14	27	<20	0.34
200308		40	0.61	362	1	0.98	8	600	<2	0.01	<5	14	23	<20	0.33
200309		40	0.50	414	1	1.08	7	530	<2	<0.01	7	14	25	<20	0.36
200310		40	0.51	403	1	0.97	7	520	<2	0.02	6	13	22	20	0.33
200311		40	0.56	440	1	1.03	7	560	<2	0.03	5	14	23	<20	0.34
200312		40	0.58	383	1	1.08	9	610	<2	0.01	6	15	25	20	0.35
200313		40	0.55	345	1	1.10	8	570	<2	0.03	6	14	25	<20	0.33
200314		40	0.54	361	1	1.27	8	550	<2	0.02	<5	14	26	<20	0.31

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - C

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200275		<10	70	<10	33	<0.01	
200276		<10	78	10	39	<0.01	
200277		<10	65	10	33	<0.01	
200278		<10	62	10	33	<0.01	
200279		10	69	10	36	<0.01	
200280		<10	68	10	48	<0.01	
200281		<10	68	10	38	<0.01	
200282		<10	60	<10	32	<0.01	
200283		10	57	<10	29	<0.01	
200284		10	69	<10	31	<0.01	99.3
200285		<10	69	<10	31	<0.01	
200286		<10	71	<10	31	<0.01	
200287		10	75	<10	30	<0.01	
200288		10	66	10	43	<0.01	
200289		10	62	10	32	<0.01	
200290		<10	62	10	31	<0.01	
200291		10	57	10	29	<0.01	
200292		<10	56	<10	29	<0.01	
200293		<10	66	10	31	0.01	
200294		<10	62	10	26	<0.01	
200295		<10	65	<10	25	<0.01	
200296		10	73	<10	27	<0.01	
200297		<10	77	10	29	<0.01	
200298		10	62	<10	23	0.01	
200299		10	66	<10	25	<0.01	
200300		<10	63	10	31	<0.01	
200301		10	61	<10	30	<0.01	
200302		10	63	10	30	0.01	
200303		10	66	<10	34	<0.01	
200304		10	70	10	42	<0.01	
200305		<10	73	10	24	<0.01	
200306		<10	68	<10	21	<0.01	
200307		<10	69	<10	24	<0.01	
200308		<10	67	<10	22	<0.01	
200309		10	69	<10	19	<0.01	
200310		10	67	10	20	<0.01	
200311		<10	70	10	22	0.01	
200312		<10	77	10	22	<0.01	
200313		10	68	<10	26	<0.01	
200314		<10	63	10	24	<0.01	

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 4 - A

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
200315		1.34	<0.5	7.10	5	360	1.9	<2	1.34	<0.5	9	21	8	3.83	20	3.16
200316		4.29	<0.5	6.64	<5	340	1.7	<2	2.34	<0.5	11	21	12	4.32	10	2.90
200317		3.59	<0.5	6.58	<5	340	1.7	<2	2.28	<0.5	10	21	12	4.27	10	2.90
200318		2.03	<0.5	6.88	<5	370	1.9	<2	1.93	<0.5	9	19	15	4.42	20	3.12
200319		0.55	<0.5	6.82	<5	360	2.1	<2	3.18	<0.5	12	19	84	3.58	10	3.33
200320		0.52	<0.5	7.17	<5	400	2.1	<2	1.53	<0.5	11	17	14	3.63	20	3.43
200321		0.49	<0.5	7.26	<5	400	2.1	<2	1.70	<0.5	10	17	16	3.80	20	3.42
200322		1.09	<0.5	6.67	5	380	2.0	3	1.51	<0.5	8	17	16	3.31	10	3.22
200323		4.24	<0.5	7.76	<5	430	2.2	<2	1.67	<0.5	10	20	14	3.81	10	3.56
200324		3.88	<0.5	7.49	<5	410	2.1	<2	2.06	<0.5	10	20	11	3.90	20	3.51
200325		3.02	<0.5	7.10	<5	380	2.0	2	1.69	<0.5	10	21	14	3.59	20	3.28
200326		1.22	<0.5	5.97	<5	320	1.7	<2	1.37	<0.5	10	20	30	3.56	20	2.74
200327		0.43	<0.5	6.38	<5	350	1.8	<2	1.32	<0.5	9	20	27	3.53	20	2.92
200328		0.61	<0.5	6.82	<5	390	1.9	<2	1.92	<0.5	8	16	9	3.24	10	3.24
200329		1.71	<0.5	6.81	<5	390	1.9	2	1.70	<0.5	9	19	11	3.29	20	3.26
200330		1.57	<0.5	7.07	<5	390	1.9	2	1.77	<0.5	9	19	9	3.62	10	3.25
200331		2.86	<0.5	7.55	<5	420	2.1	<2	1.75	<0.5	9	20	10	3.78	20	3.44
200332		0.71	<0.5	7.42	<5	420	2.0	<2	1.65	<0.5	9	17	9	3.55	20	3.35
200333		1.08	<0.5	6.70	<5	390	1.9	<2	1.93	<0.5	9	20	11	3.26	10	3.22
200334		3.00	<0.5	7.12	<5	400	1.9	<2	1.76	<0.5	8	19	9	3.50	20	3.20
200335		1.64	<0.5	7.42	<5	390	1.9	<2	1.60	<0.5	8	21	7	3.41	20	3.11
200336		2.25	<0.5	7.15	<5	370	1.9	<2	1.42	<0.5	7	21	9	3.60	20	3.15
200337		0.89	<0.5	5.76	<5	330	1.6	2	0.74	<0.5	7	19	33	3.41	10	2.86
200338		1.29	<0.5	6.57	<5	350	1.7	2	0.60	<0.5	7	18	11	3.61	10	3.03
200339		2.14	<0.5	6.41	<5	340	1.7	2	0.55	<0.5	7	18	22	3.49	10	3.00
200340		1.96	<0.5	7.33	5	400	1.9	<2	0.55	<0.5	9	35	28	4.04	10	3.42
200341		1.08	<0.5	6.70	<5	360	1.7	3	0.48	<0.5	7	24	19	3.67	10	2.98
200342		2.94	<0.5	6.66	<5	360	1.8	<2	1.04	<0.5	7	19	8	3.31	10	3.08
200343		1.75	<0.5	6.89	<5	360	1.9	<2	0.91	<0.5	8	21	7	3.44	10	3.08
200344		1.69	<0.5	6.60	5	350	1.8	<2	0.53	<0.5	8	19	4	3.23	10	3.15
200345		1.24	<0.5	6.06	<5	330	1.7	<2	0.45	<0.5	8	21	5	3.32	10	3.14
200346		1.42	<0.5	6.08	<5	270	2.5	<2	0.26	<0.5	8	20	4	3.43	10	3.13
200347		1.22	<0.5	5.69	<5	220	2.0	<2	0.24	<0.5	9	17	4	3.12	10	2.86
200348		1.20	<0.5	6.26	<5	250	2.8	<2	0.27	<0.5	10	18	4	3.41	10	3.08
200349		1.16	<0.5	6.70	<5	340	2.3	<2	0.55	<0.5	8	21	7	3.54	20	3.38
200350		1.44	<0.5	6.61	<5	300	1.9	2	0.82	<0.5	12	19	3	3.61	10	2.67
200351		1.70	<0.5	6.69	<5	300	1.9	2	1.10	<0.5	13	17	42	3.72	20	2.76
200352		2.46	<0.5	6.44	<5	280	1.7	<2	0.93	<0.5	11	19	2	3.48	10	2.64
200353		2.20	<0.5	6.81	<5	310	2.0	2	0.22	<0.5	15	19	2	3.60	10	2.74
200354		1.19	<0.5	6.74	<5	350	2.0	<2	0.45	<0.5	11	23	6	3.42	20	3.09

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 4 - B

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200315		40	0.49	354	1	1.26	5	520	<2	0.01	6	13	26	<20	0.32
200316		30	0.50	529	1	1.16	9	490	<2	0.02	7	12	29	<20	0.30
200317		30	0.50	511	1	1.15	7	480	<2	0.02	6	12	29	<20	0.30
200318		30	0.49	432	1	1.10	7	510	<2	0.01	6	13	26	<20	0.31
200319		30	1.70	391	2	0.82	10	1080	<2	0.03	<5	12	30	20	0.30
200320		40	0.54	340	1	1.01	7	530	<2	0.01	8	13	23	<20	0.33
200321		40	0.62	355	<1	1.02	7	600	<2	0.01	6	13	24	<20	0.33
200322		30	0.50	329	1	1.02	7	500	<2	0.01	7	12	21	<20	0.30
200323		40	0.52	368	1	1.08	8	540	<2	0.02	7	14	25	<20	0.34
200324		40	0.52	431	1	1.05	8	520	<2	0.02	6	14	26	<20	0.34
200325		40	0.48	365	2	1.08	8	510	<2	0.05	8	13	25	<20	0.32
200326		30	0.51	343	1	0.85	4	450	<2	0.03	9	11	20	<20	0.30
200327		30	0.45	335	1	1.02	6	480	<2	0.02	7	12	22	<20	0.31
200328		30	0.49	426	1	1.04	5	490	<2	0.01	5	12	24	<20	0.32
200329		30	0.49	387	1	1.06	8	490	<2	0.02	6	13	25	<20	0.32
200330		40	0.51	418	1	1.09	6	490	<2	0.01	5	13	26	<20	0.33
200331		40	0.54	410	1	1.17	7	540	<2	0.01	6	14	27	20	0.34
200332		40	0.63	390	1	1.22	6	660	<2	0.01	5	13	34	20	0.35
200333		30	0.62	431	1	1.17	7	630	<2	0.01	<5	12	30	<20	0.32
200334		30	0.56	425	1	1.31	8	510	<2	0.01	5	13	30	<20	0.34
200335		30	0.68	427	1	1.50	7	550	<2	<0.01	8	13	33	<20	0.36
200336		30	0.91	574	1	1.28	7	520	<2	0.01	6	13	25	<20	0.34
200337		30	0.51	291	1	0.60	5	410	<2	0.01	7	11	12	<20	0.27
200338		30	0.63	340	1	1.03	5	490	<2	0.01	6	12	17	<20	0.31
200339		30	0.64	321	<1	0.93	5	470	<2	<0.01	9	12	15	<20	0.30
200340		40	0.69	331	1	1.02	12	580	7	<0.01	12	13	19	20	0.36
200341		30	0.62	298	<1	0.94	11	530	6	<0.01	12	12	18	20	0.31
200342		30	0.91	608	<1	0.96	10	460	7	<0.01	9	11	16	20	0.29
200343		30	0.86	520	<1	1.02	10	510	6	0.01	10	12	19	20	0.32
200344		30	0.79	365	<1	0.78	9	490	7	0.01	6	12	12	20	0.29
200345		30	0.70	314	1	0.55	11	480	5	<0.01	6	11	10	<20	0.30
200346		30	1.01	223	1	0.28	11	510	7	0.01	10	11	6	<20	0.29
200347		30	1.02	242	<1	0.05	10	480	3	0.01	8	10	3	<20	0.26
200348		30	1.24	297	<1	0.23	11	530	5	0.01	8	11	6	<20	0.30
200349		30	0.95	351	<1	0.52	11	560	6	0.01	8	12	9	20	0.31
200350		30	1.32	573	1	1.09	13	520	6	<0.01	10	12	18	<20	0.29
200351		30	1.50	777	<1	1.05	12	500	5	0.01	6	11	18	20	0.27
200352		30	1.40	569	<1	0.93	13	520	4	0.01	5	11	14	<20	0.26
200353		40	1.48	319	<1	0.97	13	540	5	<0.01	8	12	15	20	0.32
200354		30	1.15	363	<1	0.78	14	570	7	0.04	6	13	13	20	0.33

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 4 - C

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA26	PUL-QC
		U	V	W	Zn	Au	Pass75um
		ppm	ppm	ppm	ppm	ppm	%
		10	1	10	2	0.01	0.01
200315		10	63	<10	27	<0.01	
200316		<10	61	10	25	<0.01	
200317		<10	58	10	25	<0.01	
200318		<10	61	10	24	<0.01	
200319		<10	61	<10	26	0.01	
200320		10	62	<10	22	<0.01	
200321		<10	63	10	22	0.01	
200322		10	57	<10	21	<0.01	
200323		10	66	10	23	<0.01	
200324		<10	66	10	23	0.04	95.6
200325		<10	62	10	27	0.01	
200326		<10	57	10	29	0.01	
200327		<10	58	10	27	0.01	
200328		<10	57	<10	22	<0.01	
200329		<10	58	<10	23	<0.01	
200330		<10	60	10	22	<0.01	
200331		<10	65	10	24	0.01	
200332		10	62	<10	22	<0.01	
200333		<10	59	<10	24	<0.01	
200334		10	62	<10	22	<0.01	
200335		<10	66	<10	19	<0.01	
200336		10	63	10	18	<0.01	
200337		<10	52	10	18	0.04	
200338		<10	57	<10	18	0.01	
200339		10	55	10	18	<0.01	
200340		<10	67	10	25	<0.01	
200341		<10	59	10	23	<0.01	
200342		10	51	10	19	<0.01	
200343		10	60	10	20	0.01	
200344		10	59	10	19	<0.01	
200345		<10	57	<10	19	<0.01	
200346		<10	61	10	20	<0.01	
200347		<10	58	10	17	<0.01	
200348		<10	62	10	21	<0.01	
200349		<10	69	10	16	<0.01	
200350		<10	58	<10	23	<0.01	
200351		10	59	<10	27	<0.01	
200352		<10	61	10	22	<0.01	
200353		10	61	10	35	<0.01	
200354		<10	72	10	32	<0.01	

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 5 - A

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01
200355		1.27	<0.5	6.94	<5	380	1.9	<2	0.44	<0.5	14	20	4	3.56	10	2.84
200356		1.24	<0.5	6.62	<5	360	1.8	<2	0.51	<0.5	13	18	5	3.45	10	2.55
200357		1.45	<0.5	6.57	6	370	1.9	2	0.40	1.0	13	23	7	3.50	10	2.78
200358		1.23	<0.5	7.15	<5	410	2.1	<2	0.55	<0.5	9	21	9	3.52	10	3.26
200359		1.19	<0.5	6.83	5	350	2.2	<2	0.77	<0.5	9	21	8	3.24	10	3.43
200360		0.79	<0.5	5.93	<5	280	1.8	<2	1.05	<0.5	9	18	9	2.88	10	2.67
200361		1.06	<0.5	6.32	<5	300	1.9	<2	1.14	<0.5	9	19	9	2.96	10	2.84
200362		1.66	<0.5	6.66	<5	330	1.9	<2	0.88	<0.5	12	20	5	3.39	10	2.77
200363		1.15	<0.5	6.84	<5	370	2.0	<2	1.00	<0.5	10	21	26	3.44	10	3.10
200364		1.22	<0.5	6.52	<5	320	1.8	<2	0.88	<0.5	9	25	57	3.83	10	2.87
200365		1.52	<0.5	5.98	<5	280	1.8	<2	0.67	<0.5	10	22	57	3.87	10	2.74
200366		1.44	<0.5	7.24	<5	370	2.1	2	0.80	<0.5	9	20	8	3.50	10	3.34
200367		2.10	<0.5	7.88	<5	370	2.2	<2	0.32	<0.5	15	21	6	4.34	20	3.28
200368		1.88	<0.5	7.37	<5	330	2.2	<2	0.47	<0.5	9	21	7	3.35	10	3.68
200369		1.26	<0.5	6.42	<5	300	2.1	<2	1.36	<0.5	10	18	22	3.49	20	3.05
200370		1.67	<0.5	7.64	6	350	2.3	<2	0.46	<0.5	14	24	4	3.85	20	3.22
200371		1.47	<0.5	7.59	<5	360	2.2	<2	0.56	<0.5	15	25	12	4.00	20	3.42
200372		1.47	<0.5	8.30	6	360	2.3	<2	0.37	<0.5	14	26	14	4.00	20	3.59
200373		1.50	<0.5	7.08	7	320	2.3	<2	1.01	<0.5	12	28	77	3.52	10	3.25
200374		1.39	<0.5	6.52	9	280	2.0	3	1.25	<0.5	13	24	139	3.18	20	3.12
200375		0.68	<0.5	6.60	9	260	2.1	<2	0.78	<0.5	11	24	77	3.37	20	3.06
200376		3.95	<0.5	7.98	<5	130	1.8	<2	0.23	<0.5	20	41	4	6.20	20	2.81
200377		0.29	<0.5	8.75	<5	160	1.3	2	0.23	0.6	27	45	9	7.36	20	3.66
200378		0.98	<0.5	9.15	<5	160	1.5	<2	0.25	<0.5	29	46	15	8.17	20	3.39
200379		0.95	<0.5	7.23	<5	120	1.6	<2	0.18	<0.5	19	39	8	5.58	20	3.08
200380		3.94	<0.5	7.25	<5	150	2.2	<2	0.24	<0.5	16	39	8	4.78	20	3.11
200381		3.27	<0.5	7.68	<5	150	2.1	<2	0.22	<0.5	16	39	7	5.05	20	3.10
200382		3.97	<0.5	7.33	<5	230	1.9	<2	0.22	<0.5	16	45	4	4.78	10	2.77
200383		3.53	<0.5	7.14	<5	250	1.6	<2	0.22	<0.5	15	46	3	5.01	20	2.38
200384		2.22	<0.5	7.47	<5	300	1.9	<2	0.22	<0.5	16	41	3	4.77	20	2.57
200385		3.06	<0.5	7.37	<5	420	1.8	<2	0.36	<0.5	15	45	3	4.75	10	2.66
200386		3.32	<0.5	7.68	<5	500	1.8	<2	0.31	<0.5	16	51	3	4.98	10	2.76
200387		3.46	<0.5	7.76	<5	560	1.7	<2	0.71	<0.5	17	51	9	5.16	20	2.92
200388		3.90	<0.5	7.33	<5	470	1.8	<2	0.27	<0.5	15	44	3	5.00	20	2.72
200389		3.00	<0.5	7.44	<5	390	1.7	<2	0.45	<0.5	15	46	3	5.73	20	2.85
200390		2.16	<0.5	9.81	<5	170	2.0	<2	0.50	0.8	32	62	3	12.55	30	2.29
200391		3.52	<0.5	8.77	<5	380	1.6	<2	0.63	0.5	31	34	4	12.10	20	2.79
200392		3.06	<0.5	6.13	<5	590	1.5	2	0.25	<0.5	7	19	4	2.81	10	3.41
200393		3.04	<0.5	5.99	<5	610	1.8	<2	0.16	<0.5	6	18	4	2.29	10	3.85
200394		3.19	<0.5	6.04	<5	630	1.8	<2	0.25	<0.5	7	18	4	2.31	10	4.11

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 5 - B

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200355		30	1.21	390	<1	1.12	15	560	5	0.02	5	13	19	20	0.30
200356		30	1.23	425	<1	1.24	14	520	6	0.01	6	12	22	20	0.31
200357		30	1.08	380	2	0.96	14	550	7	0.02	7	12	18	<20	0.30
200358		30	0.89	343	1	0.99	10	610	4	0.01	7	14	16	20	0.33
200359		30	0.97	420	<1	0.61	9	560	7	0.02	9	13	11	<20	0.34
200360		30	1.13	541	<1	0.84	10	490	4	0.01	7	11	14	<20	0.31
200361		30	1.19	578	<1	0.90	10	530	4	0.02	5	12	14	<20	0.32
200362		30	1.20	574	<1	1.09	13	530	7	0.01	<5	12	17	<20	0.33
200363		30	1.12	647	<1	0.98	12	560	5	0.01	6	13	16	<20	0.35
200364		30	0.95	661	1	0.99	11	570	5	0.04	8	12	16	<20	0.32
200365		30	0.84	500	<1	0.82	10	530	8	0.02	10	12	11	<20	0.33
200366		40	1.16	474	<1	0.89	11	570	5	0.01	5	14	15	20	0.34
200367		40	1.30	374	<1	1.06	17	600	7	0.01	6	15	19	20	0.35
200368		50	1.13	310	<1	0.44	11	610	7	0.01	8	14	12	20	0.33
200369		30	1.72	696	1	0.39	11	620	7	0.06	6	12	14	<20	0.29
200370		30	1.42	463	2	0.96	16	580	6	0.02	7	14	14	20	0.40
200371		40	1.38	458	1	0.67	18	640	6	0.05	6	14	15	20	0.37
200372		40	1.18	368	1	0.92	17	690	5	0.08	8	15	14	20	0.39
200373		40	1.17	318	1	0.80	18	990	9	0.08	6	13	17	20	0.36
200374		40	1.29	530	1	0.64	13	670	7	0.42	8	12	25	<20	0.33
200375		40	1.02	396	1	0.68	14	630	10	0.30	7	12	14	<20	0.34
200376		40	5.01	786	<1	0.44	24	880	9	<0.01	<5	19	19	<20	0.38
200377		40	6.79	1020	<1	0.15	25	840	4	0.01	<5	19	17	<20	0.43
200378		40	7.21	1300	<1	0.16	27	960	6	0.01	<5	22	25	<20	0.45
200379		30	4.17	774	<1	0.11	22	780	5	<0.01	<5	17	14	<20	0.40
200380		30	3.37	692	<1	0.25	23	1020	8	<0.01	7	17	15	<20	0.38
200381		40	3.57	703	<1	0.27	23	910	6	<0.01	7	18	15	20	0.36
200382		30	2.96	601	<1	0.92	25	890	6	<0.01	5	18	21	<20	0.38
200383		20	2.97	691	<1	1.36	24	800	3	<0.01	5	17	25	<20	0.38
200384		30	2.61	892	<1	1.47	23	750	7	<0.01	<5	18	36	<20	0.40
200385		30	1.98	835	<1	1.73	23	750	5	<0.01	6	18	50	20	0.40
200386		30	1.66	703	1	1.95	26	810	9	<0.01	9	19	56	20	0.41
200387		30	1.95	828	1	1.91	27	790	9	<0.01	7	18	60	20	0.40
200388		30	1.66	831	1	1.64	22	800	7	<0.01	5	18	52	20	0.36
200389		30	2.05	848	<1	1.34	24	780	7	<0.01	5	18	36	20	0.40
200390		20	4.10	2010	<1	1.05	34	1150	5	<0.01	<5	22	10	20	0.54
200391		10	4.06	2080	1	0.35	27	870	7	<0.01	<5	20	9	20	0.54
200392		30	1.03	411	1	1.13	9	340	6	<0.01	<5	10	26	20	0.22
200393		40	0.87	276	1	0.89	8	320	6	<0.01	<5	7	24	20	0.16
200394		40	0.93	315	1	0.82	10	310	6	<0.01	<5	7	25	20	0.16

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 5 - C

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200355		10	66	10	35	<0.01	
200356		10	61	<10	35	<0.01	
200357		10	63	30	34	<0.01	
200358		<10	73	10	22	<0.01	
200359		10	73	10	18	<0.01	
200360		10	62	10	20	<0.01	
200361		10	64	<10	20	<0.01	
200362		10	70	<10	28	<0.01	
200363		<10	73	10	22	<0.01	
200364		10	64	10	27	0.02	98.6
200365		<10	66	10	22	<0.01	
200366		<10	72	10	22	<0.01	
200367		10	74	10	32	<0.01	
200368		10	77	10	24	<0.01	
200369		10	70	10	23	<0.01	
200370		10	73	10	32	<0.01	
200371		10	75	10	32	<0.01	
200372		10	80	10	29	<0.01	
200373		10	81	10	28	<0.01	
200374		10	75	10	19	0.02	
200375		10	72	10	20	<0.01	
200376		<10	94	10	61	<0.01	
200377		<10	99	<10	80	<0.01	
200378		<10	108	10	91	<0.01	
200379		<10	98	<10	56	<0.01	
200380		<10	96	<10	52	<0.01	
200381		<10	99	<10	52	<0.01	
200382		<10	100	<10	55	<0.01	
200383		<10	102	<10	55	<0.01	
200384		<10	99	<10	47	<0.01	
200385		<10	98	<10	48	<0.01	
200386		<10	101	<10	59	<0.01	
200387		<10	104	<10	70	<0.01	
200388		<10	95	<10	70	<0.01	
200389		<10	98	<10	84	<0.01	
200390		10	156	<10	217	<0.01	
200391		<10	162	<10	235	<0.01	
200392		<10	53	<10	42	<0.01	
200393		<10	25	<10	30	<0.01	
200394		10	21	<10	30	<0.01	

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 6 - A

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
200395		2.75	<0.5	6.12	<5	700	1.4	2	0.81	<0.5	5	19	5	2.14	10	4.32
200396		1.57	<0.5	6.21	5	790	1.7	<2	0.19	<0.5	5	24	4	2.45	10	4.05
200397		3.49	<0.5	6.25	<5	810	1.8	<2	0.24	<0.5	5	23	5	2.34	10	4.28
200398		2.54	<0.5	6.18	<5	750	1.8	<2	0.29	<0.5	5	23	5	2.16	10	3.98
200399		3.06	<0.5	5.99	<5	720	1.7	<2	0.32	<0.5	5	23	6	2.14	10	3.72
200400		4.30	<0.5	6.30	<5	770	1.8	<2	0.23	<0.5	5	22	12	2.31	10	3.94
200401		4.42	<0.5	6.03	<5	730	1.8	2	0.21	<0.5	5	21	7	2.22	10	3.85
200402		2.72	<0.5	6.67	<5	790	1.9	2	0.17	<0.5	6	23	8	2.56	10	3.97
200403		2.79	<0.5	6.43	<5	720	1.7	<2	0.19	<0.5	5	21	4	2.20	10	4.23
200404		3.45	<0.5	6.17	<5	700	1.7	<2	0.10	<0.5	5	20	6	2.19	10	4.17
200405		3.43	<0.5	5.90	<5	650	1.8	<2	0.50	<0.5	5	17	5	2.15	10	3.93
200406		3.17	<0.5	6.28	<5	740	1.7	<2	0.17	<0.5	5	18	5	2.27	10	4.37
200407		3.47	<0.5	5.97	<5	690	1.6	<2	0.15	<0.5	5	18	4	2.11	10	4.05
200408		3.44	<0.5	6.36	<5	720	1.7	<2	0.16	<0.5	5	21	4	2.16	10	4.17
200409		2.42	<0.5	6.55	<5	610	2.2	<2	0.13	<0.5	6	20	5	2.52	10	4.18
200410		3.08	<0.5	5.86	5	650	1.7	<2	0.41	<0.5	5	20	5	1.93	10	4.27
200411		2.76	<0.5	6.71	5	740	1.3	2	0.71	<0.5	6	19	4	2.28	10	4.88
200412		3.04	<0.5	5.94	<5	720	1.5	<2	0.28	<0.5	5	19	4	1.99	10	4.76
200413		3.36	<0.5	5.70	5	640	1.4	<2	0.18	<0.5	4	19	5	1.91	10	4.34
200414		2.46	<0.5	6.13	<5	750	1.5	<2	0.11	<0.5	5	29	5	2.01	10	4.37
200415		2.33	<0.5	5.86	5	680	1.8	<2	0.71	<0.5	4	16	6	1.88	10	4.24
200416		3.49	<0.5	6.05	<5	740	1.7	<2	0.39	<0.5	5	23	7	2.15	10	4.35
200417		2.94	<0.5	5.96	<5	710	1.5	<2	0.27	<0.5	4	21	6	2.00	10	4.17
200418		3.30	<0.5	5.31	<5	570	1.6	<2	0.19	<0.5	4	17	8	1.79	10	3.69
200419		3.61	<0.5	6.14	<5	670	1.7	<2	0.16	<0.5	5	32	11	2.05	10	4.26
200420		1.97	<0.5	6.27	5	640	1.9	<2	0.16	<0.5	5	22	17	2.14	10	4.45
200421		2.18	<0.5	6.21	5	640	1.8	<2	0.16	<0.5	5	23	16	2.27	10	4.13
200422		0.80	<0.5	6.32	<5	680	1.9	2	0.11	<0.5	5	12	4	2.15	10	4.52
200423		4.43	<0.5	6.38	<5	700	2.0	<2	0.14	<0.5	6	22	7	2.28	10	4.48
200424		4.21	<0.5	6.53	<5	670	2.0	2	0.22	<0.5	6	23	5	2.32	10	4.59
200425		4.42	<0.5	6.37	<5	740	1.7	<2	0.18	<0.5	5	25	5	2.14	10	4.40
200426		5.19	<0.5	6.58	<5	730	1.8	<2	0.35	<0.5	5	21	6	2.13	10	4.47
200427		4.50	<0.5	6.65	<5	680	2.0	3	0.38	<0.5	5	23	7	2.15	10	4.54
200428		1.65	<0.5	6.65	<5	630	2.4	<2	0.56	<0.5	7	22	9	2.56	10	4.21
200429		3.25	<0.5	6.80	5	630	2.2	<2	0.80	<0.5	5	23	7	2.50	20	4.38
200430		3.60	<0.5	6.89	<5	710	2.3	<2	0.41	<0.5	6	33	100	2.56	10	4.46
200431		3.12	<0.5	6.90	<5	700	2.4	<2	0.60	<0.5	5	23	24	2.29	10	4.50
200432		3.81	<0.5	6.74	<5	600	2.7	<2	0.54	<0.5	6	21	5	2.50	20	4.17
200433		3.50	<0.5	6.59	<5	720	2.4	<2	0.52	<0.5	5	29	20	2.41	10	4.38
200434		2.46	<0.5	6.30	6	630	2.2	<2	0.68	<0.5	5	23	8	2.17	10	4.16

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 6 - B

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200395		40	0.89	505	1	1.19	9	290	7	<0.01	<5	6	30	20	0.15
200396		40	0.54	303	1	1.43	13	310	7	<0.01	5	7	36	20	0.17
200397		40	0.52	315	1	1.45	13	310	8	<0.01	<5	7	37	20	0.16
200398		40	0.50	293	1	1.60	11	300	7	<0.01	<5	7	35	20	0.16
200399		40	0.52	298	1	1.55	11	300	9	<0.01	<5	7	34	20	0.16
200400		40	0.51	308	2	1.49	11	310	9	0.04	<5	7	36	20	0.17
200401		40	0.50	292	1	1.40	10	310	7	0.01	<5	7	36	20	0.17
200402		40	0.68	337	1	1.47	10	320	7	0.01	<5	7	37	20	0.17
200403		40	0.73	301	1	1.48	11	310	6	<0.01	<5	7	31	20	0.16
200404		40	0.84	274	1	1.15	10	310	5	<0.01	<5	7	30	20	0.17
200405		30	0.92	379	1	1.11	9	300	7	<0.01	<5	7	28	20	0.15
200406		40	0.76	279	1	1.10	11	310	8	<0.01	<5	7	27	20	0.17
200407		40	0.75	262	1	1.25	10	290	6	<0.01	<5	6	26	20	0.15
200408		40	0.73	264	1	1.41	9	320	7	<0.01	<5	7	27	20	0.15
200409		40	1.09	310	1	1.11	10	340	6	0.01	<5	9	24	20	0.21
200410		40	0.96	345	1	0.95	9	290	7	0.01	<5	6	23	20	0.15
200411		40	1.65	521	1	0.15	11	310	5	<0.01	<5	6	16	20	0.16
200412		30	0.96	312	1	0.69	10	280	6	<0.01	<5	6	21	20	0.14
200413		30	0.76	252	1	0.70	10	270	6	<0.01	<5	6	18	20	0.13
200414		40	0.70	234	1	1.16	17	310	6	<0.01	<5	6	23	20	0.14
200415		30	0.98	425	1	1.08	8	280	5	<0.01	<5	6	22	20	0.13
200416		30	0.72	333	1	1.20	9	290	6	<0.01	<5	6	25	20	0.15
200417		40	0.49	277	1	1.29	10	290	5	<0.01	<5	6	24	20	0.15
200418		30	0.55	234	1	0.99	8	250	5	<0.01	<5	5	20	20	0.13
200419		30	0.52	260	1	1.18	18	300	7	<0.01	<5	6	23	20	0.15
200420		40	0.62	272	1	0.83	11	310	8	0.04	<5	7	21	20	0.16
200421		40	0.63	279	1	0.91	10	320	8	0.01	<5	7	32	20	0.17
200422		40	0.79	278	1	0.90	6	300	6	0.01	<5	7	20	20	0.15
200423		40	0.91	283	1	0.90	10	330	7	0.01	<5	7	19	20	0.16
200424		40	0.90	359	2	1.05	12	320	7	<0.01	<5	7	22	20	0.17
200425		40	0.66	272	1	1.34	11	320	7	<0.01	<5	6	25	20	0.16
200426		40	0.60	354	1	1.45	9	330	6	<0.01	<5	7	27	20	0.16
200427		30	0.51	304	1	1.41	10	330	6	<0.01	<5	7	26	20	0.18
200428		40	0.60	383	1	1.33	10	380	8	0.01	<5	8	32	20	0.19
200429		40	0.57	426	2	1.35	10	360	5	<0.01	<5	7	26	20	0.17
200430		40	0.48	303	2	1.61	16	330	7	0.01	<5	7	29	20	0.16
200431		40	0.44	270	1	1.65	11	320	6	<0.01	<5	7	28	20	0.16
200432		40	0.50	278	1	1.33	10	320	10	<0.01	<5	7	26	20	0.16
200433		40	0.42	253	1	1.48	15	330	6	0.01	<5	7	27	20	0.16
200434		40	0.38	247	1	1.43	10	290	8	0.01	<5	6	27	20	0.15

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 6 - C

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA26	PUL-QC
		U	V	W	Zn	Au	Pass75um
		ppm	ppm	ppm	ppm	ppm	%
		10	1	10	2	0.01	0.01
200395		<10	14	<10	23	<0.01	
200396		10	21	10	27	0.04	
200397		<10	17	<10	28	<0.01	
200398		<10	16	<10	24	<0.01	
200399		10	17	<10	25	<0.01	
200400		<10	18	<10	50	<0.01	
200401		<10	18	<10	37	<0.01	
200402		<10	21	<10	40	<0.01	
200403		<10	18	<10	31	<0.01	
200404		<10	19	<10	34	<0.01	96.6
200405		<10	19	<10	25	<0.01	
200406		10	19	<10	25	<0.01	
200407		<10	18	<10	24	0.02	
200408		10	19	<10	32	<0.01	
200409		10	30	<10	40	<0.01	
200410		<10	15	10	36	<0.01	
200411		<10	14	<10	43	<0.01	
200412		<10	14	<10	30	<0.01	
200413		<10	12	<10	21	0.01	
200414		10	13	<10	24	<0.01	
200415		10	13	<10	18	<0.01	
200416		<10	12	<10	28	<0.01	
200417		10	12	<10	28	<0.01	
200418		<10	11	<10	27	<0.01	
200419		<10	15	10	32	<0.01	
200420		<10	18	<10	56	<0.01	
200421		<10	23	<10	33	<0.01	
200422		<10	15	10	26	<0.01	
200423		10	15	<10	33	<0.01	
200424		<10	15	<10	35	<0.01	
200425		10	13	<10	33	<0.01	
200426		10	13	<10	29	<0.01	
200427		10	15	<10	28	<0.01	
200428		<10	26	<10	31	<0.01	
200429		10	18	<10	36	<0.01	
200430		10	16	<10	30	<0.01	
200431		10	16	10	24	<0.01	
200432		10	21	<10	25	<0.01	
200433		10	14	10	23	<0.01	
200434		10	13	10	19	<0.01	

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 7 - A

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01
200435		3.47	<0.5	6.13	6	520	2.2	<2	0.75	<0.5	5	21	4	2.08	10	3.91
200436		3.54	<0.5	5.89	<5	550	2.0	<2	0.53	<0.5	4	21	4	2.03	10	3.84
200437		2.08	<0.5	7.11	<5	650	2.3	<2	0.50	<0.5	6	21	4	2.22	10	4.24
200438		4.31	<0.5	6.52	5	680	2.1	<2	0.70	<0.5	6	20	4	2.18	10	4.23
200439		4.13	<0.5	7.18	<5	650	2.3	<2	0.71	<0.5	9	28	4	3.19	10	3.99
200440		2.07	<0.5	6.94	<5	680	2.5	<2	0.56	<0.5	7	25	4	2.18	20	4.44
200441		2.38	<0.5	6.41	<5	620	2.4	<2	0.48	<0.5	6	24	4	1.93	10	4.16
200442		3.59	<0.5	5.92	<5	650	1.9	<2	0.81	<0.5	6	23	5	2.17	10	3.94
200443		2.24	<0.5	6.48	<5	700	1.9	2	0.28	<0.5	6	25	4	2.27	10	4.28
200444		3.82	<0.5	5.99	<5	620	1.7	<2	0.58	<0.5	4	25	6	2.00	10	3.83
200445		3.67	<0.5	5.87	<5	650	1.7	<2	0.80	<0.5	5	24	43	1.94	10	3.54
200446		2.34	<0.5	6.04	<5	670	2.0	<2	0.61	<0.5	5	25	12	2.14	10	3.49
200447		2.32	<0.5	6.26	<5	710	2.1	<2	0.60	<0.5	6	22	6	2.15	10	3.91
200448		2.88	<0.5	5.76	<5	610	1.7	<2	1.15	<0.5	6	25	10	2.68	10	3.44
200449		3.15	<0.5	5.91	<5	610	1.8	<2	0.68	<0.5	5	21	6	1.99	10	3.35
200450		3.42	<0.5	5.91	<5	610	2.0	<2	0.69	<0.5	4	20	6	1.96	10	3.35
200451		3.78	<0.5	5.90	<5	710	1.9	<2	0.49	<0.5	5	22	6	2.14	10	3.64
200452		3.17	<0.5	6.69	<5	620	2.5	<2	0.64	<0.5	5	21	5	2.12	20	3.81
200453		2.35	<0.5	6.04	<5	700	2.3	<2	0.55	<0.5	5	22	4	1.97	10	3.65
200454		3.56	<0.5	5.96	<5	700	2.1	<2	0.64	<0.5	5	28	6	2.17	10	3.58
200455		3.06	<0.5	6.58	<5	750	2.5	2	0.63	<0.5	6	29	15	2.31	10	3.80
200456		3.21	<0.5	5.91	<5	670	2.3	<2	0.81	<0.5	5	22	7	2.06	10	3.53
200457		3.32	<0.5	6.04	<5	690	2.2	<2	0.86	<0.5	6	25	26	2.01	10	3.65
200458		2.84	<0.5	5.91	<5	640	2.1	<2	1.07	<0.5	7	22	94	2.05	10	3.49
200459		2.55	<0.5	5.90	<5	730	1.8	<2	0.60	<0.5	4	20	6	1.82	10	3.79
200460		2.70	<0.5	5.78	<5	710	1.5	<2	0.62	<0.5	5	20	5	1.96	10	3.77
200461		2.96	<0.5	5.78	<5	730	1.6	<2	0.68	<0.5	5	41	5	2.06	10	3.74
200462		2.76	<0.5	5.65	<5	700	1.8	<2	0.52	<0.5	5	21	6	2.04	10	3.69
200463		2.45	<0.5	6.12	<5	750	2.1	<2	0.43	<0.5	4	23	30	2.07	10	3.83
200464		2.61	<0.5	5.97	<5	770	2.1	2	0.63	<0.5	5	25	12	2.06	10	4.08
200465		2.14	<0.5	6.01	<5	710	2.1	2	0.60	<0.5	4	22	17	2.15	10	3.85
200466		2.11	<0.5	5.83	<5	640	2.2	2	0.59	<0.5	5	18	13	2.01	10	3.64
200467		2.61	<0.5	5.65	<5	680	2.1	<2	0.60	<0.5	4	21	13	1.87	10	3.55
200468		2.46	<0.5	5.70	<5	720	1.9	<2	0.66	<0.5	4	21	7	1.93	10	3.73
200469		2.18	<0.5	5.32	<5	630	1.6	<2	0.60	<0.5	4	18	9	1.81	10	3.43
200470		3.46	<0.5	5.41	5	660	1.8	<2	0.57	<0.5	4	21	6	1.92	10	3.39
200471		2.20	<0.5	5.67	<5	700	2.0	<2	0.81	<0.5	4	18	36	1.91	10	3.69
200472		1.40	<0.5	5.73	5	720	2.1	<2	0.84	<0.5	4	14	32	1.94	10	3.83
200473		4.23	<0.5	5.49	<5	650	2.0	<2	1.44	<0.5	4	22	17	1.89	10	3.64
200474		2.80	<0.5	5.51	<5	610	1.9	<2	0.82	<0.5	3	21	37	1.85	10	3.34

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 7 - B

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200435		30	0.36	243	1	1.30	10	310	5	0.01	<5	6	22	20	0.16
200436		30	0.34	234	1	1.28	10	290	5	<0.01	<5	6	20	20	0.14
200437		40	0.39	252	1	1.50	10	350	6	0.01	<5	7	25	20	0.17
200438		40	0.38	279	1	1.47	10	300	6	<0.01	<5	7	26	20	0.16
200439		30	0.63	390	1	1.56	14	330	8	<0.01	<5	12	28	20	0.26
200440		30	0.43	266	1	1.43	10	240	5	<0.01	5	7	29	20	0.15
200441		30	0.38	229	1	1.31	9	230	5	<0.01	<5	7	25	20	0.13
200442		30	0.48	388	1	1.13	11	220	6	<0.01	<5	6	22	20	0.13
200443		40	0.62	299	1	1.43	11	240	6	<0.01	<5	6	25	20	0.14
200444		30	0.49	318	1	1.43	14	210	3	<0.01	<5	6	24	20	0.13
200445		30	0.38	301	1	1.56	15	200	5	0.01	<5	6	32	20	0.13
200446		30	0.45	309	2	1.66	14	220	5	<0.01	<5	7	36	20	0.15
200447		40	0.41	279	1	1.51	10	230	6	0.01	<5	7	32	20	0.14
200448		30	0.71	679	1	1.27	14	190	6	<0.01	<5	6	28	20	0.12
200449		30	0.40	315	1	1.63	12	200	5	0.01	<5	6	29	20	0.14
200450		30	0.37	324	1	1.62	10	210	12	<0.01	<5	6	30	20	0.14
200451		30	0.38	296	1	1.47	12	210	12	<0.01	<5	6	34	20	0.14
200452		40	0.40	300	1	1.71	12	220	13	<0.01	<5	7	31	20	0.14
200453		30	0.35	268	1	1.52	11	210	8	0.01	<5	6	27	20	0.13
200454		40	0.40	312	1	1.47	12	220	7	<0.01	<5	7	31	20	0.15
200455		40	0.44	336	1	1.78	13	240	10	0.06	<5	7	36	20	0.15
200456		30	0.37	334	1	1.58	11	210	7	0.02	<5	6	29	20	0.13
200457		30	0.35	334	1	1.81	12	220	10	0.01	<5	6	34	20	0.14
200458		30	0.39	368	1	1.49	11	220	41	0.01	<5	7	30	20	0.15
200459		30	0.31	267	1	1.58	11	200	10	0.01	<5	6	32	20	0.13
200460		30	0.31	307	1	1.47	12	220	12	<0.01	<5	6	32	20	0.13
200461		40	0.33	321	1	1.45	13	230	9	<0.01	<5	6	30	20	0.14
200462		30	0.37	315	1	1.39	10	240	13	<0.01	<5	6	28	20	0.14
200463		40	0.34	267	1	1.58	11	300	10	0.01	<5	6	28	20	0.15
200464		30	0.33	284	2	1.57	11	290	7	0.02	<5	6	29	20	0.16
200465		40	0.34	284	1	1.57	12	310	7	0.02	<5	7	31	20	0.17
200466		30	0.33	240	1	1.36	10	280	5	0.03	<5	7	29	20	0.16
200467		30	0.31	223	1	1.48	11	270	5	0.02	<5	6	30	20	0.16
200468		30	0.31	225	1	1.47	11	270	5	0.01	<5	6	31	20	0.15
200469		30	0.30	204	1	1.27	10	260	5	0.01	<5	6	28	20	0.14
200470		30	0.32	240	1	1.29	11	270	2	0.01	<5	6	32	20	0.15
200471		30	0.33	265	1	1.25	10	280	5	0.01	<5	6	32	20	0.16
200472		30	0.33	264	<1	1.14	8	270	6	0.02	<5	7	32	20	0.15
200473		30	0.32	432	1	1.27	10	280	8	0.02	<5	6	32	20	0.16
200474		30	0.30	263	1	1.35	10	270	6	0.01	<5	6	36	20	0.15

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 7 - C

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200435		10	14	<10	20	0.02	
200436		10	13	<10	21	<0.01	
200437		<10	16	<10	27	0.01	
200438		<10	17	<10	28	0.01	
200439		10	66	10	43	0.01	
200440		10	22	10	32	<0.01	
200441		10	19	<10	27	<0.01	
200442		<10	17	<10	41	<0.01	
200443		<10	19	<10	48	<0.01	
200444		10	16	<10	40	<0.01	87.1
200445		10	18	<10	40	<0.01	
200446		10	20	<10	45	<0.01	
200447		10	21	<10	39	<0.01	
200448		<10	20	<10	32	<0.01	
200449		10	20	<10	25	<0.01	
200450		10	20	<10	41	<0.01	
200451		10	19	<10	55	0.01	
200452		10	24	<10	48	<0.01	
200453		10	20	<10	38	<0.01	
200454		<10	22	10	40	<0.01	
200455		10	21	<10	79	<0.01	
200456		10	19	<10	56	<0.01	
200457		10	20	<10	55	<0.01	
200458		10	27	<10	72	0.01	
200459		10	18	<10	46	<0.01	
200460		10	17	<10	49	<0.01	
200461		<10	18	<10	52	<0.01	
200462		10	16	<10	38	<0.01	
200463		<10	15	<10	37	<0.01	
200464		10	15	<10	31	<0.01	
200465		10	18	<10	39	<0.01	
200466		<10	18	<10	25	<0.01	
200467		10	16	<10	18	0.01	
200468		10	15	<10	17	<0.01	
200469		10	15	<10	17	<0.01	
200470		10	15	<10	22	<0.01	
200471		<10	15	<10	24	<0.01	
200472		10	17	<10	15	<0.01	
200473		10	16	<10	28	0.01	
200474		10	15	<10	24	<0.01	

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 8 - A

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01
200475		3.00	<0.5	5.67	<5	620	2.0	<2	0.68	<0.5	3	18	10	1.83	10	3.28
200476		3.92	<0.5	5.79	<5	650	2.2	<2	0.99	<0.5	4	18	10	1.85	10	3.50
200477		2.64	<0.5	5.85	<5	660	2.4	<2	0.70	<0.5	4	18	7	1.94	10	3.53
200478		2.16	<0.5	4.43	<5	470	1.7	2	0.65	<0.5	3	13	8	1.47	10	2.80
200479		3.29	<0.5	5.37	<5	630	1.7	<2	0.44	<0.5	5	16	12	1.70	10	3.49
200480		2.79	<0.5	7.32	10	860	1.8	<2	1.19	<0.5	7	22	69	2.56	10	4.83
200481		3.05	<0.5	7.49	6	870	1.8	<2	1.34	<0.5	8	24	79	2.75	10	4.89
200482		3.15	<0.5	6.08	<5	680	1.8	<2	0.39	<0.5	4	24	14	2.10	10	3.60
200483		3.58	<0.5	6.14	6	620	1.9	<2	0.71	<0.5	5	25	11	2.04	10	3.68
200484		3.22	<0.5	5.86	5	620	2.1	<2	0.74	<0.5	5	23	6	2.04	10	3.56
200485		2.18	<0.5	6.31	5	680	2.4	<2	0.67	<0.5	4	20	7	1.92	10	3.80
200486		3.82	<0.5	6.46	<5	580	1.9	<2	1.01	<0.5	7	25	10	2.82	10	3.16
200487		2.74	<0.5	5.87	7	680	2.0	<2	0.55	<0.5	5	22	7	2.00	10	3.54
200488		2.94	<0.5	6.01	8	680	2.2	<2	0.41	<0.5	4	22	6	2.02	10	3.65
200489		3.41	<0.5	6.05	9	650	2.1	<2	0.42	<0.5	3	23	7	1.98	10	3.71
200490		3.05	<0.5	5.97	6	590	2.0	<2	0.43	<0.5	4	21	4	1.89	10	3.50
200491		2.63	<0.5	5.91	<5	640	2.1	<2	0.37	<0.5	4	18	7	1.97	10	3.58
200492		3.21	<0.5	6.09	5	630	2.0	<2	0.38	<0.5	5	22	7	2.15	10	3.57
200493		3.04	<0.5	5.97	5	600	1.8	2	0.42	<0.5	4	21	8	1.98	10	3.57
200494		2.96	<0.5	6.20	6	640	2.0	<2	0.44	<0.5	4	21	186	1.96	10	3.67
200495		3.18	<0.5	5.92	11	450	1.6	<2	0.70	<0.5	9	19	12	2.87	10	2.95
200496		3.14	0.8	5.90	<5	520	1.9	<2	0.55	<0.5	6	18	972	2.12	10	3.28
200497		2.68	<0.5	7.30	<5	150	5.0	<2	0.45	<0.5	23	40	<1	6.61	20	2.12
200498		3.79	<0.5	7.15	7	170	2.8	<2	0.36	<0.5	16	52	<1	4.75	20	2.36
200499		3.06	<0.5	6.62	8	170	2.2	<2	0.33	<0.5	13	49	1	4.01	10	2.16
200500		2.69	<0.5	6.63	6	160	2.1	<2	0.36	<0.5	13	49	1	3.98	20	2.16
200501		3.21	<0.5	6.51	<5	150	2.1	<2	0.35	<0.5	13	51	<1	4.00	10	2.18
200502		2.95	<0.5	6.94	<5	150	2.3	<2	0.25	<0.5	14	47	<1	4.08	20	2.45
200503		2.92	<0.5	7.12	6	140	2.4	<2	0.27	<0.5	15	50	<1	4.31	20	2.55
200504		3.62	<0.5	6.84	<5	170	2.1	<2	0.21	<0.5	15	54	2	4.05	10	2.45
200505		4.02	<0.5	6.64	7	160	2.2	<2	0.31	<0.5	14	47	<1	3.89	10	2.45
200506		3.92	<0.5	6.88	9	140	2.5	<2	0.20	<0.5	15	48	<1	4.31	20	2.50
200507		3.70	<0.5	6.81	<5	130	2.2	<2	0.21	<0.5	15	50	2	4.10	10	2.16
200508		4.34	<0.5	6.91	<5	130	2.2	<2	0.29	<0.5	15	50	1	4.22	20	1.96
200509		4.36	<0.5	6.53	<5	130	2.0	<2	0.24	<0.5	14	48	<1	3.90	10	1.74
200510		4.00	<0.5	6.79	<5	190	2.0	<2	0.26	<0.5	15	54	<1	4.16	20	2.03
200511		4.33	<0.5	6.79	<5	300	2.0	2	0.37	<0.5	15	53	<1	4.36	20	2.16
200512		4.33	<0.5	6.87	8	310	2.0	<2	1.07	<0.5	12	50	8	4.32	10	2.26
200513		4.67	<0.5	6.88	7	490	1.8	<2	1.70	<0.5	13	48	20	4.37	20	2.30
200514		4.76	<0.5	6.60	<5	530	1.7	<2	1.60	<0.5	15	50	122	4.33	10	2.28

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 8 - B

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200475		30	0.33	269	1	1.38	9	290	7	<0.01	<5	6	38	20	0.16
200476		30	0.42	362	1	1.30	9	300	10	0.01	<5	7	38	20	0.17
200477		40	0.37	246	1	1.10	10	300	7	0.01	<5	7	34	20	0.17
200478		30	0.36	260	<1	0.74	7	230	10	0.01	<5	5	22	20	0.13
200479		40	0.66	328	1	1.07	8	260	6	0.01	<5	6	27	20	0.16
200480		40	1.73	758	1	1.47	11	360	6	0.01	<5	8	36	20	0.22
200481		40	1.95	846	<1	1.54	10	370	4	0.01	<5	8	36	20	0.23
200482		40	0.56	321	<1	1.28	10	300	5	0.01	<5	6	33	20	0.17
200483		40	0.64	415	1	1.04	7	310	10	0.01	<5	6	27	20	0.16
200484		40	0.56	429	<1	0.95	11	280	14	<0.01	<5	6	25	20	0.14
200485		30	0.52	378	<1	1.19	7	300	5	0.01	<5	7	29	20	0.15
200486		30	0.65	545	1	1.69	8	410	11	<0.01	<5	10	31	20	0.28
200487		30	0.47	367	<1	1.38	8	290	5	<0.01	<5	6	31	20	0.14
200488		30	0.48	349	<1	1.41	8	290	4	0.01	<5	6	30	20	0.15
200489		30	0.47	366	<1	1.48	9	270	5	0.01	<5	6	29	20	0.14
200490		30	0.50	341	<1	1.41	8	280	<2	<0.01	<5	6	27	20	0.13
200491		30	0.49	327	<1	1.28	6	270	3	0.01	<5	6	30	20	0.13
200492		30	0.50	332	1	1.36	8	290	4	0.01	<5	6	31	20	0.14
200493		30	0.52	309	<1	1.18	8	270	3	<0.01	<5	6	28	20	0.13
200494		30	0.56	303	1	1.26	9	280	3	0.01	5	7	32	20	0.15
200495		30	1.42	533	<1	1.02	10	310	2	<0.01	<5	11	27	<20	0.25
200496		30	0.67	318	<1	0.95	7	300	2	0.03	6	8	29	20	0.18
200497		30	3.95	950	<1	0.93	18	840	3	0.01	5	22	20	<20	0.62
200498		20	3.15	638	<1	1.12	25	830	<2	<0.01	<5	18	22	<20	0.43
200499		30	2.85	486	<1	0.74	23	670	3	0.01	7	16	17	<20	0.36
200500		30	2.92	472	<1	0.77	22	690	<2	0.01	5	16	17	<20	0.34
200501		30	2.99	462	<1	0.74	24	710	<2	0.01	<5	16	16	<20	0.34
200502		30	3.08	449	<1	0.50	26	730	<2	<0.01	<5	17	11	<20	0.37
200503		30	3.44	463	<1	0.30	25	740	<2	<0.01	<5	17	10	<20	0.38
200504		30	3.12	428	<1	0.54	24	740	4	0.02	<5	17	13	<20	0.39
200505		30	2.80	473	<1	0.47	21	690	2	0.01	<5	16	12	<20	0.35
200506		30	3.22	482	<1	0.23	24	720	<2	0.01	5	17	9	<20	0.39
200507		30	3.05	459	<1	0.69	29	720	4	0.01	7	16	13	<20	0.36
200508		30	3.16	468	<1	0.95	26	710	<2	<0.01	<5	17	15	<20	0.36
200509		20	2.87	416	<1	1.20	24	700	2	<0.01	<5	15	18	<20	0.35
200510		20	2.74	410	<1	1.19	24	640	4	<0.01	<5	16	21	<20	0.35
200511		20	2.72	437	1	1.20	25	650	<2	0.01	<5	16	26	<20	0.37
200512		30	2.19	559	<1	1.24	24	660	3	<0.01	<5	16	34	<20	0.36
200513		30	1.36	539	<1	1.78	22	650	5	0.01	<5	16	57	<20	0.35
200514		30	1.08	490	<1	1.91	23	620	5	0.02	<5	15	65	<20	0.31

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 8 - C

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA26	PUL-QC
		U	V	W	Zn	Au	Pass75um
		ppm	ppm	ppm	ppm	ppm	%
		10	1	10	2	0.01	0.01
200475		10	16	<10	31	<0.01	
200476		<10	17	<10	31	<0.01	
200477		10	18	<10	26	<0.01	
200478		<10	14	<10	19	<0.01	
200479		10	17	<10	28	<0.01	
200480		<10	35	10	53	<0.01	
200481		<10	40	<10	59	<0.01	
200482		<10	24	<10	34	<0.01	
200483		<10	23	<10	31	<0.01	
200484		<10	20	<10	40	<0.01	98.3
200485		<10	23	<10	30	<0.01	
200486		<10	48	<10	63	<0.01	
200487		<10	22	<10	48	<0.01	
200488		<10	19	<10	56	0.01	
200489		<10	18	<10	49	<0.01	
200490		<10	17	<10	41	0.01	
200491		<10	21	<10	38	<0.01	
200492		<10	20	<10	42	<0.01	
200493		<10	20	<10	34	<0.01	
200494		<10	23	<10	35	<0.01	
200495		<10	82	<10	40	<0.01	
200496		<10	39	<10	35	<0.01	
200497		<10	198	<10	105	<0.01	
200498		<10	122	<10	98	<0.01	
200499		<10	98	<10	72	<0.01	
200500		<10	96	<10	73	<0.01	
200501		<10	98	<10	74	<0.01	
200502		<10	98	<10	63	<0.01	
200503		<10	103	<10	63	<0.01	
200504		<10	99	<10	63	<0.01	
200505		<10	93	10	71	<0.01	
200506		<10	99	<10	65	<0.01	
200507		<10	95	<10	73	0.01	
200508		<10	97	<10	69	<0.01	
200509		<10	94	<10	57	<0.01	
200510		<10	101	10	45	<0.01	
200511		<10	99	<10	46	<0.01	
200512		<10	97	<10	41	<0.01	
200513		<10	94	<10	36	<0.01	
200514		<10	88	<10	38	<0.01	

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 9 - A

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
200515		5.00	<0.5	6.71	<5	650	1.6	4	1.85	<0.5	14	49	33	4.58	10	2.58
200516		5.07	<0.5	7.07	<5	740	1.7	<2	1.97	<0.5	14	50	23	4.79	10	2.95
200517		4.57	<0.5	6.88	8	710	1.9	3	1.97	<0.5	15	53	27	4.62	10	3.19
200518		3.47	<0.5	6.61	<5	670	1.7	<2	1.82	<0.5	14	47	16	4.11	10	3.03
200519		2.79	<0.5	6.74	<5	650	1.8	<2	1.85	<0.5	14	52	31	4.27	20	2.88
200520		3.71	<0.5	6.87	<5	660	1.8	<2	2.25	<0.5	15	57	27	4.52	20	2.73
200521		3.99	0.5	7.01	<5	660	1.8	<2	2.20	<0.5	15	52	32	4.53	20	2.75
200522		2.99	<0.5	6.70	6	680	1.7	<2	2.11	<0.5	14	50	32	4.24	20	2.80
200523		1.60	<0.5	6.80	<5	600	1.7	<2	1.60	<0.5	14	47	113	4.75	10	2.48
200524		3.79	0.6	7.07	<5	680	1.8	2	1.93	<0.5	14	54	21	4.61	10	2.79
200525		3.09	0.5	6.88	5	640	1.7	<2	2.28	<0.5	15	49	28	4.33	20	2.93
200526		2.99	1.4	7.27	6	670	1.8	<2	2.51	<0.5	15	54	33	4.62	20	2.88
200527		3.42	1.5	7.23	5	650	1.9	<2	2.24	<0.5	15	58	42	4.71	10	2.70
200528		3.45	<0.5	6.95	8	420	1.7	<2	3.06	<0.5	13	54	34	4.40	20	1.88
200529		2.01	0.7	7.09	<5	580	1.8	<2	2.03	<0.5	14	52	32	4.64	20	2.46
200530		4.92	0.5	6.98	<5	620	1.8	<2	2.28	<0.5	16	56	32	4.62	20	2.60
200531		3.47	<0.5	7.43	9	670	1.7	<2	2.59	<0.5	15	56	31	4.81	10	2.84
200532		3.64	1.1	7.89	11	710	1.9	<2	2.71	0.9	18	63	34	5.10	20	3.00
200533		2.14	<0.5	6.96	5	470	1.7	<2	2.62	<0.5	15	59	37	4.40	10	2.11
200534		3.18	<0.5	7.21	6	570	1.8	<2	2.55	<0.5	15	57	33	4.59	10	2.43
200535		1.98	<0.5	6.91	<5	560	1.7	<2	2.27	<0.5	14	48	28	4.62	10	2.53
200536		4.37	0.6	6.84	8	550	1.8	<2	2.37	<0.5	17	57	30	4.54	10	2.55
200537		3.27	0.8	7.03	6	590	1.8	<2	2.42	<0.5	15	59	33	4.51	20	2.70
200538		2.61	0.6	6.84	<5	650	1.8	<2	2.22	<0.5	15	53	36	4.45	20	2.89
200539		3.96	<0.5	6.99	6	660	1.8	<2	2.12	<0.5	14	54	32	4.60	20	2.90
200540		3.06	<0.5	6.89	7	580	1.8	<2	2.29	<0.5	14	50	36	4.22	10	2.57
200541		3.32	<0.5	6.95	<5	580	1.8	<2	2.31	<0.5	14	52	39	4.38	10	2.58
200542		2.89	<0.5	6.98	5	600	1.8	<2	2.10	<0.5	14	50	50	4.48	20	2.67
200543		3.55	0.6	7.08	5	640	1.9	<2	2.00	<0.5	14	54	12	4.63	10	2.79
200544		3.57	<0.5	7.05	<5	640	1.9	2	1.92	<0.5	14	54	9	4.58	20	2.94
200545		2.91	<0.5	7.31	<5	620	1.9	<2	1.99	<0.5	15	52	8	4.66	20	2.82
200546		3.69	<0.5	6.92	<5	600	1.8	<2	1.90	<0.5	13	51	7	4.43	10	2.79
200547		3.78	<0.5	6.99	<5	590	1.8	<2	1.91	<0.5	13	47	8	4.48	20	2.59
200548		2.89	0.5	6.85	<5	570	1.8	<2	1.87	<0.5	14	50	6	4.42	10	2.57
200549		3.37	<0.5	6.91	<5	580	1.8	<2	1.67	<0.5	13	48	5	4.41	20	2.60
200550		3.15	<0.5	7.38	6	570	2.0	<2	2.04	<0.5	15	55	8	4.53	20	2.75
200551		3.46	<0.5	6.95	<5	580	1.9	<2	1.93	<0.5	15	62	7	4.32	20	2.72
200552		3.94	<0.5	7.11	<5	610	2.0	<2	1.91	<0.5	15	49	7	4.45	20	2.86
200553		3.30	<0.5	7.83	<5	690	2.2	<2	2.09	<0.5	17	55	6	4.95	20	3.29
200554		2.70	<0.5	7.86	<5	730	2.3	<2	2.24	<0.5	16	54	9	4.85	20	3.57

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 9 - B

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200515		30	1.27	537	<1	2.47	23	720	4	0.01	<5	15	79	<20	0.33
200516		30	1.29	590	<1	2.41	23	740	4	0.01	<5	17	96	20	0.36
200517		30	1.38	640	<1	2.13	25	710	4	0.01	5	17	86	<20	0.38
200518		20	1.22	685	1	1.76	23	660	10	0.01	<5	16	71	<20	0.35
200519		20	1.28	713	<1	1.72	28	650	11	0.01	<5	17	85	<20	0.37
200520		30	1.31	788	1	1.62	27	720	19	0.01	6	18	112	<20	0.39
200521		30	1.31	783	1	1.64	26	680	22	0.01	<5	18	116	<20	0.39
200522		30	1.20	676	<1	1.59	24	650	13	0.01	<5	17	109	<20	0.36
200523		30	1.29	656	1	2.19	25	650	8	0.03	<5	17	76	<20	0.38
200524		30	1.26	662	1	2.22	24	750	9	0.01	5	17	85	<20	0.39
200525		30	1.28	719	1	1.65	24	710	14	0.01	<5	17	100	<20	0.37
200526		30	1.31	754	1	1.57	26	750	36	0.02	<5	18	136	<20	0.37
200527		30	1.24	713	1	2.04	26	730	65	0.07	<5	18	133	<20	0.40
200528		30	1.02	677	1	2.16	23	710	43	0.03	<5	17	189	<20	0.39
200529		30	1.22	694	1	2.18	24	670	47	0.03	<5	18	129	<20	0.37
200530		30	1.28	692	1	1.87	26	720	37	0.02	<5	18	127	<20	0.38
200531		30	1.32	713	1	1.74	26	770	21	0.03	<5	19	138	20	0.37
200532		30	1.43	746	2	1.82	32	800	20	0.02	<5	20	149	20	0.41
200533		30	1.21	641	2	2.17	27	700	73	0.02	<5	17	139	<20	0.37
200534		30	1.31	676	1	1.89	26	740	24	0.02	<5	18	149	<20	0.37
200535		30	1.21	694	1	1.79	24	670	22	0.03	<5	17	134	<20	0.38
200536		30	1.25	682	2	1.61	25	700	27	0.05	<5	18	139	<20	0.39
200537		30	1.23	668	1	1.58	26	730	35	0.02	<5	18	144	<20	0.40
200538		30	1.25	715	2	1.65	25	720	37	0.03	<5	17	113	<20	0.40
200539		30	1.24	757	1	1.93	24	720	24	0.02	<5	18	111	<20	0.42
200540		30	1.14	693	1	2.26	25	690	9	0.02	<5	17	100	<20	0.40
200541		30	1.15	712	1	2.26	25	720	12	0.02	<5	17	102	<20	0.41
200542		30	1.20	691	1	2.29	25	700	11	0.03	<5	17	92	<20	0.38
200543		30	1.21	680	2	2.17	27	720	10	0.01	<5	18	90	<20	0.43
200544		30	1.20	637	1	2.22	26	730	10	0.01	<5	18	88	<20	0.41
200545		30	1.28	649	1	2.49	27	740	8	0.02	<5	18	89	<20	0.40
200546		30	1.19	627	1	2.35	25	710	8	0.01	<5	18	82	<20	0.41
200547		30	1.25	649	<1	2.45	24	720	8	0.01	<5	18	79	<20	0.41
200548		20	1.21	628	1	2.45	25	690	5	0.02	<5	17	80	<20	0.39
200549		30	1.21	613	1	2.51	24	700	7	0.02	<5	17	79	<20	0.40
200550		30	1.27	665	1	2.74	28	780	6	0.01	<5	20	91	<20	0.41
200551		30	1.20	625	1	2.56	33	730	7	0.01	<5	19	87	<20	0.40
200552		30	1.22	620	1	2.48	25	750	6	<0.01	<5	20	87	<20	0.41
200553		30	1.37	671	1	2.54	27	840	7	<0.01	<5	21	95	<20	0.46
200554		30	1.34	674	1	2.37	24	810	10	0.07	<5	21	94	20	0.44

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 9 - C

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA26	PUL-QC
		U	V	W	Zn	Au	Pass75um
		ppm	ppm	ppm	ppm	ppm	%
		10	1	10	2	0.01	0.01
200515		<10	91	<10	46	<0.01	
200516		<10	90	<10	53	<0.01	
200517		<10	96	<10	67	<0.01	
200518		10	89	<10	65	<0.01	
200519		<10	91	<10	79	0.01	
200520		10	94	<10	96	0.16	
200521		10	91	<10	92	0.20	
200522		10	88	<10	82	<0.01	
200523		10	88	10	76	<0.01	
200524		10	90	<10	80	<0.01	99.4
200525		<10	89	<10	95	<0.01	
200526		<10	94	10	107	<0.01	
200527		<10	98	<10	121	<0.01	
200528		10	92	<10	92	<0.01	
200529		10	93	<10	100	<0.01	
200530		<10	95	<10	106	<0.01	
200531		<10	94	<10	103	<0.01	
200532		10	105	10	110	<0.01	
200533		<10	92	10	97	<0.01	
200534		<10	96	<10	103	0.01	
200535		<10	87	<10	85	<0.01	
200536		10	90	<10	99	0.04	
200537		<10	92	10	99	<0.01	
200538		10	92	<10	100	<0.01	
200539		<10	92	<10	97	<0.01	
200540		10	88	<10	85	<0.01	
200541		<10	89	<10	84	0.01	
200542		10	89	<10	78	<0.01	
200543		10	93	<10	76	<0.01	
200544		10	94	<10	73	<0.01	
200545		10	95	<10	75	<0.01	
200546		<10	92	<10	70	<0.01	
200547		10	88	<10	67	<0.01	
200548		10	89	<10	62	<0.01	
200549		10	89	<10	62	<0.01	
200550		10	96	<10	73	<0.01	
200551		10	92	<10	66	<0.01	
200552		10	92	<10	67	<0.01	
200553		10	106	<10	73	0.02	
200554		10	105	<10	79	<0.01	

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 10 - A

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
200555		3.16	<0.5	7.59	<5	720	2.2	<2	1.98	<0.5	15	51	9	4.58	20	3.60
200556		3.14	<0.5	7.86	<5	740	2.3	<2	2.19	<0.5	14	50	7	4.86	20	3.56
200557		3.13	<0.5	7.07	<5	700	2.1	<2	1.93	<0.5	14	47	5	4.40	10	3.37
200558		3.98	<0.5	7.62	<5	750	2.2	<2	1.77	<0.5	14	50	6	4.93	20	3.57
200559		3.35	<0.5	7.82	<5	780	2.3	<2	1.66	<0.5	17	52	7	5.55	10	3.38

Comments: Results reissued with amended sample IDs



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 10 - B

Total # Pages: 10 (A - C)

Finalized Date: 22-FEB-2010


Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10012024

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200555		30	1.27	623	1	2.26	25	790	9	0.02	<5	20	88	20	0.43
200556		30	1.33	669	1	2.31	25	780	10	0.01	<5	22	94	20	0.44
200557		30	1.20	608	1	2.06	24	730	7	0.01	<5	19	84	<20	0.40
200558		30	1.27	652	1	2.18	24	770	9	0.01	<5	20	84	<20	0.41
200559		40	1.39	719	1	2.32	27	790	9	0.02	<5	21	82	20	0.45

Comments: Results reissued with amended sample IDs



Comments: Results reissued with amended sample IDs