



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 1
Finalized Date: 15-MAR-2010
Account: WEDES

CERTIFICATE AS10017177

Project: EAST ROVER

P.O. No.: 0306

This report is for 246 Percussion samples submitted to our lab in Alice Springs, NT, Australia on 18-FEB-2010.

The following have access to data associated with this certificate:

JOHN FABRAY

BRETT SANDO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
PUL-QC	Pulverizing QC Test
PUL-23	Pulv Sample - Split/Retain
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **WESTERN DESERT RESOURCES**
ATTN: JOHN FABRAY
LEVEL 1, 26 GREENHILL ROAD
WAYVILLE SA 5034

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Wayne Abbott, Operations Manager, Western Australia



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - A

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
200828		2.60	<0.5	7.21	10	680	2.0	2	1.55	<0.5	10	60	7	3.55	20	3.38
200829		3.23	<0.5	7.51	13	650	2.1	3	1.53	<0.5	10	57	11	3.72	20	3.14
200830		4.08	<0.5	7.67	16	670	2.1	<2	1.92	<0.5	11	61	33	3.83	10	3.16
200831		3.33	<0.5	7.74	13	680	2.0	2	2.55	<0.5	11	61	19	4.09	20	3.29
200832		2.53	<0.5	7.51	19	680	2.1	<2	2.26	<0.5	10	60	24	3.79	20	3.31
200833		4.30	<0.5	7.59	16	650	2.0	<2	2.31	<0.5	9	52	35	3.71	20	3.14
200834		3.05	<0.5	7.50	22	540	2.1	<2	2.33	<0.5	11	61	44	3.65	10	2.57
200835		4.10	<0.5	7.30	16	500	2.1	<2	2.51	<0.5	10	59	43	3.52	10	2.35
200836		5.07	<0.5	7.23	15	510	2.1	3	2.37	<0.5	9	75	29	3.53	20	2.41
200837		2.95	<0.5	7.75	23	630	2.1	4	2.40	<0.5	10	69	21	3.84	20	2.97
200838		2.78	<0.5	7.40	21	570	2.1	<2	2.38	<0.5	10	56	21	3.84	10	2.74
200839		3.29	<0.5	7.59	14	650	2.2	2	2.30	<0.5	11	55	14	3.87	10	3.15
200840		3.39	<0.5	7.67	13	640	2.1	<2	2.14	<0.5	11	59	15	3.91	10	3.06
200841		3.16	<0.5	7.78	18	630	2.2	3	2.24	<0.5	13	59	18	3.93	20	3.13
200842		3.41	<0.5	7.41	13	650	2.1	2	2.04	<0.5	11	53	9	3.78	20	3.17
200843		3.92	<0.5	7.31	17	710	2.1	<2	1.79	<0.5	8	45	27	3.24	20	3.52
200844		3.26	<0.5	7.36	23	360	1.9	2	4.06	<0.5	7	61	27	3.67	20	1.81
200845		3.04	<0.5	7.11	8	630	2.0	2	2.19	<0.5	11	57	11	3.78	20	3.11
200846		3.21	<0.5	7.38	19	430	2.1	<2	3.54	<0.5	9	66	36	3.65	20	2.14
200847		3.15	<0.5	7.41	15	730	2.1	<2	1.89	<0.5	10	53	42	3.69	20	3.32
200848		3.10	<0.5	7.59	14	730	2.1	2	1.94	<0.5	10	52	40	3.77	20	3.22
200849		3.67	<0.5	7.59	20	580	2.1	4	2.37	<0.5	10	56	32	3.82	20	2.49
200850		3.88	<0.5	7.48	22	350	2.0	<2	2.89	<0.5	9	61	79	3.72	20	1.67
200851		2.45	<0.5	8.25	13	330	2.0	3	2.66	<0.5	22	52	50	5.34	20	1.59
200852		3.59	<0.5	7.31	17	650	2.0	2	2.37	<0.5	12	81	31	3.97	10	3.10
200853		3.28	<0.5	7.17	12	690	1.9	<2	2.07	<0.5	10	51	15	3.63	20	3.24
200854		2.90	<0.5	7.44	17	690	2.0	3	2.10	<0.5	9	50	14	3.61	20	3.29
200855		3.12	<0.5	7.18	11	620	2.0	3	2.21	<0.5	9	48	8	3.53	20	3.08
200856		2.89	<0.5	7.44	15	600	2.0	3	2.31	<0.5	10	57	10	3.80	10	2.97
200857		2.24	<0.5	7.23	11	550	1.9	<2	2.35	<0.5	11	54	8	3.92	20	2.55
200858		3.11	<0.5	7.28	9	630	2.0	<2	2.52	<0.5	11	51	6	3.82	20	3.09
200859		3.09	<0.5	7.25	13	640	2.0	5	2.04	<0.5	10	55	10	3.72	20	3.11
200860		2.73	<0.5	7.40	16	550	2.0	3	1.64	<0.5	13	55	122	3.72	10	2.66
200861		2.10	<0.5	8.09	16	590	2.2	4	1.86	<0.5	14	56	123	4.13	10	2.84
200862		3.26	<0.5	7.67	16	730	2.0	<2	2.16	<0.5	12	53	17	3.83	10	3.52
200863		3.32	<0.5	7.14	13	550	2.0	2	3.29	<0.5	11	53	13	3.85	10	2.59
200864		1.68	<0.5	6.85	5	870	2.5	<2	0.10	<0.5	3	12	27	2.35	10	3.42
200865		2.68	<0.5	6.85	6	840	2.2	3	0.05	<0.5	3	8	30	2.31	10	3.65
200866		4.28	<0.5	6.72	6	820	2.4	<2	0.03	<0.5	4	8	43	2.35	10	3.82
200867		4.61	<0.5	7.05	7	710	2.5	4	0.04	<0.5	3	8	25	2.29	10	3.50



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - B

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200828		30	1.16	520	2	1.96	26	580	12	<0.01	<5	16	109	20	0.41
200829		30	1.47	558	2	2.18	23	610	10	<0.01	8	17	111	20	0.42
200830		40	1.19	583	2	2.20	24	630	16	0.01	<5	17	134	20	0.42
200831		40	1.03	622	2	1.69	24	730	24	0.01	<5	18	149	20	0.43
200832		40	0.96	585	3	1.93	23	600	24	0.01	6	17	147	20	0.40
200833		40	0.96	588	3	1.91	21	580	37	0.02	<5	16	144	20	0.40
200834		40	0.90	606	2	2.43	25	590	22	0.02	7	17	149	20	0.40
200835		40	0.87	594	2	2.47	23	570	27	0.02	<5	16	154	20	0.40
200836		40	0.88	589	2	2.40	32	560	19	0.02	<5	16	153	20	0.41
200837		40	0.94	619	2	2.12	27	610	18	0.01	<5	17	147	20	0.41
200838		40	0.96	632	2	2.16	25	580	16	0.01	<5	16	142	20	0.38
200839		40	0.99	639	1	2.16	24	600	15	0.01	8	17	143	20	0.40
200840		40	0.97	639	2	2.20	27	630	15	0.01	<5	17	141	<20	0.41
200841		40	1.02	654	1	2.28	25	680	15	0.02	<5	17	144	20	0.39
200842		40	0.96	626	1	2.25	21	600	14	0.01	<5	16	130	20	0.39
200843		40	0.70	480	2	2.05	19	470	17	0.01	<5	15	141	20	0.35
200844		30	0.67	610	5	2.11	20	540	21	0.03	9	15	240	20	0.36
200845		40	0.97	577	2	1.78	24	610	17	0.01	<5	16	143	20	0.39
200846		40	0.73	597	3	2.32	23	560	20	0.01	6	16	198	20	0.37
200847		40	0.96	572	2	2.03	24	590	20	0.01	<5	16	133	20	0.40
200848		40	0.95	586	2	2.20	21	590	19	0.01	<5	17	136	20	0.40
200849		40	0.96	601	2	2.36	24	630	16	0.02	<5	17	154	20	0.41
200850		40	0.89	576	3	2.65	23	580	37	0.01	5	16	187	20	0.39
200851		40	1.87	851	1	2.98	36	610	86	0.02	<5	24	123	<20	0.48
200852		40	1.06	600	2	1.91	27	580	30	0.01	<5	17	148	20	0.40
200853		40	0.94	550	2	1.78	21	560	20	0.01	<5	16	138	20	0.39
200854		40	0.91	554	2	1.93	20	560	17	0.01	<5	16	139	20	0.38
200855		30	0.95	575	1	1.97	19	570	14	<0.01	6	16	130	20	0.39
200856		30	0.94	583	2	1.86	24	600	16	0.01	<5	16	138	<20	0.41
200857		30	1.02	625	1	1.97	23	600	13	0.01	5	16	129	20	0.39
200858		40	1.02	628	1	1.90	22	640	11	<0.01	<5	17	131	20	0.42
200859		40	0.97	574	2	1.97	23	620	14	<0.01	5	17	126	20	0.42
200860		40	1.15	577	2	2.19	23	630	15	0.04	5	17	110	20	0.44
200861		40	1.30	641	1	2.42	22	710	15	0.02	<5	18	124	20	0.43
200862		40	1.08	614	1	1.98	23	650	13	0.01	<5	17	127	20	0.44
200863		40	0.93	644	1	2.17	21	590	14	0.03	<5	17	149	20	0.42
200864		120	0.19	120	1	1.58	7	270	11	0.01	<5	11	131	20	0.21
200865		60	0.19	106	<1	0.88	5	90	10	0.01	<5	11	53	20	0.21
200866		60	0.23	134	<1	0.69	6	100	11	0.01	<5	12	49	20	0.21
200867		70	0.23	116	1	1.17	5	140	10	0.01	5	11	70	20	0.20



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - C

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200828		<10	66	<10	77	<0.01	
200829		<10	68	<10	83	<0.01	
200830		<10	71	<10	79	<0.01	
200831		<10	82	<10	82	<0.01	
200832		<10	68	<10	77	<0.01	
200833		<10	67	<10	74	<0.01	
200834		<10	67	<10	75	<0.01	
200835		<10	68	<10	71	<0.01	
200836		<10	67	<10	72	<0.01	
200837		<10	71	<10	74	<0.01	90.2
200838		<10	70	<10	72	<0.01	
200839		<10	73	<10	77	<0.01	
200840		<10	73	<10	76	0.02	
200841		<10	74	<10	82	<0.01	
200842		<10	67	<10	76	<0.01	
200843		<10	42	<10	58	<0.01	
200844		<10	75	<10	54	<0.01	
200845		<10	73	<10	76	<0.01	
200846		<10	81	20	57	<0.01	
200847		<10	66	10	75	<0.01	
200848		<10	66	<10	73	<0.01	
200849		<10	75	10	72	<0.01	
200850		<10	73	<10	64	<0.01	
200851		<10	131	<10	127	<0.01	
200852		<10	73	<10	78	<0.01	
200853		<10	62	<10	72	<0.01	
200854		<10	61	<10	72	<0.01	
200855		<10	65	<10	73	<0.01	
200856		<10	73	<10	75	<0.01	
200857		<10	73	<10	76	<0.01	
200858		<10	77	<10	79	<0.01	
200859		<10	73	<10	76	<0.01	
200860		<10	70	<10	88	<0.01	
200861		<10	74	<10	95	<0.01	
200862		<10	77	<10	83	<0.01	
200863		<10	76	<10	74	<0.01	
200864		<10	6	<10	42	<0.01	
200865		<10	5	<10	38	<0.01	
200866		<10	6	<10	42	<0.01	
200867		<10	6	<10	42	<0.01	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - A

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01
200868		2.63	<0.5	6.87	12	790	2.4	3	0.04	<0.5	4	9	28	2.30	10	3.59
200869		2.86	<0.5	6.98	8	810	2.6	4	0.04	<0.5	4	10	40	2.47	10	3.60
200870		3.86	<0.5	7.21	8	860	2.6	4	0.05	<0.5	4	10	30	2.46	20	3.75
200871		3.23	<0.5	7.04	9	710	2.4	<2	0.05	<0.5	3	9	25	2.33	10	3.36
200872		4.01	<0.5	7.04	13	650	2.5	2	0.05	<0.5	1	10	28	2.56	20	3.29
200873		2.73	<0.5	7.17	12	800	2.4	<2	0.05	<0.5	2	10	20	2.39	10	3.60
200874		3.65	<0.5	7.14	14	780	2.4	2	0.05	<0.5	2	11	25	2.44	20	3.53
200875		4.25	<0.5	6.95	9	640	2.4	<2	0.05	<0.5	3	12	21	2.48	20	3.15
200876		3.94	<0.5	7.18	14	740	2.3	<2	0.05	<0.5	4	14	22	2.51	10	3.39
200877		3.71	<0.5	5.92	10	570	2.5	2	0.04	<0.5	4	13	48	2.46	10	2.91
200878		4.16	<0.5	6.31	11	710	2.8	3	0.04	<0.5	4	12	43	2.43	10	3.36
200879		3.12	<0.5	7.02	12	980	2.6	5	0.05	<0.5	3	13	28	2.28	10	3.82
200880		3.18	<0.5	6.79	9	710	2.7	2	0.05	<0.5	3	11	23	2.50	20	3.42
200881		2.56	<0.5	6.81	10	690	2.7	3	0.05	<0.5	3	10	22	2.47	20	3.35
200882		2.56	<0.5	6.81	11	600	2.7	3	0.05	<0.5	4	12	23	2.51	20	3.15
200883		2.77	<0.5	6.90	9	610	2.9	<2	0.10	<0.5	4	11	39	2.44	10	3.00
200884		3.08	<0.5	5.93	12	640	2.9	3	0.21	<0.5	7	19	61	2.39	10	3.07
200885		3.82	<0.5	6.25	12	540	2.3	<2	0.40	<0.5	4	12	8	2.21	20	3.08
200886		3.74	<0.5	6.29	5	560	2.9	3	0.21	<0.5	4	13	28	2.25	20	3.16
200887		3.45	<0.5	6.46	10	640	3.3	5	0.07	<0.5	8	11	63	2.45	10	3.22
200888		2.97	<0.5	6.20	13	580	2.8	3	0.25	<0.5	6	15	17	2.21	20	3.24
200889		3.83	<0.5	5.71	13	610	2.3	4	0.44	<0.5	6	16	13	2.42	10	3.21
200890		2.95	<0.5	5.89	9	630	2.1	3	0.50	<0.5	3	15	8	2.32	10	3.19
200891		3.36	<0.5	6.49	12	670	2.3	2	0.68	<0.5	3	13	4	2.23	20	3.24
200892		3.00	<0.5	6.41	5	630	2.1	2	1.00	<0.5	2	13	27	1.94	10	2.99
200893		4.10	<0.5	6.40	10	660	2.2	4	0.76	<0.5	2	11	8	2.29	20	3.23
200894		4.33	<0.5	6.32	12	660	2.1	2	0.97	<0.5	2	12	25	1.96	10	3.10
200895		3.92	<0.5	5.90	<5	520	2.1	2	0.63	<0.5	2	11	27	2.16	10	2.89
200896		2.67	<0.5	6.25	7	500	2.3	2	0.57	<0.5	3	11	16	2.26	10	3.17
200897		3.16	<0.5	6.19	12	650	2.0	<2	0.79	<0.5	3	11	6	2.13	10	3.12
200898		2.51	<0.5	6.46	<5	630	2.1	<2	0.84	<0.5	2	13	6	2.31	10	2.96
200899		4.85	<0.5	6.47	<5	600	2.2	<2	0.73	<0.5	2	12	3	2.34	20	2.94
200900		3.45	<0.5	6.40	<5	600	2.0	<2	0.77	<0.5	2	11	3	2.34	10	2.92
200901		2.91	<0.5	6.40	<5	620	2.1	<2	0.74	<0.5	3	11	3	2.34	20	3.01
200902		3.15	<0.5	6.53	7	560	2.3	2	0.69	<0.5	2	13	4	2.45	20	2.98
200903		2.41	<0.5	6.31	<5	650	2.1	<2	0.59	<0.5	3	11	2	2.27	10	3.03
200904		3.26	<0.5	6.43	8	680	2.1	<2	0.70	<0.5	3	12	5	2.36	20	3.01
200905		2.84	<0.5	6.02	5	680	2.0	<2	0.97	<0.5	3	11	6	2.15	10	3.05
200906		3.79	<0.5	6.42	5	710	2.2	3	0.49	<0.5	3	12	4	2.42	20	3.20
200907		3.75	<0.5	6.52	8	670	2.2	<2	0.59	<0.5	2	12	3	2.44	10	3.12



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - B

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200868		50	0.21	115	1	1.26	6	100	12	0.01	5	11	64	20	0.21
200869		60	0.21	117	1	1.31	6	140	10	0.01	<5	11	77	20	0.21
200870		60	0.20	116	1	1.42	5	160	11	0.03	<5	11	88	20	0.22
200871		50	0.20	115	1	1.24	7	90	8	0.02	<5	12	54	20	0.21
200872		60	0.21	136	1	1.30	7	130	7	0.01	<5	12	62	20	0.21
200873		60	0.20	118	1	1.42	7	110	9	0.01	<5	12	70	20	0.21
200874		60	0.20	122	1	1.55	6	160	7	0.01	<5	11	85	20	0.21
200875		50	0.19	127	1	1.61	6	140	10	0.01	<5	11	75	20	0.20
200876		50	0.19	126	1	1.78	6	140	8	0.01	6	11	81	20	0.21
200877		50	0.19	156	1	0.98	7	120	10	0.01	5	10	49	20	0.18
200878		50	0.20	153	1	1.05	7	120	8	0.01	<5	10	57	20	0.19
200879		50	0.17	128	1	1.59	7	110	11	0.01	<5	11	76	20	0.21
200880		50	0.19	129	1	1.45	6	140	14	0.01	<5	11	66	20	0.20
200881		50	0.19	130	1	1.45	6	140	14	0.01	<5	11	68	20	0.20
200882		50	0.20	131	1	1.57	5	120	11	0.01	6	11	64	20	0.20
200883		50	0.20	245	1	1.67	7	180	8	0.01	<5	11	69	20	0.20
200884		40	0.28	530	1	1.17	9	210	14	0.01	<5	9	50	20	0.17
200885		40	0.36	354	1	1.21	3	220	10	0.01	<5	10	45	20	0.18
200886		40	0.29	332	1	1.14	6	220	10	<0.01	<5	10	44	20	0.19
200887		50	0.24	463	1	1.20	7	180	10	0.01	<5	10	58	20	0.19
200888		50	0.34	282	1	0.99	8	250	6	0.01	<5	10	36	20	0.19
200889		40	0.42	482	1	0.92	8	210	9	0.01	6	9	38	20	0.18
200890		40	0.45	326	1	1.05	7	230	8	0.01	6	9	42	20	0.19
200891		40	0.52	361	2	1.41	7	240	6	<0.01	9	10	56	20	0.20
200892		40	0.30	384	1	1.60	4	230	8	0.01	<5	10	66	20	0.19
200893		40	0.34	424	1	1.42	3	230	9	<0.01	<5	10	57	20	0.19
200894		40	0.34	432	2	1.59	5	230	10	<0.01	5	9	64	20	0.19
200895		40	0.46	399	1	1.21	5	220	9	<0.01	<5	9	42	20	0.18
200896		40	0.48	381	1	0.98	4	220	7	0.01	<5	10	33	20	0.19
200897		40	0.58	392	<1	1.32	5	220	9	0.01	5	9	51	20	0.18
200898		40	0.59	400	<1	1.56	5	240	8	0.03	<5	10	52	20	0.18
200899		40	0.51	371	1	1.75	6	240	8	0.01	<5	10	55	20	0.20
200900		40	0.53	427	<1	1.61	3	230	6	0.03	<5	10	50	20	0.18
200901		40	0.52	425	<1	1.65	4	230	6	0.02	<5	10	52	20	0.19
200902		40	0.50	354	1	1.60	3	240	5	0.04	6	10	49	20	0.19
200903		40	0.45	348	<1	1.55	3	220	9	0.01	<5	10	52	20	0.19
200904		50	0.47	388	1	1.40	3	250	5	0.04	<5	10	46	20	0.18
200905		50	0.59	457	1	1.26	5	240	7	0.05	6	9	44	20	0.17
200906		40	0.40	283	<1	1.38	4	240	6	0.03	<5	10	47	20	0.19
200907		40	0.45	341	1	1.47	4	240	6	0.01	<5	10	52	20	0.19



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - C

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200868		<10	5	<10	43	<0.01	
200869		<10	6	<10	43	<0.01	
200870		<10	5	<10	46	<0.01	
200871		<10	5	<10	40	<0.01	
200872		<10	5	<10	42	<0.01	
200873		<10	6	<10	38	<0.01	
200874		<10	6	<10	38	<0.01	
200875		<10	5	<10	40	<0.01	
200876		<10	6	<10	38	<0.01	
200877		<10	6	<10	37	<0.01	90.9
200878		<10	7	<10	37	<0.01	
200879		<10	6	<10	33	<0.01	
200880		<10	6	<10	39	<0.01	
200881		<10	6	<10	39	<0.01	
200882		<10	5	<10	39	<0.01	
200883		<10	5	<10	38	<0.01	
200884		<10	7	<10	39	<0.01	
200885		<10	6	<10	38	0.01	
200886		<10	6	<10	41	<0.01	
200887		<10	7	<10	40	<0.01	
200888		<10	6	<10	42	<0.01	
200889		<10	7	<10	36	<0.01	
200890		<10	6	<10	34	<0.01	
200891		<10	5	10	37	<0.01	
200892		<10	5	<10	36	<0.01	
200893		<10	5	<10	41	<0.01	
200894		<10	5	<10	45	<0.01	
200895		<10	5	<10	43	<0.01	
200896		<10	4	<10	43	<0.01	
200897		<10	5	<10	35	<0.01	
200898		<10	4	<10	36	<0.01	
200899		<10	4	<10	35	<0.01	
200900		<10	4	<10	36	<0.01	
200901		<10	4	<10	36	<0.01	
200902		<10	4	10	42	<0.01	
200903		<10	4	<10	38	<0.01	
200904		<10	5	<10	38	<0.01	
200905		<10	5	<10	37	<0.01	
200906		<10	5	<10	41	<0.01	
200907		<10	4	<10	41	<0.01	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 4 - A

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01
200908		3.63	<0.5	6.57	<5	700	2.1	<2	0.74	<0.5	3	20	4	2.39	10	3.05
200909		1.72	<0.5	6.05	8	570	2.1	<2	0.48	<0.5	3	10	4	2.39	10	2.80
200910		2.70	<0.5	6.56	5	820	1.9	<2	0.67	<0.5	2	10	3	2.35	10	3.16
200911		2.44	<0.5	6.09	<5	550	2.0	<2	0.75	<0.5	2	10	3	2.29	10	2.82
200912		3.81	0.8	6.08	10	450	2.3	<2	1.72	<0.5	5	9	4	2.27	20	3.11
200913		3.46	<0.5	6.37	6	630	2.4	2	0.75	<0.5	3	11	4	2.32	20	3.41
200914		3.79	<0.5	6.38	6	750	2.3	<2	0.51	<0.5	3	11	5	2.45	20	3.40
200915		1.76	<0.5	6.41	6	850	2.1	<2	0.59	<0.5	3	9	5	2.39	10	3.38
200916		3.16	<0.5	7.20	5	540	2.3	<2	0.82	<0.5	3	16	4	2.08	20	2.92
200917		2.70	<0.5	7.24	6	640	2.6	<2	0.64	<0.5	4	18	5	2.58	20	3.46
200918		3.13	<0.5	5.96	8	660	2.0	<2	3.09	<0.5	5	10	6	2.28	10	3.16
200919		3.36	<0.5	6.39	6	630	2.2	<2	1.23	<0.5	3	12	6	2.31	20	3.10
200920		3.26	<0.5	6.58	<5	710	2.2	<2	0.68	<0.5	2	13	5	2.64	20	3.11
200921		2.95	<0.5	6.50	<5	710	2.2	<2	0.68	<0.5	2	12	4	2.59	20	3.07
200922		2.09	<0.5	6.42	<5	610	2.1	<2	0.50	<0.5	2	9	4	2.42	10	2.66
200923		2.96	<0.5	7.15	<5	640	2.1	<2	0.76	<0.5	2	12	3	2.49	20	2.81
200924		2.95	<0.5	5.70	12	430	1.9	<2	1.76	<0.5	4	13	3	3.24	10	2.49
200925		3.40	<0.5	6.58	<5	530	2.3	3	0.63	<0.5	2	9	3	2.35	20	2.94
200926		3.82	<0.5	6.48	<5	550	1.9	<2	0.83	<0.5	3	12	4	2.35	10	2.60
200927		3.28	<0.5	6.63	9	640	2.2	2	0.79	<0.5	2	9	3	2.50	20	3.14
200928		2.32	<0.5	6.81	8	640	2.0	<2	0.94	<0.5	3	9	3	2.33	20	3.00
200929		3.23	<0.5	6.77	<5	610	2.0	4	0.81	<0.5	2	11	4	2.43	10	2.83
200930		3.24	<0.5	6.66	6	520	2.2	2	0.42	<0.5	2	12	5	2.62	20	2.98
200931		3.40	<0.5	6.42	<5	460	2.2	<2	0.36	<0.5	3	11	7	2.82	10	2.69
200932		2.87	<0.5	6.48	<5	490	2.2	<2	0.24	<0.5	1	10	4	2.70	20	2.74
200933		2.79	<0.5	6.05	9	580	1.9	<2	0.23	<0.5	2	12	5	2.55	10	2.68
200934		1.99	<0.5	6.07	<5	560	1.8	<2	0.23	<0.5	1	15	6	2.70	10	2.50
200935		3.28	<0.5	5.70	5	450	1.9	<2	0.26	<0.5	2	14	5	2.31	10	2.43
200936		2.99	<0.5	6.27	23	640	2.4	3	0.74	<0.5	11	13	8	2.62	20	3.36
200937		3.32	<0.5	5.97	15	500	2.1	<2	1.37	<0.5	6	12	7	2.68	20	2.91
200938		4.11	<0.5	6.23	9	640	2.2	<2	1.32	<0.5	3	13	5	2.38	20	3.12
200939		3.32	<0.5	6.14	13	610	2.2	2	1.51	<0.5	5	12	6	2.29	20	3.06
200940		1.90	<0.5	5.23	<5	570	1.9	<2	1.34	<0.5	4	17	11	2.69	10	2.81
200941		2.08	<0.5	5.10	12	560	1.9	<2	1.53	<0.5	4	28	9	2.69	10	2.71
200942		3.11	<0.5	4.76	66	450	1.8	4	1.64	<0.5	27	13	12	2.43	10	2.17
200943		3.17	<0.5	6.10	11	650	2.1	<2	1.55	<0.5	5	11	6	2.48	10	3.01
200944		3.60	<0.5	6.51	9	650	2.0	<2	0.85	<0.5	4	11	5	2.49	10	2.96
200945		4.40	<0.5	6.51	6	750	2.1	<2	0.57	<0.5	3	11	4	2.29	10	3.07
200946		3.20	<0.5	6.45	7	730	2.1	<2	0.32	<0.5	4	13	5	2.43	10	3.28
200947		2.34	<0.5	6.53	5	770	2.2	3	0.48	<0.5	2	12	6	2.46	10	3.53



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 4 - B

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200908		40	0.49	422	1	1.73	11	250	7	0.01	<5	10	59	20	0.19
200909		40	0.37	318	1	1.43	6	220	5	0.01	<5	9	46	20	0.18
200910		40	0.47	364	<1	1.56	3	230	6	0.01	6	10	61	20	0.18
200911		40	0.51	357	1	1.34	2	210	6	0.01	<5	9	43	20	0.17
200912		50	0.92	651	<1	0.74	3	220	6	0.05	5	9	28	20	0.18
200913		40	0.54	371	1	1.01	5	230	7	0.02	<5	10	39	20	0.20
200914		40	0.42	299	1	1.19	3	230	8	0.01	<5	10	49	20	0.19
200915		40	0.47	352	1	1.36	5	230	10	0.01	<5	10	60	20	0.19
200916		40	0.67	437	1	2.11	10	240	8	0.01	<5	10	83	20	0.20
200917		50	0.66	340	1	1.46	8	260	10	0.01	<5	10	52	30	0.21
200918		40	1.88	1050	1	1.05	4	220	9	0.06	5	9	43	20	0.18
200919		40	0.90	556	1	1.14	7	230	8	0.02	<5	10	43	20	0.18
200920		50	0.64	439	1	1.42	6	240	14	0.01	<5	10	53	20	0.20
200921		50	0.64	431	1	1.47	4	240	13	0.01	9	10	53	20	0.19
200922		40	0.52	334	1	1.86	2	230	11	0.01	<5	10	56	20	0.19
200923		40	0.62	442	1	2.22	5	260	13	<0.01	<5	11	66	30	0.21
200924		40	1.18	966	1	0.99	5	210	7	0.01	<5	9	32	20	0.17
200925		40	0.59	358	1	1.45	6	230	9	<0.01	<5	10	44	20	0.20
200926		40	0.63	399	<1	2.11	7	220	8	0.01	<5	10	60	20	0.19
200927		40	0.66	436	<1	1.26	3	240	12	0.01	<5	10	40	20	0.19
200928		40	0.69	452	<1	1.92	3	240	10	0.01	<5	11	56	20	0.20
200929		50	0.62	424	1	2.02	5	240	16	0.01	5	11	59	20	0.19
200930		50	0.48	277	1	1.54	4	240	11	0.02	<5	11	41	20	0.19
200931		50	0.46	297	1	1.52	10	240	11	0.02	<5	10	39	20	0.18
200932		50	0.42	236	<1	1.52	4	230	12	0.02	<5	10	39	20	0.18
200933		40	0.40	246	1	1.46	4	230	8	0.01	<5	9	43	20	0.17
200934		50	0.37	244	1	1.69	5	220	11	0.02	5	10	48	20	0.17
200935		60	0.37	243	1	1.68	4	210	8	0.01	<5	9	47	20	0.18
200936		50	0.73	506	<1	0.86	6	220	10	0.03	<5	10	32	20	0.18
200937		50	0.95	712	1	1.20	4	210	9	0.09	<5	9	39	20	0.18
200938		40	0.97	633	1	1.37	5	220	10	0.04	<5	9	46	20	0.19
200939		50	1.09	732	1	1.37	4	230	9	0.03	<5	9	44	20	0.19
200940		50	0.97	785	1	0.93	5	190	9	0.07	<5	8	37	20	0.16
200941		50	1.06	898	2	0.87	5	190	5	0.09	5	8	35	20	0.16
200942		50	1.07	1040	1	1.03	7	170	6	0.13	<5	7	33	20	0.14
200943		60	1.06	745	1	1.35	4	230	7	0.06	5	9	45	20	0.18
200944		50	0.70	482	1	1.82	5	240	7	0.02	6	10	58	20	0.19
200945		40	0.53	320	1	1.81	4	230	10	0.01	<5	10	63	20	0.19
200946		40	0.43	246	1	1.44	3	240	10	0.03	<5	10	51	20	0.19
200947		50	0.57	280	<1	1.29	5	230	11	0.02	<5	10	49	20	0.19



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 4 - C

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200908		<10	4	<10	38	<0.01	
200909		<10	4	<10	33	<0.01	
200910		<10	4	<10	32	<0.01	
200911		<10	4	<10	33	<0.01	
200912		<10	4	10	37	<0.01	
200913		<10	4	<10	35	<0.01	
200914		<10	5	<10	32	0.02	
200915		<10	5	<10	27	<0.01	
200916		<10	15	<10	44	<0.01	
200917		<10	15	<10	53	<0.01	93.3
200918		<10	5	<10	37	<0.01	
200919		<10	6	<10	45	<0.01	
200920		<10	5	<10	46	<0.01	
200921		<10	5	<10	47	<0.01	
200922		<10	5	<10	36	<0.01	
200923		<10	5	10	42	<0.01	
200924		<10	4	<10	62	<0.01	
200925		<10	5	<10	36	<0.01	
200926		<10	5	<10	37	<0.01	
200927		<10	5	<10	35	<0.01	
200928		<10	5	<10	30	<0.01	
200929		<10	5	<10	29	<0.01	
200930		<10	5	<10	35	<0.01	
200931		<10	6	<10	34	<0.01	
200932		<10	6	<10	36	<0.01	
200933		<10	4	<10	36	<0.01	
200934		<10	5	<10	31	<0.01	
200935		<10	6	<10	38	<0.01	
200936		<10	7	<10	45	<0.01	
200937		<10	6	<10	45	<0.01	
200938		<10	5	<10	49	<0.01	
200939		<10	6	<10	53	<0.01	
200940		<10	5	<10	40	<0.01	
200941		<10	5	<10	42	<0.01	
200942		<10	5	<10	38	<0.01	
200943		<10	5	<10	31	<0.01	
200944		<10	5	<10	30	<0.01	
200945		<10	6	<10	30	<0.01	
200946		<10	5	<10	46	<0.01	
200947		<10	5	<10	57	<0.01	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 5 - A

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
200948		4.01	<0.5	6.36	10	710	2.0	<2	1.01	<0.5	4	11	17	2.19	10	3.19
200949		3.70	<0.5	6.79	9	540	2.5	2	0.76	<0.5	2	13	7	1.98	20	3.18
200950		4.04	<0.5	6.92	<5	520	2.6	<2	0.92	<0.5	3	12	5	1.76	10	3.21
200951		3.09	<0.5	6.78	13	560	2.3	3	1.04	<0.5	3	13	10	2.07	10	3.00
200952		3.71	<0.5	6.76	7	730	2.1	<2	1.22	<0.5	3	18	22	2.47	10	3.14
200953		2.41	<0.5	6.63	7	660	2.3	<2	1.29	<0.5	2	10	30	2.43	20	3.33
200954		3.75	<0.5	5.92	7	710	2.0	<2	1.67	<0.5	3	11	21	2.27	10	3.20
200955		3.91	<0.5	6.07	5	770	1.8	<2	1.63	<0.5	2	22	10	2.22	10	2.92
200956		3.72	<0.5	6.46	<5	710	1.9	<2	1.76	<0.5	2	12	11	2.21	10	2.94
200957		3.77	<0.5	5.98	9	660	1.8	2	1.89	<0.5	2	11	7	2.22	10	2.74
200958		4.33	<0.5	6.45	<5	680	2.1	<2	1.68	<0.5	2	11	5	2.42	10	3.11
200959		2.79	<0.5	6.76	<5	790	2.3	<2	1.13	<0.5	2	10	4	2.54	20	3.34
200960		3.32	<0.5	6.28	<5	650	2.4	<2	0.84	<0.5	2	9	3	2.48	10	3.24
200961		2.29	<0.5	6.50	14	670	2.4	<2	0.85	<0.5	3	9	4	2.65	20	3.30
200962		2.97	<0.5	6.60	8	670	2.2	<2	1.20	<0.5	3	10	5	2.46	20	3.27
200963		3.32	<0.5	6.40	<5	590	2.2	2	1.61	<0.5	2	15	4	2.46	10	3.06
200964		3.72	<0.5	6.40	<5	530	2.2	<2	1.63	<0.5	3	9	6	2.37	10	3.02
200965		2.96	<0.5	6.16	6	510	2.0	<2	1.67	<0.5	1	12	6	2.07	10	2.77
200966		2.99	<0.5	6.11	<5	500	2.3	<2	2.45	<0.5	2	11	11	2.21	10	2.99
200967		2.73	<0.5	6.85	5	720	2.3	<2	0.91	<0.5	2	8	3	2.66	20	3.50
200968		3.86	<0.5	6.73	6	710	2.3	<2	1.05	<0.5	3	10	3	2.57	20	3.33
200969		3.18	<0.5	6.21	6	610	2.1	<2	0.94	<0.5	3	11	3	2.37	10	3.05
200970		3.94	<0.5	6.27	6	550	2.0	<2	1.12	<0.5	2	13	5	2.23	10	2.90
200971		3.09	<0.5	6.69	5	620	2.1	<2	1.34	<0.5	1	13	3	2.47	10	3.15
200972		3.14	<0.5	6.70	8	620	2.1	<2	1.04	<0.5	2	13	4	2.62	10	3.11
200973		3.85	<0.5	6.59	5	630	2.1	<2	0.61	<0.5	4	10	9	2.43	10	3.16
200974		3.90	<0.5	6.49	10	550	2.3	<2	0.62	<0.5	5	10	56	2.25	20	3.14
200975		3.56	<0.5	6.22	6	550	2.0	<2	1.52	<0.5	2	11	17	2.23	10	2.76
200976		3.99	<0.5	6.23	<5	480	2.1	<2	0.93	<0.5	2	13	5	2.16	10	2.74
200977		4.68	<0.5	6.25	6	410	2.2	<2	0.54	<0.5	4	13	7	2.12	10	2.66
200978		3.06	<0.5	6.27	5	560	2.1	2	1.23	<0.5	3	14	9	2.24	10	2.68
200979		3.60	<0.5	6.02	<5	660	2.0	<2	1.72	<0.5	2	11	6	2.10	10	2.85
200980		3.91	<0.5	6.27	5	670	2.1	2	1.41	<0.5	4	13	6	2.28	20	2.95
200981		2.02	<0.5	6.11	<5	660	2.0	<2	1.37	<0.5	2	12	5	2.23	10	2.84
200982		3.48	<0.5	5.84	7	620	1.9	<2	1.34	<0.5	3	12	8	2.12	10	2.66
200983		4.28	<0.5	5.83	<5	590	2.0	<2	1.35	<0.5	3	11	4	2.21	10	2.67
200984		2.90	<0.5	6.31	<5	630	2.3	<2	1.43	<0.5	3	12	19	2.32	10	2.92
200985		2.84	<0.5	6.69	8	810	2.0	<2	1.44	<0.5	2	12	6	2.37	10	2.97
200986		3.96	<0.5	6.59	<5	930	2.1	<2	1.56	<0.5	3	14	6	2.44	10	3.36
200987		3.52	<0.5	6.68	<5	940	2.2	<2	1.70	<0.5	2	17	6	2.40	10	3.34



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 5 - B

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200948		40	0.83	413	<1	1.31	4	230	10	0.02	<5	10	50	20	0.18
200949		50	0.70	336	1	1.52	6	200	10	0.02	<5	8	50	20	0.17
200950		50	0.77	404	1	1.61	5	200	12	0.01	<5	8	51	20	0.16
200951		40	0.74	483	1	1.72	4	220	10	0.01	<5	9	53	20	0.17
200952		40	0.62	606	1	1.76	3	250	8	0.01	<5	10	63	20	0.19
200953		40	0.45	527	<1	1.38	3	240	9	0.01	<5	10	58	20	0.19
200954		40	0.36	657	1	1.24	4	210	9	0.01	<5	9	65	20	0.18
200955		40	0.17	386	1	1.77	9	210	10	<0.01	<5	9	83	20	0.17
200956		40	0.19	386	1	1.75	4	220	8	<0.01	<5	9	80	20	0.17
200957		30	0.17	396	1	1.77	3	220	9	<0.01	<5	9	80	20	0.17
200958		40	0.22	371	1	1.46	4	240	8	<0.01	<5	10	68	20	0.18
200959		50	0.26	292	1	1.34	4	250	10	0.01	<5	11	57	20	0.20
200960		50	0.26	250	<1	1.07	3	230	9	0.01	<5	10	45	20	0.19
200961		50	0.27	266	1	1.11	4	240	7	0.01	<5	10	46	20	0.19
200962		50	0.25	309	1	1.27	3	240	9	0.01	<5	10	54	20	0.19
200963		50	0.23	357	1	1.27	3	230	11	<0.01	5	10	59	20	0.19
200964		50	0.22	364	<1	1.31	3	230	11	<0.01	<5	10	59	20	0.19
200965		40	0.20	368	<1	1.44	5	230	6	<0.01	5	10	62	20	0.19
200966		30	0.24	493	<1	1.19	4	210	9	0.01	<5	10	61	20	0.19
200967		40	0.29	276	<1	1.26	2	250	7	0.02	<5	11	55	20	0.20
200968		40	0.28	287	<1	1.34	3	250	5	0.02	<5	11	59	20	0.20
200969		40	0.25	263	<1	1.40	4	230	7	0.02	<5	10	57	20	0.19
200970		40	0.20	278	<1	1.51	4	220	10	0.03	<5	9	61	20	0.19
200971		40	0.20	327	1	1.63	5	250	10	<0.01	<5	10	69	20	0.20
200972		40	0.22	282	1	1.45	3	230	9	0.01	<5	10	58	20	0.19
200973		50	0.25	206	<1	1.39	3	220	13	0.12	<5	10	51	20	0.19
200974		40	0.26	215	<1	1.22	2	230	57	0.35	<5	10	42	20	0.19
200975		40	0.18	365	1	1.56	5	230	15	0.05	<5	10	67	20	0.18
200976		40	0.23	286	1	1.49	3	210	8	0.02	<5	10	51	20	0.18
200977		40	0.29	240	<1	1.45	3	220	7	0.19	<5	10	39	20	0.18
200978		40	0.22	329	1	1.67	10	220	7	0.08	<5	10	64	20	0.17
200979		40	0.18	407	1	1.66	3	210	7	0.01	<5	9	77	20	0.18
200980		40	0.19	353	1	1.69	5	220	6	0.01	<5	10	75	20	0.19
200981		40	0.18	343	1	1.66	4	220	8	0.01	<5	9	72	20	0.18
200982		40	0.17	333	1	1.64	5	210	8	0.01	<5	9	70	20	0.18
200983		40	0.18	329	<1	1.65	3	210	5	<0.01	<5	9	68	20	0.18
200984		40	0.23	356	1	1.70	22	230	7	0.01	<5	10	69	20	0.20
200985		40	0.20	360	1	1.98	3	240	6	0.01	5	10	90	20	0.19
200986		40	0.18	377	1	1.90	29	230	6	0.01	5	10	100	20	0.20
200987		40	0.30	373	1	1.87	6	240	9	0.01	<5	10	98	20	0.21



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 5 - C

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200948		<10	5	<10	58	<0.01	
200949		<10	12	<10	45	<0.01	
200950		<10	14	20	40	<0.01	
200951		<10	9	10	34	<0.01	
200952		<10	5	10	32	<0.01	
200953		<10	5	<10	35	<0.01	
200954		<10	4	<10	30	<0.01	
200955		<10	4	<10	26	<0.01	
200956		<10	6	<10	29	<0.01	
200957		<10	4	10	28	<0.01	91.6
200958		<10	4	<10	32	<0.01	
200959		<10	4	<10	35	<0.01	
200960		<10	5	<10	38	<0.01	
200961		<10	4	<10	38	<0.01	
200962		<10	5	<10	37	<0.01	
200963		<10	4	<10	34	<0.01	
200964		<10	4	<10	35	<0.01	
200965		<10	3	<10	31	<0.01	
200966		<10	4	<10	35	<0.01	
200967		<10	4	<10	32	<0.01	
200968		<10	4	<10	32	<0.01	
200969		<10	4	<10	32	<0.01	
200970		<10	4	<10	29	<0.01	
200971		<10	4	<10	32	<0.01	
200972		<10	4	<10	31	<0.01	
200973		<10	4	<10	30	<0.01	
200974		<10	5	<10	35	<0.01	
200975		<10	4	10	30	<0.01	
200976		<10	4	<10	29	<0.01	
200977		<10	4	<10	30	<0.01	
200978		<10	4	10	29	<0.01	
200979		<10	4	<10	29	<0.01	
200980		<10	4	<10	32	<0.01	
200981		<10	5	<10	30	<0.01	
200982		<10	4	<10	29	<0.01	
200983		<10	4	<10	31	<0.01	
200984		<10	4	<10	36	<0.01	
200985		<10	4	<10	29	<0.01	
200986		<10	4	<10	34	<0.01	
200987		<10	4	<10	77	<0.01	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 6 - A

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01
200988		3.17	<0.5	6.59	5	970	2.1	<2	1.25	<0.5	2	12	4	2.44	10	3.40
200989		4.18	<0.5	6.47	<5	900	2.2	2	1.29	<0.5	1	14	4	2.43	10	3.24
200990		4.02	<0.5	6.55	5	810	2.3	2	1.50	<0.5	2	15	4	2.54	20	3.18
200991		2.16	<0.5	6.71	<5	940	2.3	<2	1.36	<0.5	3	12	4	2.41	10	3.39
200992		3.71	<0.5	6.64	9	880	2.3	<2	1.48	<0.5	3	15	3	2.42	10	3.24
200993		3.54	<0.5	6.33	<5	770	2.3	<2	1.39	<0.5	3	16	4	2.34	20	3.18
200994		3.50	<0.5	6.57	5	800	2.3	<2	1.43	<0.5	1	11	3	2.39	20	3.18
200995		3.84	<0.5	6.66	<5	830	2.2	<2	1.40	<0.5	2	11	3	2.42	20	3.22
200996		3.34	<0.5	6.51	<5	880	2.1	2	1.41	<0.5	2	13	4	2.45	10	3.12
200997		2.05	<0.5	6.97	6	910	2.3	<2	1.48	<0.5	2	12	7	2.49	20	3.30
200998		2.89	<0.5	6.53	7	800	2.2	<2	1.43	<0.5	2	13	8	2.40	10	3.13
200999		2.77	<0.5	6.44	<5	840	2.2	<2	1.51	<0.5	3	14	5	2.57	10	3.42
201000		3.10	<0.5	6.55	<5	800	2.1	<2	1.37	<0.5	3	12	4	2.39	10	3.26
201001		2.37	<0.5	6.66	<5	850	2.1	<2	1.42	<0.5	3	13	5	2.53	20	3.27
201002		3.32	<0.5	6.42	<5	790	2.0	<2	1.90	<0.5	2	14	4	2.42	10	3.12
201003		3.21	<0.5	6.28	<5	770	2.1	3	1.42	<0.5	3	13	7	2.34	20	3.09
201004		2.29	<0.5	6.85	<5	810	2.6	3	1.21	<0.5	2	15	11	2.43	20	3.39
201005		3.51	<0.5	6.17	6	730	2.1	<2	1.34	<0.5	3	14	26	2.19	20	3.09
201006		2.71	<0.5	6.39	5	630	2.0	<2	1.44	<0.5	3	12	17	2.16	10	2.90
201007		4.24	<0.5	6.26	5	510	2.1	2	1.54	<0.5	2	10	17	2.21	20	2.79
201008		3.94	<0.5	6.25	8	550	2.3	2	0.86	<0.5	3	12	22	2.21	20	2.76
201009		4.40	<0.5	6.54	5	540	2.4	2	0.62	<0.5	3	14	11	2.15	20	3.30
201010		2.23	<0.5	6.00	7	300	2.1	2	0.74	<0.5	4	12	6	2.17	10	2.15
201011		3.80	<0.5	6.48	9	730	2.1	2	1.39	<0.5	2	13	11	2.13	20	3.16
201012		3.35	<0.5	6.28	<5	610	2.1	2	1.50	<0.5	3	12	64	2.39	10	2.72
201013		3.39	<0.5	6.39	6	710	2.2	2	1.70	<0.5	4	15	34	2.41	20	2.96
201014		4.65	<0.5	6.21	<5	700	2.2	<2	1.70	<0.5	2	12	15	2.19	20	2.93
201015		3.83	<0.5	6.32	10	690	1.9	3	1.40	<0.5	4	13	12	2.32	20	2.90
201016		2.69	<0.5	6.24	6	570	1.9	2	1.69	<0.5	3	13	11	2.35	10	2.63
201017		4.27	<0.5	6.27	6	580	1.9	4	1.44	<0.5	3	11	9	2.31	10	2.75
201018		3.50	<0.5	6.21	6	550	1.8	2	1.14	<0.5	3	10	6	2.28	20	2.72
201019		3.41	<0.5	6.10	9	470	2.0	4	0.88	<0.5	3	11	7	2.40	20	2.53
201020		4.60	<0.5	6.37	<5	660	2.1	3	1.40	<0.5	2	12	7	2.31	10	2.96
201021		2.15	<0.5	6.41	8	660	2.1	<2	1.44	<0.5	3	12	6	2.42	20	2.92
201022		2.82	<0.5	6.18	9	560	2.1	<2	1.14	<0.5	4	14	8	2.33	10	2.83
201023		3.21	<0.5	6.46	<5	780	2.1	<2	1.00	<0.5	2	12	5	2.64	20	3.10
201024		4.30	<0.5	6.30	<5	640	2.0	2	1.79	<0.5	2	14	6	2.57	20	2.76
201025		4.91	<0.5	6.13	<5	730	2.1	2	1.58	<0.5	1	13	5	2.41	20	2.83
201026		4.90	<0.5	6.50	<5	720	2.3	<2	1.57	<0.5	2	15	6	2.57	20	2.98
201027		5.19	<0.5	6.19	<5	740	2.1	3	1.85	<0.5	2	14	5	2.43	10	2.94



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 6 - B

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200988		40	0.18	327	1	1.82	4	230	7	<0.01	<5	10	96	20	0.19
200989		40	0.20	335	1	1.72	5	230	7	<0.01	<5	10	88	20	0.19
200990		40	0.21	382	1	1.79	5	230	7	<0.01	<5	10	91	20	0.19
200991		40	0.18	345	<1	1.83	5	230	8	0.01	<5	10	104	20	0.19
200992		40	0.17	361	1	1.88	5	220	8	0.01	<5	10	101	20	0.20
200993		40	0.18	340	1	1.79	6	220	8	<0.01	<5	10	93	20	0.19
200994		40	0.22	355	<1	1.77	6	230	7	0.01	<5	10	91	20	0.19
200995		40	0.18	337	1	1.83	6	240	7	<0.01	<5	10	95	20	0.19
200996		40	0.17	330	1	1.80	4	230	6	<0.01	<5	10	95	20	0.19
200997		40	0.18	346	1	1.95	4	240	6	0.01	<5	11	101	20	0.20
200998		40	0.17	336	1	1.89	4	220	7	0.02	<5	10	95	20	0.20
200999		40	0.17	434	1	1.58	6	230	7	0.01	<5	10	91	20	0.20
201000		40	0.16	316	1	1.76	4	220	10	0.01	<5	10	89	20	0.20
201001		40	0.17	331	1	1.79	4	240	5	0.04	<5	10	91	20	0.20
201002		40	0.17	411	1	1.69	4	230	8	0.03	<5	10	92	20	0.19
201003		40	0.21	357	1	1.45	6	230	9	0.23	<5	10	79	20	0.19
201004		40	0.28	386	1	1.52	5	240	11	0.23	<5	10	83	20	0.19
201005		40	0.27	412	2	1.23	6	220	63	0.06	<5	10	77	20	0.18
201006		40	0.27	410	1	1.46	6	230	11	0.03	<5	10	73	20	0.19
201007		40	0.25	426	1	1.45	5	230	7	0.02	<5	10	70	20	0.19
201008		40	0.27	314	2	1.36	5	230	8	0.17	<5	10	60	20	0.19
201009		40	0.35	261	2	0.85	6	230	7	0.05	<5	9	39	20	0.18
201010		40	0.32	327	3	1.74	4	220	9	0.10	<5	10	50	20	0.18
201011		40	0.27	404	2	1.48	6	210	7	0.04	<5	9	80	20	0.18
201012		50	0.24	444	2	1.89	4	230	8	0.02	<5	10	84	20	0.19
201013		40	0.24	467	2	1.82	8	230	12	0.01	5	10	91	20	0.19
201014		40	0.25	404	1	1.85	5	220	7	0.01	<5	10	88	20	0.19
201015		40	0.26	394	1	1.83	9	230	13	0.01	<5	10	86	20	0.19
201016		50	0.28	464	1	1.90	6	220	11	0.02	<5	10	81	20	0.19
201017		30	0.27	397	2	1.83	5	230	13	0.09	<5	10	76	20	0.19
201018		30	0.27	340	1	1.72	5	230	12	0.23	<5	10	67	20	0.19
201019		40	0.28	327	1	1.70	6	230	20	0.52	<5	10	60	20	0.19
201020		40	0.26	422	1	1.72	7	230	15	0.13	<5	10	80	20	0.20
201021		40	0.26	438	1	1.73	6	250	15	0.16	<5	10	80	20	0.20
201022		40	0.26	318	1	1.55	5	220	15	0.62	<5	10	66	20	0.19
201023		40	0.28	298	1	1.66	4	240	9	0.26	<5	10	77	20	0.19
201024		40	0.21	410	2	1.92	5	230	9	0.18	<5	10	88	20	0.20
201025		40	0.16	378	1	1.94	4	230	8	0.02	<5	10	91	20	0.19
201026		40	0.17	395	2	2.04	7	240	8	0.01	<5	10	95	20	0.20
201027		30	0.16	422	1	1.94	5	240	6	0.01	<5	10	96	20	0.20



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 6 - C

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200988		<10	4	<10	33	<0.01	
200989		<10	4	<10	32	<0.01	
200990		<10	6	<10	33	<0.01	
200991		<10	5	<10	33	<0.01	
200992		<10	5	<10	35	<0.01	
200993		<10	4	<10	34	<0.01	
200994		<10	4	<10	33	<0.01	
200995		<10	5	<10	32	<0.01	
200996		<10	4	<10	31	<0.01	
200997		<10	5	<10	31	<0.01	91.8
200998		<10	4	<10	31	<0.01	
200999		<10	4	<10	33	<0.01	
201000		<10	4	<10	32	<0.01	
201001		<10	5	<10	34	<0.01	
201002		<10	4	<10	31	<0.01	
201003		10	5	<10	37	<0.01	
201004		<10	8	<10	38	<0.01	
201005		<10	6	<10	68	<0.01	
201006		<10	5	<10	43	<0.01	
201007		<10	5	<10	40	<0.01	
201008		10	5	<10	41	<0.01	
201009		<10	12	<10	47	<0.01	
201010		10	5	<10	44	<0.01	
201011		<10	7	<10	44	<0.01	
201012		10	5	<10	48	<0.01	
201013		<10	5	<10	41	<0.01	
201014		<10	4	<10	35	<0.01	
201015		<10	4	<10	44	<0.01	
201016		<10	5	<10	47	<0.01	
201017		<10	4	10	48	<0.01	
201018		<10	5	<10	48	<0.01	
201019		<10	5	10	55	<0.01	
201020		<10	5	<10	59	<0.01	
201021		<10	5	<10	64	<0.01	
201022		<10	5	10	55	<0.01	
201023		<10	4	<10	36	<0.01	
201024		<10	4	<10	35	<0.01	
201025		<10	4	<10	33	<0.01	
201026		<10	5	<10	37	<0.01	
201027		<10	4	10	36	<0.01	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 7 - A

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
201028		4.29	<0.5	6.30	<5	770	2.1	2	1.50	<0.5	1	14	5	2.54	10	2.83
201029		3.69	<0.5	6.12	5	650	2.2	<2	2.14	<0.5	2	14	6	2.19	20	2.72
201030		5.37	<0.5	6.25	<5	710	2.2	2	1.62	<0.5	2	14	7	2.40	10	2.95
201031		4.94	<0.5	6.21	6	650	2.2	<2	1.49	<0.5	2	12	7	2.35	20	2.82
201032		4.00	<0.5	6.28	7	600	2.3	3	1.71	<0.5	2	13	14	2.49	10	2.80
201033		4.34	<0.5	6.27	5	840	2.2	2	1.41	<0.5	2	15	17	2.36	20	3.23
201034		3.53	<0.5	6.28	<5	630	2.2	<2	1.51	<0.5	2	12	9	2.38	10	2.79
201035		3.05	<0.5	6.66	5	710	2.3	2	1.47	<0.5	3	12	33	2.37	20	3.17
201036		4.60	<0.5	6.41	6	630	2.3	3	1.64	<0.5	3	13	47	2.35	20	2.90
201037		3.92	<0.5	6.18	<5	670	2.2	<2	1.78	<0.5	3	14	20	2.21	20	2.85
201038		4.19	<0.5	6.82	<5	700	2.2	<2	2.06	<0.5	2	14	9	2.65	20	3.12
201039		4.58	<0.5	6.87	<5	770	2.3	2	1.42	<0.5	1	235	7	2.69	20	3.25
201040		3.46	<0.5	6.88	<5	770	2.4	2	1.41	<0.5	2	14	16	2.76	20	3.20
201041		2.14	<0.5	6.82	<5	770	2.4	3	1.47	<0.5	2	15	16	2.71	20	3.15
201042		1.84	<0.5	6.90	<5	740	2.4	2	1.61	<0.5	2	16	8	2.68	20	3.11
201043		3.41	<0.5	6.97	6	810	2.5	<2	1.39	<0.5	2	18	8	2.74	20	3.14
201044		3.57	<0.5	6.77	5	760	2.5	<2	1.54	<0.5	2	14	6	2.61	20	3.10
201045		3.36	<0.5	6.71	<5	740	2.5	<2	1.38	<0.5	2	13	5	2.52	20	3.24
201046		3.83	<0.5	6.96	6	720	2.6	3	0.79	<0.5	4	16	13	3.01	20	3.19
201047		3.53	<0.5	6.85	<5	760	2.6	2	0.87	<0.5	4	17	19	2.70	20	3.62
201048		0.78	<0.5	6.82	5	690	2.5	3	1.51	<0.5	6	23	34	2.89	20	3.03
201049		2.28	<0.5	6.80	6	780	2.4	2	1.33	<0.5	3	15	9	2.65	20	3.40
201050		1.51	<0.5	7.06	5	810	2.5	2	1.41	<0.5	2	15	6	2.76	20	3.53
201051		3.03	<0.5	6.60	5	790	2.3	2	1.49	<0.5	2	13	6	2.40	20	3.37
201052		3.43	<0.5	6.98	6	850	2.4	2	1.45	<0.5	3	24	5	2.68	20	3.64
201053		2.73	<0.5	6.93	5	770	2.4	2	1.40	<0.5	2	15	7	2.69	10	3.18
201054		2.33	<0.5	6.73	6	820	2.3	3	1.40	<0.5	2	35	7	2.71	20	3.39
201055		2.48	<0.5	6.67	6	710	2.3	3	1.29	0.9	3	16	5	2.38	20	3.14
201056		2.90	<0.5	6.63	8	800	2.2	3	1.00	<0.5	3	16	5	2.56	20	3.35
201057		2.83	<0.5	6.64	7	800	2.3	2	0.65	<0.5	2	15	4	2.54	20	3.64
201058		3.33	<0.5	6.37	7	700	2.2	<2	0.57	<0.5	2	16	5	2.59	10	3.33
201059		2.17	<0.5	6.78	<5	840	2.3	<2	0.64	<0.5	2	19	5	2.66	10	3.58
201060		1.10	<0.5	7.03	7	670	2.6	3	0.52	<0.5	4	13	9	2.88	20	3.47
201061		1.55	<0.5	6.69	6	670	2.4	3	0.46	<0.5	3	13	9	2.65	20	3.31
201062		2.00	<0.5	6.77	8	770	2.4	3	0.49	<0.5	3	16	7	2.78	20	3.51
201063		2.53	<0.5	7.03	7	390	2.4	3	0.78	<0.5	2	18	7	2.43	10	2.08
201064		2.62	<0.5	6.41	7	710	2.3	2	0.69	<0.5	3	16	6	2.53	20	3.26
201065		3.31	<0.5	6.47	8	770	2.2	3	0.74	<0.5	1	13	5	2.50	20	3.50
201066		2.48	<0.5	6.70	6	710	2.4	<2	0.52	<0.5	3	20	6	2.74	20	3.28
201067		1.35	<0.5	6.66	6	710	2.3	2	0.62	<0.5	3	15	6	2.63	20	3.21



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 7 - B

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
201028		40	0.16	341	2	1.98	5	230	8	0.01	<5	10	92	20	0.19
201029		40	0.17	474	2	1.96	6	230	4	0.01	<5	10	92	20	0.19
201030		40	0.17	385	2	1.88	9	230	8	0.03	<5	10	91	20	0.19
201031		40	0.16	384	1	1.95	4	230	7	0.05	<5	10	89	20	0.19
201032		40	0.18	456	2	1.92	4	240	11	0.02	<5	10	87	20	0.20
201033		40	0.22	368	1	1.74	6	230	11	0.02	<5	10	97	20	0.19
201034		40	0.27	408	1	1.89	4	230	13	0.01	<5	10	82	20	0.19
201035		40	0.24	380	2	1.85	3	240	12	0.01	<5	11	86	20	0.20
201036		40	0.22	409	3	1.88	9	240	12	0.01	<5	10	83	20	0.20
201037		40	0.17	406	2	1.98	5	230	13	0.01	<5	10	91	20	0.20
201038		40	0.19	446	2	2.08	5	250	11	<0.01	<5	11	92	20	0.21
201039		40	0.19	339	1	2.01	6	250	8	<0.01	<5	11	93	20	0.21
201040		40	0.18	348	1	2.14	5	250	10	<0.01	<5	11	100	20	0.21
201041		40	0.18	358	1	2.11	5	250	9	<0.01	<5	11	99	20	0.21
201042		40	0.20	391	2	2.23	4	240	9	0.01	<5	11	100	20	0.21
201043		40	0.21	347	2	2.34	6	240	12	0.01	<5	11	103	20	0.22
201044		40	0.24	386	1	1.99	5	250	11	<0.01	<5	11	95	20	0.21
201045		40	0.27	397	1	1.76	3	250	12	<0.01	<5	11	83	20	0.20
201046		40	0.34	277	1	2.10	6	250	34	<0.01	6	11	85	20	0.21
201047		40	0.38	321	1	1.46	7	250	23	<0.01	<5	11	84	20	0.21
201048		40	0.65	518	2	1.50	10	590	14	0.04	5	11	171	20	0.23
201049		40	0.30	403	1	1.81	6	320	9	<0.01	<5	11	111	20	0.21
201050		50	0.28	432	2	1.87	6	260	10	<0.01	<5	11	104	20	0.21
201051		40	0.27	426	1	1.78	5	240	13	0.01	<5	11	105	20	0.20
201052		50	0.26	424	1	1.80	4	260	12	<0.01	<5	11	116	20	0.21
201053		40	0.24	384	2	2.25	6	260	12	0.05	<5	11	112	20	0.21
201054		40	0.28	422	2	1.77	5	240	11	0.02	<5	11	112	20	0.19
201055		40	0.35	418	2	2.01	4	240	11	0.01	5	10	90	20	0.19
201056		40	0.39	397	1	1.99	5	250	12	0.01	<5	10	89	20	0.19
201057		50	0.55	342	2	1.72	4	250	12	0.02	7	10	79	20	0.19
201058		50	0.52	303	1	1.80	4	250	11	0.01	<5	10	73	20	0.19
201059		40	0.54	305	2	1.87	4	260	11	0.01	<5	10	87	20	0.20
201060		40	0.54	306	2	1.71	5	260	10	0.02	<5	11	75	20	0.20
201061		40	0.49	276	1	1.60	5	220	10	0.02	<5	10	72	20	0.19
201062		50	0.54	281	1	1.77	5	250	9	0.01	<5	11	77	20	0.19
201063		50	0.58	312	2	3.20	6	250	9	0.01	<5	11	95	20	0.20
201064		40	0.63	334	2	1.61	6	240	9	<0.01	<5	10	68	20	0.18
201065		50	0.65	390	2	1.64	4	240	10	0.01	<5	10	73	20	0.19
201066		40	0.54	273	2	1.89	5	260	10	0.01	<5	11	73	20	0.20
201067		40	0.56	322	1	1.85	6	240	9	0.01	<5	10	74	20	0.19



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 7 - C

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA26	PUL-QC
		U	V	W	Zn	Au	Pass75um
		ppm	ppm	ppm	ppm	ppm	%
		10	1	10	2	0.01	0.01
201028		<10	5	<10	35	<0.01	
201029		<10	4	<10	35	<0.01	
201030		<10	4	<10	38	<0.01	
201031		<10	5	<10	42	<0.01	
201032		<10	5	<10	41	<0.01	
201033		<10	5	<10	40	<0.01	
201034		<10	4	<10	43	<0.01	
201035		<10	5	<10	42	<0.01	
201036		<10	5	<10	42	<0.01	
201037		<10	4	<10	38	<0.01	90.9
201038		<10	5	<10	43	<0.01	
201039		<10	5	<10	43	<0.01	
201040		10	5	<10	41	<0.01	
201041		<10	5	<10	42	<0.01	
201042		10	5	10	43	<0.01	
201043		10	5	<10	47	<0.01	
201044		10	5	<10	63	<0.01	
201045		<10	5	<10	53	<0.01	
201046		10	5	<10	102	<0.01	
201047		<10	5	<10	81	<0.01	
201048		10	20	<10	46	<0.01	
201049		<10	8	<10	47	<0.01	
201050		10	5	<10	54	<0.01	
201051		<10	5	<10	49	<0.01	
201052		<10	5	<10	55	<0.01	
201053		10	5	<10	52	<0.01	
201054		<10	5	<10	53	<0.01	
201055		10	5	10	52	<0.01	
201056		<10	5	<10	49	<0.01	
201057		10	5	<10	55	<0.01	
201058		<10	5	<10	51	<0.01	
201059		<10	5	<10	54	<0.01	
201060		10	6	<10	56	<0.01	
201061		<10	5	<10	52	<0.01	
201062		<10	6	<10	54	<0.01	
201063		10	5	<10	41	<0.01	
201064		10	6	<10	55	<0.01	
201065		<10	5	<10	51	<0.01	
201066		<10	5	10	54	<0.01	
201067		10	6	<10	53	<0.01	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 8 - A

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
201068		2.15	<0.5	6.84	6	750	2.4	2	0.45	<0.5	3	13	5	2.71	20	3.41
201069		2.11	<0.5	6.77	6	860	2.3	<2	0.64	<0.5	3	14	5	2.50	10	3.83
201070		2.45	<0.5	6.69	<5	830	2.3	3	0.73	<0.5	3	9	5	2.47	20	3.81
201071		2.33	<0.5	6.63	9	710	2.3	<2	0.67	<0.5	3	10	4	2.38	20	3.36
201072		1.99	<0.5	6.75	7	750	2.3	4	0.63	<0.5	2	10	4	2.46	20	3.49
201073		1.30	<0.5	5.50	5	670	1.9	<2	0.45	<0.5	2	33	10	2.60	10	3.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 8 - B

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
201068		50	0.48	251	2	1.88	4	250	10	0.01	<5	11	75	20	0.18
201069		40	0.59	369	1	1.63	5	240	13	0.01	<5	10	80	20	0.19
201070		30	0.63	431	1	1.37	4	240	10	0.01	<5	10	66	20	0.18
201071		30	0.57	341	1	1.79	3	240	10	0.01	<5	10	70	20	0.19
201072		40	0.48	329	1	1.79	3	250	9	0.02	<5	11	70	20	0.20
201073		30	0.43	331	2	1.22	7	210	11	0.01	<5	9	54	<20	0.17



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 8 - C

Total # Pages: 8 (A - C)

Finalized Date: 15-MAR-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10017177

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA26	PUL-QC
		U	V	W	Zn	Au	Pass75um
		ppm 10	ppm 1	ppm 10	ppm 2	ppm 0.01	% 0.01
201068		<10	5	<10	53	<0.01	
201069		<10	5	<10	53	<0.01	
201070		<10	5	<10	54	<0.01	
201071		<10	5	<10	52	<0.01	
201072		<10	5	<10	52	<0.01	
201073		<10	6	<10	54	<0.01	