



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 1  
Finalized Date: 12-FEB-2010  
Account: WEDES

## CERTIFICATE AS10012022

Project: EAST ROVER

P.O. No.: 0306

This report is for 234 Percussion samples submitted to our lab in Alice Springs, NT, Australia on 3-FEB-2010.

The following have access to data associated with this certificate:

JOHN FABRAY

BRETT SANDO

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
PUL-QC	Pulverizing QC Test
PUL-23	Pulv Sample - Split/Retain
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: WESTERN DESERT RESOURCES  
ATTN: JOHN FABRAY  
LEVEL 1, 26 GREENHILL ROAD  
WAYVILLE SA 5034

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Wayne Abbott, Operations Manager, Western Australia



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - A

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
200001		3.58	<0.5	7.25	<5	770	2.5	2	1.96	<0.5	6	23	10	2.54	20	3.43
200002		3.36	<0.5	7.92	<5	740	2.7	2	1.43	<0.5	4	21	11	2.72	20	3.57
200003		3.15	<0.5	7.06	<5	700	2.5	<2	1.36	<0.5	4	19	7	2.43	20	3.26
200004		2.87	<0.5	7.36	<5	680	2.3	<2	1.59	<0.5	4	20	8	2.57	20	2.98
200005		3.96	<0.5	7.14	<5	570	2.3	<2	1.39	<0.5	5	19	7	2.32	20	2.86
200006		3.64	<0.5	6.92	<5	510	2.2	<2	1.36	<0.5	4	17	7	2.37	20	2.67
200007		3.49	<0.5	6.99	<5	580	2.5	<2	1.39	<0.5	4	17	6	2.41	20	3.03
200008		2.80	<0.5	6.85	<5	840	2.2	<2	1.57	<0.5	3	16	3	2.22	20	3.43
200009		3.38	<0.5	6.78	<5	620	2.1	<2	1.28	<0.5	3	15	4	2.29	20	2.83
200010		3.20	<0.5	6.91	<5	670	2.1	<2	1.23	<0.5	3	22	5	2.47	20	2.90
200011		3.19	<0.5	6.64	<5	660	2.1	<2	1.25	<0.5	4	16	4	2.25	20	2.95
200012		3.61	<0.5	7.06	<5	620	2.3	<2	1.59	<0.5	5	24	5	2.43	20	2.88
200013		3.74	<0.5	7.23	<5	600	2.4	<2	1.26	<0.5	5	17	9	2.56	20	2.84
200014		2.66	<0.5	7.34	5	680	2.2	<2	1.18	<0.5	3	18	5	2.38	20	2.92
200015		3.64	<0.5	7.26	<5	790	2.1	<2	1.10	<0.5	3	24	8	2.55	20	3.07
200016		3.48	<0.5	7.07	<5	770	2.2	<2	1.13	<0.5	4	23	13	2.45	20	3.00
200017		3.08	<0.5	7.19	<5	680	2.3	<2	1.14	<0.5	5	24	11	2.56	20	2.84
200018		4.46	<0.5	6.93	<5	750	2.2	<2	1.16	<0.5	4	20	11	2.40	20	2.96
200019		3.84	<0.5	7.02	<5	710	2.3	<2	1.24	<0.5	5	18	10	2.47	20	3.09
200020		3.46	<0.5	6.62	<5	750	2.1	<2	1.15	<0.5	4	17	6	2.19	20	3.08
200021		3.65	<0.5	6.71	<5	760	2.1	<2	1.09	<0.5	4	16	6	2.19	10	3.09
200022		2.91	<0.5	7.01	<5	660	2.2	<2	1.29	<0.5	4	25	7	2.39	20	2.96
200023		3.47	<0.5	7.10	<5	730	2.2	<2	1.26	<0.5	4	20	5	2.51	20	3.15
200024		3.27	<0.5	7.28	<5	750	2.1	<2	1.24	<0.5	4	25	5	2.46	20	3.18
200025		4.11	<0.5	7.16	<5	620	2.3	<2	1.39	<0.5	5	28	5	2.58	20	3.02
200026		3.98	<0.5	7.21	<5	770	2.2	<2	1.39	<0.5	5	24	8	2.44	20	3.48
200027		2.99	<0.5	6.86	<5	670	2.1	<2	0.70	<0.5	4	17	4	2.44	20	3.35
200028		3.35	<0.5	7.03	<5	730	2.0	<2	1.23	<0.5	4	22	5	2.47	20	3.61
200029		3.50	<0.5	6.73	<5	660	1.8	<2	1.27	<0.5	4	24	4	2.25	10	3.47
200030		2.97	<0.5	6.62	<5	610	1.9	<2	1.33	<0.5	3	22	4	2.15	20	3.55
200031		4.90	<0.5	6.78	<5	600	1.9	<2	1.68	<0.5	3	15	5	2.28	20	3.45
200032		3.63	<0.5	7.14	<5	620	2.1	<2	1.34	<0.5	3	11	4	2.16	20	3.50
200033		2.58	<0.5	7.39	<5	740	2.2	<2	1.11	<0.5	3	17	4	2.33	20	3.95
200034		3.20	<0.5	7.01	<5	890	2.0	<2	1.29	<0.5	4	18	11	2.09	20	4.15
200035		2.75	<0.5	7.27	<5	810	2.4	<2	1.02	<0.5	3	13	15	2.21	20	4.58
200036		3.02	<0.5	6.47	<5	480	2.2	<2	4.57	<0.5	5	14	13	2.27	20	3.88
200037		3.27	<0.5	6.89	<5	600	2.0	<2	0.35	<0.5	5	15	5	2.35	20	3.68
200038		3.93	<0.5	6.86	7	650	1.9	<2	1.14	<0.5	4	15	5	2.18	20	3.22
200039		2.26	<0.5	6.67	<5	580	2.0	<2	1.61	<0.5	3	17	4	2.24	20	3.13
200040		3.42	<0.5	7.07	<5	550	2.2	<2	1.05	<0.5	4	16	4	2.25	20	3.17



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - B

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200001		30	0.47	562	<1	1.86	13	290	8	<0.01	<5	10	67	20	0.23
200002		40	0.49	446	<1	1.84	3	290	6	<0.01	<5	11	60	20	0.23
200003		30	0.40	371	1	1.90	10	260	7	<0.01	<5	10	55	20	0.20
200004		40	0.43	468	2	2.26	13	290	8	<0.01	<5	11	65	20	0.21
200005		40	0.52	447	1	2.20	10	290	7	<0.01	<5	11	61	20	0.22
200006		40	0.51	422	1	2.12	10	280	6	<0.01	<5	10	59	20	0.21
200007		40	0.50	420	1	1.92	10	280	6	<0.01	<5	10	55	20	0.21
200008		30	0.36	382	1	1.72	10	250	7	0.01	<5	10	55	20	0.18
200009		40	0.35	334	1	2.11	8	260	6	<0.01	<5	10	56	20	0.19
200010		40	0.35	345	2	2.22	18	270	7	<0.01	<5	10	61	20	0.20
200011		40	0.34	321	1	2.06	10	260	5	<0.01	<5	10	58	20	0.19
200012		40	0.46	454	1	2.27	13	270	6	<0.01	<5	11	61	20	0.21
200013		40	0.59	446	1	2.29	16	290	7	<0.01	<5	11	61	20	0.22
200014		40	0.49	378	1	2.52	10	280	7	0.01	<5	11	67	20	0.22
200015		40	0.45	358	1	2.47	9	280	7	<0.01	<5	11	68	20	0.22
200016		40	0.50	386	1	2.35	13	290	8	<0.01	<5	11	69	20	0.23
200017		40	0.67	438	1	2.22	11	290	8	<0.01	<5	11	66	20	0.22
200018		40	0.59	417	1	2.13	11	270	8	<0.01	<5	10	67	20	0.21
200019		40	0.63	440	2	2.05	10	280	8	<0.01	<5	10	62	20	0.22
200020		30	0.55	398	1	2.04	10	250	8	0.01	<5	10	61	20	0.20
200021		30	0.54	384	1	2.05	9	230	9	0.01	<5	10	62	20	0.20
200022		40	0.58	432	2	2.20	13	260	7	<0.01	<5	10	61	20	0.21
200023		40	0.49	389	1	2.37	10	280	8	<0.01	<5	11	62	20	0.23
200024		30	0.47	371	1	2.38	12	280	7	<0.01	<5	11	64	20	0.23
200025		40	0.61	460	1	2.22	13	290	8	0.01	<5	11	56	20	0.23
200026		40	0.47	430	2	2.11	10	280	5	<0.01	<5	11	60	20	0.22
200027		40	0.53	325	1	1.82	7	250	6	0.01	<5	10	46	20	0.19
200028		40	0.47	367	1	1.89	10	280	7	<0.01	<5	10	52	20	0.22
200029		30	0.42	372	1	1.83	12	270	6	<0.01	<5	10	51	20	0.21
200030		30	0.44	415	1	1.65	11	270	5	<0.01	<5	10	45	20	0.21
200031		30	0.56	669	1	1.69	7	260	6	0.01	<5	10	39	20	0.20
200032		40	0.58	442	1	1.72	6	250	5	<0.01	<5	10	50	20	0.21
200033		30	0.60	439	1	1.62	8	260	4	0.01	<5	10	46	20	0.21
200034		30	0.45	485	1	1.41	9	250	5	0.01	<5	10	54	20	0.21
200035		40	1.13	477	1	0.84	7	270	8	<0.01	<5	11	36	20	0.21
200036		40	1.62	1630	1	0.79	6	230	12	<0.01	<5	9	26	20	0.19
200037		30	1.62	403	1	1.28	9	240	5	<0.01	<5	10	30	20	0.20
200038		30	0.66	455	1	1.95	7	240	6	<0.01	<5	10	46	20	0.20
200039		30	0.55	451	1	1.90	9	230	8	0.01	<5	9	52	20	0.19
200040		40	0.63	409	1	2.06	23	250	8	<0.01	<5	10	46	20	0.21



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - C

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200001		<10	17	<10	60	<0.01	
200002		<10	14	10	44	<0.01	
200003		10	14	<10	44	<0.01	
200004		<10	15	<10	48	<0.01	
200005		<10	17	<10	57	<0.01	
200006		10	16	<10	52	<0.01	
200007		10	16	<10	51	<0.01	
200008		<10	10	<10	33	<0.01	
200009		<10	12	<10	36	<0.01	
200010		<10	14	<10	36	<0.01	88.5
200011		10	13	<10	36	<0.01	
200012		10	15	<10	51	<0.01	
200013		<10	16	<10	60	<0.01	
200014		<10	17	<10	43	<0.01	
200015		<10	16	<10	48	<0.01	
200016		<10	20	<10	56	<0.01	
200017		<10	18	<10	73	<0.01	
200018		<10	17	10	63	<0.01	
200019		10	17	<10	64	<0.01	
200020		10	14	<10	52	<0.01	
200021		<10	14	<10	49	<0.01	
200022		<10	16	<10	57	<0.01	
200023		<10	18	<10	48	<0.01	
200024		<10	18	10	45	<0.01	
200025		<10	16	<10	58	<0.01	
200026		<10	18	<10	43	<0.01	
200027		<10	14	<10	33	<0.01	
200028		10	17	<10	37	<0.01	
200029		<10	17	<10	32	0.01	
200030		<10	17	<10	30	0.01	
200031		10	14	<10	32	<0.01	
200032		<10	14	<10	38	0.01	
200033		10	12	<10	39	<0.01	
200034		<10	16	<10	32	<0.01	
200035		<10	14	<10	38	<0.01	
200036		<10	12	<10	48	<0.01	
200037		10	13	<10	52	<0.01	
200038		10	13	<10	43	<0.01	
200039		10	13	<10	37	<0.01	
200040		10	15	<10	43	<0.01	



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - A

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
200041		3.77	<0.5	7.08	<5	580	2.1	<2	0.96	<0.5	3	16	4	2.23	20	3.16
200042		3.09	<0.5	7.39	<5	690	2.0	<2	0.64	<0.5	3	15	4	2.42	20	3.31
200043		3.43	<0.5	7.02	<5	670	2.0	<2	0.81	<0.5	4	15	5	2.19	20	3.24
200044		3.38	<0.5	7.20	<5	590	2.1	<2	0.98	<0.5	4	19	5	2.42	20	2.92
200045		3.87	<0.5	7.21	<5	590	1.9	2	0.80	<0.5	5	20	4	2.81	20	2.65
200046		2.70	<0.5	7.15	5	620	1.8	<2	0.80	<0.5	6	19	6	2.93	20	2.71
200047		3.18	<0.5	7.07	<5	590	1.7	<2	0.84	<0.5	6	24	5	2.90	20	2.60
200048		3.34	<0.5	7.56	<5	670	1.9	<2	0.70	<0.5	6	24	4	3.06	20	2.83
200049		2.94	<0.5	7.68	<5	700	2.0	<2	0.87	<0.5	6	18	5	2.94	20	3.13
200050		3.80	<0.5	7.20	<5	720	1.9	<2	0.76	<0.5	5	17	5	2.78	20	3.21
200051		4.14	<0.5	7.81	<5	780	2.2	<2	0.93	<0.5	5	19	6	3.00	20	3.73
200052		2.53	<0.5	7.41	<5	780	2.0	<2	0.96	<0.5	3	19	7	2.72	20	3.53
200053		3.47	<0.5	6.93	<5	760	1.9	<2	1.06	0.8	4	18	5	2.55	20	3.61
200054		3.62	<0.5	7.60	<5	890	2.1	<2	1.11	<0.5	4	19	4	2.76	20	3.83
200055		3.06	<0.5	7.56	<5	860	2.3	<2	1.07	<0.5	4	16	5	2.65	20	4.06
200056		3.02	<0.5	7.13	<5	790	2.1	<2	0.94	<0.5	4	18	7	2.46	20	3.65
200057		3.70	<0.5	7.48	<5	830	2.2	<2	0.80	<0.5	5	16	8	2.90	20	3.84
200058		2.09	<0.5	7.02	<5	870	2.0	<2	0.90	<0.5	4	17	5	2.44	20	3.84
200059		3.04	<0.5	7.34	<5	870	1.9	<2	0.89	<0.5	4	20	5	2.51	20	3.71
200060		2.72	<0.5	7.11	<5	830	1.9	<2	0.75	<0.5	4	19	5	2.44	20	3.38
200061		3.78	<0.5	7.25	<5	850	1.9	<2	0.86	<0.5	4	24	5	2.51	20	3.52
200062		3.50	<0.5	7.46	<5	860	1.9	<2	0.75	<0.5	4	15	5	2.51	20	3.40
200063		3.73	<0.5	6.75	6	690	1.8	<2	0.74	<0.5	4	20	5	2.31	20	2.93
200064		2.85	<0.5	7.22	<5	710	2.0	<2	0.88	<0.5	3	20	22	2.36	20	2.99
200065		2.20	<0.5	7.35	<5	670	2.1	<2	0.71	<0.5	5	14	9	2.65	20	2.93
200066		3.07	<0.5	7.73	<5	690	2.2	<2	0.65	<0.5	4	20	6	2.71	20	2.99
200067		3.56	<0.5	7.33	6	660	1.7	<2	0.46	<0.5	5	14	4	2.64	20	2.64
200068		3.10	<0.5	7.30	<5	660	1.9	<2	0.81	<0.5	4	12	4	2.44	20	2.74
200069		3.38	<0.5	7.38	<5	570	2.1	<2	0.91	<0.5	4	18	5	2.48	20	2.58
200070		3.53	<0.5	7.07	5	440	2.0	<2	1.13	<0.5	4	14	5	2.35	20	2.29
200071		2.07	<0.5	7.34	5	480	2.8	<2	1.33	<0.5	4	10	4	2.40	20	3.28
200072		2.86	<0.5	7.25	6	540	2.7	<2	1.26	<0.5	1	11	6	2.13	20	3.38
200073		3.42	<0.5	7.36	<5	620	2.7	<2	1.26	<0.5	3	9	11	2.13	20	3.27
200074		2.85	<0.5	7.04	<5	470	2.3	<2	1.03	<0.5	4	7	12	2.01	20	2.67
200075		1.16	<0.5	7.06	<5	550	2.6	<2	0.80	<0.5	5	7	8	2.50	20	3.06
200076		3.75	<0.5	6.97	<5	480	2.6	<2	1.37	<0.5	5	10	12	2.50	20	3.18
200077		2.62	<0.5	6.72	<5	520	2.4	<2	1.08	<0.5	6	21	16	3.02	20	3.22
200078		2.07	<0.5	7.33	<5	500	1.8	<2	1.04	<0.5	11	29	10	3.98	20	2.41
200079		2.65	<0.5	6.87	<5	600	1.5	<2	1.38	<0.5	8	32	8	3.44	20	2.64
200080		2.72	<0.5	6.93	<5	510	1.7	<2	1.56	<0.5	9	30	7	3.48	10	2.72



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - B

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200041		30	0.63	401	1	2.09	6	240	7	<0.01	<5	10	45	20	0.20
200042		30	0.70	377	1	2.07	7	250	8	<0.01	<5	10	45	20	0.21
200043		40	0.65	367	1	2.23	9	240	8	0.01	<5	10	52	20	0.21
200044		30	0.68	389	2	2.45	10	300	9	<0.01	<5	11	51	20	0.23
200045		30	0.79	448	1	2.69	10	330	7	<0.01	<5	11	53	20	0.25
200046		40	0.80	447	1	2.77	11	320	7	0.01	<5	11	55	20	0.25
200047		40	0.75	452	1	2.77	12	330	5	0.01	<5	11	53	20	0.25
200048		40	0.79	422	1	2.92	12	360	5	<0.01	<5	11	58	20	0.27
200049		30	0.86	453	1	2.66	10	370	7	<0.01	<5	12	53	20	0.27
200050		30	0.75	424	1	2.39	8	330	6	<0.01	<5	11	49	20	0.25
200051		40	0.75	477	1	2.41	9	340	7	<0.01	<5	12	56	20	0.27
200052		50	0.58	433	2	2.35	11	240	9	0.01	<5	10	54	20	0.20
200053		30	0.57	433	2	1.92	14	260	8	0.01	<5	10	48	20	0.21
200054		40	0.61	472	2	2.25	10	290	9	<0.01	<5	11	54	20	0.23
200055		40	0.64	447	1	2.02	9	300	6	<0.01	<5	11	52	20	0.24
200056		40	0.63	424	1	1.97	6	270	9	0.01	<5	10	46	20	0.21
200057		40	0.70	434	1	1.95	9	290	8	0.01	<5	11	47	20	0.23
200058		30	0.53	367	1	2.03	10	270	8	0.01	<5	10	50	20	0.22
200059		40	0.57	365	1	2.34	9	280	9	<0.01	<5	10	55	20	0.22
200060		40	0.55	335	1	2.43	10	260	9	<0.01	<5	10	55	20	0.22
200061		40	0.56	355	1	2.43	13	280	8	<0.01	<5	10	57	20	0.23
200062		40	0.55	354	1	2.71	8	270	7	<0.01	<5	11	60	20	0.22
200063		30	0.50	338	1	2.67	11	240	7	<0.01	<5	9	56	20	0.21
200064		40	0.55	356	2	2.73	10	260	9	<0.01	<5	10	63	20	0.21
200065		30	0.62	364	1	2.80	7	290	8	<0.01	<5	11	61	20	0.24
200066		40	0.70	372	1	2.92	13	300	8	<0.01	<5	11	63	20	0.25
200067		30	0.72	375	1	2.89	7	300	5	<0.01	<5	10	58	20	0.24
200068		40	0.62	371	1	2.87	7	280	7	<0.01	<5	10	62	20	0.23
200069		30	0.61	368	1	2.94	10	300	11	<0.01	<5	11	67	20	0.24
200070		30	0.57	395	1	2.93	8	280	10	<0.01	<5	10	59	20	0.24
200071		30	0.60	412	1	1.79	4	290	9	0.01	<5	11	44	20	0.24
200072		40	0.39	270	1	2.04	5	250	7	<0.01	<5	10	54	20	0.20
200073		40	0.52	331	1	1.96	4	250	7	<0.01	<5	10	53	20	0.21
200074		40	0.60	438	<1	1.98	4	230	5	<0.01	<5	10	49	20	0.18
200075		40	0.81	803	<1	1.36	4	320	5	0.01	<5	11	38	20	0.27
200076		30	0.86	606	1	1.12	6	350	6	0.01	<5	11	34	20	0.27
200077		30	0.79	419	1	1.25	11	540	6	<0.01	<5	13	36	<20	0.34
200078		30	1.04	569	1	2.50	13	580	8	0.01	<5	14	60	20	0.38
200079		30	0.85	528	1	2.42	17	560	7	<0.01	<5	13	62	20	0.35
200080		30	0.85	560	1	2.29	17	590	4	<0.01	<5	14	59	<20	0.37



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - C

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200041		10	14	<10	41	<0.01	
200042		10	14	<10	47	<0.01	
200043		10	14	<10	48	<0.01	
200044		<10	18	<10	51	<0.01	
200045		10	23	<10	57	<0.01	
200046		10	25	<10	58	<0.01	
200047		10	25	<10	57	<0.01	
200048		<10	25	<10	61	0.02	
200049		10	27	10	62	<0.01	
200050		10	23	<10	57	<0.01	88.4
200051		10	24	<10	65	0.01	
200052		<10	12	<10	49	0.01	
200053		10	14	10	48	<0.01	
200054		10	15	10	50	<0.01	
200055		10	16	<10	51	<0.01	
200056		10	14	<10	46	<0.01	
200057		<10	18	10	54	<0.01	
200058		10	14	<10	42	<0.01	
200059		10	14	<10	47	0.01	
200060		10	13	<10	48	<0.01	
200061		10	14	<10	51	<0.01	
200062		10	14	<10	50	0.01	
200063		10	12	<10	46	0.01	
200064		10	12	<10	46	<0.01	
200065		10	15	<10	52	<0.01	
200066		10	15	<10	58	<0.01	
200067		10	16	<10	59	<0.01	
200068		10	15	<10	54	<0.01	
200069		10	14	<10	50	<0.01	
200070		10	13	<10	45	<0.01	
200071		<10	14	<10	35	<0.01	
200072		10	10	<10	24	<0.01	
200073		10	9	<10	31	<0.01	
200074		<10	7	<10	35	<0.01	
200075		<10	23	<10	41	<0.01	
200076		<10	25	<10	43	<0.01	
200077		10	56	<10	52	<0.01	
200078		10	70	<10	76	<0.01	
200079		10	66	<10	64	<0.01	
200080		10	73	<10	64	<0.01	



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 4 - A

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01
200081		2.63	<0.5	7.40	<5	560	1.8	<2	1.80	<0.5	9	43	7	3.90	20	2.81
200082		3.33	<0.5	7.06	<5	420	2.1	<2	1.39	<0.5	8	28	21	3.35	20	2.16
200083		3.04	<0.5	8.09	<5	410	2.3	<2	1.27	<0.5	12	28	8	4.35	20	2.24
200084		1.23	<0.5	6.81	<5	240	1.8	<2	2.04	<0.5	7	25	14	3.16	10	1.51
200085		3.54	<0.5	7.07	<5	480	1.8	<2	1.68	<0.5	7	32	12	3.47	10	2.22
200086		3.13	<0.5	7.19	<5	540	1.8	<2	1.56	<0.5	9	33	18	3.68	10	2.47
200087		2.70	<0.5	7.35	<5	600	1.5	<2	1.29	<0.5	8	30	8	3.76	20	2.13
200088		3.58	<0.5	7.48	<5	700	2.1	<2	1.34	<0.5	11	30	5	3.97	20	2.45
200089		2.76	<0.5	7.50	<5	870	2.8	<2	1.59	<0.5	10	31	4	3.90	20	3.23
200090		1.88	<0.5	7.52	<5	480	2.7	<2	1.35	<0.5	10	25	5	4.02	20	2.59
200091		2.02	<0.5	7.51	<5	680	2.6	<2	1.22	<0.5	11	25	4	3.82	20	2.80
200092		1.93	<0.5	7.97	6	580	2.8	3	1.21	<0.5	11	26	12	3.90	20	3.11
200093		2.51	<0.5	7.54	<5	590	2.0	<2	0.94	<0.5	11	22	6	3.83	20	2.42
200094		3.12	<0.5	7.80	<5	580	2.1	3	1.29	<0.5	10	24	7	3.61	20	2.41
200095		2.95	<0.5	7.47	<5	700	2.1	<2	1.06	<0.5	10	23	9	3.82	20	2.66
200096		6.31	<0.5	7.23	<5	720	2.0	<2	1.32	<0.5	9	26	11	3.52	10	2.57
200097		3.98	<0.5	7.45	<5	460	2.5	<2	1.33	<0.5	10	28	10	3.87	20	2.48
200098		2.80	<0.5	7.16	<5	490	2.2	<2	1.41	<0.5	9	29	11	3.45	20	2.35
200099		2.53	<0.5	7.75	<5	640	2.5	<2	1.30	<0.5	10	27	8	3.87	10	2.88
200100		2.91	<0.5	7.62	7	580	2.2	<2	1.31	<0.5	11	33	10	3.69	20	2.58
200101		4.46	<0.5	7.52	<5	540	2.1	<2	1.30	<0.5	11	33	9	3.77	20	2.43
200102		1.87	<0.5	7.94	7	490	1.9	<2	1.53	<0.5	13	33	6	4.30	20	2.10
200103		1.69	<0.5	7.31	<5	660	1.7	2	1.07	<0.5	11	43	6	4.06	10	2.39
200104		2.78	<0.5	7.25	<5	680	1.7	<2	1.14	<0.5	11	39	8	3.93	20	2.29
200105		1.86	<0.5	7.39	<5	720	1.8	<2	1.01	<0.5	11	40	8	4.03	10	2.36
200106		2.67	<0.5	7.22	<5	730	1.8	<2	0.94	<0.5	12	48	7	3.96	20	2.47
200107		2.81	<0.5	7.42	<5	800	1.7	3	1.10	<0.5	11	36	6	4.05	10	2.64
200108		1.98	<0.5	6.79	5	720	1.6	<2	1.33	<0.5	11	44	15	4.01	10	2.56
200109		2.05	<0.5	6.91	<5	900	2.0	<2	1.06	<0.5	13	35	10	4.42	20	3.45
200110		3.42	<0.5	7.04	6	780	1.7	<2	1.07	<0.5	10	33	15	3.95	20	2.77
200111		2.64	<0.5	7.46	<5	890	1.9	<2	0.94	<0.5	9	29	8	3.67	20	3.22
200112		3.54	<0.5	7.17	<5	850	1.8	<2	0.97	<0.5	10	31	7	3.83	20	3.08
200113		4.00	<0.5	7.16	<5	840	1.8	<2	0.98	<0.5	11	27	6	3.96	10	3.07
200114		3.08	<0.5	7.24	<5	820	1.9	<2	0.99	<0.5	11	27	5	3.87	20	3.23
200115		2.24	<0.5	7.28	<5	740	1.9	<2	1.00	<0.5	10	34	5	4.16	20	3.27
200116		2.34	<0.5	7.42	8	700	1.8	<2	0.95	<0.5	11	32	12	4.12	20	3.13
200117		3.08	<0.5	7.51	<5	620	1.9	3	1.36	<0.5	10	34	26	4.14	20	3.05
200118		3.26	<0.5	7.21	<5	590	1.8	<2	1.28	<0.5	11	34	14	4.17	20	2.84
200119		3.41	<0.5	7.16	<5	710	1.8	<2	1.15	<0.5	10	32	10	4.06	20	3.01
200120		2.71	<0.5	6.97	<5	750	1.9	<2	1.18	<0.5	11	35	7	4.08	20	3.15





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 4 - B

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200081		40	0.93	634	1	2.44	22	630	6	<0.01	<5	15	63	20	0.39
200082		30	0.85	494	1	2.52	15	560	9	<0.01	<5	13	64	20	0.36
200083		40	1.30	605	1	2.58	17	650	7	<0.01	<5	15	60	20	0.40
200084		30	0.76	555	1	2.99	14	460	10	0.01	<5	12	58	20	0.31
200085		30	0.81	549	1	2.69	15	540	6	0.01	<5	13	56	20	0.35
200086		20	0.92	562	1	2.63	16	570	6	<0.01	<5	14	58	20	0.39
200087		30	0.89	573	1	3.21	16	570	8	<0.01	<5	13	65	20	0.35
200088		30	1.15	616	1	2.71	19	630	9	<0.01	<5	15	69	20	0.38
200089		30	1.13	613	1	1.91	17	620	8	<0.01	<5	14	61	20	0.38
200090		30	1.18	649	1	2.11	14	550	7	0.01	<5	14	56	20	0.36
200091		30	1.16	592	1	2.33	15	510	8	0.01	<5	14	65	20	0.37
200092		40	1.05	541	1	2.35	17	580	8	0.01	<5	15	60	20	0.41
200093		30	1.15	580	1	2.86	15	540	7	0.01	<5	14	65	20	0.35
200094		30	1.09	566	1	2.98	14	550	8	0.01	<5	14	69	20	0.36
200095		30	1.09	556	1	2.56	13	540	8	0.01	<5	14	66	20	0.35
200096		30	1.00	580	2	2.57	15	510	11	0.01	<5	12	67	20	0.33
200097		50	1.18	577	1	2.10	15	610	7	0.01	<5	13	47	20	0.39
200098		40	0.84	516	1	2.63	14	530	7	<0.01	<5	12	57	20	0.35
200099		50	1.11	560	1	2.38	15	570	6	<0.01	<5	14	61	20	0.38
200100		40	0.97	504	1	2.65	18	580	6	<0.01	<5	14	60	20	0.38
200101		30	0.98	523	2	2.71	18	590	7	<0.01	<5	14	60	20	0.38
200102		30	1.28	647	1	3.21	16	660	7	<0.01	<5	15	64	20	0.42
200103		30	0.99	525	1	2.98	20	580	7	0.01	<5	14	69	20	0.36
200104		30	0.94	527	<1	3.33	18	570	9	<0.01	6	13	77	20	0.35
200105		40	0.95	524	1	3.19	21	580	8	<0.01	5	13	77	<20	0.36
200106		30	0.92	518	1	3.06	26	570	6	<0.01	<5	13	72	<20	0.35
200107		30	0.93	547	1	3.15	16	630	6	<0.01	5	13	79	20	0.32
200108		30	0.70	506	1	3.05	19	570	8	<0.01	<5	12	76	<20	0.35
200109		30	1.01	622	1	2.23	19	570	10	0.01	<5	13	82	<20	0.35
200110		30	0.84	555	1	2.88	16	510	9	0.01	<5	12	80	20	0.32
200111		30	0.89	513	<1	2.81	13	480	12	0.01	<5	12	80	20	0.31
200112		30	0.92	545	1	2.83	17	530	7	0.01	<5	13	79	20	0.31
200113		30	0.95	556	1	2.67	15	520	9	0.01	<5	13	76	20	0.31
200114		30	0.90	525	<1	2.69	14	540	9	0.01	<5	13	76	20	0.31
200115		30	0.96	548	<1	2.52	16	570	8	0.01	<5	14	69	20	0.34
200116		30	0.99	561	1	2.56	13	540	7	0.01	<5	14	66	20	0.33
200117		30	0.94	587	1	2.70	16	580	11	0.01	<5	14	69	<20	0.36
200118		30	0.92	571	<1	2.80	16	590	10	0.01	<5	14	68	20	0.35
200119		30	0.96	597	1	2.67	14	570	9	0.01	<5	13	73	20	0.34
200120		30	0.96	596	1	2.60	15	580	8	0.01	5	13	76	20	0.34



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 4 - C

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200081		10	76	<10	71	<0.01	
200082		10	60	<10	61	<0.01	
200083		10	69	<10	86	<0.01	
200084		<10	47	<10	50	<0.01	
200085		10	60	10	57	<0.01	
200086		10	71	<10	67	<0.01	
200087		10	61	<10	67	<0.01	
200088		10	69	<10	82	<0.01	
200089		<10	69	<10	79	<0.01	
200090		<10	70	<10	70	<0.01	89.7
200091		10	68	<10	72	<0.01	
200092		10	77	<10	62	<0.01	
200093		10	63	<10	72	<0.01	
200094		10	64	<10	66	<0.01	
200095		10	66	<10	67	<0.01	
200096		10	50	<10	68	<0.01	
200097		<10	65	<10	78	<0.01	
200098		10	58	<10	62	<0.01	
200099		<10	62	<10	74	<0.01	
200100		<10	65	<10	68	<0.01	
200101		10	65	<10	68	<0.01	
200102		10	78	<10	84	<0.01	
200103		<10	73	<10	69	<0.01	
200104		<10	67	<10	69	<0.01	
200105		<10	70	<10	71	<0.01	
200106		<10	69	10	69	<0.01	
200107		<10	70	<10	69	<0.01	
200108		<10	64	10	61	<0.01	
200109		<10	71	<10	67	<0.01	
200110		<10	61	<10	58	0.01	
200111		<10	58	<10	58	0.01	
200112		<10	61	<10	58	0.03	
200113		<10	63	<10	58	<0.01	
200114		<10	64	<10	55	<0.01	
200115		<10	75	<10	67	<0.01	
200116		<10	71	<10	63	<0.01	
200117		<10	77	<10	58	<0.01	
200118		<10	74	<10	58	<0.01	
200119		<10	70	<10	62	<0.01	
200120		<10	72	<10	63	<0.01	



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 5 - A

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
200121		4.61	<0.5	7.27	<5	750	1.9	<2	1.27	<0.5	11	36	8	4.25	20	3.20
200122		1.74	<0.5	7.23	<5	730	1.7	<2	0.87	<0.5	11	36	6	4.02	20	2.91
200123		1.98	<0.5	7.04	5	720	1.8	<2	0.88	<0.5	11	29	4	3.62	10	3.07
200124		2.17	<0.5	7.07	<5	660	1.7	<2	1.01	<0.5	12	37	7	4.04	20	2.81
200125		2.52	<0.5	7.23	<5	640	1.8	<2	1.10	<0.5	11	37	16	4.04	20	2.91
200126		4.00	<0.5	7.16	<5	640	1.7	<2	1.16	<0.5	13	39	71	3.86	20	2.91
200127		3.73	<0.5	7.25	<5	660	2.0	<2	1.35	<0.5	13	34	222	4.02	20	3.33
200128		1.59	<0.5	7.09	<5	760	2.0	<2	1.08	<0.5	8	23	42	3.52	10	3.64
200129		0.76	<0.5	6.92	<5	790	2.1	2	1.02	<0.5	9	24	15	3.61	20	3.77
200130		1.40	<0.5	7.35	<5	700	2.0	<2	1.10	<0.5	10	29	16	3.97	20	3.36
200131		1.47	<0.5	7.02	<5	770	2.0	<2	1.01	<0.5	9	27	9	3.83	20	3.64
200132		1.24	<0.5	6.93	<5	740	1.8	<2	0.73	<0.5	10	22	5	3.72	20	3.57
200133		0.72	<0.5	7.25	<5	610	1.9	<2	1.10	<0.5	10	32	15	4.08	20	3.23
200134		1.78	<0.5	7.13	<5	690	2.0	<2	1.14	<0.5	12	36	22	4.50	20	3.39
200135		2.71	<0.5	7.05	<5	730	2.0	<2	1.11	<0.5	11	31	15	3.94	10	3.15
200136		2.15	<0.5	7.11	<5	810	2.0	<2	1.18	<0.5	11	33	9	3.82	10	3.49
200137		3.19	<0.5	7.25	<5	760	1.9	<2	1.20	<0.5	9	29	9	3.77	20	3.20
200138		1.98	<0.5	7.11	<5	900	1.9	<2	1.24	<0.5	12	33	7	3.83	20	3.69
200139		2.08	<0.5	6.96	<5	710	1.9	<2	1.11	<0.5	9	30	6	3.56	10	2.89
200140		1.41	<0.5	7.25	<5	890	1.9	<2	1.06	<0.5	9	27	7	3.64	10	3.54
200141		2.73	<0.5	6.84	<5	880	1.9	2	1.03	<0.5	10	31	10	3.93	20	3.57
200142		3.38	<0.5	6.92	<5	810	2.0	<2	1.07	<0.5	9	26	5	3.49	10	3.52
200143		2.70	<0.5	7.08	<5	730	2.0	<2	1.10	<0.5	8	25	5	3.54	20	3.20
200144		3.23	<0.5	7.27	<5	750	2.0	<2	1.14	<0.5	10	29	4	3.68	20	3.30
200145		3.37	<0.5	6.95	<5	700	2.0	<2	1.20	<0.5	10	26	4	3.59	20	3.51
200146		2.68	<0.5	6.50	9	480	1.8	<2	2.34	<0.5	10	28	7	3.64	10	2.59
200147		1.72	<0.5	6.51	<5	480	1.6	<2	2.38	<0.5	11	40	9	4.42	10	2.43
200148		1.97	<0.5	5.97	<5	360	1.7	<2	2.32	<0.5	10	36	5	3.83	10	2.25
200149		2.18	<0.5	6.97	<5	540	1.8	<2	1.24	<0.5	11	37	4	4.07	20	2.84
200150		2.38	<0.5	6.97	7	550	1.9	<2	1.21	<0.5	12	31	3	3.74	10	2.71
200151		2.24	<0.5	7.25	<5	730	1.9	<2	1.50	<0.5	11	32	7	3.94	20	3.23
200152		1.42	<0.5	6.91	<5	590	1.8	<2	1.76	<0.5	11	39	23	3.86	10	2.49
200153		0.98	<0.5	7.06	<5	570	2.0	<2	1.14	<0.5	13	34	7	4.22	20	2.82
200154		4.30	<0.5	7.20	<5	580	2.0	<2	1.36	<0.5	13	37	11	4.32	20	2.83
200155		2.72	<0.5	7.14	<5	600	2.0	<2	1.38	<0.5	13	37	6	4.18	10	2.84
200156		2.59	<0.5	7.19	5	560	1.9	<2	1.25	<0.5	12	36	6	4.13	20	2.80
200157		3.02	<0.5	6.80	6	500	1.9	<2	1.22	<0.5	14	30	228	3.79	20	2.68
200158		2.63	<0.5	6.98	5	540	2.2	<2	1.41	<0.5	12	29	77	3.74	10	3.20
200159		1.83	<0.5	7.03	<5	560	2.2	<2	1.73	<0.5	11	34	13	4.03	20	3.39
200160		1.49	<0.5	6.73	<5	500	2.1	2	1.62	<0.5	10	30	7	3.79	10	3.03



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 5 - B

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200121		30	0.97	626	1	2.60	17	590	10	0.01	<5	13	78	20	0.35
200122		30	1.00	617	1	2.79	25	470	7	0.01	6	12	73	<20	0.31
200123		30	1.06	589	<1	2.71	13	480	11	0.01	<5	12	73	20	0.33
200124		30	1.20	681	1	2.74	17	530	9	0.01	5	13	72	20	0.34
200125		30	1.06	652	1	2.73	15	550	16	0.02	<5	14	69	<20	0.35
200126		30	0.98	637	1	2.51	26	570	21	0.04	<5	13	67	20	0.35
200127		30	0.88	636	3	2.38	14	570	30	0.08	<5	13	68	20	0.34
200128		30	0.73	493	1	2.06	11	450	18	0.02	<5	11	68	<20	0.30
200129		30	0.80	501	1	2.02	12	510	25	0.01	5	12	72	20	0.33
200130		30	0.88	562	1	2.30	14	520	21	0.02	<5	13	71	20	0.33
200131		30	0.84	516	<1	1.92	12	490	18	0.01	<5	12	77	20	0.32
200132		20	0.92	507	<1	2.20	11	470	11	0.01	<5	12	64	20	0.30
200133		40	0.88	560	1	2.57	15	590	14	0.02	<5	13	70	<20	0.34
200134		30	1.03	663	1	2.25	16	550	14	0.02	<5	13	76	20	0.33
200135		30	1.14	640	<1	2.30	15	550	13	<0.01	<5	13	78	<20	0.36
200136		30	1.01	593	1	2.23	16	550	19	<0.01	<5	13	91	<20	0.36
200137		30	0.96	583	<1	2.52	12	550	18	<0.01	<5	13	92	20	0.35
200138		30	0.94	565	1	2.10	14	540	19	<0.01	<5	12	109	<20	0.35
200139		30	0.77	492	1	2.68	13	470	13	<0.01	<5	11	88	20	0.32
200140		30	0.88	540	<1	2.28	10	480	20	0.01	6	12	109	20	0.31
200141		30	0.87	570	1	2.24	15	460	20	0.01	5	12	110	20	0.31
200142		30	0.82	496	1	2.37	14	480	20	<0.01	<5	12	96	20	0.32
200143		30	0.82	486	<1	2.61	17	490	10	<0.01	<5	12	82	20	0.32
200144		30	0.87	516	1	2.41	17	530	7	<0.01	<5	13	83	20	0.34
200145		30	0.86	514	<1	2.05	13	520	8	<0.01	<5	12	72	<20	0.33
200146		30	0.71	798	1	2.28	12	530	8	<0.01	<5	12	55	<20	0.33
200147		30	0.72	885	1	2.33	16	540	7	0.01	<5	12	60	<20	0.33
200148		30	0.58	671	1	2.13	13	520	8	<0.01	7	11	54	<20	0.31
200149		30	0.79	544	<1	2.49	16	600	10	<0.01	5	13	65	20	0.34
200150		30	1.06	621	<1	2.37	15	530	11	<0.01	<5	13	60	<20	0.35
200151		30	0.98	635	<1	2.18	14	550	14	0.01	<5	13	74	20	0.36
200152		30	0.82	611	1	2.70	16	530	16	0.01	<5	12	71	<20	0.36
200153		30	1.18	691	<1	2.34	17	550	9	0.01	<5	13	64	<20	0.36
200154		30	1.14	703	1	2.19	17	570	10	0.02	5	14	63	<20	0.36
200155		30	1.14	670	1	2.07	16	560	12	0.01	6	13	61	<20	0.36
200156		30	1.13	657	1	2.12	17	570	12	0.01	<5	13	61	<20	0.37
200157		30	1.37	781	1	1.93	14	560	13	0.03	5	13	59	<20	0.35
200158		30	1.11	629	1	1.46	14	570	11	0.03	<5	13	51	<20	0.35
200159		30	1.18	732	1	1.35	16	560	10	0.04	<5	13	56	<20	0.35
200160		30	1.17	693	<1	1.41	13	570	7	0.02	<5	13	48	20	0.37



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 5 - C

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200121		<10	73	<10	65	<0.01	
200122		<10	59	10	70	<0.01	
200123		<10	62	<10	69	<0.01	
200124		<10	71	<10	81	<0.01	
200125		<10	72	<10	72	<0.01	
200126		<10	66	<10	67	<0.01	
200127		<10	64	<10	58	<0.01	
200128		<10	50	<10	44	<0.01	
200129		<10	56	<10	49	<0.01	
200130		<10	59	<10	55	<0.01	98.8
200131		<10	58	<10	52	<0.01	
200132		<10	59	<10	56	<0.01	
200133		<10	63	<10	56	<0.01	
200134		<10	67	<10	65	<0.01	
200135		<10	70	<10	75	<0.01	
200136		<10	68	10	68	<0.01	
200137		<10	65	10	64	<0.01	
200138		<10	63	<10	64	<0.01	
200139		<10	55	<10	54	<0.01	
200140		<10	55	<10	58	<0.01	
200141		<10	54	<10	60	<0.01	
200142		<10	54	<10	55	<0.01	
200143		<10	57	<10	54	<0.01	
200144		<10	65	<10	55	<0.01	
200145		<10	58	<10	53	<0.01	
200146		<10	56	<10	49	<0.01	
200147		<10	54	10	54	<0.01	
200148		<10	54	<10	45	<0.01	
200149		<10	66	<10	58	<0.01	
200150		<10	72	<10	70	<0.01	
200151		<10	70	<10	65	<0.01	
200152		<10	69	<10	58	<0.01	
200153		<10	75	<10	70	<0.01	
200154		<10	76	<10	69	<0.01	
200155		<10	78	20	71	<0.01	
200156		<10	75	10	72	<0.01	
200157		<10	71	10	77	<0.01	
200158		<10	65	<10	64	<0.01	
200159		<10	66	10	67	<0.01	
200160		<10	69	<10	70	<0.01	



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 6 - A

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01
200161		4.22	<0.5	6.60	<5	490	2.1	<2	1.65	<0.5	12	29	5	3.70	10	3.02
200162		1.36	<0.5	6.49	<5	440	2.1	<2	1.78	<0.5	11	30	6	3.65	10	2.77
200163		1.94	<0.5	6.46	<5	390	2.0	<2	1.50	<0.5	13	32	42	3.52	20	2.59
200164		2.37	<0.5	6.64	<5	450	2.1	<2	1.55	<0.5	10	33	50	3.62	10	2.89
200165		1.93	<0.5	6.38	<5	520	2.0	<2	1.69	<0.5	13	34	26	3.44	10	2.96
200166		1.84	<0.5	6.96	6	560	2.0	<2	1.38	<0.5	12	32	3	3.84	10	3.04
200167		2.28	<0.5	6.88	<5	760	2.0	<2	1.50	<0.5	10	32	5	3.66	10	3.45
200168		2.94	<0.5	6.98	<5	700	2.0	<2	1.49	<0.5	12	30	32	3.66	10	3.45
200169		2.55	<0.5	7.05	<5	760	2.0	<2	1.52	<0.5	10	33	52	3.74	20	3.76
200170		1.83	<0.5	6.77	<5	810	1.8	<2	1.76	<0.5	10	36	6	3.62	20	3.73
200171		2.68	<0.5	7.25	<5	810	1.8	<2	1.52	<0.5	12	32	5	3.70	20	3.58
200172		1.47	<0.5	7.08	<5	770	1.9	<2	1.33	<0.5	11	31	7	3.97	20	3.40
200173		2.65	<0.5	6.91	<5	630	1.9	<2	1.43	<0.5	12	38	10	4.24	20	3.06
200174		1.70	<0.5	7.01	<5	680	2.0	<2	1.18	<0.5	11	20	10	3.66	20	3.46
200175		0.62	<0.5	7.08	<5	470	2.1	<2	0.80	<0.5	10	23	140	3.75	10	2.69
200176		0.88	<0.5	6.80	<5	460	2.1	<2	0.65	<0.5	12	26	51	3.71	20	2.87
200177		3.59	<0.5	6.82	<5	540	2.0	<2	0.90	<0.5	12	30	40	4.30	10	3.05
200178		2.45	<0.5	7.04	<5	440	1.7	<2	0.85	<0.5	11	41	27	4.78	20	2.39
200179		3.49	<0.5	7.03	<5	410	1.8	<2	0.41	<0.5	12	29	12	4.65	20	2.48
200180		3.35	<0.5	7.06	<5	460	1.9	<2	0.54	<0.5	11	28	9	4.10	10	2.61
200181		3.55	<0.5	7.26	10	450	1.9	<2	0.60	<0.5	11	29	10	4.24	20	2.60
200182		4.55	<0.5	7.42	<5	570	2.0	<2	0.83	<0.5	12	33	11	4.14	20	2.83
200183		3.60	<0.5	7.02	<5	610	1.9	<2	0.84	<0.5	11	34	10	4.11	20	2.88
200184		4.56	<0.5	7.26	<5	710	2.0	<2	1.26	<0.5	11	31	7	4.12	10	3.28
200185		1.84	<0.5	7.10	<5	590	2.1	2	1.16	<0.5	12	46	17	4.52	20	2.93
200186		4.43	<0.5	7.20	8	730	2.0	<2	1.38	<0.5	12	36	9	4.51	20	3.20
200187		3.03	<0.5	7.38	<5	910	1.9	<2	1.37	<0.5	12	32	5	4.08	20	3.69
200188		3.86	<0.5	7.21	<5	690	1.9	<2	1.26	<0.5	12	35	6	4.11	20	3.08
200189		4.26	<0.5	6.92	<5	430	2.0	<2	1.20	<0.5	11	26	22	3.73	20	2.80
200190		3.94	<0.5	7.17	7	540	2.1	<2	1.28	<0.5	10	23	12	3.72	10	3.47
200191		0.34	<0.5	7.51	6	610	2.1	<2	1.66	0.6	15	48	22	6.64	20	3.86
200192		1.85	<0.5	8.67	<5	770	2.6	<2	2.87	<0.5	23	34	15	7.27	30	5.46
200193		4.74	<0.5	7.20	5	450	1.9	<2	2.01	<0.5	17	33	12	4.85	20	3.20
200194		4.25	<0.5	7.49	<5	570	2.1	<2	0.88	<0.5	12	33	3	4.06	20	3.60
200195		4.37	<0.5	7.26	7	470	2.1	<2	0.76	<0.5	13	28	6	4.35	20	3.32
200196		2.82	<0.5	7.32	<5	640	1.9	<2	1.17	<0.5	11	30	5	3.93	20	3.39
200197		2.46	<0.5	7.42	19	390	2.2	11	1.62	<0.5	23	30	19	4.15	20	3.36
200198		3.32	<0.5	8.42	10	570	2.8	<2	1.44	<0.5	14	30	62	5.59	20	4.46
200199		3.01	<0.5	7.13	<5	520	1.8	<2	0.97	<0.5	11	29	13	3.87	20	2.92
200200		3.58	<0.5	6.96	<5	560	1.9	2	0.98	<0.5	11	32	8	3.91	20	3.03



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 6 - B

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200161		30	1.12	670	1	1.37	13	570	7	0.02	<5	12	47	<20	0.37
200162		30	1.28	787	1	1.37	13	550	9	0.02	<5	12	45	<20	0.35
200163		30	1.19	698	1	1.32	13	550	12	0.05	<5	12	44	<20	0.35
200164		30	1.17	666	1	1.22	16	560	14	0.04	<5	13	42	20	0.36
200165		30	1.02	636	1	1.33	15	540	15	0.04	<5	12	49	20	0.36
200166		30	1.20	655	<1	1.52	15	580	8	0.01	<5	13	51	<20	0.35
200167		30	1.04	603	1	1.59	13	540	11	<0.01	<5	12	82	<20	0.34
200168		30	1.06	600	<1	1.51	12	550	12	0.01	<5	13	76	20	0.34
200169		30	1.11	624	1	1.34	16	570	12	0.01	<5	13	82	20	0.35
200170		30	1.04	723	1	1.46	18	550	17	<0.01	5	12	94	<20	0.34
200171		30	1.06	619	1	1.81	15	530	11	<0.01	<5	13	96	20	0.34
200172		30	1.05	617	1	1.82	15	520	19	0.01	5	13	99	20	0.33
200173		30	1.08	669	2	2.06	17	530	9	0.02	<5	13	81	<20	0.34
200174		30	1.11	589	<1	1.68	11	510	11	0.01	<5	13	71	20	0.31
200175		30	1.38	672	<1	2.01	13	520	9	0.03	<5	13	55	20	0.33
200176		30	1.28	635	1	1.67	11	470	9	0.02	<5	12	46	<20	0.30
200177		30	1.34	709	1	1.63	16	540	8	0.03	5	13	59	20	0.33
200178		20	1.26	756	2	2.33	19	580	8	0.03	6	13	48	<20	0.34
200179		20	1.24	631	<1	2.12	15	560	5	0.01	<5	13	42	<20	0.34
200180		20	1.22	608	1	2.13	16	560	6	0.01	<5	13	48	20	0.34
200181		20	1.28	646	<1	2.21	15	540	8	0.01	5	13	48	<20	0.34
200182		30	1.20	636	1	2.16	15	560	10	0.01	<5	13	62	20	0.34
200183		30	1.19	613	<1	2.06	15	540	10	0.01	<5	13	69	<20	0.33
200184		30	1.13	628	1	1.82	71	590	12	0.01	5	13	76	<20	0.35
200185		30	1.21	683	4	1.82	19	560	11	0.03	<5	13	63	<20	0.34
200186		30	1.21	712	2	1.86	17	580	9	0.02	<5	14	78	20	0.35
200187		30	1.29	705	1	1.80	15	600	16	0.01	<5	14	94	20	0.35
200188		30	1.28	766	1	1.83	16	580	9	0.01	<5	13	67	20	0.33
200189		30	1.31	766	1	1.45	15	570	5	0.01	<5	13	36	<20	0.34
200190		30	1.38	755	<1	0.89	14	580	6	0.01	<5	13	33	20	0.34
200191		30	1.56	1115	4	0.65	22	630	11	0.06	<5	15	36	20	0.36
200192		30	2.53	1680	<1	0.16	18	960	7	0.05	<5	18	24	20	0.53
200193		30	1.94	1115	1	0.92	22	600	8	0.01	<5	14	25	<20	0.36
200194		30	1.48	744	<1	1.22	15	640	6	0.02	<5	15	31	<20	0.40
200195		30	1.75	771	<1	1.03	15	630	4	0.01	<5	14	26	20	0.37
200196		30	1.38	766	<1	1.34	15	620	10	0.01	<5	14	50	20	0.35
200197		30	1.50	862	<1	0.93	18	610	10	0.03	<5	14	22	20	0.36
200198		30	1.94	901	1	0.65	19	680	15	0.02	<5	16	24	20	0.39
200199		30	1.29	725	<1	1.66	13	580	8	0.01	<5	13	41	<20	0.34
200200		30	1.26	687	1	1.73	16	590	3	0.01	6	13	45	<20	0.34



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 6 - C

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200161		<10	68	<10	69	<0.01	
200162		<10	65	<10	71	<0.01	
200163		<10	67	10	67	<0.01	
200164		<10	69	10	65	<0.01	
200165		<10	66	<10	60	<0.01	
200166		<10	73	<10	70	<0.01	
200167		<10	66	<10	64	<0.01	
200168		<10	68	<10	65	<0.01	
200169		<10	69	<10	69	<0.01	
200170		<10	65	<10	69	<0.01	88.5
200171		<10	67	<10	69	<0.01	
200172		<10	67	<10	66	<0.01	
200173		<10	71	10	63	<0.01	
200174		<10	67	<10	58	<0.01	
200175		<10	61	<10	66	<0.01	
200176		<10	54	<10	64	<0.01	
200177		<10	66	<10	72	<0.01	
200178		<10	69	10	78	<0.01	
200179		<10	69	<10	77	<0.01	
200180		<10	66	<10	75	<0.01	
200181		<10	67	<10	80	<0.01	
200182		<10	68	<10	73	<0.01	
200183		<10	64	<10	73	<0.01	
200184		<10	73	<10	68	<0.01	
200185		<10	71	<10	67	<0.01	
200186		<10	74	<10	73	<0.01	
200187		<10	76	<10	74	<0.01	
200188		<10	70	<10	73	<0.01	
200189		<10	67	<10	71	<0.01	
200190		<10	68	<10	71	<0.01	
200191		<10	78	<10	86	0.01	
200192		<10	112	<10	132	<0.01	
200193		<10	75	10	89	<0.01	
200194		<10	79	<10	78	<0.01	
200195		<10	79	<10	84	<0.01	
200196		<10	75	10	72	<0.01	
200197		<10	78	<10	69	<0.01	
200198		<10	87	10	79	<0.01	
200199		<10	71	<10	70	<0.01	
200200		<10	73	<10	67	<0.01	





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 7 - A

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
200201		2.81	<0.5	6.85	<5	530	1.8	<2	0.95	<0.5	10	26	6	3.59	10	2.86
200202		4.24	<0.5	7.06	<5	550	2.0	<2	0.95	<0.5	13	25	8	3.80	10	3.16
200203		2.83	<0.5	7.07	<5	430	1.9	<2	1.03	<0.5	11	34	126	3.95	10	2.47
200204		1.97	<0.5	7.15	<5	600	2.1	<2	1.43	<0.5	10	24	13	3.48	20	3.14
200205		2.67	<0.5	7.30	<5	670	2.2	<2	1.35	<0.5	11	24	4	3.44	20	3.46
200206		2.64	<0.5	7.24	<5	610	2.2	<2	1.59	<0.5	10	30	24	3.78	10	3.28
200207		3.03	<0.5	7.27	8	510	2.1	<2	1.22	<0.5	11	30	146	4.16	20	2.91
200208		2.86	<0.5	7.26	<5	480	1.7	<2	1.10	<0.5	11	28	50	4.28	10	2.74
200209		3.01	<0.5	6.86	<5	360	1.7	<2	1.91	<0.5	12	29	29	4.00	20	2.80
200210		2.03	<0.5	7.28	<5	340	1.7	<2	0.81	<0.5	11	29	18	4.30	20	2.85
200211		3.82	<0.5	7.60	<5	460	1.7	<2	1.20	<0.5	11	31	34	4.42	20	2.99
200212		3.25	<0.5	7.46	<5	540	1.8	<2	1.10	<0.5	10	24	8	4.09	20	3.27
200213		3.04	<0.5	7.76	<5	670	2.3	<2	1.65	<0.5	10	27	8	3.93	20	3.61
200214		3.75	<0.5	7.80	<5	610	2.3	<2	1.93	<0.5	12	30	4	4.04	20	3.39
200215		2.50	<0.5	8.07	8	530	2.4	<2	1.69	<0.5	13	29	8	4.29	20	3.16
200216		2.27	<0.5	7.68	9	540	2.3	<2	1.53	<0.5	13	45	11	4.64	20	2.94
200217		2.96	<0.5	7.46	<5	480	2.1	<2	1.28	<0.5	14	86	15	4.32	10	2.68
200218		3.11	<0.5	8.01	7	470	2.2	<2	1.46	<0.5	13	32	20	4.16	20	2.75
200219		2.74	<0.5	7.65	<5	610	2.3	<2	1.86	<0.5	11	29	15	4.05	20	3.32
200220		3.53	<0.5	7.67	<5	630	2.4	<2	2.02	<0.5	11	29	52	4.03	20	3.60
200221		3.96	<0.5	7.80	<5	640	2.3	<2	2.07	<0.5	10	31	57	4.19	20	3.60
200222		3.51	<0.5	7.84	<5	560	2.3	<2	1.88	<0.5	15	31	116	4.05	20	3.23
200223		2.00	<0.5	7.53	<5	730	2.2	<2	1.85	<0.5	9	29	17	4.24	20	3.76
200224		2.60	<0.5	7.51	5	610	2.3	2	1.66	<0.5	10	27	100	3.93	20	3.40
200225		3.25	<0.5	7.68	<5	550	2.2	<2	1.67	<0.5	11	35	372	4.21	20	3.21
200226		2.87	<0.5	7.76	<5	540	2.0	<2	1.35	<0.5	11	44	15	4.19	20	2.75
200227		3.23	<0.5	7.74	8	610	2.1	<2	1.46	<0.5	11	28	6	3.88	20	3.01
200228		2.94	<0.5	7.75	9	600	2.0	<2	1.10	<0.5	11	35	9	4.18	20	2.92
200229		0.85	<0.5	8.01	<5	680	2.1	<2	1.21	<0.5	11	24	6	4.25	20	3.22
200230		2.38	<0.5	7.79	<5	740	2.2	<2	1.51	<0.5	12	28	4	4.28	20	3.52
200231		5.90	<0.5	7.93	<5	640	2.2	<2	1.66	<0.5	14	38	6	4.71	20	3.33
200232		3.95	<0.5	7.46	<5	530	1.9	<2	1.46	<0.5	12	44	13	4.77	20	3.12
200233		3.65	<0.5	7.49	<5	650	2.1	<2	1.90	<0.5	13	33	73	4.31	10	3.29
200234		3.74	<0.5	7.66	6	790	2.1	<2	1.60	<0.5	12	34	7	4.50	20	3.62



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 7 - B

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WESEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200201		30	1.20	639	<1	1.66	11	550	4	<0.01	<5	13	41	<20	0.32
200202		30	1.39	705	<1	1.53	15	590	4	0.01	<5	13	41	<20	0.35
200203		30	1.16	642	1	2.41	14	540	13	0.01	7	13	53	<20	0.32
200204		30	0.93	503	<1	1.87	11	520	6	0.01	5	12	54	20	0.32
200205		30	0.92	478	1	1.99	11	520	9	<0.01	<5	13	60	20	0.32
200206		30	0.92	537	<1	2.00	15	560	6	<0.01	<5	13	58	<20	0.36
200207		30	1.03	555	<1	2.17	12	600	22	0.01	<5	14	53	<20	0.36
200208		50	1.24	682	<1	2.23	18	580	6	0.01	<5	13	43	20	0.35
200209		30	1.58	765	<1	1.60	12	590	5	0.01	<5	13	32	<20	0.34
200210		20	1.45	629	<1	1.69	15	590	5	0.02	<5	14	29	<20	0.35
200211		30	1.40	713	<1	1.95	15	610	8	0.01	5	14	35	20	0.36
200212		20	1.06	564	<1	1.91	14	570	8	<0.01	<5	13	41	20	0.35
200213		30	0.95	573	1	2.02	14	560	7	<0.01	<5	13	61	20	0.35
200214		40	1.04	660	<1	2.13	17	610	9	<0.01	<5	14	61	20	0.39
200215		30	1.16	717	<1	2.34	25	660	13	0.02	<5	15	64	20	0.40
200216		40	1.29	792	2	2.34	18	610	5	0.02	<5	15	65	20	0.38
200217		40	1.23	781	1	2.52	29	600	10	0.01	<5	14	63	20	0.37
200218		40	1.16	745	1	2.86	15	640	9	<0.01	<5	14	65	20	0.38
200219		30	1.07	693	1	2.05	16	600	10	<0.01	<5	14	62	20	0.39
200220		30	1.07	707	1	1.82	14	620	13	0.01	<5	14	58	20	0.39
200221		30	1.09	722	1	1.83	16	630	13	0.01	<5	14	61	20	0.39
200222		30	1.11	741	3	2.01	17	610	15	0.03	<5	14	55	20	0.40
200223		30	1.03	672	1	1.55	15	600	8	0.02	5	14	64	20	0.37
200224		30	1.01	642	<1	1.95	15	570	8	0.01	5	13	57	20	0.37
200225		40	1.00	656	2	2.34	16	610	7	0.04	5	14	66	20	0.38
200226		40	0.88	586	1	2.88	22	570	11	0.01	<5	14	71	20	0.37
200227		30	1.01	621	1	2.52	14	540	9	<0.01	<5	13	67	20	0.35
200228		30	0.96	604	2	2.93	17	550	10	<0.01	<5	13	72	20	0.35
200229		30	1.02	628	<1	2.60	13	530	7	0.01	<5	13	71	20	0.35
200230		30	1.11	635	1	2.20	13	540	8	0.02	<5	14	72	20	0.37
200231		40	1.19	700	1	2.14	27	670	12	0.04	6	15	67	20	0.38
200232		30	1.16	726	2	2.09	20	610	12	0.03	<5	14	54	20	0.37
200233		30	1.00	659	1	2.22	18	620	10	0.01	<5	14	86	20	0.37
200234		40	1.08	693	2	2.23	18	630	12	<0.01	<5	15	93	20	0.38



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 7 - C

Total # Pages: 7 (A - C)

Finalized Date: 12-FEB-2010

Account: WEDES

Project: EAST ROVER

## CERTIFICATE OF ANALYSIS AS10012022

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200201		<10	68	<10	63	<0.01	
200202		<10	70	<10	66	<0.01	
200203		<10	62	<10	58	<0.01	
200204		<10	61	10	52	<0.01	
200205		<10	59	<10	51	<0.01	
200206		<10	66	<10	56	<0.01	
200207		<10	70	10	62	<0.01	
200208		<10	66	10	67	<0.01	
200209		<10	72	<10	70	<0.01	
200210		<10	74	10	70	<0.01	94.5
200211		<10	74	<10	67	<0.01	
200212		<10	64	<10	65	<0.01	
200213		<10	61	<10	59	<0.01	
200214		<10	70	<10	65	<0.01	
200215		<10	79	10	75	<0.01	
200216		<10	75	<10	84	<0.01	
200217		<10	68	<10	85	<0.01	
200218		<10	70	<10	80	<0.01	
200219		<10	73	<10	70	<0.01	
200220		<10	73	<10	71	<0.01	
200221		<10	74	10	74	<0.01	
200222		<10	75	<10	77	<0.01	
200223		<10	71	10	65	<0.01	
200224		<10	66	10	65	<0.01	
200225		<10	71	<10	69	<0.01	
200226		<10	68	<10	65	<0.01	
200227		<10	66	<10	72	<0.01	
200228		<10	64	10	73	<0.01	
200229		<10	66	<10	62	<0.01	
200230		<10	80	<10	67	<0.01	
200231		<10	80	<10	77	<0.01	
200232		<10	72	10	79	<0.01	
200233		<10	73	<10	76	<0.01	
200234		<10	75	<10	84	<0.01	