



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 1
Finalized Date: 26-FEB-2010
Account: WEDES

CERTIFICATE AS10014661

Project: EAST ROVER

P.O. No.: 0306

This report is for 268 Percussion samples submitted to our lab in Alice Springs, NT, Australia on 10-FEB-2010.

The following have access to data associated with this certificate:

JOHN FABRAY

BRETT SANDO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
PUL-QC	Pulverizing QC Test
PUL-23	Pulv Sample - Split/Retain
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

To: **WESTERN DESERT RESOURCES**
ATTN: BRETT SANDO
LEVEL 1, 26 GREENHILL ROAD
WAYVILLE SA 5034

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Wayne Abbott, Operations Manager, Western Australia



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - A

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
200560		4.46	<0.5	2.14	<5	230	0.7	<2	12.45	<0.5	5	19	10	1.34	<10	1.66
200561		3.27	<0.5	2.20	<5	240	0.7	<2	11.65	<0.5	4	16	9	1.40	10	1.71
200562		1.05	<0.5	6.36	6	1010	1.9	<2	2.94	<0.5	13	27	48	4.12	20	5.24
200563		2.47	<0.5	7.66	6	1250	2.0	<2	0.92	<0.5	13	25	6	4.89	10	6.30
200564		2.39	<0.5	7.27	8	1110	1.8	<2	1.12	<0.5	11	24	7	4.38	20	5.01
200565		2.59	<0.5	7.47	7	1210	2.1	<2	1.36	<0.5	11	24	9	4.42	20	5.32
200566		3.37	<0.5	7.36	7	1190	2.2	<2	1.30	<0.5	12	24	12	4.41	10	5.14
200567		2.66	<0.5	7.43	6	1210	2.1	<2	1.37	<0.5	11	22	14	4.01	20	4.95
200568		1.52	<0.5	7.52	8	1190	2.4	<2	1.41	<0.5	14	19	22	5.00	20	4.71
200569		4.32	<0.5	7.47	7	1120	2.3	<2	1.11	<0.5	15	27	9	5.21	10	4.25
200570		3.41	<0.5	7.24	5	1060	2.3	<2	1.13	<0.5	14	24	14	5.04	20	4.02
200571		4.80	<0.5	7.45	8	1150	2.6	<2	1.06	<0.5	13	31	9	5.11	20	4.54
200572		3.71	<0.5	7.77	8	660	2.2	<2	1.59	<0.5	14	34	7	5.25	20	2.81
200573		4.87	<0.5	7.82	9	860	2.5	<2	1.45	<0.5	13	22	6	5.34	20	3.54
200574		1.84	<0.5	7.62	<5	460	2.1	<2	2.32	<0.5	12	21	7	5.29	20	2.08
200575		4.12	<0.5	7.64	7	550	2.4	<2	2.36	<0.5	12	19	6	5.05	20	2.92
200576		4.06	<0.5	7.10	10	780	2.3	<2	1.90	<0.5	10	19	5	4.21	20	3.23
200577		5.04	<0.5	6.58	5	900	2.1	<2	2.06	<0.5	10	17	5	4.14	10	3.33
200578		4.60	<0.5	7.94	6	1060	2.6	<2	2.66	<0.5	14	24	9	5.48	20	4.24
200579		4.52	<0.5	8.18	9	970	2.7	<2	3.98	<0.5	15	25	11	5.53	20	4.03
200580		1.36	<0.5	7.89	9	1140	2.7	<2	1.86	<0.5	14	125	21	5.39	20	4.65
200581		2.07	<0.5	7.34	5	1060	2.5	<2	1.83	<0.5	14	23	16	5.48	10	4.12
200582		4.17	<0.5	7.50	6	1010	2.4	<2	1.75	<0.5	14	22	11	5.09	20	4.03
200583		3.89	<0.5	7.74	5	1160	2.5	<2	1.69	<0.5	14	27	15	5.47	20	4.34
200584		3.88	<0.5	7.80	5	1150	2.7	<2	1.95	<0.5	14	28	14	5.26	20	4.22
200585		3.79	<0.5	7.38	11	1000	2.3	<2	1.35	<0.5	12	18	43	4.49	20	3.72
200586		3.31	<0.5	7.87	6	1140	2.5	<2	1.60	<0.5	13	21	52	5.17	20	4.34
200587		1.48	<0.5	8.17	5	1070	2.6	<2	1.88	<0.5	15	22	11	5.72	20	4.03
200588		3.78	<0.5	7.72	8	1060	2.5	<2	1.87	<0.5	13	23	13	5.09	20	4.09
200589		2.07	<0.5	8.00	7	440	1.8	<2	2.43	<0.5	14	16	142	5.65	20	1.56
200590		3.30	<0.5	7.84	7	930	2.3	<2	1.85	<0.5	14	28	57	5.22	20	3.42
200591		2.47	<0.5	7.90	6	1010	2.6	<2	1.63	<0.5	13	23	22	5.08	20	3.66
200592		1.94	<0.5	8.49	9	1080	2.9	<2	1.83	<0.5	13	22	32	5.71	20	3.86
200593		4.78	<0.5	7.48	<5	980	2.4	<2	1.55	<0.5	13	21	17	5.17	20	3.81
200594		4.87	<0.5	7.32	<5	900	2.1	<2	1.39	<0.5	13	29	11	5.30	20	3.30
200595		5.16	<0.5	7.55	5	880	2.3	<2	1.68	<0.5	12	32	12	5.11	20	3.10
200596		5.44	<0.5	7.42	<5	1070	2.6	<2	1.92	<0.5	11	33	37	5.38	20	3.69
200597		5.14	<0.5	7.68	<5	1100	2.5	<2	1.84	<0.5	12	30	18	5.23	20	3.80
200598		3.81	<0.5	7.48	5	1130	2.4	<2	1.54	<0.5	12	31	21	5.16	20	3.86
200599		1.11	<0.5	7.74	<5	320	2.0	<2	2.57	<0.5	15	21	62	5.73	20	1.22



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - B

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200560		30	7.94	1000	2	0.04	8	460	8	0.01	<5	4	49	<20	0.15
200561		30	7.37	920	1	0.04	7	480	4	0.01	<5	4	46	<20	0.15
200562		40	2.44	495	1	0.21	12	1270	23	0.01	<5	12	99	20	0.46
200563		50	1.43	409	1	0.59	10	1050	24	<0.01	<5	14	97	20	0.57
200564		50	1.38	428	2	1.26	10	990	20	<0.01	<5	13	95	20	0.52
200565		60	1.45	442	2	1.11	10	1030	23	<0.01	<5	14	113	20	0.52
200566		60	1.36	461	2	1.23	12	1010	20	<0.01	<5	13	113	20	0.53
200567		60	1.46	512	2	1.54	12	1030	17	<0.01	<5	13	114	20	0.50
200568		50	1.70	575	1	1.49	10	1090	20	0.01	<5	14	119	20	0.53
200569		50	1.71	595	2	1.40	10	1040	23	0.01	<5	15	114	20	0.53
200570		50	1.54	572	1	1.56	9	1010	19	0.01	<5	14	110	20	0.52
200571		50	1.43	541	1	1.34	10	1030	24	0.01	<5	15	116	20	0.52
200572		50	1.96	767	2	2.61	12	1090	10	0.01	5	15	86	20	0.57
200573		50	1.84	763	1	1.91	23	1060	20	<0.01	<5	16	86	20	0.55
200574		50	1.58	870	2	2.97	8	920	7	<0.01	<5	14	85	20	0.50
200575		50	1.31	784	1	2.10	7	1000	12	<0.01	<5	14	75	20	0.53
200576		50	0.83	545	1	1.97	8	910	20	<0.01	<5	14	93	20	0.50
200577		40	0.71	527	1	1.88	6	850	24	<0.01	<5	13	111	20	0.45
200578		50	0.92	718	2	2.11	12	1060	27	0.01	<5	16	136	20	0.56
200579		50	1.00	976	2	2.31	9	1070	23	<0.01	<5	16	134	20	0.56
200580		50	1.06	670	2	1.75	11	1010	28	0.09	<5	16	141	20	0.57
200581		50	1.07	674	1	1.64	8	960	27	0.03	<5	15	130	20	0.54
200582		50	1.14	672	2	1.78	9	1000	24	0.01	<5	15	134	20	0.52
200583		50	1.11	713	2	1.71	11	1070	30	0.01	5	15	147	20	0.54
200584		50	1.07	743	3	1.66	10	1070	28	0.01	<5	15	136	20	0.55
200585		50	0.79	559	1	2.13	7	900	21	0.01	<5	14	126	20	0.52
200586		40	0.98	654	2	2.03	11	990	26	0.01	<5	15	131	20	0.55
200587		60	1.07	761	1	2.20	21	1000	26	0.01	<5	16	134	20	0.56
200588		50	0.91	669	1	2.02	8	980	29	<0.01	<5	15	134	20	0.52
200589		50	1.25	862	1	3.48	5	1000	18	0.01	<5	15	119	20	0.51
200590		50	1.00	742	2	2.37	10	990	27	0.02	<5	15	128	20	0.55
200591		50	0.88	706	2	2.51	9	950	37	0.01	<5	15	137	20	0.55
200592		50	0.96	760	2	2.75	8	1040	38	0.01	<5	16	149	20	0.59
200593		50	1.05	729	1	2.07	6	890	25	0.01	<5	14	128	20	0.52
200594		50	1.27	704	3	2.25	17	990	13	0.01	9	14	108	20	0.55
200595		40	1.22	707	2	2.46	21	1000	7	0.01	11	14	101	20	0.56
200596		50	1.00	758	3	2.09	14	1000	22	0.01	9	14	137	20	0.57
200597		50	0.97	761	3	2.17	14	1000	32	0.01	11	15	138	20	0.60
200598		50	0.93	672	2	2.03	14	970	35	0.01	7	14	132	20	0.54
200599		50	1.20	854	2	3.61	11	990	8	0.02	5	14	105	20	0.56



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - C

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA26	PUL-QC
		U	V	W	Zn	Au	Pass75um
		ppm	ppm	ppm	ppm	ppm	%
		10	1	10	2	0.01	0.01
200560		<10	25	<10	29	<0.01	
200561		<10	24	<10	27	<0.01	
200562		<10	64	<10	50	<0.01	
200563		<10	67	<10	68	<0.01	
200564		<10	57	10	63	<0.01	
200565		<10	58	<10	56	<0.01	
200566		<10	58	<10	56	<0.01	
200567		<10	56	<10	54	<0.01	
200568		<10	65	<10	67	<0.01	
200569		<10	65	<10	77	<0.01	90.2
200570		<10	62	<10	71	<0.01	
200571		<10	66	<10	69	<0.01	
200572		10	65	<10	94	<0.01	
200573		<10	69	<10	74	<0.01	
200574		10	62	<10	70	<0.01	
200575		<10	65	<10	64	<0.01	
200576		<10	60	<10	50	<0.01	
200577		<10	54	<10	51	<0.01	
200578		10	71	10	65	<0.01	
200579		<10	70	<10	68	<0.01	
200580		10	68	<10	85	<0.01	
200581		<10	66	<10	76	<0.01	
200582		<10	63	<10	91	<0.01	
200583		<10	65	<10	97	<0.01	
200584		<10	68	<10	104	<0.01	
200585		<10	62	<10	74	<0.01	
200586		<10	66	<10	85	<0.01	
200587		<10	68	<10	100	<0.01	
200588		<10	63	<10	82	<0.01	
200589		10	64	<10	93	<0.01	
200590		<10	67	<10	90	<0.01	
200591		<10	65	<10	87	<0.01	
200592		<10	70	<10	90	<0.01	
200593		<10	62	<10	80	<0.01	
200594		10	64	10	89	<0.01	
200595		10	63	<10	92	<0.01	
200596		10	66	<10	101	<0.01	
200597		<10	65	<10	97	<0.01	
200598		10	61	<10	85	<0.01	
200599		10	65	<10	92	<0.01	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - A

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
200600		2.03	<0.5	7.65	<5	630	2.2	2	1.93	<0.5	14	16	11	5.13	20	2.34
200601		2.24	<0.5	7.22	9	660	2.2	<2	1.94	<0.5	13	20	11	4.86	20	2.42
200602		0.96	<0.5	7.71	<5	960	2.6	<2	1.81	<0.5	13	17	17	5.33	20	3.57
200603		0.87	<0.5	7.86	<5	1020	2.5	<2	2.06	<0.5	13	18	23	5.32	20	3.92
200604		2.77	<0.5	7.27	<5	1020	2.5	<2	2.19	<0.5	12	23	30	5.16	20	4.11
200605		4.69	<0.5	7.47	6	830	2.3	<2	1.99	<0.5	13	25	33	4.93	20	3.10
200606		1.43	<0.5	7.53	<5	1000	2.3	<2	1.66	<0.5	13	23	9	5.34	20	3.59
200607		4.06	<0.5	7.28	6	1070	2.4	<2	1.68	<0.5	12	29	7	5.10	20	3.72
200608		3.73	<0.5	7.50	<5	940	2.4	<2	1.67	<0.5	12	28	7	4.93	20	3.30
200609		3.42	<0.5	7.42	<5	1050	2.3	<2	1.50	<0.5	10	27	7	4.87	20	3.71
200610		4.48	<0.5	7.08	6	990	2.0	<2	1.91	<0.5	8	21	17	4.51	20	3.53
200611		4.50	<0.5	6.79	6	520	1.7	<2	4.59	<0.5	13	23	67	4.63	20	2.11
200612		2.11	<0.5	7.76	5	900	2.4	<2	1.62	<0.5	13	20	10	5.08	20	3.57
200613		3.37	<0.5	7.79	<5	970	2.4	<2	1.96	<0.5	12	20	9	5.15	20	3.61
200614		3.45	<0.5	7.71	<5	1050	2.4	<2	1.80	<0.5	12	25	7	5.10	20	3.77
200615		3.25	<0.5	7.12	6	890	2.2	<2	1.96	<0.5	12	30	10	4.74	20	3.12
200616		3.68	<0.5	7.42	<5	1000	2.2	<2	1.77	<0.5	11	27	40	4.71	20	3.59
200617		3.38	<0.5	7.35	<5	1000	2.2	<2	1.86	<0.5	11	21	13	4.73	20	3.57
200618		1.97	<0.5	7.51	5	1070	2.3	<2	1.62	<0.5	10	13	14	4.66	20	3.74
200619		3.69	<0.5	7.01	6	1070	2.0	<2	1.87	<0.5	10	27	8	4.73	20	3.83
200620		3.47	<0.5	6.97	<5	1190	2.0	<2	1.32	<0.5	11	25	9	4.66	20	4.12
200621		2.61	<0.5	7.10	<5	1200	2.1	<2	1.39	<0.5	12	26	8	4.69	20	4.31
200622		3.09	<0.5	7.54	8	1110	2.4	<2	1.67	<0.5	10	23	9	4.97	20	4.12
200623		4.86	<0.5	7.38	13	950	2.5	<2	1.46	<0.5	12	25	7	4.82	20	3.55
200624		2.76	0.5	7.09	10	820	2.6	<2	1.86	<0.5	14	19	4	5.03	20	3.39
200625		1.89	<0.5	7.35	5	790	2.5	<2	1.81	<0.5	13	17	3	5.01	20	3.74
200626		2.73	<0.5	7.27	<5	860	2.6	<2	1.64	<0.5	11	19	3	4.93	20	3.75
200627		3.22	<0.5	7.49	<5	460	2.3	<2	1.86	<0.5	13	16	5	5.34	20	2.68
200628		3.93	<0.5	6.88	6	310	2.4	<2	1.44	<0.5	13	15	5	5.00	20	2.75
200629		3.19	<0.5	6.95	7	400	2.2	<2	1.11	<0.5	12	16	2	4.97	20	2.91
200630		3.37	<0.5	6.74	<5	430	2.0	<2	0.69	<0.5	14	18	6	4.97	20	2.80
200631		2.15	<0.5	6.02	<5	290	2.0	<2	0.84	<0.5	9	21	19	3.58	10	2.93
200632		2.64	<0.5	5.88	<5	260	1.8	<2	1.24	<0.5	8	24	5	3.29	10	2.73
200633		1.72	<0.5	5.51	5	380	1.9	<2	0.98	<0.5	9	23	6	3.42	10	2.54
200634		2.86	<0.5	6.50	<5	690	1.8	<2	0.78	<0.5	12	20	5	4.57	20	3.02
200635		2.94	<0.5	6.72	<5	890	1.8	<2	1.27	<0.5	10	21	4	4.28	20	3.73
200636		3.04	<0.5	6.80	<5	930	1.9	<2	1.53	<0.5	11	21	4	4.34	20	3.78
200637		2.61	<0.5	6.54	<5	960	1.8	<2	1.46	<0.5	10	21	6	4.14	10	3.57
200638		3.63	<0.5	6.88	<5	890	2.0	<2	1.49	<0.5	11	25	6	4.25	20	3.67
200639		3.76	<0.5	6.77	<5	980	1.9	<2	1.33	<0.5	10	22	6	4.04	10	3.97



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - B

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200600		40	1.07	735	1	2.96	10	910	9	<0.01	12	14	99	20	0.55
200601		40	1.00	704	2	2.79	12	860	8	0.01	7	13	99	20	0.50
200602		40	0.93	730	1	2.47	9	990	26	0.01	10	15	135	20	0.58
200603		50	0.97	773	1	2.06	9	1010	26	0.02	11	15	148	30	0.56
200604		50	0.92	724	2	1.80	11	980	20	0.02	9	15	139	20	0.55
200605		50	0.90	669	2	2.52	15	940	7	0.03	8	14	108	20	0.57
200606		50	0.97	683	2	2.23	22	920	12	0.01	9	14	107	20	0.55
200607		50	0.90	639	2	2.18	12	980	13	0.01	9	14	123	20	0.53
200608		50	0.87	674	2	2.48	15	960	7	<0.01	9	14	95	20	0.56
200609		40	0.78	590	2	2.21	16	950	10	<0.01	7	14	100	20	0.55
200610		40	0.70	618	1	2.15	13	890	10	0.02	<5	13	89	20	0.51
200611		50	0.96	932	1	2.51	10	850	<2	0.05	<5	13	80	20	0.48
200612		50	1.02	642	1	2.25	10	930	11	0.01	6	15	97	20	0.57
200613		50	1.03	655	1	2.40	10	970	9	0.01	8	15	117	20	0.55
200614		50	1.05	650	2	2.28	11	990	12	<0.01	7	15	121	20	0.57
200615		50	0.98	640	1	2.56	12	960	9	0.01	9	14	107	20	0.52
200616		50	0.94	588	1	2.30	10	920	13	0.02	5	14	118	20	0.54
200617		50	0.97	612	1	2.35	8	950	11	0.01	7	14	112	20	0.53
200618		50	1.00	567	<1	2.27	12	900	10	<0.01	8	14	118	20	0.54
200619		50	1.07	653	2	1.89	11	940	12	0.01	9	14	109	20	0.52
200620		40	1.03	590	2	1.54	12	910	12	0.05	9	13	102	20	0.50
200621		50	1.05	598	2	1.60	11	940	11	0.02	8	13	106	20	0.54
200622		50	1.13	650	1	2.09	11	1050	11	0.02	7	15	106	20	0.55
200623		50	1.08	617	1	2.22	11	1010	10	0.01	9	14	96	20	0.55
200624		50	1.46	683	1	1.36	9	960	3	0.01	9	14	58	20	0.53
200625		50	1.59	655	<1	0.90	8	1020	3	0.01	10	14	56	20	0.55
200626		50	1.56	609	1	0.90	8	1000	5	0.01	8	14	58	20	0.55
200627		50	1.71	720	<1	1.45	13	970	2	0.01	9	14	43	20	0.56
200628		40	1.66	640	1	0.69	6	930	13	<0.01	<5	14	27	20	0.50
200629		50	1.67	580	1	0.72	4	940	8	<0.01	<5	14	27	20	0.49
200630		50	1.67	537	1	0.84	6	920	8	0.02	5	13	27	20	0.49
200631		50	1.11	381	1	0.33	8	860	8	0.05	6	12	15	20	0.46
200632		60	1.02	446	1	0.58	9	870	7	0.01	<5	11	15	20	0.46
200633		40	1.03	422	2	0.61	8	750	9	0.02	6	11	23	20	0.40
200634		50	1.36	514	1	1.21	7	920	9	0.01	<5	13	44	20	0.48
200635		50	1.07	475	2	1.40	7	890	13	<0.01	<5	13	69	20	0.49
200636		40	1.13	546	1	1.35	7	900	13	<0.01	<5	13	75	20	0.49
200637		40	1.15	559	1	1.29	8	840	14	0.02	<5	12	74	20	0.44
200638		50	1.14	555	1	1.48	7	910	15	0.01	<5	13	90	20	0.48
200639		50	0.99	491	2	1.34	8	870	21	<0.01	<5	13	108	20	0.47



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - C

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200600		10	64	<10	93	<0.01	
200601		<10	60	<10	87	<0.01	
200602		10	67	<10	100	<0.01	
200603		10	66	<10	98	<0.01	
200604		10	66	<10	94	<0.01	
200605		10	65	<10	84	<0.01	
200606		10	61	<10	82	0.01	
200607		10	62	<10	82	<0.01	
200608		10	62	<10	86	<0.01	
200609		10	60	<10	72	<0.01	90.5
200610		10	56	<10	65	<0.01	
200611		10	54	<10	89	<0.01	
200612		10	64	<10	89	<0.01	
200613		10	63	<10	86	<0.01	
200614		10	64	<10	88	<0.01	
200615		<10	58	<10	89	<0.01	
200616		10	61	<10	78	<0.01	
200617		<10	61	<10	72	<0.01	
200618		10	60	<10	68	<0.01	
200619		10	58	<10	83	<0.01	
200620		<10	56	<10	92	<0.01	
200621		<10	59	<10	90	<0.01	
200622		<10	64	<10	92	<0.01	
200623		10	63	<10	87	<0.01	
200624		10	62	<10	104	<0.01	
200625		10	64	<10	79	<0.01	
200626		10	62	<10	78	<0.01	
200627		<10	64	<10	62	<0.01	
200628		<10	60	<10	58	<0.01	
200629		<10	60	<10	54	<0.01	
200630		<10	59	<10	59	<0.01	
200631		<10	56	<10	42	<0.01	
200632		<10	54	<10	45	<0.01	
200633		<10	48	<10	48	<0.01	
200634		<10	55	<10	71	0.01	
200635		<10	55	<10	51	<0.01	
200636		<10	59	<10	45	<0.01	
200637		<10	53	<10	47	<0.01	
200638		<10	55	<10	51	<0.01	
200639		<10	53	<10	46	<0.01	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 4 - A

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01
200640		2.62	<0.5	7.27	<5	650	2.2	<2	2.44	<0.5	10	21	8	4.01	20	3.36
200641		2.86	<0.5	7.20	9	580	2.1	<2	2.53	<0.5	10	20	8	4.27	20	3.21
200642		4.24	<0.5	7.02	6	560	2.4	<2	2.34	<0.5	12	24	8	4.55	20	3.30
200643		3.51	<0.5	6.75	6	830	2.1	<2	1.91	<0.5	11	19	11	4.25	20	3.77
200644		3.12	<0.5	6.72	6	910	2.0	<2	1.40	<0.5	11	20	9	4.25	20	3.78
200645		3.81	<0.5	6.84	<5	910	1.9	<2	1.43	<0.5	11	23	9	4.45	20	3.77
200646		2.79	<0.5	6.43	7	860	1.9	<2	1.47	2.1	12	29	11	4.32	20	3.27
200647		3.21	<0.5	6.87	<5	950	2.1	<2	1.97	1.1	11	21	7	4.46	20	3.75
200648		3.76	<0.5	6.74	<5	1080	2.2	<2	1.52	0.9	11	18	7	4.43	20	3.94
200649		2.62	<0.5	6.65	7	970	2.0	<2	1.02	0.8	12	17	6	4.34	20	3.52
200650		2.36	<0.5	7.18	5	840	2.4	<2	1.59	1.0	12	23	6	4.77	20	3.39
200651		2.92	<0.5	7.12	5	950	2.5	<2	1.85	1.0	13	25	15	4.70	20	3.75
200652		2.85	<0.5	6.89	5	1000	2.2	<2	1.77	0.8	12	29	11	4.61	20	3.71
200653		2.86	<0.5	6.70	8	970	2.2	<2	1.86	0.8	12	24	8	4.35	10	3.78
200654		4.25	<0.5	6.82	7	1000	2.2	<2	1.59	1.0	11	22	7	4.46	20	3.73
200655		3.00	<0.5	6.61	<5	1250	1.9	<2	1.93	0.9	11	22	20	4.40	20	4.53
200656		2.67	<0.5	7.31	6	1050	2.4	<2	1.79	1.0	12	27	10	4.70	20	4.10
200657		2.79	<0.5	6.82	7	980	2.1	<2	1.65	0.8	11	22	10	4.22	20	3.70
200658		2.62	<0.5	6.74	<5	1010	2.0	<2	1.59	0.6	12	25	9	4.07	20	3.77
200659		3.01	<0.5	6.99	<5	1090	2.2	<2	1.84	0.8	12	29	10	4.57	20	3.81
200660		3.74	<0.5	6.84	6	930	2.2	<2	1.87	1.0	12	18	10	4.49	20	3.47
200661		2.62	<0.5	6.78	<5	930	2.2	<2	1.80	0.6	12	18	10	4.30	20	3.49
200662		3.85	<0.5	6.62	5	860	2.2	<2	1.93	0.8	12	19	11	4.34	20	3.45
200663		2.00	<0.5	7.18	<5	940	2.2	<2	1.27	0.9	12	16	10	4.47	20	3.65
200664		4.42	<0.5	6.94	<5	490	2.2	<2	2.36	0.8	12	22	7	4.35	20	2.26
200665		3.44	<0.5	7.07	8	730	2.2	<2	1.81	0.8	10	22	10	4.83	20	2.95
200666		3.70	<0.5	6.56	21	770	2.1	<2	1.70	0.9	13	21	93	4.39	20	2.83
200667		4.19	<0.5	6.85	7	1000	2.1	<2	1.77	1.0	12	22	12	4.44	20	3.77
200668		3.31	<0.5	6.72	8	980	2.1	<2	1.68	0.8	12	21	14	4.21	20	3.85
200669		2.30	<0.5	6.81	<5	1150	2.1	<2	1.63	0.8	12	21	24	4.37	20	4.24
200670		3.17	<0.5	7.01	6	1030	2.4	<2	1.85	0.8	13	24	40	4.45	10	3.98
200671		2.92	<0.5	7.05	<5	1050	2.2	<2	1.61	0.9	12	27	43	4.56	20	3.99
200672		2.79	<0.5	6.90	5	1020	2.3	<2	1.62	0.9	13	26	37	4.61	20	3.61
200673		3.56	<0.5	6.79	5	1080	2.3	<2	1.68	0.8	12	23	25	4.45	20	3.76
200674		2.89	<0.5	6.86	10	860	2.5	<2	1.93	0.9	14	31	46	4.49	20	3.26
200675		2.59	<0.5	6.31	7	750	2.2	<2	1.70	0.8	12	34	30	4.22	10	2.74
200676		3.22	<0.5	6.49	<5	830	2.1	<2	1.55	0.6	11	33	21	4.22	20	3.22
200677		3.76	<0.5	6.53	10	790	2.2	<2	1.48	0.6	12	33	19	4.21	20	3.05
200678		2.69	<0.5	6.79	8	900	2.3	<2	1.53	1.0	11	33	18	4.56	20	3.33
200679		3.63	<0.5	6.77	10	1040	2.4	<2	1.61	0.9	12	29	18	4.54	10	3.93



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 4 - B

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200640		50	1.00	635	3	1.87	6	970	11	0.04	<5	14	82	20	0.50
200641		50	1.03	673	2	1.75	6	950	10	0.06	<5	14	75	20	0.49
200642		50	1.12	651	2	1.22	10	920	15	0.02	<5	14	70	20	0.51
200643		40	0.96	555	2	1.40	5	890	21	0.02	<5	13	111	20	0.49
200644		40	0.94	524	2	1.57	6	840	23	0.03	<5	13	128	20	0.49
200645		50	1.00	585	2	1.58	6	910	18	0.02	<5	13	121	20	0.49
200646		40	0.94	531	9	1.66	15	870	22	0.02	6	12	116	20	0.47
200647		50	0.96	590	4	1.58	7	880	19	0.01	<5	13	117	20	0.46
200648		50	0.94	525	3	1.34	7	850	21	0.01	<5	13	123	20	0.47
200649		50	1.02	501	1	1.45	5	830	16	0.01	<5	13	99	20	0.47
200650		50	1.03	528	2	1.71	9	950	18	0.03	<5	14	103	20	0.52
200651		50	0.97	527	2	1.62	9	990	29	0.02	<5	14	129	20	0.51
200652		50	0.97	518	2	1.51	8	930	31	0.01	<5	13	140	20	0.48
200653		40	0.94	516	2	1.47	8	900	24	0.01	<5	13	140	20	0.48
200654		40	0.97	519	2	1.59	10	950	20	0.01	<5	13	133	20	0.49
200655		40	0.99	595	2	1.03	9	900	23	0.11	<5	13	130	20	0.46
200656		50	0.97	563	2	1.80	6	980	20	0.03	<5	14	143	20	0.53
200657		40	0.95	532	2	1.65	7	870	18	0.02	<5	13	132	20	0.47
200658		50	1.00	558	2	1.57	9	860	22	0.02	<5	13	138	20	0.46
200659		50	1.09	615	4	1.57	10	920	28	0.02	<5	14	149	20	0.50
200660		40	1.07	607	2	1.64	6	910	30	0.02	<5	14	131	20	0.50
200661		50	1.02	583	3	1.64	5	900	28	0.02	<5	13	131	20	0.49
200662		40	1.02	601	2	1.46	7	870	38	0.02	6	13	112	20	0.49
200663		50	0.99	529	2	1.72	7	860	17	0.02	<5	14	102	20	0.47
200664		50	1.01	611	2	2.29	9	970	12	0.03	<5	13	98	20	0.51
200665		40	1.10	617	2	1.97	8	980	15	0.15	<5	14	93	20	0.51
200666		40	0.98	537	2	1.94	8	900	25	0.44	<5	12	89	20	0.46
200667		50	1.04	545	2	1.57	9	950	22	0.04	<5	13	131	20	0.51
200668		40	0.95	510	1	1.64	8	920	26	0.02	5	13	132	20	0.50
200669		50	0.91	518	2	1.41	7	900	39	0.01	<5	13	155	20	0.49
200670		50	0.98	555	2	1.65	8	930	23	0.03	<5	14	133	20	0.52
200671		40	1.04	590	2	1.72	10	960	22	0.02	<5	13	121	20	0.49
200672		40	1.02	604	3	1.88	10	970	24	0.08	<5	13	131	20	0.50
200673		40	0.92	605	2	1.71	7	940	29	0.03	<5	13	139	20	0.50
200674		40	0.99	603	3	1.89	13	940	24	0.07	<5	13	101	20	0.50
200675		40	0.98	595	2	1.82	9	850	18	0.03	<5	12	103	20	0.47
200676		40	0.96	571	2	1.86	8	860	21	0.02	5	13	116	<20	0.48
200677		40	0.96	575	1	2.02	10	900	23	0.02	<5	13	112	20	0.48
200678		40	0.96	679	2	1.96	7	910	43	0.01	<5	13	141	20	0.52
200679		40	0.91	674	2	1.66	8	930	42	0.02	<5	13	152	20	0.51



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 4 - C

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200640		<10	58	<10	45	<0.01	
200641		<10	57	<10	42	<0.01	
200642		<10	62	<10	47	<0.01	
200643		<10	56	<10	43	<0.01	
200644		<10	55	<10	46	<0.01	
200645		<10	58	<10	54	<0.01	
200646		<10	56	20	58	<0.01	
200647		<10	58	10	46	0.01	
200648		<10	55	10	43	0.02	
200649		<10	57	10	50	<0.01	88.7
200650		<10	63	10	59	<0.01	
200651		<10	60	<10	63	<0.01	
200652		<10	56	10	65	<0.01	
200653		<10	56	10	67	<0.01	
200654		<10	55	10	65	0.01	
200655		<10	54	10	84	<0.01	
200656		10	62	<10	70	<0.01	
200657		<10	56	10	60	<0.01	
200658		<10	53	10	62	<0.01	
200659		<10	57	10	74	<0.01	
200660		<10	58	10	78	<0.01	
200661		<10	58	10	76	<0.01	
200662		<10	58	10	89	<0.01	
200663		10	61	10	63	<0.01	
200664		10	60	10	71	<0.01	
200665		<10	58	10	74	<0.01	
200666		<10	52	10	72	<0.01	
200667		<10	58	10	81	<0.01	
200668		<10	58	<10	81	<0.01	
200669		<10	56	<10	82	<0.01	
200670		<10	59	<10	82	<0.01	
200671		<10	58	<10	84	<0.01	
200672		<10	58	10	98	<0.01	
200673		<10	57	10	88	<0.01	
200674		<10	58	<10	94	<0.01	
200675		<10	55	10	86	<0.01	
200676		10	54	10	86	<0.01	
200677		<10	56	<10	89	<0.01	
200678		<10	60	10	96	<0.01	
200679		<10	59	10	97	<0.01	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 5 - A

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01
200680		2.92	<0.5	6.71	9	1040	2.2	<2	2.30	1.0	13	29	29	4.68	20	3.73
200681		3.31	<0.5	6.48	12	980	2.2	<2	2.16	0.8	12	31	30	4.48	20	3.67
200682		2.17	<0.5	7.10	9	980	2.7	<2	1.83	0.9	14	29	52	4.69	20	4.08
200683		3.52	<0.5	7.04	7	530	2.3	<2	2.53	0.9	12	33	66	4.46	20	2.05
200684		3.39	<0.5	6.61	6	860	2.4	<2	1.75	1.0	11	26	24	4.35	20	3.39
200685		3.34	<0.5	6.63	7	970	2.2	<2	1.57	0.7	11	26	24	4.34	20	3.80
200686		4.21	<0.5	6.57	7	920	2.0	2	1.65	0.9	11	27	17	4.12	20	3.55
200687		3.57	<0.5	6.87	8	1000	2.4	<2	1.54	0.9	12	28	18	4.39	20	3.94
200688		1.74	<0.5	6.98	7	1020	2.4	<2	1.29	0.8	13	32	18	4.63	20	4.11
200689		3.28	<0.5	6.93	9	940	2.3	<2	1.53	1.0	13	32	20	4.85	20	3.54
200690		3.30	<0.5	6.86	6	1010	2.4	<2	1.56	0.8	12	30	17	4.56	20	3.83
200691		3.18	<0.5	6.86	12	890	2.3	<2	1.43	0.9	13	31	19	4.45	20	3.52
200692		3.79	<0.5	6.83	7	1150	2.2	<2	1.39	0.8	12	31	19	4.42	20	4.83
200693		3.01	<0.5	6.73	10	940	2.3	<2	1.48	0.7	12	27	20	4.30	10	3.75
200694		2.70	<0.5	7.21	6	730	2.5	<2	1.83	1.0	13	31	21	5.11	20	2.76
200695		2.75	<0.5	6.68	<5	680	2.1	<2	2.28	0.8	10	29	40	4.03	10	2.67
200696		3.42	0.7	7.14	5	1190	2.2	<2	1.39	<0.5	13	30	20	5.07	20	4.29
200697		2.98	<0.5	7.46	8	840	1.9	<2	1.74	<0.5	12	27	5	5.18	10	3.04
200698		3.47	<0.5	7.46	16	390	1.7	<2	2.32	<0.5	12	31	10	4.94	20	1.42
200699		3.00	<0.5	7.03	16	670	2.0	<2	2.34	<0.5	13	30	15	4.83	20	2.49
200700		2.07	<0.5	6.48	14	870	2.2	<2	2.13	<0.5	12	34	19	4.52	20	3.28
200701		2.47	<0.5	6.63	11	880	2.4	<2	1.93	<0.5	12	41	21	4.49	10	3.30
200702		3.10	<0.5	7.14	14	1120	2.2	<2	1.67	<0.5	12	36	15	4.76	10	4.25
200703		2.99	<0.5	7.39	16	1110	2.3	<2	1.88	<0.5	13	36	18	5.26	10	4.18
200704		3.60	<0.5	6.90	30	970	2.2	2	2.05	<0.5	13	31	13	5.07	20	3.59
200705		1.68	<0.5	6.71	11	1000	2.0	3	1.78	<0.5	13	30	9	5.31	20	3.70
200706		1.27	<0.5	6.85	13	970	2.4	<2	1.75	<0.5	14	40	24	4.98	10	3.94
200707		0.65	<0.5	2.09	24	120	1.5	3	16.25	<0.5	18	24	675	1.43	<10	1.47
200708		1.00	0.5	2.82	18	150	1.7	<2	14.05	<0.5	14	28	500	1.75	<10	1.61
200709		0.70	<0.5	2.54	26	120	1.7	<2	15.15	<0.5	17	29	554	1.67	<10	1.70
200710		0.95	0.8	1.90	29	90	2.0	<2	16.75	<0.5	19	25	612	1.33	<10	1.34
200711		3.19	<0.5	1.63	20	70	0.9	<2	16.25	<0.5	11	14	392	1.05	<10	1.35
200712		3.61	0.6	2.81	26	120	1.4	2	13.75	<0.5	15	23	713	1.60	<10	2.05
200713		2.49	<0.5	2.08	18	100	0.9	2	14.20	<0.5	11	18	227	1.10	<10	1.55
200714		0.27	<0.5	3.98	12	210	2.2	<2	10.00	<0.5	13	34	351	2.20	10	2.39
200715		0.99	0.7	4.30	11	220	2.4	4	9.28	<0.5	15	37	298	2.45	10	2.50
200716		1.98	<0.5	3.36	15	180	1.7	3	10.95	<0.5	13	45	202	1.98	<10	1.86
200717		2.27	<0.5	1.74	11	90	0.7	<2	15.05	<0.5	7	14	10	1.04	<10	1.10
200718		2.74	<0.5	1.69	7	80	0.7	<2	15.10	<0.5	8	15	6	0.98	<10	1.11
200719		2.16	<0.5	2.89	10	130	1.1	<2	11.70	<0.5	9	22	7	1.73	<10	1.86



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 5 - B

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200680		40	0.90	697	2	1.62	8	940	61	0.02	<5	13	158	20	0.50
200681		40	0.87	655	2	1.61	8	890	53	0.02	<5	13	151	20	0.51
200682		40	0.87	712	2	1.81	12	970	32	0.05	<5	14	146	20	0.52
200683		40	0.91	681	3	2.90	11	950	20	0.03	<5	13	135	20	0.53
200684		40	0.87	628	1	1.93	7	880	28	0.01	<5	13	134	20	0.49
200685		40	0.91	566	1	1.73	6	880	28	0.01	5	13	123	20	0.49
200686		40	0.88	547	1	1.90	7	850	19	0.01	<5	12	111	20	0.47
200687		40	0.87	658	1	1.94	8	910	21	0.01	<5	13	138	20	0.52
200688		40	0.88	736	2	1.81	10	920	40	0.01	<5	13	157	20	0.53
200689		40	1.00	758	2	1.99	9	890	50	0.01	<5	13	135	20	0.52
200690		40	0.94	781	1	1.76	6	920	45	0.01	<5	13	134	20	0.52
200691		40	0.89	702	1	2.04	8	900	33	<0.01	<5	13	127	20	0.52
200692		40	0.94	710	2	1.33	13	900	54	0.02	<5	13	133	20	0.51
200693		40	0.88	705	2	1.67	8	900	100	0.01	<5	13	134	20	0.51
200694		40	1.11	795	1	2.41	7	960	13	0.02	<5	14	102	20	0.54
200695		40	0.80	681	2	2.46	8	840	13	0.01	<5	13	89	20	0.47
200696		40	1.07	678	<1	1.86	5	990	22	0.06	5	14	105	20	0.52
200697		40	1.35	774	<1	2.69	10	990	10	0.03	<5	14	85	20	0.51
200698		30	1.27	775	<1	3.75	10	1020	8	0.08	5	13	76	20	0.51
200699		40	1.15	761	1	2.86	9	970	7	0.04	<5	13	85	20	0.51
200700		40	0.97	665	1	2.14	8	880	47	0.03	<5	12	116	20	0.46
200701		40	0.98	655	1	2.19	14	830	52	0.03	<5	12	114	20	0.47
200702		50	0.94	645	1	1.98	5	880	64	0.02	7	13	147	20	0.51
200703		50	1.00	699	1	2.18	5	970	40	0.02	11	14	146	20	0.52
200704		40	1.02	722	1	2.37	10	950	18	0.04	7	13	109	20	0.49
200705		50	1.05	739	<1	1.99	5	970	26	0.03	<5	13	114	20	0.49
200706		40	1.10	772	<1	1.70	11	1460	25	0.03	6	13	150	20	0.47
200707		20	8.76	734	3	0.17	33	>10000	19	0.08	7	5	71	<20	0.10
200708		20	7.16	641	2	0.15	31	>10000	23	0.08	6	6	87	<20	0.14
200709		20	8.28	774	4	0.12	33	>10000	23	0.06	<5	5	68	<20	0.12
200710		20	8.60	808	5	0.08	27	>10000	28	0.07	6	5	77	<20	0.09
200711		20	10.65	841	2	0.05	22	1950	13	0.03	<5	3	62	<20	0.08
200712		20	9.16	751	2	0.06	19	1830	19	0.06	<5	5	63	<20	0.13
200713		10	9.66	708	<1	0.05	15	570	7	0.15	<5	4	67	<20	0.10
200714		20	6.23	588	1	0.08	26	4200	15	0.04	<5	8	80	<20	0.20
200715		20	5.93	566	1	0.08	28	3560	17	0.04	<5	9	76	<20	0.20
200716		20	7.24	594	1	0.07	42	2450	15	0.03	6	7	83	<20	0.16
200717		10	10.60	713	<1	0.05	12	930	<2	0.04	<5	3	59	<20	0.08
200718		10	10.60	669	<1	0.05	13	1320	<2	0.03	<5	3	61	<20	0.08
200719		20	8.81	623	<1	0.06	14	930	2	0.02	<5	5	56	<20	0.14



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 5 - C

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200680		<10	58	10	104	<0.01	
200681		<10	58	10	101	<0.01	
200682		<10	62	<10	107	<0.01	
200683		10	61	10	99	<0.01	
200684		<10	57	10	98	<0.01	
200685		<10	57	<10	94	<0.01	
200686		10	55	10	91	<0.01	
200687		10	60	<10	95	<0.01	
200688		10	62	10	105	<0.01	
200689		10	60	10	112	<0.01	89.2
200690		10	60	10	106	<0.01	
200691		10	60	10	103	<0.01	
200692		<10	58	10	104	<0.01	
200693		<10	58	<10	123	<0.01	
200694		10	64	10	112	<0.01	
200695		10	54	<10	80	<0.01	
200696		<10	59	<10	97	<0.01	
200697		<10	59	<10	113	<0.01	
200698		<10	57	<10	102	<0.01	
200699		<10	60	<10	96	<0.01	
200700		<10	53	10	95	<0.01	
200701		<10	54	<10	90	<0.01	
200702		<10	57	<10	105	<0.01	
200703		<10	62	<10	106	<0.01	
200704		<10	60	<10	83	<0.01	
200705		<10	60	<10	84	<0.01	
200706		<10	61	<10	74	<0.01	
200707		<10	43	<10	36	<0.01	
200708		<10	47	<10	39	<0.01	
200709		<10	47	<10	38	<0.01	
200710		<10	44	<10	35	<0.01	
200711		<10	28	<10	15	<0.01	
200712		<10	43	<10	28	<0.01	
200713		<10	31	<10	17	<0.01	
200714		<10	59	<10	54	<0.01	
200715		<10	62	<10	63	<0.01	
200716		<10	50	<10	47	<0.01	
200717		<10	24	<10	16	<0.01	
200718		<10	23	<10	15	<0.01	
200719		<10	36	<10	22	<0.01	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 6 - A

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01
200720		0.96	<0.5	2.87	14	140	1.2	<2	9.03	<0.5	9	28	61	1.71	10	1.90
200721		1.02	<0.5	3.26	<5	170	1.5	<2	7.42	<0.5	11	27	107	2.28	10	2.15
200722		1.50	<0.5	2.27	8	160	0.9	<2	2.50	<0.5	8	20	20	1.41	<10	1.59
200723		1.33	<0.5	2.79	9	220	1.0	<2	3.97	<0.5	8	19	49	1.51	10	2.07
200724		2.70	<0.5	3.12	<5	260	1.0	<2	2.95	<0.5	9	19	30	1.75	<10	2.64
200725		2.12	<0.5	4.32	9	430	1.2	<2	1.81	<0.5	11	17	49	2.11	10	3.75
200726		1.70	<0.5	5.25	7	320	1.5	<2	1.76	<0.5	8	20	32	1.99	10	3.74
200727		2.93	<0.5	5.62	9	360	1.7	3	0.91	<0.5	6	26	28	2.15	10	3.97
200728		2.74	<0.5	6.02	12	390	2.0	<2	0.51	<0.5	6	32	29	2.53	10	3.95
200729		2.26	<0.5	6.00	5	410	1.9	<2	0.54	<0.5	7	32	28	2.73	10	3.82
200730		3.05	<0.5	5.51	12	340	2.0	<2	0.31	<0.5	6	25	39	2.47	10	3.52
200731		3.02	<0.5	6.96	7	480	2.3	<2	0.23	<0.5	9	35	45	3.39	20	4.13
200732		1.53	<0.5	6.68	10	450	2.1	<2	0.40	<0.5	8	35	37	3.16	20	3.92
200733		3.49	<0.5	5.85	11	350	1.8	<2	1.01	<0.5	7	28	20	2.55	10	3.65
200734		3.41	<0.5	5.82	6	340	1.8	<2	0.97	<0.5	7	33	18	2.67	10	3.22
200735		1.87	<0.5	6.86	6	450	2.1	<2	1.21	<0.5	9	45	31	3.45	10	3.95
200736		3.15	<0.5	7.24	6	510	2.4	2	1.28	<0.5	7	38	38	3.55	20	4.18
200737		2.82	<0.5	7.47	6	540	2.6	2	1.47	<0.5	6	28	40	3.07	20	4.48
200738		2.78	<0.5	6.16	12	410	2.0	<2	1.89	<0.5	6	33	47	2.93	10	3.46
200739		1.00	<0.5	6.32	11	430	2.0	<2	1.41	<0.5	6	18	21	2.44	10	3.59
200740		2.79	<0.5	7.24	5	500	2.3	3	1.23	<0.5	8	20	26	2.72	20	4.35
200741		2.83	<0.5	7.54	6	520	2.3	<2	1.28	<0.5	9	22	24	2.80	20	4.42
200742		3.13	<0.5	7.68	10	560	2.2	<2	0.97	<0.5	9	43	35	3.91	20	4.34
200743		3.37	<0.5	7.33	14	530	2.1	<2	0.67	<0.5	9	41	25	3.71	20	4.36
200744		1.67	<0.5	7.79	5	560	2.2	<2	0.68	<0.5	9	44	25	3.87	20	4.63
200745		3.50	<0.5	7.01	8	490	1.9	<2	1.14	<0.5	10	39	22	3.44	10	4.09
200746		0.85	<0.5	7.20	<5	530	2.1	<2	0.95	<0.5	10	43	29	3.72	20	4.42
200747		3.04	<0.5	7.55	9	540	2.1	4	1.01	<0.5	10	43	23	3.94	20	4.48
200748		2.49	<0.5	6.03	11	380	1.6	<2	1.75	<0.5	5	31	17	2.40	10	3.23
200749		3.41	<0.5	6.90	11	490	2.0	3	1.49	<0.5	8	34	29	3.36	20	4.04
200750		3.28	<0.5	7.03	6	490	1.9	<2	1.67	<0.5	10	36	30	3.40	20	4.05
200751		2.99	<0.5	6.99	7	500	1.9	<2	1.29	<0.5	7	30	23	3.04	20	4.00
200752		1.15	<0.5	8.41	<5	610	2.3	<2	1.04	<0.5	12	52	19	4.27	20	4.84
200753		3.68	<0.5	7.74	<5	580	2.2	<2	0.64	<0.5	12	47	17	4.21	20	4.56
200754		2.64	<0.5	8.05	8	600	2.1	<2	0.60	<0.5	11	46	17	4.48	20	4.28
200755		3.18	<0.5	6.81	6	520	2.0	2	0.52	<0.5	9	41	14	3.55	20	3.93
200756		2.84	<0.5	7.20	8	520	2.0	3	0.60	<0.5	10	46	14	3.69	20	4.09
200757		3.47	<0.5	4.90	8	320	1.3	2	1.65	<0.5	11	38	16	3.46	10	2.55
200758		0.92	<0.5	6.86	10	510	1.9	<2	1.22	<0.5	10	42	23	3.75	20	4.00
200759		2.81	<0.5	6.89	5	500	1.9	<2	0.73	<0.5	9	40	14	3.74	20	3.77



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 6 - B

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200720		20	6.40	487	<1	0.06	23	2940	6	0.03	<5	5	52	<20	0.13
200721		20	5.10	472	<1	0.07	19	3910	9	0.03	8	6	51	<20	0.16
200722		10	2.37	219	<1	0.05	11	930	3	0.01	<5	4	25	<20	0.11
200723		20	2.92	278	<1	0.05	13	1590	3	0.01	<5	5	34	<20	0.13
200724		20	2.32	378	<1	0.05	13	700	2	0.01	5	5	30	<20	0.15
200725		20	1.69	289	<1	0.05	16	1170	3	<0.01	<5	7	33	<20	0.19
200726		40	1.74	313	<1	0.04	11	650	<2	<0.01	<5	6	20	<20	0.19
200727		40	1.16	188	<1	0.04	12	640	<2	<0.01	6	6	16	<20	0.18
200728		30	1.07	143	<1	0.04	15	610	<2	<0.01	<5	7	13	<20	0.19
200729		30	1.14	152	<1	0.04	15	550	<2	<0.01	<5	8	13	20	0.19
200730		40	0.89	109	<1	0.03	10	580	<2	<0.01	6	6	12	20	0.23
200731		40	1.17	147	<1	0.04	15	490	<2	<0.01	6	10	14	20	0.22
200732		40	1.19	157	<1	0.04	16	510	<2	<0.01	7	9	13	20	0.22
200733		40	1.33	224	<1	0.04	11	780	<2	<0.01	10	7	14	20	0.26
200734		40	1.39	215	<1	0.07	13	880	<2	<0.01	<5	7	18	20	0.23
200735		40	1.84	271	<1	0.04	20	1070	<2	<0.01	9	10	20	20	0.24
200736		40	1.93	267	<1	0.04	22	1370	<2	<0.01	8	10	19	20	0.23
200737		40	1.61	202	<1	0.04	14	2450	2	0.01	7	9	22	20	0.18
200738		40	1.79	282	<1	0.04	15	3410	3	0.01	<5	8	20	20	0.18
200739		30	1.73	361	<1	0.03	10	800	2	<0.01	5	6	13	20	0.14
200740		30	1.74	319	<1	0.04	11	1110	<2	<0.01	7	7	16	20	0.17
200741		30	1.85	347	<1	0.04	14	940	2	<0.01	6	7	19	20	0.17
200742		40	1.64	309	<1	0.05	18	1080	2	<0.01	7	12	37	20	0.23
200743		40	1.33	230	<1	0.04	16	990	<2	<0.01	7	11	15	20	0.24
200744		40	1.39	255	<1	0.04	19	900	<2	<0.01	6	11	15	20	0.25
200745		40	1.47	324	<1	0.04	17	1040	<2	<0.01	9	10	16	20	0.23
200746		40	1.40	282	<1	0.04	18	1350	2	0.02	8	11	16	20	0.24
200747		40	1.38	322	<1	0.05	18	1380	<2	<0.01	6	11	17	20	0.24
200748		40	1.44	456	<1	0.48	13	1260	2	0.01	5	6	27	20	0.30
200749		40	1.50	438	<1	0.06	15	1380	<2	<0.01	<5	9	17	20	0.24
200750		40	1.69	531	<1	0.05	15	1170	3	<0.01	6	10	17	20	0.22
200751		40	1.44	435	<1	0.21	14	850	<2	<0.01	<5	9	18	20	0.22
200752		40	1.63	536	<1	0.05	24	790	<2	<0.01	7	13	16	20	0.26
200753		40	1.23	291	<1	0.13	23	1210	<2	<0.01	8	12	16	20	0.25
200754		40	1.31	274	<1	0.09	20	1220	2	<0.01	8	13	17	20	0.23
200755		40	1.05	227	<1	0.21	18	1050	<2	<0.01	7	10	17	20	0.22
200756		40	1.11	222	<1	0.21	18	1270	2	<0.01	6	11	19	20	0.22
200757		20	1.68	688	<1	0.08	17	950	<2	<0.01	<5	7	14	<20	0.14
200758		40	1.38	353	<1	0.06	19	1670	2	0.01	10	11	18	20	0.21
200759		30	1.09	220	<1	0.13	18	1830	<2	0.01	8	11	17	20	0.20



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 6 - C

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200720		<10	38	<10	24	<0.01	
200721		<10	45	<10	33	<0.01	
200722		10	28	<10	18	<0.01	
200723		<10	31	<10	22	<0.01	
200724		<10	33	<10	24	<0.01	
200725		<10	36	<10	32	<0.01	
200726		<10	33	<10	25	<0.01	
200727		<10	33	<10	23	<0.01	
200728		<10	40	<10	31	<0.01	
200729		<10	41	<10	33	<0.01	89.7
200730		<10	39	<10	23	<0.01	
200731		<10	53	<10	41	<0.01	
200732		<10	49	<10	38	<0.01	
200733		<10	38	<10	33	<0.01	
200734		<10	39	<10	42	<0.01	
200735		<10	54	<10	64	<0.01	
200736		<10	48	<10	65	<0.01	
200737		<10	38	<10	42	<0.01	
200738		<10	40	<10	57	<0.01	
200739		<10	31	<10	41	<0.01	
200740		<10	32	<10	48	<0.01	
200741		<10	33	<10	10	<0.01	
200742		<10	60	<10	57	<0.01	
200743		<10	55	<10	48	<0.01	
200744		<10	59	<10	51	<0.01	
200745		<10	50	<10	44	<0.01	
200746		<10	56	<10	54	<0.01	
200747		<10	59	20	48	<0.01	
200748		<10	40	10	24	<0.01	
200749		<10	51	<10	38	<0.01	
200750		<10	51	10	42	<0.01	
200751		<10	43	<10	35	<0.01	
200752		<10	68	<10	63	<0.01	
200753		<10	66	<10	53	<0.01	
200754		<10	64	<10	51	<0.01	
200755		<10	54	<10	45	<0.01	
200756		<10	55	<10	49	<0.01	
200757		<10	37	<10	59	<0.01	
200758		<10	56	<10	43	<0.01	
200759		<10	54	<10	47	<0.01	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 7 - A

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01
200760		3.30	<0.5	7.53	<5	550	2.1	<2	0.54	<0.5	11	47	12	4.11	20	4.22
200761		3.32	<0.5	7.33	6	530	2.1	<2	0.58	<0.5	11	46	13	4.04	20	4.09
200762		2.71	<0.5	8.42	7	600	2.4	2	0.47	<0.5	12	54	11	4.57	20	4.66
200763		3.03	<0.5	8.60	7	620	2.5	3	0.42	<0.5	11	52	10	4.66	20	4.72
200764		3.40	<0.5	8.50	<5	630	2.7	<2	0.48	<0.5	11	59	14	4.35	20	4.70
200765		3.83	<0.5	6.93	7	480	2.1	<2	1.79	<0.5	11	48	46	3.69	20	3.57
200766		3.72	0.5	7.33	5	510	2.3	<2	1.96	<0.5	11	52	52	4.07	20	3.81
200767		3.41	0.5	7.81	5	540	2.5	<2	1.92	<0.5	12	51	45	4.21	20	4.03
200768		3.05	<0.5	7.26	<5	500	2.3	<2	1.84	<0.5	10	49	43	3.73	20	3.67
200769		2.98	<0.5	7.45	10	510	2.4	<2	1.86	<0.5	10	51	43	3.78	20	3.82
200770		3.16	<0.5	7.26	9	520	2.5	<2	1.67	<0.5	12	52	39	3.77	20	3.86
200771		4.22	<0.5	7.37	5	530	2.5	<2	2.17	<0.5	7	42	50	3.00	20	3.94
200772		3.37	<0.5	8.02	10	600	2.8	<2	2.20	<0.5	7	29	45	3.08	20	4.42
200773		3.93	<0.5	7.94	7	550	2.5	<2	2.59	<0.5	10	47	53	3.79	20	3.84
200774		2.05	<0.5	7.93	7	580	2.3	<2	1.87	<0.5	9	54	47	3.96	20	4.48
200775		3.60	<0.5	7.30	<5	540	2.4	<2	1.72	<0.5	10	45	36	3.81	20	4.00
200776		3.91	<0.5	7.57	<5	550	2.3	<2	1.43	<0.5	9	49	28	3.74	20	4.00
200777		2.47	<0.5	7.74	5	590	2.7	<2	1.92	<0.5	12	61	44	4.78	20	4.21
200778		3.30	<0.5	7.44	7	540	2.5	<2	2.12	<0.5	11	53	48	4.42	20	3.91
200779		3.53	<0.5	6.35	7	460	2.1	<2	2.00	<0.5	11	45	46	3.90	20	3.30
200780		3.47	<0.5	6.76	5	480	2.3	<2	1.83	<0.5	10	47	46	3.87	20	3.30
200781		3.61	<0.5	7.06	6	500	2.3	<2	1.80	<0.5	11	50	46	4.18	20	3.46
200782		4.46	<0.5	6.30	<5	440	2.1	<2	1.42	<0.5	7	42	31	3.18	20	2.90
200783		3.15	<0.5	7.29	<5	520	2.8	<2	1.15	<0.5	9	35	31	3.25	20	3.69
200784		4.07	<0.5	6.38	9	440	2.5	<2	1.90	<0.5	10	38	51	3.44	20	3.16
200785		2.97	<0.5	6.02	7	390	2.4	<2	1.39	<0.5	11	26	40	2.52	20	2.84
200786		3.33	<0.5	6.07	6	400	2.4	<2	1.44	<0.5	8	26	39	2.58	20	2.84
200787		2.81	<0.5	5.73	<5	380	2.1	<2	0.97	<0.5	7	26	28	2.42	20	2.79
200788		3.96	<0.5	5.94	<5	400	2.1	<2	1.56	<0.5	8	32	38	2.76	20	2.94
200789		3.93	<0.5	6.49	9	470	2.2	<2	1.44	<0.5	8	38	33	2.94	20	3.34
200790		4.42	<0.5	9.37	5	820	3.3	<2	0.20	<0.5	9	55	12	4.25	30	4.58
200791		3.83	<0.5	7.36	7	640	2.6	<2	0.40	<0.5	9	46	15	3.65	20	4.05
200792		4.55	<0.5	5.09	8	410	1.7	<2	2.19	<0.5	7	36	13	2.66	10	2.61
200793		3.79	<0.5	1.58	6	120	0.5	<2	1.71	<0.5	6	16	9	1.79	<10	0.71
200794		3.33	<0.5	4.56	6	360	1.4	<2	1.27	<0.5	9	43	15	3.02	10	2.12
200795		2.68	<0.5	8.44	<5	760	2.7	<2	0.71	<0.5	8	50	13	3.78	20	4.32
200796		3.92	<0.5	4.95	6	420	1.6	<2	0.97	<0.5	8	35	27	2.89	10	2.55
200797		3.49	<0.5	5.75	7	500	1.9	<2	0.99	<0.5	10	44	28	3.17	20	2.97
200798		3.76	<0.5	7.91	11	680	2.8	<2	1.21	0.9	12	76	29	3.71	20	4.21
200799		3.09	<0.5	5.51	6	450	1.8	<2	2.25	0.5	10	30	32	3.05	20	2.77



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 7 - B

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200760		40	1.16	198	<1	0.16	22	1350	<2	<0.01	6	13	18	20	0.23
200761		40	1.14	204	<1	0.16	25	1400	2	<0.01	6	12	17	20	0.22
200762		40	1.26	213	<1	0.18	23	1120	2	<0.01	6	14	18	20	0.25
200763		50	1.28	215	<1	0.19	23	1000	<2	<0.01	6	14	19	20	0.25
200764		40	1.11	218	1	0.18	27	1160	3	0.01	9	15	16	20	0.27
200765		40	1.08	349	1	0.37	22	4930	3	0.02	7	10	29	20	0.24
200766		40	1.15	338	1	0.34	25	5890	4	0.03	9	12	28	20	0.25
200767		40	1.30	379	1	0.22	40	5180	<2	0.02	7	13	25	20	0.25
200768		40	1.17	329	1	0.28	22	4930	<2	0.02	7	11	25	20	0.23
200769		40	1.17	322	1	0.32	23	5180	<2	0.02	10	12	26	20	0.25
200770		40	1.13	310	1	0.34	25	5090	3	0.02	7	12	26	20	0.25
200771		40	1.14	288	1	0.24	18	6620	<2	0.03	<5	9	26	20	0.20
200772		40	1.25	309	<1	0.14	15	6720	9	0.03	<5	8	24	30	0.16
200773		40	1.36	380	<1	0.39	21	8100	6	0.03	<5	11	33	20	0.25
200774		40	1.27	293	<1	0.24	21	6040	4	0.02	<5	11	24	20	0.23
200775		40	1.15	312	1	0.25	20	5150	<2	0.02	8	12	24	20	0.25
200776		40	1.15	305	1	0.32	23	3920	<2	0.02	7	12	21	20	0.25
200777		40	1.20	311	1	0.24	27	6650	4	0.03	9	14	28	20	0.25
200778		40	1.20	269	1	0.23	23	6960	<2	0.03	<5	12	28	20	0.24
200779		40	1.13	370	1	0.27	21	5870	3	0.03	7	10	24	20	0.22
200780		40	1.20	477	1	0.47	19	4920	3	0.02	9	10	31	20	0.26
200781		40	1.22	453	1	0.36	20	5070	<2	0.03	7	11	28	20	0.25
200782		40	1.26	417	1	0.55	16	2830	<2	0.06	7	8	27	20	0.23
200783		40	1.25	294	1	0.19	16	3350	<2	0.03	9	8	20	30	0.19
200784		40	1.26	391	1	0.28	15	5370	4	0.03	7	8	27	20	0.18
200785		30	1.21	317	1	0.38	12	3850	4	0.02	5	7	23	20	0.15
200786		30	1.21	307	1	0.37	10	4400	3	0.02	<5	8	24	20	0.16
200787		30	1.02	247	<1	0.24	14	2880	<2	0.01	<5	8	17	20	0.17
200788		30	1.03	257	<1	0.30	15	4810	3	0.02	6	8	22	20	0.20
200789		40	1.04	225	1	0.17	18	4320	<2	0.02	7	10	18	20	0.22
200790		40	1.08	227	<1	0.13	25	640	<2	<0.01	8	15	11	20	0.33
200791		40	1.01	257	<1	0.14	21	500	<2	0.01	6	12	12	20	0.26
200792		30	1.78	888	<1	0.12	14	560	<2	0.01	<5	8	12	<20	0.16
200793		10	1.16	658	<1	0.08	10	460	<2	<0.01	<5	3	9	<20	0.06
200794		30	1.24	559	<1	0.20	18	800	<2	0.01	5	7	14	<20	0.16
200795		50	1.12	339	<1	0.30	19	1080	<2	0.01	<5	13	18	20	0.29
200796		30	0.74	274	1	0.30	15	2660	<2	0.01	<5	7	20	20	0.19
200797		30	0.89	302	1	0.27	18	2550	<2	0.01	<5	9	20	20	0.19
200798		40	1.16	349	1	0.46	36	2980	11	0.01	<5	12	27	20	0.27
200799		30	1.50	735	2	0.31	13	3620	6	0.02	<5	9	25	<20	0.20



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 7 - C

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01
200760		<10	60	<10	54	<0.01	
200761		<10	59	10	52	<0.01	
200762		<10	67	<10	62	<0.01	
200763		<10	69	10	64	<0.01	
200764		10	72	<10	67	<0.01	
200765		<10	64	<10	46	<0.01	
200766		10	72	<10	54	<0.01	
200767		<10	76	<10	57	<0.01	
200768		<10	66	<10	50	<0.01	
200769		10	67	<10	51	<0.01	85.1
200770		10	67	<10	58	<0.01	
200771		10	46	<10	39	<0.01	
200772		<10	42	<10	40	<0.01	
200773		<10	64	<10	48	<0.01	
200774		<10	62	<10	50	<0.01	
200775		10	64	<10	50	<0.01	
200776		<10	61	<10	48	<0.01	
200777		10	91	<10	59	<0.01	
200778		10	81	<10	54	<0.01	
200779		10	74	<10	45	<0.01	
200780		<10	79	<10	48	<0.01	
200781		<10	82	<10	49	<0.01	
200782		<10	55	10	61	<0.01	
200783		<10	51	10	61	<0.01	
200784		10	63	<10	50	<0.01	
200785		<10	38	30	49	<0.01	
200786		<10	38	<10	52	<0.01	
200787		<10	37	<10	44	<0.01	
200788		<10	44	<10	43	<0.01	
200789		<10	48	<10	45	<0.01	
200790		<10	70	10	66	<0.01	
200791		<10	55	<10	53	<0.01	
200792		<10	36	<10	41	<0.01	
200793		<10	14	<10	27	<0.01	
200794		<10	36	<10	54	<0.01	
200795		10	64	<10	55	<0.01	
200796		<10	45	<10	35	<0.01	
200797		<10	52	<10	45	<0.01	
200798		<10	64	10	65	<0.01	
200799		<10	46	10	54	<0.01	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 8 - A

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
200800		3.11	<0.5	5.78	6	430	1.8	<2	2.49	0.8	10	26	38	3.05	20	2.58
200801		3.00	<0.5	5.70	5	430	1.8	<2	2.73	0.5	10	29	42	2.98	10	2.60
200802		1.77	0.5	6.31	5	470	1.9	<2	2.86	0.9	11	34	41	3.35	20	2.60
200803		3.65	<0.5	6.29	7	320	1.6	<2	4.07	1.0	21	71	50	4.79	20	1.78
200804		4.54	<0.5	7.94	<5	280	1.5	<2	3.95	1.2	27	114	31	5.81	20	1.59
200805		4.73	<0.5	6.78	5	470	2.0	<2	2.83	0.8	12	51	43	3.74	10	2.56
200806		3.40	<0.5	6.56	9	510	2.5	<2	2.35	0.9	13	45	54	4.01	20	3.18
200807		4.02	<0.5	7.83	8	570	2.6	<2	2.29	1.0	17	43	52	4.78	20	3.25
200808		3.83	<0.5	7.10	8	460	2.2	<2	2.47	0.7	13	39	49	4.27	20	2.55
200809		2.06	<0.5	7.75	<5	450	2.1	<2	1.84	1.0	15	45	23	4.75	20	2.32
200810		4.36	<0.5	7.16	10	460	2.0	<2	2.47	1.0	14	44	43	4.78	20	2.30
200811		2.36	<0.5	6.22	7	390	1.8	<2	2.81	0.9	13	42	57	4.30	10	2.07
200812		3.47	<0.5	3.50	8	230	1.6	<2	2.31	0.6	15	35	59	2.83	<10	1.83
200813		3.99	<0.5	4.28	8	290	1.4	<2	2.66	0.6	12	35	63	3.13	10	1.58
200814		3.52	<0.5	5.59	8	370	1.7	<2	3.25	0.8	13	42	65	3.91	20	1.79
200815		3.34	<0.5	6.20	8	400	1.8	<2	3.64	0.9	13	37	75	4.24	10	1.98
200816		4.14	<0.5	7.12	<5	460	2.0	<2	2.64	0.7	13	39	38	4.34	20	2.26
200817		2.21	<0.5	6.46	6	400	1.7	<2	2.36	1.0	13	46	27	4.53	20	1.90
200818		2.22	<0.5	7.11	5	450	1.9	<2	1.85	0.8	13	42	26	4.38	20	2.24
200819		2.96	<0.5	7.73	6	480	2.1	<2	2.33	0.9	12	42	27	4.29	20	2.40
200820		2.82	<0.5	8.34	5	460	2.1	<2	2.82	1.1	16	43	50	5.14	20	2.45
200821		3.38	<0.5	7.39	<5	410	1.9	<2	2.53	1.0	15	37	40	4.51	10	2.13
200822		1.91	<0.5	7.19	5	630	2.4	<2	1.11	0.9	13	46	58	5.40	20	3.07
200823		3.31	<0.5	7.12	7	630	2.5	<2	0.92	0.9	11	48	57	4.80	20	3.21
200824		3.78	<0.5	7.22	5	610	2.5	<2	1.51	0.9	11	44	60	4.27	20	3.25
200825		4.16	<0.5	7.15	8	610	2.5	<2	1.99	0.8	10	44	56	4.21	20	3.34
200826		1.30	<0.5	7.30	9	570	2.5	<2	2.75	1.0	12	45	71	4.48	20	3.14
200827		2.63	<0.5	6.23	11	500	2.2	<2	3.74	<0.5	11	32	101	3.51	20	2.79



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 8 - B

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
200800		30	1.01	580	1	0.89	12	4250	10	0.02	<5	11	56	<20	0.27
200801		30	1.09	598	1	0.76	12	4870	10	0.02	<5	11	56	<20	0.26
200802		30	1.01	557	1	1.18	14	4740	9	0.02	<5	12	67	<20	0.31
200803		20	1.49	1005	2	1.51	43	5520	10	0.03	<5	17	100	<20	0.29
200804		20	1.98	1190	1	2.54	70	2860	6	0.02	<5	22	125	<20	0.38
200805		40	1.07	676	2	1.47	23	3020	6	0.02	<5	11	83	<20	0.31
200806		40	1.31	677	2	0.73	18	4770	9	0.02	<5	12	43	20	0.31
200807		30	1.36	542	2	1.28	20	4420	11	0.02	<5	13	62	<20	0.33
200808		30	1.16	532	2	1.68	16	4390	9	0.02	<5	13	78	<20	0.32
200809		40	1.02	524	1	2.33	17	2250	8	0.01	<5	17	100	<20	0.43
200810		40	0.98	616	2	1.94	23	3320	10	0.02	<5	15	99	20	0.36
200811		30	0.90	568	2	1.79	16	5070	10	0.02	<5	13	97	<20	0.32
200812		20	0.57	393	1	1.25	12	5400	7	0.02	<5	7	69	<20	0.28
200813		20	0.82	415	1	1.21	11	6340	7	0.03	<5	11	73	<20	0.28
200814		30	1.05	511	2	1.51	14	7220	11	0.08	<5	13	86	<20	0.33
200815		30	1.15	553	2	1.68	16	7870	13	0.05	<5	13	102	<20	0.30
200816		30	1.00	552	2	1.99	16	3700	10	0.02	<5	15	104	20	0.36
200817		30	0.95	621	1	1.94	15	2750	11	0.01	<5	15	90	<20	0.40
200818		30	0.89	549	1	1.96	17	2070	10	0.01	5	15	90	<20	0.35
200819		40	0.87	644	2	2.20	16	1890	15	0.01	<5	15	112	<20	0.36
200820		40	1.17	755	1	2.25	16	3040	13	0.01	5	18	124	20	0.40
200821		40	1.04	680	1	2.01	13	2570	10	0.01	7	16	109	<20	0.39
200822		40	0.86	515	1	0.90	17	1740	11	0.01	<5	13	48	20	0.28
200823		40	0.88	414	1	0.72	19	1920	9	0.01	<5	12	40	20	0.26
200824		40	1.00	411	1	0.68	17	2640	9	0.02	<5	11	49	20	0.24
200825		40	1.10	442	1	0.62	17	3490	11	0.02	<5	12	54	20	0.24
200826		40	1.23	496	2	0.85	18	5740	11	0.03	<5	12	64	20	0.28
200827		40	1.51	422	1	0.81	17	8470	13	0.04	<5	9	51	20	0.20



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 8 - C

Total # Pages: 8 (A - C)

Finalized Date: 26-FEB-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10014661

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA26	PUL-QC
		U	V	W	Zn	Au	Pass75um
		ppm	ppm	ppm	ppm	ppm	%
		10	1	10	2	0.01	0.01
200800		<10	50	10	49	<0.01	
200801		<10	48	10	47	<0.01	
200802		10	54	10	53	<0.01	
200803		<10	107	10	106	<0.01	
200804		<10	136	10	158	<0.01	
200805		<10	75	10	70	<0.01	
200806		<10	75	10	63	<0.01	
200807		<10	82	10	84	<0.01	
200808		10	75	10	70	<0.01	
200809		10	86	10	75	<0.01	90.9
200810		<10	97	10	66	<0.01	
200811		10	88	10	55	<0.01	
200812		10	69	10	46	<0.01	
200813		<10	66	10	45	<0.01	
200814		<10	75	10	58	<0.01	
200815		<10	86	10	52	<0.01	
200816		<10	81	10	62	<0.01	
200817		<10	83	10	64	<0.01	
200818		10	88	10	58	<0.01	
200819		10	80	10	61	<0.01	
200820		10	96	10	87	<0.01	
200821		<10	83	10	77	<0.01	
200822		<10	116	<10	57	<0.01	
200823		<10	94	10	54	<0.01	
200824		<10	73	10	58	<0.01	
200825		<10	67	10	60	<0.01	
200826		<10	76	10	57	<0.01	
200827		10	54	<10	38	<0.01	