

Cameco Australia Pty. Ltd.**Tin Camp Creek Project SEL24922 - Diamond Core Drilling****Geochemical Analytical Results**

Geochemical Analytical Results							Element	U	Th	Al2O3	CaO	Fe2O3	K2O	MgO	MnO	Na2O	LOI	P2O5	
							Analytical Method	G400M	G400M	G400I	G400I	G400I	G400I	G400I	G400I	G400I	G400I	C110	G400I
							Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
							Detection Limit	0.01	0.01	100	20	50	100	20	2	100	0.1	50	
							Digestion	MA4	MA4	MA4	MA4	MA4	MA4	MA4	MA4	MA4	MA4		MA4
							Technique	ICP-MS	ICP-MS	ICP-OES	ICP-OES	ICP-OES	ICP-OES	ICP-OES	ICP-OES	ICP-OES	ICP-OES	GRAV	ICP-OES
							Precision	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%
Hole Number	Sample Number	Depth From	Depth To	Assay	Sample Type	Lab Reference Number	U_ppm	Th_ppm	Al2O3_ppm	CaO_ppm	Fe2O3_ppm	K2O_ppm	MgO_ppm	MnO_ppm	Na2O_ppm	LOI_perc	P2O5_ppm		
TCD3245	C010725	5.57	5.97	SPOT		NT15927	1.81	4.63	18900	400	9150	300	660	36	100	0.8	100		
TCD3245	C010725_R	5.57	5.97	L_COMP		NT15927	1.87	4.62	19000	420	9250	300	660	34	200	0.7	100		
TCD3245	C010726	9.54	9.95	SPOT		NT15927	2.08	6.93	17600	260	1950	200	460	14	-100	0.7	150		
TCD3245	C010727	15.42	15.72	SPOT		NT15927	1.99	4.68	14900	340	2800	2900	800	24	-100	0.4	100		
TCD3245	C010728	20.5	20.71	SPOT		NT15927	3.13	5.64	24200	360	12600	6400	980	24	200	0.5	100		
TCD3245	C010729	25.53	25.93	SPOT		NT15927	4.5	13.6	148000	360	58600	50800	12100	248	1600	2.5	550		
TCD3245	C010730	30.59	30.9	SPOT		NT15927	5.53	17.3	177000	320	58200	45500	14300	58	2700	3.4	900		
TCD3245	C010731	31.9	32.25	SPOT		NT15927	4.53	14.7	173000	320	66700	44800	17600	68	1800	4.1	1150		
TCD3245	C010732	35.5	36	SPOT		NT15927	3.16	11.9	126000	1300	47600	31900	21500	100	1100	3	900		
TCD3245	C010733	40.2	40.63	SPOT		NT15927	3.5	13.5	80100	1360	26400	20100	12400	36	300	1.7	800		
TCD3245	C010734	45.26	45.57	SPOT		NT15927	3.27	11.4	89600	1240	29400	22700	15900	128	500	2.3	700		
TCD3245	C010735	52.44	52.84	SPOT		NT15927	2.38	9.45	75800	2760	34900	23700	2440	80	800	1.1	2050		
TCD3245	C010737	58.56	58.98	SPOT		NT15927	4.05	15.9	157000	2320	54600	50600	8840	90	1200	2.5	1950		
TCD3245	C010738	58.56	58.98	REASPO		NT15927	4.47	20.1	180000	2360	54400	57700	10100	112	1300	2.7	1950		
TCD3245	C010739	68.7	69.2	SPOT		NT15927	3.05	13.6	106000	1320	15200	34500	6880	24	300	1.7	950		
TCD3245	C010740	78.61	79.02	SPOT		NT15927	2.48	9.07	95000	1780	9900	30200	5160	28	700	1.4	1250		
TCD3245	C010741	88.17	88.66	SPOT		NT15927	4.38	10.3	90600	1480	24300	25600	17800	64	700	2	600		
TCD3245	C010742	98.03	98.4	SPOT		NT15927	3.26	12.2	139000	6020	76300	46000	50600	640	500	4.6	800		
TCD3245	C010743	108.1	108.52	SPOT		NT15927	0.84	2.78	119000	84400	168000	7800	48300	2230	16800	0.6	1700		
TCD3245	C010744	120.1	120.6	SPOT		NT15927	1.41	1.26	155000	99600	105000	19600	73100	1720	18900	1.4	800		
TCD3245	C010745	121.85	122.2	SPOT		NT15927	1.82	1.4	151000	40500	92500	32100	123000	1410	17500	5.9	850		
TCD3245	C010746	131.15	131.65	SPOT		NT15927	0.62	1.27	132000	89800	119000	7400	97800	1780	17300	0.6	800		
TCD3245	C010747	141.34	141.76	SPOT		NT15927	3.36	16.6	84600	7080	24900	19100	11400	234	15400	1.5	1350		
TCD3245	C010747_R	141.34	141.76	L_COMP		NT15927	3.38	17	85100	7200	24600	18900	11200	232	15400	1.5	1350		
TCD3245	C010748	146.1	146.54	SPOT		NT15927	3.2	15.1	114000	26700	42400	39400	21700	422	17200	3.6	250		
TCD3245	C010749	146.1	146.54	REASPO		NT15927	3.36	15.3	119000	31700	46000	38500	23100	452	19600	3.7	300		
TCD3245	C010750	149.15	149.6	SPOT		NT15927	1.39	5.23	121000	69200	100000	15900	81200	1480	15900	1.8	650		
TCD3245	C010751	159.1	159.6	SPOT		NT15927	0.57	1.55	133000	91700	128000	6400	85500	2030	20200	0.5	1100		
TCD3245	C010752	169.1	169.6	SPOT		NT15927	3.07	13.6	142000	11000	55000	36100	22600	680	21800	1.8	1200		
TCD3245	C010753	179.1	179.6	SPOT		NT15927	3.38	13.5	102000	9120	33200	20800	12000	368	25400	1.3	900		
TCD3245	C010754	189.26	189.75	SPOT		NT15927	3.16	14.2	122000	11200	40700	24500	14900	482	17100	2.3	1000		
TCD3245	C010755	199.72	200.23	SPOT		NT15927	2.43	10.6	92500	6160	26700	20600	9200	394	28700	0.7	850		
TCD3245	C010756	205.1	205.6	SPOT		NT15927	4.44	17	160000	10700	59500	44700	24800	786	13900	3	1150		
TCD3245	C010757	215.05	215.49	SPOT		NT15927	2.65	12.9	85300	6000	26600	14500	8700	366	27700	0.6	750		
TCD3245	C010758	223.19	223.69	SPOT		NT15927	3.36	15.7	136000	10300	47500	28900	19000	508	22700	1.6	1050		
TCD3245	C010758_R	223.19	223.69	L_COMP		NT15927	3.27	15.2	133000	9580	45700	28800	17900	484	22800	1.6	1050		
TCD3245	C010760	240.35	240.85	SPOT		NT15927	1.19	1.22	150000	108000	112000	8000	80800	1680	19800	1	750		
TCD3245	C010761	27.02	27.44	SPOT		NT15927	6.88	20.8	211000	400	73700	62200	10900	104	3600	4.2	1300		

		TiO2	As	B	Ba	Be	Li	Rb	S	Sc	Se	Sr	Bi	Pb	Pb-204	Pb-206	Pb-207
		G400I	G400M	G140I	G400I	G400M	G400I	G400M	G400I	G400I	G400M	G400M	G400M	G400M	G400M	G400M	G400M
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		20	0.5	20	2	0.1	1	0.01	20	0.01	2	0.05	0.02	0.2	0.2	0.2	0.2
		MA4	MA4	F140	MA4	MA4	MA4	MA4	MA4	MA4	G400	MA4	MA4	MA4	MA4	MA4	MA4
		ICP-OES	ICP-MS	ICP-OES	ICP-OES	ICP-MS	ICP-OES	ICP-MS	ICP-OES	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS
		PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%
Hole Number	Sample Number	TiO2_ppm	As_ppm	B_ppm	Ba_ppm	Be_ppm	Li_ppm	Rb_ppm	S_ppm	Sc_ppm	Se_ppm	Sr_ppm	Bi_ppm	PbTot_ppm	Pb204_ppm	Pb206_ppm	Pb207_ppm
TCD3245	C010725	340	4.5	-20	6	0.2	1	1.21	40	0.7	-2	10.4	0.02	1	-0.2	0.4	-0.2
TCD3245	C010725_R	320	5.5	-20	8	0.2	1	1.25	40	0.7	-2	10.4	0.06	1	-0.2	0.4	-0.2
TCD3245	C010726	520	6.5	-20	6	0.2	1	1.29	20	0.8	-2	17.6	0.02	1.2	-0.2	0.4	-0.2
TCD3245	C010727	440	2.5	-20	14	0.2	1	8.25	-20	0.8	-2	14	-0.02	1	-0.2	0.6	-0.2
TCD3245	C010728	680	2.5	40	16	0.3	1	11.9	-20	1.9	-2	12	-0.02	1.6	-0.2	0.8	-0.2
TCD3245	C010729	5620	1.5	140	702	2.8	17	253	-20	14.2	-2	72	0.08	7.8	-0.2	2.4	1.4
TCD3245	C010730	5840	-0.5	140	628	2.5	27	161	-20	17.7	-2	30.9	0.08	13	-0.2	3.6	2.4
TCD3245	C010731	7900	0.5	100	624	2.8	39	135	-20	19.3	-2	27.4	0.14	12.8	-0.2	3.4	2.4
TCD3245	C010732	4540	2.5	80	434	2.2	31	92.7	-20	12	-2	14.4	0.32	10	-0.2	2.8	2
TCD3245	C010733	3180	0.5	200	96	1.7	13	43.4	-20	5.6	-2	6.4	0.04	2.6	-0.2	1	0.2
TCD3245	C010734	3300	-0.5	160	212	1.8	17	50.2	-20	6.6	-2	6.9	0.06	3.2	-0.2	1	0.4
TCD3245	C010735	2660	-0.5	60	358	1.1	3	65.9	20	5.3	-2	13.4	1.82	3.4	-0.2	1	0.6
TCD3245	C010737	6020	0.5	60	472	2.6	14	188	20	16.1	-2	36.9	0.12	4.6	-0.2	1.6	0.6
TCD3245	C010738	6680	1	80	546	3.2	16	215	-20	16.6	-2	26.9	0.14	6.4	-0.2	2	1
TCD3245	C010739	4220	0.5	140	84	1.3	5	88.1	-20	8.2	-2	8.15	0.02	2.4	-0.2	0.8	0.2
TCD3245	C010740	3360	-0.5	40	256	1.1	5	86.4	20	7	-2	4.6	-0.02	2.4	-0.2	0.8	0.4
TCD3245	C010741	3220	-0.5	140	136	2	16	65.6	-20	6.3	-2	8.5	0.08	2.4	-0.2	0.8	0.2
TCD3245	C010742	5920	-0.5	100	374	3.2	51	75.8	40	14.3	-2	14.3	-0.02	2.8	-0.2	1	0.2
TCD3245	C010743	15800	0.5	-20	312	0.9	12	19.6	2640	51.9	-2	121	0.08	4.2	-0.2	1	1
TCD3245	C010744	7800	-0.5	40	170	0.4	17	38.7	820	44.1	-2	150	0.04	4.6	-0.2	1.2	1
TCD3245	C010745	8380	1.5	60	340	0.8	108	53.5	1480	46	-2	47.2	0.04	2.2	-0.2	0.6	0.4
TCD3245	C010746	7580	-0.5	-20	74	0.5	13	14.3	780	41.8	-2	138	0.04	2	-0.2	0.6	0.4
TCD3245	C010747	3720	-0.5	-20	538	1.1	14	48	160	7.4	-2	32.6	-0.02	4	-0.2	1.2	0.6
TCD3245	C010747_R	3640	-0.5	-20	530	1	13	47.9	140	7.3	-2	33.1	-0.02	3.8	-0.2	1.2	0.4
TCD3245	C010748	4160	1	120	908	1.4	26	140	460	11.7	-2	152	-0.02	38.6	0.4	11	6.4
TCD3245	C010749	4280	12.5	260	912	1.6	25	135	1360	12	-2	156	0.06	80.2	0.8	22.6	13.2
TCD3245	C010750	6580	1.5	80	388	1	19	55	820	33.2	-2	118	0.08	18	-0.2	4.8	3.2
TCD3245	C010751	9420	-0.5	-20	106	0.6	14	12.7	860	44.2	-2	160	0.04	6.2	-0.2	1.6	1.4
TCD3245	C010752	5920	-0.5	-20	910	2	22	135	200	13.7	-2	106	0.06	6.8	-0.2	2	1.2
TCD3245	C010753	4000	-0.5	-20	804	1.7	12	54.6	80	8.2	-2	54	-0.02	9.4	-0.2	2.4	1.8
TCD3245	C010754	4400	-0.5	20	528	2.2	19	92.3	60	10.5	-2	59.8	0.28	7.2	-0.2	2	1.4
TCD3245	C010755	3240	-0.5	-20	824	1.5	11	46.9	40	6.5	-2	87.5	-0.02	18.8	0.2	4.6	4
TCD3245	C010756	5820	-0.5	-20	888	3.5	27	156	-20	15.6	-2	62.5	0.06	17.4	0.2	4.4	3.6
TCD3245	C010757	3360	0.5	-20	586	1.2	8	43.5	40	6.4	-2	52.8	-0.02	7	-0.2	1.8	1.4
TCD3245	C010758	5740	-0.5	-20	630	2	19	109	20	12.8	-2	89.9	-0.02	4	-0.2	1.2	0.6
TCD3245	C010758_R	5620	-0.5	-20	626	2	19	109	20	12.9	-2	91.5	-0.02	3.8	-0.2	1.2	0.6
TCD3245	C010760	7920	-0.5	-20	102	0.4	10	31.2	740	45.8	-2	176	0.02	2.8	-0.2	0.8	0.6
TCD3245	C010761	6540	1	180	908	3.7	17	261	-20	21.7	-2	53	0.1	20.8	0.2	5.2	4.2

		Pb-208	Sn	Ag	Au	Pd	Pt	Co	Cr	Cu	Hf	Ni	Nb	Mo	Ta	V	W
		G400M	G400M	G400M	FAPMM	FAPMM	FAPMM	G400M	G400M	G400I	G400I	G400M	G400M	G400M	G400M	G400I	G400I
		ppm	ppm	ppm	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	0.2	0.05	1	0.5	0.5	0.05	5	1	0.01	0.2	0.02	0.05	0.02	2	0.05
		MA4	MA5	MA4	FA	FA	FA	MA4	MA5	MA4	MA5	MA4	MA4	MA4	MA5	MA4	MA5
		ICP-MS	ICP-MS	ICP-MS	AAS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-OES	ICP-OES	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-OES	ICP-OES
		PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%
Hole Number	Sample Number	Pb208_ppm	Sn_ppm	Ag_ppm	Au_ppb	Pd_ppb	Pt_ppb	Co_ppm	Cr_ppm	Cu_ppm	Hf_ppm	Ni_ppm	Nb_ppm	Mo_ppm	Ta_ppm	V_ppm	W_ppm
TCD3245	C010725	0.4	0.6	-0.05	-1	-1	-1	0.45	-5	1	1.3	2	0.85	0.2	0.1	6	0.55
TCD3245	C010725_R	0.4	0.6	-0.05				0.7	-5	1	1.43	1.8	0.9	0.25	0.1	6	0.5
TCD3245	C010726	0.6	1	-0.05	-1	-1	-1	1.95	-5	3	1.75	0.6	1.4	0.2	0.46	4	0.45
TCD3245	C010727	0.4	0.4	-0.05	-1	-1	-1	0.5	-5	1	1.28	0.8	1.15	0.3	0.14	2	0.3
TCD3245	C010728	0.6	2	0.05	-1	1	-1	0.35	10	1	2.23	1	1.65	0.4	0.2	12	0.8
TCD3245	C010729	4	3.8	0.1	-1	-1	-1	12.3	65	4	4.1	39.2	12.3	0.4	1.14	66	2.2
TCD3245	C010730	6.8	4.2	0.05	11	4	1	7.45	65	2	3.49	40.4	13.1	0.25	1.16	86	2.35
TCD3245	C010731	6.8	4.4	-0.05	3	1	1	9.1	75	5	3.78	58.6	14.8	0.3	1.28	102	2.15
TCD3245	C010732	5.2	3.4	0.05	1	2	2	10.9	45	6	3.01	32	9	0.4	0.82	62	2.25
TCD3245	C010733	1.4	1.6	-0.05	1	-1	-1	5.05	25	2	5.37	21	6.6	0.75	0.62	30	0.65
TCD3245	C010734	1.8	1.8	-0.05	-1	-1	-1	8.35	30	4	3.94	20.2	7	0.6	0.66	34	1.15
TCD3245	C010735	1.8	4	0.1	13	-1	-1	0.95	20	4	3.65	3.2	5.6	0.8	0.52	54	1
TCD3245	C010737	2.4	6.6	-0.05	1	-1	-1	3.95	65	1	3.19	25.6	14.1	0.7	1.2	74	3.75
TCD3245	C010738	3.4	7.4	-0.05	1	-1	-1	4.8	70	1	4.22	27.4	15.5	0.65	1.32	76	4
TCD3245	C010739	1.4	1.8	-0.05	-1	-1	-1	2.3	45	-1	4.79	14	8.75	0.6	0.82	38	0.65
TCD3245	C010740	1.2	0.2	-0.05	6	3	1	1.7	30	1	3.15	8.2	6.75	0.75	0.58	32	1.15
TCD3245	C010741	1.4	0.4	-0.05	-1	-1	-1	7.95	25	2	3.92	14.2	5.8	0.75	0.54	30	0.3
TCD3245	C010742	1.6	3.6	-0.05	-1	2	1	25.5	50	32	3.59	44	13.5	0.35	1.34	102	0.45
TCD3245	C010743	2.2	1	0.05	-1	-1	-1	52.6	-5	156	1.56	30.6	5.9	1.3	0.46	432	0.2
TCD3245	C010744	2.2	0.6	-0.05	-1	1	2	42.5	220	136	0.61	92.2	3	0.3	0.28	246	0.15
TCD3245	C010745	1	0.4	-0.05	-1	2	3	47.9	275	837	0.65	118	3.1	1.15	0.32	248	0.15
TCD3245	C010746	1	0.4	-0.05	1	8	10	62.8	220	153	0.87	200	2.6	0.25	0.26	240	0.1
TCD3245	C010747	2	0.4	-0.05	-1	-1	-1	6.6	25	7	8.24	14.6	7.6	0.6	0.88	34	1.1
TCD3245	C010747_R	2	0.4	-0.05				6.5	25	7	8.02	14.2	7.65	0.75	0.9	34	1.1
TCD3245	C010748	21	0.8	-0.05	2	-1	-1	12.7	45	10	4.44	31.6	7.2	0.85	0.74	66	0.35
TCD3245	C010749	43.4	0.8	-0.05	2	1	-1	13.2	45	24	4.08	32.4	7.15	0.6	0.72	70	0.3
TCD3245	C010750	9.6	0.8	-0.05	1	8	8	54.4	135	96	1.81	189	4.05	0.5	0.42	184	0.2
TCD3245	C010751	3.2	0.6	-0.05	-1	6	7	57.4	140	126	0.94	156	3.5	0.3	0.32	278	0.2
TCD3245	C010752	3.6	2	-0.05	-1	2	2	14.7	55	25	4.13	34.4	12.3	0.55	1.1	68	1.6
TCD3245	C010753	5	0.8	-0.05	-1	-1	1	8.4	35	5	5.18	18.4	8.45	1.05	0.8	42	1
TCD3245	C010754	3.8	3	-0.05	-1	1	2	9.8	40	9	4.04	23.8	9.85	0.9	0.88	52	1.4
TCD3245	C010755	10	0.4	-0.05	-1	-1	-1	6.55	25	2	4.14	14.2	7	0.85	0.66	32	0.3
TCD3245	C010756	9.2	1.4	-0.05	-1	1	-1	15.4	60	-1	3.7	37	13.1	0.3	1.2	80	2.15
TCD3245	C010757	3.8	2.2	-0.05	-1	-1	1	6.5	30	2	5.13	13.8	7.15	1.1	0.64	30	0.5
TCD3245	C010758	2.2	2	-0.05	-1	-1	-1	12.9	55	1	4.75	29.6	12.5	0.85	1.1	64	1.2
TCD3245	C010758_R	2	2	-0.05				12.7	50	-1	4.77	29.2	12.4	0.8	1.1	62	1.15
TCD3245	C010760	1.4	0.4	-0.05	-1	3	4	48.8	315	113	0.65	122	3	0.25	0.26	258	0.15
TCD3245	C010761	11	5.4	-0.05	1	2	1	10.6	90	4	3.44	35.8	15	0.15	1.26	102	3.3

		Zn	Zr	La	Ce	Pr	Nd	Sm	Eu	Ga	Gd	Tb	Dy	Ho	Er	Tm	Lu
		G400I	G400M	G400M	G400M	G400M	G400M	G400M	G400M	G400M	G400M	G400M	G400M	G400M	G400M	G400M	G400M
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.1	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
		MA4	MA4	MA4	MA4	MA4	MA4	MA4	MA4	MA4	MA4	MA4	MA4	MA4	MA4	MA4	MA4
		ICP-OES	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS
		PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%
Hole Number	Sample Number	Zn_ppm	Zr_ppm	La_ppm	Ce_ppm	Pr_ppm	Nd_ppm	Sm_ppm	Eu_ppm	Ga_ppm	Gd_ppm	Tb_ppm	Dy_ppm	Ho_ppm	Er_ppm	Tm_ppm	Lu_ppm
TCD3245	C010725	2	44.3	13.1	25.4	2.5	8.25	1.18	0.16	1.46	0.63	0.07	0.36	0.08	0.24	0.03	0.03
TCD3245	C010725_R	2	50.3	12.9	25	2.43	8.3	1.14	0.15	1.5	0.64	0.08	0.4	0.07	0.23	0.03	0.04
TCD3245	C010726	-2	60.8	21.6	41.5	3.96	13.3	1.75	0.23	1.3	0.83	0.1	0.46	0.08	0.28	0.04	0.04
TCD3245	C010727	2	41.9	13.5	30.5	3.02	11.1	1.49	0.21	0.93	0.82	0.1	0.51	0.09	0.26	0.04	0.04
TCD3245	C010728	2	77.4	15.5	30.6	3.36	11.7	1.4	0.19	4.78	0.8	0.11	0.59	0.12	0.36	0.05	0.07
TCD3245	C010729	96	146	32.7	67.2	7.9	29.5	5.84	1.14	25	4.86	0.51	2.06	0.32	0.78	0.11	0.11
TCD3245	C010730	42	125	45.7	93.4	10.6	38.4	6.6	1.23	26.4	5.38	0.69	3.29	0.51	1.21	0.15	0.15
TCD3245	C010731	64	135	25.6	58.3	6.94	26.5	5.15	0.91	28	4.64	0.68	3.54	0.6	1.56	0.22	0.22
TCD3245	C010732	22	109	26.1	56	6.44	23.6	4.25	0.69	18.5	3.45	0.47	2.36	0.37	0.92	0.12	0.13
TCD3245	C010733	12	210	30.2	59.7	6.61	23.5	4.31	0.51	9.97	3.57	0.5	2.59	0.45	1.17	0.16	0.17
TCD3245	C010734	8	148	29.3	58.9	6.59	24	4.23	0.61	11.6	3.4	0.43	2.13	0.36	0.87	0.11	0.11
TCD3245	C010735	8	139	24.3	47.4	5.31	18.8	3.3	0.72	10.3	2.49	0.31	1.61	0.26	0.68	0.1	0.09
TCD3245	C010737	18	116	62.6	123	13.3	47.8	7.72	1.69	26.1	5.28	0.61	3.09	0.52	1.39	0.18	0.17
TCD3245	C010738	24	151	58.5	115	12.5	45.3	7.67	1.48	28.8	5.87	0.74	3.93	0.63	1.62	0.21	0.19
TCD3245	C010739	4	182	36	71.3	7.99	28.9	4.97	0.7	12.8	3.94	0.52	2.47	0.38	0.95	0.12	0.13
TCD3245	C010740	-2	117	19.9	39.9	4.48	16.7	3.05	0.73	12	2.61	0.34	1.67	0.28	0.69	0.09	0.09
TCD3245	C010741	6	145	27.4	56.2	6.37	23.3	4.05	0.75	8.79	3.07	0.41	1.98	0.31	0.81	0.11	0.11
TCD3245	C010742	30	127	22.9	51.4	5.92	22.5	4.4	0.95	21.7	3.88	0.54	2.9	0.53	1.34	0.19	0.18
TCD3245	C010743	126	46.3	12.2	27.2	3.52	16.2	4.17	1.52	20.5	5.35	0.91	6.04	1.32	3.87	0.57	0.57
TCD3245	C010744	76	13.4	5.91	13	1.7	7.6	2.03	0.82	16.6	2.66	0.45	3.01	0.65	1.96	0.29	0.29
TCD3245	C010745	66	15.7	5.06	10.8	1.43	6.6	1.77	0.71	19	2.38	0.41	2.72	0.58	1.7	0.25	0.22
TCD3245	C010746	74	25.3	6.04	13.3	1.74	7.85	2.07	0.78	15.7	2.64	0.46	3.08	0.66	1.93	0.28	0.28
TCD3245	C010747	10	312	54.7	100	11	40.9	6.51	0.98	11.8	5.32	0.74	4.13	0.82	2.38	0.36	0.35
TCD3245	C010747_R	8	310	54.4	97.7	10.9	41.3	6.58	1.02	11.9	5.57	0.75	4.27	0.81	2.34	0.36	0.36
TCD3245	C010748	64	164	26	54.7	6.32	24.3	5.09	1.03	11.2	4.65	0.69	4.14	0.82	2.37	0.35	0.32
TCD3245	C010749	100	152	24	50.3	5.87	22	4.86	0.99	11.4	4.53	0.71	4.22	0.85	2.44	0.35	0.33
TCD3245	C010750	86	64.8	11.8	25.3	3.08	12.5	2.92	0.88	14.2	3.19	0.52	3.37	0.71	2.09	0.31	0.3
TCD3245	C010751	94	27.8	7.21	15.9	2.08	9.25	2.42	0.94	16.3	3.2	0.54	3.61	0.78	2.3	0.34	0.35
TCD3245	C010752	42	148	34.5	71.7	8.05	30	5.45	1.19	20.4	4.77	0.68	3.82	0.72	1.92	0.28	0.26
TCD3245	C010753	16	196	37.2	73.3	8.07	28.7	4.95	0.96	13.3	4.14	0.56	3.08	0.57	1.61	0.22	0.2
TCD3245	C010754	32	146	37.7	76	8.39	30.5	5.42	1.07	17.6	4.55	0.64	3.59	0.67	1.93	0.28	0.27
TCD3245	C010755	22	152	29.9	59.8	6.66	24.3	4.2	0.91	11.7	3.41	0.47	2.45	0.43	1.18	0.17	0.16
TCD3245	C010756	54	134	43.3	88.7	10	36.8	6.72	1.23	25.8	5.7	0.85	4.71	0.92	2.67	0.39	0.36
TCD3245	C010757	18	196	34.7	68.4	7.54	27.3	4.62	0.91	11	3.68	0.48	2.51	0.45	1.19	0.16	0.16
TCD3245	C010758	46	173	44.3	89	9.9	36.4	6.42	1.2	19.7	5.28	0.7	3.84	0.68	1.82	0.26	0.23
TCD3245	C010758_R	42	178	43.7	87.2	9.69	35.4	6.19	1.21	19.5	5.1	0.69	3.74	0.7	1.85	0.25	0.23
TCD3245	C010760	74	14.9	5.77	12.6	1.64	7.3	1.95	0.78	16.5	2.55	0.44	2.98	0.62	1.86	0.28	0.27
TCD3245	C010761	70	123	48.6	102	11.5	41.8	7.35	1.31	33.7	5.75	0.72	3.38	0.52	1.23	0.17	0.19

		Y	Pb	Pb204_ppb	Pb206_ppb	Pb207_ppb	Pb208_ppb	U_ppb
		G400M	G950M	G950M	G950M	G950M	G950M	G950M
		ppm	ppb	ppb	ppb	ppb	ppb	ppb
		0.01	0.1	0.1	0.1	0.1	0.1	0.01
		MA4	MA4	MA4	MA4	MA4	MA4	MA4
		ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS	ICP-MS
		PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%	PREC±10%
Hole Number	Sample Number	Y_ppm	PbTot_ppb	Pb204_ppb	Pb206_ppb	Pb207_ppb	Pb208_ppb	U_ppb
TCD3245	C010725	1.86	0.97	233	38.2	55.7	328	761
TCD3245	C010725_R	1.95	0.85	228	37.1	52.9	318	764
TCD3245	C010726	2.39	0.83	166	29.5	52.1	249	910
TCD3245	C010727	2.48	0.76	250	38.8	44.8	335	782
TCD3245	C010728	3.25	0.81	370	50	49.1	470	1310
TCD3245	C010729	6.59	1.32	294	51.3	68.7	416	1100
TCD3245	C010730	12.1	2.55	286	67.2	114	470	566
TCD3245	C010731	12.2	2.42	197	55.9	99.6	355	425
TCD3245	C010732	7.99	3.83	273	83.9	177	538	607
TCD3245	C010733	11.9	1.24	219	41.7	90.8	352	557
TCD3245	C010734	8.54	1.95	161	44.5	101	309	447
TCD3245	C010735	6.69	2.73	200	58.4	151	412	481
TCD3245	C010737	13.2	1.92	193	48.9	121	366	753
TCD3245	C010738	15.5	6.72	301	126	352	785	668
TCD3245	C010739	9.56	1.12	112	28.7	88.7	230	306
TCD3245	C010740	7.04	6.94	245	127	277	656	392
TCD3245	C010741	7.86	1.05	85.3	23.8	61.8	172	318
TCD3245	C010742	11.1	0.64	78.2	16.4	42.7	138	309
TCD3245	C010743	33.9	3.09	120	59.3	178	360	178
TCD3245	C010744	16.9	19.2	506	328	733	1590	557
TCD3245	C010745	15.2	2.24	58.4	39.4	92.4	192	83.6
TCD3245	C010746	17.2	3.93	147	72.3	183	406	298
TCD3245	C010747	22	12	492	227	868	1600	466
TCD3245	C010747_R	22	12.4	506	234	890	1640	474
TCD3245	C010748	21.7	111	3480	2000	6780	12400	291
TCD3245	C010749	22.4	226	7240	4060	13500	25100	307
TCD3245	C010750	18.6	75.5	2310	1370	4440	8200	330
TCD3245	C010751	20.1	9.35	239	157	399	805	292
TCD3245	C010752	18	5.78	363	122	629	1120	331
TCD3245	C010753	15	10.2	383	188	660	1240	391
TCD3245	C010754	17.5	3.04	173	61.2	287	524	349
TCD3245	C010755	11.3	13.4	392	237	749	1390	243
TCD3245	C010756	23.9	33.3	890	571	1700	3200	955
TCD3245	C010757	11.4	3.83	252	85.9	416	758	287
TCD3245	C010758	17.7	2.47	290	68.6	464	825	591
TCD3245	C010758_R	17.7	2.39	285	67.6	461	816	582
TCD3245	C010760	16.4	3.31	225	73.8	145	447	413
TCD3245	C010761	11.8	4.37	104	71.7	179	358	553