



Bit Summary

BEETALOO W-1

Job Type: DRILLING ORIGINAL

Bits																		
Well Header																		
Field Name						Basin				Well Configuration Type						Orig KB/RT (m)		Ground Elevation (m)
BEETALOO SOUTH						BEETALOO SUB-BASIN				VERTICAL						5.35		232.00
BH A #	Bit Run	Size (in)	Make	Model	SN	IADC Codes	TFA (incl Noz) (in²)	Nozzles	Depth In (mKB)	Depth Out (mKB)	Drilled (m)	Drill Time (hr)	BHA ROP (m/hr)	WOB Max (1000lbf)	WOB Min (1000lbf)	Max RPM (rpm)	Min RPM (rpm)	Bit Dull
1	1	20	Baker Hughes	EZC606	5620803	---	0.66	12/12/12/12/12/12	17.00	205.70	188.70	17.00	11.1	8	0	40	15	-----LIH
2	2	14 3/4	Smith	XR+C	PY6501	117	1.08	18/18/18/21	205.70	207.60	1.90	7.75	0.2	0	0	50	40	2-2-WT-A-0-0-CT-BHA
3	3	14 3/4	Smith	G25CPS	RA8250	615Y	1.08	18/18/18/21	207.60	567.00	359.40	83.00	4.3	0	0	70	50	8-4-BT-N-6-6-WT-TQ
4	4	14 3/4	Smith	G25CPS	RA7014	615Y	1.08	18/18/18/21	567.00	594.13	27.13	14.00	1.9	0	0	50	50	1-2-WT-S-1-1-FC-TD
5	5	9 7/8	NOV	SK716M-A3D	E223426	422M	0.65	11/11/11/11/11/11/11	594.00	1,308.00	714.00	65.25	10.9	0	0	140	120	2-3-CT-S-X-0-ER-TD
6	6 RR1	6 3/4	Smith	MSi713WUPX	JJ4558	713	0.54	10/10/10/10/10/10/10	1,308.00	1,525.00	217.00	16.00	13.6	0	0	80	80	1-0-CT-N-X-0-NO-CP
7	7	6 3/4	Corepro	MCP572	UD310042	---	0.65	11/11/11/11/11/11/11	1,525.00	1,563.00	38.00	15.00	2.5	0	0	70	70	6-4-WT-A-X-1-FC-PR
8	8	6 3/4	Ultrerra	U713	27390	713M	0.77	12/12/12/12/12/12/12	1,563.00	1,900.00	337.00	102.00	3.3	0	0	80	60	3-3-BT-A-X-0-WT-PR
9	9	6 3/4	Ultrerra	U713	27473	713M	0.60	12/12/10/10/10/10/10	1,900.00	2,118.50	218.50	67.50	3.2	0	0	60	60	4-6-RO-M-X-1-BT-PR
10	10	6 3/4	Smith	MSi713WUBPX	JK2289	713M	0.85	12/12/12/13/13/13/13	2,118.50	3,173.00	1,054.50	224.30	4.7	0	0	110	60	2-3-BT-A-X-0-WT-TD