



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 1
Finalized Date: 21-JUL-2010
Account: WEDES

QC CERTIFICATE AS10090063

Project: EAST ROVER

P.O. No.: ER001

This report is for 63 Percussion samples submitted to our lab in Alice Springs, NT, Australia on 6-JUL-2010.

The following have access to data associated with this certificate:

JOHN FABRAY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
PUL-QC	Pulverizing QC Test
PUL-23	Pulv Sample - Split/Retain
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
P-OG62	Ore Grade P - Four Acid	VARIABLE

To: **WESTERN DESERT RESOURCES**
ATTN: JOHN FABRAY
LEVEL 1, 26 GREENHILL ROAD
WAYVILLE SA 5034

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Wayne Abbott, Operations Manager, Western Australia



Project: EAST ROVER

QC CERTIFICATE OF ANALYSIS AS10090063

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm
	LOR	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01	10
STANDARDS																
BCS-381																
Target Range - Lower Bound																
Upper Bound																
BL-4a																
Target Range - Lower Bound																
Upper Bound																
G2000		3.8	5.24	481	2440	1.4	<2	0.61	7.1	25	105	305	4.14	10	1.30	30
Target Range - Lower Bound																
Upper Bound																
GBM301-9		11.0	3.30	321	60	<0.5	5	2.00	28.1	43	565	3000	25.0	20	0.64	<10
Target Range - Lower Bound																
Upper Bound																
MRGeo08		4.6	7.75	33	1040	3.2	<2	2.48	2.1	19	89	630	4.06	20	2.99	30
Target Range - Lower Bound																
Upper Bound																
OGGeo08		20.4	6.67	119	670	2.8	11	2.02	17.8	95	85	8520	5.30	10	2.80	20
Target Range - Lower Bound																
Upper Bound																
OREAS-101a		2.9	5.42	18	160	6.7	4	1.11	<0.5	46	26	433	10.40	20	2.14	770
OREAS-101a		3.0	5.48	14	160	6.7	<2	1.07	<0.5	45	26	434	10.20	20	2.15	780
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01	<10
BLANK		<0.5	0.01	<5	<10	<0.5	<2	0.01	<0.5	<1	<1	<1	0.01	<10	<0.01	<10
Target Range - Lower Bound																
Upper Bound																
BLANK		1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	20	0.02	20
Target Range - Lower Bound																
Upper Bound																



Project: EAST ROVER

QC CERTIFICATE OF ANALYSIS AS10090063

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10	10
STANDARDS																
BCS-381																
Target Range - Lower Bound																
Upper Bound																
BL-4a																
Target Range - Lower Bound																
Upper Bound																
G2000		0.77	586	6	0.14	282	1000	656	0.28	40	10	119	<20	0.37	10	<10
Target Range - Lower Bound																
Upper Bound																
GBM301-9		0.70	1400	30	0.33	103	310	429	>10.0	17	8	77	<20	0.12	20	<10
Target Range - Lower Bound																
Upper Bound																
MRGeo08		1.34	562	14	1.95	692	1030	996	0.32	10	11	301	20	0.51	<10	<10
Target Range - Lower Bound																
Upper Bound																
OGGeo08		1.20	501	888	1.82	8570	850	6520	2.96	29	9	247	20	0.41	<10	<10
Target Range - Lower Bound																
Upper Bound																
OREAS-101a		1.16	940	19	0.05	7	1210	23	0.10	5	8	20	50	0.34	<10	450
OREAS-101a		1.13	930	19	0.05	6	1190	24	0.10	6	8	21	50	0.34	<10	460
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<5	<1	<0.01	1	<10	2	<0.01	<5	<1	<1	<20	<0.01	<10	<10
BLANK		<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10	<10
Target Range - Lower Bound																
Upper Bound																
BLANK		0.02	10	2	0.02	2	20	4	0.02	10	2	2	40	0.02	20	20
Target Range - Lower Bound																
Upper Bound																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - C

Total # Pages: 3 (A - C)


Finalized Date: 21-JUL-2010

Account: WESEDES

Project: EAST ROVER

QC CERTIFICATE OF ANALYSIS AS10090063


Sample Description	Method Analyte Units LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	P-OG62 P ppm 80
STANDARDS					
BCS-381					70600
Target Range - Lower Bound					
Upper Bound					
BL-4a					1100
Target Range - Lower Bound					
Upper Bound					
G2000		106	10	1340	
Target Range - Lower Bound		94	<10	1160	
Upper Bound		117	20	1420	
GBM301-9		75	<10	7170	
Target Range - Lower Bound		64	<10	6490	
Upper Bound		80	20	7930	
MRGeo08		110	<10	809	
Target Range - Lower Bound		99	<10	712	
Upper Bound		123	20	874	
OGGeo08		88	<10	7000	
Target Range - Lower Bound		77	<10	6400	
Upper Bound		97	20	7830	
OREAS-101a		74	10	22	
OREAS-101a		74	10	21	
Target Range - Lower Bound		68	<10	16	
Upper Bound		86	20	24	
BLANKS					
BLANK		<1	<10	<2	
BLANK		<1	<10	<2	
Target Range - Lower Bound		<1	<10	<2	
Upper Bound		2	20	4	
BLANK					<80
Target Range - Lower Bound					<80
Upper Bound					160



Project: EAST ROVER

QC CERTIFICATE OF ANALYSIS AS10090063

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm
	LOR	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01	10
	DUPLICATES															
201313		<0.5	0.66	12	30	0.5	2	18.1	<0.5	8	12	286	0.64	<10	0.33	10
DUP		<0.5	0.69	8	30	0.5	<2	18.00	<0.5	9	13	300	0.64	<10	0.34	10
Target Range - Lower Bound		<0.5	0.63	<5	20	<0.5	<2	17.15	<0.5	7	11	277	0.60	<10	0.31	<10
Upper Bound		1.0	0.72	16	40	1.0	4	18.95	1.0	10	14	309	0.68	20	0.36	20
201333		<0.5	0.39	8	20	<0.5	4	19.6	<0.5	7	6	1130	0.34	<10	0.24	10
DUP		<0.5	0.39	9	20	<0.5	5	18.90	<0.5	5	6	1120	0.33	<10	0.23	10
Target Range - Lower Bound		<0.5	0.36	<5	<10	<0.5	<2	18.30	<0.5	5	5	1070	0.31	<10	0.21	<10
Upper Bound		1.0	0.42	10	30	1.0	7	20.2	1.0	7	7	1180	0.36	20	0.26	20
201347		<0.5	6.92	5	370	3.1	2	1.66	<0.5	8	67	29	1.86	20	4.26	30
DUP		<0.5	6.97	<5	360	3.1	<2	1.65	<0.5	9	70	30	1.84	10	4.33	30
Target Range - Lower Bound		<0.5	6.59	<5	340	2.4	<2	1.56	<0.5	7	64	27	1.75	<10	4.07	20
Upper Bound		1.0	7.30	10	390	3.8	4	1.75	1.0	10	73	32	1.95	20	4.52	40
201366																
DUP																
Target Range - Lower Bound																
Upper Bound																



Account: WESDES

QC CERTIFICATE OF ANALYSIS AS10090063

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10	10
		DUPLICATES														
201313		11.15	1030	2	0.04	4	6040	10	0.09	<5	2	61	<20	0.03	<10	30
DUP		11.25	1035	2	0.04	8	6200	10	0.10	<5	2	64	<20	0.03	<10	30
Target Range - Lower Bound		10.65	976	<1	0.03	5	5800	8	0.08	<5	<1	58	<20	0.02	<10	20
Upper Bound		11.75	1090	3	0.05	7	6440	13	0.11	10	3	67	40	0.04	20	40
201333		12.40	1485	18	0.02	<1	3060	<2	0.04	5	1	52	<20	0.02	<10	30
DUP		12.00	1440	18	0.02	<1	2990	<2	0.04	<5	1	51	<20	0.02	<10	40
Target Range - Lower Bound		11.60	1385	16	<0.01	<1	2860	<2	0.03	<5	<1	48	<20	<0.01	<10	20
Upper Bound		12.80	1540	20	0.03	2	3190	4	0.05	10	2	55	40	0.03	20	50
201347		1.20	139	1	0.09	27	2490	30	0.02	<5	15	45	20	0.38	<10	<10
DUP		1.19	139	1	0.09	27	2470	29	0.02	8	15	46	20	0.38	<10	<10
Target Range - Lower Bound		1.13	127	<1	0.08	25	2350	26	<0.01	<5	13	42	<20	0.35	<10	<10
Upper Bound		1.26	151	2	0.10	29	2610	33	0.03	10	17	49	40	0.41	20	20
201366																
DUP																
Target Range - Lower Bound																
Upper Bound																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - C

Total # Pages: 3 (A - C)

Finalized Date: 21-JUL-2010

Account: WESEDES

Project: EAST ROVER

QC CERTIFICATE OF ANALYSIS AS10090063

Sample Description	Method Analyte Units LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	P-OG62 P ppm 80
DUPLICATES					
201313		14	<10	15	
DUP		14	<10	16	
Target Range - Lower Bound		12	<10	13	
Upper Bound		16	20	18	
201333		15	<10	7	
DUP		14	<10	7	
Target Range - Lower Bound		13	<10	5	
Upper Bound		16	20	9	
201347		96	<10	69	
DUP		96	<10	68	
Target Range - Lower Bound		90	<10	63	
Upper Bound		102	20	74	
201366				16900	
DUP				16800	
Target Range - Lower Bound				15950	
Upper Bound				17750	