



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 1
Finalized Date: 21-JUL-2010
Account: WEDES

CERTIFICATE AS10090063

Project: EAST ROVER

P.O. No.: ER001

This report is for 63 Percussion samples submitted to our lab in Alice Springs, NT, Australia on 6-JUL-2010.

The following have access to data associated with this certificate:

JOHN FABRAY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
PUL-QC	Pulverizing QC Test
PUL-23	Pulv Sample - Split/Retain
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
P-OG62	Ore Grade P - Four Acid	VARIABLE

To: **WESTERN DESERT RESOURCES**
ATTN: JOHN FABRAY
LEVEL 1, 26 GREENHILL ROAD
WAYVILLE SA 5034

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Wayne Abbott, Operations Manager, Western Australia



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - A

Total # Pages: 3 (A - C)

Finalized Date: 21-JUL-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10090063

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
201304		2.21	<0.5	3.81	20	180	2.0	2	9.88	<0.5	28	28	264	2.90	10	1.94
201305		2.21	<0.5	2.24	24	110	1.7	<2	11.05	<0.5	26	20	295	2.24	10	1.46
201306		2.22	<0.5	2.24	28	110	1.8	2	12.95	<0.5	26	21	367	2.27	10	1.40
201307		2.41	<0.5	0.62	62	30	2.8	2	13.95	<0.5	43	12	937	3.86	<10	0.29
201308		2.04	<0.5	3.64	17	160	1.6	<2	9.46	<0.5	15	25	186	2.44	10	1.25
201309		2.52	<0.5	0.69	10	30	0.9	<2	20.1	<0.5	9	9	124	0.82	<10	0.36
201310		3.10	<0.5	1.58	9	80	1.0	2	16.3	<0.5	10	17	86	1.24	10	0.69
201311		4.02	<0.5	0.89	11	40	0.7	4	17.5	<0.5	8	20	134	0.93	<10	0.41
201312		3.53	<0.5	0.90	12	40	0.7	<2	17.2	<0.5	14	16	310	0.90	<10	0.43
201313		4.41	<0.5	0.66	12	30	0.5	2	18.1	<0.5	8	12	286	0.64	<10	0.33
201314		3.41	<0.5	0.48	21	20	0.7	<2	20.2	<0.5	22	10	291	0.82	<10	0.32
201315		3.39	<0.5	1.02	27	40	1.0	<2	19.3	<0.5	21	15	397	1.15	<10	0.63
201316		4.09	<0.5	0.73	20	30	0.6	<2	19.5	<0.5	15	12	387	0.86	<10	0.47
201317		3.39	<0.5	0.76	10	30	0.5	<2	19.4	<0.5	10	13	546	0.65	<10	0.44
201318		3.43	<0.5	0.49	17	20	0.5	<2	19.3	<0.5	14	7	435	0.80	<10	0.26
201319		3.00	<0.5	0.44	11	20	<0.5	<2	18.9	<0.5	10	7	364	0.63	<10	0.26
201320		2.47	<0.5	0.43	25	20	0.7	<2	18.9	<0.5	18	6	651	1.11	<10	0.28
201321		2.37	<0.5	0.26	26	10	0.7	<2	19.8	<0.5	20	6	568	1.15	<10	0.17
201322		2.60	1.7	3.16	23	130	1.8	2	13.20	<0.5	24	23	1570	2.37	10	2.30
201323		2.69	<0.5	4.27	13	160	2.0	<2	11.05	<0.5	19	28	199	2.15	10	3.23
201324		3.02	<0.5	2.67	7	100	1.2	3	12.85	<0.5	22	18	122	1.45	10	1.57
201325		3.06	<0.5	2.07	7	100	0.9	<2	11.25	<0.5	12	17	462	1.58	10	1.47
201326		3.20	<0.5	1.17	<5	50	0.5	<2	15.2	<0.5	9	8	217	0.80	<10	0.78
201327		3.11	<0.5	1.59	<5	80	0.7	2	16.2	<0.5	9	11	254	0.98	<10	1.00
201328		3.10	<0.5	0.53	5	30	<0.5	2	20.1	<0.5	5	8	139	0.37	<10	0.39
201329		3.05	<0.5	0.88	11	50	<0.5	<2	19.6	<0.5	8	11	783	0.61	<10	0.51
201330		3.15	0.6	0.98	25	50	<0.5	<2	17.2	<0.5	19	14	1330	0.91	<10	0.65
201331		3.76	0.8	0.57	10	20	<0.5	<2	17.9	<0.5	9	10	1310	0.38	<10	0.34
201332		3.45	<0.5	0.55	9	20	<0.5	3	19.4	<0.5	9	9	1410	0.41	<10	0.34
201333		3.21	<0.5	0.39	8	20	<0.5	4	19.6	<0.5	7	6	1130	0.34	<10	0.24
201334		3.61	1.3	0.65	10	30	<0.5	4	19.6	<0.5	8	10	2270	0.37	<10	0.42
201335		3.19	0.7	0.29	8	10	<0.5	8	20.4	<0.5	7	5	904	0.31	<10	0.19
201336		3.67	<0.5	0.39	5	20	<0.5	4	19.4	<0.5	7	4	562	0.36	10	0.27
201337		3.11	<0.5	0.19	8	10	<0.5	6	19.8	<0.5	6	2	643	0.26	<10	0.14
201338		3.77	<0.5	0.28	5	20	<0.5	7	19.5	<0.5	7	3	830	0.33	<10	0.17
201339		3.18	<0.5	0.46	<5	40	<0.5	3	19.5	<0.5	6	3	547	0.42	<10	0.30
201340		3.65	<0.5	2.39	6	100	0.9	9	13.70	<0.5	32	16	1520	1.04	10	1.86
201341		2.61	<0.5	4.13	6	330	1.1	3	9.32	<0.5	9	26	137	1.93	10	3.32
201342		2.97	<0.5	4.52	5	260	1.5	3	9.26	<0.5	12	28	280	1.85	10	3.56
201343		2.76	<0.5	3.36	5	170	1.2	<2	11.75	<0.5	6	22	22	1.45	10	2.51



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - B

Total # Pages: 3 (A - C)

Finalized Date: 21-JUL-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10090063

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
201304		20	6.76	567	2	0.12	31	1000	28	0.02	7	8	72	<20	0.18
201305		20	7.41	594	2	0.08	25	690	18	0.02	<5	6	54	<20	0.11
201306		20	8.70	749	2	0.08	26	790	21	0.02	<5	7	66	<20	0.11
201307		20	9.64	896	5	0.03	32	1310	39	0.02	<5	4	39	<20	0.02
201308		20	6.34	678	2	0.09	16	1230	21	0.04	<5	7	78	<20	0.19
201309		10	11.45	976	1	0.07	5	>10000	126	0.09	<5	3	81	<20	0.03
201310		10	9.64	906	2	0.07	9	9380	72	0.09	5	4	83	<20	0.08
201311		10	10.15	1070	3	0.06	9	9990	86	0.31	<5	2	83	<20	0.04
201312		10	9.93	1015	1	0.06	7	>10000	42	0.19	<5	2	78	<20	0.04
201313		10	11.15	1030	2	0.04	4	6040	10	0.09	<5	2	61	<20	0.03
201314		10	12.05	1040	4	0.06	10	>10000	9	0.07	7	2	60	<20	0.03
201315		10	11.40	988	7	0.06	10	>10000	11	0.07	5	4	70	<20	0.05
201316		10	12.05	1185	5	0.05	6	7230	12	0.05	<5	3	62	<20	0.04
201317		10	12.50	1265	3	0.03	2	2850	4	0.11	6	2	54	<20	0.04
201318		10	12.50	1315	6	0.02	7	2190	10	0.03	<5	2	48	<20	0.02
201319		10	12.20	1220	4	0.02	3	2620	9	0.03	6	2	48	<20	0.02
201320		10	12.05	1255	7	0.03	8	1940	15	0.03	<5	2	48	<20	0.02
201321		20	12.65	1370	7	0.02	11	1520	19	0.02	<5	2	47	<20	0.01
201322		20	9.12	859	6	0.05	22	870	23	0.55	6	7	53	20	0.15
201323		20	7.81	767	4	0.07	19	680	13	0.52	5	9	59	20	0.20
201324		10	9.53	692	2	0.05	15	450	<2	0.12	5	5	62	<20	0.13
201325		10	7.48	812	1	0.05	12	450	12	0.07	<5	4	51	<20	0.10
201326		10	10.20	1365	1	0.04	4	350	10	0.03	<5	2	47	<20	0.06
201327		10	10.75	1560	1	0.05	5	890	11	0.03	<5	3	69	<20	0.08
201328		10	11.25	1605	1	0.09	<1	>10000	8	0.11	<5	1	90	<20	0.03
201329		10	11.55	1675	3	0.07	4	>10000	8	0.17	<5	2	90	<20	0.04
201330		10	10.40	1540	8	0.05	5	8060	7	0.58	<5	2	84	<20	0.05
201331		10	11.10	1380	3	0.04	1	7080	<2	0.14	<5	1	63	<20	0.03
201332		10	11.75	1430	7	0.04	1	6640	3	0.12	<5	1	63	<20	0.03
201333		10	12.40	1485	18	0.02	<1	3060	<2	0.04	5	1	52	<20	0.02
201334		10	12.05	1440	10	0.05	1	8760	2	0.11	<5	1	73	<20	0.03
201335		10	12.55	1585	4	0.04	<1	5910	4	0.05	<5	1	59	<20	0.01
201336		60	12.35	1540	4	0.03	<1	2470	6	0.03	<5	1	61	<20	0.02
201337		40	12.80	1555	6	0.02	<1	750	<2	0.02	<5	<1	55	<20	0.01
201338		40	12.60	1535	6	0.02	<1	910	<2	0.02	<5	1	57	<20	0.01
201339		60	12.70	1545	3	0.04	<1	280	2	0.01	<5	1	56	<20	0.03
201340		30	9.97	1165	4	0.04	9	640	10	0.44	<5	4	55	<20	0.12
201341		30	6.58	838	4	0.06	7	570	8	0.57	6	7	57	20	0.26
201342		30	6.61	752	1	0.05	12	530	5	0.53	<5	8	59	20	0.26
201343		20	8.31	804	1	0.05	8	370	2	0.26	7	7	62	<20	0.18



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 2 - C

Total # Pages: 3 (A - C)

Finalized Date: 21-JUL-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10090063

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	P-OG62 P ppm 80	PUL-QC Pass75um % 0.01
201304		10	56	<10	40		
201305		10	38	<10	34		
201306		20	42	<10	36		
201307		20	32	<10	42		
201308		10	54	<10	36		
201309		40	14	<10	45	13800	
201310		30	25	<10	37		
201311		30	14	<10	33		
201312		30	15	<10	25	9360	
201313		30	14	<10	15		92.0
201314		30	15	<10	15	9710	
201315		30	27	<10	19	10000	
201316		30	17	<10	15		
201317		30	15	<10	15		
201318		30	14	<10	13		
201319		30	12	<10	13		
201320		40	15	<10	12		
201321		30	13	<10	11		
201322		20	49	<10	31		
201323		20	56	<10	33		
201324		20	44	<10	24		
201325		10	29	<10	22		
201326		30	18	<10	13		
201327		20	21	<10	17		
201328		40	9	<10	7	16600	
201329		30	13	<10	10	10000	
201330		30	12	<10	14		
201331		30	12	<10	10		
201332		40	12	<10	10		
201333		30	15	<10	7		
201334		30	15	<10	11		
201335		40	75	<10	6		
201336		40	120	<10	7		
201337		40	34	<10	7		
201338		30	44	<10	10		
201339		40	35	<10	10		
201340		20	46	<10	28		
201341		10	55	<10	41		
201342		10	55	<10	42		
201343		20	45	<10	29		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - A

Total # Pages: 3 (A - C)

Finalized Date: 21-JUL-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10090063

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
201344		2.32	<0.5	4.82	<5	310	1.6	<2	8.16	<0.5	9	29	87	2.73	10	3.67
201345		3.28	<0.5	3.47	<5	210	1.2	2	10.40	<0.5	7	29	10	2.17	10	2.63
201346		2.79	<0.5	7.28	<5	380	3.7	3	1.40	<0.5	11	68	30	2.34	10	4.37
201347		2.42	<0.5	6.92	5	370	3.1	2	1.66	<0.5	8	67	29	1.86	20	4.26
201348		2.11	<0.5	7.03	6	370	4.0	<2	0.57	<0.5	13	82	48	3.49	20	4.22
201349		2.82	<0.5	7.25	7	390	3.9	<2	0.54	<0.5	9	80	54	3.09	20	4.27
201350		1.86	<0.5	7.26	<5	400	4.7	<2	0.61	<0.5	13	85	77	3.64	20	4.17
201351		2.68	<0.5	7.47	<5	430	7.5	<2	0.23	<0.5	18	87	162	6.05	20	4.09
201352		2.33	<0.5	7.46	<5	450	5.9	<2	0.17	<0.5	17	82	135	4.35	20	4.20
201353		2.34	<0.5	7.91	9	490	7.8	<2	0.53	<0.5	19	93	232	5.57	10	4.52
201354		2.22	<0.5	7.78	19	460	6.1	2	1.08	<0.5	19	84	311	3.96	20	4.66
201355		2.42	<0.5	7.44	12	380	4.5	<2	0.76	<0.5	17	73	426	3.47	20	4.53
201356		2.02	<0.5	7.27	8	410	4.8	<2	0.79	<0.5	16	73	190	4.31	20	3.61
201357		2.15	<0.5	6.70	16	330	5.3	<2	2.58	<0.5	20	69	648	5.03	10	4.20
201358		3.14	<0.5	6.97	5	360	3.9	2	1.46	<0.5	17	75	542	2.94	10	4.25
201359		2.58	<0.5	6.47	9	340	3.3	<2	0.93	<0.5	15	65	572	2.80	20	4.09
201360		2.50	<0.5	7.16	<5	370	4.1	<2	1.06	<0.5	18	82	633	3.73	10	4.39
201361		3.50	<0.5	6.68	11	350	3.8	<2	0.96	<0.5	16	71	637	3.71	20	4.20
201362		2.13	<0.5	7.17	9	360	3.7	<2	0.82	<0.5	15	75	584	3.52	20	4.54
201363		2.14	<0.5	7.03	10	360	3.6	<2	1.01	<0.5	16	74	596	3.41	10	4.44
201364		2.30	<0.5	6.19	12	290	4.0	<2	5.75	<0.5	20	66	698	2.94	20	4.01
201365		1.68	<0.5	4.92	11	210	3.0	<2	9.15	<0.5	20	47	726	2.29	20	3.06
201366		2.22	<0.5	2.57	21	110	1.9	2	13.80	<0.5	20	32	762	1.45	10	1.66



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - B

Total # Pages: 3 (A - C)

Finalized Date: 21-JUL-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10090063

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
201344		30	6.01	636	1	0.05	10	590	5	0.09	<5	9	60	20	0.29
201345		30	7.35	698	1	0.04	8	440	6	0.04	<5	6	60	20	0.20
201346		30	0.87	161	1	0.09	26	3920	31	0.02	5	17	46	20	0.40
201347		30	1.20	139	1	0.09	27	2490	30	0.02	<5	15	45	20	0.38
201348		30	0.48	113	1	0.08	34	2610	36	0.01	8	17	43	20	0.35
201349		30	0.54	145	1	0.09	30	2150	29	0.01	<5	17	50	20	0.39
201350		30	0.49	172	1	0.09	37	2910	32	0.01	5	17	49	20	0.36
201351		30	0.52	351	2	0.09	51	1250	34	0.01	<5	18	51	20	0.37
201352		30	0.48	252	1	0.09	47	900	32	0.01	5	17	53	20	0.39
201353		30	0.49	196	2	0.09	46	2720	43	0.01	5	20	68	20	0.36
201354		40	0.51	151	3	0.09	48	4940	45	0.02	10	18	76	20	0.38
201355		40	0.66	150	3	0.09	59	3480	34	0.02	7	16	52	20	0.39
201356		30	0.57	286	2	0.09	41	3030	35	0.02	7	16	79	20	0.36
201357		40	0.63	226	3	0.11	63	>10000	41	0.05	5	16	77	20	0.32
201358		30	0.65	125	2	0.10	51	6670	31	0.03	8	16	54	20	0.35
201359		30	0.57	105	2	0.09	46	3980	24	0.02	6	15	42	20	0.34
201360		30	0.66	126	2	0.10	57	4640	30	0.02	8	16	50	20	0.37
201361		30	0.60	122	3	0.10	51	4170	31	0.02	8	15	46	20	0.34
201362		30	0.67	129	2	0.10	49	3440	29	0.02	6	16	50	20	0.38
201363		30	0.65	117	2	0.10	51	4310	29	0.02	8	16	49	20	0.37
201364		30	0.63	154	2	0.15	52	>10000	47	0.10	8	14	84	20	0.31
201365		30	3.63	408	4	0.12	48	>10000	41	0.09	8	10	77	<20	0.25
201366		20	7.81	730	4	0.08	33	>10000	22	0.07	6	6	77	<20	0.12



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - C

Total # Pages: 3 (A - C)

Finalized Date: 21-JUL-2010

Account: WESEDES

Project: EAST ROVER

CERTIFICATE OF ANALYSIS AS10090063

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	P-OG62 P ppm 80	PUL-QC Pass75um % 0.01
201344		<10	58	<10	46		
201345		20	43	<10	33		
201346		<10	100	<10	75		
201347		<10	96	<10	69		
201348		<10	106	<10	120		
201349		<10	101	<10	130		
201350		<10	109	<10	123		
201351		<10	120	<10	187		
201352		<10	112	<10	156		
201353		<10	123	<10	214		96.5
201354		10	125	<10	165		
201355		<10	116	<10	122		
201356		<10	109	10	133		
201357		<10	106	<10	99	12000	
201358		<10	107	<10	87		
201359		<10	98	<10	87		
201360		<10	117	<10	103		
201361		<10	111	<10	97		
201362		<10	116	<10	91		
201363		<10	114	<10	90		
201364		10	99	<10	83	24000	
201365		20	79	<10	67	21000	
201366		30	49	<10	42	16900	