

Totals

| 0.5g/tAu Cut | t | Au(g/t) | oz |
|--------------|---------------|------------|---------------|
| G Upper | 149112 | 9.0 | 43111 |
| F Upper | 167227 | 10.8 | 57881 |
| | | | |
| Total | 316339 | 9.9 | 100992 |

| 1g/tAu Cuto | t | Au(g/t) | oz |
|--------------|---------------|-------------|--------------|
| G Upper | 94711 | 13.5 | 41259 |
| F Upper | 136801 | 12.6 | 55621 |
| | | | |
| Total | 231512 | 13.0 | 96880 |

| 5g/tAu Cuto | t | Au(g/t) | oz |
|--------------|---------------|-------------|--------------|
| G Upper | 53107 | 22.3 | 38035 |
| F Upper | 58228 | 28.7 | 53716 |
| | | | |
| Total | 111334 | 25.6 | 91751 |

G Upper

0.5g/tAu Cutoff

| | HOLE ID | Int Width (m) | Grade Au (g/t) | TRUE Width (m) | Thick (m) | Angle | Slope Thick (m) |
|----|---------|---------------|----------------|----------------|-----------|-------|-----------------|
| 1 | 9WMRC03 | 3 | 1.47 | 2.6 | 20 | 54 | 34 |
| 2 | 8WMRC01 | 1 | 4.1 | 0.9 | 20 | 54 | 34 |
| 3 | 9WMRC03 | 3 | 0.86 | 2.5 | 20 | 54 | 34 |
| 4 | 9WMRC03 | 3 | 0.71 | 2.5 | 20 | 54 | 34 |
| 5 | 9WMRC03 | 1 | 0.61 | 0.8 | 20 | 54 | 34 |
| 6 | 9WMRC03 | 5 | 1.63 | 4.4 | 20 | 54 | 34 |
| 7 | 9WMRC03 | 1 | 1.06 | 0.8 | 20 | 54 | 34 |
| 18 | NMDDH3 | 9.78 | 1.13 | 9.5 | 20 | 54 | 34 |
| 8 | NMDDH1 | 3.74 | 0.8 | 3.7 | 20 | 54 | 34 |
| 9 | NMDDH1 | 2.94 | 0.8 | 2.8 | 20 | 54 | 34 |
| 10 | NMDDH1 | 2 | 0.77 | 1.9 | 20 | 54 | 34 |
| 11 | NMDDH1 | 7.38 | 37.5 | 7 | 20 | 54 | 34 |
| 12 | 1WMRC08 | 1 | 1.59 | 0.9 | 20 | 54 | 34 |
| 13 | 1WMRC08 | 2 | 3.04 | 1.8 | 20 | 54 | 34 |
| 14 | 9WMRC04 | 10 | 12.2 | 8.8 | 20 | 54 | 34 |
| 15 | 9WMRC04 | 1 | 13.05 | 0.9 | 20 | 54 | 34 |
| 16 | 0WMRC05 | 8 | 6.04 | 7.4 | 20 | 54 | 34 |
| 17 | 0WMRC05 | 1 | 0.66 | 0.9 | 20 | 54 | 34 |
| 18 | 0WMRC05 | 1 | 9.78 | 0.9 | 20 | 54 | 34 |
| | 18 | | | 61 | | | |

G Upper

| 1.0g/tAu Cut | | Int Width (m) | Grade Au (g/t) | TRUE Width (m) | Thick (m) | Angle | Slope Thick (m) |
|--------------|---------|---------------|----------------|----------------|-----------|-------|-----------------|
| | HOLE ID | | | | | | |
| 1 | 9WMRC03 | 3 | 1.47 | 2.6 | 20 | 54 | 34 |
| 2 | 8WMRC01 | 1 | 4.1 | 0.9 | 20 | 54 | 34 |
| 6a | 9WMRC03 | 1 | 2.47 | 0.8 | 20 | 54 | 34 |
| 6b | 9WMRC03 | 1 | 4.08 | 0.8 | 20 | 54 | 34 |
| 7 | 9WMRC03 | 1 | 1.06 | 0.8 | 20 | 54 | 34 |
| | NMDDH3 | 0.61 | 1.07 | 0.52 | 20 | 54 | 34 |
| | NMDDH3 | 1.83 | 1.68 | 1.62 | 20 | 54 | 34 |
| | NMDDH3 | 0.91 | 1.22 | 0.8 | 20 | 54 | 34 |
| | NMDDH3 | 1.22 | 1.04 | 1.08 | 20 | 54 | 34 |
| 8 | NMDDH1 | 0.3 | 1.22 | 0.2 | 20 | 54 | 34 |
| 9 | NMDDH1 | 0.3 | 1.68 | 0.2 | 20 | 54 | 34 |
| 11 | NMDDH1 | 6.71 | 41.2 | 6.7 | 20 | 54 | 34 |
| 12 | 1WMRC08 | 1 | 1.59 | 0.9 | 20 | 54 | 34 |
| 13 | 1WMRC08 | 2 | 3.04 | 1.8 | 20 | 54 | 34 |
| 14 | 9WMRC04 | 9 | 13.4 | 7.7 | 20 | 54 | 34 |
| 15 | 9WMRC04 | 1 | 13.05 | 0.9 | 20 | 54 | 34 |
| 16 | 0WMRC05 | 7 | 6.81 | 6.4 | 20 | 54 | 34 |
| 17 | 0WMRC05 | 1 | 9.78 | 0.9 | 20 | 54 | 34 |
| | 17 | | | 35.62 | | | |

2.1

F Upper

| 0.5g/tAu Cut | | Int Width (m) | Grade Au (g/t) | TRUE Width (m) | Thick (m) | Angle | Slope Thick (m) |
|--------------|----------|---------------|----------------|----------------|-----------|-------|-----------------|
| | HOLE ID | | | | | | |
| 1 | 9WMRC03 | 2 | 26.3 | 1.8 | 20 | 54 | 34 |
| 2 | 9WMRC03 | 1 | 1.18 | 0.9 | 20 | 54 | 34 |
| 3 | 9WMRC03 | 2 | 4.03 | 1.8 | 20 | 54 | 34 |
| 4 | 1WMRC08 | 1 | 1.3 | 0.9 | 20 | 54 | 34 |
| 5 | 1WMRC08 | 2 | 81 | 1.8 | 20 | 54 | 34 |
| 6 | 1WMRC07 | 3 | 10.9 | 2 | 20 | 54 | 34 |
| 7 | 1WMRC07 | 3 | 1.33 | 2 | 20 | 54 | 34 |
| 8 | 9WMRC047 | 8 | 4.24 | 5 | 20 | 54 | 34 |
| 9 | 9WMRC047 | 3 | 2.39 | 2 | 20 | 54 | 34 |
| 10 | 9WMRC047 | 1 | 1.25 | 0.6 | 20 | 54 | 34 |
| 11 | 9WMRC047 | 1 | 1.1 | 0.6 | 20 | 54 | 34 |
| 12 | 1WMRC08 | 1 | 10.2 | 0.65 | 20 | 54 | 34 |
| 13 | 1WMRC08 | 2 | 33.1 | 1.3 | 20 | 54 | 34 |

| | | | | | | | |
|----|---------|-----|-------|------|----|----|----|
| 14 | 1WMRC08 | 1 | 2.35 | 0.65 | 20 | 54 | 34 |
| 15 | 1WMRC08 | 1 | 1.25 | 0.65 | 20 | 54 | 34 |
| 16 | WDDH2 | 3.5 | 5.97 | 2.9 | 20 | 54 | 34 |
| 17 | 0WMRC05 | 1 | 10.14 | 0.65 | 20 | 54 | 34 |
| 18 | 0WMRC05 | 2 | 1.7 | 1.3 | 20 | 54 | 34 |
| 19 | 0WMRC05 | 1 | 2.36 | 0.65 | 20 | 54 | 34 |
| 20 | 0WMRC05 | 1 | 1.44 | 0.65 | 20 | 54 | 34 |
| 21 | 0WMRC05 | 6 | 11.9 | 3.9 | 20 | 54 | 34 |
| | 21 | | | 32.7 | | | |

1.6

F Upper

| | 1.0 g/tAu Cut | Int Width (m) | Grade Au (g/t) | TRUE Width (m) | Thick (m) | Angle | Slope Thick (m) |
|-----|---------------|---------------|----------------|----------------|-----------|-------|-----------------|
| | HOLE ID | | | | | | |
| 1 | 9WMRC03 | 2 | 26.3 | 1.8 | 20 | 54 | 34 |
| 2 | 9WMRC03 | 1 | 1.18 | 0.9 | 20 | 54 | 34 |
| 3 | 9WMRC03 | 2 | 4.03 | 1.8 | 20 | 54 | 34 |
| 4 | 1WMRC08 | 1 | 1.3 | 0.9 | 20 | 54 | 34 |
| 5 | 1WMRC08 | 2 | 81 | 1.8 | 20 | 54 | 34 |
| 6 | 1WMRC07 | 3 | 10.9 | 2 | 20 | 54 | 34 |
| 7 | 1WMRC07 | 2 | 1.43 | 1.3 | 20 | 54 | 34 |
| 8a | 9WMRC047 | 1 | 5.54 | 0.65 | 20 | 54 | 34 |
| 8b | 9WMRC047 | 1 | 2.11 | 0.65 | 20 | 54 | 34 |
| 8c | 9WMRC047 | 1 | 23.56 | 0.65 | 20 | 54 | 34 |
| 9 | 9WMRC047 | 1 | 6.62 | 0.65 | 20 | 54 | 34 |
| 10 | 9WMRC047 | 1 | 1.25 | 0.6 | 20 | 54 | 34 |
| 11 | 9WMRC047 | 1 | 1.1 | 0.6 | 20 | 54 | 34 |
| 12 | 1WMRC08 | 1 | 10.2 | 0.65 | 20 | 54 | 34 |
| 13 | 1WMRC08 | 2 | 33.1 | 1.3 | 20 | 54 | 34 |
| 14 | 1WMRC08 | 1 | 2.35 | 0.65 | 20 | 54 | 34 |
| 15 | 1WMRC08 | 1 | 1.25 | 0.65 | 20 | 54 | 34 |
| 16 | WDDH2 | 1.75 | 11.32 | 1.45 | 20 | 54 | 34 |
| 17 | 0WMRC05 | 1 | 10.14 | 0.65 | 20 | 54 | 34 |
| 18 | 0WMRC05 | 2 | 1.7 | 1.3 | 20 | 54 | 34 |
| 19 | 0WMRC05 | 1 | 2.36 | 0.65 | 20 | 54 | 34 |
| 20 | 0WMRC05 | 1 | 1.44 | 0.65 | 20 | 54 | 34 |
| 21a | 0WMRC05 | 4 | 19 | 2.6 | 20 | 54 | 34 |
| 21b | 0WMRC05 | 1 | 1.75 | 0.6 | 20 | 54 | 34 |
| | 24 | | | 25.45 | | | |
| | | | | 1.1 | | | |

F Upper

| 5.0 g/tAu Cut | | Int Width (m) | Grade Au (g/t) | TRUE Width (m) | Thick (m) | Angle | Slope Thick (m) |
|---------------|----------|---------------|----------------|----------------|-----------|-------|-----------------|
| HOLE ID | | | | | | | |
| 1 | 9WMRC03 | 2 | 26.3 | 1.8 | 20 | 54 | 34 |
| 5 | 1WMRC08 | 1 | 159 | 0.9 | 20 | 54 | 34 |
| 6 | 1WMRC07 | 1 | 15.9 | 0.9 | 20 | 54 | 34 |
| | 11WMRC07 | 1 | 15.5 | 0.9 | 20 | 54 | 34 |
| 8a | 9WMRC047 | 1 | 5.54 | 0.9 | 20 | 54 | 34 |
| 8c | 9WMRC047 | 1 | 23.56 | 0.65 | 20 | 54 | 34 |
| 9 | 9WMRC047 | 1 | 6.62 | 0.65 | 20 | 54 | 34 |
| 12 | 1WMRC08 | 1 | 10.2 | 0.65 | 20 | 54 | 34 |
| 13 | 1WMRC08 | 1 | 63 | 0.65 | 20 | 54 | 34 |
| 16 | WDDH2 | 1.75 | 11.32 | 1.45 | 20 | 54 | 34 |
| 17 | 0WMRC05 | 1 | 10.14 | 1.45 | 20 | 54 | 34 |
| 21a | 0WMRC05 | 2 | 36.3 | 1.3 | 20 | 54 | 34 |
| | | | | 10.4 | | | |
| | 11 | | | 0.9 | | | |

| Plunge Length (m) | Area (m2) | Vol (m3) | SG (t/m3) | Tonnes (t) | Grade Au (g/t) | Metal Au (oz) | % |
|-------------------|-----------|----------|-----------|---------------|----------------|---------------|-----|
| 19.3 | 51.4 | 1747.6 | 3.4 | 5942 | 1.5 | 281 | 1 |
| 17.8 | 18 | 612 | 3.4 | 2081 | 4.1 | 274 | 1 |
| 18 | 48.7 | 1655.8 | 3.4 | 5630 | 0.9 | 156 | 0 |
| 18.2 | 50.1 | 1703.4 | 3.4 | 5792 | 0.7 | 132 | 0 |
| 12.9 | 12.3 | 418.2 | 3.4 | 1422 | 0.6 | 28 | 0 |
| 12.7 | 62.3 | 2118.2 | 3.4 | 7202 | 1.6 | 377 | 1 |
| 14.2 | 14.4 | 489.6 | 3.4 | 1665 | 1.1 | 57 | 0 |
| 10.1 | 96.4 | 3277.6 | 3.4 | 11144 | 1.1 | 405 | 1 |
| 18.5 | 69.7 | 2369.8 | 3.4 | 8057 | 0.8 | 207 | 0 |
| 18.6 | 52.1 | 1771.4 | 3.4 | 6023 | 0.8 | 155 | 0 |
| 23.3 | 52.4 | 1781.6 | 3.4 | 6057 | 0.8 | 150 | 0 |
| 23.2 | 169.3 | 5756.2 | 3.4 | 19571 | 37.5 | 23599 | 55 |
| 19.3 | 16.8 | 571.2 | 3.4 | 1942 | 1.6 | 99 | 0 |
| 19.5 | 36.6 | 1244.4 | 3.4 | 4231 | 3.0 | 414 | 1 |
| 22 | 194.2 | 6602.8 | 3.4 | 22450 | 12.2 | 8807 | 20 |
| 17.5 | 16.5 | 561 | 3.4 | 1907 | 13.1 | 800 | 2 |
| 34.4 | 257.7 | 8761.8 | 3.4 | 29790 | 6.0 | 5786 | 13 |
| 35.8 | 35.3 | 1200.2 | 3.4 | 4081 | 0.7 | 87 | 0 |
| 34.3 | 35.7 | 1213.8 | 3.4 | 4127 | 9.8 | 1298 | 3 |
| | | | | 149112 | 9.0 | 43111 | 100 |

| Plunge Length (m) | Area (m2) | Vol (m3) | SG (t/m3) | Tonnes (t) | Grade Au (g/t) | Metal Au (oz) | % |
|-------------------|-----------|----------|-----------|--------------|----------------|---------------|-----|
| 19.3 | 51.4 | 1747.6 | 3.4 | 5942 | 1.5 | 281 | 1 |
| 17.9 | 18 | 612 | 3.4 | 2081 | 4.1 | 274 | 1 |
| 12.7 | 12.4 | 421.6 | 3.4 | 1433 | 2.5 | 114 | 0 |
| 12.7 | 11.5 | 391 | 3.4 | 1329 | 4.1 | 174 | 0 |
| 14.3 | 14.4 | 489.6 | 3.4 | 1665 | 1.1 | 57 | 0 |
| 10.4 | 6.5 | 221 | 3.4 | 751 | 1.1 | 26 | 0 |
| 10.2 | 16.7 | 567.8 | 3.4 | 1931 | 1.7 | 104 | 0 |
| 10.4 | 8.7 | 295.8 | 3.4 | 1006 | 1.2 | 39 | 0 |
| 10.4 | 12.4 | 421.6 | 3.4 | 1433 | 1.0 | 48 | 0 |
| 18.5 | 7.1 | 241.4 | 3.4 | 821 | 1.2 | 32 | 0 |
| 18.5 | 6.1 | 207.4 | 3.4 | 705 | 1.7 | 38 | 0 |
| 23.1 | 151.3 | 5144.2 | 3.4 | 17490 | 41.2 | 23170 | 56 |
| 19.3 | 16.8 | 571.2 | 3.4 | 1942 | 1.6 | 99 | 0 |
| 19.5 | 36.6 | 1244.4 | 3.4 | 4231 | 3.0 | 414 | 1 |
| 22 | 172.9 | 5878.6 | 3.4 | 19987 | 13.4 | 8612 | 21 |
| 17.5 | 16.5 | 561 | 3.4 | 1907 | 13.1 | 800 | 2 |
| 34.3 | 224.3 | 7626.2 | 3.4 | 25929 | 6.8 | 5678 | 14 |
| 34.3 | 35.7 | 1213.8 | 3.4 | 4127 | 9.8 | 1298 | 3 |
| | | | | 94711 | 13.5 | 41259 | 100 |

| Plunge Length (m) | Area (m2) | Vol (m3) | SG (t/m3) | Tonnes (t) | Grade Au (g/t) | Metal Au (oz) | % |
|-------------------|-----------|----------|-----------|------------|----------------|---------------|----|
| 41.7 | 75.2 | 2556.8 | 3.4 | 8693 | 26.3 | 7351 | 13 |
| 41.7 | 38.8 | 1319.2 | 3.4 | 4485 | 1.2 | 170 | 0 |
| 41.9 | 75.9 | 2580.6 | 3.4 | 8774 | 4.0 | 1137 | 2 |
| 22.5 | 21.1 | 717.4 | 3.4 | 2439 | 1.3 | 102 | 0 |
| 22.5 | 42.2 | 1434.8 | 3.4 | 4878 | 81.0 | 12706 | 22 |
| 18.1 | 35.8 | 1217.2 | 3.4 | 4138 | 10.9 | 1450 | 3 |
| 24.8 | 49.9 | 1696.6 | 3.4 | 5768 | 1.3 | 247 | 0 |
| 24.8 | 124.5 | 4233 | 3.4 | 14392 | 4.2 | 1962 | 3 |
| 25.5 | 50.2 | 1706.8 | 3.4 | 5803 | 2.4 | 446 | 1 |
| 26.8 | 17.9 | 608.6 | 3.4 | 2069 | 1.3 | 83 | 0 |
| 27 | 22.7 | 771.8 | 3.4 | 2624 | 1.1 | 93 | 0 |
| 62.6 | 64.9 | 2206.6 | 3.4 | 7502 | 10.2 | 2461 | 4 |
| 52.5 | 91.7 | 3117.8 | 3.4 | 10601 | 33.1 | 11282 | 19 |

| | | | | | | | |
|------|-------|--------|-----|---------------|-------------|--------------|-----|
| 52.5 | 48.2 | 1638.8 | 3.4 | 5572 | 2.4 | 421 | 1 |
| 39.6 | 34.4 | 1169.6 | 3.4 | 3977 | 1.3 | 160 | 0 |
| 52.9 | 142 | 4828 | 3.4 | 16415 | 6.0 | 3151 | 5 |
| 73.6 | 59.6 | 2026.4 | 3.4 | 6890 | 10.1 | 2246 | 4 |
| 73.6 | 100.6 | 3420.4 | 3.4 | 11629 | 1.7 | 636 | 1 |
| 64.6 | 59 | 2006 | 3.4 | 6820 | 2.4 | 518 | 1 |
| 64.6 | 42.6 | 1448.4 | 3.4 | 4925 | 1.4 | 228 | 0 |
| 64.7 | 249.4 | 8479.6 | 3.4 | 28831 | 11.9 | 11032 | 19 |
| | | | | 167227 | 10.8 | 57881 | 100 |

| Plunge Length (m) | Area (m2) | Vol (m3) | SG (t/m3) | Tonnes (t) | Grade Au (g/t) | Metal Au (oz) | % |
|-------------------|-----------|----------|-----------|---------------|----------------|---------------|-----|
| 41.7 | 75.2 | 2556.8 | 3.4 | 8693 | 26.3 | 7351 | 13 |
| 41.7 | 38.8 | 1319.2 | 3.4 | 4485 | 1.2 | 170 | 0 |
| 41.9 | 75.9 | 2580.6 | 3.4 | 8774 | 4.0 | 1137 | 2 |
| 22.5 | 21.1 | 717.4 | 3.4 | 2439 | 1.3 | 102 | 0 |
| 22.5 | 42.2 | 1434.8 | 3.4 | 4878 | 81.0 | 12706 | 23 |
| 18.1 | 35.8 | 1217.2 | 3.4 | 4138 | 10.9 | 1450 | 3 |
| 24.9 | 31.6 | 1074.4 | 3.4 | 3653 | 1.4 | 168 | 0 |
| 25 | 15.1 | 513.4 | 3.4 | 1746 | 5.5 | 311 | 1 |
| 25 | 15.7 | 533.8 | 3.4 | 1815 | 2.1 | 123 | 0 |
| 25 | 15.8 | 537.2 | 3.4 | 1826 | 23.6 | 1384 | 2 |
| 25.5 | 16.9 | 574.6 | 3.4 | 1954 | 6.6 | 416 | 1 |
| 26.9 | 17.9 | 608.6 | 3.4 | 2069 | 1.3 | 83 | 0 |
| 26.9 | 22.7 | 771.8 | 3.4 | 2624 | 1.1 | 93 | 0 |
| 62.6 | 64.9 | 2206.6 | 3.4 | 7502 | 10.2 | 2461 | 4 |
| 69.7 | 68.9 | 2342.6 | 3.4 | 7965 | 33.1 | 8477 | 15 |
| 52.5 | 48.2 | 1638.8 | 3.4 | 5572 | 2.4 | 421 | 1 |
| 39.6 | 34.4 | 1169.6 | 3.4 | 3977 | 1.3 | 160 | 0 |
| 52.8 | 74.6 | 2536.4 | 3.4 | 8624 | 11.3 | 3139 | 6 |
| 73.6 | 59.6 | 2026.4 | 3.4 | 6890 | 10.1 | 2246 | 4 |
| 73.6 | 100.6 | 3420.4 | 3.4 | 11629 | 1.7 | 636 | 1 |
| 64.5 | 59 | 2006 | 3.4 | 6820 | 2.4 | 518 | 1 |
| 64.5 | 42.6 | 1448.4 | 3.4 | 4925 | 1.4 | 228 | 0 |
| 64.5 | 163.8 | 5569.2 | 3.4 | 18935 | 19.0 | 11568 | 21 |
| 64.5 | 42.1 | 1431.4 | 3.4 | 4867 | 1.8 | 274 | 0 |
| | | | | 136801 | 12.6 | 55621 | 100 |
| | | | | | | | |

