



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
 Accreditation No: 825, Corporate Site No: 818.

CERTIFICATE MI17070369

Project: Mt Isa
 P.O. No.: 311062
 This report is for 11 Rock samples submitted to our lab in Mount Isa, QLD, Australia
 on 13-APR-2017.

The following have access to data associated with this certificate:

JOHN DOBE

GLENN TWOMEY

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| PUL-QC | Pulverizing QC Test |
| LOG-22 | Sample login - Rcd w/o BarCode |
| LEV-01 | Waste Disposal Levy |
| LEV-02 | Remote Lab Surcharge |
| CRU-21 | Crush entire sample >70% -6 mm |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-22 | Split sample - rotary splitter |
| PUL-32 | Pulverize 1000g to 85% < 75 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | |
|----------|-------------------------------|-----|
| ME-MS61 | 48 element four acid ICP-MS | |
| Au-AA25 | Ore Grade Au 30g FA AA finish | AAS |

To: FOOTPRINT RESOURCES PTY LTD
 ATTN: JOHN DOBE
 21 VOLGA CRESENT
 INDOOROPILLY QLD 4068

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
 Accreditation No: 825, Corporate Site No: 818.

Project: Mt Isa

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-APR-2017
 Account: FOORES

CERTIFICATE OF ANALYSIS MI17070369

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | PUL-QC Pass75um % | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|--------------------------|---------------------|-------------------|----------------|--------------|----------------|----------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 151509 | | 1.66 | | 0.16 | 3.78 | 36.6 | 530 | 1.19 | 0.20 | 0.03 | <0.02 | 34.0 | 6.4 | 141 | 3.50 | 40.3 |
| 151510 | | 0.97 | | 0.02 | 0.29 | 2.4 | 130 | 0.08 | 0.14 | 0.01 | 0.02 | 5.33 | 1.0 | 20 | 0.27 | 12.2 |
| 151511 | | 1.18 | | 0.42 | 4.44 | 33.5 | 1060 | 2.43 | 0.25 | 0.03 | <0.02 | 12.75 | 12.3 | 190 | 4.43 | 94.4 |
| 151512 | | 0.66 | | 0.26 | 0.20 | 134.0 | 230 | 7.24 | 4.74 | 0.02 | <0.02 | 13.30 | 4.8 | 17 | 0.41 | 5.3 |
| 151513 | | 1.33 | | 0.30 | 6.31 | 85.9 | 150 | 1.76 | 1.26 | 0.08 | <0.02 | 38.7 | 9.9 | 1580 | 0.40 | 122.0 |
| 151514 | | 1.91 | 90.4 | 0.04 | 5.03 | 193.5 | 1080 | 0.60 | 0.36 | 0.07 | <0.02 | 9.39 | 2.1 | 34 | 0.29 | 30.2 |
| 151515 | | 1.26 | | 0.02 | 6.94 | 325 | 1040 | 2.45 | 0.40 | 0.06 | <0.02 | 67.9 | 29.1 | 50 | 0.32 | 284 |
| 151516 | | 1.43 | | 0.16 | 5.18 | 108.5 | 80 | 0.96 | 0.15 | 0.05 | <0.02 | 20.9 | 2.9 | 132 | 0.27 | 70.6 |
| 151517 | | 1.18 | | 0.01 | 6.26 | 6.8 | 430 | 1.35 | 0.36 | 1.75 | 0.02 | 67.3 | 3.5 | 44 | 4.47 | 16.3 |
| 151518 | | 1.06 | | 0.12 | 0.22 | 90.6 | 330 | 4.52 | 1.13 | 0.02 | <0.02 | 8.67 | 2.6 | 8 | 0.24 | 4.2 |
| 151519 | | 0.94 | | 0.11 | 5.06 | 84.2 | 360 | 1.11 | 1.37 | 0.05 | 0.02 | 84.9 | 2.8 | 115 | 3.05 | 35.5 |

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
 Accreditation No: 825, Corporate Site No: 818.

Project: Mt Isa

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-APR-2017
 Account: FOORES

CERTIFICATE OF ANALYSIS MI17070369

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|----------|
| | | Fe % | Ga ppm | Ge ppm | Hf ppm | In ppm | K % | La ppm | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Nb ppm | Ni ppm | P ppm |
| | | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 | 0.01 | 0.1 | 0.2 | 10 |
| 151509 | | 14.00 | 14.95 | 0.15 | 3.6 | 0.082 | 1.15 | 20.3 | 10.2 | 0.15 | 220 | 1.14 | 0.03 | 6.0 | 12.3 | 270 |
| 151510 | | 0.99 | 1.07 | <0.05 | 0.1 | 0.005 | 0.06 | 3.9 | 3.4 | 0.01 | 92 | 1.15 | <0.01 | 0.3 | 2.7 | 20 |
| 151511 | | 22.6 | 14.70 | 0.34 | 3.6 | 0.099 | 1.68 | 4.6 | 14.7 | 0.20 | 264 | 1.55 | 0.04 | 6.8 | 35.8 | 610 |
| 151512 | | >50 | 3.26 | 0.98 | 0.1 | 0.171 | 0.03 | 5.1 | 1.2 | 0.01 | 121 | 6.83 | 0.02 | 0.6 | 45.6 | 50 |
| 151513 | | 27.5 | 19.50 | 2.52 | 6.8 | 0.259 | 0.33 | 19.4 | 6.0 | 0.08 | 184 | 1.38 | 0.04 | 11.3 | 57.6 | 970 |
| 151514 | | 23.3 | 21.9 | 0.42 | 4.9 | 0.123 | 0.08 | 4.1 | 4.7 | 0.05 | 87 | 0.94 | 0.02 | 9.8 | 5.0 | 670 |
| 151515 | | 13.80 | 23.9 | 0.24 | 4.8 | 0.205 | 0.17 | 18.6 | 9.7 | 0.11 | 393 | 1.16 | 0.02 | 9.6 | 51.7 | 650 |
| 151516 | | 15.40 | 19.65 | 0.34 | 3.7 | 0.160 | 0.19 | 12.7 | 5.2 | 0.08 | 80 | 0.88 | 0.07 | 7.6 | 20.3 | 610 |
| 151517 | | 3.48 | 15.20 | 0.08 | 4.4 | 0.092 | 2.18 | 34.0 | 9.8 | 0.67 | 169 | 0.30 | 0.15 | 8.4 | 9.9 | 210 |
| 151518 | | >50 | 4.41 | 0.87 | 0.1 | 0.199 | 0.02 | 3.2 | 1.5 | 0.02 | 112 | 5.71 | 0.01 | 0.5 | 57.6 | 50 |
| 151519 | | 22.1 | 18.15 | 0.28 | 4.1 | 0.097 | 1.54 | 49.2 | 4.4 | 0.19 | 149 | 0.97 | 0.02 | 7.4 | 8.4 | 500 |

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
 Accreditation No: 825, Corporate Site No: 818.

Project: Mt Isa

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-APR-2017
 Account: FOORES

CERTIFICATE OF ANALYSIS MI17070369

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti | Tl | U |
| | | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | | 0.5 | 0.1 | 0.002 | 0.01 | 0.05 | 0.1 | 1 | 0.2 | 0.2 | 0.05 | 0.05 | 0.01 | 0.005 | 0.02 | 0.1 |
| 151509 | | 11.5 | 78.6 | <0.002 | 0.03 | 4.31 | 9.5 | 3 | 1.9 | 25.4 | 0.52 | 0.09 | 12.45 | 0.173 | 0.39 | 1.9 |
| 151510 | | 3.8 | 4.7 | <0.002 | 0.01 | 0.88 | 0.5 | <1 | 0.5 | 5.2 | <0.05 | <0.05 | 0.52 | 0.009 | 0.05 | 0.1 |
| 151511 | | 12.4 | 116.5 | <0.002 | 0.05 | 4.91 | 11.2 | 3 | 2.2 | 28.0 | 0.59 | 0.08 | 13.70 | 0.185 | 0.53 | 2.8 |
| 151512 | | 54.0 | 2.0 | <0.002 | 0.01 | 63.7 | 1.2 | 1 | 0.2 | 10.4 | <0.05 | <0.05 | 0.31 | <0.005 | 0.02 | 26.1 |
| 151513 | | 14.5 | 22.6 | <0.002 | 0.07 | 7.95 | 36.8 | 13 | 1.6 | 27.0 | 0.65 | 0.09 | 30.9 | 0.505 | 0.15 | 5.5 |
| 151514 | | 14.0 | 6.1 | <0.002 | 0.08 | 6.42 | 28.2 | 4 | 1.9 | 33.5 | 0.70 | 0.05 | 11.80 | 0.764 | 0.04 | 3.4 |
| 151515 | | 6.7 | 7.2 | 0.002 | 0.03 | 4.80 | 44.6 | 2 | 1.8 | 29.1 | 0.70 | 0.06 | 8.73 | 0.765 | 0.06 | 4.0 |
| 151516 | | 8.7 | 8.1 | <0.002 | 0.03 | 4.15 | 30.1 | 4 | 1.5 | 19.6 | 0.55 | <0.05 | 7.47 | 0.599 | 0.07 | 3.6 |
| 151517 | | 4.2 | 139.0 | <0.002 | 0.03 | 4.73 | 10.9 | 1 | 2.5 | 97.1 | 0.71 | <0.05 | 15.40 | 0.233 | 0.63 | 2.8 |
| 151518 | | 25.6 | 1.4 | <0.002 | 0.01 | 63.0 | 0.8 | <1 | 0.2 | 11.6 | <0.05 | <0.05 | 0.28 | 0.005 | 0.03 | 8.9 |
| 151519 | | 21.0 | 96.5 | <0.002 | 0.02 | 5.90 | 13.2 | 2 | 2.2 | 26.2 | 0.64 | 0.18 | 16.50 | 0.232 | 0.46 | 2.2 |

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
 Accreditation No: 825, Corporate Site No: 818.

Project: Mt Isa

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-APR-2017
 Account: FOORES

CERTIFICATE OF ANALYSIS MI17070369

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | Au-AA25 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|
| | | V | W | Y | Zn | Zr | Au |
| | | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 1 | 0.1 | 0.1 | 2 | 0.5 | 0.01 |
| 151509 | | 209 | 1.3 | 13.4 | 18 | 134.0 | <0.01 |
| 151510 | | 11 | 0.1 | 2.2 | 12 | 4.8 | 0.06 |
| 151511 | | 144 | 1.3 | 14.1 | 35 | 132.5 | <0.01 |
| 151512 | | 31 | 3.7 | 7.2 | 9 | 2.1 | <0.01 |
| 151513 | | 842 | 1.3 | 23.3 | 48 | 257 | <0.01 |
| 151514 | | 1240 | 1.2 | 15.9 | 9 | 185.0 | <0.01 |
| 151515 | | 531 | 3.2 | 35.2 | 54 | 184.5 | <0.01 |
| 151516 | | 777 | 3.2 | 23.1 | 36 | 146.0 | <0.01 |
| 151517 | | 52 | 1.9 | 17.6 | 20 | 169.5 | <0.01 |
| 151518 | | 28 | 4.2 | 6.3 | 5 | 2.6 | <0.01 |
| 151519 | | 241 | 2.6 | 17.4 | 19 | 150.5 | <0.01 |

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate
 Accreditation No: 825, Corporate Site No: 818.

Project: Mt Isa

CERTIFICATE OF ANALYSIS MI17070369

| | CERTIFICATE COMMENTS | | | | | | | | | | | | |
|--------------------|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--|--|--|
| | ANALYTICAL COMMENTS | | | | | | | | | | | | |
| Applies to Method: | REE's may not be totally soluble in this method. ME-MS61 | | | | | | | | | | | | |
| | ACCREDITATION COMMENTS | | | | | | | | | | | | |
| Applies to Method: | NATA Accredited. Corporate Accreditation No: 825, Corporate Site No: 818. The Technical Signatory is David Jones, ICPMS Supervising Chemist. ME-MS61 | | | | | | | | | | | | |
| | LABORATORY ADDRESSES | | | | | | | | | | | | |
| Applies to Method: | Processed at ALS Townsville located at 14-15 Desma Court, Bohle, Townsville, QLD, Australia. Au-AA25 | | | | | | | | | | | | |
| Applies to Method: | Processed at ALS Mount Isa located at Unit 4, 16 Enterprise Rd, Mount Isa, QLD, Australia. <table style="width: 100%; border: none;"> <tr> <td>CRU-21</td> <td>CRU-31</td> <td>LEV-01</td> <td>LEV-02</td> </tr> <tr> <td>LOG-22</td> <td>PUL-32</td> <td>PUL-QC</td> <td>SPL-22</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> </tr> </table> | CRU-21 | CRU-31 | LEV-01 | LEV-02 | LOG-22 | PUL-32 | PUL-QC | SPL-22 | WEI-21 | | | |
| CRU-21 | CRU-31 | LEV-01 | LEV-02 | | | | | | | | | | |
| LOG-22 | PUL-32 | PUL-QC | SPL-22 | | | | | | | | | | |
| WEI-21 | | | | | | | | | | | | | |
| Applies to Method: | Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. NATA Accreditation does not cover the performance of ALS Brisbane Sample Preparation which is processed at 116 Delta Street, Geebung, QLD 4034, Australia ME-MS61 | | | | | | | | | | | | |