

Jervois Project – Summary Table of Drilling completed with significant intersections.

Hole ID	From (m)	To (m)	Interval (m)	EHTW* (m)	Cu %	Pb %	Zn %	Ag g/t	Au g/t
<b>RJ201</b>	15.7	17.6	1.9	0.95	0.23	0.03	0.07	10.44	0.07
	17.6	21.7	4.1	2.05	1.81	0.06	0.08	9.52	0.28
	25.7	27.8	2.1	1.05	0.43	0.40	0.03	34.66	0.13
	27.8	41.0	13.2	6.60	3.39	0.19	0.32	43.29	0.56
			Includes 2.5m @		7.98	0.19	0.58	72.25	1.17
	45.9	50.2	4.3	2.15	0.85	1.03	1.26	45.99	0.07
	50.2	51.4	1.2	0.60	0.47	0.1	0.33	6.48	0.02
	15.7	17.6	1.9	0.95	0.23	0.03	0.07	10.44	0.07
<b>RJ202 (Diamond)</b>	94.30	96.60	2.30	1.50	1.63	0.05	0.11	17.42	2.41
	105.10	158.60	53.5	34.40	1.08	0.29	0.37	24.92	0.24
<i>53.5m intersect includes</i>									
	105.10	113.10	8.0	5.14	2.13	0.03	0.14	23.67	0.52
	113.10	135.80	22.70	14.60	0.69	0.48	0.19	27.65	0.13
	137.50	143.80	6.3	4.05	2.54	0.21	1.21	23.67	0.16
	155.70	157.80	2.10	1.35	1.88	0.53	0.91	62.69	0.11
	169.30	169.70	0.40	0.30	1.16	0.01	0.12	6.60	0.05
<b>RJ205 (Diamond)</b>	50.00	51.00	1.00	0.53	5.04	1.01	0.45	214.00	1.29
	51.00	56.20	5.80	3.07	0.61	0.04	0.04	14.36	0.07
	60.90	70.20	9.30	4.93	2.12	0.01	0.08	14.89	0.09
	82.00	85.00	3.00	1.59	0.72	0.18	0.35	14.13	0.09
<b>RJ206 (Diamond)</b>	60.00	60.90	0.90	0.52	0.77	0.03	0.06	7.00	0.20
	63.00	75.00	12.00	6.88	3.72	0.16	0.32	40.69	0.68
	77.40	80.00	2.60	1.49	1.61	0.02	0.02	13.06	0.06
<b>RJ213 (RC)</b>	148.00	151.00	3.00	1.93	1.03	0.11	0.27	14.00	0.10
	160.00	164.00	4.00	2.57	2.64	0.59	3.05	36.55	0.10

<i>Hole ID</i>	<i>From (m)</i>	<i>To (m)</i>	<i>Interval (m)</i>	<i>EHTW* (m)</i>	<i>Cu %</i>	<i>Pb %</i>	<i>Zn %</i>	<i>Ag g/t</i>	<i>Au g/t</i>
<b>RJ209</b>	12	14	2	1.5	0	0.0	0.0	0.5	0.97
	106	112	6	5.0	0.3	0.1	0.2	3.9	0.02
<b>RJ210</b>	150	154	4	3.3	0.5	0.0	0.1	4.6	0.05
	160	164	4	3.3	0.0	0.9	0.1	3.6	0.00
<b>RJ212</b>	162	180	18	13.0	0.3	0.0	0.0	2.8	0.01
<b>RJ213</b>	148	152	4	2.7	0.9	0.1	0.2	18.6	0.11
	160	164	4	2.7	2.6	0.6	3.1	36.5	0.10
<b>RJ218</b>	85	87	2	1.3	1.3	0.5	1.7	22.8	0.25
	96	100	4	2.7	0.5	0.1	0.2	4.4	0.02
<b>RJ219</b>	72.3	73.8	1.5	1.0	1.2	0.0	0.0	2.5	0.03
	92.4	94	1.6	1.1	1.0	0.0	0.0	5	0.05
	96	98	2	1.4	0.5	0.0	0.0	10.8	0.07
	113	114	1	0.7	1.1	0.0	0.0	5.9	0.07
	122	128	6	4.2	2.7	0.0	0.0	25.8	0.07
<b>RJ223</b>	0	6	6	3.5	0.5	0.0	0.0	25.2	0.03
	110	113	3	1.9	1.6	0.0	0.0	20.4	0.12
<b>RJ227</b>	149	152	3	2.1	5.3	0.1	0.1	227.6	0.24
<b>RJ229</b>	22	27	5	3.3	1.3	0.0	0.0	1.5	0.04
	196	200	4	2.8	1.5	0.1	0.1	16.2	0.78
<b>RJ239</b>	73	99	26	15.0	2.2	0.2	0.2	53.1	0.21
	100	117	17	9.8	0.3	0.1	0.6	11.3	0.02

Hole ID	From (m)	To (m)	Interval (m)	EHTW** (m)	Cu %	Pb %	Zn %	Ag g/t	Au g/t
RJ217	31.6	41.0	9.4	4.7	1.01	0.01	0.02	5.9	0.08
	41.0	67.0	26.0	13.0	0.45	0.01	0.02	3.3	0.02
	67.0	77.0	10.0	5.0	4.64	0.06	0.02	23.5	0.10
	77.0	80.0	3.0	1.5	0.66	0.02	0.03	5.0	0.02
RJ221	95.5	97.5	2.0	1.3	1.33	0.01	0.02	5.3	0.05
	116.5	117.0	0.5	0.3	1.11	0.01	0.02	9.2	0.03
	129.0	144.5	15.5	10.0	1.55	0.02	0.03	19.9	0.26
RJ222	35.0	40.0	5.0	2.5	0.62	0.01	0.02	4.6	0.02
	66.0	69.0	3.0	1.5	1.46	0.02	0.02	13.1	0.08
	84.7	103.6	18.9	9.5	2.44	0.03	0.03	16.3	0.15
RJ224	82.0	86.0	4.0	2.4	0.42	0.02	0.02	3.1	0.04
	88.8	89.5	0.7	0.4	0.58	0.03	0.04	9.6	0.05
	91.7	93.8	2.1	1.3	1.23	0.01	0.05	5.1	0.13
RJ225	31.0	37.0	6.0	3.0	0.92	0.03	0.05	6.1	0.13
RJ204	485	486	1.0	0.62	0.7	0.0	0.0	7.1	0.06
	500	501	1.0	0.62	0.9	0.0	0.1	5.8	0.27
	502	510	8.0	4.93	4.8	0.2	0.6	62.1	0.35
RJ204W1	505.8	507	1.2	0.77	1.4	0.0	0.0	3.5	0.01
	509	518.05	9.05	5.82	4.9	0.3	0.4	66.2	1.22
	518.05	520	1.95	1.28	0.2	0.0	0.3	3.0	2.45
RJ229	196	210	14.0	10.0	0.71	0.03	0.03	8.6	0.25
	230	232	2.0	1.44	0.41	0.16	0.36	11.7	0.16
RJ232	309.1	323	13.9	10.49	1.63	0.22	0.82	16.15	0.07
	337.3	338	0.70	0.53	1.56	3.61	2.75	400	0.5
	418.35	440	21.65	16.34	0.87	0.01	0.03	11.18	0.08

Hole ID	From (m)	To (m)	Interval (m)	EHTW** (m)	Cu %	Pb %	Zn %	Ag g/t	Au g/t
<b>RJ233</b>	409.95	417	7.05	5.84	0.98	0.03	0.07	9.7	0.06
	428.4	429.11	0.71	0.60	3.74	0.31	0.19	71.1	0.07
	457.61	470.1	12.49	10.95	0.51	0.01	0.03	3.51	0.01
<b>RJ236</b>	397	399	2.0	1.53	0.44	0.25	0.15	19.75	0.19
	419	421	2.0	1.53	1.87	0.02	0.07	12.53	0.62
	433	437.55	4.55	3.68	3.87	0.09	0.13	44.55	1.61
<b>RJ248</b>	96	102	6.0	4.40	0.44	0.02	0.01	3.13	0
	108	114	6.0	4.40	0.61	0.06	0.04	4.5	0
	180	184	4.0	3.41	0.93	0.12	0.79	16.20	0.18
<b>RJ251</b>	111	114	4.0	2.44	0.27	0.01	0.03	2.63	0.08
	132	143	11.0	6.85	1.32	0.02	0.02	11.11	0.11
<b>RJ252</b>	158	165	7.0	5.31	0.88	0.02	0.02	5.31	0.06
	173	193	20.0	16.58	1.53	0.02	0.02	6.44	0.06
<b>RJ254</b>	88	94	6.0	3.54	0.33	0.03	0	2.3	0
	149	155	6.0	4.50	0.83	0.01	0.08	7.24	0.12
<b>RJ255</b>	176	182	6.0	4.10	0.37	0.05	0.08	6.87	0.10
	197	209	12.0	8.20	1.76	0.03	0.05	14.18	0.33
<b>RJ240</b>	280	289	9	4.3	1.91	0.1	0.06	26.5	0.31
	294	303	9	4.3	0.21	8.39	3.58	86.7	0.03
<b>RJ241</b>	243	245	2	1.3	2.05	0.39	0.47	37.8	0.52
	249	258	9	6.0	0.56	0.32	0.45	32	0.04
	272	278	6	3.9	0.77	0.16	0.37	19.2	0.04
<b>RJ242</b>	0	32	32	19.3	1.13	1.22	1.41	60.4	0.12
	32	38	6	3.6	0.27	0.11	0.88	9.7	0.02
<b>RJ246</b>	116	119	3	2.2	1.54	0.06	0.04	16.2	0.13