



Santos Limited
GPO Box 2319
ADELAIDE SA 5000
Australia

Attention: Noel Dowdell

Project 08PEAD0018625
Collected by Client
Client Ref: 849485-101

Customer Sample ID	West Mereenie-17 Water	
Sample Type	Water	
Date Sampled	27/05/2008	
Time Sampled	15:15	
WATER ANALYSIS		
Test/Reference	Unit	
PROPERTIES: APHA 21st Ed		
pH at Measured Temp.		6.8
Measured Temp.	°C	19.8
Electrical Conductivity @ 25°C	µS/cm	680
Resistivity @ 25°C	M.Ohm	14.71
ANIONS mg/L APHA 21st Ed		
Hydroxide as OH	mg/L	<1
Carbonate as CO3	mg/L	<1
Bicarbonate as HCO3	mg/L	170
Chloride as Cl	mg/L	170
Nitrate as NO3	mg/L	<0.1
Sulphate as SO4	mg/L	10
Total Anions	mg/L	350
ANIONS meq/L APHA 21st Ed		
Hydroxide as OH	meq/L	<0.01
Carbonate as CO3	meq/L	<0.01
Bicarbonate as HCO3	meq/L	3
Chloride as Cl	meq/L	5
Nitrate as NO3	meq/L	<0.01
Sulphate as SO4	meq/L	0.21
Total Anions	meq/L	8
CATIONS mg/L APHA 21st Ed		
Potassium as K	mg/L	37
Sodium as Na	mg/L	95
Calcium as Ca	mg/L	58
Iron as Fe	mg/L	0.29
Magnesium as Mg	mg/L	6
Total Cations	mg/L	200
CATIONS meq/L APHA 21st Ed		
Potassium as K	meq/L	0.96
Sodium as Na	meq/L	4
Calcium as Ca	meq/L	3
Iron as Fe	meq/L	0.02
Magnesium as Mg	meq/L	0.47
Total Cations	meq/L	8
DERIVED PARAMETERS APHA 21st Ed		
Ion balance (Diff * 100/Sum)	%	4

Customer Sample ID West
Sample Type Mereenie-17
Date Sampled Water
Time Sampled 27/05/2008
Time Sampled 15:15

WATER ANALYSIS

Test/Reference	Unit	
Acceptance Criteria	%	5
Satisfactory		Yes
Total Alkalinity (calc as CaCO ₃)	mg/L	140
Total Cations + Anions	mg/L	550
Hardness (calc as CaCO ₃)	mg/L	170
Calculated Total Dissolved Solids	mg/L	440

Test Description

DERIVED PARAMETERS If the ion balance in this sample is unsatisfactory it is most likely due to a component or components of the sample that is not within the scope of this analysis.

Authorised By

Valentina Pavlovic Chemist Accreditation No 2013

Laboratory Manager

Diane Cass Operations Manager



Final Report

- Indicates Not Requested * Indicates NATA accreditation does not cover the performance of this service

Samples will be discarded after 30 days unless otherwise notified.

Amdel Limited shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Amdel Limited be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received. *The samples were not collected by Amdel staff.*