

HNC (AUSTRALIA) RESOURCES PTY LTD

EL 28703

Title Holder: Compass Resources
Operator: HNC Australia Resources

Annual Report

From 6th October 2012 to 5th October 2013

Bynoe 1:100 000
Noonamah 1: 100 000
Darwin 1: 250 000

D.Rosewall
david.rosewall@harresources.com.au
Date: 4/12/2013

Target: Cu,Pb,Co,Ni,Ag,Zn

CONTENTS

Introduction	3
Location and Access	3
Tenement Details	3
Geological Setting	4
Previous Exploration	5
Work Completed During 2012-13	5
Recommendations and Conclusions	5
Plans for 2014	6
Figure .1: Tenement Location Plan 1:20000	7
Figure .2: Airborne Gravity Flightlines	8

COPYRIGHT

© HNC (Australia) Exploration & Mining Pty Limited 2013

This work is copyright. You may display, print and reproduce this material in unaltered form only (retaining this notice) for your personal, non-commercial use or use within your organisation. Apart from any use as permitted under the Copyright Act 1968 and as stated above, no part may be reproduced by any process without prior written permission from HNC (Australia) Exploration & Mining Pty Limited.

HNC (Australia) Exploration & Mining Pty Limited authorises the department to copy and distribute the report and associated data.

Requests and inquiries concerning reproduction and rights should be addressed to David.Rosewall@hncaem.com.au

INTRODUCTION

During 2012 EL 28703 was part of a regional geophysical survey using the airborne gravity system called FALCON. LIDAR elevation data was also acquired during this survey.

This data is currently being divided up into individual tenements and being geophysically modelled.

This tenement is planned to be incorporated into a larger tenement amalgamation proposal for 2014.

The area is considered prospective for uranium, copper, lead, zinc, cobalt and nickel mineralisation.

LOCATION AND ACCESS

The tenement is located approximately 70 kilometres south of Darwin and nearby the original mine sites of the Whites and Intermediate (Rum Jungle) Deposits.

Access from Darwin is via sealed roads to Batchelor and thence northward to the tenements via the start of the Litchfield Road. Access is also possible during the dry season by following the old railway line south from Darwin River, then along local dirt roads.

TENEMENT DETAILS

EL28703 was granted on the 6th October 2011 for a period of 6 years. Ownership is Compass Resources NL 100% and HAR are operators as part of the JV agreement.

The tenement is located on the Darwin 1:250,000 map sheet, and consists of 10 sub blocks (9.727 sq km)

GEOLOGICAL SETTING

The Browns deposit lies in the Rum Jungle Mineral Field. The basement geology is dominated by the Archaean Rum Jungle Complex comprising two inliers (the Rum Jungle and Waterhouse domes) of S- and I-type granitoids. These are unconformably overlain by Palaeoproterozoic sedimentary strata forming the base of the Pine Creek Orogen. This sedimentary strata hosts significant deposits of stratiform base metal mineralization and structurally controlled uranium mineralisation.

The Browns Oxide deposit is hosted in weathered Proterozoic Coomalie dolomite and Whites Formation. Beneath the base of oxidation both units dip steeply to the southeast and a large body of stratiform base metal mineralization occurs in the basal shales close to the boundary with the dolomite.

The Proterozoic Zamu Dolerite intrudes both the Whites Formation and base metal mineralization but the majority of the dolerite is to the south of the Oxide Pit.

Close to the base of oxidation the bedding is folded suddenly and becomes almost flat lying. Though some tectonic folding may be involved the majority of this change in bedding dip is in response to preferential weathering and dissolution of dolomite (acid generated from breakdown of sulphides) causing slumping of the shale/dolomite contact and associated base metal gossan.

Erosion in the Tertiary created an uneven topographic surface that has filled with fluvial deposits of Tertiary clays, sands and gravels. These deposits are part of an extensive area of Tertiary valley fill that forms low ridges immediately to the north of the mining leases.

Identification of rock units within the weathered horizon can be problematic. Major element geochemistry often provides a better indication of rock type than geological logging of drill holes and was the primary source of data when developing the geological model.

The Browns-Browns East stratabound base metal sulphide resource occurs at the base of the Whites Formation. Mineralisation extends for 2.5 km along strike essentially from the eastern edge of the historical Whites open cut pit, to the west. Mineralisation occurs on the contact with the Coomalie Dolomite, or through apparent facies change, and away from the contact up to 70 metres within the Whites formation.

(from the former Compass Annual Reports)

PREVIOUS EXPLORATION

During the 2011-2012 reporting period, EL 28703 was incorporated into the large data reprocessing and geophysical remodelling that took place due to the erroneous data that was previously received. All errors were removed from this data set and the data was effectively remodelled.

Some follow up targets were generated for additional geophysics and potential drilling.

Ground reconnaissance for a potential IP survey was completed.

WORK COMPLETED DURING 2012-2013

During 2012 this tenement was subjected to a regional airborne FALCON gravity survey. This survey included not only gravity but also acquired magnetics and LIDAR high resolution elevation data.

The line spacing was approximately 200m and is currently being processed and divided into individual tenements. All data has been submitted to the department as an entire survey that includes other tenements in the immediate area. Approximately 54 line km of data acquisition fell on this tenement.

RECOMMENDATIONS AND CONCLUSIONS

At the time of writing this report the recent FALCON gravity survey has been processed and is undergoing varying modelling and GIS integration procedures. It is still recommended that EL28703 be incorporated into a proposed tenement amalgamation exercise if at all possible.

PLANS FOR 2014

During 2014 EL28703 will be part of a large regional data modelling exercise. The company is undertaking data integration of all recent and historical geophysical surveys, drill data and geochemistry into a GIS package that will create a very comprehensive 2D and 3D dataset. This dataset will be utilised for the current scoping study underway at the nearby Brown's open pit as well as for regional additional resource drill targeting.

It is anticipated expenditure will exceed \$20,000.





Figure 1: EL28703 Location Map



HNC (AUSTRALIA) RESOURCES PTY LTD

FALCON
Airborne Gravity Flightlines
26 lines
54.0km

Map Projection: MGA Zone 52 (GDA94)

Date: 11may13

Drawn: Montana GIS