

Analytical Quotation

Date 12th June 2013
 Quotation Q130204

TO Jason Bishop
 Cameco Australia
jason_bishop@cameco.com

Dear Jason,

Intertek Genalysis is pleased to confirm the following analytical options and prices. The prices represent a significant discount on our current 2013 schedule of services and will be held in place until 31st December 2013.

Hazardous Handling charges

Handling of samples containing hazardous material requires special procedures and incurs additional charges. Please ensure that the sample submission is clearly marked, describing the category of hazard and clearly identify the samples that contain the hazard. A dangerous goods form is available to download from our website (www.genalysis.com.au) which should accompany such samples. We appreciate that at times it may be difficult to identify a hazard but please err on the side of caution.

Naturally Occurring Radioactive Material (NORM)	Code	Price
Samples received as pulps	RM01	\$0.50/sample
Samples requiring preparation	RM02	\$1.00/sample

Sample Preparation

Description	Code	Price
Reporting weights of samples - TOTWT	WT01	\$1.00

Crush Package (core/rock)

Description	Code	Price
Dry, crush ~2mm, pulverise 300g up to 1.2kg	SP62	\$9.00
Additional wt>3kg: dry, crush ~2mm, split, pulverise up to 3kg, retain coarse reject	SP15	\$1.20kg *

***SP13 includes riffle splitting of crushed material for WAL HNO3 digest**

WA Programs (Intertek, Perth WA)

Drill Core / RC / Trial Tillite sampling

Four Acid Digestion

Four acid digests, with the inclusion of hydrofluoric acid targeting silicates, will decompose almost all mineral species and are referred to as “near-total digestions”. Highly resistant minerals such as zircon, cassiterite, columbite-tantalite, rutile and wolframite will require a fusion digest to ensure complete dissolution. Four acid digests may volatilise some elements.

Element	Range ppm	Finish	Element	Range ppm	Finish	Element	Range ppm	Finish
Al	50 - 15%	ICP-OES	Ho	0.01 - 2000	ICP-MS	Sb	0.05 - 500	ICP-MS
As	0.5 - 2000	ICP-MS	K	20 - 10%	ICP-OES	Sm	0.01 - 5000	ICP-MS
Bi	0.01 - 500	ICP-MS	La	0.01 - 5000	ICP-MS	Tb	0.005 - 2000	ICP-MS
Ca	50 - 40%	ICP-OES	Lu	0.005 - 2000	ICP-MS	Te	0.05 - 2000	ICP-MS
Ce	0.01 - 5000	ICP-MS	Mg	20 - 40%	ICP-OES	Th	0.01 - 5000	ICP-MS
Cu	1 - 2%	ICP-OES	Mn	1 - 2%	ICP-OES	Ti	5 - 2%	ICP-OES
Dy	0.01 - 2000	ICP-MS	Na	20 - 10%	ICP-OES	Tm	0.01 - 2000	ICP-MS
Er	0.01 - 2000	ICP-MS	Nd	0.01 - 5000	ICP-MS	U	0.01 - 1%	ICP-MS
Eu	0.01 - 2000	ICP-MS	P	50 - 5%	ICP-OES	W	0.1 - 500	ICP-MS
Fe	100 - 50%	ICP-OES	Pb	0.5 - 2000	ICP-MS	Yb	0.01 - 2000	ICP-MS
Gd	0.01 - 2000	ICP-MS	Pr	0.005 - 5000	ICP-MS	Zn	1 - 2%	ICP-OES

4 acid digestion

4A/OM

\$39.60

WAL HNO3 Digest – performed on ~1mm crushed material

Dilute HNO3 weak acid leach digest is designed to extract minerals occurring at grain boundaries. It is designed to treat samples which have been pulverised. The technique is designed to be qualitative and is targeted at samples which have only small amounts of mineralisation.

Element	Range ppb	Finish	Element	Range ppb	Finish	Element	Range ppb	Finish
As	5	ICP-MS	Pb Total	0.01	ICP-MS	Se	15	ICP-MS
Bi	2	ICP-MS	Pb 204	0.01	ICP-MS	Te	15	ICP-MS
Co	2	ICP-MS	Pb 206	0.01	ICP-MS	U	15	ICP-MS
Cu	2	ICP-MS	Pb 207	0.01	ICP-MS	V	5	ICP-MS
Ge	4	ICP-MS	Pb 208	0.01	ICP-MS	Zn	15	ICP-MS
Mo	2	ICP-MS	Sb	5	ICP-MS			

*Pb Isotopes will be reported to the second decimal place only

WAL HNO3 digestion/ICP- MS

HNO3/MS

\$19.80

WAL HNO3 Digest - Pb Isotopes Only – performed on ~1mm crushed material

Dilute HNO3 weak acid leach digest is designed to extract minerals occurring at grain boundaries. It is designed to treat samples which have been pulverised. The technique is designed to be qualitative and is targeted at samples which have only small amounts of mineralisation.

Element	Range ppb	Finish	Element	Range ppb	Finish	Element	Range ppb	Finish
Pb Total	0.01	ICP-MS	Pb 206	0.01	ICP-MS	Pb 208	0.01	ICP-MS
Pb 204	0.01	ICP-MS	Pb 207	0.01	ICP-MS			

WAL HNO3 digestion/ICP- MS

HNO3Pb/MS

\$15.00

Trial Soil Sampling

TL8 Package

Element	DL ppb	Finish	Element	DL ppb	Finish	Element	DL ppb	Finish
Ag	0.2	ICP-MS	K	0.2ppm	ICP-OES	S	2ppm	ICP-OES
As	2	ICP-MS	La	0.5	ICP-MS	Sb	1	ICP-MS
Au	0.05	ICP-MS	Mg	0.2ppm	ICP-OES	Sn	2	ICP-MS
Bi	0.5	ICP-MS	Mn	0.2ppm	ICP-OES	Th	0.1	ICP-MS
Ca	0.2ppm	ICP-OES	Mo	1	ICP-MS	U	0.1	ICP-MS
Cd	0.5	ICP-MS	Ni	0.02ppm	ICP-MS	V	0.2ppm	ICP-OES
Co	2	ICP-MS	P	2ppm	ICP-OES	W	10	ICP-MS
Cr	0.2ppm	ICP-OES	Pb	0.02ppm	ICP-MS	Zn	10	AAS
Cu	0.02ppm	ICP-MS	Pd	1	ICP-MS			
Fe	0.2ppm	ICP-OES	Pt	0.2	ICP-MS			

TerraLeach TL8 Package / ICP-MS, ICP-OES, AAS

TL8/OMA93

\$40.00

Uranium Ore Grade Packages

Uranium Four Acid Ore Grade ICP-OES & MS Package

Element	Range ppm	Finish	Element	Range ppm	Finish	Element	Range ppm	Finish
As	10 - 20%	ICP-MS	K	200 -20%	ICP-OES	Se	10 - 2%	ICP-MS
Bi	0.1 -10%	ICP-MS	La	0.5 - 2%	ICP-MS	Th	0.5 - 1%	ICP-MS
Ca	100 - 50%	ICP-OES	Mo	1 - 10%	ICP-MS	U	0.5 - 30%	ICP-MS
Co	1 - 5%	ICP-MS	Ni	10- 70%	ICP-OES	V	20 - 1%	ICP-OES
Cu	10- 70%	ICP-OES	Pb	10 - 70%	ICP-MS			
Fe	100 - 70%	ICP-OES	S	100-60%	ICP-OES			

U ore grade package

4 acid digest / ICP-OES

4AH/OM47

\$26.40

Uranium Ore Grade Packages

Uranium Four Acid Ore Grade ICP-OES & MS Package

Element	Range ppm	Finish
U	0.5 - 30%	ICP-MS

U ore grade

4 acid digest / ICP-OES

4AH/MS

\$14.40

NT Programs (Intertek Darwin NT)

Four Acid Comprehensive ICP-OES & MS Package – Ultra Trace Levels

Element	Range ppm	Finish	Element	Range ppm	Finish	Element	Range ppm	Finish
Ag	0.05 - 500	ICP-MS	Ho	0.01 - 2000	ICP-MS	Se	0.5 - 1%	ICP-MS
Al	50 - 15%	ICP-OES	K2O	20 - 10%	ICP-OES	Sm	0.01 - 5000	ICP-MS
As	0.5 - 1%	ICP-MS	La	0.01 - 5000	ICP-MS	Sn	0.1 - 2000	ICP-MS
Ba	0.1 - 5000	ICP-MS	Li	0.1 - 5000	ICP-MS	Sr	0.05 - 1%	ICP-MS
Be	0.05 - 2000	ICP-MS	Lu	0.005 - 2000	ICP-MS	Ta	0.01 - 2000	ICP-MS
Bi	0.01 - 1%	ICP-MS	MgO	20 - 40%	ICP-OES	Tb	0.005 - 2000	ICP-MS
CaO	50 - 40%	ICP-OES	MnO	1 - 2%	ICP-OES	Te	0.05 - 2000	ICP-MS
Ce	0.01 - 1%	ICP-MS	Mo	0.1 - 1%	ICP-MS	Th	0.01 - 5000	ICP-MS
Co	0.1 - 1%	ICP-MS	Na2O	20 - 10%	ICP-OES	TiO2	5 - 2%	ICP-OES
Cr	1 - 2%	ICP-OES	Nb	0.05 - 2000	ICP-MS	Tm	0.01 - 2000	ICP-MS
Cu	0.5 - 2%	ICP-OES	Nd	0.01 - 5000	ICP-MS	U	0.01 - 1%	ICP-MS
Dy	0.01 - 2000	ICP-MS	Ni	0.5 - 2%	ICP-OES	V	1 - 5000	ICP-OES
Er	0.01 - 2000	ICP-MS	P2O5	50 - 5%	ICP-OES	W	0.1 - 2000	ICP-MS
Eu	0.01 - 2000	ICP-MS	Pb	0.5 - 1%	ICP-MS	Y	0.05 - 2000	ICP-MS
Fe	100 - 50%	ICP-OES	Pr	0.005 - 5000	ICP-MS	Yb	0.01 - 2000	ICP-MS
Ga	0.05 - 2000	ICP-MS	Rb	0.05 - 2000	ICP-MS	Zn	1 - 2%	ICP-OES
Gd	0.01 - 2000	ICP-MS	S	50 - 10%	ICP-OES	Zr	0.1 - 2000	ICP-MS
Hf	0.05 - 2000	ICP-MS	Sc	0.1 - 5000	ICP-MS			

Comprehensive package

4 acid digestion / ICP-OES & ICP-MS

G400 Cameco

\$42.00

WAL HNO3 Digest – performed on ~1mm crushed material

Dilute HNO3 weak acid leach digest is designed to extract minerals occurring at grain boundaries. It is designed to treat samples which have been pulverised. The technique is designed to be qualitative and is targeted at samples which have only small amounts of mineralisation.

Element	Range ppb	Finish	Element	Range ppb	Finish	Element	Range ppb	Finish
As	0.1	ICP-MS	Pb Total	0.01	ICP-MS	Se	2	ICP-MS
Bi	0.1	ICP-MS	Pb 204	0.01	ICP-MS	Te	1	ICP-MS
Co	0.1	ICP-MS	Pb 206	0.01	ICP-MS	U	0.01	ICP-MS
Cu	0.1	ICP-MS	Pb 207	0.01	ICP-MS	V	0.5	ICP-MS
Ge	0.5	ICP-MS	Pb 208	0.01	ICP-MS	Zn	1	ICP-MS
Mo	0.1	ICP-MS	Sb	0.1	ICP-MS			

WAL HNO3 digestion/ICP- MS

G9RC6/M

\$19.80

Aqua Regia Comprehensive ICP-OES & MS Package – Ultra Trace Levels

Element	Range ppm	Finish	Element	Range ppm	Finish	Element	Range ppm	Finish
Au**	1ppb - 500ppb	ICP-MS	Hg*	0.01 - 100	ICP-MS	Sb	0.02 - 5000	ICP-MS
Ag	0.05 - 250	ICP-MS	Ho	0.01 -200	ICP-MS	Sc	0.1 - 500	ICP-MS
Al	20 - 10%	ICP-OES	In	0.005 - 1000	ICP-MS	Se	1 - 5000	ICP-MS
As	1 – 1%	ICP-MS	K	20 - 5%	ICP-OES	Sm	0.01 - 500	ICP-MS
B*	10 – 1%	ICP-OES	La	0.01 - 500	ICP-MS	Sn	0.05 - 200	ICP-MS
Ba	1 - 2000	ICP-MS	Li	0.1 - 1000	ICP-MS	Sr	0.02 - 5000	ICP-MS
Be	0.05 - 1000	ICP-MS	Lu	0.005 - 200	ICP-MS	Ta	0.01 - 200	ICP-MS
Bi	0.01 - 5000	ICP-MS	Mg	100 - 20%	ICP-OES	Tb	0.005 - 200	ICP-MS
Ca	100 - 40%	ICP-OES	Mn	1 – 1%	ICP-OES	Te	0.01 - 1000	ICP-MS
Cd	0.01 - 1000	ICP-MS	Mo	0.1 - 5000	ICP-MS	Th	0.01 - 500	ICP-MS
Ce	0.01 - 1000	ICP-MS	Na	100 - 5%	ICP-OES	Ti	5 - 1000	ICP-OES
Co	0.1 - 5000	ICP-MS	Nb	0.02 - 200	ICP-MS	Tl	0.01 - 1000	ICP-MS
Cr	1 – 1%	ICP-OES	Nd	0.01 - 500	ICP-MS	Tm	0.01 - 100	ICP-MS
Cs	0.01- 500	ICP-MS	Ni	0.5 – 2%	ICP-OES	U	0.01 - 5000	ICP-MS
Cu	0.5 - 2%	ICP-OES	P	20 – 2%	ICP-OES	V	2 - 1000	ICP-OES
Dy	0.01 - 200	ICP-MS	Pb	0.5 - 5000	ICP-MS	W	0.05 - 200	ICP-MS
Er	0.01 - 200	ICP-MS	Pd**	10ppb – 500ppb	ICP-MS	Y	0.02 - 200	ICP-MS
Eu	0.01 - 200	ICP-MS	Pr	0.005 - 500	ICP-MS	Yb	0.01 - 200	ICP-MS
Fe	100 - 50%	ICP-OES	Pt**	5ppb – 500ppb	ICP-MS	Zn	1 – 2%	ICP-OES
Ga	0.05 - 500	ICP-MS	Rb	0.02 - 1000	ICP-MS	Zr	0.1 - 200	ICP-MS
Gd	0.05 - 200	ICP-MS	Re	0.001 - 500	ICP-MS			
Hf	0.01 - 200	ICP-MS	S*	50 - 5%	ICP-OES			

Comprehensive package

Aqua regia digestion 0.5g / ICP-OES & ICP-MS

AR25/OM20

\$42.00

Note: * B, Hg, S are only available from 0.5g option, Hg may report low due to losses in sampling and preparation

** Au, Pt, Pd are indicative only on 0.5g option and must be interpreted with extreme caution

An additional charge is applicable for samples containing graphitic or other organic material that require roasting prior to digestion.

Elements where the concentration exceeds the upper limit will be re-digested by the appropriate analytical method which will incur additional charges. If you do not require over-range analysis or only target elements require re-analysis please advise us.

The lower and upper limits for each element shown in the tables are a guide to the ranges that can be routinely measured, however these may vary in some cases as a result of the sample matrix.

QA/QC

At Intertek Genalysis we take quality seriously. Our quality program includes reference materials which should ideally be grade and matrix matched as far as possible. We have a diverse number of reference materials at our disposal which can be used in the QC program. To ensure that the data are traceable to appropriate reference materials, please tell us something about the samples. This could include the principal elements of interest, the expected grades and the type of mineralisation expected (if any). For example “sandstone hosted uranium with grades up to 1000ppm uranium” will ensure that grade appropriate matrix matched U-Mo-As reference materials are selected. Another example may include “unmineralised soil looking for possible Pb, As contamination” will ensure that low grade soil standard are included in the job.

Certified Reference Materials and/or in house controls, blanks and replicates are analysed with each batch of samples. These quality control results are reported along with the sample values in the final report. Prices include the reporting of all QC data except where more than 10% repeats are considered necessary in cases such as poor reproducibility due to particulate gold, in which case additional repeats may be charged for.

LabTrak

Responding to Minerals industry needs, Intertek Genalysis have further developed their "LabTrak" system to enable customers to view the status of submitted samples and download analytical results online.

LabTrak provides tools for tracking samples through the laboratory, viewing and downloading analytical data, generating customised quality control reports and managing access rights. All designed to provide information that is timely, accurate, accessible and secure.

The latest release of LabTrak delivers current and historical analytical report data in the customers preferred file format from a secure online web portal.

To register for LabTrak please use the below link;

<https://intertekminerals.com.au/login.php>

Reporting

We are progressing towards an electronic system at Intertek Genalysis. All final results will be delivered to the designated recipients via email, unless a hard copy report is specifically requested. Invoices will also be delivered electronically to a nominated representative in PDF format which can be printed from this file if required.

Sample Deliveries - WA Programs (Intertek, Perth WA)

Perth Laboratory

Contact: Adrian Waite - Sample Control Supervisor
Address: Gate 6, 16 Davison Street, Maddington WA, 6109
Facsimile: +61 (0) 8 9251 8160
Email: min.aus.samples@intertek.com

Sample Deliveries - NT Programs (Intertek Darwin NT)

Darwin Laboratory

Contact: Luke Witham – Laboratory Manager
Address: 3407 Export Drive, Darwin Business Park, Berrimah, Northern Territory, 0828
Facsimile: +61 (0) 8 8947 0520
Email: min.aus.samples@intertek.com

Sample Storage

All solid samples (assay pulps, bulk pulps, and residues) will be stored without charge for 60 days after completion of analysis. After this time all samples will be stored at a daily rate of \$3.50/m³ until the client's written advice regarding return, collection or disposal is received. Current disposal costs are \$100.00/m³.

Terms and Conditions

Intertek Terms and Conditions of business apply, a copy of which is available online at www.intertek.com or in our Fee Schedule or will be supplied upon request. Acceptance of this quotation or submission of samples under this quotation implies acceptance of these terms and conditions unless advised otherwise in writing.

Intertek Genalysis does not charge an administration or batch fee, however there is a minimum invoice charge of \$200.00 for routine geochemistry and \$250.00 for all other work. All the prices in this quote are calculated on the basis of multiple samples rather than single sample batches; consequently single sample jobs will be invoiced at triple rates and submissions of 2 samples will carry a 50% surcharge.

All costs quoted are in Australian dollars (AUD) and exclude GST.

We look forward to working with you and providing quality analysis and service.

Kind Regards,

Frazer Fallens

BUSINESS DEVELOPMENT MANAGER – WESTERN AUSTRALIA

Luke Witham

LABORATORY MANAGER – DARWIN NT

Intertek - Value Added Services

Intertek Minerals Services

Intertek Minerals offers expert inspection, analytical testing and advisory services to the Minerals, Exploration and Mining industries. Through our global network of state-of-the-art laboratories, we provide a wide range of analytical services for minerals, including precious metals, base metals, and their raw content, such as iron ore, bauxite, coal and coke, as well as bulk commodities. We also conduct environmental monitoring and offer marine and trade-related inspection and services.

- Mineral Sample Preparation
- Precious Metals Analysis
- Exploration Geochemistry
- Minerals Environmental Testing Services
- Ore Grade Analyses
- Mine-Site Minerals Laboratories
- Coal Inspection and Testing
- Minerals Consulting Services
- Minerals Inspection and Surveying
- Robotics and Automated Minerals Laboratory System

Intertek Industry Services

Intertek Industry Services continues to build on our promise to deliver value and quality to our customers. You now have access to the largest combined technical resources pool in the industry providing; technical inspection services, asset integrity management, technical staffing services, consulting and training and management system certification. We assist the Mining, Oil and Gas, Power, Construction, Engineering, Chemical and other heavy industries with product and process development, regulatory compliance, supply chain management, plant management and asset management in an effort to enhance our customers' returns from production and manufacturing assets whilst improving safety and reliability and minimising business risk.

- Technical Inspection Services
- Technical staffing services
- Asset integrity management
- Safety Consulting and Training
- Exploration and production support services

Intertek Consulting & Training Services

Intertek's Consulting & Training service offers assistance to organisations to manage risk, improve safety and operational performance.

Safe Operations and Performance Improvement Training introduces cutting edge training programs to build client's capacity to address their urgent improvement needs;

- Safety Management System (SMS)
- Beyond Safety
- Safety Leadership
- Leadership Development
- Team Development
- Safety Conversations
- Technical Safety Skills Development

Intertek Surveying Services

Intertek Surveying Services provides analysis and exploitation of 3D data across a vast range of industrial and geospatial applications within multiple sectors, including oil and gas, petroleum, infrastructure, aerospace, and ship-building. Intertek has years of proven experience in industrial scale 3D laser scanning and dimensional control

- 3D Laser Scanning

During any new build or retrofit project, the need for accurate and timely information that can help reduce re-work, time, and costs is a tangible benefit. We provide a unique CAD integration solution allowing vast digital data capture in a very short space of time, mitigating risk and reducing potential project costs.

- Dimensional Control

Our dimensional control and monitoring solutions can be effectively implemented in a number of critical areas, either onshore or offshore, in order to provide substantial benefits on projects such as existing status surveys, ship repair, fabrication surveys, to name a few.

Intertek Agri Services

Intertek Agri Services offers unique knowledge and expertise on all global regulations and trends supporting our client's needs throughout the entire global supply chain - from farm to fork.

The global food and agricultural industry has many diverse sectors; sourcing, producing, pricing and Marketing. Whilst at the same time presenting major challenges regarding ethics, quality, reliability, and product safety.

- Evaluations of food production
- Quality management systems
- Testing programmes
- Factory environment
- Product and process controls
- Support Services
- Stockpile Measurement

Intertek Geotech

Intertek Geotech services range from consulting for planning of sampling and experimental design to analyses and interpretation of data. Many of the services offered relate to oils and fuels, however Intertek Geotech also specialises in analysis of water, gas, air emissions and sedimentary rocks as well as analyses of unknown compounds, sludges and deposits. Supported by six divisions, each with its own area of specialty Intertek Geotech is able to offer a wide range of analysis.

- Petroleum Geochemistry
- Petrophysics/Core Analysis
- Environmental Chemistry
- Ecotoxicology
- Industrial Chemistry
- Fuel and Lubricants/Oil Condition monitoring analyses

Commodities Inspection and Testing Services

Intertek independent inspection, surveying and testing services help protect the quantity and quality of high value commodities.

Cargo Inspection Services

- Marine Cargo Surveying
- Independent draft surveys (for certification)
- Hold and Tank Cleanliness Surveys
- Loading/Discharge Superintendence
- On Hire/Off Hire/Draft/Break Bulk Surveys
- Independent ship/cargo damage and repair surveys
- Ship Vetting Services
- Pre-purchase surveys (pre-shipment inspection)
- P & I Surveys
- Government Statutory Inspections
- Foreign Trade Standards
- Witness and Audit
- Metering and Tank Calibration
- Marine Consultancy
- Loss Control
- Document Preparation and Issuance
- Pipeline Volume Determination
- Stockpile Measurement

Laboratory Services

- Petroleum Fuels Specification Testing
- Aviation Fuels Testing
- LNG & LPB Composition and Contaminants
- Crude Oil Assays
- Biofuels Testing
- Oil Condition Monitoring
- Lubricant & Insulating Oils
- Mercury Evaluation & Speciation
- Problem solving and R&D Support
- Method Development & Validation
- Pharmaceutical Products, TGA, FDA
- Cosmetics Testing
- Stability and Compatibility Testing
- Migration of Food Packaging Materials
- Thermal Stability Studies
- Investigative and Problem Solving
- Identification of Unknowns

Intertek Probe

Intertek PROBE is an advanced chemical analysis laboratory specialising in Pharmaceutical and Polymer testing and a leader in the provision of investigative and problem-solving services. With a case history covering all industry sectors, as well as from R&D through all aspects of manufacturing to compliance auditing and resolving customer complaints, Intertek PROBE can support your operations. Results are backed by a quality system that has been audited by TGA & FDA (pharmaceuticals), NATA (covering biofuels), APVMA (veterinary medicines) and accredited to ISO 9001 and ISO 17025 standards. Highly trained analysts can often develop and design test methods, if standard methods do not fit the customer requirement.

- Quality control of raw materials, process intermediates and finished products
- Method development
- Method validation
- Compliance auditing
- Legal / consultation
- Investigative work / R&D Support
- Polymer testing

Intertek Consumer Goods

Intertek Consumer Goods test products to ensure their safety and quality, and help reduce time to market and overall costs. We also can help set, meet, maintain and evolve quality, safety, and performance standards for your product lines, operations and supply chains.

Consumer trust helps differentiate products in increasingly commoditized markets, so it is critical that products meet both consumer expectations and industry safety, regulatory, quality, and performance standards. We will help our clients to keep abreast of trends, build scalability into your business, and stay ahead of the competition.

Our services include:

- Testing
- Sustainability
- Inspection
- Certification
- Auditing



15 Davison Street, Maddington
Western Australia 6109
Telephone: +61 (0) 8 9251 8100
Facsimile: +61 (0) 8 9251 8110
genalysis@intertek.com
www.intertek.com
ABN 32 008 787 237