



TOM'S GULLY Mining Pty Ltd
ABN 83 089 612 064

2006 Annual Report

On

Mining Lease N1058

And

Mineral Claims N3333-3339

AuQuest Project

Period Beginning 30th December 1996
And the Period Ending 31st December 2006.

Tenement Details

TENEMENT HISTORY

TABLE 1. TENEMENT DETAILS FOR TOM'S GULLY GOLD MINE

| NAME | TITLE | EXPIRY DATE | HOLDER |
|-------------------|---------|-------------|------------------------------|
| Tom's Gully North | MCN3333 | 31/12/2008 | Tom's Gully Holdings Pty Ltd |
| Tom's Gully North | MCN3334 | 31/12/2008 | Tom's Gully Holdings Pty Ltd |
| Tom's Gully North | MCN3335 | 31/12/2008 | Tom's Gully Holdings Pty Ltd |
| Tom's Gully North | MCN3336 | 31/12/2008 | Tom's Gully Holdings Pty Ltd |
| Tom's Gully South | MCN3337 | 31/12/2008 | Tom's Gully Holdings Pty Ltd |
| Tom's Gully South | MCN3338 | 31/12/2008 | Tom's Gully Holdings Pty Ltd |
| Tom's Gully South | MCN3339 | 31/12/2008 | Tom's Gully Holdings Pty Ltd |
| Tom's Gully | MLN1058 | 3/08/2014 | Tom's Gully Holdings Pty Ltd |

SUMMARY

Renison Consolidated Mines NL has been developing an exploration strategy in the Northern Territory since 1999. This strategy includes targeting dislocations that host economic gold mineralisation within regional structures that intersect known stratigraphical and structural features of the Pine Creek Geosyncline.

Over the past three years, the Company's focus in the Northern Territory has been the development and subsequent operation of Stage 3 of the Quest 29 dump leach operation during 2003/04, and the completion of the resource drilling, feasibility study and start of underground mine development at Tom's Gully which will produce approximately 40,000ozpa of gold.

Approximately \$2.5m has been spent on ground at Tom's Gully and other tenements within the AuQuest Project, as part of the company's exploration strategy, over the previous 18-month period. The Feasibility Study on Tom's Gully Underground has been completed and underground development started in September 2005 with the mill currently undergoing final commissioning.

Quest 29 and Tom's Gully are part of the AuQuest project, which covers approximately 1000 square kilometres of exploration license. It is expected that exploration on these EL's will find additional open cut ores which can be treated through the Tom's Gully plant and exploration has focused on these EL's and targets during 2005.

Work completed on this tenement has comprised of literature reviews and initial data entry to GIS of historical work.

Table of Contents

| | |
|--|----|
| TENEMENT DETAILS | 2 |
| TENEMENT HISTORY | 2 |
| <i>Table 1. Tenement Details for Tom's Gully Gold Mine</i> | 2 |
| SUMMARY..... | 2 |
| TABLE OF CONTENTS | 3 |
| 1. INTRODUCTION | 4 |
| 1. INTRODUCTION | 4 |
| FIGURE 1 TENEMENT LOCATION MAP | 5 |
| 2.1 THE MOUNT PARTRIDGE GROUP | 6 |
| <i>2.1.1 Wildman Siltstone</i> | 6 |
| 2.2 THE SOUTH ALLIGATOR GROUP | 6 |
| <i>2.2.1 Koolpin Formation</i> | 6 |
| <i>2.2.2 Gerowie Tuff</i> | 7 |
| <i>2.2.3 Mount Bonnie Formation</i> | 7 |
| 2.3 FINNISS RIVER GROUP | 7 |
| <i>2.3.1 Burrell Creek Formation</i> | 7 |
| 2.4 INTRUSIVES | 7 |
| <i>2.4.1 Zamu Dolerite</i> | 7 |
| <i>2.4.2 Mount Bundey Granite & Mount Goyder Syenite</i> | 8 |
| 2.5 DEFORMATION & METAMORPHISM | 8 |
| 3.1 HISTORICAL PRODUCTION | 10 |
| FIGURE 2 SITE LAYOUT TOMS GULLY MINE | 11 |
| 4. CURRENT MINING AND EXPLORATION | 12 |
| 5. REHABILITATION & ENVIRONMENTAL PROTECTION | 19 |
| 6. EXPENDITURE DETAILS FOR MLN1058..... | 19 |
| 7. CONCLUSION AND PROPOSALS | 24 |
| <i>Section 7.1 Work program for the next twelve months:</i> | 24 |
| 8. REFERENCES | 25 |

1. INTRODUCTION

Renison Consolidated Mines NL has been developing an exploration strategy in the Northern Territory since 1999. This strategy includes targeting dislocations that host economic gold mineralisation within regional structures that intersect known stratigraphical and structural features of the Pine Creek Geosyncline. Processing of Northern Territory Government supplied 400m spaced aeromagnetic and radiometric data has significantly enhanced the detail of the underlying geology and the subsequent interpretation of the prospectivity of that area.

Over the past three years, the Company's focus in the Northern Territory has been the development and subsequent operation of Stage 3 of the Quest 29 dump leach operation during 2003/04, and the completion of the resource drilling, feasibility study and start of underground mine development at Tom's Gully which will produce approximately 40,000ozpa of gold.

Approximately \$2.5m has been spent on ground at Tom's Gully and other tenements within the AuQuest Project, as part of the company's exploration strategy, over the previous 18-month period. The Feasibility Study on Tom's Gully Underground has been completed and underground development started in September 2005 with the mill currently undergoing final commissioning.

Quest 29 and Tom's Gully are part of the AuQuest project, which covers approximately 1000 square kilometres of exploration licenses. It is expected that exploration on these EL's will find additional open cut ores which can be treated through the Tom's Gully plant and exploration has focused on these EL's and targets during 2006.


Renison Consolidated Mines NL (Renison) originally acquired the Tom's Gully project in 1993 under its former name of Kakadu Resources Ltd (Kakadu). Kakadu changed its name to Sirocco Resources in December 1996 and then to Renison Consolidated Mines in 2002. Gold was produced from Tom's Gully from an open cut operation by MIM from November 1988 to April 1991. After the cessation of mining activities by MIM at Tom's Gully the treatment plant was removed to treat ore at Tick Hill. Kakadu installed a new plant in 1995 for the retreatment of tailings with a crushing circuit added in 1998 to treat high grade ore from satellite ore bodies. Renison holds 100% equity in the Tom's Gully project.

MCN's 3333-3339 and MLN 1058 of the Mount Bundy group of mineral claims form an integral part of Renison Consolidated Mines NL Tom's Gully project. The MCN's form the northern and southern extensions to the main Tom's Gully Mining Lease (MLN1058) and contain down dip extensions to the orebody. Renison has recently completed a Scoping Study into the development of underground resources at Tom's Gully, with projected production to be approximately 40,000oz of gold per year. An important diamond drilling programme to assist in geostatistical, metallurgical and geotechnical issues at Tom's Gully commenced in July 2003. Underground production from Tom's Gully is scheduled to commence in late 2004.

Renison Consolidated Mines NL (Renison) originally acquired the Tom's Gully project in 1993 under its former name of Kakadu Resources Ltd (Kakadu). Kakadu changed its name to Sirocco Resources in December 1996 and then to Renison Consolidated Mines in 2002. Gold was produced from Tom's Gully from an open cut operation by MIM from November 1988 to April 1991. After the cessation of mining activities by MIM at Tom's Gully the treatment plant was removed to treat ore at Tick Hill. Kakadu installed a new plant in 1995 for the retreatment of tailings with a crushing circuit added in 1998 to treat high grade ore from satellite ore bodies. Renison holds 100% equity in the Tom's Gully project.

The Tom's Gully Gold Mine is located approximately 90 kilometres south-east of Darwin (1.6 km west of the Arnhem Highway) on Mt Bundy Station (131°34'E and 12°50'S).

Figure 1 Tenement Location Map



2. REGIONAL GEOLOGY

EL 22206 is located within the Pine Creek Geosyncline, which has been interpreted as an intracratonic basin lying on an Archaean basement, and containing a 14 km thick sequence of Proterozoic sediments, accompanied by lesser volcanics, granitic plutons and dolerite intrusions. The Northern portions of the project area contain the oldest sediments The Mount Partridge Group that is unconformably overlain by the South Alligator Group, which comprises most of the tenement areas. The southern portion of the Project area is comprised of Burrell Creek Formation, which conformably overlies The South Alligator Group. Tertiary and Quaternary Soils and Gravel's unconformably overlie all the lower lying portions of the tenement areas, generally referred to as "Black Soils Regions". All of the Early Proterozoic sediments and volcanics in the Mount Bunday area were folded in a major deformation event dated around 1800 million years. The fold axes trend north-northeast, and generally plunging gently to the south, as can be seen in Figure 2.

2.1 The Mount Partridge Group

2.1.1 Wildman Siltstone

The Mount Partridge Group is represented by the Wildman Siltstone, which is interpreted to be up to 1500m thick. In the Mount Bunday Region the Wildman Siltstone consists of laminated and banded shale, carbonaceous and often pyritic siltstone inter bedded with undifferentiated volcanics in up to 100m interbeds, minor dolomitic sediments may also be present. The sediments near the granite intrusion may also be hornfelsed. The Wildman Siltstone is interpreted to be prospective for large tonnage, low-grade gold deposits and small tonnage, high-grade deposits. Wildman Siltstone hosts the Tom's Gully gold deposit.

2.2 The South Alligator Group

The Koolpin Formation, Gerowie Tuff and the Mount Bonnie Formation represent the South Alligator Group. The rocks of the South Alligator Group are considered to be prospective for either large tonnage, low grade gold deposits (such as that at the nearby Rustler's Roost gold mine) or small tonnage, high grade deposits.

2.2.1 Koolpin Formation

The Koolpin Formation comprises ferruginous siltstone and shale, which is commonly carbonaceous and pyritic. Chert bands and nodular horizons are common and lenses of ironstone occur occasionally, as haematitic breccias throughout the sequence into undisturbed quartz-veined siltstone and shale. Minor components of dolomite can also occur. The Koolpin is one of the most prospective units in the Mount Bunday Region for hosting mineralisation (West Koolpin, Taipan, BHS and North Koolpin Open Pits at Quest 29 are all within Koolpin sediments)

2.2.2 Gerowie Tuff

The Gerowie Tuff conformably overlies the Koolpin and has similar characteristics of siltstones and shales but is not as iron rich. Within the Mount Bunday Region it is dominated by graded beds of siliceous tuffaceous mudstones grading to greywacke and arenite, diagenetically altered, up to 600m thick, and generally poorly mineralised. The highly siliceous component of the tuffs and arenites make them resistant to erosion, and they tend to form areas of high relief.

2.2.3 Mount Bonnie Formation

The Mount Bonnie Formation conformable overlies the Gerowie Tuff and is dominated by a shallow marine sequence of interbedded and graded siltstone, chert and greywacke with occasional BIF's. The unit can be up to 600m thick and is generally iron rich and may be siliceous in places. The Mount Bonnie Formation hosts the Rustler's Roost deposit.

2.3 Finnis River Group

2.3.1 Burrell Creek Formation

Conformably overlying the Mount Bonnie Formation is the Burrell Creek Formation interpreted as a flysch sequence of fine to coarse marine sediments and appears to be part of continuous sedimentation process. Due to the lack of marker horizons and poor exposure the width of the unit is unknown but is thought to be >1000m. This Formation is considered prospective for large low-grade gold deposits as typified by the Batman deposit of Mount Todd. The potential also exists for small high-grade deposits similar to Possum and Happy Valley with John Shields GIGIAC Theory (Gold in Greywacke in Anticlinal Crests). Also high-grade deposits such as Bandicoot, Marrakai and the Ringwood line which all lie on a major deep-seated magnetic trend, Figure 3.

2.4 Intrusives

2.4.1 Zamu Dolerite

The Zamu Dolerite occurs as small bodies that are poorly exposed, as a result of its weathering, some rubble boulders may be present at surface. It consists of altered quartz dolerite and gabbro and is generally narrow and broadly conformable to bedding as thin sills. The Zamu Dolerite is the only known suite of mafic intrusives that were emplaced prior to regional metamorphism and deformation. The Zamu Dolerite appears to have a controlling influence on the mineralisation at Quest 29 within the Koolpin sediments but this is not fully understood at this stage. Mineralisation is also hosted within this unit at Quest 29 and also at Chinese Howley.

2.4.2 Mount Bunday Granite & Mount Goyder Syenite

The sedimentary sequences and the Zamu Dolerite are intruded by the Proterozoic Mount Goyder Syenite and Mount Bunday Granite which form a co genetic complex which crops out over about an 80km area. This intrusion is believed to have been the heat and fluid source for the mineralisation, which occurs throughout the local region. Their mineralogy and geochemistry suggests they are both differentiated from a common magma, which intruded into the gently south plunging folded belt of sediments.

A thermal metamorphic overprint associated with the southern margin of the Mount Bunday Granite intrusive has resulted in the development of both cordierite and andalusite, and probably was the generator for the local gold mineralisation. Further to the south of the Mount Bunday and Mount Goyder intrusive is possibly a second deep-seated pluton to the south as indicated by a roughly circular magnetic feature (Discussions with Williams Resources 1998).

2.5 Deformation & Metamorphism

Regional deformation with north-northeast folding plunging gently south occurred around 1800 My, based on a rubidium-strontium analysis, causing metamorphism to greenschist, and sometimes higher to amphibolite facies. This event also resulted in the intrusion of thin sills of Zamu Dolerite, and the post – tectonic emplacement of the Mount Bunday Granite and Mount Goyder Syenite is a comparable cogenetic pluton dated at 1790 + 110 My in the region. Structural deformation of the metasediments is complex.

The major folding episode resulted in tight folds whose axes plunge southwest. However within these major folds the more incompetent beds, i.e. carbonaceous shales, have been deformed into localised complex structures. The granitic emplacement has also influenced the fold structures as can be seen on the regional geological map. Metamorphism to greenschist facies through dynamic compression associated with intense folding is common. The granitic emplacement and the associated structural deformation and generation of hydrothermal fluids are thought to have been responsible for most of the gold enrichment throughout the Pine Creek Geosyncline. e.g. Cosmo Howley, Rustlers Roost, Toms Gully, Moline, Mt Todd and Quest 29.

3. PREVIOUS EXPLORATION

Tom's Gully was discovered in 1986 by Carpentaria Exploration Company Pty Ltd (CEC), a wholly owned subsidiary of Mount Isa Mines Ltd (MIM). Following completion of the approvals processes, development of the sulphide/oxide mine commenced in mid 1988 with processing occurring from February 1989 at 150,000 tonnes per annum. A number of the key water/environmental systems such as the evaporation dams, environmental ponds, highwall dewatering bores and No 1 Tailings dam (Old Tailings Dam) were designed and constructed at this time. In late 1989, a NOI/EMP was lodged for the development of a room and pillar underground mine with production to be scheduled after completion of the open cut. The decline was commenced in January 1990 from the east end of the open pit and progressed well until the Crabb Fault Zone was encountered and development was delayed by poor mining conditions. Development was stopped 465 metres from the portal in December 1990 after transecting the fault with a second development attempt and accessing the orebody.

Unfortunately, the underground mine was by now significantly behind schedule and it was impossible to move from open cut to underground supply without a significant break in ore processing. Under such circumstances, and after the poor experiences with the Crabb Fault, CEC/MIM decided to close Tom's Gully after the open cut was completed in May 1991 and move the transportable components of the plant to the ultra high grade Tick Hill deposit near Mt Isa. Tom's Gully production totalled 356,651 tonnes of ore at a grade of 9.23 g/t Au.

In 1992, CEC sold the mine and associated leases to Esmeralda Exploration Ltd which allowed the pit to flood. Kakadu Resources NL (Kakadu) then acquired Tom's Gully from Esmeralda and in 1993 lodged an NOI for the re-processing the sulphide/oxide tailings. A new 250,000 tpa CIL plant was built in 1994/95 and production commenced after the 94/95 wet season. An additional tailings dam (Tailings Dam No 2, or New Tailings Dam, with a nominal capacity 350,000t) was constructed along with a wet land filter to "polish" waters prior to release from the site and additional bores for water supply and mine dewatering. Unfortunately, poor process design (for tailings re-treatment) resulted in very poor pulp density controls and recoveries of only 35% were achieved with processing. It is estimated that Kakadu treated some 65,000 tonnes of tailings prior to treatment ceasing.

Also during this period an NOI was lodged to dewater the open cut to allow recommencement of underground activities. Following approval, dewatering commenced with water being discharged under discharge license during the wet season directly or after being held in evaporation dams during the dry season. This occurred initially under WDL1 during the 94/95 wet season and has continued under other licenses since.

In December 1996, Kakadu was restructured and re-capitalised. The company was renamed Sirocco Resources N.L (Sirocco") as part of the process. With the pit dewatering and discharge expected to take a number of wet seasons Sirocco focused its efforts at Quest 29 which contained gold mineralisation with the potential to be mined by open cut methods and treated at Tom's Gully.

Following a period of intensive exploration at Quest 29, the company had delineated sufficient resources to consider the development of an open cut mining operation to mine oxide and sulphide ores with treatment at a refurbished Tom's Gully CIL plant and a new dump leach facility at Quest 29. After lodgment of an NOI in June 1998, the environmental assessment process (PER) process was completed after significant delay in April 1999. Development commenced in June 1999. A crushing circuit was added to the CIL circuit at Tom's Gully to allow treatment at a rate of 250,000 tpa of higher grade sulphide/oxide grade ores carted from Quest 29. A new dump leach facility was built at Quest 29 to treat lower grade oxide ores. The Tom's Gully processing plant also provided the carbon elution circuits, gold room, maintenance, services and administration/support for the Quest 29 mining and dump leach activities.

Delays in the approval process meant that open cut mining at Quest 29 and plant commissioning at Quest 29 and Tom's Gully only started at the beginning of the wet season. The separation of higher grade ores from lower grade ones was difficult and from 2000 the operation concentrated on treating ore at the Quest 29 dump leach facility. Approximately 500,000t of ore was mined during this period and treated at either the Tom's Gully CIL plant or the Quest 29 dump leach facility. Gold dore from

the Quest 29 dump leach was produced up to May 2005 under the current Tom's Gully and Quest 29 MMP's.

Dewatering at Tom's Gully continued with the open cut fully dewatered by mid 2001 allowing access to the underground workings following submission of an NOI.

In 2003 and 2004, Sirocco (now re-named Renison Consolidated Mines NL) undertook extensive drilling programmes at Tom's Gully. Detailed studies were also undertaken in related disciplines allowing the completion of a feasibility study in January 2005. With acceptance of the 2004 MMP, finalization of commercial arrangements and arrangement of debt finance, mine development and plant rehabilitation was commenced in earnest from July 2005. Ore is schedule to be produced in January 2006 and first gold from a re-commissioned CIL processing plant in March 2006. Production during the term of this MMP is expected to be approximately 150,000 tonnes of ore. An operating company, Tom's Gully Mining Pty Ltd, has been formed under an Alliance Agreement between Renison and PT Petrosea Tbk (a subsidiary of Clough Engineering Ltd) to operate the project.


Tom's Gully has been principally maintained as a dewatered mine by bores and surface pumps since being dewatered in 2001. During the wet season of 2004/05, releases of stored water (from dry season pumping) or storm water were made under a wastewater discharge license (WDL 117).

3.1 HISTORICAL PRODUCTION

MIM began open cut mining of the Tom's Gully deposit in 1988 and ceased in April 1991 with total production of 356,651t at 9.23g/t Au to produce approximately 75,000oz of gold. Kakadu re-treated 100,000t of tailings at 2.5 g/t in 1995 for approximately 3000oz of gold recovered.

Renison has utilised the elution and gold room production facilities at Tom's Gully to treat ores from Quest 29, approximately 16km to the south of Tom's Gully.

Figure 2 Site Layout Toms Gully Mine



4. CURRENT MINING AND EXPLORATION

An operating company, Tom's Gully Mining Pty Ltd, formed under an Alliance Agreement between Renison and PT Petrosea Tbk (a subsidiary of Clough Engineering Ltd) recommenced underground mining in September 2005 with a 5m x 5.3m portal cut into the footwall of Toms Gully open pit. The position of the portal, between the two major faults (Crabb to the east and Williams to the west) differed to the original decline of Carpentaria Exploration Company Pty Ltd (CEC), a wholly owned subsidiary of Mount Isa Mines Ltd (MIM) which commenced in January 1990 from the east end of the open pit and progressed well until the Crabb Fault Zone where development was stopped 465 metres from the portal in December 1990.


Photo 1 Toms Gully open pit showing location of CEC/MIM portal east of the Crabb Fault and the newer Tom's Gully Mining Pty Ltd, portal cut into the footwall between the Crabb and Williams Fault. Photo taken from western edge of pit looking east. 26/05/2006

(photo has been included with digital attachments 'LMN1058 036.jpg')



By December 2006 the Tom's Gully underground decline had progressed 644 metres and more than 700 metres of ore strike development had been completed. A further ~450m has also been completed in stockpiles, substations, ventilation drives, pumping stations, sumps, ore access drives and the magazine.

Figure 3 Underground Development Toms Gully Mine as of 31 December 2006. Figure shows the completed development up until 31st December 2006 plus the original CEC/MIM decline (string only) and how the 910 H East strike drive was extended to break into the old decline to create a ventilation circuit. (figure has been included with digital attachments 'currentworkings31122006.pdf'. Paper size is A0 Scale is 1:500)



By February 2006 the first mineralised section of reef was intersected, and the first truck load of ore was taken to the ROM pad. The refurbishment of the mill wasn't completed until mid July 2006 with the first ore processed late in that month.

Table 2 Production figures to 31st December 2006. The figures are quoted in tonnes and Au grams/tonne.

| | Underground Haul vs Mill | | | | | | |
|----------|--------------------------|------|-------|--------|----------|-------|-------|
| | Haul | oz's | | mill | Recovery | oz's | |
| Jan | 0 | 0.0 | 0 | 0 | 0.0 | 0.0% | 0 |
| Feb | 660 | 1.7 | 37 | 0 | 0.0 | 0.0% | 0 |
| Mar | 5,537 | 4.3 | 762 | 0 | 0.0 | 0.0% | 0 |
| Apr | 4,162 | 2.4 | 321 | 0 | 0.0 | 0.0% | 0 |
| May | 5,936 | 3.2 | 605 | 0 | 0.0 | 0.0% | 0 |
| Jun | 9,443 | 3.1 | 932 | 0 | 0.0 | 0.0% | 0 |
| Jul | 9,584 | 4.2 | 1,305 | 4,232 | 2.7 | 60.5% | 218 |
| Aug | 4,947 | 4.9 | 781 | 14,536 | 3.0 | 54.8% | 763 |
| Sep | 9,391 | 3.2 | 979 | 18,338 | 2.6 | 54.8% | 828 |
| Oct | 5,890 | 3.7 | 702 | 17,517 | 3.2 | 60.0% | 1,064 |
| Nov | 7,480 | 3.4 | 825 | 11,372 | 2.4 | 62.3% | 538 |
| Dec | 3,330 | 3.3 | 357 | 3,002 | 1.5 | 64.0% | 95 |
| YTDTotal | 66,361 | 3.6 | 7,605 | 68,997 | 2.7 | | 3,505 |

Note: Quest 29 material processed in November/December included in mill figures

The latest resource estimation was completed in March 2006 by Renison Consolidated Mines N.L. geologist Scott Hall. The report (digital copy has been included with the other digital attachments) summarises the work undertaken during the preparation of a revised Mineral Resource estimate at the Tom's Gully Underground Gold Mine, following the completion of 27 cored holes during 2005. These including the 23 holes most recently completed as part of the infill and step out programme. The mineral resource has been estimated using ordinary kriging techniques and at a 5g/t*metre cut-off. Details are given in the table below together with the previous resource for comparison:

Table 3. An estimate of the Indicated and Inferred Resources at Tom's Gully

| Category | Resource March 2006 | | | Resource September 2004 | | |
|--------------|---------------------|--------------|----------------|-------------------------|--------------|----------------|
| | Tonnes | Grade Au g/t | Ounced Gold | Tonnes | Grade Au g/t | Ounced Gold |
| Indicated | 1,420,000 | 8.1 | 369,000 | 690,000 | 7.6 | 169,000 |
| Inferred | 595,000 | 7.4 | 142,000 | 1,130,000 | 8.3 | 302,000 |
| Total | 2,015,000 | 7.9 | 511,000 | 1,820,000 | 8.0 | 471,000 |

The indicated resource (see Figure 4) has been increased by 118% to 369,000 ounces of gold from 169,000 ounces and the total resource by nearly 8% to 511,000 ounces of gold from 471,000 ounces, meeting the twin objectives of the programme.

The deposit is open to the south, south east and south-west. Further drilling in these areas is expected to increase the overall resource and extend the mine life in the future.

Table 4. A digital copy of the Microsoft Access database used in the 2006 estimation has been included with this report. The database also includes channel samples (chip) taken of the reef underground. A summary of the 'Vein' data is outlined below.

veinmodel850r123022006

23/02/2006


| North | East | Adjusted RL | Hole_ID | True Thickness m (tt) | Au g/t | Autt g/t.m | AuttBD | Ars ppm | ArsttBD | BD | BDtt |
|---------|----------|-------------|-----------|-----------------------|--------|------------|--------|---------|-----------|------|-------|
| 4,807.3 | 14,847.3 | 850 | BORE1 | 0.81 | 4.51 | 3.65 | 9.95 | 22,602 | 49,920 | 2.73 | 2.21 |
| 4,674.5 | 14,766.1 | 850 | BORE6 | 1.54 | 0.25 | 0.38 | 1.02 | 2,817 | 11,536 | 2.66 | 4.10 |
| 4,013.6 | 14,538.1 | 850 | RidgeBore | 0.2 | 2.79 | 0.56 | 1.58 | 51,973 | 29,451 | 2.83 | 0.57 |
| 4,790.3 | 14,563.6 | 850 | TG001 | 1.26 | 9.87 | 12.43 | 40.01 | 45,020 | 182,561 | 3.22 | 4.06 |
| 4,781.1 | 14,565.4 | 850 | TG002 | 1.15 | 14.18 | 16.31 | 47.72 | 39,459 | 132,786 | 2.93 | 3.37 |
| 4,770.5 | 14,550.5 | 850 | TG003 | 1.34 | 7.81 | 10.47 | 32.52 | 37,416 | 155,708 | 3.11 | 4.16 |
| 4,747.1 | 14,585.8 | 850 | TG004 | 1.17 | 20.18 | 23.61 | 72.95 | 48,953 | 176,958 | 3.09 | 3.61 |
| 4,855.7 | 14,742.1 | 850 | TG005 | 2.67 | 6.93 | 18.51 | 53.21 | 36,977 | 283,844 | 2.88 | 7.68 |
| 4,816.6 | 14,663.6 | 850 | TG006 | 0.92 | 3.49 | 3.21 | 10.36 | 17,183 | 50,994 | 3.23 | 2.97 |
| 4,786.8 | 14,679.6 | 850 | TG008 | 1.07 | 5.60 | 6.00 | 17.52 | 36,632 | 114,539 | 2.92 | 3.13 |
| 5,130.4 | 14,995.3 | 850 | TGD047 | 1.75 | 4.88 | 8.54 | 23.86 | 22,537 | 110,169 | 2.79 | 4.89 |
| 5,152.8 | 14,899.5 | 850 | TGD048 | 0.79 | 11.16 | 8.81 | 25.43 | 39,150 | 89,210 | 2.88 | 2.28 |
| 5,144.3 | 14,796.8 | 850 | TGD050 | 0.91 | 0.13 | 0.12 | 0.32 | 2,137 | 5,213 | 2.68 | 2.44 |
| 5,171.0 | 14,796.7 | 850 | TGD052 | 1.91 | 0.29 | 0.56 | 1.49 | 3,478 | 17,724 | 2.67 | 5.10 |
| 5,193.3 | 14,848.7 | 850 | TGD054 | 1.09 | 0.10 | 0.11 | 0.29 | 1,800 | 5,211 | 2.66 | 2.89 |
| 5,157.8 | 14,850.0 | 850 | TGD056 | 1.69 | 0.41 | 0.69 | 1.83 | 4,493 | 20,236 | 2.66 | 4.50 |
| 5,135.6 | 14,849.7 | 850 | TGD057 | 0.97 | 0.02 | 0.02 | 0.05 | 290 | 746 | 2.65 | 2.57 |
| 5,141.2 | 14,750.1 | 850 | TGD061 | 2.16 | 9.46 | 20.43 | 56.56 | 34,214 | 204,555 | 2.77 | 5.98 |
| 5,090.1 | 14,999.9 | 850 | TGD067 | 1.94 | 10.57 | 20.51 | 57.18 | 13,072 | 70,689 | 2.79 | 5.41 |
| 5,105.0 | 14,899.9 | 850 | TGD069 | 2.66 | 14.94 | 39.75 | 125.60 | 51,135 | 429,744 | 3.16 | 8.40 |
| 5,108.2 | 14,899.6 | 850 | TGD070 | 4.13 | 23.83 | 98.42 | 313.77 | 131,648 | 1,733,473 | 3.19 | 13.17 |
| 5,109.7 | 14,849.8 | 850 | TGD071 | 1.4 | 19.91 | 27.88 | 78.93 | 51,491 | 204,113 | 2.83 | 3.96 |
| 5,001.9 | 14,850.0 | 850 | TGD073 | 2.62 | 10.20 | 26.72 | 75.73 | 52,191 | 387,535 | 2.83 | 7.43 |
| 4,923.6 | 14,800.3 | 850 | TGD074 | 1.55 | 17.50 | 27.13 | 106.91 | 52,590 | 321,289 | 3.94 | 6.11 |
| 5,002.0 | 14,799.9 | 850 | TGD076 | 1.58 | 3.70 | 5.85 | 16.33 | 17,214 | 75,946 | 2.79 | 4.41 |
| 5,006.0 | 14,900.0 | 850 | TGD077 | 2.32 | 6.97 | 16.17 | 44.46 | 6,638 | 42,325 | 2.75 | 6.38 |
| 4,847.9 | 14,776.6 | 850 | TGD078 | 1.9 | 1.03 | 1.96 | 5.51 | 16,453 | 87,770 | 2.81 | 5.33 |
| 5,051.8 | 14,850.6 | 850 | TGD079 | 2.22 | 19.71 | 43.75 | 135.65 | 38,625 | 265,870 | 3.10 | 6.88 |
| 5,079.0 | 14,750.0 | 850 | TGD080 | 1.4 | 10.56 | 14.78 | 48.59 | 100,000 | 460,140 | 3.29 | 4.60 |
| 5,025.0 | 14,750.0 | 850 | TGD081 | 1.83 | 15.56 | 28.47 | 87.58 | 65,246 | 367,354 | 3.08 | 5.63 |
| 5,074.8 | 14,700.2 | 850 | TGD082 | 2.14 | 5.98 | 12.80 | 35.84 | 25,383 | 152,116 | 2.80 | 5.99 |
| 5,050.0 | 14,900.0 | 850 | TGD087 | 2.9 | 24.08 | 69.82 | 216.00 | 71,329 | 639,922 | 3.09 | 8.97 |
| 5,058.7 | 14,949.8 | 850 | TGD088 | 1.36 | 2.23 | 3.03 | 8.15 | 8,489 | 31,079 | 2.69 | 3.66 |
| 4,721.5 | 14,650.2 | 850 | TGD104 | 1.32 | 6.02 | 7.94 | 22.85 | 49,117 | 186,509 | 2.88 | 3.80 |
| 4,846.8 | 14,649.6 | 850 | TGD127 | 3.04 | 3.58 | 10.87 | 31.63 | 30,736 | 271,903 | 2.91 | 8.85 |
| 4,798.5 | 14,552.0 | 850 | TGD134 | 3.87 | 10.47 | 40.52 | 131.38 | 57,115 | 716,603 | 3.24 | 12.55 |
| 4,824.8 | 14,462.4 | 850 | TGD160 | 1.16 | 8.56 | 9.93 | 31.14 | 52,762 | 191,975 | 3.14 | 3.64 |
| 4,719.7 | 14,563.0 | 850 | TGD165 | 1.12 | 5.95 | 6.66 | 20.73 | 51,000 | 177,713 | 3.11 | 3.48 |
| 4,588.3 | 14,450.4 | 850 | TGD168 | 1.57 | 19.02 | 29.85 | 98.92 | 73,501 | 382,357 | 3.31 | 5.20 |
| 5,002.0 | 14,698.4 | 850 | TGD169 | 1.02 | 7.51 | 7.66 | 26.26 | 56,415 | 197,227 | 3.43 | 3.50 |
| 5,087.8 | 14,974.6 | 850 | TGD176 | 2.56 | 6.73 | 17.24 | 55.36 | 72,893 | 599,314 | 3.21 | 8.22 |
| 4,625.2 | 14,400.1 | 850 | TGD177 | 1.3 | 12.73 | 16.54 | 50.25 | 44,105 | 174,147 | 3.04 | 3.95 |
| 4,450.7 | 14,404.4 | 850 | TGD180 | 0.79 | 4.34 | 3.43 | 9.29 | 10,139 | 21,710 | 2.71 | 2.14 |
| 4,493.2 | 14,178.8 | 850 | TGD187 | 0.73 | 0.17 | 0.13 | 0.34 | 3,934 | 7,697 | 2.68 | 1.96 |
| 4,951.8 | 14,707.0 | 850 | TGD201 | 2.75 | 7.06 | 19.41 | 60.70 | 72,378 | 622,261 | 3.13 | 8.60 |
| 4,960.8 | 14,750.3 | 850 | TGD202 | 1.22 | 12.22 | 14.91 | 50.88 | 53,851 | 224,246 | 3.41 | 4.16 |
| 4,898.1 | 14,900.3 | 850 | TGD203 | 1.55 | 9.93 | 15.39 | 45.57 | 41,586 | 190,816 | 2.96 | 4.59 |
| 4,900.1 | 14,838.4 | 850 | TGD206 | 1.69 | 2.33 | 3.95 | 11.07 | 20,787 | 98,596 | 2.81 | 4.74 |
| 4,900.5 | 14,749.2 | 850 | TGD207 | 2.21 | 8.28 | 18.31 | 55.77 | 61,207 | 412,096 | 3.05 | 6.73 |
| 4,850.2 | 14,597.9 | 850 | TGD209 | 1.11 | 7.98 | 8.86 | 25.27 | 22,431 | 71,002 | 2.85 | 3.17 |
| 4,786.3 | 14,544.6 | 850 | TGD210 | 3.69 | 8.23 | 30.36 | 91.77 | 39,689 | 442,651 | 3.02 | 11.15 |
| 4,644.2 | 14,508.9 | 850 | TGD211 | 0.58 | 0.60 | 0.35 | 1.11 | 7,700 | 14,251 | 3.19 | 1.85 |
| 4,977.0 | 14,769.5 | 850 | TGD245 | 1.38 | 9.47 | 13.07 | 34.99 | 3,535 | 13,065 | 2.68 | 3.70 |
| 4,977.3 | 14,833.0 | 850 | TGD246 | 3.34 | 6.45 | 21.55 | 57.33 | 1,899 | 16,876 | 2.66 | 8.89 |
| 4,977.6 | 14,866.8 | 850 | TGD247 | 1.47 | 3.54 | 5.21 | 14.34 | 1,267 | 65,877 | 2.75 | 4.05 |
| 4,989.0 | 14,729.5 | 850 | TGD248 | 0.94 | 6.17 | 5.80 | 16.04 | 19,965 | 51,899 | 2.77 | 2.60 |

| | | | | | | | | | | | |
|---------|----------|-----|-----------|------|-------|-------|--------|---------|---------|------|-------|
| 4,802.4 | 14,796.7 | 850 | TGD252 | 2.5 | 3.27 | 8.18 | 22.37 | 9,819 | 67,117 | 2.73 | 6.84 |
| 4,972.2 | 14,835.6 | 850 | TGD253 | 3.77 | 15.88 | 59.88 | 166.83 | 21,736 | 228,302 | 2.79 | 10.50 |
| 4,810.4 | 14,706.7 | 850 | TGD256 | 2.59 | 10.96 | 28.39 | 92.78 | 51,864 | 438,996 | 3.27 | 8.46 |
| 4,836.0 | 14,850.1 | 850 | TGD257 | 2.52 | 5.05 | 12.73 | 35.44 | 16,921 | 118,687 | 2.78 | 7.01 |
| 4,552.0 | 14,699.7 | 850 | TGD258 | 2.78 | 9.40 | 26.12 | 75.57 | 24,113 | 193,920 | 2.89 | 8.04 |
| 4,592.9 | 14,288.4 | 850 | TGD259 | 0.89 | 0.65 | 0.58 | 1.55 | 2,057 | 4,903 | 2.68 | 2.38 |
| 4,661.1 | 14,340.9 | 850 | TGD260 | 0.71 | 0.23 | 0.16 | 0.44 | 1,286 | 2,447 | 2.68 | 1.90 |
| 4,341.5 | 14,373.3 | 850 | TGD261 | 2.68 | 4.25 | 11.38 | 35.10 | 25,856 | 213,807 | 3.09 | 8.27 |
| 4,342.1 | 14,371.3 | 850 | TGD261W1 | 2.65 | 4.25 | 11.25 | 30.84 | 11,315 | 82,205 | 2.74 | 7.27 |
| 4,338.5 | 14,374.1 | 850 | TGD261W2 | 2.1 | 3.39 | 7.13 | 21.18 | 15,774 | 98,447 | 2.97 | 6.24 |
| 4,923.3 | 14,895.8 | 850 | TGD273 | 1.44 | 6.54 | 9.41 | 31.38 | 57,969 | 278,206 | 3.33 | 4.80 |
| 4,923.3 | 14,895.8 | 850 | TGD273W1 | 1.57 | 6.64 | 10.42 | 31.76 | 36,166 | 173,113 | 3.05 | 4.79 |
| 4,849.4 | 14,619.0 | 850 | TGD303 | 1.63 | 10.30 | 16.79 | 50.56 | 63,286 | 310,572 | 3.01 | 4.91 |
| 4,900.7 | 14,780.4 | 850 | TGD304 | 2.87 | 17.42 | 50.00 | 164.41 | 75,014 | 707,965 | 3.29 | 9.44 |
| 4,935.4 | 14,775.3 | 850 | TGD306 | 0.39 | 0.83 | 0.32 | 0.93 | 14,890 | 16,772 | 2.89 | 1.13 |
| 4,880.1 | 14,752.0 | 850 | TGD307 | 1.4 | 17.21 | 24.10 | 80.10 | 103,168 | 480,102 | 3.32 | 4.65 |
| 4,892.4 | 14,798.6 | 850 | TGD308 | 1.62 | 3.43 | 5.56 | 15.44 | 11,329 | 50,919 | 2.77 | 4.49 |
| 4,012.8 | 14,458.6 | 850 | TGD309 | 1.42 | 9.87 | 14.01 | 39.32 | 25,531 | 101,741 | 2.81 | 3.98 |
| 4,037.7 | 14,503.1 | 850 | TGD310 | 1.25 | 2.06 | 2.57 | 7.20 | 25,162 | 88,097 | 2.80 | 3.50 |
| 4,145.9 | 14,309.3 | 850 | TGD312 | 1.07 | 7.96 | 8.51 | 25.57 | 50,449 | 162,169 | 3.00 | 3.21 |
| 4,003.1 | 14,414.0 | 850 | TGD313 | 1.31 | 11.26 | 14.75 | 43.59 | 49,639 | 192,227 | 2.96 | 3.87 |
| 4,007.0 | 14,355.8 | 850 | TGD315 | 1.06 | 6.50 | 6.89 | 20.04 | 46,347 | 142,782 | 2.91 | 3.08 |
| 4,005.4 | 14,311.0 | 850 | TGD316 | 1.34 | 16.55 | 22.17 | 66.96 | 63,617 | 257,449 | 3.02 | 4.05 |
| 4,008.4 | 14,261.1 | 850 | TGD317 | 1.69 | 5.97 | 10.09 | 30.92 | 53,825 | 278,805 | 3.07 | 5.18 |
| 3,978.8 | 14,371.5 | 850 | TGD318 | 1.81 | 5.17 | 9.35 | 27.81 | 31,011 | 166,886 | 2.97 | 5.38 |
| 4,777.6 | 14,522.0 | 850 | TGD319 | 0.48 | 8.10 | 3.89 | 14.23 | 95,000 | 166,938 | 3.66 | 1.76 |
| 3,601.0 | 14,166.8 | 850 | TGD321 | 1.42 | 1.79 | 2.54 | 6.92 | 11,297 | 43,733 | 2.73 | 3.87 |
| 4,708.4 | 14,714.6 | 850 | TGD322 | 1.19 | 0.73 | 0.87 | 2.37 | 1,557 | 5,050 | 2.73 | 3.24 |
| 4,453.0 | 14,652.3 | 850 | TGD323 | 0.81 | 13.00 | 10.53 | 34.35 | 64,616 | 170,774 | 3.26 | 2.64 |
| 4,543.0 | 14,605.9 | 850 | TGD324 | 1.75 | 8.88 | 15.54 | 43.74 | 20,087 | 98,907 | 2.81 | 4.92 |
| 4,654.7 | 14,637.5 | 850 | TGD325 | 0.88 | 3.71 | 3.27 | 10.11 | 31,637 | 86,198 | 3.10 | 2.72 |
| 4,632.9 | 14,720.3 | 850 | TGD326 | 1.84 | 3.83 | 7.05 | 19.15 | 6,399 | 31,974 | 2.72 | 5.00 |
| 4,815.2 | 14,586.4 | 850 | TGD355A | 0.88 | 20.67 | 18.19 | 49.98 | 13,158 | 31,814 | 2.75 | 2.42 |
| 4,829.8 | 14,574.5 | 850 | TGD357 | 3.94 | 6.85 | 26.98 | 77.40 | 29,208 | 330,159 | 2.87 | 11.30 |
| 4,828.6 | 14,617.4 | 850 | TGD358 | 1.76 | 6.30 | 11.08 | 35.25 | 60,910 | 341,019 | 3.18 | 5.60 |
| 4,820.9 | 14,703.5 | 850 | TGD359 | 1.19 | 10.70 | 12.73 | 39.04 | 59,400 | 216,713 | 3.07 | 3.65 |
| 4,866.6 | 14,552.1 | 850 | TGD360 | 1.03 | 10.04 | 10.34 | 31.92 | 78,683 | 250,172 | 3.09 | 3.18 |
| 4,896.9 | 14,598.4 | 850 | TGD361 | 1.07 | 7.96 | 8.52 | 31.75 | 87,000 | 346,977 | 3.73 | 3.99 |
| 4,862.9 | 14,699.9 | 850 | TGD362 | 2.73 | 5.07 | 13.85 | 39.67 | 31,506 | 246,410 | 2.86 | 7.82 |
| 4,742.9 | 14,518.4 | 850 | TGD363 | 1.42 | 5.34 | 7.58 | 28.65 | 55,694 | 298,748 | 3.78 | 5.36 |
| 4,737.2 | 14,562.9 | 850 | TGD364 | 0.83 | 9.39 | 7.80 | 26.56 | 80,631 | 227,993 | 3.41 | 2.83 |
| 4,766.2 | 14,636.1 | 850 | TGD365 | 1.13 | 12.27 | 13.87 | 45.54 | 64,656 | 239,964 | 3.28 | 3.71 |
| 4,765.6 | 14,682.3 | 850 | TGD366 | 1.53 | 3.81 | 5.82 | 18.65 | 13,036 | 63,857 | 3.20 | 4.90 |
| 4,770.5 | 14,725.5 | 850 | TGD367 | 1.11 | 0.58 | 0.64 | 1.74 | 9,100 | 27,285 | 2.70 | 3.00 |
| 4,712.7 | 14,604.8 | 850 | TGD368 | 0.34 | 5.32 | 1.81 | 5.94 | 48,100 | 53,710 | 3.28 | 1.12 |
| 4,687.5 | 14,512.5 | 850 | TGD369 | 0.31 | 0.59 | 0.18 | 0.51 | 10,400 | 9,052 | 2.81 | 0.87 |
| 4,682.9 | 14,632.9 | 850 | TGD370 | 0.96 | 1.51 | 1.45 | 3.93 | 13,600 | 35,398 | 2.71 | 2.60 |
| 4,340.5 | 14,584.6 | 850 | TGD371 | 1.47 | 8.58 | 12.61 | 37.44 | 51,722 | 225,716 | 2.97 | 4.36 |
| 4,229.3 | 14,560.7 | 850 | TGD372 | 2.04 | 8.73 | 17.81 | 54.67 | 34,533 | 216,227 | 3.07 | 6.26 |
| 4,136.0 | 14,409.3 | 850 | TGD373 | 1.14 | 7.94 | 9.05 | 26.61 | 24,772 | 83,017 | 2.94 | 3.35 |
| 3,924.7 | 14,296.1 | 850 | TGD374 | 1.82 | 15.06 | 27.41 | 83.04 | 75,926 | 418,629 | 3.03 | 5.51 |
| 4,278.0 | 14,092.5 | 850 | TGD375 | 0.42 | 0.05 | 0.02 | 0.05 | 963 | 1,075 | 2.66 | 1.12 |
| 4,539.0 | 14,663.5 | 850 | TGD376 | 1.65 | 1.74 | 2.88 | 8.10 | 12,963 | 60,207 | 2.81 | 4.64 |
| 4,579.8 | 14,646.8 | 850 | TGD378 | 0.64 | 3.83 | 2.45 | 7.06 | 17,500 | 32,259 | 2.88 | 1.84 |
| 4,585.0 | 14,684.2 | 850 | TGD379 | 3.92 | 10.20 | 39.99 | 132.03 | 57,133 | 739,355 | 3.30 | 12.94 |
| 4,504.2 | 14,610.2 | 850 | TGD380 | 0.58 | 13.30 | 7.72 | 22.22 | 47,589 | 79,496 | 2.88 | 1.67 |
| 4,501.6 | 14,650.1 | 850 | TGD381 | 1.96 | 8.84 | 17.33 | 50.27 | 20,541 | 116,798 | 2.90 | 5.69 |
| 4,483.5 | 14,701.1 | 850 | TGD385 | 0.67 | 1.26 | 0.84 | 2.39 | 30,400 | 57,611 | 2.83 | 1.90 |
| 4,420.9 | 14,603.8 | 850 | TGD386B | 1.78 | 9.88 | 17.58 | 50.81 | 31,380 | 161,453 | 2.89 | 5.15 |
| 4,439.0 | 14,658.8 | 850 | TGD387 | 1.25 | 2.07 | 2.59 | 7.48 | 22,161 | 80,136 | 2.89 | 3.62 |
| 4,622.0 | 14,496.8 | 850 | TGD388 | 1.04 | 1.12 | 1.16 | 3.25 | 2,616 | 7,586 | 2.79 | 2.90 |
| 4,627.7 | 14,394.3 | 850 | TGD393B | 0.72 | 5.23 | 3.77 | 10.82 | 31,317 | 64,714 | 2.87 | 2.07 |
| 4,897.1 | 14,626.3 | 850 | TGD394 | 0.1 | 4.71 | 0.47 | 1.66 | 142,000 | 50,010 | 3.52 | 0.35 |
| 4,746.4 | 14,676.2 | 850 | TGD398 | 1.56 | 5.32 | 8.29 | 25.29 | 40,082 | 190,731 | 3.05 | 4.76 |
| 4,587.1 | 14,720.3 | 850 | TGD404 | 3.06 | 7.82 | 23.93 | 68.55 | 37,673 | 330,256 | 2.86 | 8.77 |
| 4,507.0 | 14,737.6 | 850 | TGD408 | 1.7 | 0.16 | 0.28 | 0.74 | 1,636 | 7,446 | 2.68 | 4.55 |
| 4,425.9 | 14,577.5 | 850 | TGD409 | 2.84 | 8.86 | 25.16 | 77.51 | 48,349 | 422,990 | 3.08 | 8.75 |
| 4,435.9 | 14,709.2 | 850 | TGD410 | 0.97 | 5.67 | 5.50 | 17.25 | 74,645 | 227,056 | 3.14 | 3.04 |
| 4,322.3 | 14,468.2 | 850 | TGD411 | 1.55 | 7.88 | 12.22 | 39.73 | 43,300 | 218,243 | 3.25 | 5.04 |
| 4,254.1 | 14,631.0 | 850 | TGD412 | 1.78 | 5.36 | 9.54 | 27.69 | 34,047 | 175,939 | 2.90 | 5.17 |
| 4,141.1 | 14,557.0 | 850 | TGD413 | 0.48 | 12.50 | 6.00 | 18.19 | 50,500 | 73,480 | 3.03 | 1.46 |
| 4,576.5 | 14,774.3 | 850 | TGD414 | 0.64 | 4.29 | 2.75 | 7.39 | 4,200 | 7,237 | 2.69 | 1.72 |
| 4,240.5 | 14,608.4 | 850 | TGD415 | 0.95 | 3.47 | 3.30 | 9.72 | 32,521 | 91,019 | 2.95 | 2.80 |
| 4,250.6 | 14,512.1 | 850 | TGD416 | 1.25 | 15.44 | 19.30 | 56.86 | 30,546 | 112,492 | 2.95 | 3.68 |
| 4,349.2 | 14,424.8 | 850 | TGD417 | 0.83 | 2.04 | 1.69 | 4.53 | 5,888 | 13,111 | 2.68 | 2.23 |
| 4,319.7 | 14,623.6 | 850 | TGD418 | 1.86 | 2.53 | 4.70 | 12.87 | 14,524 | 73,889 | 2.74 | 5.09 |
| 4,241.4 | 14,440.2 | 850 | TGD419 | 3.84 | 6.96 | 26.72 | 78.90 | 46,907 | 531,954 | 2.95 | 11.34 |
| 4,341.5 | 14,531.4 | 850 | TGD421B | 0.54 | 2.74 | 1.48 | 3.93 | 1,370 | 1,966 | 2.66 | 1.44 |
| 4,150.4 | 14,389.9 | 850 | TGD423 | 1.05 | 10.10 | 10.61 | 33.44 | 45,720 | 151,347 | 3.15 | 3.31 |
| 4,158.8 | 14,432.0 | 850 | TGD424 | 2.14 | 11.17 | 23.90 | 75.35 | 54,696 | 369,083 | 3.15 | 6.75 |
| 4,204.9 | 14,419.0 | 850 | TGD425 | 0.86 | 0.09 | 0.08 | 0.21 | 2,560 | 5,865 | 2.66 | 2.29 |
| 4,191.2 | 14,225.4 | 850 | TGD426 | 0.45 | 4.29 | 1.93 | 5.73 | 51,500 | 68,765 | 2.97 | 1.34 |
| 4,307.2 | 14,567.0 | 850 | TGD427 | 1.41 | 10.92 | 15.40 | 43.87 | 42,902 | 172,312 | 2.85 | 4.02 |
| 4,152.2 | 14,502.0 | 850 | TGD429 | 1.41 | 11.52 | 16.25 | 51.22 | 48,591 | 215,972 | 3.15 | 4.44 |
| 4,489.7 | 14,317.5 | 850 | TGD431WB6 | 1.55 | 1.95 | 3.02 | 8.79 | 18,516 | 83,389 | 2.91 | 4.50 |
| 3,923.1 | 14,250.8 | 850 | TGD432 | 2.24 | 7.76 | 17.38 | 50.66 | 56,172 | 366,790 | 2.92 | 6.53 |
| 3,850.0 | 14,282.5 | 850 | TGD433 | 1.66 | 9.06 | 15.04 | 50.47 | 80,212 | 446,720 | 3.35 | 5.57 |
| 4,893.0 | 14,642.4 | 850 | TGD434 | 0.81 | 8.73 | 7.07 | 19.13 | 7,826 | 17,148 | 2.71 | 2.19 |
| 3,889.9 | 14,574.1 | 850 | TGD435 | 1.31 | 0.01 | 0.02 | 0.05 | 374 | 1,299 | 2.65 | 3.47 |
| 3,804.2 | 14,254.6 | 850 | TGD436 | 1.6 | 6.24 | 9.99 | 29.75 | 45,421 | 216,533 | 2.98 | 4.77 |
| 3,769.8 | 14,155.8 | 850 | TGD437 | 2.56 | 12.74 | 32.60 | 96.85 | 63,314 | 481,482 | 2.97 | 7.60 |
| 4,264.0 | 14,358.1 | 850 | TGK93-K02 | 0.18 | 6.00 | 1.08 | 2.96 | 26,130 | 12,883 | 2.74 | 0.49 |
| 4,793.6 | 14,643.8 | 850 | TGK93-K03 | 1.3 | 5.30 | 6.89 | 18.82 | 24,096 | 85,577 | 2.73 | 3.55 |
| 4,908.1 | 14,746.3 | 850 | TGK93-K04 | 1.8 | 3.18 | 5.72 | 15.50 | 17,258 | 84,127 | 2.71 | 4.87 |
| 4,951.3 | 14,750.6 | 850 | TGK93-K06 | 0.95 | 1.33 | 1.26 | 3.39 | 9,764 | 24,883 | 2.68 | 2.55 |
| 4,609.5 | 14,526.0 | 850 | TGK93-K08 | 2.22 | 9.52 | 21.13 | 58.58 | 35,330 | 217,406 | 2.77 | 6.15 |
| 4,744.1 | 14,601.0 | 850 | TGK93-K10 | 0.96 | 4.92 | 4.72 | 12.88 | 22,952 | 60,108 | 2.73 | 2.62 |
| 4,928.6 | 14,899.8 | 850 | TGK93-K11 | 1.5 | 6.40 | 9.60 | 26.33 | 27,256 | 112,146 | 2.74 | 4.11 |
| 4,938.9 | 14,857.9 | 850 | TGK93-K13 | 0.33 | 1.24 | 0.41 | 1.10 | 9,327 | 8,252 | | |

| | | | | | | | | | | | |
|---------|----------|-----|--------|------|-------|-------|--------|--------|---------|------|------|
| 5,203.5 | 15,048.3 | 850 | TGP005 | 1.94 | 6.70 | 13.01 | 34.68 | 3,354 | 17,350 | 2.67 | 5.17 |
| 5,187.4 | 15,048.8 | 850 | TGP006 | 1.94 | 7.45 | 14.45 | 38.68 | 3,126 | 16,226 | 2.68 | 5.19 |
| 5,162.9 | 15,100.7 | 850 | TGP007 | 1.28 | 3.09 | 3.96 | 10.52 | 2,775 | 9,445 | 2.66 | 3.40 |
| 5,153.2 | 15,100.0 | 850 | TGP008 | 0.64 | 1.07 | 0.68 | 1.82 | 1,750 | 2,974 | 2.66 | 1.70 |
| 5,153.2 | 15,049.9 | 850 | TGP013 | 0.72 | 0.16 | 0.12 | 0.31 | 2,447 | 4,684 | 2.66 | 1.91 |
| 5,147.6 | 14,997.7 | 850 | TGP014 | 1.44 | 13.57 | 19.55 | 52.05 | 3,875 | 14,859 | 2.66 | 3.83 |
| 5,163.8 | 14,914.9 | 850 | TGP015 | 2.91 | 3.44 | 10.00 | 26.64 | 2,588 | 20,073 | 2.66 | 7.75 |
| 5,173.5 | 15,149.1 | 850 | TGP016 | 0.21 | 2.04 | 0.43 | 1.14 | 1,550 | 868 | 2.67 | 0.56 |
| 5,177.2 | 15,146.4 | 850 | TGP017 | 1.8 | 0.53 | 0.96 | 2.55 | 725 | 3,461 | 2.65 | 4.77 |
| 5,192.6 | 14,340.0 | 850 | TGP019 | 0.72 | 0.12 | 0.09 | 0.23 | 2,028 | 3,909 | 2.68 | 1.93 |
| 5,179.6 | 14,338.4 | 850 | TGP020 | 0.72 | 0.12 | 0.09 | 0.23 | 2,028 | 3,894 | 2.67 | 1.92 |
| 5,205.4 | 14,399.2 | 850 | TGP021 | 0.72 | 0.14 | 0.10 | 0.27 | 2,243 | 4,308 | 2.67 | 1.92 |
| 5,227.5 | 14,498.3 | 850 | TGP022 | 0.72 | 0.07 | 0.05 | 0.13 | 1,426 | 2,736 | 2.66 | 1.92 |
| 5,207.6 | 14,498.9 | 850 | TGP023 | 0.72 | 0.01 | 0.01 | 0.02 | 400 | 766 | 2.66 | 1.92 |
| 5,180.9 | 14,500.3 | 850 | TGP024 | 0.72 | 0.02 | 0.01 | 0.04 | 629 | 1,201 | 2.65 | 1.91 |
| 5,191.3 | 14,592.8 | 850 | TGP026 | 0.72 | 0.01 | 0.01 | 0.02 | 400 | 763 | 2.65 | 1.91 |
| 5,176.2 | 14,591.6 | 850 | TGP027 | 0.72 | 0.12 | 0.09 | 0.23 | 2,028 | 3,909 | 2.68 | 1.93 |
| 5,159.3 | 14,592.4 | 850 | TGP028 | 0.72 | 0.08 | 0.06 | 0.15 | 1,556 | 2,997 | 2.68 | 1.93 |
| 5,186.0 | 14,912.5 | 850 | TGP029 | 0.97 | 1.22 | 1.18 | 3.14 | 1,000 | 2,574 | 2.65 | 2.57 |
| 5,155.0 | 14,952.4 | 850 | TGP030 | 1.42 | 3.99 | 5.67 | 15.11 | 1,953 | 7,396 | 2.67 | 3.79 |
| 5,174.0 | 14,949.3 | 850 | TGP031 | 1.94 | 7.65 | 14.85 | 39.70 | 7,192 | 37,310 | 2.67 | 5.19 |
| 5,196.2 | 15,012.0 | 850 | TGP032 | 1.94 | 10.52 | 20.42 | 54.38 | 4,106 | 21,218 | 2.66 | 5.17 |
| 5,183.6 | 15,012.1 | 850 | TGP033 | 1.94 | 14.29 | 27.71 | 73.95 | 5,500 | 28,470 | 2.67 | 5.18 |
| 5,195.4 | 14,794.0 | 850 | TGP035 | 1.46 | 0.67 | 0.98 | 2.60 | 2,282 | 8,854 | 2.66 | 3.88 |
| 5,203.3 | 14,794.7 | 850 | TGP036 | 1.44 | 2.92 | 4.20 | 11.20 | 1,976 | 7,587 | 2.67 | 3.84 |
| 5,179.9 | 14,748.2 | 850 | TGP037 | 0.72 | 0.02 | 0.01 | 0.04 | 629 | 1,201 | 2.65 | 1.91 |
| 5,196.9 | 14,748.4 | 850 | TGP038 | 1.44 | 0.98 | 1.40 | 3.72 | 675 | 2,578 | 2.65 | 3.82 |
| 5,219.1 | 14,698.6 | 850 | TGP039 | 0.72 | 0.32 | 0.23 | 0.61 | 640 | 1,222 | 2.65 | 1.91 |
| 5,203.0 | 14,699.2 | 850 | TGP040 | 0.72 | 0.32 | 0.23 | 0.61 | 3,849 | 7,380 | 2.66 | 1.92 |
| 5,204.4 | 14,648.7 | 850 | TGP041 | 0.72 | 0.18 | 0.13 | 0.34 | 2,643 | 5,059 | 2.66 | 1.91 |
| 5,187.5 | 14,648.8 | 850 | TGP042 | 0.72 | 0.01 | 0.01 | 0.02 | 400 | 769 | 2.67 | 1.92 |
| 5,139.0 | 15,102.2 | 850 | TGP043 | 0.42 | 16.91 | 7.10 | 18.84 | 725 | 808 | 2.65 | 1.11 |
| 5,173.8 | 15,048.7 | 850 | TGP045 | 1.58 | 7.17 | 11.32 | 30.08 | 1,950 | 8,186 | 2.66 | 4.20 |
| 5,119.5 | 15,050.7 | 850 | TGP046 | 1.44 | 1.33 | 1.92 | 5.10 | 1,901 | 7,281 | 2.66 | 3.83 |
| 5,171.5 | 14,796.4 | 850 | TGP051 | 1.94 | 0.13 | 0.24 | 0.64 | 2,073 | 10,686 | 2.66 | 5.15 |
| 5,194.1 | 14,848.6 | 850 | TGP053 | 0.72 | 0.23 | 0.17 | 0.44 | 3,102 | 5,942 | 2.66 | 1.92 |
| 5,186.2 | 14,852.4 | 850 | TGP055 | 0.97 | 0.38 | 0.37 | 0.98 | 4,307 | 11,130 | 2.66 | 2.58 |
| 5,165.4 | 14,747.8 | 850 | TGP060 | 1.46 | 2.18 | 3.18 | 8.56 | 13,452 | 52,932 | 2.70 | 3.93 |
| 5,162.9 | 15,128.0 | 850 | TGP062 | 0.42 | 3.36 | 1.41 | 3.82 | 17,618 | 20,048 | 2.71 | 1.14 |
| 5,156.4 | 15,127.9 | 850 | TGP063 | 0.42 | 4.74 | 1.99 | 5.46 | 21,199 | 24,377 | 2.74 | 1.15 |
| 5,189.6 | 14,898.6 | 850 | TGP064 | 0.97 | 0.29 | 0.28 | 0.75 | 3,609 | 9,320 | 2.66 | 2.58 |
| 5,165.2 | 14,894.8 | 850 | TGP065 | 0.97 | 1.42 | 1.38 | 3.70 | 10,191 | 26,532 | 2.68 | 2.60 |
| 5,148.5 | 14,700.5 | 850 | TGP089 | 0.97 | 0.01 | 0.01 | 0.03 | 2,700 | 7,018 | 2.68 | 2.60 |
| 5,148.5 | 14,650.0 | 850 | TGP090 | 0.97 | 0.18 | 0.17 | 0.46 | 650 | 1,679 | 2.66 | 2.58 |
| 5,100.5 | 14,650.2 | 850 | TGP092 | 1.94 | 6.09 | 11.82 | 32.60 | 17,739 | 94,961 | 2.76 | 5.35 |
| 5,134.1 | 14,725.4 | 850 | TGP093 | 0.97 | 0.21 | 0.20 | 0.54 | 200 | 518 | 2.67 | 2.59 |
| 5,125.2 | 14,675.1 | 850 | TGP094 | 1.94 | 5.71 | 11.08 | 31.03 | 1,567 | 100,898 | 2.80 | 5.43 |
| 5,050.0 | 14,600.0 | 850 | TGP095 | 0.97 | 0.78 | 0.76 | 2.01 | 3,150 | 8,129 | 2.66 | 2.58 |
| 5,078.4 | 14,801.0 | 850 | TGP096 | 1.94 | 6.55 | 12.72 | 36.58 | 12,256 | 68,400 | 2.88 | 5.58 |
| 5,100.0 | 14,949.0 | 850 | TGP097 | 1.93 | 0.01 | 0.02 | 0.05 | 1,350 | 6,955 | 2.67 | 5.15 |
| 5,100.0 | 14,350.0 | 850 | TGP101 | 0.97 | 0.40 | 0.39 | 1.05 | 4,482 | 11,630 | 2.67 | 2.59 |
| 5,100.0 | 14,292.0 | 850 | TGP102 | 0.97 | 0.13 | 0.13 | 0.34 | 6,300 | 16,540 | 2.71 | 2.63 |
| 5,150.0 | 14,500.0 | 850 | TGP103 | 1.93 | 0.10 | 0.19 | 0.51 | 2,100 | 10,769 | 2.66 | 5.13 |
| 5,152.0 | 14,551.0 | 850 | TGP105 | 0.97 | 0.10 | 0.10 | 0.26 | 270 | 697 | 2.66 | 2.58 |
| 5,152.5 | 14,601.4 | 850 | TGP106 | 0.97 | 0.44 | 0.43 | 1.14 | 380 | 981 | 2.66 | 2.58 |
| 5,150.0 | 14,400.0 | 850 | TGP113 | 0.97 | 0.34 | 0.33 | 0.89 | 2,400 | 6,309 | 2.71 | 2.63 |
| 5,050.0 | 14,350.0 | 850 | TGP114 | 0.97 | 0.18 | 0.17 | 0.47 | 1,840 | 4,777 | 2.68 | 2.60 |
| 5,050.0 | 14,300.0 | 850 | TGP115 | 0.97 | 0.01 | 0.01 | 0.03 | 54 | 140 | 2.67 | 2.59 |
| 5,050.0 | 14,250.0 | 850 | TGP116 | 1.94 | 0.05 | 0.10 | 0.27 | 12,515 | 67,132 | 2.76 | 5.36 |
| 5,000.0 | 14,250.0 | 850 | TGP117 | 0.97 | 0.13 | 0.13 | 0.34 | 7,850 | 20,378 | 2.68 | 2.60 |
| 5,050.0 | 14,200.0 | 850 | TGP118 | 0.97 | 0.01 | 0.01 | 0.03 | 250 | 655 | 2.70 | 2.62 |
| 5,000.0 | 14,207.0 | 850 | TGP119 | 0.97 | 0.07 | 0.07 | 0.18 | 1,600 | 4,169 | 2.69 | 2.61 |
| 5,050.0 | 14,400.0 | 850 | TGP120 | 0.97 | 0.26 | 0.25 | 0.67 | 3,150 | 8,129 | 2.66 | 2.58 |
| 5,185.0 | 14,935.0 | 850 | TGP121 | 1.94 | 11.50 | 22.32 | 61.69 | 33,209 | 178,091 | 2.76 | 5.36 |
| 5,181.0 | 15,030.7 | 850 | TGP122 | 1.94 | 20.42 | 39.62 | 112.98 | 56,877 | 314,682 | 2.85 | 5.53 |
| 5,114.0 | 14,900.0 | 850 | TGP123 | 2.91 | 10.77 | 31.35 | 99.88 | 37,717 | 349,656 | 3.19 | 9.27 |
| 5,055.7 | 14,904.4 | 850 | TGP124 | 2.91 | 21.53 | 62.67 | 199.16 | 59,466 | 549,960 | 3.18 | 9.25 |
| 5,044.0 | 14,851.0 | 850 | TGP126 | 2.91 | 6.91 | 20.11 | 58.17 | 28,125 | 236,727 | 2.89 | 8.42 |
| 5,050.0 | 14,450.0 | 850 | TGP128 | 0.97 | 0.55 | 0.53 | 1.44 | 6,450 | 16,943 | 2.71 | 2.63 |
| 5,000.0 | 14,300.0 | 850 | TGP129 | 0.97 | 0.11 | 0.11 | 0.28 | 1,850 | 4,766 | 2.66 | 2.58 |
| 5,000.0 | 14,350.0 | 850 | TGP130 | 0.97 | 0.21 | 0.20 | 0.55 | 7,400 | 19,813 | 2.76 | 2.68 |
| 4,950.0 | 14,250.0 | 850 | TGP131 | 0.97 | 0.09 | 0.09 | 0.24 | 5,550 | 14,534 | 2.70 | 2.62 |
| 4,995.5 | 14,892.5 | 850 | TGP132 | 1.94 | 1.47 | 2.85 | 7.66 | 10,405 | 54,194 | 2.68 | 5.21 |
| 5,085.0 | 14,703.0 | 850 | TGP166 | 0.97 | 2.52 | 2.44 | 6.61 | 7,000 | 18,367 | 2.71 | 2.62 |
| 5,080.0 | 14,998.0 | 850 | TGP167 | 2.91 | 9.03 | 26.28 | 70.33 | 4,886 | 38,056 | 2.68 | 7.79 |
| 5,006.0 | 14,648.9 | 850 | TGP181 | 0.97 | 2.61 | 2.53 | 7.05 | 23,300 | 62,937 | 2.78 | 2.70 |
| 5,015.5 | 14,599.9 | 850 | TGP182 | 0.97 | 0.05 | 0.05 | 0.13 | 150 | 389 | 2.67 | 2.59 |
| 5,008.4 | 14,548.2 | 850 | TGP183 | 0.97 | 0.18 | 0.17 | 0.46 | 630 | 1,621 | 2.65 | 2.57 |
| 5,008.5 | 14,499.0 | 850 | TGP184 | 0.97 | 0.55 | 0.53 | 1.42 | 1,740 | 4,500 | 2.67 | 2.59 |
| 5,005.3 | 14,449.7 | 850 | TGP185 | 0.97 | 0.30 | 0.29 | 0.78 | 12,300 | 32,109 | 2.69 | 2.61 |
| 5,003.6 | 14,399.7 | 850 | TGP186 | 0.97 | 0.12 | 0.12 | 0.31 | 300 | 771 | 2.65 | 2.57 |
| 5,038.4 | 14,797.3 | 850 | TGP190 | 1.93 | 7.90 | 15.25 | 45.81 | 35,500 | 205,842 | 3.00 | 5.80 |
| 4,998.5 | 14,750.5 | 850 | TGP191 | 1.94 | 4.34 | 8.41 | 23.82 | 35,497 | 195,004 | 2.83 | 5.49 |
| 5,050.6 | 14,742.8 | 850 | TGP192 | 1.94 | 6.30 | 12.21 | 42.72 | 60,278 | 409,072 | 3.50 | 6.79 |
| 5,050.3 | 14,699.8 | 850 | TGP193 | 1.94 | 1.60 | 3.11 | 8.56 | 14,420 | 77,043 | 2.75 | 5.34 |
| 4,952.4 | 14,901.8 | 850 | TGP194 | 1.94 | 2.18 | 4.23 | 11.75 | 22,349 | 120,486 | 2.78 | 5.39 |
| 4,980.4 | 14,800.6 | 850 | TGP196 | 1.94 | 2.70 | 5.24 | 15.06 | 18,659 | 104,106 | 2.88 | 5.58 |
| 4,953.9 | 14,848.7 | 850 | TGP197 | 0.97 | 3.93 | 3.81 | 10.70 | 19,300 | 52,559 | 2.81 | 2.72 |
| 4,949.0 | 14,548.7 | 850 | TGP198 | 0.97 | 0.68 | 0.66 | 1.84 | 5,050 | 13,639 | 2.78 | 2.70 |
| 4,949.9 | 14,651.5 | 850 | TGP200 | 0.97 | 1.10 | 1.07 | 2.94 | 12,000 | 32,127 | 2.76 | 2.68 |
| 5,148.4 | 15,131.3 | 850 | TGP229 | 0.34 | 35.20 | 11.97 | 38.32 | 83,025 | 90,382 | 3.20 | 1.09 |
| 5,139.0 | 15,118.1 | 850 | TGP230 | 0.65 | 2.02 | 1.31 | 3.54 | 12,830 | 22,458 | 2.69 | 1.75 |
| 5,108.8 | 15,084.2 | 850 | TGP231 | 0.45 | 4.60 | 2.07 | 5.86 | 21,966 | 27,981 | 2.83 | 1.27 |
| 5,163.4 | 15,146.5 | 850 | TGP232 | 0.32 | 23.40 | 7.49 | 25.16 | 63,584 | 68,359 | 3.36 | 1.08 |
| 5,160.2 | 15,148.5 | 850 | TGP233 | 0.29 | 1.02 | 0.30 | 0.80 | 8,210 | 6,463 | 2.71 | 0.79 |
| 5,095.0 | 15,085.0 | 850 | TGP235 | 0.64 | 0.24 | 0.15 | 0.41 | 3,190 | 5,504 | 2.70 | 1.73 |
| 5,156.7 | 15,152.5 | 850 | TGP237 | 0.34 | 0.47 | 0.16 | 0.42 | 4,914 | 4,472 | 2.68 | 0.91 |
| 5,121.0 | 15,100.0 | 850 | TGP238 | 0.21 | 2.78 | 0.58 | 1.69 | 15,807 | 9,617 | 2.90 | 0.61 |
| 5,135.0 | 15,120.0 | 850 | TGP239 | 0.21 | 2.22 | 0.47 | 1.29 | 13,646 | 7,955 | 2.78 | 0.58 |
| 5,145.0 | 15,130.0 | 850 | TGP240 | 0.21 | 7.06 | 1.48 | 4.10 | 29,061 | 16,864 | 2.76 | 0.58 |
| 5,152.4 | 15,139.5 | 850 | TGP241 | 0.21 | 9.26 | 1.94 | 5.73 | 34,696 | 21,474 | 2.95 | 0.62 |

| | | | | | | | | | | | |
|---------|----------|-----|--------|------|-------|-------|-------|---------|---------|------|------|
| 5,148.5 | 15,140.0 | 850 | TGP242 | 0.21 | 6.70 | 1.41 | 4.11 | 28,084 | 17,237 | 2.92 | 0.61 |
| 5,131.5 | 15,125.0 | 850 | TGP243 | 0.21 | 2.32 | 0.49 | 1.33 | 14,045 | 8,051 | 2.73 | 0.57 |
| 5,128.0 | 15,105.0 | 850 | TGP244 | 0.42 | 6.74 | 2.83 | 7.78 | 28,173 | 32,496 | 2.75 | 1.15 |
| 5,102.5 | 15,110.1 | 850 | TGP265 | 0.21 | 7.56 | 1.59 | 4.24 | 886 | 497 | 2.67 | 0.56 |
| 5,054.0 | 14,950.0 | 850 | TGP267 | 0.72 | 20.60 | 14.83 | 52.61 | 105,000 | 268,140 | 3.55 | 2.55 |
| 5,032.0 | 14,925.0 | 850 | TGP269 | 0.72 | 0.11 | 0.08 | 0.21 | 1,916 | 3,694 | 2.68 | 1.93 |
| 5,042.5 | 14,975.0 | 850 | TGP278 | 2.91 | 4.84 | 14.08 | 38.13 | 7,170 | 56,525 | 2.71 | 7.88 |
| 4,970.0 | 14,920.0 | 850 | TGP279 | 0.97 | 1.78 | 1.73 | 4.65 | 5,800 | 15,165 | 2.70 | 2.61 |
| 4,972.5 | 14,900.0 | 850 | TGP280 | 0.97 | 0.05 | 0.05 | 0.13 | 290 | 746 | 2.65 | 2.57 |
| 5,096.5 | 15,080.0 | 850 | TGP281 | 0.64 | 1.23 | 0.78 | 2.10 | 2,300 | 3,950 | 2.68 | 1.72 |
| 5,115.0 | 15,120.0 | 850 | TGP282 | 1.28 | 2.74 | 3.51 | 9.39 | 2,300 | 7,879 | 2.68 | 3.43 |
| 4,976.1 | 14,646.1 | 850 | TR001 | 0.48 | 0.25 | 0.12 | 0.32 | 3,276 | 4,184 | 2.66 | 1.28 |
| 4,943.1 | 14,740.7 | 850 | TR002 | 1.96 | 4.34 | 8.51 | 26.49 | 35,636 | 217,438 | 3.11 | 6.10 |
| 4,841.5 | 14,853.2 | 850 | TR003 | 0.98 | 8.64 | 8.46 | 25.20 | 33,148 | 96,737 | 2.98 | 2.92 |
| 4,884.0 | 14,792.0 | 850 | TR004 | 0.98 | 5.42 | 5.32 | 15.28 | 23,561 | 66,385 | 2.88 | 2.82 |
| 4,892.1 | 14,727.9 | 850 | TR005 | 1.47 | 6.60 | 9.70 | 28.26 | 27,219 | 116,571 | 2.91 | 4.28 |
| 4,364.0 | 14,685.8 | 850 | WB2 | 0.58 | 1.04 | 0.60 | 1.64 | 15,980 | 25,060 | 2.70 | 1.57 |

Figure 4. Resource Areas and Site Layout from 2006 Resource Estimation



5. REHABILITATION & ENVIRONMENTAL PROTECTION

An Environmental Management Plan is part of the Tom's Gully Safety and Environmental Management System. It addresses the ongoing environmental commitment of TGM for its operations and will be regularly reviewed and updated.

Immediate rehabilitation will be limited to the activities that have ceased being a functional part of the operation and those that will play no part in the future development of the project.

Existing infrastructure will be maintained at a level designed to minimise detrimental effects to the surrounding environment. This will involve the ongoing maintenance of access tracks, monitoring of weed growth, monitoring of pit and waste dump slope stability, diligent water management practices, fire management.

The slow re-growth of vegetation on the top of the sulphide waste dump is expected to improve gradually over time as the build up of fine particles and biomass reduces the permeability of the waste dump near the surface. Growth will continue to be monitored through photo-point monitoring.

The presence of abnormally high levels of rare earth elements, base metals and uranium in water samples collected from run-off from the eastern face of the oxide waste dump has been addressed by the construction of a seepage drain across the northern and eastern faces of the waste dump. This drain is designed to prevent acidic waters from the waste dump being transported across alluvial soils, leading to subsequent leaching of the above elements. All water from this drain enters into the wetland system and the above-mentioned elements are dropped out of solution, improving the quality of this water.

Exploration sites will be rehabilitated at the completion of drilling activities. Rehabilitation will involve the removal of all core/sample bags and general rubbish. Drill holes will be plugged and the compacted areas will be ripped to promote vegetation regrowth and limit erosion. Access to the sites will be restricted to prevent disturbance of the rehabilitation process.

6. EXPENDITURE DETAILS FOR MLN1058

NORTHERN TERRITORY EXPLORATION EXPENDITURE FOR MINERAL TENEMENT

Section 1. Tenement type, number and operation name: (One licence only per form even if combined reporting has been approved)

| | |
|---------------------------|---------------------|
| Type | Mining Lease |
| Number | N1058 |
| Operation Name (optional) | Tom's Gully |

Section 2. Period covered by this return:

| | | | |
|---|--|------------------|-------------------|
| Twelve-month period: | | If Final Report: | |
| From | | From | 1/07/2003 |
| To | | To | 31/12/2006 |
| Covenant for the reporting period: | | \$ | |

| | |
|--|---------------------------|
| <i>Section 3. Give title of accompanying technical report:</i> | |
| Title of Technical Report | 2006 Annual Report |
| Author | Kane Hutchinson |

| | |
|--|-------------------------------|
| <i>Section 4. Locality of operation:</i> | |
| Geological Province | <i>Pine Creek Geosyncline</i> |
| Geographic Location | <i>Mount Bunday</i> |

| | |
|--|--|
| <i>Section 5. Work program for the next twelve months:</i> | |
| Activities proposed (please mark with an "X"): | <input type="checkbox"/> Drilling and/or costeaning |
| <input type="checkbox"/> Literature review | <input type="checkbox"/> Airborne geophysics |
| <input type="checkbox"/> Geological mapping | <input type="checkbox"/> Ground geophysics |
| <input type="checkbox"/> Rock/soil/stream sediment sampling | <input type="checkbox"/> Other: |
| Estimated Cost: \$ | |

| | | |
|--|--|--|
| <i>Section 6. Summary of operations and expenditure:</i> | | |
| <p>Please include salaries, wages, consultants fees, field expenses, fuel and transport, administration and overheads under the appropriate headings below. Mark the work done for the appropriate subsections with an "X" or similar, except where indicated. Complete the right-hand columns to indicate the data supplied with the Technical Report.</p> | | |
| <p>Do not include the following as expenditure (if relevant, these may be discussed in Section 7):</p> | | |
| <ul style="list-style-type: none"> • Insurance • Company Prospectus • Rent & Department Fees • Bond | <ul style="list-style-type: none"> • Transfer costs • Title Search • Legal costs • Advertising | <ul style="list-style-type: none"> • Land Access Compensation • Meetings with Land Councils • Payments to Traditional Owners • Fines |

| Exploration Work type | Work Done (mark with an "X" or provide details) | Expenditure | Data and Format Supplied in the Technical Report | |
|--|--|-------------|---|-----------|
| | | | Digital | Hard copy |
| Office Studies | | | | |
| Literature search | x | | | |
| Database compilation | x | | | |
| Computer modelling | x | | | |
| Reprocessing of data | | | | |
| General research | | | | |
| Report preparation | x | | | |
| Other (specify) | | | | |
| | Subtotal | \$ | | |
| Airborne Exploration Surveys (state line kms) | | | | |
| Aeromagnetics | | km s | | |
| Radiometrics | | km s | | |
| Electromagnetics | | km s | | |
| Gravity | | km s | | |
| Digital terrain modelling | | km s | | |
| Other (specify) | | km s | | |
| | Subtotal | \$ | | |
| Remote Sensing | | | | |
| Aerial photography | | | | |
| LANDSAT | | | | |
| SPOT | | | | |
| MSS | | | | |
| Other (specify) | | | | |
| | Subtotal | \$ | | |
| Ground Exploration Surveys | | | | |
| <i>Geological Mapping</i> | | | | |
| Regional | x | | | |
| Reconnaissance | x | | | |
| Prospect | | | | |
| Underground | x | | | |
| Costean | | | | |
| <i>Ground Geophysics</i> | | | | |
| Radiometrics | | | | |
| Magnetics | | | | |
| Gravity | | | | |
| Digital terrain modelling | | | | |
| Electromagnetics | | | | |
| SP/AP/EP | | | | |
| IP | | | | |
| AMT/CSAMT | | | | |
| Resistivity | | | | |
| Complex resistivity | | | | |
| Seismic reflection | | | | |
| Seismic refraction | | | | |
| Well logging | | | | |
| Geophysical interpretation | | | | |
| Petrophysics | | | | |
| Other (specify) | | | | |

| | | | | | | | |
|--|---|--------------|---------------|--|----------------|--|--|
| <i>Geochemical Surveying and Geochronology</i> | | | | | | | |
| <i>(state number of samples)</i> | | | | | | | |
| Drill (cuttings, core, etc.) | | | | | | | |
| Stream sediment | | | | | | | |
| Soil | | | | | | | |
| Rock chip | | | | | | | |
| Laterite | | | | | | | |
| Water | | | | | | | |
| Biogeochemistry | | | | | | | |
| Isotope | | | | | | | |
| Whole rock | | | | | | | |
| Mineral analysis | | | | | | | |
| Laboratory analysis (type) | | | | | | | |
| Petrology | | | | | | | |
| Other (specify) | | | | | | | |
| Ground Exploration Subtotal | | | | | \$ | | |
| Drilling (state number of holes & metres) | | | | | | | |
| Diamond | x | holes | metres | | | | |
| Reverse circulation (RC) | x | holes | metres | | | | |
| Rotary air blast (RAB) | | holes | metres | | | | |
| Air-core | | holes | metres | | | | |
| Auger | | holes | metres | | | | |
| Other (specify) | | holes | metres | | | | |
| Subtotal | | | | | \$3,554,555.00 | | |
| Other Operations | | | | | | | |
| Costeaming/Trenching | | | | | | | |
| Bulk sampling | | | | | | | |
| Mill process testing | | | x | | | | |
| Ore reserve estimation | | | x | | | | |
| Underground development (describe) | | | x | | | | |
| Mineral processing | | | x | | | | |
| Other (specify) | | | | | | | |
| Subtotal | | | | | \$32,536,586.0 | | |
| Access and Rehabilitation | | | | | | | |
| Track maintenance | | | | | | | |
| Rehabilitation | | | | | | | |
| Monitoring | | | | | | | |
| Other (specify) | | | | | | | |
| Subtotal | | | | | \$ | | |
| TOTAL EXPENDITURE | | | | | \$36,091,141.0 | | |

Section 7. Comments on your exploration activities:

I am satisfied with the figures for total expenditure, however due to a history of terrible report keeping at Tom's Gully in previous years (a legacy I have unfortunately inherited), to break the value down further into 'activities' would do the report no justice as I would only be guessing. I have marked with an x the activities which have occurred in the past (for which I have records).

I certify that the information contained herein, is a true statement of the operations carried out and the monies expended on the above mentioned tenement during the period specified as required under the *Northern Territory Mining Act* and the Regulations thereunder.

I have attached the Technical Report

1. Name: Kane Hutchinson

Position: Senior Geologist

Signature:

Date: 18 April 2007

2. Name:

Position:

Signature:

Date:

7. CONCLUSION AND PROPOSALS

The Tom's Gully reef is open to the south east and south-west. Further drilling in these areas is expected to increase the overall resource and extend the mine life. In addition a number of other targets have been delineated including:

- Sulphidic mineralised dykes
- Splays from the main reef to the footwall (multiple reefs)
- The reef east of the Crabb fault where drillhole TGD435 intersected 2.5m of reef (without mineralisation) potentially dipping up towards surface south of the granite in a area previously considered un-prospective
- The Crabb Fault for gold and base metals mineralisation

At time of writing, all underground development at Toms Gully has been suspended due to a pending sale of assets to another mining company. Currently there is no proposed spending until the dealings have been concluded.

| <u>Section 7.1 Work program for the next twelve months:</u> | |
|--|--|
| Activities proposed (please mark with an "X"): | <input type="checkbox"/> Drilling and/or costeaning |
| <input type="checkbox"/> Literature review | <input type="checkbox"/> Airborne geophysics |
| <input type="checkbox"/> Geological mapping | <input type="checkbox"/> Ground geophysics |
| <input type="checkbox"/> Rock/soil/stream sediment sampling | <input type="checkbox"/> Other: |
| Estimated Cost: | \$0 |

8. REFERENCES

DBIRD (2004), *MMP Compliance Assessment for the Tom's Gully Project Area*, PF2-001 Mines and Petroleum Management Division, August 2003 – July 2004

AGSO 1998. SD5204 Darwin Digital Data, Second Edition.

Hall S, 2003. 2003 Annual Report On Exploration Licence EL 23177. AuQuest Project, for the Period Ending 15th June 2003. Renison Consolidated Mines NL. *Unpublished statutory report for Northern Territory Department of Mines and Energy.*

Hall S, 2003. 2003 Annual Combined Report On Exploration Licence's EL8508, EL9161, EL9196, EL9346 & EL9594. Mount Bunday Special Project Area, for the Period Ending 31st December 2003. Renison Consolidated Mines NL. *Unpublished statutory report for Northern Territory Department of Mines and Energy.*

Hall S, 2002. 2002 Annual Combined Report On Exploration Licence's EL8508, EL9161, EL9196, EL9346 & EL9594. Mount Bunday Special Project Area, for the Period Ending 31st December 2002. Sirocco Resources NL. *Unpublished statutory report for Northern Territory Department of Mines and Energy.*

Hall S, Catherall D, 2001. 2001 Annual Combined Report On Exploration Licence's EL8508, EL9161, EL9196, EL9346 & EL9594. Mount Bunday Special Project Area, for the Period Ending 31st December 2001. Sirocco Resources NL. *Unpublished statutory report for Northern Territory Department of Mines and Energy.*

Hall S, Catherall D, 2000. 2000 Annual Combined Report On Exploration Licence's EL8508, EL9161, EL9196, EL9346 & EL9594. Mount Bunday Special Project Area, for the Period Ending 31st December 2000. Sirocco Resources NL. *Unpublished statutory report for Northern Territory Department of Mines and Energy.*

Hall S, Catherall D, 1999. 1999 Annual Combined Report On Exploration Licence's EL8508, EL9161, EL9196, EL9346 & EL9594. Mount Bunday Special Project Area, for the Period Ending 31st October 1999. Sirocco Resources NL. *Unpublished statutory report for Northern Territory Department of Mines and Energy.*

NTDME, 1999. Rum Jungle Magnetism Survey

NTDME, 2000. Mary River Magnetism Survey

Nicholson, PM, Ormsby, WR and Farrar, L, 1994. A review of the Structure and Stratigraphy of the Central Pine Creek Geosyncline, in *Proceedings AusIMM Annual Conference, 1994.*

Rabone, G., 1995. Preliminary Report on the Mineral Occurrences Within a 25 Kilometre Radius of the Rustler's Roost Gold Mine, Northern Territory. *Unpublished in-house report for Valdora Mining Pty Ltd.*

Renison Consolidated Mines NL, 2000. Mary River Infill Magnetism Data.