



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

**CERTIFICATE AD15107024**

Project: Kirkimbie Project

This report is for 68 Rock samples submitted to our lab in Adelaide, SA, Australia on 23-JUL-2015.

The following have access to data associated with this certificate:

RUSS KNIGHT	TONY MARTIN
-------------	-------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
PUL-23	Pulv Sample - Split/Retain
CRU-21	Crush entire sample >70% -6 mm

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: DAYLIGHT JACK MINERALS  
 ATTN: TONY MARTIN  
 BOX 145  
 RUSHWORTH VIC 3612

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Comments: Sample MN18 was not received.

**Signature:**   
 Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Page: 2 - A  
 Total # Pages: 3 (A - C)  
 Plus Appendix Pages  
 Finalized Date: 6-AUG-2015  
 Account: DAYJAC

Project: Kirrimbie Project

**CERTIFICATE OF ANALYSIS AD15107024**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
MN 1		0.08		<0.5	1.48	30	120	1.2	4	0.23	<0.5	4	100	8	>50	20
MN 2		0.17		<0.5	0.77	29	70	1.5	4	0.12	<0.5	2	60	5	>50	10
MN 3		0.10		<0.5	1.23	88	130	1.7	5	0.04	<0.5	1	55	4	47.6	10
MN 4		0.12		<0.5	0.92	48	40	1.6	4	0.04	<0.5	<1	63	4	>50	10
MN 5		0.16		<0.5	1.16	87	50	2.6	8	0.03	<0.5	3	60	6	>50	10
MN 6		0.09		<0.5	0.89	44	20	1.0	7	0.03	<0.5	1	42	5	>50	10
MN 7		0.17	90.0	<0.5	0.69	40	330	1.6	7	0.03	<0.5	1	56	4	>50	10
MN 8		0.12		<0.5	0.92	92	70	1.7	7	0.04	<0.5	<1	30	5	>50	10
MN 9		0.15		<0.5	1.01	50	120	1.3	8	0.03	<0.5	3	50	4	49.8	10
MN 10		0.06		<0.5	2.23	110	50	1.4	4	0.03	<0.5	2	45	5	46.1	10
MN 11		0.09		<0.5	1.09	57	50	1.2	6	0.03	<0.5	1	65	8	>50	10
MN 12		0.08		0.5	0.50	182	180	2.8	5	0.04	<0.5	2	18	4	>50	10
MN 13		0.07		<0.5	1.63	30	20	0.9	2	0.03	<0.5	<1	60	3	44.7	10
MN 14		0.09		<0.5	1.57	38	100	1.6	6	0.04	<0.5	3	87	5	48.2	10
MN 15		0.10		<0.5	1.39	17	140	1.2	6	0.04	<0.5	<1	32	5	>50	10
MN 16		0.14		<0.5	0.43	132	30	1.3	3	0.02	<0.5	<1	22	2	>50	10
MN 17		0.07		<0.5	0.61	155	30	1.9	6	0.02	<0.5	<1	20	2	>50	10
MN 18		Not Recvd														
MN 19		0.15		<0.5	0.96	21	20	1.9	5	0.02	<0.5	2	35	4	>50	10
MN 19A		0.06		<0.5	0.48	71	80	0.7	4	0.02	<0.5	3	30	3	>50	10
MN 20		0.08		<0.5	0.43	97	30	1.3	6	0.01	<0.5	<1	11	1	48.6	10
MN 21		0.04		<0.5	1.19	81	70	1.4	8	0.03	<0.5	2	61	10	>50	10
MN 22		0.04		<0.5	1.13	136	180	2.0	5	0.03	<0.5	2	54	4	>50	10
MN 23		0.07		<0.5	0.62	14	70	1.6	2	0.04	<0.5	2	49	2	>50	10
MN 24		0.05		<0.5	0.38	12	70	0.5	7	0.02	<0.5	<1	31	3	>50	10
MN 25		0.25		<0.5	0.99	57	50	2.9	3	0.02	<0.5	<1	24	3	48.9	10
MN 26		0.11		<0.5	1.04	64	120	3.4	5	0.03	<0.5	1	34	6	>50	10
MN 27		0.05		<0.5	0.80	13	70	0.7	8	0.04	<0.5	1	23	5	>50	10
MN 27A		0.04		<0.5	0.89	23	110	1.5	6	0.02	<0.5	2	35	5	>50	10
MN 28		0.05		<0.5	0.98	134	180	5.1	6	0.03	<0.5	2	17	4	>50	10
MN 29		0.09		<0.5	0.57	103	500	2.3	4	0.04	<0.5	1	13	3	>50	10
MN 30		0.14	91.0	<0.5	0.79	47	90	0.9	5	0.02	<0.5	<1	22	1	42.9	10
MN 31		0.08		<0.5	2.09	21	70	<0.5	4	0.03	<0.5	<1	87	7	44.1	10
MN 32		0.05		<0.5	5.68	35	120	2.3	3	0.03	<0.5	18	117	40	23.5	20
MN 33		0.11		<0.5	0.81	60	160	1.1	4	0.01	<0.5	<1	41	3	42.2	10
MN 34		0.07		<0.5	1.27	101	30	1.4	2	0.02	<0.5	1	31	4	47.5	10
MN 35		0.04		<0.5	1.02	42	60	1.3	6	0.03	<0.5	1	44	5	49.0	10
MN 36		0.06		<0.5	1.03	13	40	<0.5	<2	0.02	<0.5	2	36	7	8.06	<10
MN 37		0.11		<0.5	0.72	136	40	0.6	4	0.01	<0.5	<1	10	3	49.2	10
MN 38		0.10		<0.5	0.27	17	20	<0.5	5	0.01	<0.5	<1	11	1	41.6	10

Comments: Sample MN18 was not received.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Project: Kirrkimbie Project

**CERTIFICATE OF ANALYSIS AD15107024**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %
MN 1		0.04	<10	0.14	380	22	0.02	1	320	15	0.01	31	11	48	<20	0.06
MN 2		0.02	<10	0.07	150	41	0.01	2	280	13	0.01	32	8	29	<20	0.03
MN 3		0.04	<10	0.03	261	20	0.02	3	350	4	0.01	24	5	11	<20	0.02
MN 4		0.04	<10	0.02	61	30	0.01	3	310	<2	0.01	32	7	12	<20	0.03
MN 5		0.05	<10	0.02	103	31	0.02	2	360	7	0.01	30	6	20	<20	0.02
MN 6		0.02	<10	0.01	69	25	0.02	2	260	<2	<0.01	26	5	7	<20	0.03
MN 7		0.02	<10	0.02	95	39	0.01	2	280	4	0.01	39	6	31	<20	0.04
MN 8		0.02	<10	0.02	85	35	0.02	1	390	<2	0.01	32	4	12	<20	0.01
MN 9		0.03	<10	0.01	73	37	0.02	3	340	4	0.01	24	5	22	<20	0.03
MN 10		0.03	10	0.01	61	31	0.02	2	440	3	0.01	22	6	79	<20	0.02
MN 11		0.04	<10	0.03	152	17	0.03	2	230	11	0.01	54	8	17	<20	0.03
MN 12		0.03	<10	0.01	27	39	0.03	<1	370	3	0.02	31	4	22	<20	0.01
MN 13		0.03	<10	0.01	62	19	0.02	1	190	2	0.01	16	5	6	<20	0.02
MN 14		0.03	<10	0.02	87	20	0.02	2	340	6	0.01	30	6	24	<20	0.04
MN 15		0.02	<10	0.02	204	20	0.03	5	150	4	0.01	23	8	12	<20	0.02
MN 16		0.02	<10	0.01	9	59	0.01	<1	510	<2	0.01	22	3	8	<20	<0.01
MN 17		0.02	<10	0.01	106	17	0.03	4	230	<2	0.01	38	3	7	<20	0.01
MN 18																
MN 19		0.03	<10	0.01	50	59	0.01	4	330	<2	<0.01	32	4	5	<20	0.02
MN 19A		0.02	<10	0.01	185	40	0.02	3	390	<2	0.01	21	3	4	<20	0.01
MN 20		0.02	<10	0.01	46	34	0.02	<1	460	<2	0.01	28	2	59	<20	0.01
MN 21		0.04	<10	0.03	230	21	0.02	2	300	8	0.01	31	6	25	<20	0.02
MN 22		0.04	<10	0.01	132	36	0.02	5	360	<2	0.01	19	6	14	<20	0.02
MN 23		0.02	<10	0.02	142	54	0.01	1	250	<2	0.01	33	4	10	<20	0.02
MN 24		0.01	<10	0.01	40	18	0.01	2	110	<2	<0.01	32	3	6	<20	0.01
MN 25		0.03	<10	0.01	74	39	0.03	3	350	2	0.01	27	4	11	<20	0.02
MN 26		0.04	<10	0.02	53	68	0.02	3	350	<2	0.01	38	4	10	<20	0.01
MN 27		0.01	<10	0.02	242	10	0.03	2	160	<2	0.01	10	4	8	<20	0.02
MN 27A		0.02	<10	0.01	57	38	0.01	2	230	3	0.01	39	4	8	<20	0.01
MN 28		0.03	<10	0.02	70	47	0.03	2	740	4	0.01	39	4	14	<20	0.01
MN 29		0.02	<10	0.01	76	27	0.03	<1	380	<2	0.02	28	3	16	<20	0.01
MN 30		0.01	<10	<0.01	33	19	0.01	1	140	<2	0.01	32	3	8	<20	<0.01
MN 31		0.02	<10	0.05	332	13	0.02	4	200	7	0.02	13	13	11	<20	0.07
MN 32		0.19	10	0.05	439	5	0.01	33	280	28	0.01	8	11	20	<20	0.23
MN 33		0.04	<10	0.01	56	34	0.02	1	330	<2	0.01	22	4	28	<20	0.02
MN 34		0.03	<10	0.01	46	31	0.02	2	310	<2	0.01	22	4	9	<20	0.02
MN 35		0.04	<10	0.01	63	13	0.03	1	270	<2	0.01	19	4	15	<20	0.03
MN 36		0.16	10	0.02	87	3	0.01	2	180	4	0.01	6	3	61	<20	0.04
MN 37		0.02	<10	<0.01	24	31	0.01	<1	480	<2	0.01	14	2	11	<20	<0.01
MN 38		0.02	<10	<0.01	5	21	0.01	1	230	<2	<0.01	15	1	5	<20	<0.01

Comments: Sample MN18 was not received.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Page: 2 - C  
 Total # Pages: 3 (A - C)  
 Plus Appendix Pages  
 Finalized Date: 6-AUG-2015  
 Account: DAYJAC

Project: Kirkimbie Project

**CERTIFICATE OF ANALYSIS AD15107024**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
MN 1		<10	<10	664	<10	<2
MN 2		<10	<10	685	<10	<2
MN 3		<10	<10	507	10	<2
MN 4		<10	<10	597	10	<2
MN 5		<10	<10	536	10	<2
MN 6		<10	<10	502	10	<2
MN 7		<10	<10	560	10	<2
MN 8		<10	<10	442	<10	<2
MN 9		<10	<10	449	<10	<2
MN 10		<10	<10	337	<10	<2
MN 11		<10	<10	792	<10	<2
MN 12		<10	<10	568	10	<2
MN 13		<10	<10	435	<10	<2
MN 14		<10	<10	554	10	<2
MN 15		<10	<10	531	<10	<2
MN 16		<10	<10	354	<10	<2
MN 17		<10	<10	572	<10	<2
MN 18						
MN 19		<10	10	456	10	<2
MN 19A		<10	<10	378	<10	<2
MN 20		<10	<10	375	10	<2
MN 21		<10	<10	768	10	3
MN 22		<10	<10	524	<10	<2
MN 23		<10	<10	489	10	<2
MN 24		<10	<10	550	10	<2
MN 25		<10	<10	401	<10	<2
MN 26		<10	<10	527	<10	<2
MN 27		<10	<10	541	10	<2
MN 27A		<10	<10	574	<10	<2
MN 28		<10	<10	494	<10	<2
MN 29		<10	<10	410	<10	<2
MN 30		<10	<10	789	<10	<2
MN 31		<10	<10	429	<10	<2
MN 32		<10	<10	546	<10	9
MN 33		<10	<10	374	<10	<2
MN 34		<10	<10	543	<10	<2
MN 35		<10	<10	505	10	<2
MN 36		<10	<10	126	<10	<2
MN 37		<10	<10	200	10	<2
MN 38		<10	<10	185	<10	<2

Comments: Sample MN18 was not received.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Project: Kirrimbie Project

**CERTIFICATE OF ANALYSIS AD15107024**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.01	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
MN 39		0.06		<0.5	0.81	44	170	4.5	10	0.03	<0.5	2	32	5	>50	10
MN 40		0.07		<0.5	1.02	17	80	1.7	5	0.03	<0.5	3	29	5	>50	10
MN 41		0.13		<0.5	1.44	13	290	0.8	5	0.01	<0.5	<1	41	4	>50	10
MN 42		0.09		<0.5	0.49	271	100	2.5	7	0.03	<0.5	<1	28	3	>50	10
MN 43		0.06		<0.5	5.97	40	200	1.4	2	0.06	<0.5	12	255	28	24.4	30
MN 44		0.10		<0.5	0.89	61	50	2.2	5	0.02	<0.5	<1	37	4	>50	10
MN 44A		0.12		<0.5	1.32	52	320	1.3	5	0.03	<0.5	2	52	5	48.9	10
MN 45		0.14		<0.5	0.61	60	60	1.8	8	0.04	<0.5	<1	25	3	>50	10
MN 46		0.08		<0.5	1.42	20	60	1.1	6	0.03	<0.5	1	75	7	>50	10
MN 47		0.06		<0.5	1.01	93	170	1.9	8	0.02	<0.5	1	46	4	47.2	10
MN 48		0.07		<0.5	1.01	62	150	1.2	7	0.02	<0.5	1	55	7	47.3	10
MN 49		0.05		<0.5	4.94	44	70	1.2	4	0.03	<0.5	8	239	25	28.2	30
MN 50		0.04		0.6	3.68	76	250	1.4	4	0.03	<0.5	7	135	16	34.0	20
MN 51		0.14		<0.5	1.25	45	50	1.7	6	0.04	<0.5	2	44	7	43.5	10
MN 52		0.11		<0.5	1.09	23	170	1.7	7	0.02	<0.5	2	41	5	>50	10
MN 53		0.18		<0.5	1.04	41	230	1.4	6	0.02	<0.5	1	33	5	>50	10
MN 54		0.16		<0.5	0.88	57	50	1.5	5	0.02	<0.5	<1	26	3	49.7	10
MN 55		0.11		<0.5	1.75	21	70	1.2	7	0.03	<0.5	2	68	7	49.7	10
MN 56		0.07		<0.5	0.86	88	50	2.5	8	0.03	<0.5	<1	29	4	>50	10
DL 4		0.37		<0.5	4.95	7	140	0.8	2	0.13	<0.5	10	64	16	4.40	10
DL 5		0.24		<0.5	4.12	8	140	0.8	<2	0.14	<0.5	10	83	16	4.70	10
DL 12		0.32		<0.5	4.75	5	140	0.8	<2	0.19	<0.5	6	36	19	2.12	10
DL 14		0.72		<0.5	5.52	39	140	1.6	6	0.19	<0.5	13	218	29	17.95	20
DL 15		0.77		<0.5	4.46	6	310	0.9	2	0.52	<0.5	19	47	18	2.68	10
DL 16		0.82		<0.5	4.71	<5	270	1.0	3	0.31	<0.5	18	61	17	3.51	10
DL 19		1.77	87.0	<0.5	1.36	155	90	6.7	4	0.08	<0.5	34	28	540	35.7	10
DL 23		0.23		<0.5	5.69	5	130	0.9	2	0.11	<0.5	11	66	19	3.99	10
DL 24		0.30		<0.5	5.33	5	130	0.8	<2	0.15	<0.5	7	52	13	3.17	10

Comments: Sample MN18 was not received.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Project: Kirrkimbie Project

**CERTIFICATE OF ANALYSIS AD15107024**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
MN 39		0.03	<10	0.02	39	58	0.02	1	390	3	0.01	30	4	31	<20	0.02
MN 40		0.02	<10	0.02	129	49	0.01	1	270	4	0.01	24	4	12	<20	0.01
MN 41		0.03	<10	0.01	10	23	0.02	1	180	5	0.01	23	5	21	<20	0.02
MN 42		0.02	<10	0.01	62	40	0.03	1	620	<2	0.01	21	3	9	<20	0.02
MN 43		0.17	10	0.06	720	5	0.01	27	330	30	0.01	<5	9	29	<20	0.27
MN 44		0.04	10	0.01	59	40	0.02	2	370	2	0.01	25	4	40	<20	0.02
MN 44A		0.04	<10	0.01	77	26	0.02	3	320	13	0.01	27	6	43	<20	0.03
MN 45		0.03	<10	0.01	89	25	0.03	<1	350	<2	0.01	22	4	13	<20	0.02
MN 46		0.03	<10	0.02	151	26	0.01	3	270	6	0.01	32	7	10	<20	0.03
MN 47		0.05	<10	0.01	42	41	0.02	3	380	4	0.01	33	5	37	<20	0.02
MN 48		0.02	<10	0.01	51	39	0.01	3	400	<2	0.01	19	5	9	<20	0.02
MN 49		0.13	10	0.03	96	8	0.01	16	400	26	0.01	8	14	28	20	0.21
MN 50		0.10	20	0.03	572	19	0.01	15	450	16	0.01	11	9	40	<20	0.14
MN 51		0.04	30	0.02	158	24	0.03	4	430	5	0.01	19	6	81	<20	0.02
MN 52		0.02	<10	0.01	53	56	0.01	5	330	<2	0.01	31	5	10	<20	0.02
MN 53		0.03	<10	0.01	85	31	0.02	2	280	<2	0.01	28	4	14	<20	0.01
MN 54		0.04	<10	0.01	48	24	0.02	<1	270	<2	0.01	31	4	18	<20	0.02
MN 55		0.04	<10	0.01	58	37	0.01	7	220	6	0.01	36	7	23	<20	0.06
MN 56		0.03	10	0.01	48	35	0.01	2	430	<2	0.01	28	5	35	<20	0.03
DL 4		0.44	20	0.08	325	2	0.03	13	230	10	0.02	<5	10	30	<20	0.34
DL 5		0.37	10	0.07	384	1	0.02	15	210	9	0.01	<5	8	29	<20	0.31
DL 12		0.54	20	0.11	125	1	0.03	12	250	9	0.02	<5	9	48	<20	0.31
DL 14		0.28	10	0.12	425	3	0.02	24	330	22	0.01	<5	11	29	20	0.30
DL 15		0.34	20	0.32	812	1	0.03	18	60	20	0.01	<5	9	41	<20	0.36
DL 16		0.28	20	0.23	666	1	0.03	16	80	15	0.01	<5	10	37	<20	0.38
DL 19		0.34	10	0.09	350	5	0.01	79	4900	16	0.02	5	2	26	<20	0.05
DL 23		0.40	20	0.08	422	1	0.03	19	220	12	0.01	<5	11	27	<20	0.38
DL 24		0.44	20	0.09	253	<1	0.03	16	180	10	0.01	<5	10	36	<20	0.37

Comments: Sample MN18 was not received.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Page: 3 - C  
 Total # Pages: 3 (A - C)  
 Plus Appendix Pages  
 Finalized Date: 6-AUG-2015  
 Account: DAYJAC

Project: Kirkimbie Project

**CERTIFICATE OF ANALYSIS AD15107024**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
MN 39		<10	<10	418	<10	<2
MN 40		<10	<10	484	10	<2
MN 41		<10	<10	457	10	<2
MN 42		<10	<10	370	10	<2
MN 43		<10	<10	597	<10	10
MN 44		<10	<10	391	<10	<2
MN 44A		<10	<10	572	<10	<2
MN 45		<10	<10	451	10	<2
MN 46		<10	<10	558	10	<2
MN 47		<10	<10	448	10	<2
MN 48		<10	<10	352	<10	<2
MN 49		<10	<10	643	<10	4
MN 50		<10	<10	488	<10	4
MN 51		<10	<10	450	10	<2
MN 52		<10	<10	508	10	<2
MN 53		<10	<10	422	<10	<2
MN 54		<10	<10	530	10	<2
MN 55		<10	<10	603	10	<2
MN 56		<10	<10	511	10	<2
DL 4		<10	<10	102	<10	16
DL 5		<10	<10	103	<10	13
DL 12		<10	<10	53	<10	12
DL 14		<10	<10	389	<10	10
DL 15		<10	<10	70	<10	21
DL 16		<10	<10	99	<10	16
DL 19		<10	10	34	<10	27
DL 23		<10	<10	97	<10	15
DL 24		<10	<10	79	<10	13

Comments: Sample MN18 was not received.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Project: Kirkimbie Project

**CERTIFICATE OF ANALYSIS AD15107024**

	CERTIFICATE COMMENTS								
Applies to Method:	<p style="text-align: center;"><b>LABORATORY ADDRESSES</b></p> <p>Processed at ALS Perth located at 32 Oxleigh Drive, Malaga, Perth, WA, Australia.            ME-ICP61</p>								
Applies to Method:	<p>Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">CRU-21</td> <td style="width: 33%;">LEV-01</td> <td style="width: 33%;">LOG-22</td> <td style="width: 15%;"></td> </tr> <tr> <td>PUL-OC</td> <td>WEI-21</td> <td></td> <td>PUL-23</td> </tr> </table>	CRU-21	LEV-01	LOG-22		PUL-OC	WEI-21		PUL-23
CRU-21	LEV-01	LOG-22							
PUL-OC	WEI-21		PUL-23						