



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

CERTIFICATE AD18087119

This report is for 34 Rock samples submitted to our lab in Adelaide, SA, Australia on 18-APR-2018.

The following have access to data associated with this certificate:

GABRIELLA MCDONALD

ROMAN TESLYUK

To: EARTH AI OPERATIONS AUSTRALIA PTY LTD
ATTN: GABRIELLA MCDONALD
GROUND FLOOR
100 GEORGE STREET
PARRAMATTA NSW 2150

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Page: 1

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 27-APR-2018

This copy reported on 3-MAY-2018

Account: EARTOP

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32	Pulverize 1000g to 85% < 75 um
LEV-01	Waste Disposal Levy
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-APR-2018
Account: EARTOP

CERTIFICATE OF ANALYSIS AD18087119

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	Au-ICP21 Au ppm 0.001	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1
HD066		0.34		<0.001	0.01	2.77	0.5	<0.02	<10	390	0.55	0.05	0.25	0.01	82.5	6.7
HD077		1.08		0.001	0.01	3.20	0.4	<0.02	<10	240	0.20	0.04	0.48	<0.01	88.0	15.1
HD078		0.38		0.002	<0.01	3.91	0.3	<0.02	<10	280	0.28	0.02	0.19	<0.01	115.5	18.2
HD082		0.44		<0.001	0.01	1.90	0.6	<0.02	<10	160	0.23	0.12	0.51	<0.01	45.5	7.1
HD082-2		0.69		0.002	<0.01	1.60	1.3	<0.02	<10	150	0.22	0.06	0.52	0.01	55.0	5.6
HD084		0.28		0.002	0.09	0.67	0.6	<0.02	<10	100	0.23	0.04	>25.0	0.01	8.34	3.0
HD085		0.75		0.002	<0.01	0.09	0.3	<0.02	<10	20	<0.05	0.08	0.07	<0.01	2.59	0.4
HD089		1.33	89.4	<0.001	0.01	0.78	0.5	<0.02	<10	120	0.28	0.11	0.39	0.15	88.6	3.8
HD090		1.81		<0.001	0.03	0.94	0.4	<0.02	<10	170	0.43	0.13	0.28	0.81	94.7	3.8
HD096		1.41		<0.001	<0.01	0.41	0.1	<0.02	<10	100	0.12	0.05	0.04	0.01	16.85	0.3
HD111		0.75		0.001	0.01	4.89	0.2	<0.02	<10	300	0.58	0.06	0.15	0.01	101.0	24.7
HD113		1.71		0.001	0.02	3.35	0.3	<0.02	<10	230	0.37	0.02	0.21	0.01	54.2	17.1
HD125		0.73		0.061	0.02	1.61	0.2	0.05	<10	100	0.76	0.02	0.36	0.01	12.25	1.1
HD140		0.93		<0.001	0.01	0.31	0.3	<0.02	<10	40	0.18	0.04	0.04	<0.01	3.81	0.4
HD162		0.62		0.002	0.02	0.53	0.2	<0.02	<10	60	0.12	0.06	0.02	0.01	2.33	0.2
HD202		1.37		0.001	0.02	0.53	0.2	<0.02	<10	40	0.36	0.14	0.07	0.03	27.7	1.5
HD208		0.23		<0.001	<0.01	6.53	0.2	<0.02	<10	260	1.26	0.03	0.50	<0.01	111.5	31.2
HD209		0.26		<0.001	<0.01	6.45	0.5	<0.02	<10	400	0.69	0.04	0.12	<0.01	15.90	32.4
HD210		0.81		0.010	<0.01	1.18	0.4	<0.02	<10	130	0.16	0.07	0.52	<0.01	33.9	4.8
HD212		0.49		<0.001	0.03	3.53	0.4	<0.02	<10	330	0.28	0.03	0.08	0.03	92.4	23.1
HD224		0.83		<0.001	0.01	8.39	0.2	<0.02	<10	50	0.20	0.03	5.08	0.02	2.21	7.2
HD229		0.42		0.001	0.01	0.41	0.3	<0.02	<10	10	<0.05	0.08	0.07	<0.01	2.13	0.5
HD230		0.39		<0.001	0.01	0.15	0.4	<0.02	<10	<10	<0.05	0.02	0.09	<0.01	0.24	0.7
HD232		0.53		<0.001	0.01	0.10	0.6	<0.02	<10	<10	<0.05	0.03	0.07	<0.01	0.92	0.7
HD240		0.89	85.0	<0.001	0.01	2.70	0.7	<0.02	<10	30	0.12	0.02	21.4	0.03	2.19	20.3
HD249		0.39		0.003	<0.01	3.52	0.3	<0.02	<10	30	0.10	0.01	20.7	0.02	1.56	13.8
HD260		0.33		<0.001	0.01	2.71	0.6	<0.02	<10	230	1.08	0.03	1.31	0.04	88.8	16.8
HD261		0.19		<0.001	0.01	2.10	0.6	<0.02	<10	220	0.68	0.09	1.59	0.04	65.9	11.6
HD267		0.40		0.001	0.02	1.38	0.3	<0.02	<10	160	0.60	0.08	0.41	0.01	78.9	4.5
HD270		0.13		<0.001	0.02	2.67	0.6	<0.02	<10	310	0.64	0.12	0.52	0.02	107.0	9.2
HD276		0.13		0.004	0.02	2.72	0.9	<0.02	<10	330	0.85	0.14	1.29	0.09	104.5	15.9
HD277S		0.18		<0.001	0.02	2.20	0.8	<0.02	<10	260	1.18	0.13	0.60	0.03	137.5	7.4
HD281		0.40		<0.001	0.01	0.06	49.6	<0.02	<10	20	<0.05	0.02	0.03	<0.01	1.97	0.4
HD291		0.19		<0.001	0.03	2.60	2.0	<0.02	<10	940	1.00	0.20	1.36	0.06	110.5	17.1



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-APR-2018
Account: EARTOP

CERTIFICATE OF ANALYSIS AD18087119

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm
		1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5
HD066		30	4.08	19.9	2.85	12.90	0.10	0.38	0.01	0.030	1.62	43.7	20.1	0.59	594
HD077		41	6.00	17.4	5.32	18.90	0.13	0.33	<0.01	0.068	2.31	44.1	19.1	1.13	589
HD078		67	7.12	17.6	6.32	22.4	0.17	0.54	<0.01	0.078	2.61	58.4	23.7	1.32	629
HD082		39	1.93	17.1	2.58	9.11	0.06	0.12	<0.01	0.017	0.92	22.0	7.1	0.55	245
HD082-2		24	2.10	16.2	2.17	7.48	0.07	0.15	<0.01	0.015	0.91	26.7	6.4	0.42	302
HD084		9	0.83	14.1	0.66	2.98	<0.05	0.04	0.01	0.008	0.30	3.9	9.7	1.46	143
HD085		5	0.17	6.5	0.59	0.42	<0.05	0.02	<0.01	<0.005	0.06	1.2	0.3	0.01	83
HD089		9	3.96	41.6	2.28	5.90	0.12	0.33	<0.01	0.050	0.51	26.2	20.7	0.24	411
HD090		9	6.12	12.2	2.69	7.05	0.14	0.27	<0.01	0.052	0.50	45.0	28.0	0.25	595
HD096		1	0.52	3.6	0.28	1.14	<0.05	0.05	<0.01	<0.005	0.41	7.3	1.1	0.01	59
HD111		128	13.55	26.9	7.27	23.2	0.16	0.32	<0.01	0.072	2.99	52.6	44.2	1.81	732
HD113		257	7.10	60.8	5.27	14.55	0.12	0.14	<0.01	0.058	2.20	27.2	22.5	1.27	502
HD125		7	1.14	4.0	0.56	4.94	<0.05	0.06	<0.01	0.011	0.80	5.5	5.5	0.07	76
HD140		3	0.68	2.7	0.34	1.08	<0.05	0.18	<0.01	<0.005	0.24	3.0	1.1	0.02	56
HD162		2	1.04	1.8	0.25	1.35	<0.05	0.05	<0.01	<0.005	0.57	1.4	1.1	0.01	45
HD202		3	6.25	1.8	0.93	3.34	0.07	0.13	<0.01	0.021	0.32	9.7	24.8	0.10	358
HD208		86	2.79	2.2	8.79	32.5	0.15	0.37	<0.01	0.048	1.38	55.1	63.8	2.15	1400
HD209		633	11.45	13.5	11.55	41.5	0.28	0.12	<0.01	0.185	4.89	7.9	46.6	2.68	1200
HD210		16	1.56	7.8	1.80	5.30	0.05	0.14	<0.01	0.008	0.66	16.3	5.0	0.35	269
HD212		94	7.58	65.2	6.17	17.10	0.22	0.36	<0.01	0.073	2.56	48.4	23.9	1.48	608
HD224		29	0.14	6.1	1.06	12.45	0.07	0.03	0.01	0.005	0.10	1.3	3.0	0.45	149
HD229		2	0.30	3.4	0.27	0.99	<0.05	<0.02	<0.01	<0.005	0.36	1.6	0.5	0.03	35
HD230		7	0.06	2.0	0.74	0.38	<0.05	<0.02	<0.01	<0.005	0.01	<0.2	0.3	0.02	87
HD232		4	0.06	12.8	0.96	0.36	<0.05	<0.02	<0.01	<0.005	0.05	0.4	0.3	0.01	98
HD240		23	0.09	28.7	2.21	5.14	<0.05	0.02	0.01	<0.005	0.06	1.3	0.8	0.69	330
HD249		104	0.05	18.6	2.23	6.10	<0.05	<0.02	0.01	<0.005	0.06	1.1	1.1	0.45	275
HD260		14	3.65	14.1	5.71	13.85	0.26	0.24	<0.01	0.125	1.58	26.4	32.8	0.98	940
HD261		11	6.28	9.1	3.60	7.97	0.17	0.20	<0.01	0.037	1.07	21.5	23.7	0.63	497
HD267		9	2.67	6.4	2.01	5.52	0.10	0.18	<0.01	0.014	0.86	36.2	18.6	0.26	342
HD270		22	13.45	8.4	3.90	11.60	0.24	0.47	<0.01	0.051	1.58	52.5	47.9	0.62	614
HD276		13	4.37	17.2	5.15	11.35	0.23	0.35	0.01	0.074	1.39	23.6	27.2	0.96	767
HD277S		7	4.79	6.7	2.81	9.05	0.21	0.25	0.02	0.084	1.06	46.8	25.5	0.42	685
HD281		4	0.06	2.5	0.42	0.24	<0.05	<0.02	<0.01	<0.005	0.02	0.7	0.4	0.01	84
HD291		12	4.96	49.3	5.20	10.90	0.23	0.31	0.01	0.056	1.28	39.0	25.4	0.94	718



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-APR-2018
Account: EARTOP

CERTIFICATE OF ANALYSIS AD18087119

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
		%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01
HD066		0.04	0.81	16.1	180	10.6	159.5	<0.001	0.03	<0.05	5.3	<0.2	2.5	30.5	0.02
HD077		0.04	1.56	24.1	80	5.3	264	<0.001	0.03	<0.05	11.1	<0.2	4.4	24.2	0.03
HD078		0.05	1.03	30.7	110	5.8	294	<0.001	0.03	<0.05	12.8	<0.2	5.4	18.2	0.02
HD082		0.05	0.72	16.7	150	3.1	92.2	<0.001	0.02	0.07	3.4	<0.2	1.1	23.6	0.01
HD082-2		0.04	0.68	14.0	170	3.3	93.4	<0.001	0.03	0.05	2.7	<0.2	1.0	21.0	0.01
HD084		0.06	1.74	4.2	150	1.4	33.1	<0.001	0.15	<0.05	1.6	1.0	1.0	1245	0.01
HD085		0.01	0.33	0.9	20	0.7	3.8	<0.001	0.02	0.05	0.1	<0.2	<0.2	4.1	<0.01
HD089		0.04	1.09	4.6	320	15.9	74.9	<0.001	0.03	<0.05	9.1	<0.2	4.4	18.7	0.01
HD090		0.10	1.16	4.7	480	14.5	70.1	<0.001	0.03	<0.05	6.1	<0.2	4.6	23.7	0.01
HD096		0.05	0.30	0.6	80	6.1	23.8	<0.001	0.03	<0.05	0.4	<0.2	0.2	8.9	<0.01
HD111		0.06	0.79	57.3	310	6.9	304	<0.001	0.03	<0.05	15.9	0.2	7.5	16.0	0.02
HD113		0.05	0.73	79.3	400	8.7	208	<0.001	0.03	<0.05	13.6	<0.2	6.7	15.4	0.01
HD125		0.06	0.18	2.6	660	3.6	50.6	<0.001	0.02	<0.05	1.5	<0.2	1.6	8.2	<0.01
HD140		0.04	0.49	1.1	60	7.3	16.0	<0.001	0.03	<0.05	0.5	<0.2	0.4	4.6	<0.01
HD162		0.06	0.08	0.5	20	5.7	32.0	<0.001	0.02	<0.05	0.3	<0.2	0.3	5.6	<0.01
HD202		0.05	1.48	1.5	20	9.0	58.6	<0.001	0.02	<0.05	3.4	<0.2	3.5	4.8	0.01
HD208		0.08	1.12	58.0	110	6.3	126.0	<0.001	0.03	<0.05	8.0	<0.2	7.1	102.0	0.04
HD209		0.07	1.94	162.0	140	3.4	530	<0.001	0.03	<0.05	29.8	0.2	32.0	11.6	0.09
HD210		0.03	0.68	12.0	200	3.7	71.3	<0.001	0.02	0.11	1.9	<0.2	0.7	18.3	<0.01
HD212		0.05	0.72	39.9	190	5.5	251	<0.001	0.03	<0.05	22.4	<0.2	6.4	6.7	0.03
HD224		1.06	<0.05	15.4	80	0.7	3.6	<0.001	0.02	<0.05	6.2	0.2	<0.2	293	<0.01
HD229		0.04	0.06	1.1	10	9.4	27.6	<0.001	0.02	<0.05	0.3	<0.2	0.2	8.7	<0.01
HD230		0.02	<0.05	1.5	10	0.6	0.9	<0.001	0.02	<0.05	0.3	<0.2	<0.2	4.4	<0.01
HD232		<0.01	<0.05	1.7	10	1.9	3.3	<0.001	0.02	0.07	0.1	<0.2	0.2	3.3	<0.01
HD240		0.20	<0.05	25.2	90	0.8	1.5	<0.001	0.04	<0.05	3.9	0.8	<0.2	241	<0.01
HD249		0.22	<0.05	20.9	60	0.9	1.3	<0.001	0.03	<0.05	3.5	0.7	<0.2	183.5	<0.01
HD260		0.15	0.95	9.2	1600	4.3	204	<0.001	0.03	<0.05	24.3	<0.2	5.3	18.5	0.01
HD261		0.15	0.90	7.2	1260	4.3	117.0	<0.001	0.02	<0.05	10.6	<0.2	1.6	29.4	0.01
HD267		0.05	0.63	5.7	350	14.0	94.4	<0.001	0.03	<0.05	4.2	<0.2	1.4	21.5	0.01
HD270		0.17	0.76	12.3	560	8.5	197.5	<0.001	0.03	<0.05	12.8	0.2	5.5	24.6	0.01
HD276		0.23	0.74	9.4	1880	5.4	121.5	<0.001	0.03	<0.05	18.3	0.3	2.3	36.9	0.01
HD277S		0.23	0.95	4.2	610	11.1	133.5	<0.001	0.03	<0.05	20.4	0.2	4.3	29.8	0.02
HD281		<0.01	0.12	0.8	40	0.4	1.8	<0.001	0.02	<0.05	0.3	<0.2	<0.2	1.5	<0.01
HD291		0.28	0.88	9.8	1660	5.1	135.5	<0.001	0.05	0.10	14.6	<0.2	2.5	74.1	0.02



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-APR-2018
Account: EARTOP

CERTIFICATE OF ANALYSIS AD18087119

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Th	Ti	Ti	U	V	W	Y	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	0.005	0.02	0.05	1	0.05	0.05	2
HD066		24.8	0.133	0.81	3.17	29	0.07	23.5	48
HD077		26.1	0.323	1.41	2.92	58	0.05	9.52	117
HD078		30.2	0.360	1.60	3.27	74	0.06	12.65	126
HD082		17.8	0.082	0.48	1.85	21	<0.05	5.86	30
HD082-2		20.9	0.082	0.53	2.07	17	<0.05	6.87	28
HD084		2.1	0.035	0.15	10.30	11	0.07	1.15	15
HD085		0.7	<0.005	0.02	0.35	1	0.05	1.46	<2
HD089		18.7	0.121	0.43	2.41	19	0.05	28.9	66
HD090		19.7	0.113	0.39	2.19	20	0.10	21.5	636
HD096		2.7	<0.005	0.11	0.88	1	<0.05	5.48	4
HD111		23.8	0.460	1.63	2.77	110	0.05	10.90	110
HD113		13.5	0.377	1.09	1.99	67	0.06	9.09	111
HD125		3.4	0.008	0.20	0.62	6	0.45	4.23	6
HD140		3.2	0.006	0.08	3.91	1	0.05	6.15	3
HD162		2.1	<0.005	0.14	0.71	1	0.06	3.75	<2
HD202		19.7	0.046	0.32	2.97	5	0.12	9.55	21
HD208		36.2	0.253	0.63	4.72	66	0.05	13.70	178
HD209		4.6	0.762	2.74	0.94	141	0.14	3.49	278
HD210		14.3	0.063	0.40	1.36	13	<0.05	3.88	26
HD212		23.1	0.444	1.27	1.54	105	0.18	6.55	273
HD224		0.3	0.045	0.02	<0.05	34	<0.05	1.07	8
HD229		0.3	0.005	0.14	<0.05	1	0.07	0.15	4
HD230		<0.2	<0.005	<0.02	<0.05	2	<0.05	0.09	<2
HD232		0.3	<0.005	0.02	<0.05	1	<0.05	0.10	<2
HD240		0.2	0.012	0.02	0.16	48	<0.05	1.28	11
HD249		<0.2	0.025	<0.02	0.10	82	<0.05	0.86	7
HD260		16.7	0.412	1.02	1.10	101	0.11	33.9	111
HD261		13.5	0.288	0.57	1.55	62	0.36	18.95	60
HD267		18.7	0.151	0.52	2.02	17	0.15	13.50	39
HD270		22.9	0.298	1.01	1.27	50	0.50	22.7	61
HD276		13.5	0.390	0.61	1.81	90	0.28	30.8	90
HD277S		30.9	0.213	0.75	2.21	34	0.12	41.9	50
HD281		1.1	0.007	<0.02	0.06	1	0.05	0.74	2
HD291		13.7	0.359	0.66	2.45	98	0.68	36.4	92

CERTIFICATE OF ANALYSIS AD18087119

	CERTIFICATE COMMENTS
	<p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).</p>
Applies to Method:	ME-MS41
	<p style="text-align: center;">ACCREDITATION COMMENTS</p> <p>NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist</p>
Applies to Method:	Au-ICP21 ME-MS41
	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia</p>
Applies to Method:	Au-ICP21 ME-MS41
Applies to Method:	<p>Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.</p> <p>LEV-01 LOG-22 PUL-32 PUL-QC</p> <p>WEI-21</p>