



Australian Laboratory Services Pty. Ltd.  
32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
www.alsglobal.com/geochemistry

Page: 1  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 2-OCT-2018  
This copy reported on 4-OCT-2018  
Account: EARTOP

## CERTIFICATE AD18237031

This report is for 33 Soil samples submitted to our lab in Adelaide, SA, Australia on 24-SEP-2018.

The following have access to data associated with this certificate:

EARTH AI OPERATIONS

ROMAN TESLYUK

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LEV-01	Waste Disposal Levy

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
AuME-TL43	25g Trace Au + Multi Element PKG

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.  
32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
www.alsglobal.com/geochemistry

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 2-OCT-2018  
Account: EARTOP

CERTIFICATE OF ANALYSIS AD18237031

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	AuME-TL43 Au ppm 0.001	AuME-TL43 Ag ppm 0.01	AuME-TL43 Al % 0.01	AuME-TL43 As ppm 0.1	AuME-TL43 B ppm 10	AuME-TL43 Ba ppm 10	AuME-TL43 Be ppm 0.05	AuME-TL43 Bi ppm 0.01	AuME-TL43 Ca % 0.01	AuME-TL43 Cd ppm 0.01	AuME-TL43 Ce ppm 0.02	AuME-TL43 Co ppm 0.1	AuME-TL43 Cr ppm 1	AuME-TL43 Cs ppm 0.05
EAIMON013S		0.09	<0.001	0.02	1.52	2.4	<10	60	1.20	0.24	3.74	0.01	47.4	18.0	43	0.71
EAIMON021S		0.15	<0.001	0.02	1.07	1.5	<10	50	0.84	0.19	5.13	0.02	34.0	10.2	26	0.37
EAIMON057S		0.06	<0.001	<0.01	1.61	0.4	<10	70	1.21	0.11	0.44	0.02	41.6	37.4	8	0.12
EAIMON064S		0.11	<0.001	0.02	0.83	0.8	<10	60	0.56	0.09	0.41	0.03	26.8	7.1	9	0.23
EAIMON073S		0.08	<0.001	0.02	0.71	0.9	<10	70	0.58	0.09	0.25	0.02	30.2	9.7	10	0.24
EAIMON081S		0.08	<0.001	0.05	0.90	6.8	<10	120	1.68	0.16	9.70	0.11	26.5	14.8	20	0.50
EAIMON111S		0.05	0.002	0.03	2.20	3.3	<10	80	1.71	0.23	1.26	0.06	47.1	36.2	13	0.21
EAIMON118S		0.09	<0.001	0.03	2.05	1.7	<10	100	1.21	0.16	1.43	0.04	44.8	36.3	6	0.08
EAIMON122S		0.05	<0.001	0.01	1.86	0.7	<10	120	0.87	0.13	0.51	0.01	41.5	10.2	17	0.65
EAIMON124S		0.06	<0.001	0.02	1.96	0.9	<10	130	0.94	0.14	0.49	0.01	45.1	11.0	18	0.69
EAIMON130S		0.06	<0.001	0.02	1.79	1.6	<10	70	1.26	0.12	1.36	0.05	38.7	29.8	7	0.06
EAIMON131S		0.05	<0.001	0.03	1.84	2.0	<10	80	1.32	0.13	1.35	0.06	37.3	28.3	9	0.12
EAIMON138S		0.06	<0.001	0.03	1.89	2.5	<10	70	1.33	0.15	2.88	0.07	41.4	31.8	8	0.09
EAIMON141S		0.05	0.004	0.05	1.84	1.6	<10	50	1.03	0.14	7.70	0.04	38.1	30.6	4	0.08
EAIMON143S		0.07	0.003	0.03	2.00	1.9	<10	80	1.08	0.16	2.78	0.04	56.8	33.4	7	0.09
EAIMON153S		0.10	<0.001	0.02	1.92	3.7	<10	100	1.64	0.14	1.68	0.09	41.7	37.6	10	0.11
EAIMON155S		0.06	0.001	0.03	2.09	2.1	<10	60	1.27	0.12	3.01	0.05	42.8	36.1	6	0.07
EAIMON161S		0.07	<0.001	0.02	2.29	1.9	<10	40	1.55	0.13	1.21	0.03	39.6	38.8	4	0.06
EAIMON163S		0.05	<0.001	0.02	1.99	2.9	<10	70	1.61	0.15	1.16	0.06	38.3	33.4	7	0.09
EAIMON192S		0.08	<0.001	0.01	1.17	1.2	<10	60	1.05	0.11	0.48	0.02	29.9	23.0	5	0.06
EAIMON200S		0.07	<0.001	0.03	1.95	3.4	<10	90	1.57	0.19	1.29	0.07	40.5	31.7	9	0.13
EAIMON214S		0.06	<0.001	0.01	1.99	0.4	<10	80	0.96	0.06	0.69	0.01	33.5	32.7	47	0.11
EAIMON220S		0.05	<0.001	0.01	2.38	0.8	<10	50	1.24	0.06	0.67	0.01	39.7	35.0	57	0.07
EAIMON227S		0.05	<0.001	0.01	2.54	0.9	<10	40	1.34	0.10	0.56	<0.01	48.7	36.1	58	0.06
EAIMON240S		0.06	<0.001	0.01	2.51	0.9	<10	40	1.45	0.08	0.54	0.01	46.0	34.7	57	0.07
EAIMON256S		0.06	<0.001	0.02	2.47	0.6	<10	50	1.34	0.08	0.74	0.01	41.7	31.9	57	<0.05
EAIMON258S		0.07	<0.001	0.02	2.69	0.8	<10	60	1.58	0.08	0.62	<0.01	49.0	37.7	55	0.06
EAIMON287S		0.08	<0.001	0.02	1.40	1.8	<10	20	0.94	0.11	8.54	0.02	22.4	11.7	7	0.07
EAIMON296S		0.09	<0.001	0.01	1.21	1.0	<10	20	0.68	0.07	14.20	0.02	20.4	11.6	3	0.08
EAIMON298S		0.05	<0.001	0.02	1.12	1.4	<10	40	1.11	0.14	0.37	0.01	38.4	29.1	8	0.07
EAIMON307S		0.09	<0.001	0.02	1.10	1.5	<10	50	1.00	0.21	0.39	0.02	37.6	21.2	13	0.16
EAIMON315S		0.06	<0.001	0.05	1.62	1.9	<10	50	1.00	0.34	0.53	0.03	39.6	30.9	12	0.12
EAIMON316S		0.05	0.002	0.09	1.95	2.9	<10	50	1.18	0.62	0.58	0.02	49.6	44.0	11	0.13



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com/geochemistry

Page: 2 - B  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-OCT-2018  
 Account: EARTOP

# CERTIFICATE OF ANALYSIS AD18237031

Sample Description	Method Analyte Units LOD	AuME-TL43 Cu ppm 0.2	AuME-TL43 Fe % 0.01	AuME-TL43 Ga ppm 0.05	AuME-TL43 Ge ppm 0.05	AuME-TL43 Hf ppm 0.02	AuME-TL43 Hg ppm 0.01	AuME-TL43 In ppm 0.005	AuME-TL43 K % 0.01	AuME-TL43 La ppm 0.2	AuME-TL43 Li ppm 0.1	AuME-TL43 Mg % 0.01	AuME-TL43 Mn ppm 5	AuME-TL43 Mo ppm 0.05	AuME-TL43 Na % 0.01	AuME-TL43 Nb ppm 0.05
EAIMON013S		15.0	3.49	6.63	0.05	0.09	0.02	0.034	0.15	24.0	21.4	1.86	497	0.38	0.02	0.60
EAIMON021S		14.4	2.39	4.05	<0.05	0.04	0.02	0.024	0.09	16.2	11.7	0.64	312	0.26	0.02	0.27
EAIMON057S		38.4	8.90	10.85	0.07	0.31	0.02	0.053	0.10	23.8	7.3	0.85	619	0.61	0.02	0.22
EAIMON064S		8.1	0.91	2.62	<0.05	0.06	0.01	0.011	0.06	11.5	1.7	0.23	400	0.06	0.01	<0.05
EAIMON073S		8.3	1.01	2.54	<0.05	0.05	0.02	0.012	0.07	13.5	2.1	0.13	611	0.13	0.02	<0.05
EAIMON081S		193.5	2.59	3.40	<0.05	0.04	0.02	0.027	0.13	12.0	6.1	0.28	904	0.98	0.02	0.22
EAIMON111S		170.5	5.67	11.50	0.06	0.19	0.03	0.059	0.14	25.7	31.9	1.29	756	0.60	0.01	0.17
EAIMON118S		508	6.18	11.10	0.06	0.18	0.01	0.042	0.11	22.7	18.0	1.42	804	0.50	0.02	0.18
EAIMON122S		11.9	1.54	5.64	<0.05	0.08	<0.01	0.023	0.15	21.0	5.7	0.50	502	<0.05	0.02	<0.05
EAIMON124S		11.4	1.62	6.04	<0.05	0.09	<0.01	0.024	0.15	22.4	6.5	0.54	540	<0.05	0.02	<0.05
EAIMON130S		177.5	5.52	9.43	0.06	0.15	0.02	0.042	0.14	20.7	12.9	1.04	659	0.44	0.02	0.83
EAIMON131S		187.5	5.82	9.45	0.06	0.15	0.02	0.037	0.14	20.5	11.2	0.99	687	0.50	0.02	0.35
EAIMON138S		161.5	5.82	9.72	0.06	0.13	0.03	0.045	0.13	22.1	9.5	0.97	697	0.45	0.02	0.66
EAIMON141S		501	5.80	9.81	0.05	0.18	0.02	0.042	0.07	22.7	18.2	1.00	638	0.34	0.02	0.14
EAIMON143S		418	5.14	11.20	0.07	0.14	0.02	0.064	0.13	27.4	26.4	1.33	904	0.41	0.02	0.12
EAIMON153S		191.5	6.17	10.40	0.06	0.19	0.01	0.043	0.12	20.2	17.0	1.36	839	0.53	0.02	0.24
EAIMON155S		324	6.27	11.10	0.06	0.19	0.02	0.049	0.13	22.2	14.2	1.26	575	0.36	0.02	0.38
EAIMON161S		206	6.68	14.70	0.07	0.42	0.02	0.053	0.08	22.7	20.9	1.97	574	0.35	0.02	0.19
EAIMON163S		260	6.25	11.35	0.07	0.22	0.02	0.045	0.10	22.0	17.8	1.58	594	0.57	0.02	0.40
EAIMON192S		125.5	5.75	7.38	0.06	0.41	0.01	0.038	0.09	18.3	5.7	0.64	485	0.32	0.02	0.28
EAIMON200S		383	6.08	10.55	0.06	0.16	0.02	0.044	0.10	22.1	19.0	1.50	1070	0.55	0.02	0.14
EAIMON214S		118.0	6.84	10.10	0.07	0.53	0.02	0.036	0.11	20.2	8.1	1.97	1000	0.39	0.03	0.05
EAIMON220S		171.5	7.30	11.90	0.07	0.48	0.02	0.050	0.09	23.9	13.9	2.36	502	0.36	0.02	0.12
EAIMON227S		175.0	7.83	13.15	0.09	0.38	0.01	0.055	0.08	28.5	17.6	2.64	495	0.32	0.02	0.10
EAIMON240S		139.0	7.17	13.60	0.07	0.46	0.01	0.054	0.11	26.6	13.3	2.69	400	0.24	0.02	0.06
EAIMON256S		227	5.96	11.95	0.07	0.42	0.01	0.044	0.14	26.4	12.0	2.80	398	0.25	0.02	0.34
EAIMON258S		223	7.33	15.00	0.06	0.38	0.02	0.047	0.14	28.2	11.4	2.58	655	0.31	0.02	0.12
EAIMON287S		156.0	3.83	7.25	0.05	0.09	0.02	0.039	0.11	17.1	7.4	0.41	165	0.18	0.01	0.15
EAIMON296S		126.0	3.26	6.32	<0.05	0.08	0.01	0.031	0.07	16.1	6.2	0.37	131	0.16	0.02	0.08
EAIMON298S		238	5.70	8.03	0.05	0.08	0.02	0.046	0.11	19.4	7.5	0.21	346	0.33	0.02	0.16
EAIMON307S		294	4.70	6.53	0.05	0.08	0.03	0.040	0.13	22.0	10.7	0.40	438	0.40	0.02	0.32
EAIMON315S		1070	5.28	9.22	0.06	0.14	0.03	0.047	0.12	23.9	20.5	1.01	543	0.64	0.01	0.24
EAIMON316S		2020	6.33	11.60	0.08	0.15	0.04	0.056	0.12	30.6	24.3	1.20	631	0.98	0.02	0.23



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com/geochemistry

Page: 2 - C  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-OCT-2018  
 Account: EARTOP

# CERTIFICATE OF ANALYSIS AD18237031

Sample Description	Method Analyte Units LOD	AuME-TL43 Ni ppm 0.2	AuME-TL43 P ppm 10	AuME-TL43 Pb ppm 0.2	AuME-TL43 Rb ppm 0.1	AuME-TL43 Re ppm 0.001	AuME-TL43 S % 0.01	AuME-TL43 Sb ppm 0.05	AuME-TL43 Sc ppm 0.1	AuME-TL43 Se ppm 0.2	AuME-TL43 Sn ppm 0.2	AuME-TL43 Sr ppm 0.2	AuME-TL43 Ta ppm 0.01	AuME-TL43 Te ppm 0.01	AuME-TL43 Th ppm 0.2	AuME-TL43 Ti % 0.005
EAIMON013S		20.9	110	9.6	10.9	<0.001	0.01	0.28	7.6	<0.2	1.3	19.1	<0.01	0.05	4.8	0.016
EAIMON021S		11.6	70	8.0	7.5	<0.001	0.01	0.17	3.9	0.2	0.9	6.7	<0.01	0.03	3.6	0.006
EAIMON057S		13.2	260	7.5	6.3	0.001	0.01	<0.05	22.2	<0.2	1.7	16.2	<0.01	0.01	7.6	0.192
EAIMON064S		6.1	90	8.1	6.4	<0.001	0.01	0.05	2.2	<0.2	0.5	11.7	<0.01	0.02	2.7	<0.005
EAIMON073S		7.0	110	8.9	8.6	<0.001	0.01	0.05	2.4	<0.2	0.5	11.9	<0.01	0.02	2.6	<0.005
EAIMON081S		14.4	830	18.1	7.4	<0.001	0.04	0.20	4.7	0.2	0.8	14.9	<0.01	0.04	1.5	<0.005
EAIMON111S		17.5	790	13.6	6.2	<0.001	0.02	0.08	19.6	0.2	1.3	7.5	<0.01	0.02	4.0	0.006
EAIMON118S		14.2	600	8.8	3.7	<0.001	0.01	0.05	13.7	<0.2	1.1	7.4	<0.01	0.01	4.4	0.033
EAIMON122S		9.8	30	10.0	14.8	<0.001	0.01	0.05	5.0	<0.2	0.9	20.9	<0.01	0.02	4.8	<0.005
EAIMON124S		10.8	30	10.3	15.7	<0.001	0.01	0.06	5.3	<0.2	0.9	21.8	<0.01	0.01	5.1	<0.005
EAIMON130S		12.9	490	8.0	3.5	<0.001	0.03	0.07	12.3	0.2	1.1	8.7	<0.01	<0.01	3.1	0.052
EAIMON131S		13.1	500	10.4	5.5	<0.001	0.02	0.07	14.7	<0.2	1.1	6.8	<0.01	0.02	4.3	0.051
EAIMON138S		12.9	450	10.3	5.1	<0.001	0.02	0.07	14.1	0.2	1.2	6.1	<0.01	0.01	4.1	0.103
EAIMON141S		11.2	570	5.1	2.6	<0.001	0.03	<0.05	9.5	<0.2	1.0	7.9	<0.01	<0.01	2.2	0.013
EAIMON143S		16.2	910	6.8	4.0	<0.001	0.02	<0.05	18.6	<0.2	1.1	10.0	<0.01	0.01	3.0	0.014
EAIMON153S		16.8	720	19.1	5.0	<0.001	0.01	0.10	12.7	<0.2	1.1	7.4	<0.01	0.01	4.1	0.026
EAIMON155S		13.6	420	10.7	4.2	<0.001	0.01	0.05	17.2	<0.2	1.2	5.5	<0.01	0.01	5.0	0.090
EAIMON161S		14.3	300	6.1	2.6	<0.001	0.01	0.05	17.7	<0.2	1.3	6.4	<0.01	0.01	6.6	0.158
EAIMON163S		15.0	560	10.3	3.4	<0.001	0.02	0.07	14.9	<0.2	1.1	6.1	<0.01	0.01	4.9	0.066
EAIMON192S		9.3	240	5.9	3.9	<0.001	0.01	0.05	14.4	<0.2	1.1	6.0	<0.01	0.01	5.9	0.139
EAIMON200S		15.3	600	11.3	3.6	<0.001	0.01	0.08	11.1	<0.2	1.0	5.7	<0.01	0.02	4.1	0.024
EAIMON214S		25.8	290	6.6	2.7	<0.001	<0.01	<0.05	17.6	<0.2	1.1	26.9	<0.01	0.01	5.4	0.319
EAIMON220S		28.8	210	5.8	2.7	<0.001	0.01	<0.05	19.9	<0.2	1.4	20.6	<0.01	<0.01	5.1	0.317
EAIMON227S		27.1	220	5.9	2.4	0.001	0.01	<0.05	22.6	<0.2	1.6	17.5	<0.01	0.01	5.0	0.277
EAIMON240S		27.8	220	5.0	3.3	<0.001	<0.01	<0.05	21.0	<0.2	1.4	21.2	<0.01	0.01	6.0	0.223
EAIMON256S		26.7	180	5.7	2.8	<0.001	0.01	<0.05	18.6	<0.2	1.4	26.8	<0.01	0.01	5.0	0.200
EAIMON258S		27.4	340	5.9	3.4	<0.001	0.01	<0.05	22.5	<0.2	1.3	28.4	<0.01	0.01	5.4	0.157
EAIMON287S		7.3	320	3.7	4.2	<0.001	0.03	0.05	8.9	<0.2	0.9	6.1	<0.01	0.01	2.1	0.005
EAIMON296S		5.8	230	1.6	2.7	<0.001	0.03	<0.05	6.6	0.2	0.7	5.9	<0.01	0.02	1.5	<0.005
EAIMON298S		8.9	190	4.1	4.5	<0.001	0.01	<0.05	14.0	<0.2	1.2	3.4	<0.01	0.02	3.6	0.013
EAIMON307S		10.8	320	5.7	5.9	<0.001	0.02	0.06	11.3	<0.2	1.1	4.0	<0.01	0.02	3.0	0.011
EAIMON315S		13.1	420	10.7	5.2	<0.001	0.02	0.06	16.9	<0.2	1.2	6.7	<0.01	0.02	3.9	0.007
EAIMON316S		14.7	430	16.9	5.2	<0.001	0.02	0.06	23.4	0.2	1.3	7.2	<0.01	0.02	4.4	0.007



Australian Laboratory Services Pty. Ltd.  
32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
www.alsglobal.com/geochemistry

Page: 2 - D  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 2-OCT-2018  
Account: EARTOP

**CERTIFICATE OF ANALYSIS AD18237031**

Sample Description	Method Analyte Units LOD	AuME-TL43 TI ppm 0.02	AuME-TL43 U ppm 0.05	AuME-TL43 V ppm 1	AuME-TL43 W ppm 0.05	AuME-TL43 Y ppm 0.05	AuME-TL43 Zn ppm 2	AuME-TL43 Zr ppm 0.5
EAIMON013S		0.08	0.58	66	0.12	12.20	27	3.9
EAIMON021S		0.07	0.38	43	0.08	9.37	23	1.8
EAIMON057S		0.04	0.98	325	0.05	21.7	72	14.2
EAIMON064S		0.06	0.15	31	<0.05	6.75	12	1.7
EAIMON073S		0.07	0.21	37	<0.05	7.71	8	1.7
EAIMON081S		0.21	0.53	44	0.09	11.65	36	1.4
EAIMON111S		0.08	0.61	123	0.07	20.9	71	4.3
EAIMON118S		0.16	0.61	138	0.07	18.20	91	4.5
EAIMON122S		0.09	0.15	40	<0.05	11.15	11	2.8
EAIMON124S		0.10	0.16	43	<0.05	12.00	11	2.9
EAIMON130S		0.06	0.63	130	0.08	19.20	75	5.4
EAIMON131S		0.10	0.59	136	0.06	19.20	76	5.2
EAIMON138S		0.08	0.71	136	0.09	22.0	46	6.2
EAIMON141S		0.21	0.44	135	0.06	20.7	66	3.5
EAIMON143S		0.11	0.39	108	0.05	19.90	215	3.0
EAIMON153S		0.16	0.61	121	0.08	17.80	87	4.6
EAIMON155S		0.10	0.67	152	0.06	23.7	56	8.6
EAIMON161S		0.04	1.22	154	0.12	27.3	46	24.1
EAIMON163S		0.06	0.77	129	0.09	22.5	73	9.0
EAIMON192S		0.04	0.74	153	0.10	18.95	35	20.8
EAIMON200S		0.13	0.64	119	0.07	21.4	90	4.2
EAIMON214S		<0.02	0.81	176	0.11	16.55	159	23.9
EAIMON220S		<0.02	0.96	230	0.11	17.65	101	17.6
EAIMON227S		0.02	0.94	249	0.07	16.80	86	11.8
EAIMON240S		<0.02	0.94	207	0.05	18.75	56	19.9
EAIMON256S		<0.02	0.84	200	0.06	16.70	71	13.3
EAIMON258S		0.02	0.85	216	0.06	20.5	81	13.9
EAIMON287S		0.05	0.30	96	0.05	12.90	26	2.2
EAIMON296S		0.06	0.31	99	<0.05	11.75	48	1.7
EAIMON298S		0.08	0.52	170	0.06	14.00	32	3.1
EAIMON307S		0.10	0.51	127	0.10	13.90	66	2.4
EAIMON315S		0.16	0.59	122	0.09	14.70	73	4.2
EAIMON316S		0.18	0.76	151	0.12	20.7	67	4.3



Australian Laboratory Services Pty. Ltd.  
32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
www.alsglobal.com/geochemistry

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 2-OCT-2018  
Account: EARTOP

**CERTIFICATE OF ANALYSIS AD18237031**

**CERTIFICATE COMMENTS**

**LABORATORY ADDRESSES**

Applies to Method:

Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia  
AuME-TL43

Applies to Method:

Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.  
LEV-01 LOG-22 WEI-21