



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Page: 1
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 8-NOV-2021
Account: STRENERES

QC CERTIFICATE MI21263540

Project: East Tennant

P.O. No.: 21092xx SER ET

This report is for 250 samples of 1/2 Core submitted to our lab in Mount Isa, QLD, Australia on 1-OCT-2021.

The following have access to data associated with this certificate:

NEIL CHALMERS

DAVID DETATA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
LOG-22	Sample login – Rcd w/o BarCode
LEV-01	Waste Disposal Levy
LEV-02	Remote Lab Surcharge
CRU-32c	Fine Crushing 90% <4mm
SPL-22Y	Split Sample – Boyd Rotary Splitter
PUL-32m	Pulverize 500g – 85%<75um
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61L	Super Trace Lowest DL 4A by ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
 LEVEL 4
 100 ALBERT ROAD
 SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 2 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3	ME-MS61L Cs ppm 0.01	ME-MS61L Cu ppm 0.02	ME-MS61L Fe % 0.002
STANDARDS																
GLG313-1		0.032														
GLG313-1		0.031														
GLG313-1		0.032														
GLG313-1		0.032														
GLG313-1		0.036														
GLG313-1		0.032														
Target Range - Lower Bound		0.021														
Upper Bound		0.041														
GLG908-4			1.455	7.38	0.66	431	2.20	0.093	3.71	0.053	43.2	22.4	52.5	2.77	49.1	5.75
GLG908-4			1.425	7.23	0.60	421	2.18	0.095	3.63	0.062	43.3	22.6	55.4	2.60	50.3	5.62
GLG908-4			1.305	7.25	0.81	412	2.18	0.092	3.63	0.053	41.1	22.8	53.9	2.64	53.3	5.66
GLG908-4			1.280	7.07	1.07	409	2.12	0.098	3.48	0.051	40.8	23.3	50.9	2.61	50.7	5.61
Target Range - Lower Bound			1.240	6.27	0.41	375	2.23	0.084	3.10	0.057	38.4	20.8	47.1	2.43	46.0	5.16
Upper Bound			1.520	7.69	0.55	510	2.77	0.107	3.81	0.085	46.9	25.4	58.3	2.99	53.0	6.31
GLG914-4		0.382														
GLG914-4		0.363														
GLG914-4		0.382														
GLG914-4		0.368														
GLG914-4		0.393														
GLG914-4		0.394														
Target Range - Lower Bound		0.342														
Upper Bound		0.396														
OREAS 20a			0.057	7.67	17.95	1070	3.33	0.099	2.54	0.060	73.2	12.25	65.0	15.15	43.8	3.56
OREAS 20a			0.061	7.85	17.35	1090	3.47	0.261	2.61	0.079	79.4	13.05	71.1	15.50	44.9	3.64
OREAS 20a			0.073	7.45	15.35	1060	3.38	0.129	2.51	0.073	76.0	13.75	64.4	15.50	44.3	3.53
OREAS 20a			0.064	7.87	21.9	1130	3.56	0.145	2.67	0.072	69.5	14.15	68.5	14.70	45.4	3.74
OREAS 20a			0.056	7.98	18.85	1130	3.50	0.129	2.59	0.074	79.6	13.75	69.5	15.75	45.6	3.62
Target Range - Lower Bound			0.053	6.94	15.30	909	3.27	0.124	2.26	0.072	69.3	12.05	58.2	13.65	42.2	3.24
Upper Bound			0.069	8.50	18.70	1230	4.04	0.156	2.78	0.100	84.7	14.75	71.8	16.75	48.6	3.96
OREAS 920			0.155	7.55	5.45	540	2.51	0.574	0.50	0.050	92.6	14.90	82.3	8.81	110.0	3.97
OREAS 920			0.139	7.82	5.81	560	2.61	0.607	0.52	0.059	100.5	15.20	83.1	8.95	109.0	4.07
OREAS 920			0.119	7.53	5.32	530	2.55	0.646	0.50	0.052	90.2	14.35	80.4	8.33	102.0	3.92
OREAS 920			0.143	7.76	6.54	550	2.56	0.944	0.50	0.049	91.8	16.70	79.1	8.53	110.0	4.07
Target Range - Lower Bound			0.088	6.91	4.80	463	2.57	0.619	0.44	0.066	84.6	14.05	75.3	7.76	104.0	3.72
Upper Bound			0.112	8.47	5.91	629	3.19	0.761	0.56	0.094	103.5	17.15	92.7	9.50	120.0	4.56



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
 LEVEL 4
 100 ALBERT ROAD
 SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 2 - B
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L Ga ppm 0.05	ME-MS61L Ge ppm 0.05	ME-MS61L Hf ppm 0.004	ME-MS61L In ppm 0.005	ME-MS61L K % 0.01	ME-MS61L La ppm 0.005	ME-MS61L Li ppm 0.2	ME-MS61L Mg % 0.01	ME-MS61L Mn ppm 0.2	ME-MS61L Mo ppm 0.02	ME-MS61L Na % 0.001	ME-MS61L Nb ppm 0.005	ME-MS61L Ni ppm 0.08	ME-MS61L P % 0.001	ME-MS61L Pb ppm 0.01
STANDARDS																
GLG313-1																
GLG313-1																
GLG313-1																
GLG313-1																
GLG313-1																
GLG313-1																
Target Range - Lower Bound																
Upper Bound																
GLG908-4		21.7	0.18	4.01	0.064	2.07	21.4	17.9	1.73	843	8.10	2.56	10.55	26.2	0.057	26.0
GLG908-4		22.9	0.31	3.42	0.051	2.01	21.9	18.4	1.71	838	7.92	2.50	10.70	26.6	0.057	24.9
GLG908-4		22.8	0.30	3.52	0.060	1.99	21.6	16.9	1.67	826	7.62	2.50	10.10	26.3	0.056	26.5
GLG908-4		20.9	0.08	3.39	0.054	2.17	21.4	19.9	1.59	829	7.98	2.47	10.50	27.5	0.053	24.9
Target Range - Lower Bound		19.05	0.08	2.97	0.050	1.78	19.60	16.2	1.53	756	6.96	2.26	9.45	24.0	0.050	23.4
Upper Bound		23.4	0.32	3.63	0.076	2.20	24.0	20.2	1.89	924	8.56	2.76	11.55	29.6	0.064	28.6
GLG914-4																
GLG914-4																
GLG914-4																
GLG914-4																
GLG914-4																
GLG914-4																
Target Range - Lower Bound																
Upper Bound																
OREAS 20a		18.80	0.20	2.81	0.047	3.25	35.5	37.0	1.33	509	3.46	1.945	19.00	36.0	0.096	20.5
OREAS 20a		19.00	0.46	3.06	0.047	3.33	38.6	38.3	1.37	522	3.37	2.02	20.8	38.1	0.100	22.4
OREAS 20a		19.15	0.51	2.79	0.061	3.22	35.3	38.0	1.32	507	3.08	1.960	20.4	39.6	0.098	21.9
OREAS 20a		19.95	0.46	2.96	0.053	3.41	32.2	39.4	1.38	533	3.15	2.08	21.4	39.9	0.105	21.7
OREAS 20a		18.95	0.25	3.10	0.056	3.28	40.1	37.7	1.34	517	3.30	1.960	20.7	38.6	0.102	21.2
Target Range - Lower Bound		17.60	<0.05	2.60	0.038	2.93	32.8	34.5	1.21	468	2.91	1.780	18.35	35.0	0.090	19.70
Upper Bound		21.6	0.29	3.18	0.063	3.61	40.2	42.6	1.51	572	3.60	2.18	22.4	43.0	0.112	24.1
OREAS 920		19.95	0.17	4.61	0.072	2.83	45.1	27.4	1.33	570	0.46	0.634	17.45	40.0	0.071	21.5
OREAS 920		21.1	0.25	4.66	0.082	2.90	48.3	28.3	1.37	604	0.41	0.653	18.50	40.5	0.073	23.6
OREAS 920		19.80	0.37	4.41	0.075	2.78	43.9	27.2	1.31	568	0.35	0.621	16.15	38.2	0.072	22.1
OREAS 920		20.5	0.14	4.86	0.084	2.94	46.8	30.4	1.30	602	0.42	0.644	17.70	43.1	0.070	22.6
Target Range - Lower Bound		18.65	<0.05	4.14	0.070	2.59	41.5	26.0	1.23	540	0.39	0.569	15.65	37.5	0.067	21.1
Upper Bound		22.9	0.29	5.06	0.098	3.19	50.7	32.2	1.53	660	0.53	0.697	19.15	46.1	0.084	25.9



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
 LEVEL 4
 100 ALBERT ROAD
 SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 2 – C
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L Rb ppm 0.02	ME-MS61L Re ppm 0.0004	ME-MS61L S % 0.01	ME-MS61L Sb ppm 0.02	ME-MS61L Sc ppm 0.01	ME-MS61L Se ppm 0.006	ME-MS61L Sn ppm 0.02	ME-MS61L Sr ppm 0.02	ME-MS61L Ta ppm 0.01	ME-MS61L Te ppm 0.005	ME-MS61L Th ppm 0.004	ME-MS61L Ti % 0.001	ME-MS61L Tl ppm 0.002	ME-MS61L U ppm 0.01	ME-MS61L V ppm 0.1
STANDARDS																
GLG313-1																
GLG313-1																
GLG313-1																
GLG313-1																
GLG313-1																
GLG313-1																
Target Range – Lower Bound																
Upper Bound																
GLG908-4		119.5	0.0010	0.06	0.79	20.6	0.129	3.61	149.0	1.25	0.005	14.35	0.688	0.694	6.52	183.0
GLG908-4		111.5	0.0009	0.06	0.74	20.2	0.151	3.45	146.0	1.25	<0.005	13.75	0.671	0.692	6.33	178.5
GLG908-4		117.5	0.0007	0.05	0.72	21.1	0.130	3.38	145.0	1.21	0.007	14.00	0.675	0.705	6.88	186.5
GLG908-4		114.0	0.0010	0.05	0.74	18.75	0.118	3.27	147.0	1.22	0.005	13.60	0.664	0.659	6.21	178.5
Target Range – Lower Bound		104.0	<0.0004	0.03	0.62	18.00	0.125	3.14	134.5	1.07	<0.005	12.40	0.613	0.586	5.87	163.5
Upper Bound		127.0	0.0019	0.07	0.89	22.0	0.166	3.89	164.5	1.33	0.014	15.20	0.751	0.798	7.19	200
GLG914-4																
GLG914-4																
GLG914-4																
GLG914-4																
GLG914-4																
GLG914-4																
Target Range – Lower Bound																
Upper Bound																
OREAS 20a		210	0.0008	0.06	0.55	12.80	0.107	3.90	291	1.44	0.008	19.05	0.480	1.015	5.72	107.5
OREAS 20a		225	0.0012	0.06	0.57	12.85	0.132	4.09	295	1.63	0.010	20.5	0.498	1.135	6.00	114.0
OREAS 20a		214	0.0009	0.06	0.56	13.75	0.098	3.97	285	1.56	0.008	19.80	0.477	1.150	5.74	110.5
OREAS 20a		195.0	0.0011	0.07	0.60	12.35	0.109	4.09	303	1.59	0.010	17.85	0.508	1.130	5.38	114.5
OREAS 20a		237	0.0009	0.07	0.59	12.90	0.117	4.21	305	1.49	0.010	20.2	0.497	1.020	5.67	109.5
Target Range – Lower Bound		196.0	<0.0004	0.04	0.46	11.05	0.102	3.61	266	1.39	<0.005	19.70	0.439	0.959	5.72	98.9
Upper Bound		240	0.0016	0.09	0.68	13.55	0.138	4.45	326	1.73	0.021	24.1	0.539	1.300	7.02	121.0
OREAS 920		174.5	0.0004	0.03	1.54	13.90	0.283	5.08	80.0	1.29	0.023	17.70	0.470	0.822	3.49	95.1
OREAS 920		178.5	0.0004	0.03	1.71	13.65	0.269	5.30	81.1	1.43	0.022	18.45	0.488	0.874	3.68	97.6
OREAS 920		166.5	<0.0004	0.03	1.48	13.80	0.237	4.66	77.3	1.26	0.022	17.50	0.467	0.836	3.45	97.6
OREAS 920		159.5	<0.0004	0.03	1.56	13.85	0.270	4.85	84.4	1.42	0.022	18.35	0.481	0.870	3.62	98.7
Target Range – Lower Bound		158.5	<0.0004	<0.01	1.25	12.85	0.216	4.52	73.8	1.21	0.010	17.35	0.438	0.748	3.36	87.2
Upper Bound		193.5	0.0008	0.05	1.73	15.75	0.278	5.56	90.2	1.51	0.032	21.2	0.538	1.015	4.12	107.0



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 2 – D
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 8–NOV–2021
Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L W ppm 0.008	ME-MS61L Y ppm 0.01	ME-MS61L Zn ppm 0.2	ME-MS61L Zr ppm 0.1
STANDARDS					
GLG313-1					
GLG313-1					
GLG313-1					
GLG313-1					
GLG313-1					
GLG313-1					
Target Range – Lower Bound					
Upper Bound					
GLG908-4		0.817	28.2	79.1	122.0
GLG908-4		0.797	27.8	81.4	116.5
GLG908-4		0.819	27.8	79.0	115.0
GLG908-4		0.767	28.4	78.6	118.0
Target Range – Lower Bound		0.664	25.0	73.1	104.0
Upper Bound		0.918	30.6	89.7	141.0
GLG914-4					
GLG914-4					
GLG914-4					
GLG914-4					
GLG914-4					
GLG914-4					
Target Range – Lower Bound					
Upper Bound					
OREAS 20a		3.28	25.6	67.6	91.6
OREAS 20a		3.42	27.1	70.6	96.8
OREAS 20a		3.37	26.7	72.0	91.1
OREAS 20a		3.33	25.6	72.8	94.6
OREAS 20a		3.41	28.1	71.9	96.5
Target Range – Lower Bound		2.87	24.1	61.9	75.6
Upper Bound		3.90	29.5	76.1	102.5
OREAS 920		3.26	32.9	113.0	162.5
OREAS 920		3.17	33.4	121.5	166.0
OREAS 920		2.91	31.7	112.0	152.0
OREAS 920		3.21	34.2	118.0	164.0
Target Range – Lower Bound		2.64	29.9	104.0	128.5
Upper Bound		3.58	36.5	128.0	174.0



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 8-NOV-2021
Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	Au-AA23	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.005	0.002	0.01	0.02	1	0.02	0.002	0.01	0.005	0.01	0.005	0.3	0.01	0.02	0.002
STANDARDS																
OREAS 921			0.158	7.84	6.06	550	2.57	1.100	0.52	0.072	90.0	14.95	82.8	8.47	267	4.35
OREAS 921			0.166	7.59	5.38	530	2.53	1.375	0.50	0.086	91.4	15.35	86.6	8.44	268	4.20
OREAS 921			0.155	7.82	5.69	550	2.64	1.015	0.52	0.083	87.2	16.40	80.4	8.39	294	4.41
OREAS 921			0.178	7.47	5.82	520	2.49	1.400	0.49	0.066	91.2	16.75	81.9	8.36	268	4.16
OREAS 921			0.153	8.01	5.86	560	2.62	0.963	0.50	0.073	87.9	16.50	84.6	8.24	272	4.23
Target Range - Lower Bound			0.135	6.85	4.62	455	2.53	1.080	0.44	0.071	81.9	14.85	70.8	7.67	255	3.87
Upper Bound			0.169	8.39	5.69	619	3.13	1.320	0.56	0.099	100.0	18.15	87.2	9.39	293	4.73
OxA71		0.084														
OxA71		0.081														
OxA71		0.080														
OxA71		0.083														
OxA71		0.089														
OxA71		0.081														
Target Range - Lower Bound		0.074														
Upper Bound		0.096														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.006														
BLANK		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
BLANK			<0.002	<0.01	<0.02	<1	<0.02	<0.002	<0.01	<0.005	<0.01	<0.005	0.3	<0.01	<0.02	<0.002
BLANK			<0.002	<0.01	<0.02	<1	<0.02	<0.002	<0.01	<0.005	<0.01	<0.005	<0.3	<0.01	0.02	<0.002
BLANK			<0.002	<0.01	<0.02	<1	<0.02	<0.002	<0.01	<0.005	<0.01	<0.005	<0.3	<0.01	0.02	<0.002
BLANK			<0.002	<0.01	<0.02	<1	<0.02	<0.002	<0.01	<0.005	<0.01	<0.005	<0.3	<0.01	<0.02	<0.002
BLANK			<0.002	<0.01	0.02	<1	<0.02	<0.002	<0.01	<0.005	<0.01	<0.005	<0.3	<0.01	<0.02	<0.002
BLANK			<0.002	<0.01	<0.02	<1	<0.02	<0.002	<0.01	<0.005	<0.01	<0.005	<0.3	<0.01	<0.02	<0.002
BLANK			<0.002	<0.01	<0.02	<1	<0.02	<0.002	<0.01	<0.005	<0.01	<0.005	<0.3	<0.01	<0.02	<0.002
BLANK			<0.002	<0.01	<0.02	<1	<0.02	<0.002	<0.01	<0.005	0.01	<0.005	<0.3	<0.01	<0.02	<0.002
BLANK			<0.002	<0.01	<0.02	<1	<0.02	<0.002	<0.01	<0.005	<0.01	<0.005	<0.3	<0.01	<0.02	<0.002
BLANK			<0.002	<0.01	0.02	<1	<0.02	<0.002	<0.01	<0.005	<0.01	<0.005	<0.3	<0.01	<0.02	<0.002
BLANK			<0.002	<0.01	<0.02	<1	<0.02	<0.002	<0.01	<0.005	<0.01	<0.005	<0.3	<0.01	<0.02	<0.002
BLANK			<0.002	<0.01	0.02	<1	<0.02	<0.002	<0.01	<0.005	0.01	<0.005	<0.3	<0.01	<0.02	<0.002

Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 8-NOV-2021
Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L Rb ppm 0.02	ME-MS61L Re ppm 0.0004	ME-MS61L S % 0.01	ME-MS61L Sb ppm 0.02	ME-MS61L Sc ppm 0.01	ME-MS61L Se ppm 0.006	ME-MS61L Sn ppm 0.02	ME-MS61L Sr ppm 0.02	ME-MS61L Ta ppm 0.01	ME-MS61L Te ppm 0.005	ME-MS61L Th ppm 0.004	ME-MS61L Ti % 0.001	ME-MS61L Tl ppm 0.002	ME-MS61L U ppm 0.01	ME-MS61L V ppm 0.1
STANDARDS																
OREAS 921		172.0	0.0004	0.07	1.46	14.30	0.539	5.66	75.4	1.26	0.024	18.10	0.479	0.820	3.54	96.2
OREAS 921		171.5	0.0004	0.07	1.51	13.95	0.587	5.51	74.7	1.30	0.019	17.60	0.461	0.857	3.46	95.0
OREAS 921		160.0	0.0006	0.07	1.47	15.60	0.588	5.69	77.4	1.39	0.021	17.75	0.492	0.946	3.77	97.0
OREAS 921		176.0	0.0005	0.07	1.46	14.15	0.576	5.43	75.2	1.33	0.024	18.20	0.455	0.906	3.57	96.9
OREAS 921		177.0	<0.0004	0.07	1.44	14.35	0.596	5.45	77.4	1.27	0.017	17.30	0.480	0.820	3.32	96.1
Target Range - Lower Bound		158.5	<0.0004	0.04	1.20	12.75	0.455	5.22	70.2	1.18	0.007	16.85	0.419	0.772	3.31	87.2
Upper Bound		193.5	0.0008	0.09	1.68	15.65	0.569	6.42	85.8	1.46	0.029	20.6	0.515	1.050	4.07	107.0
OxA71																
OxA71																
OxA71																
OxA71																
OxA71																
OxA71																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.02	<0.0004	<0.01	<0.02	<0.01	<0.006	<0.02	<0.02	<0.01	<0.005	<0.004	<0.001	<0.002	<0.01	0.1
BLANK		<0.02	<0.0004	<0.01	<0.02	<0.01	<0.006	0.02	<0.02	<0.01	<0.005	<0.004	<0.001	<0.002	<0.01	<0.1
BLANK		<0.02	<0.0004	<0.01	<0.02	<0.01	<0.006	<0.02	<0.02	<0.01	<0.005	<0.004	<0.001	<0.002	<0.01	<0.1
BLANK		<0.02	<0.0004	<0.01	<0.02	<0.01	<0.006	<0.02	<0.02	<0.01	<0.005	<0.004	<0.001	<0.002	<0.01	<0.1
BLANK		0.02	<0.0004	<0.01	<0.02	<0.01	<0.006	<0.02	<0.02	<0.01	<0.005	<0.004	<0.001	<0.002	<0.01	<0.1
BLANK		<0.02	<0.0004	<0.01	<0.02	<0.01	<0.006	<0.02	<0.02	<0.01	<0.005	<0.004	<0.001	<0.002	<0.01	<0.1
BLANK		<0.02	<0.0004	<0.01	<0.02	<0.01	<0.006	<0.02	<0.02	<0.01	<0.005	<0.004	<0.001	<0.002	<0.01	<0.1
BLANK		0.04	<0.0004	<0.01	<0.02	<0.01	<0.006	<0.02	<0.02	<0.01	<0.005	<0.004	<0.001	<0.002	<0.01	<0.1
BLANK		<0.02	<0.0004	<0.01	<0.02	<0.01	<0.006	<0.02	<0.02	<0.01	<0.005	<0.004	<0.001	0.002	<0.01	<0.1
BLANK		<0.02	<0.0004	<0.01	<0.02	<0.01	<0.006	<0.02	<0.02	<0.01	<0.005	<0.004	<0.001	<0.002	<0.01	<0.1
BLANK		<0.02	<0.0004	<0.01	<0.02	<0.01	<0.006	<0.02	<0.02	<0.01	<0.005	<0.004	<0.001	<0.002	<0.01	<0.1
BLANK		0.03	<0.0004	<0.01	<0.02	<0.01	<0.006	<0.02	<0.02	<0.01	<0.005	<0.004	<0.001	<0.002	<0.01	<0.1



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 3 – D
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 8–NOV–2021
Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L W ppm 0.008	ME-MS61L Y ppm 0.01	ME-MS61L Zn ppm 0.2	ME-MS61L Zr ppm 0.1
STANDARDS					
OREAS 921		3.16	31.3	135.0	155.5
OREAS 921		3.27	31.6	136.0	154.0
OREAS 921		3.15	31.1	142.5	156.0
OREAS 921		3.20	31.8	135.0	153.0
OREAS 921		3.07	32.2	139.0	156.5
Target Range – Lower Bound		2.58	29.4	118.5	125.0
Upper Bound		3.52	36.0	145.5	169.0
OxA71					
OxA71					
OxA71					
OxA71					
OxA71					
OxA71					
Target Range – Lower Bound					
Upper Bound					
BLANKS					
BLANK					
BLANK					
BLANK					
BLANK					
BLANK					
BLANK					
Target Range – Lower Bound					
Upper Bound					
BLANK		<0.008	<0.01	<0.2	<0.1
BLANK		<0.008	<0.01	0.2	<0.1
BLANK		<0.008	<0.01	<0.2	<0.1
BLANK		<0.008	<0.01	<0.2	<0.1
BLANK		<0.008	<0.01	<0.2	<0.1
BLANK		<0.008	<0.01	<0.2	<0.1
BLANK		<0.008	<0.01	<0.2	<0.1
BLANK		<0.008	<0.01	<0.2	<0.1
BLANK		<0.008	<0.01	<0.2	<0.1
BLANK		<0.008	<0.01	<0.2	<0.1
BLANK		<0.008	<0.01	<0.2	<0.1
BLANK		<0.008	<0.01	<0.2	<0.1
BLANK		<0.008	<0.01	<0.2	<0.1
BLANK		<0.008	<0.01	<0.2	<0.1



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 4 – A
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3	ME-MS61L Cs ppm 0.01	ME-MS61L Cu ppm 0.02	ME-MS61L Fe % 0.002
BLANKS																
BLANK		<0.002	<0.01	<0.02	<1	<0.02	<0.002	<0.01	<0.005	<0.01	<0.005	<0.3	<0.01	<0.02	<0.002	
BLANK		<0.002	<0.01	<0.02	<1	<0.02	<0.002	<0.01	<0.005	<0.01	<0.005	<0.3	<0.01	<0.02	<0.002	
BLANK		<0.002	<0.01	<0.02	<1	<0.02	<0.002	<0.01	<0.005	<0.01	<0.005	<0.3	<0.01	<0.02	0.002	
Target Range – Lower Bound		<0.002	<0.01	<0.02	<1	<0.02	<0.002	<0.01	<0.005	<0.01	<0.005	<0.3	<0.01	<0.02	<0.002	
Upper Bound		0.004	0.02	0.04	2	0.04	0.004	0.02	0.010	0.02	0.010	0.6	0.02	0.04	0.004	
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range – Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range – Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.029	8.01	6.93	391	0.72	0.010	1.38	0.029	16.95	2.48	7.6	1.27	12.95	3.82	
DUP		0.030	8.46	7.29	430	0.80	0.008	1.49	0.032	15.70	2.63	8.4	1.33	14.10	4.17	
Target Range – Lower Bound		0.026	7.81	6.73	379	0.70	0.007	1.35	0.024	15.50	2.42	7.3	1.23	13.05	3.79	
Upper Bound		0.033	8.66	7.49	442	0.82	0.011	1.52	0.037	17.15	2.69	8.7	1.38	14.00	4.20	
ORIGINAL		0.029														
DUP		0.035														
Target Range – Lower Bound		0.025														
Upper Bound		0.039														
ET006		<0.005														
DUP		<0.005														
Target Range – Lower Bound		<0.005														
Upper Bound		0.010														
ET010		0.015	7.98	1.14	650	2.25	0.249	0.26	0.008	78.6	12.50	51.4	6.18	8.25	3.82	
DUP		0.019	7.81	1.06	630	2.21	0.254	0.25	0.009	86.6	12.05	47.1	6.68	7.63	3.70	
Target Range – Lower Bound		0.014	7.49	1.03	591	2.10	0.237	0.23	<0.005	78.5	11.65	46.5	6.10	7.64	3.57	
Upper Bound		0.020	8.30	1.18	689	2.36	0.266	0.28	0.010	86.7	12.90	52.0	6.76	8.24	3.95	



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 4 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L Ga ppm 0.05	ME-MS61L Ge ppm 0.05	ME-MS61L Hf ppm 0.004	ME-MS61L In ppm 0.005	ME-MS61L K % 0.01	ME-MS61L La ppm 0.005	ME-MS61L Li ppm 0.2	ME-MS61L Mg % 0.01	ME-MS61L Mn ppm 0.2	ME-MS61L Mo ppm 0.02	ME-MS61L Na % 0.001	ME-MS61L Nb ppm 0.005	ME-MS61L Ni ppm 0.08	ME-MS61L P % 0.001	ME-MS61L Pb ppm 0.01
BLANKS																
BLANK		<0.05	<0.05	<0.004	<0.005	<0.01	<0.005	1.1	<0.01	<0.2	<0.02	<0.001	<0.005	<0.08	<0.001	<0.01
BLANK		<0.05	<0.05	<0.004	<0.005	<0.01	<0.005	0.3	<0.01	<0.2	<0.02	<0.001	<0.005	<0.08	<0.001	<0.01
BLANK		<0.05	<0.05	<0.004	<0.005	<0.01	<0.005	<0.2	<0.01	0.2	<0.02	<0.001	<0.005	<0.08	<0.001	<0.01
Target Range – Lower Bound		<0.05	<0.05	<0.004	<0.005	<0.01	<0.005	<0.2	<0.01	<0.2	<0.02	<0.001	<0.005	<0.08	<0.001	<0.01
Upper Bound		0.10	0.10	0.008	0.010	0.02	0.010	0.4	0.02	0.4	0.04	0.002	0.010	0.16	0.002	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL		17.00	0.26	2.01	0.017	1.33	9.98	8.8	0.56	47.8	2.33	1.220	9.71	11.75	0.055	6.87
DUP		18.70	0.26	2.23	0.033	1.46	8.84	10.2	0.60	53.0	2.49	1.350	10.45	13.05	0.062	7.48
Target Range – Lower Bound		16.90	0.19	2.01	0.019	1.32	8.93	8.8	0.54	47.7	2.27	1.220	9.57	11.70	0.055	6.81
Upper Bound		18.80	0.33	2.23	0.031	1.47	9.89	10.2	0.62	53.1	2.55	1.350	10.60	13.10	0.062	7.54
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET006																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET010		17.90	0.15	5.65	0.059	3.41	38.1	15.2	1.03	251	0.27	0.925	11.10	25.0	0.045	10.50
DUP		18.65	0.20	5.85	0.060	3.32	41.3	11.3	1.00	242	0.29	0.901	11.60	23.9	0.043	11.10
Target Range – Lower Bound		17.30	0.11	5.46	0.052	3.19	37.7	12.4	0.95	234	0.25	0.866	10.80	23.1	0.041	10.25
Upper Bound		19.25	0.24	6.04	0.067	3.54	41.7	14.1	1.08	259	0.31	0.960	11.90	25.8	0.047	11.35



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
 LEVEL 4
 100 ALBERT ROAD
 SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 4 – C
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L Rb ppm 0.02	ME-MS61L Re ppm 0.0004	ME-MS61L S % 0.01	ME-MS61L Sb ppm 0.02	ME-MS61L Sc ppm 0.01	ME-MS61L Se ppm 0.006	ME-MS61L Sn ppm 0.02	ME-MS61L Sr ppm 0.02	ME-MS61L Ta ppm 0.01	ME-MS61L Te ppm 0.005	ME-MS61L Th ppm 0.004	ME-MS61L Ti % 0.001	ME-MS61L Tl ppm 0.002	ME-MS61L U ppm 0.01	ME-MS61L V ppm 0.1
BLANKS																
BLANK		<0.02	<0.0004	<0.01	<0.02	<0.01	<0.006	<0.02	<0.02	<0.01	<0.005	<0.004	<0.001	<0.002	<0.01	<0.1
BLANK		<0.02	<0.0004	<0.01	<0.02	<0.01	<0.006	<0.02	<0.02	<0.01	<0.005	<0.004	<0.001	<0.002	<0.01	<0.1
BLANK		0.02	<0.0004	<0.01	<0.02	<0.01	<0.006	<0.02	<0.02	<0.01	<0.005	<0.004	<0.001	<0.002	<0.01	<0.1
Target Range – Lower Bound		<0.02	<0.0004	<0.01	<0.02	<0.01	<0.006	<0.02	<0.02	<0.01	<0.005	<0.004	<0.001	<0.002	<0.01	<0.1
Upper Bound		0.04	0.0008	0.02	0.04	0.02	0.012	0.04	0.04	0.02	0.010	0.008	0.002	0.004	0.02	0.2
DUPLICATES																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL		37.7	<0.0004	0.02	0.50	8.63	0.067	0.77	122.5	0.68	<0.005	4.48	0.235	0.285	1.52	71.8
DUP		36.0	0.0004	0.03	0.55	9.20	0.055	0.86	132.5	0.74	<0.005	4.28	0.260	0.323	1.56	78.2
Target Range – Lower Bound		35.0	<0.0004	<0.01	0.47	8.46	0.052	0.75	121.0	0.66	<0.005	4.16	0.234	0.279	1.45	71.2
Upper Bound		38.7	0.0008	0.04	0.58	9.37	0.070	0.88	134.0	0.76	0.010	4.60	0.261	0.329	1.63	78.9
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET006																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET010		166.5	<0.0004	0.01	0.61	12.65	0.018	3.15	40.6	0.88	0.013	15.15	0.379	0.628	2.84	72.1
DUP		172.0	<0.0004	0.01	0.65	13.10	0.020	3.23	41.9	0.94	0.015	15.80	0.365	0.672	2.95	69.8
Target Range – Lower Bound		161.0	<0.0004	<0.01	0.56	12.20	0.012	3.01	39.2	0.85	0.008	14.70	0.352	0.599	2.74	67.3
Upper Bound		177.5	0.0008	0.02	0.70	13.55	0.026	3.37	43.3	0.97	0.020	16.25	0.392	0.701	3.05	74.6



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
 LEVEL 4
 100 ALBERT ROAD
 SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 4 – D
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L W ppm 0.008	ME-MS61L Y ppm 0.01	ME-MS61L Zn ppm 0.2	ME-MS61L Zr ppm 0.1
BLANKS					
BLANK		<0.008	<0.01	<0.2	<0.1
BLANK		<0.008	<0.01	<0.2	<0.1
BLANK		<0.008	<0.01	<0.2	<0.1
Target Range – Lower Bound		<0.008	<0.01	<0.2	<0.1
Upper Bound		0.016	0.02	0.4	0.2
DUPLICATES					
ORIGINAL					
DUP					
Target Range – Lower Bound					
Upper Bound					
ORIGINAL					
DUP					
Target Range – Lower Bound					
Upper Bound					
ORIGINAL		0.625	10.90	42.1	70.7
DUP		0.685	10.80	45.5	76.5
Target Range – Lower Bound		0.598	10.30	41.4	68.0
Upper Bound		0.712	11.40	46.2	79.2
ORIGINAL					
DUP					
Target Range – Lower Bound					
Upper Bound					
ET006					
DUP					
Target Range – Lower Bound					
Upper Bound					
ET010		2.19	20.9	49.3	209
DUP		2.25	21.5	48.4	215
Target Range – Lower Bound		2.05	20.1	46.2	196.0
Upper Bound		2.39	22.3	51.5	228



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 5 – A
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3	ME-MS61L Cs ppm 0.01	ME-MS61L Cu ppm 0.02	ME-MS61L Fe % 0.002
DUPLICATES																
ET030			0.006	7.84	0.82	610	2.15	0.291	0.11	<0.005	73.8	14.00	43.0	6.39	3.60	4.30
DUP			0.014	7.45	0.91	580	2.04	0.299	0.11	<0.005	74.9	14.10	42.9	6.54	3.42	4.07
Target Range – Lower Bound			0.008	7.25	0.80	549	1.97	0.278	0.09	<0.005	70.6	13.35	40.5	6.13	3.37	3.97
Upper Bound			0.013	8.04	0.93	641	2.22	0.312	0.13	0.010	78.1	14.75	45.4	6.80	3.65	4.40
ET043		<0.005														
DUP		<0.005														
Target Range – Lower Bound		<0.005														
Upper Bound		0.010														
ET044			0.007	9.55	0.85	840	2.64	0.259	0.09	<0.005	99.6	12.80	59.7	9.91	2.38	4.57
DUP			0.012	9.15	0.90	810	2.55	0.267	0.09	<0.005	99.4	13.35	62.7	10.00	2.32	4.35
Target Range – Lower Bound			0.007	8.87	0.81	762	2.45	0.248	0.08	<0.005	94.5	12.40	57.8	9.45	2.25	4.24
Upper Bound			0.012	9.83	0.94	888	2.74	0.278	0.10	0.010	104.5	13.75	64.6	10.45	2.45	4.69
ET063		<0.005														
DUP		<0.005														
Target Range – Lower Bound		<0.005														
Upper Bound		0.010														
ET064			0.010	8.08	0.81	580	2.30	0.311	0.15	<0.005	83.4	11.00	47.0	6.65	3.35	3.49
DUP			0.010	7.87	0.80	570	2.23	0.306	0.15	<0.005	81.7	11.05	47.0	6.83	3.39	3.40
Target Range – Lower Bound			0.008	7.57	0.74	531	2.13	0.291	0.13	<0.005	78.4	10.45	44.4	6.39	3.23	3.27
Upper Bound			0.013	8.38	0.87	619	2.40	0.326	0.17	0.010	86.7	11.60	49.7	7.09	3.51	3.62
ET078			0.003	7.86	0.63	550	2.08	0.271	0.17	<0.005	95.8	11.20	47.3	5.47	2.18	3.59
DUP			0.005	7.40	0.74	520	1.95	0.256	0.16	<0.005	93.1	11.10	45.1	5.28	2.00	3.36
Target Range – Lower Bound			<0.002	7.24	0.63	494	1.89	0.248	0.15	<0.005	89.7	10.60	43.6	5.10	2.00	3.30
Upper Bound			0.006	8.02	0.74	576	2.14	0.279	0.18	0.010	99.2	11.70	48.8	5.65	2.18	3.65
ET083		<0.005														
DUP		<0.005														
Target Range – Lower Bound		<0.005														
Upper Bound		0.010														
ET098			0.004	6.07	0.67	372	1.80	0.429	0.43	<0.005	82.9	9.79	35.2	5.16	5.54	3.02
DUP			0.007	6.08	0.76	375	1.80	0.430	0.43	<0.005	85.4	10.15	37.1	5.36	5.59	3.05
Target Range – Lower Bound			0.003	5.76	0.66	344	1.69	0.406	0.40	<0.005	79.9	9.47	34.0	4.99	5.35	2.88
Upper Bound			0.008	6.39	0.77	403	1.91	0.453	0.46	0.010	88.4	10.45	38.3	5.53	5.78	3.19



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
 LEVEL 4
 100 ALBERT ROAD
 SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 5 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L Ga ppm 0.05	ME-MS61L Ge ppm 0.05	ME-MS61L Hf ppm 0.004	ME-MS61L In ppm 0.005	ME-MS61L K % 0.01	ME-MS61L La ppm 0.005	ME-MS61L Li ppm 0.2	ME-MS61L Mg % 0.01	ME-MS61L Mn ppm 0.2	ME-MS61L Mo ppm 0.02	ME-MS61L Na % 0.001	ME-MS61L Nb ppm 0.005	ME-MS61L Ni ppm 0.08	ME-MS61L P % 0.001	ME-MS61L Pb ppm 0.01
DUPLICATES																
ET030		19.10	0.16	5.15	0.100	3.84	36.0	21.0	1.46	338	0.19	0.552	10.50	23.1	0.041	8.48
DUP		18.90	0.17	5.16	0.091	3.62	37.5	19.3	1.39	316	0.22	0.525	10.55	23.3	0.038	8.27
Target Range – Lower Bound		18.00	0.10	4.89	0.086	3.53	34.9	18.9	1.34	310	0.17	0.511	9.99	22.0	0.037	7.95
Upper Bound		20.0	0.23	5.42	0.105	3.93	38.6	21.4	1.51	344	0.24	0.566	11.05	24.4	0.042	8.80
ET043																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET044		26.3	0.18	4.66	0.090	5.36	50.1	18.5	1.41	272	0.15	0.113	12.00	29.5	0.041	6.51
DUP		27.0	0.19	4.74	0.082	5.16	48.8	17.3	1.35	258	0.13	0.110	12.25	31.1	0.039	6.44
Target Range – Lower Bound		25.3	0.12	4.46	0.077	4.99	47.0	16.8	1.30	252	0.11	0.105	11.50	28.7	0.037	6.14
Upper Bound		28.0	0.25	4.94	0.095	5.53	51.9	19.0	1.46	278	0.17	0.118	12.75	31.9	0.043	6.81
ET063																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET064		20.8	0.16	5.13	0.071	3.64	40.7	15.0	1.24	236	0.18	0.964	10.55	22.1	0.045	7.00
DUP		21.1	0.17	5.03	0.065	3.53	39.7	14.2	1.20	229	0.15	0.942	10.85	22.8	0.043	6.94
Target Range – Lower Bound		19.85	0.10	4.82	0.060	3.40	38.2	13.7	1.15	221	0.14	0.904	10.15	21.2	0.041	6.61
Upper Bound		22.0	0.23	5.34	0.076	3.77	42.2	15.5	1.29	244	0.19	1.000	11.25	23.7	0.047	7.33
ET078		19.00	0.16	5.93	0.056	3.28	47.3	16.4	1.24	242	0.23	1.280	12.15	23.3	0.046	7.27
DUP		18.70	0.18	5.79	0.070	3.07	45.8	14.8	1.16	222	0.21	1.200	11.65	23.2	0.044	7.16
Target Range – Lower Bound		17.85	0.11	5.56	0.055	3.01	44.2	14.6	1.13	220	0.19	1.175	11.30	22.0	0.042	6.84
Upper Bound		19.85	0.23	6.16	0.071	3.34	48.9	16.6	1.27	244	0.25	1.305	12.50	24.5	0.048	7.59
ET083																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET098		14.25	0.16	5.72	0.051	2.40	41.8	13.5	1.11	304	0.31	1.225	9.64	17.75	0.039	8.18
DUP		14.50	0.16	5.86	0.054	2.40	43.3	13.7	1.12	308	0.31	1.225	10.20	18.10	0.040	8.39
Target Range – Lower Bound		13.60	0.10	5.50	0.045	2.27	40.4	12.7	1.05	291	0.27	1.165	9.42	16.95	0.037	7.86
Upper Bound		15.15	0.22	6.08	0.060	2.53	44.7	14.5	1.18	322	0.35	1.285	10.40	18.90	0.042	8.71



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 5 – C
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L Rb ppm 0.02	ME-MS61L Re ppm 0.0004	ME-MS61L S % 0.01	ME-MS61L Sb ppm 0.02	ME-MS61L Sc ppm 0.01	ME-MS61L Se ppm 0.006	ME-MS61L Sn ppm 0.02	ME-MS61L Sr ppm 0.02	ME-MS61L Ta ppm 0.01	ME-MS61L Te ppm 0.005	ME-MS61L Th ppm 0.004	ME-MS61L Ti % 0.001	ME-MS61L Tl ppm 0.002	ME-MS61L U ppm 0.01	ME-MS61L V ppm 0.1
DUPLICATES																
ET030		184.0	<0.0004	0.01	0.79	12.45	0.012	2.83	18.40	0.84	0.016	14.95	0.340	0.694	2.77	66.0
DUP		186.5	<0.0004	0.01	0.85	12.35	0.012	3.08	18.35	0.84	0.013	14.80	0.324	0.674	2.76	65.4
Target Range – Lower Bound		176.0	<0.0004	<0.01	0.74	11.75	<0.006	2.79	17.45	0.79	0.009	14.15	0.314	0.631	2.62	62.3
Upper Bound		194.5	0.0008	0.02	0.90	13.05	0.019	3.12	19.30	0.89	0.020	15.60	0.350	0.737	2.91	69.1
ET043																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET044		265	<0.0004	<0.01	0.59	16.80	<0.006	4.26	10.30	1.08	0.021	18.35	0.349	0.984	3.18	82.3
DUP		273	<0.0004	<0.01	0.62	17.65	0.011	4.32	10.20	1.06	0.024	17.90	0.342	0.973	3.15	84.1
Target Range – Lower Bound		256	<0.0004	<0.01	0.54	16.35	<0.006	4.06	9.72	1.01	0.016	17.20	0.327	0.903	3.00	78.9
Upper Bound		282	0.0008	0.02	0.67	18.10	0.012	4.52	10.80	1.13	0.029	19.05	0.364	1.055	3.33	87.5
ET063																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET064		182.5	<0.0004	<0.01	0.54	13.40	0.013	3.37	33.8	0.91	0.014	15.55	0.324	0.690	2.75	66.9
DUP		183.0	<0.0004	<0.01	0.54	13.30	0.010	3.54	35.0	0.89	0.016	15.10	0.319	0.674	2.70	67.7
Target Range – Lower Bound		173.5	<0.0004	<0.01	0.48	12.65	<0.006	3.26	32.7	0.85	0.009	14.55	0.304	0.629	2.58	63.8
Upper Bound		192.0	0.0008	0.02	0.60	14.05	0.012	3.65	36.1	0.96	0.021	16.10	0.339	0.735	2.87	70.8
ET078		165.0	<0.0004	<0.01	0.51	13.00	<0.006	3.43	31.3	0.99	0.015	16.65	0.359	0.627	3.11	68.5
DUP		163.0	<0.0004	<0.01	0.49	12.85	0.007	3.27	30.2	0.97	0.011	16.00	0.340	0.612	2.99	66.6
Target Range – Lower Bound		156.0	<0.0004	<0.01	0.44	12.25	<0.006	3.16	29.2	0.92	0.007	15.50	0.331	0.571	2.89	64.1
Upper Bound		172.0	0.0008	0.02	0.56	13.60	0.012	3.54	32.3	1.04	0.019	17.15	0.368	0.668	3.21	71.0
ET083																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET098		123.5	<0.0004	<0.01	0.73	9.65	0.008	2.52	33.4	0.80	0.019	13.70	0.335	0.475	2.83	57.7
DUP		129.0	<0.0004	<0.01	0.78	9.80	0.017	2.62	34.8	0.80	0.019	14.30	0.342	0.494	2.90	59.1
Target Range – Lower Bound		120.0	<0.0004	<0.01	0.68	9.23	<0.006	2.42	32.4	0.75	0.013	13.30	0.321	0.446	2.71	55.4
Upper Bound		132.5	0.0008	0.02	0.83	10.20	0.019	2.72	35.8	0.85	0.025	14.70	0.356	0.523	3.02	61.4



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
 LEVEL 4
 100 ALBERT ROAD
 SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 5 – D
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L W ppm 0.008	ME-MS61L Y ppm 0.01	ME-MS61L Zn ppm 0.2	ME-MS61L Zr ppm 0.1
DUPLICATES					
ET030		2.19	21.6	51.5	190.0
DUP		2.23	21.7	51.4	189.0
Target Range – Lower Bound		2.04	20.6	48.7	175.0
Upper Bound		2.38	22.7	54.2	204
ET043					
DUP					
Target Range – Lower Bound					
Upper Bound					
ET044		2.68	33.7	50.1	165.0
DUP		2.79	35.5	50.4	168.0
Target Range – Lower Bound		2.52	32.9	47.5	154.0
Upper Bound		2.95	36.3	53.0	179.0
ET063					
DUP					
Target Range – Lower Bound					
Upper Bound					
ET064		1.790	21.3	47.0	184.5
DUP		1.760	21.2	48.7	186.5
Target Range – Lower Bound		1.635	20.2	45.3	171.5
Upper Bound		1.915	22.3	50.4	199.5
ET078		2.77	26.0	49.7	214
DUP		2.71	23.5	48.3	203
Target Range – Lower Bound		2.53	23.5	46.4	193.0
Upper Bound		2.95	26.0	51.7	224
ET083					
DUP					
Target Range – Lower Bound					
Upper Bound					
ET098		1.305	20.9	48.6	210
DUP		1.385	21.9	50.1	215
Target Range – Lower Bound		1.235	20.3	46.7	196.5
Upper Bound		1.455	22.5	52.0	229



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 6 – A
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3	ME-MS61L Cs ppm 0.01	ME-MS61L Cu ppm 0.02	ME-MS61L Fe % 0.002
DUPLICATES																
ET112			0.006	7.45	0.55	600	2.46	0.437	0.35	<0.005	170.0	11.75	48.4	6.63	5.45	3.85
DUP			0.003	7.53	0.82	600	2.47	0.420	0.35	<0.005	177.5	11.70	48.4	6.64	6.61	3.85
Target Range – Lower Bound			<0.002	7.11	0.63	554	2.32	0.405	0.32	<0.005	165.0	11.15	45.7	6.29	5.80	3.66
Upper Bound			0.007	7.87	0.74	646	2.61	0.452	0.38	0.010	182.5	12.30	51.1	6.98	6.26	4.04
ET119		<0.005														
DUP		<0.005														
Target Range – Lower Bound		<0.005														
Upper Bound		0.010														
ET132			0.012	6.47	0.57	570	1.76	0.395	0.37	<0.005	89.6	9.75	37.1	4.17	7.67	3.21
DUP			0.009	6.26	0.72	550	1.70	0.376	0.36	<0.005	82.5	9.16	36.4	3.86	7.31	3.08
Target Range – Lower Bound			0.008	6.04	0.59	517	1.62	0.364	0.34	<0.005	81.7	8.98	34.6	3.80	7.21	2.99
Upper Bound			0.013	6.69	0.70	603	1.84	0.407	0.39	0.010	90.4	9.93	38.9	4.23	7.77	3.30
ET140		<0.005														
DUP		<0.005														
Target Range – Lower Bound		<0.005														
Upper Bound		0.010														
ET146			0.008	6.40	0.72	411	1.54	0.493	0.19	<0.005	75.6	9.47	35.4	3.48	3.48	3.05
DUP			0.006	6.49	0.86	411	1.57	0.515	0.20	<0.005	78.2	9.90	36.5	3.53	4.53	3.10
Target Range – Lower Bound			0.005	6.11	0.73	379	1.46	0.477	0.18	<0.005	73.0	9.20	33.9	3.32	3.84	2.92
Upper Bound			0.009	6.78	0.85	443	1.65	0.531	0.21	0.010	80.8	10.15	38.0	3.69	4.17	3.23
ET159		<0.005														
DUP		<0.005														
Target Range – Lower Bound		<0.005														
Upper Bound		0.010														
ET166			0.026	7.96	0.70	560	2.58	0.334	0.32	<0.005	80.0	11.25	47.7	6.03	52.5	3.63
DUP			0.018	8.19	0.69	570	2.65	0.311	0.33	<0.005	79.4	11.20	49.6	6.02	49.6	3.69
Target Range – Lower Bound			0.019	7.66	0.64	522	2.46	0.304	0.30	<0.005	75.7	10.65	45.9	5.71	49.2	3.48
Upper Bound			0.025	8.49	0.75	608	2.77	0.341	0.35	0.010	83.7	11.80	51.4	6.34	52.9	3.85
ET180			0.012	8.79	0.69	620	2.31	0.184	0.16	<0.005	77.2	13.45	57.5	6.56	7.61	4.32
DUP			0.015	8.79	0.66	620	2.29	0.208	0.16	<0.005	75.1	13.50	59.5	6.52	8.04	4.34
Target Range – Lower Bound			0.011	8.34	0.62	573	2.17	0.184	0.14	<0.005	72.3	12.80	55.3	6.20	7.53	4.11
Upper Bound			0.016	9.24	0.73	668	2.44	0.208	0.18	0.010	80.0	14.15	61.7	6.88	8.12	4.55



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 6 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L Ga ppm 0.05	ME-MS61L Ge ppm 0.05	ME-MS61L Hf ppm 0.004	ME-MS61L In ppm 0.005	ME-MS61L K % 0.01	ME-MS61L La ppm 0.005	ME-MS61L Li ppm 0.2	ME-MS61L Mg % 0.01	ME-MS61L Mn ppm 0.2	ME-MS61L Mo ppm 0.02	ME-MS61L Na % 0.001	ME-MS61L Nb ppm 0.005	ME-MS61L Ni ppm 0.08	ME-MS61L P % 0.001	ME-MS61L Pb ppm 0.01
DUPLICATES																
ET112		20.7	0.36	4.99	0.082	3.46	87.2	21.4	1.43	400	0.16	0.636	10.80	22.8	0.039	7.87
DUP		21.0	0.44	4.88	0.101	3.81	92.1	22.0	1.44	400	0.21	0.636	11.05	23.7	0.040	7.99
Target Range – Lower Bound		19.75	0.32	4.68	0.082	3.44	85.2	20.4	1.35	380	0.16	0.603	10.35	22.0	0.037	7.52
Upper Bound		21.9	0.48	5.19	0.101	3.83	94.1	23.0	1.52	420	0.21	0.669	11.50	24.5	0.042	8.34
ET119																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET132		16.30	0.32	5.71	0.055	2.83	43.1	15.1	0.85	322	0.48	1.460	10.25	17.45	0.039	10.40
DUP		15.70	0.35	5.26	0.048	2.87	40.7	14.7	0.82	310	0.40	1.395	9.68	16.85	0.038	10.00
Target Range – Lower Bound		15.15	0.26	5.21	0.044	2.70	39.8	14.0	0.78	300	0.40	1.355	9.46	16.20	0.036	9.68
Upper Bound		16.85	0.41	5.76	0.059	3.00	44.0	15.8	0.89	332	0.48	1.500	10.45	18.10	0.041	10.70
ET140																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET146		14.75	0.32	5.76	0.052	2.79	37.9	16.0	0.88	252	0.30	1.350	10.25	16.85	0.040	6.27
DUP		15.05	0.36	5.69	0.054	2.82	38.0	16.2	0.90	251	0.26	1.375	10.50	17.50	0.040	6.54
Target Range – Lower Bound		14.10	0.26	5.43	0.045	2.65	36.0	15.1	0.84	239	0.25	1.295	9.85	16.25	0.037	6.07
Upper Bound		15.70	0.42	6.02	0.061	2.96	39.9	17.1	0.94	264	0.31	1.430	10.90	18.10	0.043	6.74
ET159																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET166		19.05	0.33	5.17	0.069	3.32	40.7	19.4	1.13	320	0.22	1.245	11.25	23.3	0.042	10.55
DUP		20.2	0.38	5.31	0.054	3.54	39.4	19.7	1.16	329	0.30	1.290	11.20	23.3	0.043	10.65
Target Range – Lower Bound		18.60	0.28	4.97	0.053	3.25	38.0	18.4	1.08	308	0.23	1.205	10.65	22.1	0.039	10.05
Upper Bound		20.7	0.43	5.51	0.070	3.61	42.1	20.7	1.21	341	0.29	1.330	11.80	24.5	0.046	11.15
ET180		24.5	0.35	4.70	0.086	3.50	37.4	18.7	1.36	293	0.15	0.942	11.65	29.3	0.040	7.44
DUP		25.0	0.44	4.70	0.076	3.97	35.6	18.4	1.35	288	0.18	0.936	11.70	30.1	0.040	7.26
Target Range – Lower Bound		23.5	0.32	4.46	0.072	3.54	34.7	17.4	1.28	276	0.14	0.891	11.10	28.1	0.037	6.97
Upper Bound		26.0	0.47	4.94	0.090	3.93	38.3	19.7	1.43	305	0.19	0.987	12.25	31.3	0.043	7.73



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
 LEVEL 4
 100 ALBERT ROAD
 SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 6 – C
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L Rb ppm 0.02	ME-MS61L Re ppm 0.0004	ME-MS61L S % 0.01	ME-MS61L Sb ppm 0.02	ME-MS61L Sc ppm 0.01	ME-MS61L Se ppm 0.006	ME-MS61L Sn ppm 0.02	ME-MS61L Sr ppm 0.02	ME-MS61L Ta ppm 0.01	ME-MS61L Te ppm 0.005	ME-MS61L Th ppm 0.004	ME-MS61L Ti % 0.001	ME-MS61L Tl ppm 0.002	ME-MS61L U ppm 0.01	ME-MS61L V ppm 0.1
DUPLICATES																
ET112		154.5	<0.0004	0.01	0.68	13.00	<0.006	3.37	24.9	0.93	0.020	14.65	0.311	0.760	3.20	66.8
DUP		182.5	<0.0004	0.01	0.72	13.60	0.015	3.17	25.7	0.97	0.019	15.40	0.319	0.779	3.32	67.5
Target Range – Lower Bound		160.0	<0.0004	<0.01	0.63	12.65	<0.006	3.09	24.0	0.89	0.014	14.25	0.298	0.710	3.09	63.7
Upper Bound		177.0	0.0008	0.02	0.77	14.00	0.012	3.45	26.6	1.01	0.025	15.80	0.332	0.829	3.43	70.6
ET119																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET132		129.0	<0.0004	<0.01	0.45	10.40	0.010	2.74	59.4	0.83	0.009	14.75	0.327	0.576	3.15	58.9
DUP		129.0	<0.0004	<0.01	0.40	10.05	0.006	2.55	57.1	0.78	0.008	14.20	0.317	0.548	3.00	55.6
Target Range – Lower Bound		122.5	<0.0004	<0.01	0.37	9.70	<0.006	2.49	55.3	0.75	<0.005	13.75	0.305	0.518	2.91	54.3
Upper Bound		135.5	0.0008	0.02	0.48	10.75	0.012	2.80	61.2	0.86	0.010	15.20	0.339	0.606	3.24	60.2
ET140																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET146		139.0	<0.0004	<0.01	0.52	10.40	0.021	2.55	38.0	0.84	0.012	14.25	0.333	0.605	2.86	58.6
DUP		142.0	0.0004	<0.01	0.49	10.65	0.021	2.60	39.2	0.87	0.012	14.50	0.336	0.622	2.88	60.9
Target Range – Lower Bound		133.5	<0.0004	<0.01	0.45	9.99	0.014	2.43	36.7	0.80	0.006	13.65	0.317	0.565	2.72	56.7
Upper Bound		147.5	0.0008	0.02	0.56	11.05	0.028	2.72	40.6	0.91	0.018	15.10	0.352	0.662	3.02	62.8
ET159																
DUP																
Target Range – Lower Bound																
Upper Bound																
ET166		165.5	<0.0004	0.01	0.48	12.75	0.036	3.39	39.5	0.95	0.013	16.10	0.330	0.739	3.59	68.7
DUP		170.0	0.0004	0.01	0.45	13.50	0.024	3.45	39.7	0.95	0.015	16.05	0.333	0.759	3.59	69.2
Target Range – Lower Bound		159.5	<0.0004	<0.01	0.41	12.45	0.023	3.23	37.6	0.89	0.008	15.25	0.314	0.691	3.40	65.4
Upper Bound		176.0	0.0008	0.02	0.52	13.80	0.038	3.61	41.6	1.01	0.020	16.90	0.349	0.807	3.78	72.5
ET180		179.5	<0.0004	<0.01	0.44	16.05	0.019	3.87	27.0	0.98	0.012	16.45	0.327	0.883	4.20	84.1
DUP		208	0.0004	<0.01	0.47	16.80	0.035	4.14	27.3	0.98	0.013	16.20	0.328	0.888	4.15	87.3
Target Range – Lower Bound		184.0	<0.0004	<0.01	0.40	15.60	0.020	3.78	25.8	0.92	0.007	15.50	0.310	0.817	3.96	81.3
Upper Bound		203	0.0008	0.02	0.51	17.25	0.034	4.23	28.5	1.04	0.018	17.15	0.345	0.954	4.39	90.1



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
 LEVEL 4
 100 ALBERT ROAD
 SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 6 – D
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L W ppm 0.008	ME-MS61L Y ppm 0.01	ME-MS61L Zn ppm 0.2	ME-MS61L Zr ppm 0.1
DUPLICATES					
ET112		2.17	34.2	48.6	170.0
DUP		2.16	35.4	50.2	171.0
Target Range – Lower Bound		1.995	33.1	46.7	157.5
Upper Bound		2.34	36.6	52.1	183.5
ET119					
DUP					
Target Range – Lower Bound					
Upper Bound					
ET132		1.350	23.2	53.4	200
DUP		1.305	21.7	50.5	191.5
Target Range – Lower Bound		1.220	21.3	49.2	181.0
Upper Bound		1.435	23.6	54.7	211
ET140					
DUP					
Target Range – Lower Bound					
Upper Bound					
ET146		1.380	20.3	45.9	208
DUP		1.400	21.2	49.1	202
Target Range – Lower Bound		1.280	19.70	44.9	189.5
Upper Bound		1.500	21.8	50.1	220
ET159					
DUP					
Target Range – Lower Bound					
Upper Bound					
ET166		1.515	23.5	70.1	182.0
DUP		1.550	22.9	70.7	183.5
Target Range – Lower Bound		1.410	22.0	66.7	169.0
Upper Bound		1.655	24.4	74.1	196.5
ET180		2.20	23.4	74.5	158.5
DUP		2.21	23.3	75.6	162.0
Target Range – Lower Bound		2.03	22.2	71.1	148.0
Upper Bound		2.38	24.5	79.0	172.5



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
 LEVEL 4
 100 ALBERT ROAD
 SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 7 – A
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3	ME-MS61L Cs ppm 0.01	ME-MS61L Cu ppm 0.02	ME-MS61L Fe % 0.002
DUPLICATES																
ET193		<0.005														
DUP		<0.005														
Target Range – Lower Bound		<0.005														
Upper Bound		0.010														
ET200			1.215	4.05	512	78	0.71	8.49	3.74	<0.005	149.5	564	32.4	0.65	9190	24.8
DUP			1.270	4.01	503	75	0.70	8.51	3.72	<0.005	146.5	557	33.5	0.67	9160	24.6
Target Range – Lower Bound			1.180	3.82	482	70	0.65	8.07	3.53	<0.005	140.5	532	31.0	0.62	8850	23.5
Upper Bound			1.305	4.24	533	83	0.76	8.93	3.93	0.010	155.5	589	34.9	0.70	9500	25.9
ET213		<0.005														
DUP		<0.005														
Target Range – Lower Bound		<0.005														
Upper Bound		0.010														
ET214			0.027	8.79	0.91	730	2.42	0.330	0.40	<0.005	88.4	15.40	59.2	9.34	79.2	4.56
DUP			0.026	8.85	0.68	730	2.39	0.325	0.40	<0.005	93.5	15.05	57.9	9.33	80.4	4.53
Target Range – Lower Bound			0.023	8.37	0.74	674	2.26	0.309	0.37	<0.005	86.4	14.45	55.3	8.86	77.0	4.32
Upper Bound			0.030	9.27	0.85	786	2.55	0.346	0.43	0.010	95.5	16.00	61.8	9.81	82.6	4.77
ET234			0.026	7.89	0.82	840	2.28	0.335	0.19	<0.005	86.9	12.75	48.7	9.44	19.10	3.64
DUP			0.020	7.95	0.94	840	2.29	0.327	0.19	<0.005	90.6	12.75	48.1	9.46	19.65	3.63
Target Range – Lower Bound			0.020	7.51	0.82	776	2.15	0.312	0.17	<0.005	84.3	12.10	45.7	8.97	18.70	3.45
Upper Bound			0.026	8.33	0.94	904	2.42	0.350	0.21	0.010	93.2	13.40	51.1	9.93	20.1	3.82
ET248			0.043	8.52	1.57	700	2.39	0.349	0.37	<0.005	95.7	14.40	56.0	8.89	26.0	4.09
DUP			0.039	8.16	1.25	670	2.28	0.335	0.35	<0.005	89.6	13.05	50.9	8.16	24.6	3.90
Target Range – Lower Bound			0.037	7.91	1.32	633	2.20	0.323	0.33	<0.005	88.0	13.05	50.5	8.09	24.4	3.79
Upper Bound			0.045	8.77	1.50	737	2.47	0.361	0.39	0.010	97.3	14.40	56.4	8.96	26.2	4.20
ET250		0.007														
DUP		<0.005														
Target Range – Lower Bound		<0.005														
Upper Bound		0.010														
ET261		<0.005														
DUP		<0.005														
Target Range – Lower Bound		<0.005														
Upper Bound		0.010														



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 7 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L Ga ppm 0.05	ME-MS61L Ge ppm 0.05	ME-MS61L Hf ppm 0.004	ME-MS61L In ppm 0.005	ME-MS61L K % 0.01	ME-MS61L La ppm 0.005	ME-MS61L Li ppm 0.2	ME-MS61L Mg % 0.01	ME-MS61L Mn ppm 0.2	ME-MS61L Mo ppm 0.02	ME-MS61L Na % 0.001	ME-MS61L Nb ppm 0.005	ME-MS61L Ni ppm 0.08	ME-MS61L P % 0.001	ME-MS61L Pb ppm 0.01
ET193 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
ET200 DUP Target Range – Lower Bound Upper Bound		16.55 16.55 15.65 17.45	0.46 0.37 0.33 0.50	3.05 2.99 2.87 3.18	0.210 0.207 0.193 0.224	2.90 2.88 2.74 3.04	188.0 172.5 171.0 189.5	16.4 16.1 15.2 17.3	1.09 1.08 1.02 1.15	3790 3780 3600 3970	197.5 195.0 186.5 206	0.649 0.642 0.612 0.679	5.83 5.74 5.49 6.08	70.9 70.6 67.1 74.4	0.088 0.088 0.083 0.093	13.00 12.70 12.20 13.50
ET213 DUP Target Range – Lower Bound Upper Bound																
ET214 DUP Target Range – Lower Bound Upper Bound		25.2 24.5 23.6 26.1	0.47 0.41 0.36 0.52	4.33 4.16 4.03 4.46	0.102 0.097 0.090 0.109	4.78 4.57 4.43 4.92	42.5 45.4 41.7 46.2	18.6 18.8 17.6 19.8	1.32 1.32 1.24 1.40	436 434 413 457	0.19 0.22 0.17 0.24	0.284 0.281 0.267 0.298	11.10 11.05 10.50 11.65	33.2 32.6 31.2 34.6	0.032 0.032 0.029 0.035	8.39 8.37 7.95 8.81
ET234 DUP Target Range – Lower Bound Upper Bound		20.5 20.7 19.50 21.7	0.44 0.42 0.35 0.51	4.73 4.79 4.52 5.00	0.078 0.085 0.072 0.091	4.07 4.10 3.87 4.30	40.8 43.6 40.1 44.3	17.3 17.7 16.4 18.6	0.94 0.94 0.88 1.00	216 217 205 228	0.23 0.26 0.21 0.28	0.727 0.725 0.689 0.763	10.75 10.90 10.30 11.35	27.0 27.5 25.8 28.7	0.038 0.038 0.035 0.041	8.24 8.41 7.90 8.75
ET248 DUP Target Range – Lower Bound Upper Bound		22.4 22.1 21.1 23.4	0.41 0.39 0.32 0.48	5.65 5.45 5.27 5.83	0.090 0.086 0.079 0.097	4.27 4.03 3.93 4.37	47.7 44.4 43.7 48.4	20.0 18.7 18.2 20.5	1.06 1.01 0.97 1.10	374 362 349 387	0.19 0.20 0.17 0.22	0.910 0.874 0.846 0.938	12.40 11.60 11.40 12.60	29.5 27.1 26.8 29.8	0.041 0.039 0.037 0.043	10.65 10.30 9.94 11.00
ET250 DUP Target Range – Lower Bound Upper Bound																
ET261 DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 7 – C
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L Rb ppm 0.02	ME-MS61L Re ppm 0.0004	ME-MS61L S % 0.01	ME-MS61L Sb ppm 0.02	ME-MS61L Sc ppm 0.01	ME-MS61L Se ppm 0.006	ME-MS61L Sn ppm 0.02	ME-MS61L Sr ppm 0.02	ME-MS61L Ta ppm 0.01	ME-MS61L Te ppm 0.005	ME-MS61L Th ppm 0.004	ME-MS61L Ti % 0.001	ME-MS61L Tl ppm 0.002	ME-MS61L U ppm 0.01	ME-MS61L V ppm 0.1
ET193 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
ET200 DUP Target Range – Lower Bound Upper Bound		81.3 81.7 77.4 85.6	0.0939 0.0948 0.0892 0.0995	2.53 2.53 2.39 2.67	8.16 7.99 7.45 8.70	11.95 11.80 11.25 12.50	2.47 2.46 2.34 2.59	9.03 9.22 8.65 9.60	210 201 195.0 216	0.43 0.42 0.39 0.46	1.110 1.105 1.045 1.170	7.66 7.47 7.18 7.95	0.365 0.358 0.342 0.381	0.277 0.276 0.254 0.299	44.8 43.4 41.9 46.3	166.0 165.5 157.5 174.0
ET213 DUP Target Range – Lower Bound Upper Bound																
ET214 DUP Target Range – Lower Bound Upper Bound		254 251 240 265	0.0005 0.0006 <0.0004 0.0008	0.01 0.01 <0.01 0.02	0.45 0.42 0.38 0.49	18.75 19.35 18.10 20.0	0.033 0.020 0.019 0.034	4.32 4.17 4.01 4.48	15.00 15.30 14.35 15.95	0.93 0.92 0.87 0.98	0.019 0.016 0.012 0.023	17.00 17.85 16.55 18.30	0.298 0.294 0.280 0.312	1.180 1.170 1.085 1.265	3.83 3.83 3.63 4.03	82.4 81.4 77.7 86.1
ET234 DUP Target Range – Lower Bound Upper Bound		229 239 222 246	0.0005 <0.0004 <0.0004 0.0008	<0.01 <0.01 <0.01 0.02	0.48 0.47 0.42 0.53	15.45 15.75 14.80 16.40	0.034 0.020 0.020 0.034	3.44 3.60 3.32 3.72	31.0 31.4 29.6 32.8	0.93 0.92 0.87 0.98	0.016 0.014 0.009 0.021	16.50 16.95 15.90 17.55	0.311 0.313 0.295 0.329	1.130 1.135 1.045 1.220	3.72 3.77 3.55 3.94	70.3 70.9 67.0 74.2
ET248 DUP Target Range – Lower Bound Upper Bound		241 215 217 239	0.0004 0.0004 <0.0004 0.0008	0.03 0.03 0.02 0.04	0.64 0.63 0.57 0.70	15.20 14.65 14.15 15.70	0.039 0.037 0.030 0.046	3.91 3.57 3.53 3.95	38.7 35.4 35.2 38.9	0.98 0.94 0.90 1.02	0.023 0.026 0.018 0.031	17.75 16.90 16.45 18.20	0.348 0.332 0.322 0.358	1.195 1.175 1.095 1.275	3.95 3.74 3.64 4.05	80.3 75.0 73.7 81.6
ET250 DUP Target Range – Lower Bound Upper Bound																
ET261 DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 7 – D
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 8–NOV–2021
Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L W ppm 0.008	ME-MS61L Y ppm 0.01	ME-MS61L Zn ppm 0.2	ME-MS61L Zr ppm 0.1
ET193 DUP Target Range – Lower Bound Upper Bound		DUPLICATES			
ET200 DUP Target Range – Lower Bound Upper Bound		139.0 138.0 128.0 149.0	18.30 18.15 17.30 19.15	31.9 31.5 29.9 33.5	116.0 115.0 106.5 124.5
ET213 DUP Target Range – Lower Bound Upper Bound					
ET214 DUP Target Range – Lower Bound Upper Bound		2.46 2.45 2.26 2.65	26.8 27.7 25.9 28.6	88.0 87.7 83.3 92.4	148.0 146.5 136.0 158.5
ET234 DUP Target Range – Lower Bound Upper Bound		2.35 2.36 2.17 2.54	24.9 25.9 24.1 26.7	80.5 82.0 77.0 85.5	167.5 168.0 155.0 180.5
ET248 DUP Target Range – Lower Bound Upper Bound		2.09 1.985 1.875 2.20	29.6 27.3 27.0 29.9	87.3 81.9 80.2 89.0	197.0 189.0 178.5 208
ET250 DUP Target Range – Lower Bound Upper Bound					
ET261 DUP Target Range – Lower Bound Upper Bound					



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
 LEVEL 4
 100 ALBERT ROAD
 SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 8 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3	ME-MS61L Cs ppm 0.01	ME-MS61L Cu ppm 0.02	ME-MS61L Fe % 0.002
DUPLICATES																
ORIGINAL			0.011	3.58	15.80	510	1.25	0.151	0.31	<0.005	26.0	28.6	1270	2.11	2.40	16.60
DUP			0.012	3.66	15.90	510	1.28	0.149	0.32	<0.005	27.4	28.8	1305	2.24	2.45	17.00
Target Range - Lower Bound			0.009	3.43	15.05	471	1.18	0.141	0.29	<0.005	25.4	27.3	1225	2.06	2.32	15.95
Upper Bound			0.014	3.81	16.65	549	1.35	0.160	0.34	0.010	28.0	30.1	1350	2.29	2.53	17.65
ORIGINAL			0.265	4.46	457	510	2.65	5.05	4.03	0.046	28.6	602	950	0.21	609	11.15
DUP			0.285	4.48	457	510	2.66	5.09	4.01	0.049	28.9	602	970	0.21	598	11.10
Target Range - Lower Bound			0.259	4.24	434	471	2.50	4.81	3.81	0.040	27.3	572	912	0.19	582	10.55
Upper Bound			0.291	4.70	480	549	2.81	5.33	4.23	0.055	30.2	632	1010	0.23	625	11.70
PREP DUPLICATES																
ET052		<0.005	0.004	8.29	0.83	680	2.65	0.308	0.15	<0.005	84.5	11.30	48.0	8.26	2.69	3.59
ET052 PREP DUP		0.008	0.010	8.32	1.40	690	2.77	0.319	0.16	<0.005	76.7	12.80	51.9	8.22	5.63	3.69
ET1 03		<0.005	0.009	7.30	0.56	560	2.19	0.434	0.23	<0.005	83.1	10.80	43.2	7.44	6.06	3.49
ET1 03 PREP DUP		0.007	0.008	7.61	1.03	570	2.25	0.463	0.23	<0.005	85.6	12.30	47.7	7.88	8.86	3.51
ET1 54		<0.005	0.016	8.02	0.75	620	2.63	0.376	0.23	0.034	83.2	12.05	52.9	8.64	32.0	3.82
ET1 54 PREP DUP		0.005	0.025	8.81	1.03	670	2.88	0.390	0.25	<0.005	90.5	14.45	55.9	9.54	38.1	4.18
ET206		<0.005	0.018	6.19	0.78	381	2.05	0.322	0.32	0.006	98.2	12.40	53.2	5.35	6.93	3.49
ET206 PREP DUP		0.009	0.026	6.42	0.87	392	2.13	0.346	0.34	0.008	96.7	13.25	56.3	5.53	11.55	3.52



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
 LEVEL 4
 100 ALBERT ROAD
 SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 8 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L Ga ppm 0.05	ME-MS61L Ge ppm 0.05	ME-MS61L Hf ppm 0.004	ME-MS61L In ppm 0.005	ME-MS61L K % 0.01	ME-MS61L La ppm 0.005	ME-MS61L Li ppm 0.2	ME-MS61L Mg % 0.01	ME-MS61L Mn ppm 0.2	ME-MS61L Mo ppm 0.02	ME-MS61L Na % 0.001	ME-MS61L Nb ppm 0.005	ME-MS61L Ni ppm 0.08	ME-MS61L P % 0.001	ME-MS61L Pb ppm 0.01
DUPLICATES																
ORIGINAL		10.65	0.13	2.97	0.126	1.41	12.55	14.8	2.90	2370	1.64	0.051	2.28	640	0.080	0.55
DUP		10.60	0.11	3.05	0.144	1.44	13.30	14.7	2.95	2410	1.77	0.054	2.40	653	0.081	0.58
Target Range – Lower Bound		10.05	0.06	2.86	0.123	1.34	12.25	13.8	2.77	2270	1.60	0.049	2.22	614	0.075	0.53
Upper Bound		11.20	0.18	3.16	0.147	1.51	13.60	15.7	3.08	2510	1.81	0.056	2.46	679	0.086	0.60
ORIGINAL		15.15	0.09	1.495	0.193	0.33	14.65	9.2	3.55	3240	1.06	0.283	2.15	680	0.043	6.48
DUP		15.35	0.09	1.490	0.188	0.33	14.80	8.9	3.55	3220	1.07	0.283	2.36	681	0.044	6.49
Target Range – Lower Bound		14.45	<0.05	1.415	0.176	0.30	14.00	8.4	3.36	3070	0.99	0.268	2.14	646	0.040	6.15
Upper Bound		16.05	0.10	1.570	0.205	0.36	15.45	9.7	3.74	3390	1.14	0.298	2.37	715	0.047	6.82
PREP DUPLICATES																
ET052		21.8	0.16	5.20	0.065	3.80	42.0	13.8	1.25	202	0.20	1.075	10.65	23.3	0.040	10.80
ET052 PREP DUP		22.6	0.45	5.35	0.073	3.88	36.5	14.0	1.26	211	0.26	1.100	11.80	25.8	0.042	11.65
ET103		19.65	0.20	6.00	0.074	3.31	38.6	14.4	1.09	246	0.36	1.030	11.60	22.0	0.041	9.62
ET103 PREP DUP		20.1	0.43	6.21	0.068	3.49	41.8	15.2	1.10	240	0.32	1.040	12.35	24.3	0.042	9.99
ET154		20.6	0.33	4.94	0.072	3.29	39.7	15.7	1.08	245	0.18	0.841	11.05	25.4	0.038	10.95
ET154 PREP DUP		23.6	0.49	5.07	0.062	4.36	43.8	16.9	1.19	274	0.19	0.894	12.20	30.0	0.042	11.25
ET206		15.50	0.39	7.29	0.061	2.46	47.8	15.6	1.10	247	0.81	1.380	13.35	19.85	0.049	12.10
ET206 PREP DUP		16.75	0.44	8.06	0.072	2.52	48.5	16.6	1.14	253	0.68	1.440	14.10	21.3	0.050	12.60



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry


To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 8 – C
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

QC CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L Rb ppm 0.02	ME-MS61L Re ppm 0.0004	ME-MS61L S % 0.01	ME-MS61L Sb ppm 0.02	ME-MS61L Sc ppm 0.01	ME-MS61L Se ppm 0.006	ME-MS61L Sn ppm 0.02	ME-MS61L Sr ppm 0.02	ME-MS61L Ta ppm 0.01	ME-MS61L Te ppm 0.005	ME-MS61L Th ppm 0.004	ME-MS61L Ti % 0.001	ME-MS61L Tl ppm 0.002	ME-MS61L U ppm 0.01	ME-MS61L V ppm 0.1
DUPLICATES																
ORIGINAL		80.2	0.0004	<0.01	0.73	18.80	0.240	2.36	8.37	0.15	0.028	2.17	0.311	0.141	2.78	125.5
DUP		82.9	0.0005	<0.01	0.77	17.50	0.234	2.47	8.58	0.14	0.024	2.24	0.317	0.148	2.94	127.0
Target Range – Lower Bound		77.5	<0.0004	<0.01	0.67	17.25	0.219	2.27	8.03	0.13	0.020	2.09	0.297	0.132	2.71	120.0
Upper Bound		85.6	0.0008	0.02	0.83	19.05	0.255	2.56	8.92	0.16	0.032	2.32	0.331	0.157	3.01	132.5
ORIGINAL		6.69	0.0004	0.14	3.63	20.7	2.38	0.75	53.7	0.14	0.471	1.375	0.319	0.043	2.13	210
DUP		6.93	0.0004	0.14	3.48	21.2	2.55	0.71	54.0	0.15	0.466	1.395	0.331	0.044	2.14	207
Target Range – Lower Bound		6.45	<0.0004	0.12	3.27	19.90	2.34	0.67	51.1	0.13	0.440	1.310	0.308	0.038	2.02	198.0
Upper Bound		7.17	0.0008	0.16	3.84	22.0	2.59	0.79	56.6	0.16	0.497	1.460	0.342	0.049	2.25	219
PREP DUPLICATES																
ET052		193.0	<0.0004	<0.01	0.70	14.35	0.012	3.51	37.7	0.93	0.018	16.55	0.335	0.754	3.13	67.0
ET052 PREP DUP		194.5	<0.0004	0.01	0.75	14.50	0.020	3.58	39.4	1.00	0.017	15.70	0.346	0.829	3.20	71.8
ET1 03		148.0	<0.0004	0.01	1.08	11.50	0.006	3.33	25.6	1.03	0.008	14.75	0.377	0.721	3.14	75.7
ET1 03 PREP DUP		184.5	<0.0004	<0.01	1.10	13.70	0.010	3.33	28.6	0.98	0.010	16.80	0.387	0.766	3.31	78.7
ET1 54		166.5	<0.0004	<0.01	0.50	14.25	0.034	3.54	31.5	0.95	0.023	15.60	0.318	0.950	3.80	73.0
ET1 54 PREP DUP		237	<0.0004	<0.01	0.52	16.10	0.047	3.86	35.8	1.00	0.026	17.35	0.344	1.035	4.09	80.8
ET206		141.0	<0.0004	<0.01	0.61	13.60	0.020	2.68	58.4	0.97	0.007	16.95	0.527	0.635	3.73	95.1
ET206 PREP DUP		148.5	<0.0004	<0.01	0.63	13.50	0.020	2.88	62.3	1.03	0.007	16.65	0.546	0.640	3.67	99.5



Project: East Tennant

Page: 8 – D
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 8–NOV–2021
Account: STRENERES

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		W	Y	Zn	Zr
		ppm	ppm	ppm	ppm
		0.008	0.01	0.2	0.1
DUPLICATES					
ORIGINAL		14.90	7.15	8.7	109.5
DUP		15.10	8.04	8.9	113.5
Target Range – Lower Bound		13.85	7.21	8.2	103.0
Upper Bound		16.15	7.98	9.4	120.0
ORIGINAL		12.40	21.6	13.8	51.9
DUP		13.40	22.7	14.4	52.3
Target Range – Lower Bound		11.90	21.0	13.2	48.1
Upper Bound		13.90	23.3	15.0	56.1
PREP DUPLICATES					
ET052		1.935	24.1	56.5	188.5
ET052 PREP DUP		1.945	21.7	64.0	185.0
ET103		1.785	20.9	58.4	212
ET103 PREP DUP		1.775	23.7	65.4	222
ET154		1.865	24.3	76.2	168.5
ET154 PREP DUP		1.890	27.0	84.3	182.0
ET206		1.850	22.6	62.0	281
ET206 PREP DUP		2.07	23.6	68.6	294



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8-NOV-2021
Account: STRENERES

Project: East Tennant

QC CERTIFICATE OF ANALYSIS MI21263540

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Townsville located at 14-15 Desma Court, Bohle, Townsville, QLD, Australia.
Au-AA23

Applies to Method:

Processed at ALS Mount Isa located at Unit 4, 16 Enterprise Rd, Mount Isa, QLD, Australia.

BAG-01	CRU-32c	CRU-QC	LEV-01
LEV-02	LOG-22	PUL-32m	PUL-QC
SPL-22Y	WEI-21		

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia
ME-MS61L