



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Page: 1
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2021
Account: STRENERES

CERTIFICATE MI21269945

Project: East Tennant

P.O. No.: 211005 SER ET

This report is for 258 samples of 1/2 Core submitted to our lab in Mount Isa, QLD, Australia on 6-OCT-2021.

The following have access to data associated with this certificate:

NEIL CHALMERS

DAVID DETATA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
LEV-01	Waste Disposal Levy
LEV-02	Remote Lab Surcharge
CRU-32c	Fine Crushing 90% <4mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32m	Pulverize 500g - 85%<75um
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61L	Super Trace Lowest DL 4A by ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 2 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	CRU-QC Pass4mm % 0.01	PUL-QC Pass75um % 0.01	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3
ET251		2.53	93.4	92.7	<0.005	0.021	8.35	0.94	600	2.09	0.250	0.26	0.007	87.3	11.55	49.8
ET252		2.50	96.8	90.7	<0.005	0.016	6.32	1.10	410	2.11	0.320	0.50	0.014	85.7	9.86	42.3
ET253		2.40			0.008	0.013	7.92	0.80	510	2.20	0.242	0.39	<0.005	85.6	11.80	49.0
ET254		2.39			<0.005	0.040	7.01	1.02	480	2.03	0.487	0.51	<0.005	86.2	9.65	42.0
ET255		2.47			<0.005	0.035	7.51	0.67	510	2.14	0.381	0.50	<0.005	90.2	10.50	43.7
ET256		2.52			<0.005	0.034	8.61	0.71	620	2.44	0.344	0.30	<0.005	85.2	12.85	55.9
ET257		2.52			<0.005	0.041	8.38	0.70	580	2.43	0.401	0.33	<0.005	93.4	12.35	52.1
ET258		2.23			<0.005	0.039	9.67	0.77	720	2.77	0.299	0.18	<0.005	89.5	14.95	65.9
ET259		2.30			<0.005	0.028	8.24	0.57	540	2.49	0.378	0.29	0.020	89.0	10.30	43.3
ET260		2.51			<0.005	0.013	8.93	0.76	670	2.67	0.354	0.33	<0.005	91.6	11.85	51.4
ET261		2.19			<0.005	0.011	7.56	0.73	500	2.05	0.370	0.38	<0.005	87.6	10.75	47.0
ET262		2.23			<0.005	0.010	8.14	0.71	530	2.26	0.416	0.29	<0.005	89.6	11.70	50.7
ET263		2.76			<0.005	0.008	8.64	0.77	560	2.76	0.345	0.56	<0.005	144.5	12.75	55.5
ET264		2.06			0.005	0.016	6.92	0.78	391	1.99	0.340	1.16	<0.005	93.6	12.60	38.0
ET265		2.26			<0.005	0.036	6.38	0.68	371	1.77	0.336	0.67	<0.005	70.3	9.29	41.8
ET266		2.63			<0.005	0.011	6.55	0.86	392	1.71	0.339	0.42	<0.005	66.7	9.04	39.7
ET267		2.22			<0.005	0.006	7.54	0.70	480	1.99	0.284	0.83	<0.005	78.7	11.05	44.4
ET268		2.36			<0.005	0.011	7.59	1.01	490	1.97	0.273	0.28	<0.005	75.7	9.72	44.4
ET269		1.89			<0.005	0.033	8.69	0.74	590	2.48	0.283	0.39	<0.005	99.1	12.30	57.9
ET270		1.86			<0.005	0.094	7.83	0.85	550	2.58	0.359	0.63	<0.005	63.8	16.30	148.0
ET271		2.67			<0.005	0.018	7.64	0.70	510	1.98	0.322	0.14	<0.005	84.7	10.85	49.2
ET272		2.60			<0.005	0.047	6.83	0.95	411	1.88	0.370	0.22	<0.005	80.2	10.40	41.2
ET273		2.03			<0.005	0.020	7.77	0.71	540	2.03	0.309	0.19	0.044	90.1	10.50	48.3
ET274		1.99			<0.005	0.162	7.47	0.84	520	2.04	0.378	0.21	<0.005	82.9	10.45	44.0
ET275		2.17			<0.005	0.021	8.22	0.81	610	2.18	0.347	0.31	<0.005	95.7	11.95	52.5
ET276		2.49			<0.005	0.034	7.08	0.80	480	1.86	0.530	0.32	<0.005	80.8	10.15	38.9
ET277		2.51			<0.005	0.081	7.27	1.01	530	2.20	0.511	0.43	<0.005	82.5	10.75	45.5
ET278		2.29			<0.005	0.038	6.57	1.30	411	2.10	0.462	0.74	0.015	81.0	8.88	37.9
ET279		1.82			<0.005	0.017	7.40	0.83	510	2.09	0.352	0.28	<0.005	85.2	10.05	42.9
ET280		1.20			<0.005	0.503	7.78	0.68	590	2.26	0.393	0.28	0.006	88.8	11.25	44.5
ET281		0.07			0.587	1.075	4.10	528	41	0.75	6.64	3.69	<0.005	106.0	573	27.2
ET282		1.03			0.009	0.017	8.69	1.07	700	2.51	0.417	0.20	0.012	92.3	12.70	50.8
ET283		1.84			0.006	0.012	7.64	0.84	560	2.11	0.375	0.67	<0.005	87.0	11.50	46.0
ET284		2.37			0.005	0.018	8.23	0.84	610	2.06	0.444	0.61	<0.005	89.2	12.60	51.1
ET285		2.72			0.008	0.021	7.85	0.78	560	2.14	0.368	0.34	<0.005	86.6	12.20	46.2
ET286		2.52			0.009	0.018	7.89	0.77	550	1.97	0.364	0.32	<0.005	86.5	12.40	49.6
ET287		2.30			0.011	0.021	7.08	0.84	460	1.82	0.388	0.32	<0.005	84.5	10.95	40.7
ET288		2.44			0.009	0.007	8.72	0.88	650	1.98	0.256	0.53	<0.005	80.0	14.25	54.1
ET289		2.45			0.007	0.063	7.79	0.88	540	1.71	0.320	0.70	<0.005	84.7	12.70	47.9
ET290		1.99			<0.005	0.015	7.93	0.85	550	1.73	0.323	0.21	<0.005	90.7	12.05	50.4



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 2 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L Cs ppm 0.01	ME-MS61L Cu ppm 0.02	ME-MS61L Fe % 0.002	ME-MS61L Ga ppm 0.05	ME-MS61L Ge ppm 0.05	ME-MS61L Hf ppm 0.004	ME-MS61L In ppm 0.005	ME-MS61L K % 0.01	ME-MS61L La ppm 0.005	ME-MS61L Li ppm 0.2	ME-MS61L Mg % 0.01	ME-MS61L Mn ppm 0.2	ME-MS61L Mo ppm 0.02	ME-MS61L Na % 0.001	ME-MS61L Nb ppm 0.005
ET251		6.69	26.3	3.68	23.6	0.14	5.06	0.069	3.25	43.2	20.9	1.02	278	0.32	0.941	11.25
ET252		4.59	17.45	3.09	15.15	0.13	6.53	0.048	2.43	44.0	16.5	0.75	269	0.68	1.460	11.80
ET253		6.24	11.55	3.82	20.7	0.13	6.30	0.092	3.32	42.7	22.7	1.00	344	0.47	1.125	12.45
ET254		7.26	64.9	3.37	17.45	0.13	5.63	0.064	2.76	44.1	17.7	0.86	325	0.55	1.180	10.95
ET255		7.98	33.7	3.61	18.80	0.14	5.03	0.082	3.29	45.6	20.2	1.01	452	0.33	0.945	10.35
ET256		8.87	26.4	4.12	22.4	0.13	4.86	0.087	3.33	43.8	24.5	1.10	367	0.31	0.778	10.90
ET257		10.30	31.1	4.03	21.6	0.14	5.12	0.080	3.36	47.7	22.5	1.00	364	0.26	0.867	10.90
ET258		11.95	34.5	4.79	27.0	0.13	4.46	0.102	3.45	45.2	27.2	1.24	404	0.19	0.376	12.10
ET259		11.55	26.8	3.54	22.3	0.14	4.85	0.059	3.22	43.2	21.0	1.04	287	0.30	0.820	11.40
ET260		10.55	4.49	3.90	25.2	0.15	4.68	0.078	3.69	46.2	25.4	1.27	350	0.22	0.739	11.70
ET261		8.66	4.88	3.46	18.50	0.14	5.86	0.058	3.24	43.9	19.4	0.97	299	0.40	1.035	11.35
ET262		9.58	5.00	3.76	21.8	0.15	5.15	0.075	3.36	45.8	20.8	1.08	315	0.32	0.770	11.35
ET263		7.14	3.07	4.38	24.8	0.18	4.69	0.115	3.57	74.0	32.3	1.39	610	0.26	0.166	10.90
ET264		5.23	4.40	4.36	18.10	0.13	5.17	0.178	2.99	46.1	32.4	1.72	1315	0.23	0.328	9.68
ET265		5.98	4.57	3.20	15.05	0.12	5.22	0.104	2.98	34.3	19.8	1.08	639	0.46	0.769	10.35
ET266		4.93	4.89	2.96	15.60	0.12	5.58	0.066	3.11	33.1	22.1	0.92	398	0.36	0.614	10.70
ET267		7.71	3.47	3.55	19.55	0.13	5.17	0.098	2.97	39.3	23.0	1.34	642	0.30	0.527	10.85
ET268		6.79	3.50	3.38	18.60	0.13	5.67	0.103	3.48	38.0	21.4	1.03	299	0.29	0.465	10.80
ET269		8.30	4.58	4.16	24.6	0.14	4.83	0.136	2.88	49.8	27.7	1.41	403	0.21	0.149	11.95
ET270		4.79	5.93	4.45	20.5	0.13	4.35	0.079	3.12	29.8	37.0	2.01	704	0.23	0.240	10.20
ET271		5.66	3.48	3.43	19.20	0.14	5.56	0.057	3.01	43.2	18.1	1.13	254	0.45	0.936	11.50
ET272		3.95	4.67	3.20	15.85	0.14	6.01	0.050	2.86	39.2	17.9	1.07	298	0.32	1.330	10.80
ET273		5.65	3.82	3.53	19.55	0.16	5.85	0.059	3.38	46.2	17.4	1.07	273	0.42	1.155	11.80
ET274		5.10	5.65	3.34	18.75	0.15	5.11	0.054	2.76	41.3	16.9	1.03	274	0.32	1.100	10.80
ET275		4.84	7.22	3.91	22.1	0.15	5.14	0.084	2.91	47.2	21.0	1.21	427	0.35	0.541	10.80
ET276		3.90	31.4	3.28	16.40	0.14	5.25	0.057	2.89	40.8	17.5	1.03	371	0.36	1.175	10.15
ET277		5.49	140.5	3.51	18.30	0.14	5.28	0.078	2.62	41.6	18.0	1.01	372	0.61	1.050	10.65
ET278		6.07	61.2	3.03	15.50	0.15	5.84	0.049	2.31	40.4	14.1	0.82	361	0.90	1.590	10.55
ET279		5.11	4.48	3.30	17.55	0.14	5.24	0.063	2.69	42.8	16.7	1.02	280	0.44	1.255	9.93
ET280		4.97	8.64	3.91	19.45	0.14	4.38	0.075	3.01	44.8	22.0	1.36	424	0.38	0.699	9.95
ET281		0.51	9620	24.0	16.30	0.26	2.47	0.179	2.90	129.5	19.5	1.09	3930	194.5	0.646	4.83
ET282		5.70	13.50	4.04	24.1	0.13	4.96	0.086	3.17	44.7	23.3	1.39	381	0.49	0.606	10.90
ET283		6.44	7.02	3.81	19.35	0.15	5.27	0.076	3.30	44.4	19.4	1.29	583	0.36	0.998	10.65
ET284		6.63	5.46	4.15	21.3	0.14	5.22	0.080	3.16	44.1	20.9	1.34	568	0.31	0.763	10.55
ET285		7.78	5.88	3.77	19.35	0.15	5.23	0.087	3.17	43.8	18.7	1.06	402	0.34	0.991	11.10
ET286		5.94	5.82	3.86	19.65	0.14	5.29	0.071	3.34	42.9	19.8	1.14	424	0.32	0.883	11.15
ET287		4.79	6.43	3.31	16.45	0.14	5.37	0.073	2.97	41.4	17.3	0.99	361	0.62	1.245	10.55
ET288		5.57	4.27	4.60	24.2	0.14	4.77	0.110	3.18	38.6	24.7	1.51	659	0.28	0.553	11.65
ET289		4.47	3.67	4.06	19.30	0.15	4.89	0.094	2.89	42.0	21.1	1.47	661	0.26	0.933	10.80
ET290		4.39	3.31	3.79	20.2	0.14	5.52	0.067	3.07	45.5	18.8	1.15	330	0.24	1.015	11.70



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 2 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L Ni ppm 0.08	ME-MS61L P % 0.001	ME-MS61L Pb ppm 0.01	ME-MS61L Rb ppm 0.02	ME-MS61L Re ppm 0.0004	ME-MS61L S % 0.01	ME-MS61L Sb ppm 0.02	ME-MS61L Sc ppm 0.01	ME-MS61L Se ppm 0.006	ME-MS61L Sn ppm 0.02	ME-MS61L Sr ppm 0.02	ME-MS61L Ta ppm 0.01	ME-MS61L Te ppm 0.005	ME-MS61L Th ppm 0.004	ME-MS61L Ti % 0.001
ET251		25.1	0.039	8.99	176.5	<0.0004	0.01	0.59	14.75	0.030	3.79	44.2	1.02	0.017	17.00	0.305
ET252		17.15	0.045	13.45	139.0	<0.0004	0.01	0.50	10.85	0.018	2.64	120.5	0.90	0.006	14.30	0.395
ET253		22.7	0.045	10.10	180.5	<0.0004	<0.01	0.55	13.60	0.019	3.46	71.6	1.04	0.007	17.55	0.385
ET254		18.90	0.042	14.95	142.5	0.0005	0.01	0.61	11.95	0.020	3.06	110.0	0.90	0.012	15.70	0.332
ET255		20.7	0.038	9.48	173.0	0.0007	0.01	0.56	12.95	0.028	3.28	45.5	0.88	0.022	15.60	0.311
ET256		27.1	0.037	9.02	172.5	<0.0004	0.01	0.74	15.45	0.028	3.80	35.7	0.92	0.019	16.75	0.324
ET257		25.7	0.039	11.40	176.5	<0.0004	0.01	0.64	15.30	0.032	3.84	40.7	0.96	0.020	17.10	0.325
ET258		33.4	0.033	9.50	167.5	<0.0004	0.01	0.61	18.15	0.026	4.68	23.4	1.00	0.020	17.35	0.320
ET259		21.0	0.034	13.50	172.0	<0.0004	<0.01	0.63	13.20	0.033	3.67	53.8	0.95	0.023	17.10	0.275
ET260		25.7	0.035	12.40	195.5	<0.0004	<0.01	0.88	16.00	0.024	4.24	45.3	1.05	0.018	17.40	0.289
ET261		21.8	0.040	11.65	170.0	<0.0004	<0.01	0.65	13.05	0.025	3.39	48.5	0.93	0.011	16.15	0.340
ET262		24.7	0.040	9.94	179.0	<0.0004	<0.01	0.70	14.75	0.029	3.70	27.9	0.91	0.020	16.65	0.329
ET263		24.8	0.037	7.60	154.0	<0.0004	0.01	0.67	16.10	0.031	3.90	12.30	0.95	0.019	17.30	0.303
ET264		19.85	0.040	6.00	120.5	0.0004	<0.01	0.60	13.85	0.018	2.89	13.50	0.89	0.010	14.85	0.286
ET265		18.00	0.039	7.45	131.5	<0.0004	<0.01	0.63	12.30	0.017	2.77	27.6	0.87	0.012	14.45	0.339
ET266		17.45	0.040	5.77	126.5	<0.0004	<0.01	0.60	12.10	0.017	2.72	21.2	0.89	0.008	14.55	0.357
ET267		22.1	0.039	6.94	139.5	<0.0004	<0.01	0.66	14.60	0.027	3.41	22.6	0.94	0.018	15.30	0.309
ET268		20.9	0.038	7.49	154.5	<0.0004	<0.01	0.64	14.95	0.019	3.44	17.10	0.95	0.012	16.65	0.335
ET269		27.5	0.038	7.23	138.0	<0.0004	0.02	0.72	19.35	0.015	4.08	10.50	1.07	0.024	16.65	0.324
ET270		30.3	0.047	5.70	108.5	<0.0004	0.01	0.60	15.95	0.014	2.88	23.0	0.84	0.012	11.70	0.343
ET271		22.5	0.043	7.08	149.5	<0.0004	<0.01	0.66	13.70	0.018	3.44	20.5	0.93	0.016	15.60	0.348
ET272		19.55	0.045	7.60	147.5	<0.0004	0.01	0.61	10.95	0.011	2.80	35.1	0.89	0.013	14.70	0.340
ET273		21.4	0.043	12.40	172.5	<0.0004	0.01	0.71	13.55	0.019	3.44	35.2	0.96	0.015	16.05	0.362
ET274		21.0	0.039	8.51	129.5	<0.0004	<0.01	0.61	12.85	0.084	3.18	30.1	0.94	0.020	15.50	0.322
ET275		25.1	0.040	7.57	129.0	<0.0004	<0.01	0.67	14.85	0.034	3.70	18.25	0.94	0.015	16.45	0.318
ET276		18.40	0.039	7.33	135.0	<0.0004	<0.01	0.57	10.85	0.035	3.02	33.0	0.86	0.015	15.00	0.307
ET277		20.6	0.040	9.44	127.0	<0.0004	0.01	0.65	12.55	0.038	3.27	51.5	0.89	0.010	15.15	0.330
ET278		16.75	0.042	15.45	131.0	<0.0004	0.01	1.00	10.10	0.041	2.58	141.0	0.84	0.013	14.15	0.338
ET279		20.4	0.040	8.51	133.5	<0.0004	0.01	0.54	12.25	0.022	3.14	31.7	0.85	0.014	15.35	0.318
ET280		23.0	0.033	8.52	132.5	<0.0004	0.01	0.58	13.50	0.022	3.43	20.3	0.87	0.018	16.05	0.274
ET281		63.4	0.095	9.95	68.9	0.0771	2.63	6.67	12.45	2.90	7.65	179.0	0.36	1.190	5.49	0.357
ET282		27.0	0.035	9.04	146.0	<0.0004	0.01	0.65	15.25	0.021	3.97	19.35	0.99	0.016	17.40	0.299
ET283		22.9	0.038	8.65	169.5	<0.0004	0.01	0.54	13.95	0.023	3.35	28.1	0.92	0.016	15.75	0.342
ET284		25.3	0.038	8.12	156.5	<0.0004	0.01	0.56	14.75	0.024	3.65	21.2	0.95	0.017	16.60	0.329
ET285		23.6	0.037	9.20	167.5	<0.0004	0.01	0.54	13.00	0.026	3.53	31.5	0.90	0.016	16.10	0.314
ET286		24.9	0.040	8.04	171.5	<0.0004	0.01	0.59	13.80	0.022	3.55	21.1	0.98	0.019	16.40	0.329
ET287		20.5	0.040	8.91	156.5	<0.0004	<0.01	0.52	11.10	0.020	3.11	36.3	0.88	0.013	15.05	0.319
ET288		27.6	0.037	6.61	150.5	<0.0004	0.01	0.48	15.90	0.011	3.86	16.20	1.02	0.012	17.10	0.320
ET289		24.8	0.040	6.49	141.5	<0.0004	<0.01	0.47	13.75	0.017	3.45	20.1	0.96	0.013	15.45	0.305
ET290		24.9	0.045	6.32	157.5	<0.0004	0.01	0.50	13.20	0.007	3.57	20.2	0.98	0.013	15.95	0.328



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 2 – D
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2021
Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.002	0.01	0.1	0.008	0.01	0.2	0.1
ET251		0.884	3.94	67.2	1.925	25.6	73.0	181.0
ET252		0.616	3.28	70.9	1.410	22.4	59.9	252
ET253		0.782	3.65	80.8	1.900	25.0	74.7	229
ET254		0.755	3.38	64.0	1.560	24.9	71.1	207
ET255		0.816	3.19	62.3	1.935	24.8	73.7	187.0
ET256		0.925	3.35	77.5	2.39	26.1	89.3	173.5
ET257		0.965	3.49	73.8	2.11	26.6	90.6	183.0
ET258		1.155	3.68	86.6	2.35	27.4	105.0	153.5
ET259		0.947	3.77	61.2	1.425	26.1	79.5	171.5
ET260		1.050	4.05	71.3	1.350	26.8	86.2	160.0
ET261		0.773	3.29	69.5	1.775	24.0	63.6	201
ET262		0.943	3.37	71.0	1.690	26.4	73.2	182.0
ET263		0.904	3.46	75.6	2.08	33.6	88.4	162.0
ET264		0.688	2.96	62.4	1.780	25.2	86.8	183.5
ET265		0.705	2.92	67.1	1.695	20.5	61.6	193.5
ET266		0.694	2.99	69.8	1.970	19.05	56.3	206
ET267		0.794	3.08	69.9	1.725	25.2	66.2	181.0
ET268		0.832	3.13	74.7	2.01	22.3	54.4	198.5
ET269		0.945	3.24	86.1	2.45	25.6	73.0	164.0
ET270		0.779	2.97	97.8	1.655	21.2	92.3	159.0
ET271		0.711	2.99	69.9	1.945	22.2	67.1	195.5
ET272		0.598	3.02	63.0	1.560	20.7	62.1	215
ET273		0.743	3.38	72.4	1.850	22.5	71.8	209
ET274		0.677	3.64	64.9	2.34	22.3	60.6	180.0
ET275		0.799	4.09	74.7	2.12	25.2	65.5	182.5
ET276		0.628	3.38	59.8	1.535	20.2	45.8	193.5
ET277		0.676	3.46	67.6	1.755	21.7	52.6	184.0
ET278		0.553	3.11	59.8	1.860	21.1	50.8	216
ET279		0.595	3.12	62.1	1.835	21.5	46.8	185.5
ET280		0.676	3.29	64.5	1.735	24.1	67.2	157.0
ET281		0.215	34.6	156.5	120.5	15.20	27.2	108.0
ET282		0.805	3.61	73.6	2.09	26.5	69.0	172.5
ET283		0.718	3.24	68.9	1.820	24.2	67.5	193.5
ET284		0.782	3.48	72.6	1.885	24.0	68.4	188.0
ET285		0.791	3.32	66.9	1.660	24.3	72.2	184.5
ET286		0.760	3.48	69.0	1.845	23.4	64.6	189.0
ET287		0.632	3.19	61.8	1.830	22.9	56.4	196.5
ET288		0.856	3.33	76.6	2.36	26.2	81.1	169.0
ET289		0.717	3.03	65.9	2.06	23.7	67.7	170.0
ET290		0.685	3.00	69.2	2.23	23.4	61.0	190.0



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 3 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	CRU-QC Pass4mm % 0.01	PUL-QC Pass75um % 0.01	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3
ET291		2.54			0.007	0.015	7.59	0.90	520	1.70	0.296	0.20	<0.005	88.2	10.40	44.0
ET292		2.14			<0.005	0.014	6.22	0.95	391	1.54	0.272	0.20	<0.005	86.0	9.46	39.7
ET293		2.08			<0.005	0.014	8.20	0.96	500	2.22	0.296	0.16	<0.005	125.0	14.60	45.9
ET294		2.20			<0.005	0.034	10.20	0.97	393	4.32	0.394	0.58	<0.005	109.0	14.85	50.9
ET295		1.88			<0.005	0.017	8.10	0.73	490	1.93	0.256	0.29	0.013	93.3	12.10	47.4
ET296		2.21			<0.005	0.011	5.95	0.55	352	1.65	0.242	0.29	<0.005	74.5	9.06	32.8
ET297		1.93			<0.005	0.020	6.72	0.79	460	1.75	0.241	0.22	0.008	84.1	9.78	42.5
ET298		2.44			<0.005	0.014	6.56	0.71	440	1.69	0.275	0.32	0.007	88.9	9.55	36.9
ET299		2.46			<0.005	0.014	5.82	0.89	402	1.98	0.380	0.45	0.009	74.7	10.05	37.4
ET300		2.50			<0.005	0.028	5.69	0.77	349	1.98	0.318	0.50	<0.005	94.2	10.35	37.8
ET301		2.08		88.0	<0.005	0.015	8.32	0.83	610	2.08	0.217	0.29	<0.005	90.1	12.65	51.0
ET302		2.07		88.1	<0.005	0.018	5.34	0.88	276	1.72	0.273	0.24	<0.005	67.0	9.24	30.7
ET303		2.32			<0.005	0.025	8.59	0.88	690	2.07	0.242	0.16	<0.005	94.5	12.70	52.9
ET304		2.17			<0.005	0.013	6.46	0.81	411	1.55	0.295	0.19	<0.005	84.2	11.35	37.5
ET305		2.43			<0.005	0.024	9.81	0.85	780	2.35	0.294	0.14	<0.005	101.0	14.40	60.9
ET306		2.08			<0.005	0.012	8.72	0.86	680	2.05	0.313	0.16	<0.005	92.2	12.55	51.8
ET307		2.24			<0.005	0.036	9.95	0.70	820	2.44	0.355	0.19	<0.005	94.6	14.65	63.8
ET308		2.50			<0.005	0.021	8.50	0.68	660	2.25	0.461	0.12	<0.005	90.1	12.45	52.3
ET309		1.75			<0.005	0.023	9.30	0.82	720	2.02	0.302	0.19	<0.005	89.7	14.65	58.3
ET310		2.29			<0.005	0.016	8.24	0.86	580	1.76	0.347	0.11	<0.005	93.4	12.90	49.9
ET311		2.97			<0.005	0.011	7.45	0.74	570	1.64	0.377	0.33	<0.005	109.5	11.00	42.8
ET312		1.96			<0.005	0.012	10.05	0.80	800	2.22	0.279	0.49	<0.005	113.0	15.95	64.4
ET313		2.16			<0.005	0.011	9.52	0.88	750	2.26	0.393	0.19	<0.005	93.8	14.15	59.0
ET314		2.44			<0.005	0.009	10.15	0.79	830	2.32	0.320	0.23	<0.005	93.4	15.95	64.8
ET315		1.87			<0.005	0.009	8.58	0.82	670	2.09	0.332	0.36	<0.005	84.1	14.70	59.1
ET316		2.71			<0.005	0.009	9.28	0.96	780	2.45	0.246	0.62	<0.005	86.2	17.85	65.8
ET317		2.18			<0.005	0.009	10.50	1.11	890	2.53	0.233	0.13	<0.005	79.3	16.30	76.9
ET318		2.27			<0.005	0.037	5.16	0.92	265	1.37	0.312	0.22	<0.005	67.7	8.93	33.4
ET319		0.99			<0.005	0.021	5.49	0.80	361	1.34	0.252	0.27	0.006	77.4	8.62	38.8
ET320		0.06			0.581	1.310	3.89	500	87	0.72	7.80	3.65	<0.005	132.0	547	33.6
ET321		1.13			<0.005	0.017	6.79	1.08	440	1.56	0.279	0.19	<0.005	83.3	10.30	42.1
ET322		2.13			<0.005	0.017	5.24	1.00	329	1.58	0.220	0.22	<0.005	66.5	10.20	38.2
ET323		2.28			<0.005	0.016	6.23	1.09	391	1.76	0.330	0.35	0.008	69.7	10.85	37.3
ET324		2.42			<0.005	0.036	6.61	0.87	450	1.49	0.392	0.31	<0.005	86.4	11.20	43.7
ET325		2.31			<0.005	0.014	9.06	0.80	750	2.05	0.235	0.10	<0.005	87.7	14.25	62.7
ET326		2.54			<0.005	0.017	7.26	0.81	530	1.56	0.357	0.19	<0.005	79.9	11.40	48.6
ET327		2.41			<0.005	0.011	9.41	1.04	770	2.25	0.291	0.38	<0.005	88.3	15.60	54.9
ET328		1.93			<0.005	0.016	8.12	1.25	650	2.18	0.371	0.40	<0.005	96.1	12.60	42.8
ET329		1.63			<0.005	0.023	6.50	0.86	530	2.54	0.353	0.12	<0.005	83.0	7.85	12.9
ET330		2.02			<0.005	0.024	7.59	1.15	740	2.85	1.790	0.10	<0.005	86.1	5.30	6.6



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 3 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm 0.01	ppm 0.02	% 0.002	ppm 0.05	ppm 0.05	ppm 0.004	ppm 0.005	% 0.01	ppm 0.005	ppm 0.2	% 0.01	ppm 0.2	ppm 0.02	% 0.001
ET291		4.09	4.00	3.55	18.45	0.15	5.63	0.064	3.15	44.2	17.1	1.05	275	0.35	1.195
ET292		2.90	4.30	3.02	13.70	0.16	7.04	0.045	2.28	43.4	13.9	0.85	229	0.55	1.535
ET293		3.84	2.00	4.08	19.20	0.18	6.11	0.071	3.53	63.5	27.4	1.51	339	0.30	1.315
ET294		2.64	1.29	4.36	21.9	0.20	10.20	0.061	2.57	50.4	25.4	1.42	340	0.23	3.99
ET295		3.76	2.76	3.75	20.3	0.16	6.19	0.062	3.20	46.7	18.5	1.16	308	0.36	1.470
ET296		2.76	3.33	2.89	13.05	0.13	5.03	0.044	2.16	38.0	14.3	0.89	296	0.47	1.385
ET297		3.59	2.95	3.11	15.90	0.14	5.86	0.063	2.88	42.6	16.6	0.92	311	0.68	1.025
ET298		3.27	4.18	3.21	15.10	0.14	6.88	0.054	2.46	44.5	14.8	0.86	300	0.36	1.445
ET299		3.89	10.05	3.27	13.40	0.13	5.94	0.067	2.49	37.8	17.7	0.98	414	0.70	1.220
ET300		4.08	8.31	3.40	12.90	0.13	7.41	0.049	2.07	47.8	16.3	0.93	314	0.45	1.455
ET301		5.46	3.17	4.13	20.8	0.14	5.43	0.070	3.38	45.3	20.9	1.20	369	0.34	1.190
ET302		2.14	4.04	2.87	11.55	0.11	5.50	0.037	1.72	33.3	15.4	0.89	245	0.40	1.510
ET303		5.38	2.94	4.29	23.1	0.14	5.63	0.079	3.50	47.1	24.7	1.38	340	0.31	0.544
ET304		3.57	3.83	3.51	14.35	0.11	5.26	0.051	2.63	42.7	20.6	1.19	314	0.35	0.842
ET305		6.60	2.35	4.94	27.5	0.16	5.34	0.100	4.36	51.5	27.2	1.48	432	0.26	0.395
ET306		5.45	3.06	4.17	22.0	0.15	4.98	0.073	3.68	46.7	22.7	1.29	305	0.26	0.586
ET307		6.71	3.35	4.80	27.7	0.16	4.52	0.089	3.66	47.3	24.9	1.42	381	0.26	0.318
ET308		6.97	7.48	4.05	22.5	0.16	4.59	0.074	3.29	44.9	20.8	1.11	283	0.22	0.498
ET309		5.74	4.81	4.70	25.7	0.17	4.51	0.096	3.01	44.4	27.0	1.47	419	0.23	0.304
ET310		4.36	3.20	4.01	21.3	0.14	5.24	0.071	3.07	45.7	22.1	1.15	324	0.27	0.676
ET311		3.63	6.27	3.70	17.80	0.17	5.31	0.062	3.44	55.3	22.0	1.13	461	0.32	0.700
ET312		5.61	2.76	5.23	29.1	0.17	4.58	0.108	3.59	56.0	28.2	1.52	666	0.27	0.284
ET313		5.68	4.45	4.66	25.2	0.15	4.99	0.087	3.38	47.6	24.4	1.24	437	0.27	0.533
ET314		6.55	2.82	5.12	28.5	0.19	4.53	0.105	3.60	46.1	26.7	1.38	527	0.21	0.273
ET315		5.96	4.07	4.61	23.3	0.29	4.44	0.103	4.35	40.0	25.6	1.23	555	0.22	0.194
ET316		6.00	3.54	5.25	26.8	0.32	4.36	0.131	5.10	41.6	30.4	1.60	722	0.23	0.160
ET317		6.66	3.92	5.08	32.8	0.31	5.47	0.126	5.19	32.9	30.0	1.32	420	0.29	0.268
ET318		2.80	7.58	2.78	11.70	0.26	4.84	0.046	2.05	31.5	13.5	0.68	278	0.45	1.295
ET319		3.20	6.09	2.79	12.95	0.26	5.34	0.057	2.62	36.9	14.7	0.74	300	0.59	1.000
ET320		0.59	9200	23.4	15.80	0.32	2.95	0.221	2.86	151.0	19.4	1.05	3870	196.5	0.621
ET321		3.66	5.91	3.32	16.80	0.28	6.41	0.060	3.16	39.7	17.6	0.85	312	0.53	1.190
ET322		3.45	5.65	3.08	12.15	0.28	4.57	0.042	2.72	30.5	17.6	0.85	340	0.63	0.891
ET323		3.69	5.94	3.40	15.45	0.31	4.92	0.062	2.83	31.7	18.9	1.03	413	0.38	1.125
ET324		3.41	4.92	3.40	16.65	0.31	4.91	0.064	3.00	42.1	19.5	1.10	390	0.36	1.040
ET325		5.29	2.46	4.41	24.7	0.33	4.47	0.085	4.54	42.6	25.4	1.24	388	0.24	0.403
ET326		4.18	4.55	3.59	18.35	0.29	5.26	0.073	3.50	38.1	19.2	0.95	352	0.38	0.916
ET327		6.25	1.72	4.91	27.0	0.16	4.64	0.131	3.45	43.3	32.1	1.49	616	0.17	0.116
ET328		5.99	2.95	4.25	22.7	0.18	4.87	0.108	3.25	45.9	28.1	1.36	551	0.23	0.135
ET329		6.28	5.20	2.91	13.90	0.17	4.94	0.066	3.59	39.8	23.8	1.05	419	0.33	0.154
ET330		6.17	3.20	2.15	18.70	0.18	6.84	0.063	3.30	40.6	18.4	0.84	361	0.34	0.514



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 3 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	0.001	0.01	0.02	0.0004	0.01	0.02	0.01	0.006	0.02	0.02	0.01	0.005	0.004
															0.001
ET291		21.0	0.042	7.62	164.5	<0.0004	0.01	0.55	12.90	0.018	3.22	26.4	0.97	0.008	16.80
ET292		16.05	0.043	7.38	131.5	<0.0004	<0.01	0.55	10.00	0.013	2.68	37.0	0.88	0.009	14.65
ET293		23.1	0.046	5.47	197.0	<0.0004	<0.01	0.61	13.55	0.010	3.60	36.5	1.00	0.014	16.55
ET294		23.5	0.072	9.98	154.5	0.0004	<0.01	0.70	15.35	0.016	3.76	147.5	1.28	0.005	20.1
ET295		23.2	0.043	7.92	184.5	<0.0004	0.01	0.50	13.90	0.021	3.41	43.4	1.02	0.007	17.15
ET296		15.55	0.036	7.15	123.0	<0.0004	<0.01	0.40	8.79	0.017	2.43	42.6	0.72	0.006	12.90
ET297		17.20	0.040	6.21	159.5	<0.0004	<0.01	0.47	10.70	0.016	2.86	28.6	0.88	0.005	15.50
ET298		16.90	0.043	9.29	132.5	<0.0004	<0.01	0.49	10.45	0.017	2.75	46.8	0.89	0.006	15.10
ET299		15.35	0.038	10.90	127.5	<0.0004	<0.01	0.59	9.46	0.026	2.41	55.8	0.82	0.008	13.90
ET300		16.15	0.043	13.45	112.5	0.0005	<0.01	0.68	11.40	0.039	2.62	63.4	1.03	0.011	15.75
ET301		25.3	0.044	8.22	161.0	<0.0004	<0.01	0.57	14.10	0.020	3.56	32.0	1.00	0.007	17.00
ET302		15.10	0.038	8.30	91.2	<0.0004	<0.01	0.51	8.20	0.024	2.07	46.2	0.73	0.008	12.40
ET303		25.3	0.041	8.16	162.5	<0.0004	<0.01	0.53	15.45	0.022	3.83	16.70	1.01	0.016	16.90
ET304		20.1	0.039	6.91	129.0	<0.0004	<0.01	0.44	9.86	0.014	2.71	18.30	0.80	0.023	13.65
ET305		29.2	0.043	8.16	201	<0.0004	<0.01	0.54	17.45	0.016	4.35	15.40	1.11	0.022	18.30
ET306		27.0	0.039	7.45	177.0	<0.0004	<0.01	0.54	15.20	0.019	4.09	17.35	0.98	0.021	17.05
ET307		33.1	0.035	8.26	170.0	<0.0004	<0.01	0.57	18.75	0.022	4.58	13.10	1.07	0.022	18.00
ET308		27.1	0.034	7.74	157.5	<0.0004	<0.01	0.45	15.60	0.020	3.86	17.30	0.95	0.032	16.45
ET309		31.0	0.034	6.88	140.5	<0.0004	0.01	0.54	17.10	0.017	4.38	12.20	1.03	0.023	17.25
ET310		26.1	0.039	6.25	150.5	<0.0004	0.01	0.48	14.35	0.022	3.80	16.15	0.95	0.017	16.25
ET311		22.1	0.040	5.19	161.5	<0.0004	<0.01	0.49	12.85	0.015	3.27	18.75	0.90	0.016	15.35
ET312		34.0	0.036	7.99	171.0	<0.0004	0.01	0.54	18.60	0.021	4.70	12.55	1.06	0.018	18.60
ET313		30.5	0.037	9.08	163.0	<0.0004	<0.01	0.51	17.10	0.017	4.27	21.1	1.07	0.022	18.30
ET314		34.5	0.034	8.45	170.5	<0.0004	<0.01	0.50	19.10	0.020	4.70	11.85	1.06	0.026	18.20
ET315		29.8	0.035	6.88	198.0	<0.0004	<0.01	0.52	16.30	0.020	3.97	8.96	0.96	0.027	15.15
ET316		33.7	0.032	6.56	224	<0.0004	<0.01	0.59	18.45	0.028	4.36	9.49	0.95	0.012	15.65
ET317		34.1	0.040	7.43	228	<0.0004	<0.01	0.71	20.6	0.025	5.29	11.15	1.17	0.014	16.45
ET318		16.10	0.033	6.12	111.5	<0.0004	<0.01	0.51	8.03	0.013	2.35	27.4	0.66	0.027	11.45
ET319		15.60	0.037	5.54	138.5	<0.0004	<0.01	0.45	8.76	0.019	2.33	22.4	0.75	0.015	12.85
ET320		71.6	0.089	11.70	81.0	0.0963	2.58	8.19	11.05	2.66	8.88	188.5	0.41	1.220	6.59
ET321		19.30	0.046	6.00	161.5	<0.0004	<0.01	0.45	11.15	0.021	2.77	25.1	0.90	0.011	15.30
ET322		16.90	0.032	6.53	135.0	<0.0004	0.01	0.51	8.10	0.012	2.14	25.0	0.67	0.013	11.45
ET323		18.65	0.037	5.95	148.0	<0.0004	<0.01	0.50	9.83	0.013	2.53	25.7	0.79	0.008	13.05
ET324		20.4	0.037	6.05	154.0	<0.0004	0.01	0.53	10.95	0.023	2.78	21.8	0.81	0.017	13.75
ET325		31.2	0.035	6.85	216	<0.0004	<0.01	0.64	17.80	0.018	4.17	12.80	0.99	0.026	16.60
ET326		21.8	0.037	6.53	180.5	<0.0004	<0.01	0.54	12.20	0.025	3.06	19.65	0.85	0.018	15.15
ET327		31.4	0.034	6.48	160.5	<0.0004	0.01	0.52	15.20	0.016	4.38	11.10	1.14	0.022	17.00
ET328		23.9	0.030	6.54	158.0	<0.0004	<0.01	0.48	11.55	0.020	4.00	14.00	1.01	0.018	16.45
ET329		9.17	0.012	10.40	164.0	<0.0004	<0.01	0.56	5.07	0.010	4.38	32.8	1.12	0.009	23.4
ET330		5.48	0.011	10.45	163.5	<0.0004	<0.01	0.67	5.01	0.020	5.47	31.1	1.41	0.008	31.0



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 3 – D
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2021
Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ti	U	V	W	Y	Zn	Zr
		ppm 0.002	ppm 0.01	ppm 0.1	ppm 0.008	ppm 0.01	ppm 0.2	ppm 0.1
ET291		0.682	3.37	70.6	2.25	21.9	48.8	204
ET292		0.507	3.08	69.2	1.685	20.5	45.1	257
ET293		0.813	3.01	78.8	1.730	25.3	64.2	223
ET294		0.647	4.27	96.1	2.05	29.5	58.1	369
ET295		0.677	3.35	75.3	1.585	23.3	59.8	213
ET296		0.470	2.76	49.0	1.085	19.45	46.1	182.0
ET297		0.577	2.99	62.8	1.145	21.4	51.8	206
ET298		0.481	3.21	69.4	1.525	21.2	48.9	253
ET299		0.517	3.01	71.9	1.540	19.70	56.5	223
ET300		0.472	3.62	97.4	1.515	20.8	49.8	269
ET301		0.673	3.44	74.4	1.715	23.3	61.2	189.0
ET302		0.347	2.65	52.8	1.200	16.15	42.6	203
ET303		0.708	3.64	83.2	1.920	22.9	60.4	210
ET304		0.457	2.87	57.4	1.390	18.00	43.9	190.5
ET305		0.881	3.71	87.8	2.38	25.0	69.4	188.5
ET306		0.752	3.27	74.4	1.935	22.9	56.9	175.0
ET307		0.955	3.91	86.8	2.46	27.4	81.7	156.5
ET308		0.855	3.43	72.8	2.15	23.6	68.2	163.5
ET309		0.833	3.32	79.0	2.58	24.3	74.4	156.5
ET310		0.668	2.94	76.2	2.35	24.1	61.5	189.0
ET311		0.747	2.78	67.0	2.06	22.8	52.3	192.5
ET312		0.899	3.46	91.9	3.01	33.0	80.3	161.0
ET313		0.886	3.84	82.4	2.50	26.7	82.2	175.5
ET314		0.933	3.88	88.8	2.82	26.5	101.5	155.0
ET315		0.756	3.31	78.3	2.83	24.1	78.2	162.5
ET316		0.893	3.50	89.8	2.83	26.6	93.4	156.0
ET317		1.030	3.79	105.0	3.53	24.5	82.0	195.5
ET318		0.417	2.46	48.7	1.820	16.20	41.5	185.5
ET319		0.523	2.73	55.0	1.735	19.75	41.5	204
ET320		0.256	43.9	163.5	142.0	17.90	32.0	123.5
ET321		0.602	3.29	66.1	1.955	22.3	49.4	245
ET322		0.559	2.49	50.9	1.150	17.75	45.3	179.5
ET323		0.549	2.68	58.2	1.630	19.70	55.3	185.5
ET324		0.570	2.81	62.9	1.820	19.95	51.6	185.5
ET325		0.862	3.50	81.1	2.79	22.5	74.3	159.5
ET326		0.655	3.19	71.6	2.38	20.4	56.4	197.5
ET327		1.045	3.13	73.7	3.08	24.1	74.3	161.0
ET328		1.055	3.23	53.7	2.71	26.0	59.5	166.0
ET329		1.035	3.95	17.0	0.696	26.8	44.9	146.5
ET330		1.100	5.36	11.4	0.639	33.7	44.0	191.0



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 4 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	CRU-QC Pass4mm % 0.01	PUL-QC Pass75um % 0.01	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3
ET331		2.73			<0.005	0.029	8.65	0.77	820	2.19	0.281	0.16	<0.005	93.0	14.70	57.2
ET332		2.38			<0.005	0.045	7.94	1.02	710	2.11	0.391	0.24	<0.005	85.2	11.40	52.1
ET333		2.31			<0.005	0.048	8.12	1.09	700	2.35	0.330	0.31	<0.005	85.1	12.60	49.3
ET334		2.10			<0.005	0.049	7.15	1.12	570	2.07	0.406	0.35	<0.005	83.4	10.60	41.7
ET335		2.17			<0.005	0.056	7.77	1.01	630	2.19	0.412	0.35	<0.005	87.1	11.70	45.8
ET336		2.24			<0.005	0.067	9.14	0.88	780	2.04	0.321	0.28	<0.005	92.8	13.70	53.2
ET337		2.21			<0.005	0.053	8.50	0.90	730	2.31	0.449	0.30	<0.005	99.1	12.15	44.4
ET338		2.54			<0.005	0.039	7.80	1.01	620	2.27	0.236	0.32	<0.005	88.1	11.80	45.2
ET339		1.89			<0.005	0.037	8.15	1.13	640	2.41	0.481	0.43	<0.005	93.8	12.65	45.3
ET340		2.74			<0.005	0.070	8.48	0.94	690	2.26	0.500	0.22	<0.005	94.1	12.55	48.8
ET341		1.97			<0.005	0.046	9.04	1.24	740	2.31	0.405	0.13	<0.005	88.8	13.20	55.4
ET342		1.63			<0.005	0.062	7.25	1.59	540	1.75	0.991	2.32	<0.005	87.5	11.95	42.2
ET343		2.23			<0.005	0.037	6.97	1.51	500	1.84	0.272	1.37	<0.005	83.7	12.30	37.0
ET344		2.49			<0.005	0.038	9.48	1.14	780	2.90	0.423	0.23	<0.005	102.5	11.50	30.8
ET345		2.66			<0.005	0.061	8.41	0.75	690	2.28	0.434	0.20	<0.005	91.3	12.55	46.7
ET346		2.48			<0.005	0.093	9.38	0.87	790	2.37	0.380	0.19	<0.005	79.3	13.30	59.5
ET347		2.39			<0.005	0.051	9.82	0.88	810	2.41	0.444	0.14	<0.005	92.8	15.00	63.5
ET348		2.53			<0.005	0.046	8.82	1.11	670	2.36	0.408	0.26	<0.005	80.5	14.35	58.3
ET349		2.88			<0.005	0.076	9.40	0.95	740	2.30	0.546	0.29	<0.005	58.5	13.45	59.8
ET350		1.79			<0.005	0.059	7.81	1.17	540	2.25	0.368	0.75	<0.005	97.3	13.05	48.7
ET351		2.05	95.6	99.2	<0.005	0.067	7.47	1.34	530	2.12	0.474	0.42	0.043	94.4	11.80	44.1
ET352		2.03	98.1	99.2	<0.005	0.064	7.71	0.83	570	2.32	0.429	0.24	0.119	87.8	9.95	38.5
ET353		2.48			<0.005	0.123	9.44	1.32	800	3.03	0.299	0.16	<0.005	99.4	16.00	51.7
ET354		2.39			<0.005	0.037	8.79	1.31	670	2.72	0.471	0.27	<0.005	87.9	14.55	55.1
ET355		2.56			<0.005	0.044	8.33	0.99	610	2.58	1.765	0.28	0.012	91.6	11.90	39.6
ET356		3.08			<0.005	0.065	9.44	0.61	750	2.47	0.351	0.20	0.005	85.6	14.00	54.8
ET357		2.28			<0.005	0.024	8.41	0.80	640	2.22	0.582	0.17	<0.005	69.3	13.65	57.2
ET358		2.43			<0.005	0.017	8.05	0.91	560	2.10	0.326	0.44	<0.005	87.9	11.30	46.7
ET359		1.26			<0.005	0.029	8.80	0.86	660	2.43	0.400	0.39	<0.005	85.5	12.60	53.3
ET360		0.06			0.539	1.285	4.05	532	73	0.74	8.02	3.75	<0.005	134.5	565	31.7
ET361		1.37			<0.005	0.029	8.58	0.77	640	2.36	0.314	0.39	<0.005	86.0	12.10	48.5
ET362		3.08			<0.005	0.026	8.87	0.79	670	2.39	0.476	0.32	<0.005	90.0	12.15	50.6
ET363		2.98			<0.005	0.025	8.49	0.91	620	2.42	0.460	0.33	<0.005	86.8	11.75	48.2
ET364		2.99			<0.005	0.030	8.07	0.67	620	2.67	0.330	0.58	<0.005	72.1	7.78	31.8
ET365		2.84			<0.005	0.039	8.01	0.93	590	3.07	0.538	1.17	0.017	78.5	6.64	25.7
ET366		2.48			<0.005	0.046	7.61	0.83	530	2.28	0.439	0.56	0.011	88.7	10.30	39.0
ET367		3.01			<0.005	0.034	7.72	0.87	550	2.30	0.356	0.56	0.007	86.9	10.25	36.6
ET368		3.00			<0.005	0.020	7.29	0.91	510	2.57	0.413	0.89	0.007	91.8	10.45	42.6
ET369		2.88			<0.005	0.025	6.96	1.21	480	2.60	0.402	1.04	<0.005	82.2	8.03	29.8
ET370		2.93			<0.005	0.032	7.88	0.89	600	2.82	0.397	0.71	0.005	96.5	10.15	42.3



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD

LEVEL 4

100 ALBERT ROAD

SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 4 – B

Total # Pages: 8 (A – D)

Plus Appendix Pages

Finalized Date: 28-OCT-2021

Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L Cs ppm 0.01	ME-MS61L Cu ppm 0.02	ME-MS61L Fe % 0.002	ME-MS61L Ga ppm 0.05	ME-MS61L Ge ppm 0.05	ME-MS61L Hf ppm 0.004	ME-MS61L In ppm 0.005	ME-MS61L K % 0.01	ME-MS61L La ppm 0.005	ME-MS61L Li ppm 0.2	ME-MS61L Mg % 0.01	ME-MS61L Mn ppm 0.2	ME-MS61L Mo ppm 0.02	ME-MS61L Na % 0.001	ME-MS61L Nb ppm 0.005
ET331		6.87	5.02	4.13	23.0	0.20	4.85	0.083	3.63	46.9	27.4	1.29	553	0.28	0.481	11.35
ET332		6.19	9.00	3.73	19.70	0.21	4.95	0.067	3.74	43.2	22.4	0.90	352	0.33	0.857	11.15
ET333		5.83	11.50	4.02	20.5	0.21	4.90	0.068	3.39	42.4	25.1	1.01	443	0.36	1.045	10.90
ET334		6.95	28.4	3.37	17.40	0.22	5.19	0.052	3.26	41.8	20.5	0.84	360	0.41	1.175	10.30
ET335		6.97	32.2	3.53	19.35	0.21	5.42	0.062	3.08	43.5	21.8	0.92	379	0.31	1.280	11.45
ET336		6.69	21.0	4.28	25.3	0.22	5.13	0.080	3.74	46.0	27.6	1.18	605	0.29	0.666	12.20
ET337		8.50	35.1	3.80	21.4	0.21	5.29	0.074	3.64	49.6	27.2	1.08	442	0.40	0.784	11.70
ET338		9.32	20.5	3.67	19.40	0.22	5.32	0.064	3.50	45.1	23.5	0.96	357	0.28	0.998	11.25
ET339		6.86	11.55	3.71	20.2	0.22	5.64	0.077	3.56	46.9	31.1	1.22	465	0.32	0.827	11.70
ET340		7.20	27.3	3.83	21.8	0.23	4.97	0.072	3.94	47.4	27.9	1.09	380	0.36	0.732	11.35
ET341		6.95	8.25	4.20	23.9	0.23	4.63	0.099	4.10	44.2	30.7	1.17	302	0.21	0.482	11.60
ET342		4.95	4.06	3.82	18.75	0.24	4.14	0.080	3.82	44.4	32.9	1.37	1285	0.32	0.323	9.95
ET343		5.06	6.78	3.68	17.65	0.24	4.24	0.073	3.64	42.9	31.9	1.36	1000	0.26	0.407	9.73
ET344		9.06	28.6	3.46	26.2	0.25	7.43	0.077	3.38	48.9	31.4	1.16	412	0.28	0.610	12.75
ET345		10.20	33.9	3.91	22.2	0.21	4.25	0.084	3.13	46.1	30.3	1.11	484	0.21	0.270	11.15
ET346		12.00	51.8	4.41	26.7	0.23	4.43	0.085	3.86	38.4	31.3	1.10	449	0.37	0.321	11.25
ET347		12.95	68.7	4.74	27.5	0.24	4.59	0.096	3.82	47.2	32.9	1.15	407	0.34	0.272	11.90
ET348		8.42	43.9	4.58	23.1	0.22	4.73	0.098	3.39	38.3	34.9	1.15	462	0.31	0.455	11.55
ET349		6.49	67.1	4.51	25.6	0.21	4.79	0.087	3.75	27.2	35.8	1.21	463	0.32	0.390	11.75
ET350		4.90	26.0	4.23	19.20	0.26	4.47	0.074	3.98	49.5	38.7	1.34	676	0.31	0.628	10.60
ET351		4.79	18.05	3.64	18.70	0.25	4.87	0.069	3.57	47.1	31.3	1.10	531	0.40	0.901	10.70
ET352		7.93	50.5	3.24	19.10	0.25	5.22	0.062	3.77	44.7	26.1	0.89	378	0.28	0.837	11.25
ET353		13.00	39.6	4.48	24.6	0.28	4.84	0.087	4.20	50.4	36.3	1.21	407	0.16	0.599	12.30
ET354		11.60	57.6	4.14	23.0	0.26	4.24	0.077	3.35	43.7	30.1	1.05	408	0.14	0.827	11.10
ET355		8.90	55.4	3.45	21.1	0.25	5.67	0.066	3.14	44.1	31.3	1.08	471	0.51	0.654	12.45
ET356		7.89	22.5	4.33	25.2	0.26	4.47	0.084	3.59	43.0	36.0	1.20	499	0.66	0.547	11.45
ET357		6.27	35.6	4.31	24.7	0.23	4.27	0.071	3.19	32.2	32.2	1.06	475	0.34	0.873	10.70
ET358		8.14	20.7	3.56	20.0	0.28	5.07	0.064	3.31	43.7	24.8	0.85	330	0.21	1.325	11.20
ET359		8.25	24.4	3.96	22.9	0.27	4.69	0.078	3.35	42.9	29.0	0.96	361	0.27	1.160	11.50
ET360		0.62	9420	24.1	15.85	0.27	3.05	0.201	2.88	154.0	20.2	1.08	3960	200	0.640	5.75
ET361		8.82	22.5	3.90	22.0	0.24	4.55	0.062	3.39	43.6	28.8	0.94	348	0.28	1.140	11.30
ET362		9.17	32.8	4.13	22.4	0.22	4.59	0.065	3.64	45.6	29.8	0.98	342	0.27	0.983	10.85
ET363		8.13	24.5	4.06	21.3	0.23	4.53	0.058	3.32	44.9	30.4	0.95	385	0.37	0.968	11.10
ET364		7.68	12.00	3.15	21.0	0.21	4.59	0.057	3.48	36.8	27.8	0.86	383	0.25	1.070	10.50
ET365		8.31	16.25	2.68	20.3	0.23	4.65	0.062	3.32	38.5	24.8	0.78	420	0.43	1.165	11.65
ET366		7.62	19.60	3.41	19.00	0.24	5.32	0.056	3.20	45.8	28.4	0.83	403	0.37	1.385	11.25
ET367		6.34	15.40	3.44	19.35	0.23	5.45	0.067	3.11	44.2	25.9	0.78	360	0.27	1.560	11.25
ET368		5.29	11.50	3.32	18.65	0.25	5.87	0.052	2.79	47.5	26.7	0.78	403	0.64	1.460	12.25
ET369		5.25	11.80	2.70	17.35	0.24	5.02	0.050	2.49	41.5	20.6	0.63	355	0.34	1.555	11.25
ET370		5.27	14.10	3.25	21.1	0.26	5.36	0.058	2.96	50.4	24.2	0.78	363	0.35	1.410	11.55



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 4 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS M121269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	0.001	0.01	0.02	0.0004	0.01	0.02	0.01	0.006	0.02	0.02	0.01	0.005	0.004
ET331		27.9	0.035	6.80	187.5	<0.0004	<0.01	0.52	14.65	0.026	4.05	15.55	1.00	0.022	16.75
ET332		24.3	0.037	8.09	195.0	<0.0004	<0.01	0.53	13.05	0.114	3.66	30.4	0.94	0.013	15.55
ET333		25.3	0.037	9.70	178.0	<0.0004	<0.01	0.56	13.95	0.055	3.66	37.0	0.98	0.017	15.90
ET334		20.6	0.038	9.40	186.5	<0.0004	0.01	0.50	10.85	0.031	3.11	44.2	0.90	0.021	14.55
ET335		22.6	0.046	10.45	165.0	<0.0004	<0.01	0.42	12.85	0.024	3.49	53.3	0.97	0.032	15.65
ET336		27.8	0.039	6.59	187.0	<0.0004	0.01	0.41	14.90	0.024	4.57	21.0	1.10	0.025	17.25
ET337		23.5	0.038	8.75	180.0	0.0005	0.01	0.40	13.75	0.027	4.05	33.5	1.03	0.023	16.65
ET338		22.5	0.038	10.05	187.5	0.0005	<0.01	0.40	13.05	0.019	3.44	41.6	0.96	0.012	15.60
ET339		23.6	0.040	7.57	183.0	<0.0004	0.02	0.61	13.10	0.034	3.69	26.0	1.00	0.021	16.65
ET340		24.8	0.036	8.91	193.5	<0.0004	<0.01	0.41	14.35	0.042	3.96	27.8	1.00	0.040	17.05
ET341		29.1	0.034	7.71	207	<0.0004	<0.01	0.40	15.90	0.057	4.27	17.45	1.02	0.024	16.95
ET342		22.5	0.033	6.94	194.5	0.0004	0.05	0.56	11.60	0.079	3.35	17.60	0.83	0.023	13.55
ET343		20.3	0.032	6.05	184.5	<0.0004	0.12	0.77	10.30	0.035	3.26	17.80	0.82	0.016	13.85
ET344		18.70	0.053	9.84	169.0	<0.0004	<0.01	0.42	13.80	0.030	4.04	28.6	1.11	0.020	18.40
ET345		24.2	0.027	6.67	152.5	0.0005	0.01	0.27	13.60	0.024	4.29	13.95	1.01	0.029	17.75
ET346		29.7	0.031	8.45	190.0	<0.0004	0.01	0.29	17.45	0.024	4.41	15.15	1.02	0.046	16.00
ET347		32.2	0.033	8.52	192.0	<0.0004	0.01	0.29	17.90	0.027	4.54	13.15	1.05	0.020	17.50
ET348		29.1	0.035	8.10	161.5	<0.0004	0.01	0.44	15.25	0.035	4.21	14.75	1.04	0.020	15.10
ET349		30.0	0.037	8.35	172.0	<0.0004	0.01	0.46	17.45	0.046	4.44	13.60	1.05	0.028	17.25
ET350		25.4	0.035	6.82	192.0	<0.0004	0.01	0.58	12.70	0.110	3.62	17.40	0.89	0.027	14.70
ET351		21.3	0.035	9.19	164.0	<0.0004	0.01	0.44	12.50	0.100	3.39	23.6	0.89	0.024	15.30
ET352		19.10	0.032	8.26	193.0	<0.0004	0.01	0.32	11.35	0.055	3.61	24.8	0.97	0.020	17.50
ET353		29.7	0.030	5.99	232	<0.0004	0.01	0.34	15.50	0.015	4.76	21.1	1.10	0.013	19.50
ET354		27.6	0.030	6.76	183.0	<0.0004	0.01	0.31	15.00	0.031	4.21	33.4	1.02	0.012	17.40
ET355		20.1	0.031	13.60	167.5	0.0005	0.08	0.37	11.85	0.086	4.34	24.8	1.11	0.022	19.80
ET356		29.6	0.031	9.41	180.0	<0.0004	0.02	0.36	16.55	0.067	4.30	21.3	1.06	0.014	17.10
ET357		28.2	0.031	7.57	156.5	<0.0004	0.01	0.34	15.80	0.034	4.12	22.1	0.91	0.013	13.55
ET358		23.7	0.037	10.20	178.0	<0.0004	0.01	0.28	13.60	0.016	3.49	50.2	0.98	0.009	16.00
ET359		27.1	0.036	11.55	180.5	<0.0004	0.01	0.31	15.90	0.027	3.95	40.2	1.00	0.013	16.75
ET360		75.1	0.092	12.05	80.8	0.0984	2.60	8.08	11.25	2.65	9.28	197.5	0.43	1.185	6.78
ET361		25.5	0.035	10.25	188.0	<0.0004	0.01	0.30	14.70	0.026	3.94	39.0	0.96	0.013	15.85
ET362		26.1	0.037	9.62	193.5	<0.0004	0.01	0.34	15.00	0.036	4.02	34.2	1.01	0.020	17.05
ET363		25.3	0.034	8.79	181.5	<0.0004	0.01	0.46	13.95	0.021	3.95	34.2	0.97	0.020	16.45
ET364		15.80	0.029	12.65	173.5	<0.0004	0.01	0.39	10.50	0.017	3.69	93.8	0.97	0.013	16.40
ET365		13.35	0.021	25.4	180.5	<0.0004	<0.01	0.95	8.57	0.043	4.39	183.0	1.12	0.012	19.45
ET366		19.65	0.036	15.20	177.0	<0.0004	<0.01	0.38	12.05	0.060	3.37	79.3	0.96	0.018	16.50
ET367		19.30	0.038	12.60	166.0	<0.0004	0.01	0.37	11.15	0.023	3.42	78.2	0.99	0.015	16.45
ET368		18.75	0.036	15.80	156.5	<0.0004	<0.01	0.86	10.95	0.024	3.52	126.5	1.00	0.008	16.35
ET369		15.10	0.028	19.00	150.0	<0.0004	<0.01	0.93	8.95	0.027	3.78	171.5	0.99	0.012	17.05
ET370		19.70	0.030	15.50	172.5	<0.0004	<0.01	0.47	12.15	0.042	4.02	107.0	1.05	0.014	19.30



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 4 – D
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2021
Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ti	U	V	W	Y	Zn	Zr
		ppm 0.002	ppm 0.01	ppm 0.1	ppm 0.008	ppm 0.01	ppm 0.2	ppm 0.1
ET331		0.922	3.41	72.7	3.06	25.0	76.5	165.0
ET332		0.853	3.70	64.3	3.02	23.6	52.9	171.0
ET333		0.847	3.85	65.1	2.78	24.3	64.6	169.0
ET334		0.785	3.32	55.5	2.22	23.1	52.2	183.0
ET335		0.784	3.76	65.2	2.45	24.3	61.7	188.5
ET336		1.005	3.87	69.8	2.71	25.9	85.4	174.5
ET337		0.979	3.71	60.4	2.33	26.7	69.8	182.0
ET338		0.892	3.50	61.5	2.27	24.8	65.9	186.5
ET339		0.808	3.59	63.2	2.26	26.5	55.7	193.0
ET340		0.880	3.70	64.9	2.47	25.4	66.8	169.5
ET341		0.959	3.75	70.1	3.04	24.5	57.8	154.0
ET342		0.825	3.83	55.9	2.13	25.7	56.2	146.5
ET343		0.874	3.49	47.0	1.735	24.2	72.4	148.0
ET344		1.170	4.50	49.7	2.06	32.7	81.6	264
ET345		1.065	3.31	59.8	2.29	23.2	82.2	140.5
ET346		1.200	3.72	79.8	3.11	24.1	92.7	149.5
ET347		1.295	3.71	81.6	3.25	28.3	99.3	154.5
ET348		1.050	3.46	77.5	2.95	24.6	84.8	161.5
ET349		0.926	4.06	78.6	3.19	26.1	68.1	162.5
ET350		0.745	4.09	65.8	2.33	29.3	59.8	161.5
ET351		0.699	3.85	60.6	2.00	25.2	78.3	172.0
ET352		0.846	4.11	52.6	2.09	28.2	65.4	175.5
ET353		1.250	3.98	68.9	3.09	30.5	82.6	156.0
ET354		1.080	3.69	65.0	2.80	27.5	81.9	141.0
ET355		0.975	4.77	51.7	1.985	29.2	84.6	177.0
ET356		1.025	4.68	73.8	2.70	27.0	94.0	147.0
ET357		0.842	3.17	73.5	2.89	21.9	90.8	143.5
ET358		0.809	3.28	62.4	2.70	26.1	72.7	179.0
ET359		0.912	3.51	69.1	2.87	26.7	82.7	157.5
ET360		0.262	42.4	164.5	144.0	18.05	31.4	118.0
ET361		0.891	3.40	67.6	2.74	26.1	82.0	156.5
ET362		0.973	3.65	68.4	3.01	26.5	82.0	152.0
ET363		0.911	3.40	64.8	2.82	24.7	83.5	157.5
ET364		0.859	3.63	43.1	1.595	25.7	69.2	149.5
ET365		0.845	4.73	35.6	1.210	28.4	64.8	138.5
ET366		0.758	4.00	57.5	2.41	27.4	77.8	183.5
ET367		0.705	3.53	58.7	2.56	25.4	72.7	192.0
ET368		0.650	3.65	59.2	1.915	26.8	63.6	208
ET369		0.627	3.79	40.2	1.480	26.8	56.7	161.5
ET370		0.688	4.02	52.1	2.03	29.7	63.5	175.0



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 5 – A
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	CRU-QC Pass4mm % 0.01	PUL-QC Pass75um % 0.01	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3
ET371		2.84			<0.005	0.040	7.00	1.17	445	2.50	0.383	1.21	0.026	92.2	8.00	34.1
ET372		3.23			<0.005	0.034	7.33	1.66	510	2.40	0.698	1.24	0.034	100.5	8.38	26.1
ET373		2.58			<0.005	0.036	8.28	1.62	590	3.30	0.719	1.15	0.019	103.5	9.09	23.9
ET374		2.99			<0.005	0.032	8.71	0.74	650	2.61	0.512	0.39	<0.005	87.6	13.00	56.4
ET375		2.49			<0.005	0.048	9.27	0.78	670	2.65	0.487	0.45	<0.005	93.6	13.90	56.2
ET376		2.83			<0.005	0.034	8.73	0.80	610	2.56	0.506	0.43	<0.005	89.0	12.50	50.4
ET377		2.79			<0.005	0.041	8.85	0.79	640	2.88	0.487	0.43	<0.005	85.1	13.50	53.9
ET378		2.61			<0.005	0.027	8.36	0.81	570	2.65	0.456	0.45	<0.005	92.6	11.45	43.5
ET379		2.55			<0.005	0.034	7.93	0.76	560	2.64	0.473	0.54	<0.005	90.4	10.25	36.9
ET380		2.56			<0.005	0.054	8.95	1.16	640	2.94	0.569	0.56	<0.005	101.5	12.00	49.1
ET381		2.91			<0.005	0.039	8.31	0.85	580	2.83	0.445	0.64	<0.005	97.8	10.25	40.2
ET382		2.85			<0.005	0.029	8.53	0.84	610	2.81	0.388	0.38	<0.005	96.4	10.90	39.1
ET383		2.77			<0.005	0.048	7.43	0.75	510	2.23	0.397	0.45	0.007	89.4	11.45	41.2
ET384		3.22			<0.005	0.025	6.90	0.93	449	1.87	0.318	0.42	<0.005	85.5	10.55	42.2
ET385		2.09			<0.005	0.037	8.71	1.00	650	2.09	0.423	0.35	<0.005	93.3	13.40	56.5
ET386		2.84			<0.005	0.042	8.34	0.94	610	2.22	0.437	0.37	<0.005	88.3	12.25	52.3
ET387		2.79			<0.005	0.044	9.34	0.84	780	2.32	0.471	0.31	<0.005	96.3	14.40	60.3
ET388		3.01			<0.005	0.022	7.33	0.91	610	2.03	0.385	0.39	<0.005	87.6	11.65	47.4
ET389		2.76			<0.005	0.047	6.45	0.91	540	1.59	0.325	0.44	<0.005	83.3	9.96	38.6
ET390		3.32			<0.005	0.032	7.60	0.91	560	2.44	0.765	0.96	0.010	62.1	12.40	39.6
ET391		2.63			<0.005	0.019	5.67	1.12	449	1.83	0.291	0.50	0.006	80.1	9.85	33.7
ET392		2.83			<0.005	0.013	6.07	0.80	640	1.70	0.223	0.31	<0.005	74.4	10.25	45.0
ET393		2.59			<0.005	0.027	7.80	1.24	890	2.57	0.309	0.60	<0.005	90.3	11.50	40.2
ET394		2.93			<0.005	0.059	8.03	0.70	1360	2.48	0.678	0.44	<0.005	116.5	12.05	36.1
ET395		2.98			<0.005	0.063	6.57	1.13	1540	3.73	0.601	0.80	<0.005	142.5	2.20	4.9
ET396		2.10			<0.005	0.079	7.58	1.15	1100	3.51	0.817	0.88	<0.005	145.5	3.94	6.9
ET397		3.20			<0.005	0.027	6.90	0.85	740	2.03	0.216	0.33	<0.005	83.4	9.01	40.3
ET398		2.37			<0.005	0.032	7.13	1.30	690	2.23	0.350	0.32	<0.005	80.4	10.65	44.0
ET399		1.28			<0.005	0.033	9.03	0.93	990	2.67	0.252	0.15	<0.005	91.7	13.65	56.6
ET400		0.06			0.538	1.280	3.93	513	62	0.72	8.12	3.65	<0.005	136.0	550	29.5
ET401		1.19			<0.005	0.032	9.67	1.37	1090	2.77	0.261	0.17	<0.005	90.0	14.55	60.3
ET402		2.89		93.6	<0.005	0.035	7.47	0.64	720	1.98	0.350	0.38	<0.005	91.2	12.15	42.7
ET403		2.64		97.7	<0.005	0.036	9.11	0.70	900	2.35	0.377	0.14	<0.005	93.3	13.30	58.0
ET404		2.84			<0.005	0.066	7.64	0.79	640	2.23	0.571	0.18	0.007	86.5	10.50	40.1
ET405		2.91			<0.005	0.054	8.33	0.84	730	1.99	0.283	0.15	<0.005	93.8	11.55	49.9
ET406		2.47			<0.005	0.024	6.98	1.11	550	1.73	0.286	0.23	<0.005	76.8	10.10	39.8
ET407		2.55			<0.005	0.019	6.87	0.82	560	1.65	0.221	0.13	<0.005	203	10.25	41.6
ET408		2.87			<0.005	0.044	6.62	0.83	560	1.63	0.175	0.10	<0.005	110.5	11.10	36.9
ET409		1.93			<0.005	0.021	6.99	0.93	630	2.07	0.236	0.47	<0.005	100.0	9.68	42.3
ET410		2.87			<0.005	0.018	6.40	1.10	580	1.96	0.542	0.38	0.008	92.4	8.89	42.0



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 5 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 28–OCT–2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm 0.01	ppm 0.02	% 0.002	ppm 0.05	ppm 0.05	ppm 0.004	ppm 0.005	% 0.01	ppm 0.005	ppm 0.2	% 0.01	ppm 0.2	ppm 0.02	% 0.001
ET371		5.68	12.85	2.88	18.00	0.25	5.53	0.051	2.28	47.7	18.9	0.59	386	0.47	1.695
ET372		7.95	16.35	2.90	19.60	0.27	6.04	0.061	2.94	52.8	23.8	0.71	441	0.62	1.065
ET373		10.80	19.15	2.75	21.2	0.28	6.69	0.076	3.55	52.7	26.6	0.78	389	0.39	1.075
ET374		15.20	23.0	4.26	23.4	0.22	4.36	0.066	3.75	44.9	30.8	0.96	346	0.30	0.627
ET375		14.35	23.1	4.42	25.9	0.26	4.75	0.073	3.87	46.6	32.6	0.96	314	0.31	0.939
ET376		11.75	24.3	4.13	22.2	0.26	4.50	0.079	3.93	45.0	31.1	0.93	350	0.28	0.933
ET377		10.50	20.6	4.28	25.3	0.27	4.74	0.077	4.22	42.0	33.3	1.01	353	0.24	0.892
ET378		13.25	17.60	3.69	22.0	0.24	4.88	0.069	4.05	48.1	29.5	0.89	350	0.25	0.868
ET379		12.00	17.85	3.30	21.1	0.25	4.76	0.069	3.50	46.2	29.2	0.88	344	0.18	0.752
ET380		13.75	25.5	4.03	25.2	0.26	5.21	0.084	3.15	52.2	31.0	0.98	382	0.27	1.035
ET381		10.75	18.55	3.48	22.1	0.22	5.36	0.065	3.19	50.6	29.2	0.92	380	0.24	1.040
ET382		9.53	17.30	3.47	22.6	0.24	5.06	0.069	3.55	49.2	32.2	1.05	335	0.22	0.771
ET383		7.80	21.0	3.65	19.20	0.23	5.16	0.054	3.19	45.0	26.5	0.95	366	1.29	1.030
ET384		6.45	20.2	3.36	17.05	0.23	5.67	0.049	2.72	43.2	22.0	0.79	267	0.43	1.265
ET385		8.38	28.9	4.30	22.7	0.27	5.17	0.076	4.02	47.8	29.2	1.02	347	0.33	0.858
ET386		5.47	23.0	3.98	20.8	0.25	4.82	0.061	3.55	44.7	28.3	1.00	333	0.30	1.030
ET387		6.48	23.6	4.39	24.5	0.26	5.05	0.070	3.96	49.4	31.9	1.15	347	0.38	0.753
ET388		8.61	15.05	3.76	18.95	0.27	5.36	0.053	3.22	45.3	20.8	0.80	304	0.39	1.085
ET389		3.83	41.4	3.36	16.05	0.25	5.26	0.050	2.68	44.6	22.4	0.83	327	0.40	1.020
ET390		3.16	41.7	3.90	19.60	0.25	4.41	0.061	2.78	29.6	27.2	1.05	538	0.58	1.390
ET391		2.64	9.27	3.18	13.05	0.24	6.08	0.041	1.99	40.4	20.8	0.78	371	0.41	1.320
ET392		3.17	9.30	3.34	15.60	0.22	5.32	0.048	2.48	37.4	21.1	0.77	378	0.78	0.812
ET393		5.79	25.6	3.73	20.0	0.27	4.95	0.058	3.69	46.4	25.3	1.04	530	0.28	0.911
ET394		6.25	60.6	4.02	21.8	0.28	5.99	0.073	3.62	59.9	28.5	1.32	615	0.85	0.519
ET395		3.60	3.92	2.09	15.70	0.27	8.13	0.060	2.88	74.6	16.1	0.62	395	0.48	1.175
ET396		4.78	4.62	2.19	20.2	0.30	8.48	0.094	3.35	74.1	20.4	0.85	461	0.37	1.000
ET397		4.33	12.50	3.53	17.25	0.24	4.60	0.057	2.97	43.6	23.2	0.91	409	0.54	1.070
ET398		4.60	27.2	4.00	16.95	0.25	5.06	0.081	3.31	41.7	23.3	0.89	440	0.51	1.110
ET399		6.72	25.9	4.85	25.5	0.22	5.10	0.116	3.77	45.8	30.0	1.16	483	0.29	0.492
ET400		0.63	9300	23.5	14.95	0.23	2.91	0.235	2.81	154.5	19.6	1.06	3880	195.5	0.623
ET401		6.72	31.3	5.00	28.7	0.19	5.32	0.131	4.03	43.2	32.1	1.23	503	0.34	0.501
ET402		3.79	36.0	4.03	19.40	0.23	4.23	0.089	3.42	46.6	26.4	1.20	531	0.25	0.746
ET403		4.94	24.4	4.15	24.8	0.24	5.19	0.085	3.62	46.4	30.2	1.31	445	0.63	0.544
ET404		4.44	35.2	3.47	18.75	0.24	5.50	0.076	3.39	43.8	24.3	1.05	357	5.74	0.972
ET405		4.42	13.40	3.59	21.8	0.21	5.30	0.070	3.45	48.3	22.1	1.03	323	0.32	0.866
ET406		3.49	6.10	3.15	17.45	0.23	5.13	0.049	2.94	38.8	19.2	0.92	325	0.41	1.225
ET407		3.65	5.95	3.24	17.15	0.32	4.88	0.054	2.97	107.5	19.9	0.98	303	0.53	1.130
ET408		3.05	19.25	3.29	17.00	0.24	4.37	0.057	2.83	58.9	21.2	1.03	328	0.32	0.919
ET409		2.93	6.80	3.12	16.60	0.25	4.99	0.048	3.09	52.0	20.7	0.89	338	0.56	1.270
ET410		3.34	8.33	2.89	15.00	0.26	6.06	0.046	3.01	48.1	18.3	0.72	295	0.54	1.440



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 5 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	0.001	0.01	0.02	0.0004	0.01	0.02	0.01	0.006	0.02	0.02	0.01	0.005	0.004
															0.001
ET371		15.75	0.031	31.1	137.5	<0.0004	<0.01	0.78	9.74	0.038	3.40	215	0.95	0.010	16.90
ET372		14.40	0.033	25.8	169.0	<0.0004	<0.01	1.40	9.31	0.038	4.38	186.5	1.10	0.014	18.60
ET373		13.45	0.034	26.4	212	<0.0004	<0.01	0.91	8.62	0.041	5.82	199.0	1.25	0.021	20.9
ET374		28.6	0.030	12.80	217	<0.0004	<0.01	0.48	15.70	0.025	4.23	38.5	0.94	0.023	16.45
ET375		29.3	0.034	14.75	220	0.0004	<0.01	0.35	15.80	0.039	4.56	48.8	1.08	0.029	17.30
ET376		26.4	0.033	14.85	219	<0.0004	<0.01	0.49	14.70	0.016	4.11	43.0	1.00	0.024	16.40
ET377		28.0	0.034	13.15	228	<0.0004	<0.01	0.41	15.55	0.029	4.44	37.9	1.06	0.022	16.40
ET378		22.2	0.029	14.85	239	<0.0004	0.01	0.40	12.65	0.020	4.51	68.4	1.02	0.021	18.90
ET379		19.55	0.028	16.90	207	<0.0004	<0.01	0.48	12.20	0.029	4.35	67.9	1.01	0.020	17.80
ET380		24.0	0.031	15.25	189.0	<0.0004	0.01	0.46	14.60	0.034	4.67	95.8	1.11	0.024	19.50
ET381		20.8	0.030	16.10	189.5	<0.0004	0.01	0.48	12.60	0.028	4.54	107.0	1.19	0.018	20.4
ET382		20.6	0.026	11.55	200	0.0004	0.01	0.46	12.15	0.041	4.78	52.5	1.15	0.014	21.2
ET383		21.4	0.035	21.4	181.0	0.0004	0.01	0.54	11.95	0.053	3.46	44.1	0.93	0.031	15.95
ET384		20.6	0.038	10.80	158.0	<0.0004	0.01	0.56	12.15	0.021	3.11	48.1	0.90	0.015	15.35
ET385		28.5	0.040	10.35	222	<0.0004	0.01	0.51	15.65	0.038	4.19	33.1	1.03	0.019	16.80
ET386		26.1	0.039	10.60	190.0	<0.0004	<0.01	0.49	14.90	0.041	3.69	36.3	1.02	0.019	16.35
ET387		31.0	0.040	9.68	211	<0.0004	0.01	0.49	16.95	0.036	4.45	28.1	1.10	0.020	17.70
ET388		23.9	0.041	10.95	199.0	<0.0004	<0.01	0.53	13.50	0.030	3.36	50.3	1.03	0.018	15.60
ET389		18.80	0.038	8.81	160.0	<0.0004	0.01	0.74	11.05	0.048	2.96	39.6	0.84	0.024	14.35
ET390		22.6	0.035	11.75	151.0	<0.0004	0.01	0.91	10.65	0.053	3.02	95.6	0.67	0.019	12.90
ET391		15.90	0.039	7.95	116.5	<0.0004	<0.01	1.12	9.00	0.029	2.40	59.4	0.80	0.009	13.15
ET392		19.30	0.037	5.49	140.0	<0.0004	<0.01	0.62	10.20	0.016	2.74	32.9	0.86	0.007	13.35
ET393		21.1	0.034	7.79	207	<0.0004	0.01	0.68	12.55	0.023	3.65	47.8	0.96	0.012	16.65
ET394		19.55	0.031	10.40	212	0.0006	0.01	0.77	11.25	0.087	4.75	34.2	1.15	0.018	20.8
ET395		1.48	0.012	11.45	169.0	0.0004	<0.01	1.39	4.26	0.024	5.49	158.0	1.36	0.011	32.6
ET396		3.75	0.014	15.75	179.5	0.0005	0.01	1.07	5.41	0.026	6.58	118.5	1.54	0.012	36.9
ET397		18.80	0.035	7.05	164.5	<0.0004	0.01	0.63	10.50	0.042	3.01	56.2	0.87	0.012	14.45
ET398		20.7	0.039	7.00	182.0	<0.0004	0.01	0.78	10.70	0.051	3.08	59.5	0.93	0.015	15.35
ET399		28.9	0.037	5.57	207	<0.0004	0.01	0.69	15.25	0.026	4.17	15.95	1.08	0.015	17.25
ET400		67.5	0.089	12.60	82.3	0.0958	2.53	8.28	10.10	2.47	9.22	191.0	0.42	1.170	6.96
ET401		30.0	0.040	5.81	208	0.0004	0.01	0.73	16.10	0.028	4.54	16.15	1.13	0.022	17.40
ET402		24.0	0.035	5.02	182.5	<0.0004	0.01	0.58	12.55	0.030	3.35	20.3	0.89	0.016	14.85
ET403		28.2	0.036	9.42	181.5	0.0005	0.01	0.67	15.60	0.034	4.41	19.95	1.06	0.016	18.15
ET404		20.7	0.035	6.83	194.5	0.0007	0.01	0.80	11.25	0.059	3.58	32.0	1.01	0.027	17.10
ET405		24.6	0.038	5.89	199.0	<0.0004	0.01	0.61	13.75	0.030	4.10	22.4	1.02	0.026	17.50
ET406		19.05	0.036	5.49	183.0	<0.0004	0.01	0.66	10.55	0.044	3.11	32.9	0.92	0.007	15.35
ET407		19.55	0.037	5.14	192.5	0.0006	0.01	0.62	10.50	0.073	3.02	32.5	0.88	0.010	15.00
ET408		19.55	0.032	3.56	174.0	<0.0004	0.01	0.50	9.80	0.013	3.19	21.1	0.78	0.027	13.60
ET409		18.35	0.038	5.29	177.0	<0.0004	0.01	1.01	10.25	0.015	3.25	94.0	0.91	0.009	15.70
ET410		16.85	0.037	5.57	171.0	<0.0004	<0.01	1.08	10.40	0.020	3.10	82.3	0.91	0.013	14.45



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 5 – D
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2021
Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.002	0.01	0.1	0.008	0.01	0.2	0.1
ET371		0.598	3.60	47.0	1.575	26.1	55.5	190.0
ET372		0.781	4.45	42.8	1.495	28.8	66.7	210
ET373		0.956	4.93	34.2	1.705	30.1	69.1	225
ET374		1.195	3.37	73.1	3.01	26.8	91.3	146.5
ET375		1.115	3.60	77.7	3.08	28.0	89.8	161.5
ET376		0.968	3.53	70.2	2.53	26.7	85.6	160.5
ET377		0.962	3.70	74.4	3.11	28.6	93.7	160.5
ET378		1.135	3.91	57.6	2.37	28.1	80.3	162.0
ET379		1.105	3.94	51.2	2.24	28.5	75.1	156.5
ET380		1.095	4.10	65.1	2.40	31.7	84.6	184.0
ET381		0.988	4.41	53.5	2.03	29.2	75.8	175.0
ET382		0.967	4.43	53.5	2.07	31.0	75.0	159.0
ET383		0.744	4.35	63.0	1.820	27.5	73.0	181.0
ET384		0.651	3.34	65.7	1.860	24.6	64.0	198.5
ET385		0.917	3.57	74.2	2.50	28.0	89.9	178.0
ET386		0.753	3.47	70.4	2.42	26.0	82.0	164.5
ET387		0.897	3.75	80.8	2.77	28.6	91.1	170.0
ET388		0.863	3.35	74.8	2.45	26.3	69.4	187.5
ET389		0.586	3.21	66.6	2.35	23.0	54.6	191.0
ET390		0.552	3.01	67.1	1.325	20.2	72.4	155.5
ET391		0.428	2.91	56.0	1.415	21.1	45.0	225
ET392		0.484	2.85	58.7	1.680	20.2	50.7	192.0
ET393		0.813	3.40	58.0	2.00	26.8	61.4	170.0
ET394		0.989	4.94	48.0	2.76	32.9	79.4	209
ET395		0.654	6.66	2.3	0.649	37.1	32.9	270
ET396		0.818	7.63	8.3	0.864	43.8	47.6	271
ET397		0.620	3.08	53.5	2.21	22.6	56.2	161.5
ET398		0.753	3.34	56.5	2.41	23.2	63.4	179.0
ET399		0.991	3.80	76.3	2.77	25.4	81.7	172.0
ET400		0.265	43.8	159.0	141.0	18.00	30.6	115.0
ET401		1.050	3.90	81.4	3.03	25.9	88.8	183.5
ET402		0.690	3.25	59.4	2.55	23.9	73.5	146.5
ET403		0.807	4.26	74.1	2.58	25.9	87.9	171.5
ET404		0.732	4.36	58.2	1.890	23.1	65.3	193.0
ET405		0.829	3.87	67.3	2.73	23.6	65.5	182.0
ET406		0.674	3.27	54.9	2.15	21.2	60.7	175.0
ET407		0.696	3.15	56.1	2.05	19.95	56.2	168.0
ET408		0.592	2.87	53.1	2.03	19.15	59.1	150.0
ET409		0.715	3.35	54.1	1.800	23.6	56.7	175.5
ET410		0.708	3.34	63.7	2.03	21.3	54.1	219



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 6 – A
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	CRU-QC Pass4mm % 0.01	PUL-QC Pass75um % 0.01	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3
ET411		2.74			<0.005	0.027	8.22	0.83	820	2.11	0.508	0.14	0.024	100.0	12.60	47.2
ET412		2.73			<0.005	0.034	8.09	0.83	870	2.09	0.746	0.18	<0.005	93.6	12.05	50.6
ET413		2.20			<0.005	0.038	7.21	0.92	760	2.17	0.546	0.27	<0.005	79.5	9.69	45.0
ET414		2.76			<0.005	0.038	10.55	1.51	1260	3.14	0.818	0.43	<0.005	96.2	15.60	65.9
ET415		2.62			<0.005	0.038	8.77	1.25	1050	2.50	0.312	0.39	<0.005	98.8	13.00	55.8
ET416		2.23			<0.005	0.033	6.78	1.71	720	1.89	0.361	0.70	<0.005	82.9	9.54	37.9
ET417		2.97			<0.005	0.040	7.35	0.93	910	2.18	0.305	0.65	0.007	85.6	10.65	44.1
ET418		2.73			<0.005	0.059	9.00	0.65	1340	3.78	0.909	0.50	0.014	177.0	7.57	23.5
ET419		2.85			<0.005	0.034	5.48	1.74	670	2.66	0.757	2.65	0.037	117.5	1.835	14.2
ET420		2.75			<0.005	0.067	7.43	0.48	2110	4.14	0.506	0.46	<0.005	166.5	1.845	1.4
ET421		2.38			<0.005	0.031	7.38	0.79	1480	2.94	0.504	0.29	<0.005	115.5	7.90	24.5
ET422		2.78			<0.005	0.025	7.12	1.23	1020	1.94	0.235	0.42	<0.005	83.2	10.20	36.3
ET423		2.82			<0.005	0.025	7.01	1.42	940	1.84	0.536	1.85	0.038	82.7	12.20	44.3
ET424		2.89			<0.005	0.032	5.18	1.18	520	1.51	0.225	3.99	0.090	82.1	9.41	32.5
ET425		2.90			<0.005	0.033	6.95	1.37	780	1.90	0.356	0.72	<0.005	90.0	10.60	44.3
ET426		2.95			<0.005	0.027	6.45	1.26	650	1.81	0.297	0.53	0.008	88.6	10.10	39.7
ET427		2.77			<0.005	0.041	7.36	0.97	780	2.06	0.466	0.46	<0.005	87.8	11.05	45.6
ET428		2.63			<0.005	0.031	7.79	0.93	860	2.09	0.367	0.40	<0.005	99.7	11.95	47.5
ET429		2.92			<0.005	0.013	6.84	0.97	730	1.90	0.250	0.34	<0.005	83.1	10.75	46.2
ET430		2.86			<0.005	0.123	6.62	0.92	650	1.88	0.231	0.31	<0.005	86.1	10.30	38.4
ET431		2.49			<0.005	0.053	7.58	0.86	870	2.17	0.202	0.32	<0.005	75.9	12.50	52.0
ET432		3.65			<0.005	0.026	6.33	1.19	750	1.83	0.321	0.44	<0.005	82.2	10.10	42.5
ET433		2.36			<0.005	0.036	7.05	1.26	950	2.05	0.260	0.34	<0.005	95.3	11.85	51.2
ET434		2.87			<0.005	0.055	7.20	1.44	1150	2.05	0.298	0.44	<0.005	93.8	12.10	48.4
ET435		2.02			<0.005	0.102	7.86	0.85	1620	2.75	0.406	0.23	<0.005	94.8	11.95	37.0
ET436		2.97			<0.005	0.046	6.21	1.25	1680	3.70	0.467	1.31	0.034	129.0	3.43	4.2
ET437		2.57			<0.005	0.064	7.21	0.71	1160	2.77	0.520	0.35	<0.005	119.5	6.75	27.1
ET438		2.74			<0.005	0.048	6.65	1.23	680	2.23	0.275	0.87	0.005	82.7	11.30	44.3
ET439		1.27			<0.005	0.087	7.34	1.26	920	2.16	0.269	0.43	<0.005	80.0	11.45	48.7
ET440		0.07			0.468	1.250	3.77	488	129	0.72	7.66	3.60	<0.005	137.0	529	32.5
ET441		1.31			<0.005	0.103	7.35	1.34	940	2.16	0.306	0.35	<0.005	90.6	11.90	48.8
ET442		2.85			<0.005	0.112	7.29	1.11	870	2.05	0.352	0.28	<0.005	72.4	11.40	47.6
ET443		2.72			<0.005	0.062	7.12	1.17	750	2.35	0.179	0.91	0.171	94.6	13.45	42.9
ET444		2.82			<0.005	0.089	6.84	0.96	680	2.02	0.193	0.68	<0.005	114.5	12.40	43.5
ET445		2.56			<0.005	0.181	8.09	0.88	840	2.13	1.655	0.21	0.018	81.8	12.95	53.4
ET446		2.85			<0.005	0.174	8.00	0.59	780	2.01	0.833	1.06	0.034	89.1	12.80	51.4
ET447		2.67			<0.005	0.058	5.62	1.01	450	1.78	0.497	0.65	0.005	70.9	8.72	36.9
ET448		3.05			<0.005	0.030	7.95	1.09	780	2.21	0.426	0.41	<0.005	85.0	12.30	48.9
ET449		2.57			<0.005	0.033	7.25	1.08	650	2.03	0.367	0.60	<0.005	76.6	11.45	45.6
ET450		2.88			<0.005	0.039	6.93	1.19	590	2.13	0.382	0.26	<0.005	83.6	11.10	44.5



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 6 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm 0.01	ppm 0.02	% 0.002	ppm 0.05	ppm 0.05	ppm 0.004	ppm 0.005	% 0.01	ppm 0.005	ppm 0.2	% 0.01	ppm 0.2	ppm 0.02	% 0.001
ET411		4.39	23.7	3.68	22.4	0.28	4.99	0.068	3.47	51.8	22.8	1.05	378	0.69	0.850
ET412		4.67	34.8	3.78	21.0	0.25	4.97	0.070	3.54	48.7	26.9	1.13	387	0.56	0.699
ET413		4.41	27.5	3.32	17.45	0.22	4.50	0.058	3.36	40.2	22.7	0.86	330	0.84	0.872
ET414		8.67	30.8	5.07	29.3	0.27	5.76	0.091	4.11	45.2	38.1	1.41	565	0.28	0.778
ET415		9.16	23.8	4.32	24.0	0.24	5.29	0.086	3.44	50.6	30.3	1.01	436	0.34	0.931
ET416		6.93	17.25	3.16	16.55	0.25	5.04	0.046	2.75	42.2	21.0	0.70	333	0.27	1.260
ET417		8.30	18.40	3.60	18.60	0.25	4.55	0.067	3.35	44.2	25.5	0.82	446	0.27	1.010
ET418		11.00	22.5	2.90	24.5	0.33	8.55	0.100	4.23	92.5	28.7	1.00	441	1.15	0.775
ET419		3.16	61.3	1.890	14.00	0.30	6.08	0.052	2.00	60.5	15.9	0.37	814	1.81	1.085
ET420		10.55	20.7	1.980	20.4	0.34	10.15	0.087	3.91	86.2	21.8	0.73	421	0.78	0.462
ET421		9.59	27.5	2.84	18.50	0.30	6.89	0.073	3.65	61.6	23.3	0.84	382	0.46	0.539
ET422		8.05	22.6	3.23	17.90	0.26	4.76	0.059	3.23	42.8	23.5	0.82	430	0.30	0.756
ET423		5.23	15.45	4.13	18.10	0.27	5.34	0.088	3.38	42.4	34.2	0.82	1325	0.39	0.589
ET424		4.27	18.40	3.32	12.50	0.28	6.09	0.071	2.08	42.1	25.7	0.70	2010	0.47	0.967
ET425		6.82	17.25	3.37	17.40	0.31	6.23	0.053	2.98	46.4	22.4	0.74	332	0.62	1.175
ET426		6.64	13.85	3.06	15.95	0.29	5.91	0.049	2.39	45.3	19.6	0.67	286	0.40	1.400
ET427		7.68	43.5	3.37	18.45	0.30	5.37	0.060	3.13	45.0	23.6	0.81	281	0.36	1.175
ET428		10.60	14.10	3.68	20.7	0.32	5.14	0.077	3.64	52.3	27.9	0.86	406	0.38	0.770
ET429		7.95	13.50	3.27	17.65	0.30	5.04	0.056	3.35	41.4	24.4	0.78	298	0.49	0.935
ET430		6.31	15.95	3.15	16.15	0.32	5.34	0.049	2.99	43.8	25.1	0.72	277	0.32	1.185
ET431		7.73	16.65	3.67	20.1	0.33	4.85	0.071	3.75	37.4	30.5	0.89	319	0.36	0.806
ET432		7.07	13.25	3.14	16.00	0.32	5.45	0.050	2.97	41.1	23.1	0.70	329	0.37	1.085
ET433		7.45	14.35	3.49	18.70	0.34	6.52	0.070	3.27	47.8	26.4	0.78	300	0.37	1.105
ET434		5.99	18.50	3.53	19.00	0.34	5.92	0.066	3.38	47.3	28.3	0.85	375	0.49	0.918
ET435		10.95	18.50	3.89	22.7	0.32	5.56	0.079	4.12	48.1	37.1	1.03	538	0.45	0.264
ET436		7.00	40.0	2.20	16.45	0.34	8.13	0.072	3.86	66.1	31.7	0.75	742	0.82	0.465
ET437		7.99	21.5	2.59	19.35	0.32	6.38	0.074	3.83	60.5	27.9	0.81	431	0.49	0.701
ET438		4.45	17.50	3.48	17.20	0.32	4.66	0.062	2.62	42.3	30.1	0.83	560	0.40	1.285
ET439		7.54	12.95	3.52	19.15	0.31	5.46	0.068	3.84	39.9	30.3	0.86	458	0.26	0.833
ET440		0.61	8970	22.7	15.35	0.33	2.94	0.205	2.74	161.0	19.0	1.04	3770	194.5	0.604
ET441		7.01	16.90	3.55	19.35	0.29	5.21	0.064	3.96	46.9	32.5	0.87	461	0.45	0.702
ET442		9.01	18.55	3.38	19.20	0.35	4.41	0.062	3.75	33.3	25.5	0.80	334	0.27	1.070
ET443		5.94	10.35	4.63	18.45	0.35	4.29	0.092	3.49	48.9	36.9	0.98	1270	0.19	0.724
ET444		3.13	4.61	4.18	17.80	0.30	4.22	0.083	3.71	59.8	37.0	0.92	927	0.31	0.578
ET445		9.25	25.8	3.88	21.8	0.33	4.42	0.071	4.20	39.9	32.3	1.04	452	0.39	0.561
ET446		6.18	49.8	3.92	22.5	0.37	4.85	0.073	4.02	44.8	36.7	1.03	828	0.54	0.635
ET447		4.03	18.25	2.92	12.90	0.27	4.93	0.041	2.47	35.5	23.0	0.68	470	0.40	1.200
ET448		4.75	28.9	3.66	22.1	0.35	5.05	0.075	3.96	42.2	32.6	0.95	497	0.19	0.725
ET449		4.15	31.3	3.66	19.15	0.34	4.63	0.066	3.67	38.6	32.7	0.96	718	0.37	0.773
ET450		7.46	40.2	3.16	18.10	0.36	4.79	0.045	3.31	41.8	20.8	0.78	315	0.34	1.200



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 6 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	0.001	0.01	0.02	0.0004	0.01	0.02	0.01	0.006	0.02	0.02	0.01	0.005	0.004
ET411		23.8	0.035	10.80	197.0	<0.0004	0.01	0.57	14.00	0.046	4.10	27.9	1.06	0.011	18.10
ET412		25.8	0.033	10.15	192.0	<0.0004	0.02	0.62	13.85	0.060	4.06	26.0	0.98	0.017	17.60
ET413		21.5	0.035	7.83	184.5	<0.0004	0.01	0.83	11.10	0.036	3.14	45.7	0.87	0.020	14.90
ET414		33.5	0.048	9.07	197.5	<0.0004	0.02	1.02	17.75	0.036	4.93	32.9	1.29	0.019	18.10
ET415		27.2	0.042	8.97	182.5	<0.0004	0.01	0.84	15.40	0.030	3.97	45.2	1.04	0.022	17.30
ET416		19.35	0.038	14.30	166.5	<0.0004	0.01	1.54	10.20	0.026	2.88	135.5	0.86	0.012	14.65
ET417		22.5	0.036	10.35	190.0	<0.0004	0.01	0.71	12.20	0.022	3.18	68.4	0.91	0.010	15.10
ET418		14.00	0.024	24.9	238	0.0012	0.01	0.84	9.59	0.035	6.49	91.5	1.57	0.012	36.3
ET419		1.70	0.010	20.2	99.0	<0.0004	0.02	3.23	3.25	0.028	5.02	373	1.09	<0.005	26.9
ET420		0.75	0.017	17.20	226	<0.0004	0.01	0.76	5.70	0.019	6.14	113.5	1.52	0.012	36.9
ET421		12.95	0.031	12.90	214	<0.0004	0.01	0.68	8.86	0.026	4.62	70.1	1.17	0.010	23.8
ET422		18.35	0.033	11.85	175.0	<0.0004	0.01	0.59	10.75	0.030	3.34	76.9	0.90	0.009	15.60
ET423		21.8	0.037	7.69	171.0	<0.0004	0.01	0.63	12.20	0.022	3.23	34.6	0.90	0.011	14.80
ET424		16.30	0.039	10.60	119.0	<0.0004	<0.01	0.75	8.82	0.028	2.38	74.5	0.80	0.013	12.90
ET425		20.1	0.042	17.35	169.5	<0.0004	0.01	1.59	11.65	0.033	3.21	110.0	0.97	0.018	15.35
ET426		19.35	0.043	12.25	147.5	<0.0004	0.01	0.84	10.55	0.036	2.84	77.2	0.94	0.013	14.95
ET427		22.2	0.040	13.65	183.5	<0.0004	0.01	0.71	11.95	0.054	3.14	60.3	0.97	0.021	15.60
ET428		24.1	0.037	10.15	206	<0.0004	0.01	0.68	13.90	0.052	3.77	36.9	0.99	0.020	16.40
ET429		21.4	0.037	10.05	173.5	<0.0004	<0.01	0.69	11.55	0.030	3.01	40.2	0.84	0.012	13.90
ET430		19.80	0.041	11.35	156.5	<0.0004	0.01	0.66	10.45	0.017	2.78	41.3	0.85	0.015	14.25
ET431		25.3	0.036	13.40	173.5	0.0004	<0.01	0.67	12.80	0.035	3.60	32.7	0.89	0.025	13.05
ET432		19.50	0.040	11.95	166.0	<0.0004	<0.01	0.83	10.30	0.023	2.89	69.4	0.85	0.016	13.65
ET433		23.3	0.044	13.10	187.0	<0.0004	<0.01	0.70	12.45	0.025	3.34	55.7	1.02	0.015	16.25
ET434		22.4	0.040	18.15	193.0	<0.0004	0.01	0.77	12.85	0.020	3.41	61.5	0.98	0.013	16.05
ET435		20.1	0.030	37.3	219	<0.0004	0.01	0.66	11.65	0.059	4.59	44.0	1.08	0.014	19.50
ET436		2.70	0.011	16.15	200	<0.0004	0.01	1.85	4.37	0.037	5.55	174.5	1.28	0.015	28.7
ET437		12.90	0.022	17.55	215	<0.0004	0.01	0.66	8.45	0.036	4.87	73.6	1.15	0.019	24.1
ET438		21.9	0.034	18.45	138.5	<0.0004	0.01	0.80	10.95	0.019	2.94	183.0	0.81	0.025	14.10
ET439		23.2	0.039	19.70	177.5	<0.0004	<0.01	0.49	11.85	0.030	3.40	68.4	0.94	0.024	13.50
ET440		67.5	0.089	11.45	78.2	0.0920	2.52	7.98	10.30	2.39	8.98	193.0	0.40	1.105	6.68
ET441		24.0	0.038	18.95	197.0	<0.0004	0.01	0.44	12.95	0.033	3.26	36.0	0.92	0.044	14.80
ET442		24.3	0.034	22.3	195.5	<0.0004	0.01	0.39	11.65	0.032	3.43	48.2	0.89	0.018	13.30
ET443		23.5	0.036	28.2	166.5	<0.0004	0.01	0.38	11.70	0.061	3.03	30.5	0.87	0.013	13.35
ET444		21.5	0.033	15.85	159.5	0.0005	<0.01	0.37	11.55	0.023	2.89	20.3	0.80	0.010	13.55
ET445		26.1	0.034	21.6	208	0.0004	0.03	0.40	14.50	0.073	3.99	23.3	0.93	0.020	15.30
ET446		26.8	0.034	14.50	205	<0.0004	0.01	0.40	14.05	0.045	3.89	28.4	1.05	0.026	17.30
ET447		17.00	0.035	15.55	126.5	<0.0004	0.02	0.47	8.54	0.015	2.42	66.2	0.76	0.009	12.85
ET448		24.6	0.037	8.46	197.0	<0.0004	0.01	0.34	13.70	0.030	3.97	24.8	0.96	0.019	16.25
ET449		22.3	0.036	6.69	175.5	<0.0004	0.01	0.41	12.30	0.027	3.20	23.9	0.87	0.014	14.85
ET450		21.8	0.035	8.45	191.5	<0.0004	0.01	0.45	11.30	0.032	3.23	51.3	0.83	0.018	14.25



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 6 – D
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2021
Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ti	U	V	W	Y	Zn	Zr
		ppm 0.002	ppm 0.01	ppm 0.1	ppm 0.008	ppm 0.01	ppm 0.2	ppm 0.1
ET411		0.778	4.20	68.2	2.04	26.4	85.1	164.5
ET412		0.764	3.84	67.5	2.21	26.6	89.3	168.0
ET413		0.727	3.09	57.2	2.11	22.2	65.5	158.5
ET414		1.150	4.06	87.5	3.38	32.3	113.5	199.0
ET415		0.994	3.65	73.8	3.00	29.3	101.0	189.0
ET416		0.704	3.09	58.6	2.27	23.4	67.1	176.5
ET417		0.800	3.11	59.3	2.56	25.1	78.1	157.0
ET418		1.195	8.49	33.5	1.810	43.4	79.8	278
ET419		0.433	5.45	2.2	0.688	33.5	37.6	201
ET420		1.095	8.30	1.6	1.075	47.1	61.3	347
ET421		1.030	5.41	35.4	2.61	31.1	73.1	232
ET422		0.882	3.19	49.5	2.12	23.2	74.4	163.0
ET423		0.714	3.12	65.2	2.69	26.3	96.9	189.5
ET424		0.479	2.83	59.2	2.22	30.2	77.5	225
ET425		0.706	3.38	74.8	2.55	25.4	64.9	224
ET426		0.594	3.22	61.4	2.30	25.2	61.6	208
ET427		0.738	3.32	66.5	2.43	25.7	68.4	186.5
ET428		0.927	3.74	66.6	2.34	28.0	86.8	179.5
ET429		0.753	3.18	69.2	1.965	23.7	76.1	193.0
ET430		0.674	3.17	63.9	2.15	23.9	72.7	206
ET431		0.840	3.43	75.7	2.37	23.0	87.8	182.0
ET432		0.751	3.12	68.8	2.19	23.0	67.5	208
ET433		0.790	3.76	86.4	2.98	25.8	75.6	250
ET434		0.838	3.65	73.4	2.72	25.8	75.5	227
ET435		1.140	5.09	52.6	3.20	28.7	102.0	206
ET436		0.875	6.63	4.1	0.803	36.4	76.1	282
ET437		0.940	5.94	34.1	1.460	33.2	73.1	229
ET438		0.564	2.93	59.2	1.535	22.4	82.8	172.0
ET439		0.855	3.60	70.5	2.40	24.2	81.9	201
ET440		0.254	42.5	158.5	140.0	17.05	30.9	113.5
ET441		0.832	3.64	71.8	2.34	26.1	84.8	188.5
ET442		0.929	3.09	64.7	2.23	22.3	77.6	162.0
ET443		0.719	2.99	61.0	2.98	27.1	119.0	164.5
ET444		0.645	3.99	61.5	2.17	26.6	108.5	159.0
ET445		1.010	4.04	72.9	2.00	25.8	98.2	166.0
ET446		0.887	4.45	72.1	2.19	29.7	108.0	175.5
ET447		0.560	2.88	54.7	1.640	20.2	68.4	188.5
ET448		0.835	3.69	69.0	2.44	24.3	91.4	186.0
ET449		0.688	3.30	62.9	2.29	22.5	88.8	173.5
ET450		0.800	3.22	62.3	2.07	23.5	72.5	181.5



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 7 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	CRU-QC Pass4mm % 0.01	PUL-QC Pass75um % 0.01	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3
ET451		3.26			<0.005	0.022	6.44	1.23	550	1.69	0.260	0.53	<0.005	72.4	9.42	38.3
ET452		1.84			<0.005	0.020	8.72	1.21	840	2.27	0.187	0.12	<0.005	69.6	13.10	55.5
ET453		2.07	98.4	95.9	<0.005	0.019	7.83	1.32	740	2.07	0.250	0.22	<0.005	99.7	11.05	47.6
ET454		2.85	95.4	91.1	<0.005	0.020	7.26	1.22	730	2.02	0.279	0.21	<0.005	84.0	11.00	41.4
ET455		2.56			<0.005	0.015	8.04	1.60	860	2.51	0.336	0.19	<0.005	82.9	13.40	48.4
ET456		2.06			<0.005	0.021	7.65	1.59	860	2.56	0.210	0.25	<0.005	67.1	13.75	47.6
ET457		2.79			<0.005	0.021	7.25	1.29	790	2.61	0.291	0.19	<0.005	86.2	11.85	41.8
ET458		2.82			<0.005	0.047	6.66	1.19	770	2.28	0.410	0.21	<0.005	96.3	9.92	25.9
ET459		3.46			<0.005	0.052	9.73	1.24	1230	4.07	1.500	0.30	<0.005	142.0	9.40	13.6
ET460		2.37			<0.005	0.040	6.36	2.52	760	2.59	0.691	1.01	0.008	97.5	5.99	23.9
ET461		2.94			<0.005	0.048	6.81	1.43	810	2.86	0.902	0.46	<0.005	80.3	3.85	4.3
ET462		2.93			<0.005	0.061	6.64	0.93	780	2.53	0.351	0.29	<0.005	78.8	3.40	1.3
ET463		2.84			<0.005	0.021	6.85	0.87	830	2.39	0.327	0.45	<0.005	98.1	4.75	3.1
ET464		2.70			<0.005	0.011	8.54	0.80	1090	3.46	0.447	0.23	<0.005	85.5	4.82	1.5
ET465		2.69			<0.005	0.036	9.32	0.97	1050	3.64	0.588	0.34	<0.005	105.0	10.25	23.3
ET466		2.54			<0.005	0.044	6.64	1.47	570	2.74	0.517	0.56	<0.005	79.4	10.90	45.1
ET467		2.44			<0.005	0.026	7.08	1.65	640	1.93	0.337	0.42	<0.005	78.2	11.55	43.5
ET468		2.83			<0.005	0.023	8.85	1.65	870	2.49	0.285	0.34	<0.005	106.0	15.10	63.4
ET469		2.51			<0.005	0.075	6.57	2.32	590	1.92	0.346	0.35	0.159	78.8	11.25	43.7
ET470		2.44			<0.005	0.035	7.95	1.41	740	2.34	0.322	0.36	<0.005	93.8	12.50	52.2
ET471		3.27			<0.005	0.025	7.51	1.14	670	2.11	0.286	0.34	0.010	82.5	11.70	46.0
ET472		2.98			<0.005	0.045	6.85	1.01	600	2.11	0.535	0.57	0.010	83.3	10.65	46.8
ET473		2.60			<0.005	0.042	8.32	1.09	730	2.48	0.426	0.27	<0.005	82.6	13.75	53.2
ET474		3.30			<0.005	0.056	8.20	1.06	700	2.00	0.398	0.24	<0.005	92.1	13.10	50.7
ET475		2.72			<0.005	0.024	6.58	1.13	540	1.58	0.728	0.24	<0.005	62.9	9.75	36.7
ET476		2.71			<0.005	0.029	6.18	1.15	449	1.65	0.217	0.33	<0.005	75.4	8.40	30.6
ET477		2.72			<0.005	0.032	8.90	1.12	830	2.50	0.501	0.18	<0.005	92.9	14.95	59.4
ET478		2.89			<0.005	0.019	5.87	1.18	480	1.76	0.278	0.78	0.008	84.4	9.45	43.5
ET479		1.21			<0.005	0.028	6.27	1.06	480	1.88	0.423	0.98	0.012	92.7	9.03	32.6
ET480		0.06			0.561	1.295	3.90	504	65	0.72	8.03	3.66	<0.005	131.5	545	31.9
ET481		1.28			<0.005	0.013	6.20	1.24	500	1.84	0.334	0.94	0.009	88.6	9.26	38.4
ET482		2.72			<0.005	0.019	6.44	1.16	520	1.81	0.193	0.51	0.006	77.1	9.64	38.1
ET483		2.83			<0.005	0.027	6.29	1.12	530	1.89	0.217	0.60	<0.005	80.7	9.88	41.0
ET484		2.54			<0.005	0.036	6.49	1.22	570	1.92	0.270	0.48	<0.005	86.6	9.82	36.5
ET485		2.87			<0.005	0.034	8.40	1.14	780	2.45	0.288	0.33	<0.005	95.4	12.85	54.8
ET486		2.88			<0.005	0.033	6.21	1.20	520	1.91	0.320	0.60	<0.005	82.8	9.35	34.6
ET487		2.65			<0.005	0.038	7.67	1.14	710	2.36	0.386	0.35	<0.005	89.1	11.95	49.9
ET488		2.58			<0.005	0.038	6.98	1.30	670	2.17	0.441	0.50	<0.005	84.5	10.30	41.4
ET489		3.03			<0.005	0.050	7.80	1.16	900	2.45	0.604	0.38	<0.005	90.7	10.20	38.5
ET490		2.52			<0.005	0.063	6.65	1.10	620	1.92	0.265	0.51	0.011	87.8	9.96	40.9



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 7 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm 0.01	ppm 0.02	% 0.002	ppm 0.05	ppm 0.05	ppm 0.004	ppm 0.005	% 0.01	ppm 0.005	ppm 0.2	% 0.01	ppm 0.2	ppm 0.02	% 0.001
ET451		3.28	11.00	3.09	15.60	0.33	4.83	0.046	2.96	36.3	22.8	0.89	554	0.55	1.325
ET452		5.16	1.84	4.01	25.1	0.34	4.80	0.084	4.79	32.3	33.1	1.08	508	0.23	0.361
ET453		5.23	3.71	3.36	20.4	0.33	4.99	0.069	3.94	50.7	25.5	1.00	393	0.49	0.885
ET454		6.81	4.29	3.07	19.10	0.33	4.61	0.060	3.75	42.5	24.5	0.98	330	0.34	0.928
ET455		10.80	7.45	3.67	22.6	0.37	4.25	0.070	4.63	42.1	33.1	1.05	366	0.24	0.406
ET456		11.10	7.63	3.65	23.3	0.34	4.38	0.074	4.38	29.8	32.6	1.06	382	0.18	0.459
ET457		12.75	11.70	3.21	20.9	0.33	4.15	0.062	4.13	43.5	29.5	1.02	318	0.17	0.509
ET458		9.56	20.0	2.23	18.90	0.33	4.47	0.064	3.84	48.4	29.9	0.97	320	0.13	0.348
ET459		13.00	19.40	2.29	24.8	0.40	9.26	0.084	5.41	68.2	37.5	1.14	311	0.14	0.515
ET460		8.16	19.65	2.23	18.15	0.35	4.34	0.045	3.31	49.8	24.8	0.82	405	0.60	0.751
ET461		7.18	17.15	1.200	17.10	0.31	5.58	0.048	3.93	34.4	17.8	0.80	258	0.24	0.677
ET462		6.93	13.15	1.050	16.70	0.33	4.81	0.054	3.95	33.5	18.4	0.71	212	0.14	0.521
ET463		6.91	12.55	1.270	17.70	0.13	5.43	0.062	3.99	50.7	27.5	0.80	318	0.13	0.434
ET464		8.58	3.04	1.320	21.1	0.12	6.57	0.072	4.66	39.0	23.2	0.89	187.5	0.09	0.698
ET465		13.65	26.1	2.70	24.7	0.14	6.58	0.072	4.76	55.3	33.8	1.27	404	0.16	0.762
ET466		9.72	21.9	3.19	17.00	0.12	4.46	0.050	3.15	42.9	30.9	1.10	454	0.35	1.075
ET467		8.31	15.65	3.39	17.60	0.11	5.09	0.050	3.28	40.6	27.1	0.83	310	0.37	1.210
ET468		10.55	9.84	4.40	23.3	0.14	4.90	0.073	4.20	57.6	36.2	1.06	413	0.34	0.797
ET469		7.06	36.5	3.28	15.95	0.11	4.41	0.056	3.08	41.1	24.7	0.78	296	0.49	1.115
ET470		9.11	22.5	3.59	20.4	0.13	5.62	0.061	3.66	50.5	27.4	0.89	225	0.34	1.305
ET471		5.21	17.75	3.48	18.00	0.12	5.13	0.061	3.31	43.8	28.5	0.92	293	0.25	1.340
ET472		6.13	27.9	3.31	16.60	0.11	5.55	0.058	3.28	43.8	27.2	0.94	359	0.56	1.020
ET473		5.75	29.9	3.94	22.6	0.14	4.86	0.063	4.06	43.5	31.9	1.11	353	0.25	0.966
ET474		3.83	25.3	3.93	21.1	0.13	4.75	0.061	3.81	49.1	29.5	1.11	412	0.25	1.015
ET475		2.69	20.8	2.89	16.05	0.11	5.48	0.054	2.90	31.9	20.7	0.77	307	0.38	1.575
ET476		2.33	17.40	2.49	13.80	0.12	4.97	0.040	2.39	38.1	18.5	0.65	260	0.35	1.775
ET477		5.97	16.75	4.29	24.4	0.14	4.65	0.065	4.33	49.5	33.7	1.13	350	0.22	0.776
ET478		3.74	15.50	2.92	14.85	0.12	6.16	0.050	2.57	44.8	22.0	0.69	275	0.59	0.960
ET479		4.41	16.60	2.85	15.25	0.13	6.88	0.049	2.35	48.9	20.3	0.64	276	0.20	1.670
ET480		0.61	9200	23.5	15.65	0.17	2.93	0.211	2.85	161.0	19.1	1.06	3830	196.5	0.622
ET481		4.08	13.25	2.89	15.10	0.12	6.58	0.046	2.48	46.6	20.3	0.65	308	0.61	1.595
ET482		4.53	12.60	2.83	15.95	0.13	5.12	0.053	2.45	40.9	20.6	0.67	250	0.49	1.680
ET483		3.98	17.50	2.94	15.35	0.12	5.24	0.045	2.61	42.7	23.1	0.70	261	0.57	1.460
ET484		4.75	18.35	3.00	15.55	0.14	5.69	0.044	2.60	46.0	21.5	0.68	236	0.35	1.615
ET485		6.01	22.7	3.99	22.0	0.16	4.96	0.070	3.97	52.5	30.8	0.97	340	0.24	1.075
ET486		5.88	17.75	2.87	14.80	0.13	5.99	0.046	2.35	44.2	20.2	0.65	247	0.30	1.600
ET487		7.52	19.85	3.61	19.35	0.14	4.83	0.057	3.36	45.8	27.3	0.88	278	0.33	1.375
ET488		7.72	29.8	3.18	17.25	0.13	5.32	0.048	3.05	44.4	25.9	0.85	323	0.72	1.380
ET489		9.27	20.8	3.02	20.9	0.15	5.13	0.075	4.17	47.0	27.2	0.90	302	0.23	0.831
ET490		5.70	22.2	3.27	16.60	0.13	5.74	0.044	2.98	47.1	22.6	0.73	279	0.44	1.285



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 7 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-OCT-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	0.001	0.01	0.02	0.0004	0.01	0.02	0.01	0.006	0.02	0.02	0.01	0.005	0.004
ET451		17.85	0.036	8.99	148.0	<0.0004	0.01	0.58	9.77	0.034	2.59	70.5	0.79	0.014	13.80
ET452		26.6	0.035	6.37	233	<0.0004	<0.01	0.44	15.75	0.012	4.23	13.60	1.04	0.017	17.00
ET453		22.4	0.032	7.34	216	<0.0004	0.01	0.54	11.90	0.017	3.72	30.4	0.95	0.015	16.95
ET454		20.3	0.031	9.77	211	<0.0004	<0.01	0.54	11.35	0.018	3.42	47.4	0.89	0.013	15.45
ET455		24.3	0.026	9.29	247	<0.0004	0.01	0.42	14.25	0.020	3.90	28.1	0.93	0.020	16.60
ET456		25.0	0.027	10.20	214	<0.0004	<0.01	0.43	12.65	0.010	4.30	35.0	0.97	0.017	13.15
ET457		20.7	0.024	9.51	246	<0.0004	<0.01	0.36	12.15	0.021	3.64	33.0	0.87	0.013	15.25
ET458		14.95	0.017	7.94	228	<0.0004	<0.01	0.30	8.60	0.027	4.00	25.3	0.89	0.028	17.15
ET459		12.35	0.019	17.55	299	0.0004	<0.01	0.65	8.85	0.024	6.01	62.4	1.58	0.021	34.1
ET460		8.96	0.016	24.3	187.0	<0.0004	<0.01	3.14	7.25	0.017	4.08	139.0	0.86	0.015	18.40
ET461		3.71	0.009	12.90	214	<0.0004	<0.01	1.45	4.13	0.018	4.85	49.8	1.13	<0.005	25.4
ET462		1.32	0.009	9.68	219	0.0007	<0.01	0.51	3.94	0.009	4.73	35.4	1.14	<0.005	23.0
ET463		3.63	0.011	11.65	216	0.0004	<0.01	0.61	4.50	0.011	4.55	36.0	1.20	<0.005	25.7
ET464		2.57	0.010	14.25	272	0.0004	<0.01	0.72	4.94	<0.006	5.62	53.8	1.44	<0.005	35.8
ET465		14.85	0.027	15.20	290	<0.0004	0.01	0.81	10.90	0.027	5.24	51.5	1.39	0.013	25.6
ET466		19.85	0.031	13.00	192.0	<0.0004	<0.01	0.80	11.65	0.034	2.93	64.9	0.80	0.017	14.10
ET467		23.2	0.038	13.55	183.0	<0.0004	<0.01	1.01	12.20	0.027	2.90	63.1	0.88	0.013	15.10
ET468		32.8	0.043	9.68	244	<0.0004	<0.01	0.68	17.50	0.025	4.22	28.9	1.10	0.015	18.50
ET469		22.6	0.034	18.05	170.5	0.0004	0.02	0.77	11.20	0.031	2.77	49.1	0.79	0.018	13.55
ET470		27.4	0.046	12.55	212	0.0004	<0.01	0.80	15.00	0.028	3.42	51.1	1.02	0.017	16.75
ET471		24.3	0.040	11.75	180.5	<0.0004	0.01	0.84	12.65	0.022	3.17	46.6	0.95	0.011	16.40
ET472		21.2	0.038	13.75	182.0	0.0005	0.01	1.02	11.70	0.028	2.99	60.2	0.87	0.012	15.20
ET473		28.4	0.036	10.25	216	0.0004	0.01	0.87	16.60	0.023	3.63	33.5	0.96	0.018	17.10
ET474		27.0	0.036	7.75	188.5	<0.0004	0.01	0.72	15.35	0.017	3.52	23.4	0.90	0.029	16.50
ET475		18.35	0.040	7.88	153.0	0.0005	0.01	0.93	10.60	0.014	2.68	41.1	0.81	0.011	15.10
ET476		15.55	0.038	9.46	122.5	<0.0004	<0.01	0.83	8.98	0.018	2.35	55.4	0.74	0.015	13.50
ET477		32.5	0.035	8.76	235	0.0004	0.01	0.58	18.00	0.036	4.24	26.0	0.99	0.029	18.15
ET478		17.70	0.038	10.85	145.5	<0.0004	<0.01	1.59	10.35	0.021	2.48	75.1	0.84	0.007	14.35
ET479		16.10	0.043	13.90	143.0	<0.0004	<0.01	1.61	10.40	0.020	2.84	137.0	0.90	0.006	15.65
ET480		75.9	0.089	12.60	83.1	0.0941	2.60	8.20	11.30	2.57	8.81	197.5	0.41	1.195	7.00
ET481		16.35	0.046	12.55	142.5	<0.0004	<0.01	1.35	10.55	0.010	2.40	120.0	0.87	0.005	15.60
ET482		18.75	0.039	10.30	139.5	<0.0004	<0.01	0.84	10.20	0.016	2.66	69.7	0.81	0.009	14.25
ET483		19.10	0.039	10.50	145.0	<0.0004	<0.01	0.88	10.95	0.019	2.68	63.1	0.87	0.009	14.95
ET484		18.50	0.040	12.50	143.5	<0.0004	<0.01	0.94	10.80	0.022	2.73	80.4	0.84	0.012	15.00
ET485		27.9	0.038	9.76	211	<0.0004	0.01	0.91	16.55	0.014	3.87	42.3	0.99	0.015	18.25
ET486		17.55	0.039	15.40	136.0	<0.0004	<0.01	1.26	10.45	0.010	2.65	93.3	0.84	0.014	14.60
ET487		25.3	0.039	11.85	184.5	<0.0004	<0.01	0.83	14.10	0.018	3.35	54.3	0.92	0.021	15.95
ET488		20.5	0.036	16.70	169.5	0.0004	0.01	1.04	11.45	0.022	3.17	70.0	0.88	0.017	15.90
ET489		21.0	0.030	11.60	234	<0.0004	<0.01	0.90	12.40	0.020	4.32	53.3	1.06	0.016	20.3
ET490		20.0	0.037	13.75	155.0	0.0005	0.01	1.25	11.95	0.017	2.93	74.5	0.90	0.016	15.35



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD

LEVEL 4

100 ALBERT ROAD

SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 7 - D

Total # Pages: 8 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2021

Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.002	0.01	0.1	0.008	0.01	0.2	0.1
ET451		0.608	2.98	56.3	1.920	22.5	69.4	182.5
ET452		0.901	3.27	74.1	3.26	25.4	95.7	171.0
ET453		0.829	3.40	59.4	2.17	25.0	77.8	182.0
ET454		0.860	3.35	55.5	1.875	22.4	71.3	169.5
ET455		1.135	4.09	63.8	2.08	23.7	82.1	163.5
ET456		1.180	4.21	62.6	2.25	22.8	79.6	154.5
ET457		1.115	3.99	50.8	1.780	25.6	69.8	146.0
ET458		0.964	3.46	36.3	1.260	26.1	66.4	152.5
ET459		1.490	7.96	32.7	1.410	42.0	72.9	300
ET460		0.851	4.37	22.6	0.869	30.3	54.0	149.0
ET461		0.875	6.48	5.8	0.450	30.9	41.9	169.0
ET462		0.882	6.22	3.0	0.469	28.1	34.3	136.5
ET463		0.954	5.97	5.5	0.476	34.9	46.4	151.5
ET464		1.100	8.30	5.1	0.557	36.2	46.1	181.5
ET465		1.350	6.43	35.6	1.155	37.5	79.7	196.5
ET466		0.924	3.03	54.0	1.490	26.6	81.2	155.5
ET467		0.821	3.30	62.4	2.27	23.9	77.5	182.0
ET468		1.095	3.90	79.5	2.60	33.9	101.0	179.0
ET469		0.794	3.01	54.6	1.865	23.9	135.0	156.5
ET470		0.895	3.66	72.1	2.96	28.4	75.1	198.0
ET471		0.761	3.51	62.4	2.58	26.0	78.5	184.5
ET472		0.828	3.47	64.9	2.09	25.2	78.0	197.5
ET473		0.925	4.07	71.4	2.54	29.1	90.1	166.5
ET474		0.721	3.56	69.4	2.35	27.0	92.0	164.5
ET475		0.671	3.31	55.7	1.955	24.1	70.2	193.0
ET476		0.532	2.93	45.5	1.660	22.5	58.5	180.5
ET477		0.918	3.76	76.4	2.62	28.7	98.0	156.5
ET478		0.630	3.35	61.8	1.645	24.2	56.0	229
ET479		0.635	3.61	67.0	1.700	26.5	50.1	248
ET480		0.259	43.0	162.5	138.5	18.35	34.2	117.5
ET481		0.664	3.45	67.2	1.550	25.5	47.5	238
ET482		0.604	3.06	55.3	1.945	23.4	55.6	183.5
ET483		0.641	3.15	65.0	1.960	23.0	61.8	190.5
ET484		0.666	3.28	64.8	1.920	25.2	62.1	202
ET485		0.829	3.64	70.7	2.38	29.0	86.2	170.5
ET486		0.600	3.19	62.8	1.885	24.3	60.0	213
ET487		0.770	3.43	66.4	2.30	26.8	76.5	173.5
ET488		0.769	3.49	57.9	2.24	25.6	72.3	185.5
ET489		1.020	4.32	53.8	1.965	29.5	72.5	164.5
ET490		0.699	3.37	71.1	2.42	24.4	67.0	207



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 8 – A
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2021
Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	WEI-21	CRU-QC	PUL-QC	Au-AA23	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Recvd Wt. kg	Pass4mm %	Pass75um %	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.01	0.01	0.005	0.002	0.01	0.02	1	0.02	0.002	0.01	0.005	0.01	0.005	0.3
ET491		2.75			<0.005	0.061	7.83	1.08	790	2.47	0.431	0.39	<0.005	90.0	12.65	53.2
ET492		2.71			<0.005	0.040	7.27	1.14	690	2.26	0.284	0.39	<0.005	84.7	11.05	42.6
ET493		2.62			<0.005	0.036	5.73	0.86	500	1.66	0.223	0.85	0.013	81.4	8.44	29.7
ET494		2.95			<0.005	0.031	5.94	1.15	510	1.89	0.249	0.55	0.007	73.2	10.00	42.7
ET495		2.67			<0.005	0.025	6.86	1.23	590	2.14	0.462	1.10	0.006	89.6	13.70	43.5
ET496		2.45			<0.005	0.036	5.94	1.05	412	1.97	0.180	0.47	0.006	77.3	10.05	30.4
ET497		2.60			<0.005	0.036	5.64	1.03	389	1.84	0.188	0.79	<0.005	80.3	10.60	40.9
ET498		2.73			<0.005	0.033	6.20	1.15	411	1.73	0.235	0.40	<0.005	86.3	11.05	43.1
ET499		2.90			<0.005	0.043	6.19	0.96	379	1.59	0.224	0.64	<0.005	83.2	9.68	37.9
ET500		2.65			<0.005	0.044	7.39	1.20	570	2.37	0.495	0.42	<0.005	108.0	11.75	48.4
ET501		2.82			<0.005	0.044	7.80	1.07	540	2.19	0.261	0.49	<0.005	91.6	12.15	47.6
ET502		3.01			<0.005	0.055	7.37	0.97	490	1.98	0.292	0.49	<0.005	92.8	12.05	42.9
ET503		2.99		97.5	<0.005	0.035	7.90	0.93	540	1.97	0.234	0.55	<0.005	97.0	12.45	50.4
ET504		2.48		97.6	<0.005	0.037	7.81	1.14	560	2.16	0.351	0.24	0.005	86.8	13.30	50.0
ET505		2.83			<0.005	0.029	8.37	1.29	640	2.24	0.311	0.25	<0.005	95.7	13.00	56.1
ET506		2.76			0.009	0.076	8.07	1.28	630	2.28	0.594	0.25	<0.005	94.9	14.35	53.7
ET507		2.39			<0.005	0.043	6.78	3.02	480	2.00	0.430	0.40	<0.005	81.8	12.15	42.4
ET508		3.43			<0.005	0.064	7.76	1.54	580	2.04	0.404	0.32	0.013	91.4	13.85	47.3



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 8 – B
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2021
Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.01	0.02	0.002	0.05	0.05	0.004	0.005	0.01	0.005	0.2	0.01	0.2	0.02	0.001
ET491		8.26	27.0	3.88	20.2	0.13	4.92	0.066	3.78	47.2	29.0	0.99	362	0.50	1.025
ET492		8.15	15.65	3.36	17.60	0.13	4.95	0.047	3.43	43.8	24.8	0.81	331	0.28	1.325
ET493		3.46	17.45	2.68	13.20	0.12	5.70	0.038	2.25	42.6	19.4	0.58	439	0.44	1.590
ET494		4.49	18.55	3.08	14.15	0.12	4.86	0.056	2.57	38.9	24.5	0.74	496	0.95	1.360
ET495		4.91	10.60	4.04	17.15	0.13	4.86	0.071	3.33	49.0	35.8	0.93	1050	0.28	1.115
ET496		4.39	15.90	2.93	13.05	0.12	6.17	0.037	2.56	38.2	25.2	0.68	429	0.48	1.590
ET497		4.62	25.1	3.37	12.20	0.10	6.87	0.042	2.79	41.1	27.6	0.80	661	0.64	1.260
ET498		4.19	27.4	3.63	14.25	0.10	6.98	0.059	2.97	43.8	29.3	0.82	560	1.32	1.190
ET499		3.80	33.8	3.17	13.50	0.10	6.53	0.051	2.83	41.2	26.2	0.89	836	0.74	1.170
ET500		6.08	36.7	3.70	19.50	0.12	4.97	0.083	3.66	56.6	32.1	1.01	603	0.41	0.647
ET501		5.72	31.4	3.89	19.65	0.13	5.28	0.068	4.27	47.2	33.3	1.06	637	0.36	0.792
ET502		4.28	29.3	3.78	18.10	0.12	5.41	0.071	3.65	48.0	32.4	1.06	660	0.28	0.943
ET503		4.18	26.8	4.16	20.1	0.12	4.91	0.065	3.80	48.4	35.8	1.18	694	0.49	0.821
ET504		5.26	36.4	3.95	19.30	0.16	4.92	0.074	4.00	42.9	35.7	0.99	499	0.30	0.649
ET505		5.55	22.0	3.85	20.6	0.14	4.90	0.060	4.10	47.8	33.8	0.97	438	0.29	0.754
ET506		6.19	62.2	4.06	20.2	0.15	4.99	0.073	4.18	47.4	38.1	1.08	500	0.27	0.620
ET507		6.09	25.7	3.48	15.25	0.11	5.22	0.061	3.49	39.5	31.8	0.90	495	0.41	0.968
ET508		5.77	54.1	3.88	18.95	0.14	4.66	0.062	3.76	47.6	33.5	1.05	572	0.62	0.655



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 8 – C
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2021
Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	0.001	0.01	0.02	0.0004	0.01	0.02	0.01	0.006	0.02	0.02	0.01	0.005	0.004	0.001
ET491		25.7	0.036	12.20	209	<0.0004	0.01	0.92	14.50	0.031	3.53	54.3	0.91	0.026	16.15	0.364
ET492		23.5	0.040	13.20	191.0	<0.0004	0.01	0.88	12.20	0.026	3.23	59.5	0.92	0.012	15.35	0.324
ET493		15.35	0.038	9.76	119.0	<0.0004	<0.01	0.88	9.16	0.009	2.33	70.6	0.78	0.010	13.70	0.339
ET494		18.80	0.036	8.90	139.5	<0.0004	0.01	0.97	10.25	0.006	2.67	57.8	0.81	0.009	13.30	0.340
ET495		24.0	0.040	6.76	166.5	0.0004	<0.01	0.63	11.60	0.021	2.92	41.0	0.87	0.008	14.20	0.303
ET496		16.05	0.041	9.32	135.0	<0.0004	<0.01	0.84	9.10	0.012	2.31	55.8	0.80	0.009	14.80	0.373
ET497		17.80	0.042	10.30	141.0	<0.0004	0.01	0.91	9.12	0.029	2.27	56.5	0.85	0.009	13.95	0.430
ET498		19.75	0.046	9.40	144.5	<0.0004	0.01	1.05	11.00	0.026	2.57	36.2	0.89	0.010	15.85	0.411
ET499		17.35	0.044	7.62	140.0	<0.0004	0.01	1.04	9.23	0.018	2.44	30.4	0.81	0.012	14.10	0.363
ET500		24.4	0.037	7.28	155.0	<0.0004	0.01	0.97	13.35	0.018	3.48	30.2	0.91	0.016	15.05	0.301
ET501		25.5	0.038	7.29	173.0	0.0004	0.01	0.85	14.35	0.024	3.45	25.6	0.93	0.014	15.65	0.320
ET502		23.8	0.038	6.84	155.5	0.0005	0.01	0.70	13.55	0.021	3.22	23.9	0.92	0.010	15.70	0.312
ET503		25.1	0.037	6.22	132.5	<0.0004	0.01	0.79	13.60	0.006	3.53	26.9	0.93	0.013	15.35	0.295
ET504		24.9	0.040	6.60	202	<0.0004	0.01	0.83	13.15	0.017	3.36	21.1	0.97	0.010	15.45	0.338
ET505		26.8	0.042	7.38	206	0.0004	<0.01	0.80	14.30	0.019	3.71	21.3	1.06	0.015	16.35	0.355
ET506		27.2	0.038	7.88	210	<0.0004	0.01	0.86	14.30	0.045	3.73	23.8	0.96	0.025	16.40	0.333
ET507		19.80	0.037	12.05	170.5	<0.0004	0.01	0.96	10.75	0.025	2.95	38.9	0.85	0.014	14.35	0.337
ET508		23.4	0.035	12.00	181.0	<0.0004	0.01	0.76	13.05	0.041	3.33	21.8	0.88	0.019	15.35	0.310



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 8 – D
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2021
Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ti	U	V	W	Y	Zn	Zr
		ppm 0.002	ppm 0.01	ppm 0.1	ppm 0.008	ppm 0.01	ppm 0.2	ppm 0.1
ET491		0.928	3.48	74.4	2.09	26.4	84.7	173.0
ET492		0.879	3.23	60.9	1.975	25.0	76.0	181.5
ET493		0.535	3.02	53.5	1.975	22.5	58.1	203
ET494		0.672	2.89	58.9	1.815	21.7	73.6	177.0
ET495		0.713	2.99	58.2	1.700	26.8	113.0	172.5
ET496		0.643	3.09	57.4	1.580	22.4	74.8	226
ET497		0.688	3.08	72.2	1.995	22.8	84.4	254
ET498		0.633	3.37	73.0	2.24	26.3	92.1	251
ET499		0.582	3.21	61.8	1.765	25.3	78.0	231
ET500		0.846	3.23	67.2	2.19	30.8	95.0	166.5
ET501		0.830	3.46	67.0	2.23	28.5	96.0	181.5
ET502		0.668	3.39	62.2	2.25	28.2	103.0	185.5
ET503		0.765	3.36	65.2	2.30	29.5	110.5	174.0
ET504		0.831	3.21	68.6	2.28	25.6	105.0	176.5
ET505		0.818	3.51	72.0	2.58	28.0	91.6	178.0
ET506		0.871	3.44	71.4	1.995	27.0	107.5	178.0
ET507		0.774	3.67	61.0	1.690	22.7	92.7	189.5
ET508		0.744	3.35	67.4	2.02	25.6	105.0	168.0



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28-OCT-2021
Account: STRENERES

CERTIFICATE OF ANALYSIS MI21269945

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Townsville located at 14-15 Desma Court, Bohle, Townsville, QLD, Australia.
Au-AA23

Applies to Method:

Processed at ALS Mount Isa located at Unit 4, 16 Enterprise Rd, Mount Isa, QLD, Australia.
BAG-01 CRU-32c CRU-QC
LEV-02 LOG-22 PUL-32m
SPL-22Y WEI-21

LEV-01
PUL-QC

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia
ME-MS61L