



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Page: 1
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 8-NOV-2021
Account: STRENERES

CERTIFICATE MI21263540

Project: East Tennant
P.O. No.: 21092xx SER ET
This report is for 250 samples of 1/2 Core submitted to our lab in Mount Isa, QLD,
Australia on 1-OCT-2021.

The following have access to data associated with this certificate:

NEIL CHALMERS

DAVID DETATA

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
LOG-22	Sample login – Rcd w/o BarCode
LEV-01	Waste Disposal Levy
LEV-02	Remote Lab Surcharge
CRU-32c	Fine Crushing 90% <4mm
SPL-22Y	Split Sample – Boyd Rotary Splitter
PUL-32m	Pulverize 500g – 85%<75um
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61L	Super Trace Lowest DL 4A by ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 2 – A
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	WEI-21	CRU-QC	PUL-QC	Au-AA23	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Recvd Wt. kg	Pass4mm %	Pass75um %	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.01	0.01	0.005	0.002	0.01	0.02	1	0.02	0.002	0.01	0.005	0.01	0.005	0.3
ET001		3.26	98.3	99.1	<0.005	0.229	0.04	1.85	14	<0.02	0.006	35.1	0.233	0.37	0.756	1.5
ET002		3.45	93.8	99.1	<0.005	0.312	0.04	2.15	98	0.02	0.006	35.1	0.470	0.46	1.210	1.4
ET003		3.42			<0.005	0.797	0.23	3.40	19	0.08	1.230	30.3	0.228	3.33	2.58	4.6
ET004		2.82			<0.005	0.466	6.07	3.73	470	2.08	1.350	6.68	0.041	60.0	13.70	35.7
ET005		3.00			<0.005	0.022	9.18	1.13	860	2.70	0.234	1.34	0.015	82.5	15.50	66.7
ET006		2.60			<0.005	0.060	7.76	1.13	670	2.20	0.366	0.93	0.030	78.6	13.20	51.1
ET007		1.59			<0.005	0.051	9.17	0.96	730	2.38	0.187	0.64	0.012	92.4	15.25	64.1
ET008		1.52			<0.005	0.030	6.97	0.99	560	1.79	0.204	0.31	0.023	73.8	12.55	50.0
ET009		2.10			<0.005	0.010	10.25	0.95	990	2.76	0.195	0.55	<0.005	90.2	15.40	70.3
ET010		2.02			<0.005	0.015	7.98	1.14	650	2.25	0.249	0.26	0.008	78.6	12.50	51.4
ET011		1.85			<0.005	0.017	9.02	1.18	820	2.74	0.324	0.33	<0.005	86.8	14.65	61.5
ET012		2.98			<0.005	0.024	8.30	1.26	720	2.47	0.327	0.39	0.011	76.2	14.95	52.5
ET013		2.15			<0.005	0.034	9.11	0.87	780	2.57	0.334	0.18	<0.005	80.6	15.05	60.4
ET014		1.91			<0.005	0.015	7.26	0.98	520	1.85	0.273	0.22	<0.005	81.1	13.15	48.0
ET015		2.86			<0.005	0.010	7.15	0.94	520	1.94	0.266	0.32	<0.005	81.5	12.10	47.9
ET016		2.96			<0.005	0.011	9.31	1.51	850	2.62	0.333	0.15	<0.005	79.9	17.60	64.0
ET017		2.02			<0.005	0.013	7.70	1.00	630	2.25	0.375	0.37	0.009	89.0	12.55	46.7
ET018		3.08			<0.005	0.010	7.83	0.78	630	2.35	0.343	0.21	<0.005	83.7	13.25	48.6
ET019		2.00			<0.005	0.008	8.22	1.00	630	2.40	0.308	0.25	0.015	86.6	13.25	53.3
ET020		1.99			<0.005	0.013	8.63	1.21	690	2.44	0.303	0.17	<0.005	85.6	13.15	55.4
ET021		1.82			<0.005	0.003	7.29	1.29	520	2.06	0.234	0.19	<0.005	80.7	12.80	47.8
ET022		2.38			<0.005	0.007	7.47	1.04	490	2.07	0.253	0.27	0.009	71.7	10.05	42.0
ET023		2.59			<0.005	0.014	6.79	0.90	550	1.88	0.245	0.26	<0.005	75.6	10.10	37.7
ET024		2.23			<0.005	0.006	8.73	1.08	680	2.34	0.276	0.14	<0.005	89.8	12.75	57.6
ET025		2.56			<0.005	0.007	8.08	0.80	600	2.16	0.310	0.12	<0.005	81.6	12.05	50.6
ET026		2.17			<0.005	0.007	7.71	0.89	580	2.14	0.296	0.19	<0.005	83.3	12.35	47.3
ET027		2.30			<0.005	0.009	7.82	1.24	570	2.13	0.394	0.21	<0.005	102.0	12.15	49.8
ET028		2.50			<0.005	0.020	8.12	1.14	580	2.22	0.436	0.12	<0.005	100.5	12.70	46.7
ET029		2.23			<0.005	0.007	7.11	0.97	490	2.17	0.417	0.11	<0.005	91.0	19.45	40.0
ET030		2.62			<0.005	0.006	7.84	0.82	610	2.15	0.291	0.11	<0.005	73.8	14.00	43.0
ET031		2.75			<0.005	0.009	7.59	1.14	620	2.05	0.310	0.10	<0.005	86.8	12.25	43.8
ET032		2.49			<0.005	0.017	8.53	1.14	740	2.22	0.288	0.12	0.006	83.4	12.35	44.8
ET033		2.28			<0.005	0.008	9.14	0.88	830	2.30	0.310	0.11	<0.005	85.2	13.40	56.2
ET034		2.89			<0.005	0.008	9.88	1.00	960	2.87	0.359	0.08	<0.005	88.4	14.85	58.8
ET035		2.56			<0.005	0.013	6.99	1.01	580	1.95	0.355	0.19	<0.005	69.9	10.80	37.0
ET036		2.56			<0.005	0.015	8.40	0.97	680	2.38	0.281	0.18	<0.005	86.4	12.35	48.4
ET037		2.53			0.006	0.027	8.40	2.21	530	2.44	0.511	1.91	0.086	123.5	13.10	46.6
ET038		2.37			<0.005	0.010	6.17	0.97	332	1.62	0.302	0.50	0.032	102.0	8.19	33.1
ET039		2.09			<0.005	0.018	6.18	0.92	391	1.61	0.283	0.30	<0.005	91.6	7.67	31.6
ET040		0.07			0.522	1.280	4.00	508	94	0.70	8.24	3.77	<0.005	131.0	558	29.8



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 2 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.01	0.02	0.002	0.05	0.05	0.004	0.005	0.01	0.005	0.2	0.01	0.2	0.02	0.001
ET001		0.03	2.96	0.247	0.14	0.09	0.022	<0.005	0.04	0.196	<0.2	1.25	1030	1.00	0.014
ET002		0.04	4.68	0.246	0.20	0.15	0.029	<0.005	0.04	0.283	<0.2	1.38	1120	0.68	0.010
ET003		0.31	285	0.390	0.66	0.14	0.178	<0.005	0.16	1.740	1.2	3.43	1355	0.91	0.017
ET004		9.92	95.3	3.03	15.85	0.17	3.13	0.064	3.63	29.3	26.6	3.82	1020	0.65	0.048
ET005		11.40	8.98	4.61	27.6	0.20	4.10	0.090	4.84	39.3	19.6	1.66	392	0.18	0.061
ET006		7.74	10.75	3.93	19.45	0.18	4.35	0.068	3.82	38.4	17.6	1.35	322	0.26	0.164
ET007		9.17	7.94	4.21	25.5	0.19	4.74	0.099	4.62	47.0	20.7	1.33	288	0.19	0.276
ET008		5.25	11.05	3.68	17.35	0.15	5.41	0.057	3.01	38.0	16.5	1.10	288	0.59	0.601
ET009		9.74	7.96	4.74	29.5	0.19	4.89	0.081	5.12	46.5	19.7	1.38	312	0.17	0.338
ET010		6.18	8.25	3.82	17.90	0.15	5.65	0.059	3.41	38.1	15.2	1.03	251	0.27	0.925
ET011		9.43	8.59	4.46	22.3	0.16	5.19	0.066	4.28	45.2	17.6	1.20	266	0.30	0.555
ET012		9.41	6.74	4.10	23.1	0.14	4.61	0.080	3.03	37.3	15.6	1.23	288	0.25	0.347
ET013		9.89	6.31	4.58	22.8	0.17	4.42	0.073	4.46	42.4	18.5	1.32	274	0.27	0.289
ET014		5.22	6.19	3.85	16.60	0.15	6.82	0.053	2.98	40.0	19.2	1.15	255	0.25	0.897
ET015		5.89	6.09	3.49	16.45	0.17	6.52	0.055	2.92	41.7	16.2	0.99	229	0.28	0.875
ET016		11.75	6.13	4.75	27.6	0.17	4.75	0.093	2.94	40.1	16.8	1.29	307	0.23	0.322
ET017		7.31	7.00	3.55	19.30	0.19	5.28	0.069	3.54	45.5	14.3	1.10	305	0.30	0.715
ET018		7.80	6.29	3.73	19.15	0.19	5.58	0.069	3.51	41.8	15.4	1.03	239	0.23	0.852
ET019		7.12	5.41	3.84	19.70	0.19	5.21	0.069	3.68	44.1	16.5	1.10	256	0.29	0.923
ET020		8.29	3.44	3.86	21.5	0.19	5.13	0.073	4.07	42.6	16.8	1.10	227	0.24	0.826
ET021		6.66	2.67	3.59	19.90	0.13	5.12	0.067	2.98	40.6	14.9	1.00	250	0.25	0.629
ET022		5.22	2.44	3.39	15.70	0.16	5.12	0.059	3.62	35.8	13.7	1.01	259	0.38	0.905
ET023		4.70	3.06	3.09	15.00	0.20	5.75	0.059	2.87	36.2	12.4	0.91	233	0.49	1.215
ET024		8.43	2.60	3.93	22.3	0.19	5.97	0.080	4.22	46.5	16.8	1.16	240	0.21	0.627
ET025		7.56	2.43	3.61	19.70	0.20	5.28	0.061	3.68	41.4	15.0	1.06	214	0.24	0.855
ET026		6.67	3.34	3.59	18.40	0.19	5.35	0.073	3.45	41.6	14.4	1.07	244	0.26	0.912
ET027		6.37	3.65	3.64	19.00	0.22	6.37	0.074	3.77	51.8	16.1	1.07	247	0.31	0.894
ET028		6.26	3.89	3.80	19.45	0.21	5.08	0.089	3.89	52.3	15.7	1.13	230	0.25	0.803
ET029		4.37	3.80	5.38	18.85	0.18	5.60	0.176	3.33	47.0	29.8	1.74	492	0.25	0.414
ET030		6.39	3.60	4.30	19.10	0.16	5.15	0.100	3.84	36.0	21.0	1.46	338	0.19	0.552
ET031		7.50	2.94	3.68	18.45	0.19	5.12	0.083	3.82	43.9	15.1	1.10	223	0.24	0.639
ET032		7.59	3.32	3.67	21.1	0.20	5.21	0.065	3.92	41.8	13.9	1.17	233	0.23	0.816
ET033		8.62	2.50	3.81	23.8	0.20	5.29	0.073	4.36	44.3	13.7	1.21	233	0.31	0.554
ET034		10.90	2.90	4.50	27.9	0.19	4.53	0.097	4.61	44.4	15.3	1.38	246	0.11	0.228
ET035		5.07	3.21	3.37	16.75	0.13	5.91	0.057	3.33	34.5	15.4	1.16	258	0.30	1.090
ET036		7.01	2.61	3.87	23.1	0.14	4.95	0.071	4.26	43.9	18.2	1.38	296	0.18	0.651
ET037		6.10	2.11	4.46	20.9	0.21	6.73	0.142	5.87	60.7	24.2	2.56	1000	0.21	0.248
ET038		2.81	2.50	3.04	13.20	0.16	6.18	0.059	4.39	50.9	15.3	1.17	355	0.48	0.551
ET039		3.07	3.57	2.67	13.35	0.15	5.52	0.048	3.33	46.3	13.3	0.90	250	0.43	1.160
ET040		0.62	9050	24.3	15.75	0.17	2.88	0.207	2.91	148.0	17.2	1.09	3890	194.0	0.641



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 2 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	0.001	0.01	0.02	0.0004	0.01	0.02	0.01	0.006	0.02	0.02	0.01	0.005	0.004
ET001		0.58	0.002	130.5	0.65	<0.0004	0.15	0.02	0.22	0.019	0.07	113.5	0.01	<0.005	0.061
ET002		0.85	0.005	77.5	0.81	0.0022	0.14	0.04	0.24	0.038	0.05	118.0	0.01	<0.005	0.080
ET003		1.51	0.002	78.0	5.56	0.0053	0.14	0.07	0.54	0.399	0.12	90.9	0.03	<0.005	0.527
ET004		20.1	0.034	24.9	153.0	0.0055	0.11	0.58	11.10	0.376	2.47	38.7	0.68	0.029	11.35
ET005		34.7	0.035	13.50	249	<0.0004	0.01	0.90	18.85	0.059	3.99	18.80	0.92	0.015	16.50
ET006		25.3	0.040	11.35	186.0	0.0005	0.01	0.77	13.85	0.032	2.95	21.9	0.82	0.026	14.60
ET007		33.4	0.040	6.97	254	<0.0004	0.01	0.82	17.55	0.024	4.07	15.15	1.02	0.017	16.90
ET008		23.9	0.039	7.75	154.5	<0.0004	0.01	0.52	12.85	0.022	2.78	27.7	0.78	0.016	14.55
ET009		34.3	0.038	9.97	264	<0.0004	<0.01	0.69	20.2	<0.006	4.54	21.0	1.10	<0.005	19.30
ET010		25.0	0.045	10.50	166.5	<0.0004	0.01	0.61	12.65	0.018	3.15	40.6	0.88	0.013	15.15
ET011		31.0	0.043	11.80	222	<0.0004	0.01	0.69	16.35	0.036	3.73	33.4	0.95	0.021	17.15
ET012		32.5	0.034	11.45	102.0	<0.0004	<0.01	0.75	15.50	0.021	3.61	24.3	0.94	0.023	14.65
ET013		31.4	0.036	10.35	229	<0.0004	<0.01	0.66	16.60	0.015	3.75	15.50	0.87	0.025	16.25
ET014		23.6	0.048	8.02	151.0	<0.0004	<0.01	0.55	13.20	0.019	2.89	25.1	0.90	0.018	15.40
ET015		23.6	0.045	6.79	162.0	<0.0004	0.01	0.44	12.05	0.014	2.87	31.0	0.87	0.021	15.25
ET016		37.3	0.032	9.88	98.5	<0.0004	<0.01	0.53	19.00	0.017	4.19	23.2	1.07	0.022	16.60
ET017		23.5	0.040	9.10	179.0	<0.0004	0.01	0.45	14.20	0.018	3.01	38.6	0.92	0.019	16.10
ET018		25.9	0.042	9.68	180.5	<0.0004	0.01	0.53	13.80	0.015	3.18	42.0	0.91	0.019	16.00
ET019		27.3	0.044	8.17	192.0	<0.0004	<0.01	0.57	14.45	0.012	3.25	34.7	0.91	0.018	15.95
ET020		28.3	0.044	7.91	219	<0.0004	<0.01	0.64	15.65	0.013	3.58	30.2	0.96	0.019	16.70
ET021		27.7	0.036	6.10	94.5	<0.0004	<0.01	0.71	13.20	0.008	3.07	24.2	0.92	0.014	14.65
ET022		21.0	0.044	5.34	152.5	<0.0004	<0.01	0.59	10.75	0.006	2.65	24.6	0.79	0.016	13.55
ET023		18.00	0.042	8.10	141.0	<0.0004	<0.01	0.60	10.40	0.016	2.48	44.4	0.80	0.014	14.25
ET024		27.2	0.043	6.55	230	<0.0004	<0.01	0.65	16.65	0.008	3.64	18.40	1.00	0.021	17.30
ET025		25.9	0.044	6.36	202	<0.0004	<0.01	0.61	13.60	0.009	3.24	24.1	0.94	0.019	15.75
ET026		25.3	0.042	7.78	176.5	<0.0004	<0.01	0.55	12.85	0.012	3.06	31.5	0.87	0.018	15.25
ET027		24.4	0.047	7.46	183.5	<0.0004	<0.01	0.62	14.05	0.013	3.18	27.3	0.92	0.022	16.50
ET028		24.8	0.043	6.33	186.0	<0.0004	0.01	0.63	13.10	0.011	3.37	25.5	0.88	0.030	15.30
ET029		24.9	0.043	7.77	149.5	<0.0004	<0.01	0.68	11.95	0.008	2.60	21.2	0.83	0.012	14.40
ET030		23.1	0.041	8.48	184.0	<0.0004	0.01	0.79	12.45	0.012	2.83	18.40	0.84	0.016	14.95
ET031		23.2	0.040	8.08	190.5	<0.0004	<0.01	0.83	12.30	0.007	3.05	20.9	0.87	0.016	15.15
ET032		23.9	0.039	7.87	217	<0.0004	0.01	0.62	13.90	0.012	3.42	30.3	0.90	0.018	16.40
ET033		27.1	0.040	7.79	254	<0.0004	<0.01	0.60	16.95	0.007	4.01	24.3	0.97	0.022	17.65
ET034		31.6	0.035	8.38	269	<0.0004	<0.01	0.62	18.20	0.012	4.71	16.25	1.02	0.023	17.45
ET035		19.60	0.042	6.42	151.5	<0.0004	<0.01	0.62	10.10	0.010	2.67	44.6	0.85	0.020	14.50
ET036		25.1	0.038	6.68	198.5	<0.0004	<0.01	0.63	14.30	<0.006	3.50	30.0	0.90	0.017	15.85
ET037		26.6	0.049	5.43	232	<0.0004	<0.01	0.72	14.25	0.009	3.38	16.90	0.95	0.012	18.00
ET038		16.20	0.042	3.98	135.0	<0.0004	<0.01	0.71	9.31	<0.006	2.39	20.2	0.79	0.009	14.80
ET039		14.95	0.040	4.62	129.5	<0.0004	<0.01	0.70	8.96	0.011	2.35	39.8	0.77	0.012	14.25
ET040		66.6	0.088	12.65	78.9	0.0973	2.53	7.91	10.55	2.56	9.09	182.5	0.41	1.200	7.27



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 2 – D
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 8–NOV–2021
Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Tl	U	V	W	Y	Zn	Zr
		ppm 0.002	ppm 0.01	ppm 0.1	ppm 0.008	ppm 0.01	ppm 0.2	ppm 0.1
ET001		0.175	0.73	1.6	0.107	0.14	114.0	0.9
ET002		0.170	1.37	1.8	0.089	0.19	260	1.2
ET003		0.347	1.91	3.4	0.135	1.35	64.6	6.4
ET004		0.826	9.47	60.2	1.835	17.80	48.2	117.0
ET005		0.984	3.03	89.7	2.52	23.3	79.8	149.5
ET006		0.780	2.51	70.5	1.930	22.3	61.8	168.5
ET007		0.921	2.54	85.7	2.92	24.8	59.2	165.5
ET008		0.618	2.35	66.4	1.845	19.80	55.0	199.0
ET009		1.010	3.08	97.5	2.97	25.5	63.8	171.5
ET010		0.628	2.84	72.1	2.19	20.9	49.3	209
ET011		0.851	3.31	83.1	2.39	25.0	58.0	190.0
ET012		0.882	2.96	79.0	2.42	25.2	73.4	160.0
ET013		0.868	3.02	78.4	1.990	23.7	69.6	158.5
ET014		0.553	2.91	75.1	2.47	22.2	48.8	255
ET015		0.577	2.81	66.2	2.33	22.2	44.6	247
ET016		1.020	3.53	89.3	2.38	27.7	62.4	157.0
ET017		0.691	3.24	69.7	2.27	27.0	46.4	193.0
ET018		0.689	3.19	68.9	2.27	24.5	50.8	199.0
ET019		0.702	2.86	74.8	2.65	24.7	54.6	192.0
ET020		0.816	2.83	75.8	2.47	25.7	49.1	179.0
ET021		0.709	2.68	70.4	2.11	24.6	43.4	177.5
ET022		0.549	2.36	58.7	1.880	20.0	37.2	186.5
ET023		0.516	2.42	63.6	1.910	20.0	36.0	212
ET024		0.829	2.79	90.4	2.74	25.1	47.7	220
ET025		0.718	2.56	70.5	2.88	23.6	43.0	186.5
ET026		0.647	2.77	66.9	2.56	23.3	44.8	189.0
ET027		0.659	2.97	74.3	2.52	25.9	44.9	231
ET028		0.689	2.78	69.1	2.25	26.5	45.4	184.5
ET029		0.593	3.11	69.5	2.42	23.3	78.7	208
ET030		0.694	2.77	66.0	2.19	21.6	51.5	190.0
ET031		0.729	2.94	63.7	2.24	24.0	49.7	186.5
ET032		0.748	2.77	69.5	2.13	23.4	42.6	188.0
ET033		0.893	2.76	74.8	2.24	23.9	45.3	187.5
ET034		0.997	2.96	81.3	2.45	26.7	54.3	157.5
ET035		0.588	2.56	55.2	1.735	26.4	39.5	184.5
ET036		0.778	2.75	73.5	1.855	26.6	46.6	177.5
ET037		0.865	3.89	77.8	1.390	34.5	52.9	244
ET038		0.512	2.97	62.9	1.290	23.9	33.3	230
ET039		0.475	2.63	53.9	1.475	22.5	32.2	210
ET040		0.262	43.9	161.5	138.0	17.25	30.6	117.5



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 3 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	CRU-QC Pass4mm % 0.01	PUL-QC Pass75um % 0.01	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3
ET041		2.51			<0.005	0.024	5.68	1.41	550	1.82	1.195	0.31	<0.005	72.1	9.60	32.3
ET042		2.11			<0.005	0.012	8.18	1.19	630	1.86	0.316	0.12	<0.005	96.2	10.95	48.6
ET043		2.17			<0.005	0.016	7.58	1.06	560	2.05	0.301	0.10	<0.005	96.1	10.55	44.3
ET044		1.61			<0.005	0.007	9.55	0.85	840	2.64	0.259	0.09	<0.005	99.6	12.80	59.7
ET045		2.06			<0.005	0.013	6.05	1.18	380	1.51	0.347	0.11	0.005	74.8	8.42	30.6
ET046		2.47			<0.005	0.008	8.84	0.85	710	2.42	0.296	0.09	<0.005	91.9	10.80	50.7
ET047		2.19			<0.005	0.005	9.51	0.91	810	2.54	0.328	0.08	<0.005	82.9	12.50	56.5
ET048		1.83			<0.005	0.012	7.30	0.78	510	2.01	0.319	0.16	<0.005	77.9	9.96	38.8
ET049		2.06			<0.005	0.009	7.19	0.88	470	2.01	0.283	0.16	<0.005	77.9	9.57	37.7
ET050		2.13			<0.005	0.006	6.96	0.90	480	1.98	0.251	0.14	<0.005	74.0	10.70	36.4
ET051		2.83		96.5	<0.005	0.007	8.86	0.86	730	2.56	0.289	0.14	<0.005	90.8	12.55	51.0
ET052		2.69		96.6	<0.005	0.004	8.29	0.83	680	2.65	0.308	0.15	<0.005	84.5	11.30	48.0
ET053		2.58			<0.005	0.009	7.36	1.01	650	2.00	0.243	0.15	0.006	81.5	10.95	39.8
ET054		2.32			<0.005	0.006	6.04	0.97	421	1.65	0.259	0.19	<0.005	69.1	10.55	33.6
ET055		2.54			0.006	0.013	8.34	1.27	630	2.31	0.319	0.60	0.017	84.1	11.60	50.6
ET056		1.77			<0.005	0.007	10.00	1.30	820	2.92	0.359	0.26	<0.005	80.0	12.80	63.5
ET057		2.20			<0.005	0.007	8.63	1.21	700	2.46	0.320	0.12	<0.005	92.0	12.70	55.9
ET058		3.40			<0.005	0.004	8.12	1.00	640	2.28	0.321	0.24	<0.005	87.1	11.45	48.9
ET059		2.15			<0.005	0.008	7.51	0.81	530	2.17	0.277	0.28	<0.005	82.1	10.15	40.8
ET060		2.68			<0.005	0.004	7.81	1.00	570	2.41	0.314	0.17	<0.005	82.7	11.15	44.2
ET061		2.36			<0.005	0.011	8.25	0.87	600	2.48	0.293	0.16	<0.005	92.6	11.25	48.7
ET062		2.49			<0.005	0.009	6.70	0.94	412	1.84	0.285	0.22	<0.005	76.8	9.95	34.7
ET063		2.29			<0.005	0.005	7.84	1.08	610	2.12	0.263	0.28	<0.005	84.0	12.55	45.1
ET064		1.99			<0.005	0.010	8.08	0.81	580	2.30	0.311	0.15	<0.005	83.4	11.00	47.0
ET065		2.69			<0.005	0.005	9.51	0.95	750	2.69	0.340	0.38	<0.005	90.3	12.25	61.4
ET066		2.17			0.007	<0.002	8.37	0.99	640	2.46	0.317	0.25	<0.005	96.8	10.90	57.8
ET067		2.28			<0.005	<0.002	9.08	1.07	720	2.68	0.291	0.15	<0.005	86.3	11.55	58.4
ET068		2.74			<0.005	0.004	8.97	0.86	720	2.48	0.279	0.16	<0.005	78.1	13.25	61.6
ET069		2.84			<0.005	0.005	7.87	1.23	630	2.20	0.295	0.17	<0.005	86.7	11.90	46.5
ET070		2.71			<0.005	0.004	8.80	0.65	700	2.44	0.315	0.13	<0.005	89.5	12.85	55.5
ET071		2.64			<0.005	0.002	9.00	0.77	720	2.42	0.298	0.11	<0.005	94.1	11.80	56.7
ET072		2.26			<0.005	0.009	7.56	1.00	530	1.85	0.315	0.16	<0.005	95.5	10.20	44.5
ET073		2.40			<0.005	0.011	5.81	0.84	325	1.71	0.363	0.20	<0.005	81.2	7.90	30.7
ET074		2.18			<0.005	0.011	5.78	0.82	357	1.64	0.322	0.20	<0.005	85.3	7.95	31.1
ET075		2.50			<0.005	0.003	8.01	0.64	570	2.09	0.247	0.12	<0.005	99.2	10.75	51.0
ET076		2.28			<0.005	0.005	6.86	0.79	430	2.06	0.347	0.19	<0.005	90.8	9.69	38.9
ET077		2.44			<0.005	0.005	7.60	0.62	530	2.13	0.232	0.17	<0.005	88.8	10.00	43.4
ET078		2.41			<0.005	0.003	7.86	0.63	550	2.08	0.271	0.17	<0.005	95.8	11.20	47.3
ET079		2.61			<0.005	0.009	9.35	1.15	770	2.72	0.328	0.15	<0.005	99.7	13.30	56.1
ET080		0.06			0.572	1.305	3.95	505	90	0.68	8.28	3.70	<0.005	135.5	556	29.8



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Page: 3 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

Project: East Tennant

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.01	0.02	0.002	0.05	0.05	0.004	0.005	0.01	0.005	0.2	0.01	0.2	0.02	0.001
ET041		3.42	5.58	3.33	12.85	0.11	6.13	0.052	3.01	34.8	17.6	1.15	334	0.56	0.839
ET042		6.00	3.33	3.56	22.4	0.17	5.94	0.061	5.04	49.2	16.1	1.16	241	0.34	0.359
ET043		6.89	3.29	3.60	18.85	0.17	5.80	0.064	4.63	48.9	15.9	1.13	234	0.26	0.212
ET044		9.91	2.38	4.57	26.3	0.18	4.66	0.090	5.36	50.1	18.5	1.41	272	0.15	0.113
ET045		4.11	2.41	3.05	13.55	0.15	4.54	0.042	3.97	37.1	14.2	0.94	205	0.26	0.385
ET046		8.41	1.88	3.78	24.1	0.17	4.55	0.078	5.10	44.9	16.8	1.27	211	0.16	0.154
ET047		10.60	1.52	4.41	28.0	0.18	4.41	0.083	5.46	39.9	18.2	1.34	233	0.16	0.157
ET048		4.87	2.53	3.33	17.50	0.16	5.20	0.046	3.59	40.2	17.3	1.12	230	0.25	1.050
ET049		4.38	1.94	3.42	17.35	0.15	4.75	0.057	3.75	40.0	19.2	1.19	235	0.22	0.989
ET050		3.84	3.16	3.35	16.85	0.15	4.97	0.046	3.02	37.1	20.9	1.29	231	0.32	1.265
ET051		7.20	2.28	3.98	22.5	0.17	5.97	0.061	4.12	45.7	18.4	1.37	247	0.18	1.170
ET052		8.26	2.69	3.59	21.8	0.16	5.20	0.065	3.80	42.0	13.8	1.25	202	0.20	1.075
ET053		5.53	2.33	3.30	18.65	0.15	5.30	0.053	3.39	40.7	15.4	1.31	253	0.24	1.105
ET054		3.23	2.18	3.19	13.80	0.13	5.36	0.048	2.78	34.6	19.2	1.40	270	0.56	0.934
ET055		6.54	2.51	3.59	22.5	0.17	5.38	0.083	5.21	42.7	20.0	1.71	514	0.22	0.114
ET056		8.81	2.57	3.98	31.2	0.17	4.79	0.121	5.76	39.9	20.8	1.67	311	0.13	0.088
ET057		8.35	1.70	3.97	24.7	0.17	4.91	0.086	4.88	47.6	17.1	1.42	239	0.21	0.171
ET058		7.24	2.43	3.51	22.0	0.15	4.73	0.082	4.07	44.3	15.4	1.32	279	0.20	0.655
ET059		4.87	2.65	3.31	18.55	0.16	5.24	0.057	3.52	40.9	15.2	1.28	295	0.26	1.110
ET060		6.20	2.58	3.64	20.8	0.15	4.84	0.068	3.63	41.9	16.0	1.32	243	0.17	0.909
ET061		6.94	2.55	3.67	22.2	0.18	4.67	0.081	4.32	47.9	15.5	1.31	253	0.15	0.562
ET062		3.44	3.73	3.13	15.90	0.15	5.16	0.055	2.80	38.6	15.4	1.18	271	0.35	1.390
ET063		5.26	3.39	3.87	20.5	0.16	5.57	0.064	3.36	42.3	21.4	1.73	340	0.21	0.973
ET064		6.65	3.35	3.49	20.8	0.16	5.13	0.071	3.64	40.7	15.0	1.24	236	0.18	0.964
ET065		9.80	4.17	4.09	30.6	0.17	4.39	0.110	5.08	45.4	16.8	1.59	387	0.14	0.221
ET066		7.15	3.36	3.73	23.6	0.18	4.64	0.098	4.73	50.6	18.1	1.49	331	0.11	0.148
ET067		8.65	2.41	3.81	25.9	0.17	4.83	0.085	4.83	40.4	17.0	1.35	259	0.13	0.478
ET068		8.45	2.40	4.44	25.1	0.16	4.85	0.090	4.28	37.1	16.3	1.37	282	0.13	0.665
ET069		7.36	2.71	3.81	20.0	0.16	4.94	0.070	3.59	42.2	13.5	1.13	244	0.14	0.941
ET070		8.71	2.28	4.19	25.1	0.17	5.09	0.078	4.26	44.9	17.5	1.28	249	0.16	0.584
ET071		8.92	1.79	3.98	24.6	0.18	5.11	0.086	4.70	46.9	15.6	1.24	225	0.12	0.410
ET072		5.85	2.39	3.16	19.05	0.17	5.85	0.069	3.96	46.2	14.5	1.09	232	0.18	0.806
ET073		3.63	2.68	2.82	13.30	0.15	5.60	0.039	2.93	41.0	15.3	0.95	221	0.29	1.035
ET074		3.63	3.51	2.71	13.55	0.16	6.09	0.052	2.46	42.6	12.7	0.83	201	0.29	1.300
ET075		7.14	2.04	3.26	21.8	0.19	5.36	0.072	4.63	50.7	16.6	1.20	240	0.22	0.329
ET076		4.88	2.69	3.18	16.80	0.17	6.03	0.046	3.11	45.5	18.2	1.16	247	0.30	1.215
ET077		6.61	2.33	3.36	18.80	0.18	4.82	0.065	3.61	43.9	16.5	1.17	244	0.25	1.000
ET078		5.47	2.18	3.59	19.00	0.16	5.93	0.056	3.28	47.3	16.4	1.24	242	0.23	1.280
ET079		8.78	2.41	4.15	24.2	0.18	5.20	0.079	4.41	48.6	15.2	1.37	243	0.26	0.944
ET080		0.66	8860	24.2	15.40	0.19	2.98	0.226	2.86	154.0	16.5	1.09	3880	193.5	0.631



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 3 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	0.001	0.01	0.02	0.0004	0.01	0.02	0.01	0.006	0.02	0.02	0.01	0.005	0.004
															0.001
ET041		15.85	0.041	5.43	117.0	<0.0004	0.01	0.62	9.12	0.012	2.27	32.3	0.79	0.025	13.95
ET042		23.0	0.044	4.81	218	<0.0004	<0.01	0.74	13.30	0.006	3.33	16.30	1.00	0.011	17.45
ET043		22.1	0.041	5.21	203	<0.0004	<0.01	0.70	13.40	0.009	3.18	12.55	0.92	0.019	16.55
ET044		29.5	0.041	6.51	265	<0.0004	<0.01	0.59	16.80	<0.006	4.26	10.30	1.08	0.021	18.35
ET045		17.00	0.035	4.58	143.5	<0.0004	<0.01	0.60	8.98	0.006	2.36	16.75	0.69	0.016	13.50
ET046		25.5	0.038	6.48	248	<0.0004	0.01	0.55	14.95	0.011	3.82	10.50	0.99	0.021	16.95
ET047		29.4	0.034	7.64	262	<0.0004	<0.01	0.58	17.35	0.009	4.43	11.35	0.98	0.021	16.30
ET048		20.2	0.041	5.48	156.5	<0.0004	<0.01	0.58	11.45	<0.006	2.89	37.5	0.83	0.022	14.75
ET049		18.60	0.039	4.63	150.5	<0.0004	<0.01	0.64	10.80	<0.006	2.79	29.9	0.76	0.012	13.35
ET050		19.15	0.040	5.09	144.0	<0.0004	<0.01	0.62	10.65	0.010	2.87	37.3	0.80	0.010	14.40
ET051		25.0	0.045	7.70	207	<0.0004	<0.01	0.73	15.00	0.008	3.66	39.2	1.00	0.021	17.90
ET052		23.3	0.040	10.80	193.0	<0.0004	<0.01	0.70	14.35	0.012	3.51	37.7	0.93	0.018	16.55
ET053		18.90	0.042	8.57	167.0	<0.0004	<0.01	0.63	11.45	0.011	2.84	48.4	0.85	0.010	14.75
ET054		15.95	0.042	4.75	123.5	<0.0004	<0.01	0.57	9.14	0.016	2.17	32.9	0.72	0.009	12.70
ET055		25.7	0.042	5.77	230	<0.0004	0.01	0.63	15.10	0.007	3.84	10.75	0.92	0.009	16.30
ET056		31.3	0.036	6.96	275	<0.0004	0.01	0.58	18.40	<0.006	4.61	9.47	1.03	0.014	17.15
ET057		29.6	0.039	6.96	242	<0.0004	<0.01	0.66	16.25	0.012	4.01	11.80	0.96	0.016	17.05
ET058		24.1	0.040	7.35	198.5	<0.0004	<0.01	0.61	14.50	0.011	3.65	30.3	0.87	0.016	15.65
ET059		20.0	0.042	7.20	156.0	<0.0004	<0.01	0.67	11.75	0.015	2.94	39.1	0.89	0.013	14.90
ET060		22.3	0.039	7.76	175.5	<0.0004	<0.01	0.62	13.90	0.012	3.32	35.8	0.87	0.014	15.45
ET061		24.3	0.038	7.15	208	<0.0004	<0.01	0.60	14.40	0.006	3.77	20.7	0.96	0.016	17.00
ET062		16.95	0.042	5.18	131.0	<0.0004	<0.01	0.59	10.05	<0.006	2.41	40.4	0.78	0.009	13.90
ET063		21.4	0.042	7.67	167.0	<0.0004	<0.01	0.53	12.85	<0.006	3.03	38.5	0.85	0.013	15.35
ET064		22.1	0.045	7.00	182.5	<0.0004	<0.01	0.54	13.40	0.013	3.37	33.8	0.91	0.014	15.55
ET065		29.4	0.033	6.56	260	<0.0004	<0.01	0.53	18.45	<0.006	4.52	12.45	0.98	0.016	17.25
ET066		25.9	0.035	5.21	230	<0.0004	0.01	0.44	16.30	<0.006	3.72	9.67	0.99	0.013	18.05
ET067		28.8	0.039	7.30	222	<0.0004	<0.01	0.56	16.70	0.015	3.96	16.65	1.00	0.015	16.35
ET068		30.8	0.038	8.73	212	<0.0004	<0.01	0.46	16.45	<0.006	3.97	21.5	0.99	0.018	16.20
ET069		24.3	0.039	9.23	174.5	<0.0004	0.01	0.43	13.15	0.011	3.49	32.2	0.95	0.020	15.50
ET070		30.0	0.037	8.05	209	<0.0004	<0.01	0.48	15.05	0.010	4.19	19.35	1.06	0.023	17.65
ET071		29.1	0.041	7.45	214	<0.0004	<0.01	0.50	15.80	<0.006	4.22	16.70	1.11	0.020	18.05
ET072		24.1	0.041	5.24	184.0	<0.0004	<0.01	0.57	12.85	0.007	3.46	22.1	0.98	0.013	16.70
ET073		15.85	0.037	4.20	116.5	0.0004	0.01	0.59	8.84	0.009	2.51	32.1	0.76	0.018	13.30
ET074		15.80	0.039	6.42	120.5	<0.0004	<0.01	0.55	9.46	0.012	2.51	44.6	0.85	0.014	14.85
ET075		26.5	0.037	5.01	202	<0.0004	<0.01	0.54	14.65	<0.006	3.81	12.85	1.02	0.016	17.40
ET076		20.8	0.040	5.50	147.5	<0.0004	<0.01	0.59	11.10	0.010	2.96	36.6	0.88	0.013	15.15
ET077		22.4	0.039	5.78	179.5	<0.0004	<0.01	0.59	11.80	0.017	3.33	26.9	0.93	0.013	15.35
ET078		23.3	0.046	7.27	165.0	<0.0004	<0.01	0.51	13.00	<0.006	3.43	31.3	0.99	0.015	16.65
ET079		28.0	0.039	10.55	217	<0.0004	<0.01	0.67	15.80	0.008	4.34	30.4	1.02	0.018	18.40
ET080		66.5	0.087	12.25	79.4	0.0956	2.50	8.13	10.40	2.51	9.41	187.0	0.42	1.160	7.33



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: STRATEGIC ENERGY RESOURCES LTD

LEVEL 4

100 ALBERT ROAD

SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 3 - D

Total # Pages: 8 (A - D)

Plus Appendix Pages

Finalized Date: 8-NOV-2021

Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.002	0.01	0.1	0.008	0.01	0.2	0.1
ET041		0.476	2.83	64.0	1.900	21.9	39.4	234
ET042		0.814	2.99	74.4	2.12	28.3	40.3	210
ET043		0.759	2.89	70.2	2.17	32.0	41.8	202
ET044		0.984	3.18	82.3	2.68	33.7	50.1	165.0
ET045		0.520	2.47	48.0	1.360	20.7	32.6	164.0
ET046		0.904	3.06	72.8	2.29	29.0	42.7	166.5
ET047		0.974	3.14	78.5	2.57	26.7	47.5	158.5
ET048		0.566	2.68	60.6	1.770	21.0	39.1	194.0
ET049		0.524	2.68	57.2	1.380	21.4	38.2	178.0
ET050		0.489	2.71	56.8	1.660	19.85	38.2	180.5
ET051		0.740	3.22	73.4	2.29	23.9	46.9	208
ET052		0.754	3.13	67.0	1.935	24.1	56.5	188.5
ET053		0.632	2.96	60.7	1.940	20.5	50.1	196.0
ET054		0.469	2.64	55.7	1.550	19.70	43.1	199.5
ET055		0.914	2.98	73.2	1.495	26.1	49.1	192.0
ET056		1.090	3.87	91.1	1.965	26.8	53.5	168.0
ET057		0.894	3.03	77.5	2.60	29.0	48.6	180.5
ET058		0.747	2.88	72.2	2.22	21.7	45.1	172.0
ET059		0.563	2.90	61.7	1.905	20.9	42.8	201
ET060		0.664	2.89	64.7	2.20	21.5	46.2	182.5
ET061		0.764	2.96	67.9	2.31	21.6	46.4	164.5
ET062		0.453	2.79	56.0	1.575	18.65	40.3	194.5
ET063		0.595	3.03	71.1	1.840	20.7	51.8	204
ET064		0.690	2.75	66.9	1.790	21.3	47.0	184.5
ET065		0.977	3.14	87.0	2.18	23.5	52.3	159.0
ET066		0.855	3.01	72.2	1.845	25.3	47.2	165.5
ET067		0.878	3.19	82.9	2.35	22.9	47.7	177.0
ET068		0.879	3.26	84.5	3.02	23.5	56.8	178.5
ET069		0.727	3.04	64.4	2.33	22.7	46.1	179.0
ET070		0.922	3.27	75.8	2.62	24.2	48.7	169.5
ET071		0.938	3.14	78.6	2.65	28.1	44.6	177.0
ET072		0.705	2.87	71.9	2.05	26.1	40.6	212
ET073		0.446	2.58	55.8	1.785	20.9	30.5	205
ET074		0.460	2.92	65.5	1.860	23.1	34.3	226
ET075		0.826	3.05	73.7	1.915	28.7	44.5	193.5
ET076		0.548	2.93	68.4	1.805	22.8	38.9	215
ET077		0.673	2.72	62.6	1.895	24.6	40.4	173.0
ET078		0.627	3.11	68.5	2.77	26.0	49.7	214
ET079		0.876	3.48	81.8	2.46	27.4	70.7	186.0
ET080		0.265	42.1	157.5	141.5	17.75	30.0	118.0



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 4 – A
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	WEI-21	CRU-QC	PUL-QC	Au-AA23	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Recvd Wt. kg	Pass4mm %	Pass75um %	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.01	0.01	0.005	0.002	0.01	0.02	1	0.02	0.002	0.01	0.005	0.01	0.005	0.3
ET081		1.79			<0.005	0.007	7.13	0.89	490	2.08	0.311	0.37	<0.005	85.3	10.60	35.4
ET082		2.42			<0.005	0.007	6.95	0.83	540	1.91	0.306	0.22	<0.005	88.7	10.20	39.3
ET083		2.22			<0.005	0.010	6.82	0.61	480	1.79	0.362	0.23	<0.005	81.5	10.30	35.5
ET084		2.11			<0.005	0.009	7.19	0.63	490	2.08	0.351	0.26	<0.005	87.2	10.70	40.5
ET085		1.84			<0.005	0.005	8.46	0.70	670	2.53	0.358	0.16	<0.005	95.7	13.40	50.6
ET086		2.83			<0.005	0.004	8.94	0.78	710	2.50	0.364	0.12	<0.005	86.5	15.10	56.2
ET087		2.75			<0.005	0.007	8.25	0.71	630	2.65	0.445	0.20	<0.005	81.8	13.30	49.7
ET088		2.79			<0.005	0.007	9.42	0.79	780	2.81	0.491	0.12	<0.005	81.1	15.15	63.4
ET089		2.65			<0.005	0.007	7.81	0.81	610	2.30	0.425	0.22	<0.005	81.9	11.50	44.3
ET090		2.39			<0.005	0.006	7.73	1.80	590	2.41	0.471	0.57	0.008	81.9	10.85	52.3
ET091		2.42			<0.005	0.009	7.62	0.63	580	2.27	0.344	0.34	<0.005	90.3	10.55	41.8
ET092		2.66			<0.005	0.009	6.32	0.72	403	1.97	0.355	0.40	<0.005	84.6	9.80	38.5
ET093		2.08			<0.005	0.005	6.17	1.00	460	1.97	0.420	0.51	<0.005	76.8	9.89	34.8
ET094		2.08			<0.005	0.011	5.83	0.66	392	1.65	0.381	0.25	<0.005	77.0	9.57	33.2
ET095		2.46			<0.005	0.155	7.27	0.60	560	2.04	0.347	0.16	<0.005	85.7	11.35	41.5
ET096		2.14			<0.005	0.008	7.15	0.67	530	2.27	0.412	0.18	<0.005	84.4	11.70	46.8
ET097		2.72			<0.005	0.014	6.05	0.69	382	1.86	0.444	0.45	0.008	82.6	9.88	36.3
ET098		2.45			<0.005	0.004	6.07	0.67	372	1.80	0.429	0.43	<0.005	82.9	9.79	35.2
ET099		2.67			<0.005	0.007	6.80	0.96	431	2.02	0.418	0.35	<0.005	101.0	10.40	41.5
ET100		2.42			<0.005	0.005	7.00	0.56	510	2.04	0.388	0.17	<0.005	84.3	10.40	43.2
ET101		2.46	94.2	86.4	<0.005	0.008	8.06	0.52	630	2.41	0.403	0.20	<0.005	88.9	11.90	48.2
ET102		2.57	98.5	85.4	<0.005	0.006	6.63	0.86	490	2.04	0.376	0.39	<0.005	84.7	10.05	39.5
ET103		2.05			<0.005	0.009	7.30	0.56	560	2.19	0.434	0.23	<0.005	83.1	10.80	43.2
ET104		2.79			<0.005	0.007	6.98	0.66	520	2.25	0.488	0.28	<0.005	80.8	12.30	42.2
ET105		2.43			<0.005	0.032	8.27	0.89	790	2.20	0.732	1.10	0.011	58.9	21.4	17.6
ET106		2.58			<0.005	0.019	8.59	0.71	780	2.06	0.529	1.21	0.015	56.1	20.3	31.7
ET107		2.39			<0.005	0.006	6.61	0.35	620	1.84	0.288	0.17	<0.005	86.8	10.45	40.8
ET108		2.59			<0.005	0.004	9.15	0.62	810	2.41	0.350	0.12	<0.005	80.8	14.70	64.2
ET109		2.04			<0.005	0.005	8.44	0.65	740	2.36	0.355	0.14	<0.005	82.7	13.90	56.7
ET110		2.19			<0.005	0.008	6.80	0.62	530	2.11	0.463	0.27	<0.005	102.5	10.00	40.9
ET111		2.23			<0.005	0.005	7.74	0.74	550	2.12	0.395	0.34	<0.005	73.4	11.50	48.8
ET112		2.18			<0.005	0.006	7.45	0.55	600	2.46	0.437	0.35	<0.005	170.0	11.75	48.4
ET113		2.53			<0.005	0.005	6.49	0.54	373	2.13	0.378	0.64	<0.005	119.5	10.60	37.8
ET114		2.87			<0.005	0.002	7.00	0.63	460	1.98	0.486	0.27	<0.005	78.6	10.50	40.9
ET115		2.00			<0.005	0.004	8.03	0.65	620	2.11	0.395	0.13	<0.005	81.8	13.60	50.9
ET116		2.55			<0.005	0.006	7.61	0.74	600	2.12	0.454	0.20	<0.005	86.9	11.35	46.5
ET117		2.53			<0.005	0.009	6.70	0.50	470	1.90	0.345	0.27	<0.005	85.1	10.30	40.5
ET118		2.20			<0.005	0.004	7.33	0.64	540	2.20	0.349	0.26	<0.005	104.0	11.45	48.3
ET119		2.75			<0.005	0.003	7.83	0.61	590	2.46	0.369	0.22	<0.005	88.2	11.60	52.0
ET120		0.06			0.549	1.240	3.94	496	86	0.67	8.34	3.68	<0.005	132.0	552	31.7



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 4 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm 0.01	ppm 0.02	% 0.002	ppm 0.05	ppm 0.05	ppm 0.004	ppm 0.005	% 0.01	ppm 0.005	ppm 0.2	% 0.01	ppm 0.2	ppm 0.02	% 0.001
ET081		5.76	6.98	3.37	17.35	0.14	5.19	0.052	2.98	41.7	15.9	1.33	288	0.37	1.120
ET082		4.71	3.87	3.18	16.50	0.15	6.06	0.055	2.92	43.7	13.5	1.05	215	0.44	1.410
ET083		4.48	3.86	3.22	15.65	0.15	5.69	0.056	2.76	39.7	13.7	1.12	269	0.33	1.465
ET084		4.93	3.11	3.14	17.35	0.17	5.96	0.058	2.96	43.9	13.2	1.00	211	0.30	1.440
ET085		9.36	2.87	3.94	23.1	0.18	4.92	0.084	3.99	47.6	14.5	1.23	235	0.20	0.873
ET086		10.50	2.99	4.40	26.5	0.17	4.57	0.080	4.32	43.2	21.7	1.58	301	0.15	0.491
ET087		10.25	4.86	3.99	21.0	0.17	4.69	0.070	3.73	40.7	15.4	1.25	244	0.20	0.954
ET088		12.15	3.46	4.56	27.3	0.18	4.51	0.091	4.40	37.6	16.3	1.37	270	0.13	0.431
ET089		7.38	4.67	3.68	19.85	0.17	4.76	0.060	3.79	40.7	16.9	1.24	303	0.20	0.882
ET090		6.34	6.79	3.58	21.0	0.16	4.51	0.075	3.70	39.9	17.8	1.13	320	1.06	0.875
ET091		6.47	5.06	3.38	19.15	0.16	6.05	0.061	3.21	44.2	13.5	1.03	260	0.22	1.435
ET092		4.79	5.22	2.92	14.95	0.15	6.23	0.044	2.26	42.4	11.7	0.98	266	0.37	1.680
ET093		4.00	9.59	3.10	14.75	0.14	5.57	0.061	2.66	37.4	15.8	1.21	478	0.38	1.335
ET094		3.44	5.29	2.88	13.00	0.15	5.34	0.049	2.29	37.3	13.5	0.94	258	0.40	1.365
ET095		5.84	3.79	3.51	18.70	0.16	5.42	0.068	3.36	41.5	14.1	1.13	257	0.28	1.005
ET096		7.02	4.96	3.67	18.55	0.17	5.28	0.066	3.27	41.5	14.6	1.18	253	0.35	0.868
ET097		4.84	7.62	3.00	13.85	0.15	5.51	0.058	2.26	40.7	12.1	1.04	296	0.74	1.240
ET098		5.16	5.54	3.02	14.25	0.16	5.72	0.051	2.40	41.8	13.5	1.11	304	0.31	1.225
ET099		5.69	5.08	3.21	15.75	0.19	7.68	0.061	2.65	51.7	14.2	1.03	254	0.29	1.590
ET100		6.64	6.04	3.20	17.30	0.16	5.14	0.055	3.32	41.7	15.3	0.99	216	0.43	0.934
ET101		10.10	5.20	3.66	20.5	0.17	4.95	0.072	3.99	43.7	13.6	1.12	218	0.15	0.729
ET102		6.93	6.90	3.12	16.35	0.16	5.14	0.052	3.17	41.2	15.0	1.13	320	0.36	0.965
ET103		7.44	6.06	3.49	19.65	0.20	6.00	0.074	3.31	38.6	14.4	1.09	246	0.36	1.030
ET104		6.27	6.68	3.63	18.35	0.23	5.39	0.051	3.51	39.3	17.7	1.33	392	0.43	0.808
ET105		4.38	10.20	5.26	17.70	0.26	3.72	0.056	3.80	27.6	33.2	2.52	1000	0.31	1.060
ET106		5.69	9.32	5.13	22.0	0.27	4.12	0.065	3.44	24.2	36.4	2.13	738	0.52	1.250
ET107		4.92	4.52	3.22	18.50	0.27	4.36	0.059	3.66	43.2	24.4	1.10	305	0.16	0.693
ET108		7.43	3.90	4.42	28.1	0.28	4.64	0.091	3.40	36.4	17.8	1.37	321	0.16	0.470
ET109		8.36	3.54	4.24	25.0	0.28	4.31	0.082	3.44	39.8	16.4	1.37	318	0.14	0.443
ET110		5.28	6.65	3.35	17.95	0.32	5.00	0.070	3.48	53.1	16.5	1.17	323	0.33	0.701
ET111		6.64	4.58	3.72	21.2	0.29	5.57	0.087	3.52	35.6	16.4	1.27	376	0.20	0.994
ET112		6.63	5.45	3.85	20.7	0.36	4.99	0.082	3.46	87.2	21.4	1.43	400	0.16	0.636
ET113		4.05	5.04	3.53	16.70	0.32	5.44	0.083	3.07	61.4	22.5	1.52	586	0.27	0.997
ET114		4.81	4.45	3.26	17.95	0.27	5.70	0.061	2.91	38.1	14.7	1.06	286	0.26	1.445
ET115		7.59	5.30	4.08	22.6	0.30	4.68	0.094	3.77	39.6	21.0	1.39	339	0.15	0.363
ET116		7.91	5.38	3.61	20.5	0.32	5.00	0.064	3.72	43.0	14.6	1.14	289	0.25	0.881
ET117		4.96	5.41	3.26	16.85	0.31	5.45	0.062	2.99	42.1	15.8	1.14	286	0.24	1.085
ET118		4.94	3.86	3.65	19.00	0.33	6.35	0.055	3.27	51.1	20.0	1.25	313	0.29	1.125
ET119		6.87	3.98	3.87	21.3	0.31	4.74	0.072	3.39	43.3	17.9	1.26	305	0.37	0.643
ET120		0.62	8860	23.7	16.15	0.33	2.98	0.206	2.84	149.0	16.7	1.08	3810	192.5	0.631



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 4 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS M121263540

Sample Description	Method Analyte Units LOD	ME-MS61L Ni ppm 0.08	ME-MS61L P % 0.001	ME-MS61L Pb ppm 0.01	ME-MS61L Rb ppm 0.02	ME-MS61L Re ppm 0.0004	ME-MS61L S % 0.01	ME-MS61L Sb ppm 0.02	ME-MS61L Sc ppm 0.01	ME-MS61L Se ppm 0.006	ME-MS61L Sn ppm 0.02	ME-MS61L Sr ppm 0.02	ME-MS61L Ta ppm 0.01	ME-MS61L Te ppm 0.005	ME-MS61L Th ppm 0.004	ME-MS61L Ti % 0.001
ET081		19.35	0.038	9.68	150.5	<0.0004	<0.01	0.60	10.45	0.012	2.94	41.5	0.79	0.018	14.65	0.301
ET082		17.55	0.044	9.19	145.5	<0.0004	<0.01	0.67	11.10	0.007	2.78	47.8	0.88	0.014	15.30	0.388
ET083		17.85	0.043	7.26	142.0	<0.0004	<0.01	0.58	10.30	0.009	2.88	39.9	0.83	0.017	14.70	0.320
ET084		19.20	0.042	8.95	149.5	<0.0004	<0.01	0.58	11.40	0.013	3.07	56.2	0.88	0.013	15.65	0.358
ET085		27.2	0.037	9.54	214	<0.0004	<0.01	0.66	15.55	0.008	3.99	30.5	0.91	0.021	16.95	0.311
ET086		30.4	0.035	7.29	210	<0.0004	0.01	0.56	16.55	0.011	4.17	14.70	0.96	0.027	16.55	0.304
ET087		26.3	0.037	11.40	181.5	<0.0004	<0.01	0.55	14.15	<0.006	3.69	38.3	0.89	0.021	15.80	0.293
ET088		32.3	0.033	9.68	206	<0.0004	<0.01	0.63	17.35	0.010	4.56	15.95	1.00	0.027	15.65	0.315
ET089		22.8	0.036	8.82	181.0	<0.0004	<0.01	0.67	13.45	0.014	3.35	41.8	0.84	0.022	15.25	0.297
ET090		22.2	0.037	9.71	171.0	0.0005	<0.01	1.31	12.95	0.011	3.73	75.0	0.87	0.020	14.80	0.291
ET091		20.5	0.044	10.95	166.5	<0.0004	<0.01	0.78	12.40	0.012	3.15	52.5	0.93	0.019	16.00	0.344
ET092		16.60	0.043	10.85	119.5	<0.0004	<0.01	0.76	10.20	0.013	2.53	55.2	0.82	0.011	14.80	0.369
ET093		15.65	0.042	9.58	135.5	<0.0004	<0.01	0.77	9.70	<0.006	2.51	57.8	0.77	0.011	13.25	0.356
ET094		16.50	0.036	6.98	116.0	<0.0004	<0.01	0.59	8.75	0.011	2.36	42.7	0.76	0.018	14.00	0.310
ET095		21.8	0.038	8.17	168.0	<0.0004	<0.01	0.65	12.40	0.017	3.18	32.9	0.89	0.019	15.30	0.318
ET096		22.7	0.035	9.41	176.5	<0.0004	<0.01	0.83	12.30	0.010	3.19	25.9	0.86	0.022	15.50	0.334
ET097		18.05	0.037	9.74	119.0	<0.0004	<0.01	0.77	9.37	0.013	2.46	42.1	0.76	0.021	13.35	0.325
ET098		17.75	0.039	8.18	123.5	<0.0004	<0.01	0.73	9.65	0.008	2.52	33.4	0.80	0.019	13.70	0.335
ET099		19.05	0.049	11.75	143.0	<0.0004	<0.01	0.82	11.45	0.011	2.92	56.7	1.01	0.009	16.95	0.479
ET100		21.2	0.040	7.08	170.5	<0.0004	<0.01	0.66	11.40	0.012	3.05	33.7	0.86	0.008	14.90	0.329
ET101		25.4	0.039	10.05	193.5	<0.0004	<0.01	0.90	14.30	0.019	3.70	24.5	0.94	0.013	16.00	0.327
ET102		19.40	0.038	10.95	166.5	<0.0004	<0.01	0.84	10.60	0.006	3.03	52.0	0.86	0.009	14.85	0.330
ET103		22.0	0.041	9.62	148.0	<0.0004	0.01	1.08	11.50	0.006	3.33	25.6	1.03	0.008	14.75	0.377
ET104		18.95	0.038	9.64	170.5	0.0004	0.01	0.86	12.80	0.010	2.97	36.7	0.86	0.015	13.55	0.372
ET105		9.08	0.059	7.92	169.5	<0.0004	0.01	0.99	19.40	0.026	0.85	92.7	0.51	0.053	6.27	0.452
ET106		15.25	0.053	13.70	118.0	<0.0004	<0.01	1.10	18.10	0.027	1.91	148.5	0.72	0.038	8.00	0.420
ET107		21.4	0.033	11.90	154.5	<0.0004	<0.01	0.66	11.10	<0.006	3.29	33.2	0.87	0.015	13.85	0.284
ET108		32.0	0.033	11.25	156.0	<0.0004	<0.01	0.64	17.10	0.012	4.71	18.70	1.11	0.018	15.90	0.323
ET109		28.8	0.031	9.76	171.0	0.0004	0.01	0.68	15.30	0.017	3.98	19.20	0.97	0.022	15.80	0.291
ET110		18.90	0.035	9.11	152.0	<0.0004	0.01	0.71	11.65	0.011	2.93	26.6	0.86	0.014	14.75	0.315
ET111		23.0	0.041	7.09	186.5	<0.0004	0.01	0.68	13.30	<0.006	3.69	32.5	0.98	0.012	16.15	0.352
ET112		22.8	0.039	7.87	154.5	<0.0004	0.01	0.68	13.00	<0.006	3.37	24.9	0.93	0.020	14.65	0.311
ET113		17.40	0.040	5.61	140.0	<0.0004	0.01	0.55	10.95	0.015	2.70	31.0	0.83	0.013	13.90	0.337
ET114		19.55	0.041	7.27	154.5	<0.0004	<0.01	0.55	11.75	0.011	3.05	46.9	0.89	0.018	14.85	0.337
ET115		26.3	0.036	7.48	173.0	<0.0004	<0.01	0.66	14.25	0.014	3.54	15.10	0.94	0.025	15.00	0.307
ET116		22.3	0.036	9.26	193.0	<0.0004	0.01	0.57	13.20	<0.006	3.38	27.3	0.94	0.018	15.60	0.309
ET117		19.45	0.040	8.85	144.5	<0.0004	<0.01	0.58	11.10	0.006	2.92	28.3	0.91	0.014	15.25	0.351
ET118		22.9	0.043	8.19	158.5	<0.0004	0.01	0.61	13.40	<0.006	3.47	36.0	1.04	0.011	16.35	0.443
ET119		25.9	0.037	8.50	161.5	<0.0004	0.01	0.53	13.75	0.010	3.62	22.5	0.97	0.017	15.55	0.329
ET120		67.9	0.086	12.70	78.3	0.0966	2.46	8.15	10.90	2.47	9.45	175.5	0.43	1.110	6.89	0.355



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 4 – D
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 8–NOV–2021
Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.002	0.01	0.1	0.008	0.01	0.2	0.1
ET081		0.568	2.92	59.7	1.915	21.5	54.0	186.0
ET082		0.547	3.21	71.5	2.09	21.4	41.5	226
ET083		0.538	2.88	57.7	1.970	20.9	41.5	204
ET084		0.554	3.09	66.4	2.07	22.3	39.8	215
ET085		0.825	3.17	75.2	2.38	25.6	62.5	177.5
ET086		0.933	3.32	79.3	2.47	26.8	60.5	154.5
ET087		0.806	3.46	71.8	1.945	22.5	69.8	165.5
ET088		1.060	3.68	85.0	2.50	23.2	84.2	155.0
ET089		0.782	3.13	65.2	1.630	21.8	66.4	169.0
ET090		0.686	3.11	68.8	1.650	21.3	55.1	161.5
ET091		0.641	3.26	68.7	1.985	22.2	51.1	215
ET092		0.462	3.18	66.7	1.615	20.7	46.0	217
ET093		0.503	2.70	62.5	1.520	21.6	41.1	210
ET094		0.425	2.67	53.2	1.500	19.35	37.4	194.5
ET095		0.671	2.92	64.8	2.13	23.6	50.7	196.0
ET096		0.688	3.14	70.1	1.750	25.1	58.3	189.0
ET097		0.452	2.78	56.9	1.525	20.4	60.0	202
ET098		0.475	2.83	57.7	1.305	20.9	48.6	210
ET099		0.552	3.41	75.9	1.855	25.9	52.7	288
ET100		0.649	2.84	64.6	1.630	23.0	49.5	187.5
ET101		0.798	3.19	69.6	1.850	23.3	66.0	176.0
ET102		0.678	2.88	63.0	1.375	21.1	60.2	188.0
ET103		0.721	3.14	75.7	1.785	20.9	58.4	212
ET104		0.746	2.64	73.9	1.330	19.80	59.0	190.5
ET105		1.140	1.38	78.7	0.420	18.15	92.4	143.0
ET106		0.903	1.76	85.7	0.990	19.35	83.7	150.5
ET107		0.692	2.62	63.1	1.405	21.3	45.1	155.0
ET108		1.060	3.53	84.5	1.900	23.5	62.5	154.0
ET109		0.987	3.28	74.0	1.610	23.2	63.7	138.0
ET110		0.685	3.03	63.1	1.755	24.9	54.6	176.5
ET111		0.830	3.06	72.2	2.25	24.8	47.8	195.5
ET112		0.760	3.20	66.8	2.17	34.2	48.6	170.0
ET113		0.540	2.69	62.4	1.940	28.9	46.8	195.0
ET114		0.612	2.88	61.3	1.865	22.3	44.9	204
ET115		0.927	2.81	70.3	2.01	23.2	62.9	164.0
ET116		0.874	2.85	64.5	2.03	22.2	63.0	169.5
ET117		0.581	2.95	67.6	1.815	21.7	48.2	197.0
ET118		0.598	3.21	84.6	2.18	25.1	44.5	227
ET119		0.819	3.37	69.9	2.02	22.8	51.3	166.5
ET120		0.271	41.6	157.0	133.5	17.35	30.0	115.0



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 5 – A
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	CRU-QC Pass4mm % 0.01	PUL-QC Pass75um % 0.01	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3
ET121		2.40			<0.005	0.006	8.05	0.79	730	2.67	0.422	0.19	<0.005	63.9	12.65	56.4
ET122		1.81			<0.005	0.006	7.95	0.86	640	2.37	0.434	0.21	<0.005	91.6	12.10	51.2
ET123		2.15			<0.005	0.003	7.43	0.78	560	2.22	0.386	0.28	<0.005	88.7	11.55	45.5
ET124		2.26			<0.005	0.005	7.21	0.60	490	2.27	0.343	0.33	<0.005	83.4	11.05	42.5
ET125		2.75			<0.005	0.010	8.76	0.74	750	2.45	0.393	0.20	<0.005	86.2	13.55	59.2
ET126		2.64			<0.005	0.010	7.82	0.83	630	2.31	0.346	0.23	<0.005	89.2	12.00	49.2
ET127		2.80			<0.005	0.009	7.13	0.65	600	1.81	0.321	0.34	<0.005	92.3	11.85	50.0
ET128		2.62			<0.005	0.012	6.83	0.80	540	2.14	0.368	0.50	<0.005	88.6	10.80	46.8
ET129		2.90			<0.005	0.017	6.78	0.93	540	1.92	0.394	0.52	0.037	98.3	11.75	42.6
ET130		2.28			<0.005	0.011	5.53	0.73	392	1.87	0.407	0.59	<0.005	66.9	7.58	31.8
ET131		2.46			<0.005	0.013	5.80	0.70	500	1.99	0.836	0.53	<0.005	81.6	8.39	28.8
ET132		2.81			<0.005	0.012	6.47	0.57	570	1.76	0.395	0.37	<0.005	89.6	9.75	37.1
ET133		2.33			<0.005	0.038	8.50	0.73	740	3.04	0.509	0.34	<0.005	74.5	14.70	59.7
ET134		2.48			<0.005	0.015	8.58	0.75	760	2.52	0.372	0.26	<0.005	81.0	13.05	56.8
ET135		2.65			<0.005	0.011	7.56	0.69	620	2.28	0.409	0.52	<0.005	87.6	11.60	46.2
ET136		2.83			<0.005	0.016	6.75	0.58	440	1.99	0.339	0.79	<0.005	82.4	9.80	37.8
ET137		2.48			<0.005	0.013	7.66	0.84	560	2.48	0.381	0.44	<0.005	83.6	10.95	45.6
ET138		2.89			<0.005	0.017	7.97	0.73	620	2.52	0.396	0.46	<0.005	86.9	11.50	47.9
ET139		2.39			<0.005	0.009	7.92	0.72	570	2.48	0.377	0.45	<0.005	82.1	10.95	46.9
ET140		2.79			<0.005	0.035	7.02	0.53	530	2.09	0.515	0.71	<0.005	81.5	9.08	35.3
ET141		2.64			<0.005	0.020	8.31	0.64	640	2.43	0.459	0.32	<0.005	94.9	11.40	50.0
ET142		2.39			<0.005	0.008	9.63	0.72	840	2.95	0.403	0.15	<0.005	81.9	13.75	63.9
ET143		2.55			<0.005	0.004	6.29	0.59	372	1.83	0.415	0.45	<0.005	80.5	9.38	40.5
ET144		2.17			<0.005	0.004	7.95	0.66	620	2.10	0.350	0.18	<0.005	83.7	12.20	50.8
ET145		2.81			<0.005	0.006	8.97	1.01	700	2.48	0.333	0.17	<0.005	92.1	13.65	61.4
ET146		2.45			<0.005	0.008	6.40	0.72	411	1.54	0.493	0.19	<0.005	75.6	9.47	35.4
ET147		2.20			<0.005	0.009	8.37	1.54	620	2.39	0.374	0.17	0.007	83.1	12.95	53.4
ET148		2.69			<0.005	0.009	7.64	0.76	540	2.28	0.376	0.22	<0.005	87.7	10.45	46.9
ET149		2.38			<0.005	0.008	7.80	0.60	550	2.46	0.340	0.33	<0.005	87.3	11.00	49.1
ET150		2.25			<0.005	0.009	6.49	0.83	411	2.16	0.386	0.40	<0.005	83.2	9.08	35.1
ET151		2.45			<0.005	0.021	6.59	0.99	421	1.92	0.400	0.33	<0.005	88.0	9.50	41.7
ET152		2.05		98.0	<0.005	0.010	8.97	0.71	720	2.74	0.344	0.18	<0.005	97.3	13.25	57.0
ET153		2.26		96.4	<0.005	0.020	7.32	0.62	460	2.24	0.439	0.28	<0.005	85.2	10.55	43.9
ET154		2.12			<0.005	0.016	8.02	0.75	620	2.63	0.376	0.23	0.034	83.2	12.05	52.9
ET155		2.86			<0.005	0.015	8.06	0.73	620	2.54	0.315	0.23	<0.005	82.9	11.60	49.2
ET156		2.60			<0.005	0.094	8.90	2.24	710	2.81	0.336	0.35	0.260	87.7	14.40	58.1
ET157		2.34			<0.005	0.020	9.23	0.68	710	2.91	0.324	0.19	<0.005	89.0	13.45	56.9
ET158		2.43			<0.005	0.012	7.50	0.69	570	2.00	0.291	0.27	<0.005	78.0	11.60	43.0
ET159		2.81			<0.005	0.020	7.49	0.79	490	2.31	0.344	0.43	<0.005	84.6	11.05	44.3
ET160		0.07			0.573	1.240	4.04	512	97	0.72	8.51	3.77	<0.005	146.5	566	32.5



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 5 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.01	0.02	0.002	0.05	0.05	0.004	0.005	0.01	0.005	0.2	0.01	0.2	0.02	0.001
ET121		7.20	4.30	4.11	23.7	0.19	4.87	0.072	3.56	27.8	18.9	1.21	294	0.18	0.754
ET122		6.43	4.77	3.78	21.4	0.27	5.25	0.064	3.40	44.6	15.9	1.10	267	0.16	1.035
ET123		5.50	6.14	3.47	20.1	0.29	5.59	0.064	3.18	43.0	16.4	1.08	277	0.20	1.145
ET124		5.04	7.36	3.57	19.55	0.33	4.78	0.069	3.36	41.0	18.7	1.10	307	0.31	0.996
ET125		7.78	5.17	4.26	25.2	0.36	4.75	0.084	4.41	42.1	20.8	1.27	310	0.15	0.546
ET126		6.85	4.72	3.66	21.6	0.34	5.13	0.071	3.79	44.5	18.1	1.10	282	0.12	0.913
ET127		5.42	4.49	3.56	20.4	0.37	6.53	0.063	3.81	45.1	18.3	1.07	376	0.39	0.796
ET128		6.51	5.84	3.65	19.15	0.32	6.08	0.073	3.37	43.5	18.2	1.11	504	0.29	0.718
ET129		5.22	9.93	3.58	18.45	0.31	5.86	0.075	3.08	49.1	18.6	1.18	535	0.34	0.980
ET130		4.32	9.04	2.74	13.70	0.29	4.59	0.046	2.45	32.7	12.2	0.78	390	0.52	1.320
ET131		4.65	8.40	2.91	13.85	0.29	4.92	0.045	3.00	39.2	15.2	0.88	491	0.41	1.215
ET132		4.17	7.67	3.21	16.30	0.32	5.71	0.055	2.83	43.1	15.1	0.85	322	0.48	1.460
ET133		8.83	18.25	4.69	26.4	0.33	4.81	0.080	3.57	33.0	22.8	1.35	405	0.24	0.804
ET134		10.30	4.67	4.41	25.2	0.33	4.72	0.086	3.43	38.1	22.3	1.37	381	0.16	0.496
ET135		7.68	7.09	3.85	21.2	0.34	4.85	0.063	3.66	42.4	19.7	1.26	439	0.21	0.749
ET136		4.97	10.95	3.09	17.20	0.35	5.59	0.051	2.41	40.4	15.6	0.93	358	0.43	1.650
ET137		8.11	8.60	3.55	19.60	0.27	5.18	0.050	3.20	41.3	17.9	1.01	279	0.22	1.320
ET138		9.01	18.40	3.64	20.7	0.33	5.01	0.070	3.50	42.3	17.9	1.05	279	0.20	1.255
ET139		8.24	41.4	3.56	20.5	0.32	4.83	0.053	3.57	40.4	18.4	1.06	329	0.24	1.185
ET140		5.87	164.5	3.02	16.20	0.32	5.86	0.045	3.10	40.6	17.6	0.96	388	0.32	1.455
ET141		8.29	40.2	3.77	20.6	0.36	5.34	0.061	3.79	47.5	19.9	1.09	301	0.28	1.110
ET142		10.35	3.82	4.72	24.8	0.30	5.05	0.096	4.36	38.7	21.3	1.30	273	0.12	0.527
ET143		3.86	4.68	3.06	14.10	0.31	5.80	0.050	2.38	39.8	15.6	0.99	355	0.52	1.445
ET144		6.64	3.66	4.04	20.4	0.31	4.68	0.059	3.89	41.8	22.1	1.23	298	0.19	0.667
ET145		8.37	2.37	4.27	23.9	0.33	4.81	0.089	3.60	46.0	21.1	1.31	289	0.19	0.616
ET146		3.48	3.48	3.05	14.75	0.32	5.76	0.052	2.79	37.9	16.0	0.88	252	0.30	1.350
ET147		6.76	10.50	4.01	22.8	0.31	5.55	0.081	3.54	39.5	22.3	1.16	268	0.26	0.791
ET148		7.36	4.78	3.52	17.85	0.33	6.01	0.059	3.51	43.5	16.2	0.97	217	0.38	1.140
ET149		7.86	6.01	3.70	19.05	0.35	5.50	0.065	3.48	43.4	16.9	1.06	263	0.40	1.115
ET150		5.51	6.49	3.14	15.00	0.34	5.71	0.044	2.55	41.3	16.3	0.91	269	0.44	1.440
ET151		4.39	7.12	3.12	15.35	0.32	5.97	0.050	2.55	44.9	15.3	0.89	245	0.60	1.525
ET152		9.18	6.99	4.22	23.9	0.34	4.71	0.088	4.59	47.9	19.9	1.21	273	0.10	0.567
ET153		5.24	24.0	3.33	17.70	0.35	5.03	0.057	3.38	41.7	17.4	0.96	262	0.23	1.175
ET154		8.64	32.0	3.82	20.6	0.33	4.94	0.072	3.29	39.7	15.7	1.08	245	0.18	0.841
ET155		7.54	23.3	3.86	19.65	0.27	4.82	0.063	3.65	41.8	16.9	1.05	262	0.25	0.879
ET156		9.65	38.0	4.53	23.5	0.35	4.38	0.090	4.13	43.7	19.5	1.35	480	0.27	0.447
ET157		9.14	12.00	4.44	23.8	0.35	4.57	0.078	4.22	44.0	17.9	1.33	321	0.13	0.573
ET158		5.22	2.51	3.61	18.20	0.35	5.30	0.050	3.57	38.4	18.9	1.24	308	0.17	1.015
ET159		6.31	5.99	3.61	18.30	0.36	5.12	0.061	3.38	42.4	18.6	1.34	383	0.20	0.946
ET160		0.65	9330	24.6	15.70	0.29	2.95	0.212	2.90	170.5	17.7	1.11	3850	196.0	0.649



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 5 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS M121263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	0.001	0.01	0.02	0.0004	0.01	0.02	0.01	0.006	0.02	0.02	0.01	0.005	0.004
															0.001
ET121		27.6	0.039	9.40	147.5	<0.0004	0.01	0.52	13.65	0.031	3.95	25.2	1.03	0.022	11.90
ET122		25.5	0.041	10.80	170.0	<0.0004	<0.01	0.52	13.90	0.014	3.55	32.8	0.96	0.018	15.85
ET123		23.8	0.042	11.05	166.5	<0.0004	<0.01	0.54	12.50	<0.006	3.41	35.0	0.93	0.016	15.35
ET124		21.0	0.037	11.35	165.5	<0.0004	<0.01	0.48	12.20	0.013	3.09	47.6	0.86	0.017	14.85
ET125		29.2	0.037	10.05	218	<0.0004	0.01	0.54	16.25	0.024	4.22	21.2	1.05	0.029	16.90
ET126		25.1	0.040	10.05	200	<0.0004	<0.01	0.51	14.00	0.030	3.63	26.5	0.97	0.020	15.80
ET127		24.0	0.039	8.38	193.0	<0.0004	0.01	0.48	12.95	0.033	3.27	35.6	1.00	0.012	15.90
ET128		20.4	0.040	10.85	158.0	<0.0004	0.01	0.58	12.90	0.016	3.04	31.2	0.96	0.013	15.80
ET129		20.9	0.040	11.85	142.5	<0.0004	0.01	0.53	11.75	0.031	2.89	36.7	0.91	0.016	15.15
ET130		13.45	0.033	12.75	115.0	<0.0004	<0.01	0.42	8.01	0.015	2.16	84.3	0.66	0.005	11.50
ET131		16.85	0.035	10.55	131.0	<0.0004	<0.01	0.46	8.42	0.031	2.26	73.9	0.72	0.011	13.15
ET132		17.45	0.039	10.40	129.0	<0.0004	<0.01	0.45	10.40	0.010	2.74	59.4	0.83	0.009	14.75
ET133		35.4	0.035	13.55	150.5	<0.0004	<0.01	0.55	15.95	0.256	4.45	43.3	1.05	0.010	14.15
ET134		28.9	0.034	10.35	162.5	<0.0004	<0.01	0.57	15.75	0.038	3.99	18.65	0.98	0.009	15.05
ET135		24.1	0.037	12.20	190.0	<0.0004	<0.01	0.53	13.25	0.014	3.56	40.3	0.91	0.019	15.70
ET136		16.15	0.044	16.30	125.0	<0.0004	<0.01	0.33	10.75	0.016	2.59	115.5	0.88	0.009	13.80
ET137		20.8	0.041	13.10	161.0	<0.0004	<0.01	0.50	12.35	0.013	3.10	64.5	0.89	0.019	15.40
ET138		22.8	0.038	14.15	184.0	<0.0004	<0.01	0.46	13.45	0.031	3.42	67.5	0.93	0.014	16.05
ET139		22.2	0.040	13.75	177.5	0.0006	<0.01	0.56	12.85	0.020	3.41	61.1	0.94	0.013	15.40
ET140		14.60	0.046	15.65	151.0	0.0007	0.01	0.40	10.45	0.036	2.43	98.3	0.84	0.013	14.10
ET141		22.4	0.043	11.80	202	<0.0004	<0.01	0.56	13.55	0.049	3.52	43.0	0.94	0.017	16.45
ET142		31.0	0.038	11.25	208	0.0004	<0.01	0.58	17.25	0.047	4.46	20.2	1.07	0.020	16.90
ET143		16.80	0.040	8.92	123.0	<0.0004	<0.01	0.44	9.86	0.013	2.41	51.5	0.81	0.010	14.10
ET144		25.0	0.035	8.13	199.5	0.0004	<0.01	0.51	13.80	0.022	3.56	33.0	0.95	0.021	16.10
ET145		30.2	0.039	9.11	194.5	0.0004	<0.01	0.57	16.35	0.016	4.36	19.85	1.07	0.016	17.45
ET146		16.85	0.040	6.27	139.0	<0.0004	<0.01	0.52	10.40	0.021	2.55	38.0	0.84	0.012	14.25
ET147		25.8	0.040	7.91	177.5	0.0013	0.01	0.56	14.65	0.030	3.87	25.5	1.04	0.011	16.20
ET148		21.0	0.042	10.60	177.5	<0.0004	<0.01	0.56	12.50	0.014	3.16	38.5	0.95	0.013	16.10
ET149		21.9	0.040	11.20	184.0	0.0005	<0.01	0.49	13.25	0.020	3.38	42.6	0.94	0.012	16.25
ET150		16.65	0.040	11.95	138.0	<0.0004	<0.01	0.47	10.35	0.024	2.54	62.6	0.84	0.014	14.60
ET151		17.35	0.040	11.30	133.5	<0.0004	0.01	0.48	11.00	0.025	2.62	55.1	0.88	0.012	15.30
ET152		29.0	0.036	10.45	243	<0.0004	<0.01	0.53	16.30	0.056	4.18	22.9	1.02	0.011	17.50
ET153		20.7	0.038	9.90	162.5	<0.0004	<0.01	0.47	12.10	0.052	3.10	37.2	0.91	0.012	15.50
ET154		25.4	0.038	10.95	166.5	<0.0004	<0.01	0.50	14.25	0.034	3.54	31.5	0.95	0.023	15.60
ET155		23.4	0.037	8.94	180.5	<0.0004	<0.01	0.44	13.65	0.049	3.42	35.2	0.96	0.009	16.25
ET156		29.0	0.035	22.5	206	<0.0004	0.03	0.74	15.85	0.023	4.01	21.6	0.96	0.019	17.20
ET157		28.8	0.038	9.89	211	<0.0004	<0.01	0.58	16.65	0.027	4.03	22.3	1.00	0.026	17.50
ET158		21.4	0.040	7.45	180.5	<0.0004	0.01	0.55	12.45	0.016	2.99	32.4	0.89	0.016	15.15
ET159		21.9	0.039	9.36	180.5	<0.0004	0.01	0.57	12.55	0.044	3.01	25.0	0.88	0.016	15.45
ET160		68.7	0.089	12.80	81.1	0.0953	2.51	8.52	11.40	2.41	9.39	199.0	0.43	1.145	7.30



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 5 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 8-NOV-2021
Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.002	0.01	0.1	0.008	0.01	0.2	0.1
ET121		0.956	3.43	80.6	2.18	20.0	51.3	170.5
ET122		0.798	3.42	72.2	1.915	24.1	53.4	186.0
ET123		0.724	3.21	63.7	1.645	23.7	62.8	197.5
ET124		0.703	3.05	65.5	1.420	23.2	69.3	172.0
ET125		1.010	3.46	80.1	1.905	25.2	79.7	162.5
ET126		0.847	3.37	70.1	1.715	24.3	74.2	173.5
ET127		0.811	3.38	73.5	1.755	26.7	75.1	209
ET128		0.788	3.47	75.6	1.625	24.4	64.0	219
ET129		0.685	3.39	71.0	1.585	26.2	84.5	211
ET130		0.536	2.59	49.3	0.913	17.60	46.7	164.0
ET131		0.660	2.83	48.0	0.939	21.4	53.8	175.5
ET132		0.576	3.15	58.9	1.350	23.2	53.4	200
ET133		0.983	3.90	84.4	1.440	22.9	87.6	166.5
ET134		0.959	3.62	78.9	1.655	22.7	75.7	158.0
ET135		0.795	3.36	66.7	1.605	23.5	66.3	168.0
ET136		0.556	3.27	58.8	1.160	22.6	64.0	206
ET137		0.756	3.38	64.1	1.420	22.5	72.7	180.5
ET138		0.867	3.67	68.3	1.490	23.8	78.4	173.5
ET139		0.815	3.37	61.8	1.515	23.4	73.4	165.5
ET140		0.709	3.57	58.9	1.165	20.7	60.6	208
ET141		0.860	3.97	68.8	1.495	23.5	67.9	190.0
ET142		1.135	3.90	85.6	2.07	23.7	78.4	166.5
ET143		0.527	3.02	54.4	1.160	19.35	48.5	206
ET144		0.851	3.07	73.2	1.630	23.3	57.5	162.5
ET145		1.020	3.63	80.5	1.995	25.4	64.2	163.5
ET146		0.605	2.86	58.6	1.380	20.3	45.9	208
ET147		0.950	3.43	83.0	1.955	26.3	64.3	192.0
ET148		0.850	3.39	70.1	1.480	23.9	58.3	210
ET149		0.828	3.45	72.9	1.475	22.8	67.3	196.0
ET150		0.623	3.15	59.9	1.300	21.2	47.7	207
ET151		0.587	3.32	64.2	1.545	21.7	49.4	209
ET152		1.070	3.98	79.0	2.30	26.8	67.4	153.5
ET153		0.666	3.72	63.4	1.660	25.0	64.5	176.0
ET154		0.950	3.80	73.0	1.865	24.3	76.2	168.5
ET155		0.893	3.60	68.4	1.720	23.8	68.9	167.5
ET156		1.095	3.97	76.4	2.04	26.3	165.0	149.0
ET157		1.015	4.00	80.3	2.13	25.1	68.7	160.0
ET158		0.755	3.12	63.9	1.645	20.6	47.7	186.5
ET159		0.707	3.67	65.6	1.645	23.1	54.1	178.0
ET160		0.274	43.1	165.0	138.5	17.65	31.6	117.5



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 6 – A
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	CRU-QC Pass4mm % 0.01	PUL-QC Pass75um % 0.01	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3
ET161		2.57			<0.005	0.011	8.97	0.85	700	2.73	0.339	0.15	<0.005	91.4	12.60	59.3
ET162		1.95			<0.005	0.022	8.83	0.71	660	2.48	0.399	0.17	<0.005	88.4	12.85	57.0
ET163		2.97			<0.005	0.018	8.03	0.57	590	2.39	0.355	0.26	<0.005	87.1	11.10	51.4
ET164		2.56			<0.005	0.021	6.66	0.74	440	2.04	0.401	0.47	<0.005	83.9	9.61	37.7
ET165		2.09			<0.005	0.016	8.46	0.67	650	2.62	0.316	0.24	0.175	88.2	12.30	53.6
ET166		2.85			<0.005	0.026	7.96	0.70	560	2.58	0.334	0.32	<0.005	80.0	11.25	47.7
ET167		2.31			<0.005	0.030	6.42	0.82	431	2.02	0.370	0.48	<0.005	79.7	9.06	33.5
ET168		2.17			<0.005	0.018	7.25	0.79	520	2.11	0.406	0.27	<0.005	82.8	10.40	44.6
ET169		2.34			<0.005	0.027	9.56	0.77	730	2.82	0.361	0.19	<0.005	98.4	14.15	62.3
ET170		2.38			<0.005	0.023	6.69	0.86	421	2.13	0.428	0.32	<0.005	93.0	10.80	44.1
ET171		2.59			<0.005	0.021	9.23	1.00	740	2.91	0.377	0.39	<0.005	88.4	14.80	61.1
ET172		2.60			<0.005	0.021	9.04	0.89	720	2.88	0.458	0.21	<0.005	90.0	13.80	62.5
ET173		2.76			<0.005	0.020	8.69	0.92	640	2.77	0.396	0.30	<0.005	101.0	12.65	58.0
ET174		2.25			<0.005	0.031	9.05	0.67	680	2.95	0.493	0.35	<0.005	90.1	13.05	59.0
ET175		2.51			<0.005	0.032	8.25	0.68	620	2.69	0.632	0.23	<0.005	87.0	12.25	52.1
ET176		2.50			<0.005	0.021	8.63	0.98	640	2.71	0.396	0.30	<0.005	93.1	12.05	55.8
ET177		2.47			<0.005	0.019	7.55	0.89	500	2.33	0.336	0.26	<0.005	98.4	11.55	51.1
ET178		2.38			<0.005	0.036	8.13	0.61	580	2.46	0.344	0.22	<0.005	98.1	12.05	52.7
ET179		2.21			<0.005	0.012	7.96	0.62	540	2.09	0.228	0.27	<0.005	94.4	13.05	49.4
ET180		2.51			<0.005	0.012	8.79	0.69	620	2.31	0.184	0.16	<0.005	77.2	13.45	57.5
ET181		2.43			<0.005	0.018	7.73	0.51	540	2.10	0.378	0.22	<0.005	82.2	11.50	50.3
ET182		2.36			<0.005	0.021	7.25	0.56	530	2.08	0.379	0.68	<0.005	87.2	10.85	42.9
ET183		2.55			<0.005	0.024	6.50	0.75	448	1.96	0.440	0.89	<0.005	81.0	10.50	41.5
ET184		2.65			<0.005	0.009	6.50	0.69	448	2.18	0.241	0.44	<0.005	87.1	11.40	39.8
ET185		2.53			<0.005	0.019	7.04	0.72	630	2.15	0.362	0.43	<0.005	75.6	10.80	45.8
ET186		2.38			<0.005	0.041	7.93	0.94	620	2.75	0.669	2.29	0.021	80.2	18.00	134.5
ET187		2.61			<0.005	0.032	7.22	1.22	860	3.25	0.662	3.60	0.052	58.5	30.5	270
ET188		2.51			<0.005	0.038	7.54	0.84	710	2.78	0.395	1.38	<0.005	73.6	18.90	179.5
ET189		2.69			<0.005	0.028	8.11	0.81	680	2.39	0.583	0.60	<0.005	92.3	19.90	154.5
ET190		2.26			<0.005	0.038	7.74	1.09	530	3.42	0.647	0.61	<0.005	73.5	23.0	201
ET191		2.38			<0.005	0.018	9.25	0.70	790	2.71	0.321	0.18	<0.005	77.5	13.30	61.2
ET192		2.08			<0.005	0.032	8.60	0.57	790	2.13	0.241	0.17	<0.005	90.7	11.65	54.2
ET193		2.61			<0.005	0.049	9.07	0.69	750	2.26	0.231	0.24	<0.005	87.0	12.55	61.4
ET194		2.52			<0.005	0.062	9.35	0.93	730	3.94	0.400	0.43	<0.005	83.2	27.5	227
ET195		2.33			<0.005	0.033	9.48	0.73	730	2.94	0.379	0.18	<0.005	81.9	13.55	55.2
ET196		2.71			<0.005	0.053	7.32	0.61	490	2.08	0.519	0.41	<0.005	87.9	11.30	49.7
ET197		2.27			<0.005	0.031	7.96	0.76	540	2.43	0.332	0.37	<0.005	94.2	11.75	45.1
ET198		2.85			<0.005	0.042	8.33	0.61	600	2.41	0.467	0.43	<0.005	96.5	12.40	54.1
ET199		2.33			<0.005	0.039	8.08	0.76	580	2.36	0.539	0.49	<0.005	99.2	12.65	52.4
ET200		0.07			0.573	1.215	4.05	512	78	0.71	8.49	3.74	<0.005	149.5	564	32.4



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 6 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.01	0.02	0.002	0.05	0.05	0.004	0.005	0.01	0.005	0.2	0.01	0.2	0.02	0.001
ET161		9.45	15.55	4.26	23.1	0.29	4.86	0.069	4.40	45.1	18.1	1.36	245	0.25	0.586
ET162		7.77	45.1	4.14	22.9	0.35	5.06	0.075	3.97	43.6	18.6	1.32	233	0.13	0.860
ET163		7.51	25.3	3.74	20.7	0.35	5.09	0.055	3.43	43.1	16.2	1.05	208	0.19	1.110
ET164		5.37	37.6	3.15	15.80	0.34	5.92	0.049	2.52	42.0	14.8	0.92	284	0.25	1.505
ET165		6.97	37.3	3.99	21.6	0.39	4.94	0.064	3.51	43.7	18.1	1.17	249	0.21	1.050
ET166		6.03	52.5	3.63	19.05	0.33	5.17	0.069	3.32	40.7	19.4	1.13	320	0.22	1.245
ET167		5.09	67.4	3.06	14.50	0.33	5.46	0.051	2.48	39.4	14.0	0.86	301	0.39	1.560
ET168		5.64	46.2	3.53	18.15	0.35	4.92	0.061	3.24	41.7	17.2	1.02	302	0.30	0.919
ET169		7.94	42.7	4.60	24.9	0.41	5.12	0.088	4.32	48.6	22.2	1.28	300	0.25	0.736
ET170		3.94	33.4	3.41	15.75	0.36	7.55	0.055	2.71	46.4	19.5	1.01	317	0.24	1.355
ET171		11.30	29.9	4.77	26.1	0.27	4.71	0.096	3.48	42.0	22.5	1.42	536	0.15	0.343
ET172		11.50	39.5	4.55	24.9	0.33	4.81	0.071	3.28	42.6	20.4	1.22	333	0.14	0.468
ET173		11.85	34.3	4.16	23.8	0.37	4.87	0.079	3.57	49.2	17.2	1.13	308	0.16	0.664
ET174		13.95	46.0	4.33	24.1	0.34	5.08	0.082	3.40	42.5	16.5	1.16	303	0.16	0.711
ET175		10.10	47.1	4.10	22.0	0.33	4.73	0.064	3.42	41.8	16.4	1.11	266	0.15	0.761
ET176		8.97	20.5	4.11	22.5	0.36	5.52	0.080	3.56	45.8	19.6	1.15	288	0.22	1.005
ET177		6.51	11.55	3.72	19.90	0.38	5.82	0.077	3.36	48.3	16.2	1.01	282	0.20	1.080
ET178		8.53	41.3	3.95	21.6	0.37	5.39	0.078	3.31	48.2	18.6	1.16	310	0.12	0.887
ET179		6.15	7.16	4.08	20.7	0.38	5.65	0.090	3.58	46.9	22.5	1.47	374	0.22	0.832
ET180		6.56	7.61	4.32	24.5	0.35	4.70	0.086	3.50	37.4	18.7	1.36	293	0.15	0.942
ET181		5.98	35.6	3.62	20.3	0.37	5.03	0.057	3.51	40.7	15.7	1.16	281	0.51	0.986
ET182		5.06	39.6	3.50	17.85	0.41	5.68	0.054	3.33	43.1	15.6	1.23	603	0.19	1.310
ET183		3.13	67.6	3.34	15.95	0.38	5.41	0.080	2.58	39.1	17.3	1.38	820	0.45	1.735
ET184		2.52	16.40	3.58	14.85	0.40	5.94	0.055	2.48	42.3	21.3	1.42	489	0.44	1.925
ET185		3.36	41.1	3.48	17.40	0.36	4.71	0.056	2.95	36.9	16.9	1.19	358	0.64	1.600
ET186		2.77	103.5	4.66	21.4	0.40	4.22	0.066	2.18	39.3	40.9	2.45	783	0.47	2.000
ET187		2.69	6.21	5.82	19.05	0.32	2.95	0.062	2.88	28.3	57.3	3.91	1340	0.24	1.275
ET188		5.15	42.4	4.59	18.45	0.33	4.15	0.056	3.40	36.1	29.1	2.41	1150	0.34	0.790
ET189		4.81	109.5	4.77	21.6	0.34	4.50	0.050	3.36	44.9	32.9	2.23	698	0.47	0.580
ET190		7.97	112.5	5.10	19.15	0.36	3.90	0.052	3.81	36.0	35.1	2.63	719	0.71	0.892
ET191		8.66	45.9	4.43	25.8	0.31	4.69	0.079	3.73	34.7	19.7	1.39	304	0.38	0.543
ET192		6.38	38.2	3.74	22.7	0.42	5.04	0.074	4.31	44.6	16.9	1.28	272	0.33	0.854
ET193		6.90	28.9	4.20	24.4	0.45	4.94	0.075	4.83	42.4	19.4	1.50	331	0.34	0.758
ET194		8.97	72.3	6.30	23.6	0.44	4.01	0.064	5.01	41.3	44.4	3.20	758	0.36	0.893
ET195		11.15	49.2	4.29	25.5	0.40	5.29	0.073	4.76	38.6	18.6	1.38	291	0.23	0.637
ET196		5.47	58.2	3.42	19.50	0.41	4.95	0.073	3.23	43.4	14.8	1.06	336	0.63	1.070
ET197		7.78	48.6	3.72	21.3	0.43	5.12	0.072	3.68	46.7	16.5	1.11	344	0.31	1.070
ET198		7.29	71.3	3.96	22.9	0.43	5.23	0.075	3.31	48.8	18.4	1.15	342	0.49	0.929
ET199		8.09	67.6	3.78	21.8	0.46	4.77	0.075	3.95	49.9	17.8	1.21	405	0.43	0.736
ET200		0.65	9190	24.8	16.55	0.46	3.05	0.210	2.90	188.0	16.4	1.09	3790	197.5	0.649



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 6 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS M121263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	0.001	0.01	0.02	0.0004	0.01	0.02	0.01	0.006	0.02	0.02	0.01	0.005	0.004
															0.001
ET161		28.0	0.037	8.92	224	0.0004	0.01	0.58	15.45	0.044	4.08	17.20	0.97	0.024	17.30
ET162		28.0	0.038	9.14	207	<0.0004	<0.01	0.57	15.80	0.016	4.07	22.2	1.02	0.014	17.15
ET163		24.3	0.040	10.75	176.5	<0.0004	<0.01	0.50	14.15	0.016	3.41	38.5	0.99	0.021	16.25
ET164		18.50	0.041	11.90	129.5	0.0005	<0.01	0.42	11.05	0.026	2.58	53.0	0.90	0.011	15.00
ET165		26.2	0.038	10.40	175.5	0.0005	<0.01	0.45	14.90	0.056	3.63	30.9	0.95	0.023	16.65
ET166		23.3	0.042	10.55	165.5	<0.0004	0.01	0.48	12.75	0.036	3.39	39.5	0.95	0.013	16.10
ET167		16.55	0.040	14.25	127.5	0.0004	<0.01	0.42	9.73	0.067	2.48	77.2	0.85	0.014	14.45
ET168		20.9	0.039	9.45	160.0	<0.0004	0.01	0.43	12.65	0.058	3.12	30.9	0.92	0.019	15.50
ET169		30.8	0.041	10.10	219	<0.0004	0.01	0.51	17.20	0.079	4.22	25.6	1.11	0.030	18.40
ET170		20.1	0.047	10.40	134.5	<0.0004	<0.01	0.50	12.30	0.046	3.00	37.5	0.97	0.012	15.80
ET171		31.7	0.034	11.05	171.0	<0.0004	0.01	0.50	17.25	0.034	4.38	16.85	1.01	0.022	17.00
ET172		31.5	0.039	10.55	169.5	<0.0004	0.01	0.53	16.85	0.045	4.24	18.65	1.03	0.027	17.05
ET173		29.5	0.041	12.15	197.5	<0.0004	0.01	0.54	16.05	0.029	3.96	26.3	1.02	0.021	18.25
ET174		29.8	0.043	12.15	190.0	0.0008	0.01	0.46	16.25	0.018	4.04	30.6	1.05	0.028	17.65
ET175		27.7	0.039	11.75	183.5	0.0010	0.01	0.43	14.65	0.032	3.72	27.4	0.94	0.028	16.75
ET176		26.9	0.049	13.15	183.0	0.0010	<0.01	0.49	15.35	0.021	3.64	33.0	0.99	0.016	18.00
ET177		24.7	0.049	12.10	174.5	<0.0004	<0.01	0.56	14.00	0.018	3.21	29.6	0.95	0.018	17.15
ET178		26.4	0.046	10.25	186.0	<0.0004	0.01	0.61	14.60	0.022	3.50	24.8	0.96	0.020	17.40
ET179		25.6	0.045	8.80	182.0	0.0004	0.01	0.65	13.95	0.012	3.45	21.3	0.95	0.014	17.60
ET180		29.3	0.040	7.44	179.5	<0.0004	<0.01	0.44	16.05	0.019	3.87	27.0	0.98	0.012	16.45
ET181		24.3	0.039	9.37	185.5	0.0005	0.01	0.50	13.55	0.016	3.40	33.6	0.89	0.017	16.40
ET182		20.2	0.043	12.05	166.5	0.0005	0.01	0.45	12.40	0.027	2.98	67.5	0.88	0.008	16.50
ET183		18.30	0.041	9.60	120.5	<0.0004	0.01	0.41	12.55	0.031	2.68	65.9	0.83	0.008	14.95
ET184		18.25	0.043	9.10	111.0	<0.0004	<0.01	0.46	11.60	0.023	2.38	67.3	0.85	<0.005	15.40
ET185		20.2	0.037	12.10	132.0	0.0009	<0.01	0.42	11.00	0.026	2.77	101.5	0.77	0.005	14.15
ET186		37.2	0.044	14.00	83.7	<0.0004	0.01	1.30	18.50	0.098	2.39	306	0.73	0.010	12.85
ET187		63.5	0.050	16.45	98.5	<0.0004	<0.01	1.38	27.0	0.033	1.02	296	0.45	0.010	7.25
ET188		37.5	0.047	12.25	137.0	0.0006	0.01	0.87	18.75	0.058	2.12	108.0	0.67	0.007	11.95
ET189		40.2	0.047	8.03	122.0	0.0010	0.02	0.53	16.85	0.044	3.15	54.8	0.83	0.010	12.60
ET190		46.8	0.047	10.10	162.0	0.0006	0.06	0.65	20.5	0.068	2.67	77.1	0.66	0.017	11.10
ET191		30.0	0.037	7.37	164.5	0.0005	0.01	0.53	17.00	0.011	4.13	27.9	1.02	0.006	15.20
ET192		26.3	0.037	9.04	203	<0.0004	0.01	0.57	15.55	0.017	4.22	40.8	0.98	0.014	17.45
ET193		29.4	0.039	7.73	233	<0.0004	<0.01	0.55	17.00	0.076	4.16	41.5	0.98	0.012	17.25
ET194		55.2	0.047	10.40	220	<0.0004	0.06	0.70	24.9	0.111	2.69	63.3	0.74	0.019	13.65
ET195		28.4	0.038	8.15	232	<0.0004	0.01	0.60	17.05	0.038	4.19	27.8	1.00	0.007	16.40
ET196		22.7	0.035	13.00	174.5	<0.0004	0.01	0.48	13.25	0.021	3.37	62.8	0.91	0.007	16.35
ET197		22.8	0.037	11.10	201	0.0005	0.01	0.51	13.30	0.016	3.67	41.4	0.89	0.005	17.50
ET198		25.9	0.036	15.65	165.0	0.0006	0.01	0.42	15.55	0.024	3.76	53.5	0.95	0.007	17.85
ET199		26.2	0.034	11.80	213	0.0012	0.01	0.39	14.90	0.024	3.63	38.8	0.91	0.012	17.45
ET200		70.9	0.088	13.00	81.3	0.0939	2.53	8.16	11.95	2.47	9.03	210	0.43	1.110	7.66



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 6 – D
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 8–NOV–2021
Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ti	U	V	W	Y	Zn	Zr
		ppm 0.002	ppm 0.01	ppm 0.1	ppm 0.008	ppm 0.01	ppm 0.2	ppm 0.1
ET161		0.911	4.06	80.2	2.24	25.0	68.3	168.0
ET162		0.866	3.80	80.4	2.19	23.3	67.4	170.0
ET163		0.816	3.64	72.8	1.930	22.5	60.0	174.0
ET164		0.565	3.48	65.4	1.375	20.5	52.7	208
ET165		0.797	3.79	75.3	1.675	23.7	68.6	172.5
ET166		0.739	3.59	68.7	1.515	23.5	70.1	182.0
ET167		0.584	3.31	56.3	1.245	20.4	54.5	195.0
ET168		0.766	3.93	66.3	1.395	22.4	63.6	176.0
ET169		1.060	4.62	86.4	1.985	28.7	82.7	173.5
ET170		0.561	4.67	75.1	2.06	24.1	65.1	271
ET171		1.245	5.00	84.0	2.45	29.0	97.3	151.5
ET172		1.150	4.19	84.1	2.48	26.8	90.9	161.0
ET173		1.155	4.20	79.2	2.17	28.6	83.1	166.5
ET174		1.280	4.00	80.6	2.09	26.9	90.6	173.0
ET175		1.040	3.80	72.5	2.06	25.1	84.2	158.5
ET176		0.953	4.16	76.2	1.950	27.6	82.6	191.5
ET177		0.778	4.05	71.9	1.960	27.9	76.6	197.5
ET178		0.914	4.19	75.2	2.18	26.9	71.8	184.5
ET179		0.835	4.18	71.7	2.24	27.2	73.2	201
ET180		0.883	4.20	84.1	2.20	23.4	74.5	158.5
ET181		0.806	3.64	69.6	2.18	22.3	65.6	176.5
ET182		0.708	3.90	67.9	1.945	25.8	60.9	195.5
ET183		0.518	3.53	64.3	1.835	23.3	59.2	193.5
ET184		0.480	3.16	63.6	1.535	21.5	60.7	209
ET185		0.556	3.07	66.1	1.370	19.25	56.7	161.0
ET186		0.338	2.99	108.5	1.490	21.7	88.8	149.0
ET187		0.539	2.05	166.0	0.507	15.45	142.5	105.0
ET188		0.995	2.75	121.5	1.145	21.0	108.5	146.5
ET189		1.030	3.35	107.0	1.845	30.6	115.0	156.5
ET190		1.050	3.29	125.0	1.125	19.90	126.5	141.0
ET191		1.100	4.45	85.7	2.54	24.8	73.1	159.5
ET192		0.915	4.09	78.6	2.27	25.2	60.0	170.0
ET193		1.010	4.19	85.3	2.33	23.7	66.0	176.0
ET194		1.100	4.23	144.0	0.876	21.3	157.0	139.5
ET195		1.175	5.32	80.6	2.11	24.7	80.5	174.5
ET196		0.709	4.19	71.3	1.920	22.8	68.3	174.5
ET197		0.828	4.54	67.4	1.865	25.8	70.6	176.5
ET198		0.881	4.10	84.6	2.38	25.8	78.4	180.5
ET199		0.897	3.83	76.3	2.35	26.9	81.2	163.5
ET200		0.277	44.8	166.0	139.0	18.30	31.9	116.0



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 7 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	CRU-QC Pass4mm % 0.01	PUL-QC Pass75um % 0.01	Au-AA23 Au ppm 0.005	ME-MS61L Ag ppm 0.002	ME-MS61L Al % 0.01	ME-MS61L As ppm 0.02	ME-MS61L Ba ppm 1	ME-MS61L Be ppm 0.02	ME-MS61L Bi ppm 0.002	ME-MS61L Ca % 0.01	ME-MS61L Cd ppm 0.005	ME-MS61L Ce ppm 0.01	ME-MS61L Co ppm 0.005	ME-MS61L Cr ppm 0.3
ET201		2.72			<0.005	0.053	8.14	0.95	660	2.57	0.344	1.16	<0.005	77.7	18.40	131.5
ET202		2.62			<0.005	0.030	9.10	0.66	800	2.85	0.417	0.50	<0.005	84.4	13.70	62.0
ET203		2.58	95.7		<0.005	0.007	8.31	0.80	670	2.43	0.326	0.26	<0.005	87.9	11.90	49.1
ET204		1.96	97.0	96.7	<0.005	0.011	6.84	0.81	430	1.88	0.299	0.26	<0.005	86.6	10.80	46.0
ET205		2.59		92.7	<0.005	0.010	6.27	0.67	358	1.78	0.253	0.18	<0.005	89.0	12.65	42.1
ET206		2.11			<0.005	0.018	6.19	0.78	381	2.05	0.322	0.32	0.006	98.2	12.40	53.2
ET207		2.25			<0.005	0.020	6.60	0.83	411	1.98	0.295	0.54	<0.005	91.7	11.25	42.4
ET208		2.28			<0.005	0.019	6.85	0.76	470	1.85	0.322	0.44	<0.005	94.5	11.85	42.1
ET209		1.97			<0.005	0.039	8.17	0.82	660	2.10	0.296	0.40	<0.005	124.0	13.70	54.2
ET210		2.63			<0.005	0.022	7.51	0.65	540	2.01	0.310	0.25	<0.005	94.7	12.10	45.6
ET211		2.59			<0.005	0.035	9.04	0.91	730	2.35	0.342	0.18	<0.005	89.7	14.70	58.5
ET212		2.86			<0.005	0.040	8.25	0.76	640	2.15	0.440	0.25	<0.005	95.0	14.20	51.9
ET213		2.73			<0.005	0.034	7.54	0.73	570	2.05	0.463	0.36	<0.005	90.9	12.90	47.1
ET214		2.47			<0.005	0.027	8.79	0.91	730	2.42	0.330	0.40	<0.005	88.4	15.40	59.2
ET215		2.57			<0.005	0.030	8.31	0.80	670	2.31	0.367	0.16	<0.005	87.1	14.30	53.7
ET216		1.71			<0.005	0.015	6.78	0.76	460	2.03	0.404	0.31	<0.005	90.4	10.90	37.9
ET217		2.52			<0.005	0.009	7.38	0.93	560	2.14	0.363	0.22	<0.005	88.4	12.25	45.5
ET218		2.08			0.005	0.008	7.57	0.80	590	2.35	0.337	0.20	<0.005	95.4	12.20	45.4
ET219		2.27			0.011	0.016	7.02	0.79	490	1.96	0.318	0.19	<0.005	86.7	11.70	41.9
ET220		2.38			<0.005	0.011	6.04	0.81	294	1.68	0.223	0.21	<0.005	67.2	10.80	33.8
ET221		1.82			<0.005	0.008	6.35	0.60	324	1.59	0.207	0.11	<0.005	68.2	13.25	40.0
ET222		1.94			<0.005	0.011	5.92	0.71	329	1.68	0.459	0.11	<0.005	76.9	10.10	30.5
ET223		2.10			<0.005	0.008	9.56	0.83	750	2.68	0.255	0.08	<0.005	74.6	16.65	65.4
ET224		2.23			<0.005	0.010	8.26	0.79	630	2.16	0.235	0.11	<0.005	79.0	13.10	49.8
ET225		2.25			<0.005	0.009	6.98	0.97	520	1.94	0.286	0.18	<0.005	85.1	11.75	39.0
ET226		2.88			<0.005	0.011	7.42	0.81	580	2.30	0.344	0.26	0.005	89.5	11.90	44.2
ET227		2.81			<0.005	0.019	7.36	1.12	570	2.20	0.313	0.26	0.048	92.0	11.90	44.2
ET228		2.41			<0.005	0.023	6.60	0.79	500	1.95	0.354	0.26	0.008	86.1	10.95	39.2
ET229		2.01			<0.005	0.045	7.97	0.85	700	2.21	0.284	0.22	<0.005	92.7	13.50	49.1
ET230		2.80			<0.005	0.016	6.51	0.80	356	1.89	0.227	0.43	<0.005	88.4	11.70	42.7
ET231		2.26			<0.005	0.010	5.56	0.66	208	1.84	0.217	0.40	<0.005	76.4	9.81	34.7
ET232		2.48			<0.005	0.024	6.47	0.91	449	1.87	0.279	0.24	<0.005	86.2	11.60	45.2
ET233		2.42			<0.005	0.062	8.47	0.75	1000	2.27	0.451	0.14	<0.005	64.1	14.50	53.5
ET234		2.61			<0.005	0.026	7.89	0.82	840	2.28	0.335	0.19	<0.005	86.9	12.75	48.7
ET235		2.34			<0.005	0.025	8.48	1.09	1030	2.57	0.376	0.29	<0.005	87.2	15.10	55.0
ET236		2.50			<0.005	0.013	8.99	1.08	1260	2.61	0.363	0.16	<0.005	81.0	14.75	58.2
ET237		2.86			<0.005	0.030	7.85	0.92	1490	3.48	0.760	0.19	<0.005	124.0	7.29	19.0
ET238		2.18			<0.005	0.018	6.97	0.90	2050	3.57	0.518	0.22	<0.005	135.5	3.32	4.3
ET239		1.20			<0.005	0.073	6.51	0.75	1450	3.16	0.474	0.35	0.014	101.0	2.58	3.3
ET240		0.06			0.601	1.325	3.98	506	63	0.69	8.36	3.68	0.007	134.0	554	32.7



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 7 – B
 Total # Pages: 8 (A – D)
 Plus Appendix Pages
 Finalized Date: 8–NOV–2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm 0.01	ppm 0.02	% 0.002	ppm 0.05	ppm 0.05	ppm 0.004	ppm 0.005	% 0.01	ppm 0.005	ppm 0.2	% 0.01	ppm 0.2	ppm 0.02	% 0.001
ET201		10.50	74.8	4.54	21.4	0.34	4.31	0.064	3.51	38.0	24.5	1.85	528	0.32	1.115
ET202		11.80	28.8	4.43	26.1	0.45	4.71	0.083	3.92	40.3	16.8	1.46	454	0.26	0.872
ET203		7.47	4.77	3.78	21.6	0.41	5.48	0.069	4.00	41.9	19.2	1.39	294	0.26	0.882
ET204		4.79	5.79	3.42	17.60	0.47	5.93	0.056	2.78	42.3	14.9	1.14	255	0.23	1.375
ET205		3.75	3.67	3.49	14.45	0.25	5.87	0.049	2.66	42.3	22.8	1.55	256	0.43	1.065
ET206		5.35	6.93	3.49	15.50	0.39	7.29	0.061	2.46	47.8	15.6	1.10	247	0.81	1.380
ET207		5.05	9.31	3.43	15.60	0.50	6.38	0.048	2.37	44.9	12.6	0.94	289	0.52	1.840
ET208		4.43	10.25	3.29	16.90	0.49	5.55	0.059	3.02	46.0	16.5	1.10	344	0.42	1.465
ET209		5.94	37.7	3.90	21.6	0.48	5.48	0.092	4.05	61.4	20.3	1.22	341	0.38	1.045
ET210		7.34	37.9	3.52	19.15	0.48	5.07	0.064	3.48	46.3	14.3	0.97	232	0.25	1.165
ET211		9.72	77.7	4.28	24.3	0.48	4.62	0.084	4.78	42.1	16.7	1.18	245	0.17	0.577
ET212		7.03	102.0	3.91	22.9	0.49	4.49	0.088	4.33	45.8	18.2	1.17	294	0.20	0.593
ET213		7.20	68.8	3.46	20.7	0.42	4.61	0.080	3.76	43.4	15.7	1.08	332	0.23	0.806
ET214		9.34	79.2	4.56	25.2	0.47	4.33	0.102	4.78	42.5	18.6	1.32	436	0.19	0.284
ET215		10.05	56.3	4.07	22.6	0.47	4.52	0.072	4.46	41.6	17.0	1.12	243	0.23	0.500
ET216		6.50	13.50	3.10	16.65	0.43	5.56	0.060	3.06	44.4	15.1	0.93	222	0.19	1.195
ET217		8.27	6.69	3.54	19.25	0.46	5.13	0.071	3.65	43.6	16.1	1.02	212	0.28	0.902
ET218		9.50	6.92	3.59	19.60	0.44	5.12	0.072	3.92	45.2	15.8	1.06	207	0.26	0.801
ET219		6.04	6.74	3.24	17.60	0.39	5.57	0.073	3.28	42.3	16.1	1.00	192.0	0.29	1.055
ET220		3.14	3.69	2.95	14.65	0.44	4.61	0.049	2.14	32.7	16.4	0.99	252	0.36	1.625
ET221		4.37	3.13	3.27	16.85	0.41	4.46	0.046	2.63	32.7	19.1	1.32	249	0.46	0.957
ET222		5.28	5.67	2.90	13.80	0.42	4.57	0.049	2.89	38.1	16.3	1.08	204	0.26	0.630
ET223		10.95	3.74	4.54	27.5	0.46	4.45	0.124	4.87	33.7	20.1	1.42	251	0.24	0.107
ET224		7.98	3.39	3.84	22.0	0.45	4.66	0.070	4.25	37.5	16.4	1.17	211	0.24	0.554
ET225		5.64	5.90	3.23	17.40	0.39	5.18	0.060	3.19	40.8	14.7	0.95	200	0.28	1.180
ET226		9.27	8.20	3.50	19.05	0.47	5.10	0.070	3.61	43.4	13.6	0.96	203	0.28	1.060
ET227		8.61	10.50	3.47	18.95	0.47	5.23	0.071	3.56	44.3	15.3	0.92	217	0.26	1.070
ET228		6.86	28.4	3.07	16.55	0.44	5.23	0.052	3.04	42.1	14.5	0.82	199.0	0.30	1.135
ET229		8.23	67.6	3.90	21.6	0.45	4.90	0.078	3.98	43.6	16.0	1.02	245	0.17	0.964
ET230		3.85	10.30	3.25	16.80	0.45	5.43	0.057	2.24	42.2	14.1	0.86	245	0.44	1.730
ET231		1.87	7.34	2.68	13.45	0.45	6.30	0.037	1.34	36.8	13.3	0.70	212	0.30	2.17
ET232		4.42	20.8	3.38	16.60	0.46	6.05	0.059	2.36	41.5	15.1	0.82	218	0.49	1.495
ET233		9.73	42.8	4.19	23.8	0.39	4.69	0.093	4.21	28.1	19.6	1.07	256	0.23	0.572
ET234		9.44	19.10	3.64	20.5	0.44	4.73	0.078	4.07	40.8	17.3	0.94	216	0.23	0.727
ET235		12.85	23.1	4.13	23.7	0.47	4.91	0.087	4.39	41.6	16.7	1.01	252	0.23	0.713
ET236		12.90	13.40	4.31	24.9	0.46	4.16	0.092	4.67	37.2	17.4	1.13	217	0.22	0.415
ET237		10.85	10.85	2.62	21.1	0.44	7.73	0.110	4.49	61.5	18.7	1.01	267	0.24	0.209
ET238		9.17	12.60	1.900	18.55	0.41	8.66	0.071	4.12	67.8	13.8	0.68	284	0.34	0.395
ET239		6.76	14.95	1.470	17.10	0.34	6.20	0.050	3.76	49.7	13.3	0.59	240	0.39	0.532
ET240		0.67	9080	24.0	16.10	0.35	3.07	0.229	2.85	153.0	17.2	1.08	3730	193.0	0.641



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 7 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	0.001	0.01	0.02	0.0004	0.01	0.02	0.01	0.006	0.02	0.02	0.01	0.005	0.004
ET201		37.7	0.043	15.75	161.0	0.0005	0.03	0.47	18.85	0.060	2.86	122.0	0.77	0.012	13.80
ET202		29.9	0.034	12.75	187.0	<0.0004	<0.01	0.59	17.60	0.036	4.24	46.0	0.99	0.018	16.90
ET203		23.7	0.039	10.85	196.0	<0.0004	<0.01	0.63	13.40	0.007	3.89	38.6	0.97	0.013	18.25
ET204		20.4	0.043	9.52	150.0	<0.0004	<0.01	0.63	12.70	0.009	2.74	37.5	0.88	0.010	15.40
ET205		18.20	0.044	7.39	131.5	<0.0004	<0.01	0.56	12.50	0.011	2.51	29.0	0.88	<0.005	15.25
ET206		19.85	0.049	12.10	141.0	<0.0004	<0.01	0.61	13.60	0.020	2.68	58.4	0.97	0.007	16.95
ET207		19.20	0.045	15.50	131.0	0.0004	<0.01	0.49	12.75	0.019	2.65	102.0	0.88	0.008	16.10
ET208		22.0	0.045	10.95	151.0	0.0004	<0.01	0.54	13.15	0.058	2.95	57.9	0.90	0.005	16.20
ET209		27.1	0.042	10.30	212	0.0005	<0.01	0.45	15.90	0.077	3.70	40.9	0.96	0.010	17.80
ET210		24.8	0.041	11.10	204	0.0004	<0.01	0.51	14.20	0.023	3.10	40.6	0.87	0.013	16.75
ET211		31.6	0.036	9.81	250	0.0005	0.01	0.44	18.05	0.028	4.13	25.8	0.97	0.014	17.40
ET212		29.0	0.033	8.68	226	0.0007	0.01	0.39	16.85	0.023	3.77	20.9	0.90	0.020	17.50
ET213		26.9	0.035	10.20	204	0.0012	0.01	0.42	15.35	0.025	3.50	29.5	0.89	0.017	16.60
ET214		33.2	0.032	8.39	254	0.0005	0.01	0.45	18.75	0.033	4.32	15.00	0.93	0.019	17.00
ET215		29.9	0.033	9.10	256	0.0004	<0.01	0.41	17.05	0.051	4.07	25.9	0.91	0.020	17.40
ET216		20.6	0.040	10.50	174.0	0.0005	<0.01	0.47	12.90	0.025	2.88	44.3	0.86	0.010	16.05
ET217		24.7	0.039	9.95	210	<0.0004	<0.01	0.48	14.50	0.027	3.19	36.1	0.87	0.017	16.70
ET218		25.3	0.039	10.05	221	0.0004	<0.01	0.60	15.05	0.027	3.31	32.4	0.88	0.017	16.85
ET219		22.8	0.040	8.93	184.0	<0.0004	<0.01	0.56	13.75	0.018	3.01	38.6	0.86	0.008	16.25
ET220		18.85	0.036	4.88	124.5	<0.0004	<0.01	0.39	10.85	0.013	2.50	42.3	0.76	0.007	14.05
ET221		23.6	0.036	3.74	157.5	<0.0004	<0.01	0.37	12.30	0.009	2.81	20.1	0.82	0.006	14.35
ET222		17.90	0.034	5.77	150.0	<0.0004	0.01	0.36	10.55	0.013	2.44	17.05	0.69	0.021	13.65
ET223		36.1	0.035	8.60	253	0.0004	0.01	0.60	20.5	0.018	4.57	11.60	1.03	0.025	16.55
ET224		27.3	0.034	7.80	228	<0.0004	0.01	0.47	16.65	0.019	3.66	18.30	0.88	0.015	16.50
ET225		22.1	0.039	8.79	175.5	<0.0004	<0.01	0.42	13.35	0.025	2.87	35.4	0.87	0.010	15.80
ET226		23.4	0.040	12.00	211	0.0004	<0.01	0.47	14.35	0.010	3.15	46.3	0.85	0.016	16.75
ET227		23.9	0.041	12.50	218	0.0005	0.01	0.51	14.75	0.025	3.32	49.6	0.92	0.013	17.10
ET228		21.4	0.040	9.89	184.5	<0.0004	<0.01	0.48	13.00	0.059	2.94	52.2	0.86	0.013	15.70
ET229		28.0	0.038	8.48	242	<0.0004	0.01	0.51	16.30	0.026	3.78	44.7	0.90	0.017	17.50
ET230		22.3	0.039	7.97	145.0	0.0004	<0.01	0.43	13.25	0.011	2.91	81.4	0.90	0.007	16.25
ET231		18.15	0.042	7.23	81.4	0.0006	<0.01	0.36	11.55	0.011	2.45	92.3	0.85	<0.005	15.40
ET232		21.9	0.041	7.12	155.5	0.0005	0.01	0.43	13.75	0.023	2.92	59.7	0.90	0.012	16.35
ET233		31.4	0.037	7.55	229	0.0004	0.01	0.50	17.25	0.061	3.92	25.3	0.96	0.040	14.60
ET234		27.0	0.038	8.24	229	0.0005	<0.01	0.48	15.45	0.034	3.44	31.0	0.93	0.016	16.50
ET235		31.6	0.037	10.90	267	0.0004	<0.01	0.48	17.80	0.025	4.12	55.6	0.96	0.017	17.35
ET236		32.6	0.033	8.56	255	0.0005	<0.01	0.47	18.90	0.038	4.17	37.3	0.98	0.021	16.60
ET237		11.10	0.024	14.50	249	0.0006	<0.01	0.57	10.55	0.025	5.38	68.8	1.26	0.019	26.3
ET238		2.41	0.018	12.55	240	0.0006	<0.01	0.63	5.90	<0.006	5.68	112.5	1.37	0.008	31.3
ET239		2.38	0.007	19.70	203	<0.0004	<0.01	0.59	4.86	0.017	4.46	132.5	1.16	0.005	27.7
ET240		74.5	0.087	12.20	82.9	0.0930	2.47	8.40	11.50	2.48	9.05	182.0	0.42	1.160	7.18



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry


To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: East Tennant

Page: 7 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 8-NOV-2021
Account: STRENERES

CERTIFICATE OF ANALYSIS MI21263540

Sample Description	Method Analyte Units LOD	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L	ME-MS61L
		Ti	U	V	W	Y	Zn	Zr
		ppm 0.002	ppm 0.01	ppm 0.1	ppm 0.008	ppm 0.01	ppm 0.2	ppm 0.1
ET201		0.898	3.07	103.5	1.485	21.0	83.0	149.0
ET202		1.090	4.32	84.4	1.855	25.4	85.0	158.5
ET203		0.948	3.76	71.5	1.550	25.0	59.0	190.5
ET204		0.605	3.40	74.7	1.595	22.2	50.9	215
ET205		0.571	3.26	75.4	1.620	20.2	55.3	222
ET206		0.635	3.73	95.1	1.850	22.6	62.0	281
ET207		0.611	3.61	72.6	1.550	23.0	58.5	235
ET208		0.662	3.56	65.0	1.395	26.3	66.0	206
ET209		0.896	4.61	79.1	1.885	32.7	78.9	196.0
ET210		0.852	3.65	67.8	1.630	24.6	66.8	182.0
ET211		1.175	4.00	82.5	2.10	25.5	87.8	160.0
ET212		0.987	3.68	74.3	1.970	26.0	78.8	154.5
ET213		0.935	3.53	70.1	1.815	25.0	73.4	164.0
ET214		1.180	3.83	82.4	2.46	26.8	88.0	148.0
ET215		1.175	3.90	76.7	2.12	24.9	81.6	154.5
ET216		0.774	3.74	64.4	1.700	24.3	59.4	202
ET217		0.934	3.57	71.7	1.780	24.7	63.9	182.5
ET218		1.015	3.63	72.7	1.885	24.8	63.9	185.5
ET219		0.792	3.31	70.5	1.715	22.5	58.0	198.0
ET220		0.525	2.53	55.7	1.415	17.60	52.6	169.0
ET221		0.638	2.61	60.0	1.550	17.40	62.6	165.5
ET222		0.646	2.46	50.7	1.260	19.45	59.0	161.5
ET223		1.360	3.67	90.8	2.24	23.3	90.1	157.0
ET224		1.065	3.28	73.1	1.855	22.6	75.5	158.0
ET225		0.793	3.33	66.5	1.735	22.7	66.2	191.0
ET226		1.015	3.61	70.2	1.770	23.3	74.9	177.5
ET227		1.030	3.81	72.1	1.825	24.9	87.3	189.0
ET228		0.820	3.67	64.4	1.560	23.4	60.4	189.0
ET229		1.105	3.90	74.7	2.02	25.4	78.0	170.5
ET230		0.593	3.64	65.1	2.01	22.6	41.3	195.5
ET231		0.315	3.33	64.3	1.940	20.3	39.3	235
ET232		0.645	3.66	72.5	2.25	27.3	47.9	219
ET233		1.300	4.10	79.2	2.36	21.4	83.9	167.5
ET234		1.130	3.72	70.3	2.35	24.9	80.5	167.5
ET235		1.305	3.85	80.4	2.72	25.9	94.8	174.5
ET236		1.315	3.82	80.9	3.20	23.0	82.2	149.0
ET237		1.170	6.33	33.1	1.885	33.9	62.0	271
ET238		1.190	7.10	9.6	0.889	39.6	48.1	291
ET239		0.906	5.77	4.7	0.524	28.7	39.0	174.5
ET240		0.272	41.6	163.5	136.5	18.20	33.6	117.5




Project: East Tennant

Page: 8 – A
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 8–NOV–2021
Account: STRENERES

[illegible]

***** See Appendix Page for comments regarding this certificate *****




Project: East Tennant

Page: 8 – B
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 8–NOV–2021
Account: STRENERES

[illegible]

***** See Appendix Page for comments regarding this certificate *****



Project: East Tennant

Page: 8 – C
Total # Pages: 8 (A – D)
Plus Appendix Pages
Finalized Date: 8–NOV–2021
Account: STRENERES

[illegible]

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **STRATEGIC ENERGY RESOURCES LTD**
LEVEL 4
100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **8-NOV-2021**
Account: **STRENERES**

Project: East Tennant

CERTIFICATE OF ANALYSIS MI21263540

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Townsville located at 14-15 Desma Court, Bohle, Townsville, QLD, Australia.
Au-AA23

Applies to Method:

Processed at ALS Mount Isa located at Unit 4, 16 Enterprise Rd, Mount Isa, QLD, Australia.

BAG-01	CRU-32c	CRU-QC	LEV-01
LEV-02	LOG-22	PUL-32m	PUL-QC
SPL-22Y	WEI-21		

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia
ME-MS61L