



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

**CERTIFICATE AD16099632**

This report is for 36 Soil samples submitted to our lab in Adelaide, SA, Australia on 21-JUN-2016.  
 The following have access to data associated with this certificate:

RUSS KNIGHT	TONY MARTIN
-------------	-------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-21	Sample logging - ClientBarCode

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS23	IONIC Leach - Complete PKG.	ICP-MS
pH-MS23	MS23 Leach pH	

To: DAYLIGHT JACK MINERALS  
 ATTN: TONY MARTIN  
 BOX 145  
 RUSHWORTH VIC 3612

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Page: 2 - A  
 Total # Pages: 2 (A - E)  
 Plus Appendix Pages  
 Finalized Date: 18-JUL-2016  
 Account: DAYJAC

**CERTIFICATE OF ANALYSIS AD16099632**

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23
		Recvd Wt. kg	Ag ppb	As ppb	Au ppb	Ba ppb	Be ppb	Bi ppb	Br ppm	Ca ppm	Cd ppb	Ce ppb	Co ppb	Cr ppb	Cs ppb	Cu ppb
37A		0.02	0.1	2	0.02	10	0.2	3	0.05	0.2	1	0.1	0.3	1	0.1	1
37B		Not Recvd														
37C		Not Recvd														
38A		0.13	2.3	3	0.14	9540	<0.2	<3	0.10	618	2	158.0	143.5	3	3.8	715
38B		0.13	2.7	<2	0.17	10800	<0.2	<3	0.11	694	2	141.5	103.5	2	4.5	811
38C		0.10	2.7	<2	0.20	10300	<0.2	<3	0.11	698	2	164.5	122.0	3	3.8	786
38.5A		0.10	2.6	<2	0.16	10700	<0.2	<3	0.12	749	1	90.2	88.1	2	5.2	771
38.5B		0.14	2.3	2	0.16	11750	<0.2	<3	0.14	701	2	269	95.6	3	2.1	832
38.5C		0.14	2.8	<2	0.69	9990	<0.2	<3	0.10	707	2	120.5	152.5	3	4.2	696
42A		0.10	3.4	<2	0.25	15100	<0.2	<3	0.07	837	2	84.5	61.8	2	3.5	749
42B		0.12	3.9	3	0.17	17150	0.5	<3	0.08	883	2	57.7	26.4	2	3.5	610
42C		0.14	3.2	<2	0.25	18350	<0.2	<3	0.09	865	1	102.0	36.5	2	3.9	749
43A		0.12	3.0	<2	0.27	20000	<0.2	<3	0.07	866	2	158.0	67.6	3	3.5	687
43B		0.10	3.4	<2	0.28	16300	<0.2	<3	0.08	878	2	37.8	30.1	2	3.7	564
43C		0.10	3.6	<2	0.28	19400	<0.2	<3	0.08	924	2	68.2	37.9	2	3.4	557
44A		0.16	3.6	<2	0.19	18050	<0.2	<3	0.08	941	1	68.1	93.0	2	3.0	827
44B		0.13	3.1	5	0.18	16850	<0.2	<3	0.08	919	1	61.2	77.4	3	2.3	702
44C		0.13	3.3	3	0.27	16800	<0.2	<3	0.06	925	1	58.5	36.5	2	2.9	732
44.5A		0.11	2.1	3	0.18	15800	<0.2	<3	0.05	802	2	139.5	127.0	3	2.4	697
44.5B		0.15	2.0	3	0.16	16650	<0.2	<3	0.06	859	2	199.0	64.5	3	2.6	760
44.5C		0.11	2.6	<2	0.16	16000	<0.2	<3	0.06	928	1	65.0	92.4	2	2.5	728
45B		0.09	3.6	7	0.37	12950	<0.2	<3	0.06	825	2	66.0	57.1	3	3.3	649
45F		0.12	3.2	<2	0.23	17650	<0.2	<3	<0.05	916	2	51.5	34.7	2	2.8	674
45E		0.13	4.6	<2	0.27	19000	<0.2	<3	<0.05	990	2	30.4	23.8	2	2.9	676
46A		0.13	3.5	<2	0.27	12100	<0.2	<3	0.07	>1000	1	98.2	49.0	27	2.2	750
46B		0.09	5.2	<2	0.25	13600	<0.2	<3	0.08	>1000	2	17.7	34.2	2	2.5	819
46C		0.08	5.9	<2	0.64	13500	<0.2	<3	<0.05	>1000	2	15.5	47.0	2	2.2	770
37.5A		0.12	2.5	<2	0.18	11150	<0.2	<3	<0.05	766	2	137.0	56.1	2	3.7	775
37.5B		0.20	2.0	2	0.17	11550	<0.2	<3	<0.05	746	2	193.0	41.6	3	3.8	760
37.5C		0.17	2.1	4	0.17	5450	0.4	<3	0.05	742	2	286	74.0	2	3.6	782
45A		0.12	4.5	<2	0.20	13800	<0.2	<3	<0.05	864	2	55.4	44.5	3	3.1	687
45C		0.07	4.3	3	1.75	14600	<0.2	<3	<0.05	855	2	51.3	38.9	2	3.3	713
45D		0.08	4.1	<2	1.66	15300	<0.2	<3	<0.05	950	2	22.5	120.5	2	2.8	694
45.5A		0.15	3.0	<2	0.26	13950	0.2	<3	<0.05	912	1	117.5	83.1	2	2.6	761
45.5B		0.12	3.4	<2	0.20	13650	<0.2	<3	<0.05	939	1	74.0	91.4	2	2.8	723
45.5C		0.15	3.1	<2	0.40	14600	<0.2	<3	<0.05	900	1	97.3	56.1	2	2.9	698



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Page: 2 - B  
 Total # Pages: 2 (A - E)  
 Plus Appendix Pages  
 Finalized Date: 18-JUL-2016  
 Account: DAYJAC

**CERTIFICATE OF ANALYSIS AD16099632**

Sample Description	Method Analyte Units LOR	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	
		Dy	Er	Eu	Fe	Ga	Gd	Ge	Hf	Hg	Ho	I	In	La	Li	Lu
		ppb	ppb	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppm	ppb	ppb	ppb	ppb
37A																
37B																
37C																
38A		182.0	71.2	68.0	3.4	4.4	322	1.4	0.8	0.1	26.3	0.07	<0.1	258	1.7	3.9
38B		264	104.5	92.2	4.1	5.5	440	1.9	1.2	0.1	38.2	0.08	<0.1	313	1.8	5.9
38C		230	87.1	86.0	4.1	5.3	408	1.8	1.0	<0.1	33.0	0.07	<0.1	293	1.6	4.6
38.5A		215	82.6	78.8	4.7	4.7	371	1.6	1.0	0.1	30.8	0.08	<0.1	247	2.8	4.4
38.5B		364	156.5	110.0	4.4	6.6	530	2.4	1.8	<0.1	55.6	0.07	<0.1	343	1.9	9.6
38.5C		194.0	74.4	73.8	4.4	4.5	345	1.7	0.9	<0.1	28.0	0.07	<0.1	228	1.6	4.1
42A		204	78.0	70.8	5.1	3.8	339	1.5	1.0	0.1	29.8	0.05	<0.1	234	2.0	4.2
42B		242	96.4	82.1	5.3	4.6	394	1.5	1.2	0.2	35.9	0.06	<0.1	277	2.0	5.2
42C		262	107.5	87.8	5.4	4.9	423	1.9	1.3	0.1	39.1	0.05	<0.1	299	2.0	6.1
43A		295	125.0	93.4	5.9	5.6	439	2.0	1.5	0.1	44.7	0.05	<0.1	328	2.6	7.2
43B		189.5	74.9	64.0	5.4	3.6	306	1.5	1.0	0.1	27.8	0.07	<0.1	210	1.6	4.1
43C		219	88.1	75.6	5.6	4.5	357	1.8	1.2	0.1	32.1	0.06	<0.1	277	2.8	4.9
44A		182.5	72.2	64.3	5.9	3.5	306	1.4	1.0	<0.1	27.2	0.08	<0.1	214	1.8	4.2
44B		158.0	60.6	58.9	5.6	3.4	279	1.3	0.9	<0.1	23.2	0.07	<0.1	211	25.9	3.4
44C		131.5	49.8	52.9	5.6	3.3	244	1.2	0.7	<0.1	19.0	0.06	<0.1	202	2.2	2.8
44.5A		162.5	66.8	58.4	5.0	4.1	272	1.2	0.9	<0.1	24.0	0.06	<0.1	243	2.0	4.1
44.5B		237	100.0	79.5	5.4	5.2	382	1.9	1.4	<0.1	35.8	0.08	<0.1	292	2.0	6.0
44.5C		156.0	63.3	55.0	5.7	3.4	259	1.2	0.9	<0.1	23.3	0.07	<0.1	192.0	1.6	3.7
45B		252	106.5	82.2	5.0	4.7	399	1.9	1.5	<0.1	38.4	0.07	<0.1	267	1.9	6.3
45F		190.0	78.6	62.9	5.9	3.3	301	1.2	1.2	0.1	28.5	0.07	<0.1	202	1.3	4.6
45E		187.0	74.6	64.3	6.5	3.5	307	1.4	1.1	0.1	27.7	0.06	<0.1	208	1.4	4.1
46A		127.0	53.1	40.1	6.7	2.4	199.5	0.7	0.8	<0.1	19.4	0.09	<0.1	155.0	1.8	3.3
46B		73.6	28.1	28.6	7.2	1.6	135.5	0.4	<0.5	<0.1	10.9	0.06	<0.1	102.5	1.5	1.5
46C		67.3	26.6	24.8	6.9	1.2	118.0	0.4	<0.5	<0.1	10.0	0.06	<0.1	86.1	1.2	1.4
37.5A		232	91.0	85.6	4.9	6.1	406	2.3	1.4	<0.1	33.5	0.07	<0.1	292	1.9	5.2
37.5B		324	138.0	102.0	4.8	6.6	494	2.7	2.0	<0.1	48.8	0.07	<0.1	305	1.8	8.5
37.5C		387	168.5	115.5	4.6	7.8	568	2.9	2.2	<0.1	58.2	0.08	<0.1	363	1.8	10.8
45A		293	122.0	94.2	5.5	5.7	462	2.2	1.8	0.2	44.1	0.07	<0.1	302	1.8	7.1
45C		257	104.0	85.3	5.4	5.1	414	2.2	1.5	0.4	38.2	0.07	<0.1	283	1.6	5.8
45D		140.5	54.4	50.2	5.9	2.9	241	1.1	0.8	<0.1	20.6	0.06	<0.1	163.0	6.9	2.8
45.5A		211	91.0	65.6	5.8	4.3	321	1.5	1.3	<0.1	32.4	0.10	<0.1	235	1.6	5.7
45.5B		184.5	75.9	61.3	6.0	4.2	299	1.5	1.1	<0.1	27.3	0.09	<0.1	231	1.5	4.3
45.5C		184.5	75.9	62.2	5.6	4.4	300	1.5	1.1	<0.1	27.3	0.09	<0.1	234	1.5	4.5



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Page: 2 - C  
 Total # Pages: 2 (A - E)  
 Plus Appendix Pages  
 Finalized Date: 18-JUL-2016  
 Account: DAYJAC

**CERTIFICATE OF ANALYSIS AD16099632**

Sample Description	Method Analyte Units LOR	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	
		Mg	Mn	Mo	Nb	Nd	Ni	Pb	Pb 206	Pb 207	Pb 208	Pd	Pr	Pt	Rb	Re
		ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
37A																
37B																
37C																
38A		266	2.06	8.5	0.1	905	1030	60	15	12	31	2.7	122.0	<0.1	153.5	<0.1
38B		279	1.46	9.7	0.1	1140	991	79	20	16	41	4.0	150.5	<0.1	168.5	<0.1
38C		278	1.51	9.6	0.1	1075	1140	75	19	16	40	3.6	142.5	<0.1	153.5	<0.1
38.5A		249	1.32	11.4	0.1	957	935	57	14	12	30	3.5	123.0	<0.1	170.0	<0.1
38.5B		307	1.24	8.3	0.1	1295	973	129	33	27	68	6.1	169.5	<0.1	120.0	<0.1
38.5C		254	1.98	9.5	<0.1	909	1070	63	16	13	33	3.2	116.5	<0.1	148.0	<0.1
42A		297	0.67	6.3	0.1	803	592	74	19	15	39	3.5	103.0	<0.1	176.5	<0.1
42B		327	0.41	7.6	0.1	932	446	75	19	16	39	4.5	122.5	<0.1	165.5	<0.1
42C		321	0.34	5.9	<0.1	997	522	96	24	20	50	4.9	128.0	<0.1	186.0	<0.1
43A		357	0.86	4.0	0.2	1050	552	112	28	23	59	5.3	138.5	<0.1	184.0	<0.1
43B		338	0.52	8.5	0.1	715	430	49	12	10	26	3.7	92.1	<0.1	179.0	<0.1
43C		353	0.63	6.0	0.1	892	457	64	16	13	34	4.4	119.0	<0.1	171.0	<0.1
44A		271	0.82	8.0	<0.1	704	830	75	19	16	39	3.5	88.3	<0.1	154.5	<0.1
44B		288	0.58	6.7	0.1	681	666	70	18	14	37	2.9	87.3	<0.1	131.5	<0.1
44C		266	0.33	6.8	<0.1	646	535	66	17	14	34	2.6	83.0	<0.1	143.5	<0.1
44.5A		284	1.56	7.8	<0.1	758	767	55	14	11	29	3.1	101.0	<0.1	148.0	<0.1
44.5B		301	0.75	6.6	<0.1	970	700	90	23	19	47	4.7	126.5	<0.1	145.5	<0.1
44.5C		259	0.95	9.6	0.1	636	695	53	13	11	28	3.3	81.6	<0.1	139.5	<0.1
45B		290	1.03	11.9	<0.1	935	721	69	18	14	36	4.9	120.5	<0.1	184.0	<0.1
45F		267	0.59	9.8	<0.1	673	610	60	15	13	31	4.0	83.7	<0.1	157.0	<0.1
45E		279	0.43	12.3	<0.1	715	543	52	13	11	27	4.0	88.3	<0.1	169.0	<0.1
46A		280	0.61	6.1	<0.1	420	736	55	14	11	29	2.7	52.8	<0.1	134.0	<0.1
46B		269	0.41	9.4	0.1	301	545	28	7	6	15	1.7	37.0	<0.1	139.5	<0.1
46C		226	0.42	7.6	0.1	242	485	26	7	5	14	1.7	29.4	<0.1	136.0	<0.1
37.5A		326	1.03	9.6	<0.1	1100	933	59	15	12	31	4.6	146.0	<0.1	152.5	<0.1
37.5B		318	0.84	8.2	<0.1	1195	849	104	26	22	54	6.2	154.0	<0.1	151.5	<0.1
37.5C		323	1.17	8.8	<0.1	1360	935	97	25	20	51	7.4	177.5	<0.1	144.5	<0.1
45A		311	0.71	11.1	0.1	1065	638	87	22	18	45	5.8	136.0	0.1	156.5	<0.1
45C		294	0.87	11.2	0.1	979	633	73	18	15	38	5.3	125.0	<0.1	175.0	<0.1
45D		245	1.27	13.7	<0.1	550	762	39	10	8	21	3.1	67.9	<0.1	155.0	<0.1
45.5A		268	0.77	6.3	<0.1	742	684	68	17	14	36	4.3	94.7	<0.1	152.0	<0.1
45.5B		262	0.80	8.6	0.1	717	658	54	14	11	28	3.8	91.6	<0.1	154.5	<0.1
45.5C		271	0.72	7.6	0.1	739	617	58	15	12	30	3.6	95.8	<0.1	156.0	<0.1

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Page: 2 - D  
 Total # Pages: 2 (A - E)  
 Plus Appendix Pages  
 Finalized Date: 18-JUL-2016  
 Account: DAYJAC

**CERTIFICATE OF ANALYSIS AD16099632**

Sample Description	Method Analyte Units LOR	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	
		Sb ppb	Sc ppb	Se ppb	Sm ppb	Sn ppb	Sr ppb	Ta ppb	Tb ppb	Te ppb	Th ppb	Ti ppb	Ti ppb	Tm ppb	U ppb	W ppb
37A		0.5	1	2	0.1	0.2	1	1	0.1	1	0.02	5	0.5	0.1	0.1	1
37B																
37C																
38A		<0.5	3	19	311	<0.2	4670	<1	33.8	<1	5.97	13	1.0	5.2	1.4	1
38B		<0.5	4	22	414	<0.2	5230	<1	47.9	<1	5.73	15	1.0	7.9	1.9	1
38C		<0.5	4	24	389	<0.2	4910	<1	42.6	<1	6.65	18	0.9	6.2	1.5	1
38.5A		<0.5	3	18	358	<0.2	5090	<1	39.3	<1	4.30	14	0.9	5.9	1.7	1
38.5B		<0.5	5	29	488	<0.2	4860	1	61.9	<1	8.01	25	0.8	12.3	2.1	1
38.5C		<0.5	3	22	331	<0.2	4710	<1	36.3	<1	4.55	15	0.9	5.4	1.2	<1
42A		<0.5	3	22	306	0.2	6150	<1	36.8	<1	3.56	14	0.9	5.6	1.0	<1
42B		<0.5	3	25	354	0.2	6500	<1	43.2	<1	2.96	12	0.7	7.0	3.0	1
42C		<0.5	4	27	372	0.2	6300	<1	47.1	<1	4.22	17	0.7	7.9	1.5	1
43A		<0.5	7	26	389	0.2	6650	<1	50.7	<1	5.18	69	1.0	9.4	4.2	1
43B		<0.5	4	19	271	<0.2	6480	<1	33.6	<1	2.63	12	0.9	5.5	2.8	<1
43C		<0.5	4	20	323	0.2	6600	<1	39.0	<1	3.36	16	0.9	6.5	4.1	1
44A		<0.5	3	20	267	<0.2	6330	<1	32.8	<1	2.30	24	0.7	5.2	0.7	<1
44B		<0.5	3	15	250	<0.2	6200	<1	29.1	<1	2.66	14	0.5	4.3	0.8	<1
44C		<0.5	2	16	225	<0.2	6210	<1	24.9	<1	2.01	7	0.5	3.5	0.6	<1
44.5A		<0.5	3	19	260	<0.2	5700	<1	29.2	<1	4.13	10	0.8	5.1	1.0	<1
44.5B		<0.5	4	20	347	<0.2	5920	<1	41.8	<1	5.12	24	0.7	7.6	1.3	<1
44.5C		<0.5	3	18	234	<0.2	5980	<1	27.8	<1	2.29	12	0.7	4.6	0.8	<1
45B		<0.5	3	25	358	0.3	6460	<1	44.3	<1	3.12	14	0.9	8.1	1.2	1
45F		<0.5	3	14	255	<0.2	6330	<1	33.0	<1	2.72	11	0.7	5.8	0.9	<1
45E		<0.5	3	18	271	0.2	6910	<1	33.0	<1	2.06	8	0.7	5.4	0.8	<1
46A		<0.5	3	14	160.5	<0.2	6240	<1	22.0	<1	1.99	19	0.6	4.0	0.2	<1
46B		<0.5	2	14	111.5	<0.2	7050	<1	13.7	<1	0.66	8	0.5	2.0	0.1	<1
46C		<0.5	2	11	91.2	0.3	6350	<1	12.2	<1	0.51	9	0.6	1.9	<0.1	<1
37.5A		<0.5	3	28	392	<0.2	5160	<1	43.0	<1	5.21	21	0.8	6.7	1.3	<1
37.5B		<0.5	4	30	453	<0.2	4940	1	55.9	<1	6.14	12	0.9	10.5	1.3	1
37.5C		<0.5	5	37	517	<0.2	4660	1	65.3	<1	8.24	17	0.8	13.4	1.8	1
45A		<0.5	3	28	410	<0.2	6720	<1	51.1	<1	3.24	26	0.6	9.2	1.2	1
45C		<0.5	3	24	370	0.3	6670	<1	44.9	<1	3.19	17	0.8	7.8	1.3	<1
45D		<0.5	2	18	207	0.3	6420	<1	25.4	<1	1.41	11	0.7	3.8	0.4	<1
45.5A		<0.5	3	19	275	<0.2	5940	<1	35.9	<1	3.37	22	0.8	7.2	0.9	<1
45.5B		<0.5	3	24	261	0.3	6120	<1	32.1	<1	2.63	22	0.7	5.6	0.8	<1
45.5C		<0.5	3	22	266	0.2	6080	<1	32.4	<1	3.07	21	0.7	5.8	0.8	<1



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Page: 2 - E  
 Total # Pages: 2 (A - E)  
 Plus Appendix Pages  
 Finalized Date: 18-JUL-2016  
 Account: DAYJAC

**CERTIFICATE OF ANALYSIS AD16099632**

Sample Description	Method Analyte Units LOR	ME-MS23	ME-MS23	ME-MS23	ME-MS23	pH-MS23
		Y	Yb	Zn	Zr	Final pH
		ppb	ppb	ppb	ppb	Unity
37A						
37B						
37C						
38A		758	25.7	20	4.0	8.2
38B		1080	38.6	10	3.5	8.2
38C		930	31.1	<10	3.8	8.2
38.5A		906	29.7	10	3.7	8.4
38.5B		1500	62.0	10	4.6	8.2
38.5C		812	26.5	10	2.8	8.4
42A		857	27.7	10	2.4	8.2
42B		1060	34.3	10	1.9	8.2
42C		1135	38.6	10	2.6	8.2
43A		1255	46.4	10	4.2	7.9
43B		827	26.8	10	1.8	8.2
43C		973	32.3	10	2.1	8.2
44A		756	26.0	10	2.1	8.4
44B		670	21.7	10	2.2	8.4
44C		581	17.4	10	1.8	8.6
44.5A		690	26.3	10	3.1	8.4
44.5B		983	39.9	10	3.5	8.2
44.5C		688	23.8	10	2.8	8.6
45B		1055	40.4	20	2.6	8.4
45F		776	29.5	10	2.6	8.4
45E		802	26.3	10	3.0	8.4
46A		538	20.7	20	2.7	8.4
46B		375	10.3	30	1.6	8.6
46C		338	9.4	40	1.7	8.6
37.5A		956	33.9	10	4.0	8.4
37.5B		1305	54.3	10	4.0	8.4
37.5C		1535	70.5	10	4.5	8.2
45A		1215	45.9	10	2.7	8.2
45C		1065	38.7	10	2.9	8.2
45D		611	18.6	20	2.0	8.6
45.5A		867	36.4	10	3.5	8.2
45.5B		758	28.1	10	3.7	8.4
45.5C		747	29.3	10	3.0	8.4

