

Mc ARTHUR RIVER MINING
DIAMOND DRILL HOLE HEADER SUMMARY SHEET

HOLE I.D.	: <u>00_05</u>	LOCATION (eg.drive name)	: <u>2H14 Pad</u>
GRID AZIMUTH	: <u>90</u>	DESIGN DEPTH (m)	: <u>115</u>
COLLAR INCLINATION	: <u>-21</u>	TOTAL DEPTH (m)	: <u>120.9</u>
<u>SURVEYED COLLAR CO-ORDINATES</u>		DATE STARTED	: <u>28/01/2000</u>
EASTING	: <u>7853.58</u>	DATE FINISHED	: <u>29/01/2000</u>
NORTHING	: <u>1788.26</u>	DRILLED BY	: <u>Boart Longyear</u>
RL	: <u>9648.81</u>	<u>CORE INTERVALS ASSAYED:</u>	
HOLE/CORE SIZE(S)	: <u>LTK 48</u>	<u>96.2-107.55</u>	<u>I23</u>
LOGGED BY	: <u>MF</u>	<u>107.55-114.85</u>	<u>2</u>
D/HOLE SURVEY METHOD	: <u>EASTMAN SS</u>	<u>114.85-116.25</u>	<u>I12</u>
		LOCAL MAG. DEV.	: <u>+ 5</u>
		(add to downhole survey azim. reading)	

RAW DOWNHOLE SURVEY DATA


Depth (m)	Azimuth(Mag)	Dip	Depth (m)	Azimuth(Mag)	Dip
0	90	-21			
30	89	-21			
60	89	-21			
90	89.5	-21.25			
120.9	89.5	-21.25			

Surveyed Collar & Geology Entered Into Vulcan Database : April 2000
 Assays Entered Into Vulcan Database : April 2000

Comments:

Mc ARTHUR RIVER MINING
DIAMOND DRILL HOLE PROPOSAL FORM

HOLE I.D. : <u>00/05</u>	LOCATION (eg.drive name) : <u>2H14 Pad</u>
PROPOSED START DATE <u>28/01/00</u>	DESIGN AZIMUTH (GRID) : <u>90</u>
DESIGN DEPTH : <u>115</u>	DESIGN AZIMUTH (MAG) : <u>85</u>
<u>ESTIMATE COLLAR CO-ORDINATES</u>	DESIGN INCLINATION : <u>-21 DEG</u>
EASTING : <u>7854.8</u>	<u>SURVEYED COLLAR CO-ORDINATES</u>
NORTHING : <u>1789.9</u>	EASTING : _____
RL : <u>9649.2</u>	NORTHING : _____
GEOLOGIST : <u>MF</u>	RL : _____
<u>LOCATION SKETCH</u>	SURVEYOR : _____



Comments: SURVEY AT 6m THEN EVERY 30m
EOH UNDER GEOLOGICAL CONTROL

