



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
 No: 825, Corporate Site No: 23001.

CERTIFICATE AD16230111

Project: AMI-Winnecke Gold

This report is for 98 Soil samples submitted to our lab in Adelaide, SA, Australia on 31-DEC-2016.

The following have access to data associated with this certificate:

ZHONG LI GANG

DAVID (HAISHUN) SUN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login - Rcd w/o BarCode
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **AMI RESOURCES PTY LTD**
ATTN: DAVID (HAISHUN) SUN
30 EILDON ROAD
ASHWOOD VIC 3147

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
 No: 825, Corporate Site No: 23001.

Page: 2 - A
 Total # Pages: 4 (A)
 Plus Appendix Pages
 Finalized Date: 31-JAN-2017
 Account: AMIRES

Project: AMI-Winnecke Gold

CERTIFICATE OF ANALYSIS AD16230111

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Cu-OG62
		Recvd Wt.	Au	Ag	As	Bi	Cu	Mo	Pb	Sb	Sn	Th	U	W	Cu
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.5	5	2	1	1	2	5	10	20	10	10	0.001
1-1		0.42	<0.01	<0.5	<5	<2	16	1	14	<5	<10	50	<10	<10	
1-2		0.44	<0.01	<0.5	7	<2	17	3	13	<5	<10	50	<10	<10	
1-3		0.40	<0.01	<0.5	<5	<2	41	<1	9	<5	<10	40	<10	<10	
1-4		0.37	<0.01	<0.5	<5	<2	78	1	13	<5	<10	40	<10	<10	
1-5		0.43	<0.01	<0.5	<5	<2	76	<1	11	<5	<10	40	<10	<10	
1-6		0.45	<0.01	<0.5	5	<2	77	<1	13	<5	10	60	<10	<10	
1-7		0.35	<0.01	<0.5	<5	<2	78	1	13	<5	10	40	<10	<10	
1-8		0.49	<0.01	<0.5	<5	<2	131	1	13	<5	<10	40	<10	<10	
1-9		0.39	<0.01	<0.5	<5	<2	166	<1	13	<5	<10	50	<10	<10	
1-10		0.38	0.01	<0.5	<5	<2	196	<1	14	<5	<10	50	<10	<10	
1-11		0.40	<0.01	0.5	<5	<2	306	1	15	<5	<10	40	<10	<10	
1-12		0.31	<0.01	5.3	<5	<2	1040	4	16	<5	10	110	<10	<10	
1-13		0.43	<0.01	<0.5	<5	<2	255	1	13	<5	<10	110	<10	<10	
1-14		0.36	<0.01	<0.5	<5	<2	79	<1	17	<5	<10	50	<10	<10	
1-15		0.44	<0.01	<0.5	<5	<2	10	<1	11	<5	<10	20	<10	<10	
1-16		0.26	<0.01	<0.5	5	<2	7	1	11	<5	<10	20	<10	<10	
1-17		0.31	<0.01	<0.5	5	<2	15	<1	19	<5	10	30	<10	<10	
1-18		0.39	<0.01	<0.5	<5	<2	6	<1	10	<5	<10	20	<10	<10	
1-19		0.39	<0.01	<0.5	<5	<2	5	<1	10	<5	<10	<20	<10	<10	
1-20		0.45	<0.01	<0.5	<5	<2	8	<1	13	<5	<10	<20	<10	<10	
1-21		0.37	<0.01	<0.5	<5	<2	5	<1	12	<5	<10	<20	<10	<10	
1-22		0.48	<0.01	<0.5	<5	<2	4	1	15	<5	<10	<20	<10	<10	
1-23		0.40	<0.01	<0.5	<5	<2	9	<1	15	<5	<10	<20	<10	<10	
1-24		0.35	<0.01	<0.5	<5	<2	13	<1	20	<5	<10	<20	<10	<10	
1-25		0.32	<0.01	<0.5	7	<2	11	<1	38	<5	<10	<20	<10	<10	
1-26		0.37	<0.01	<0.5	8	<2	14	1	44	<5	<10	<20	<10	<10	
1-27		0.32	<0.01	<0.5	8	<2	12	<1	33	<5	<10	<20	<10	<10	
1-28		0.25	<0.01	<0.5	10	<2	15	<1	20	<5	10	<20	<10	<10	
1-29		0.38	<0.01	<0.5	9	2	11	<1	20	<5	<10	<20	<10	<10	
3-1		0.34	<0.01	<0.5	8	<2	10	<1	21	<5	10	<20	<10	<10	
3-2		0.30	<0.01	<0.5	10	<2	76	<1	20	<5	<10	<20	<10	<10	
3-3		0.35	<0.01	<0.5	11	<2	62	1	22	<5	<10	<20	<10	<10	
3-4		0.43	<0.01	<0.5	<5	<2	30	1	28	<5	<10	20	<10	<10	
3-5		0.34	<0.01	<0.5	10	<2	18	<1	37	<5	<10	20	<10	<10	
3-6		0.37	<0.01	<0.5	11	<2	15	1	30	<5	<10	<20	<10	<10	
3-7		0.38	<0.01	<0.5	14	<2	20	<1	33	<5	<10	20	<10	<10	
3-8		0.35	<0.01	<0.5	14	<2	18	1	42	<5	<10	20	<10	<10	
3-9		0.38	<0.01	<0.5	13	<2	54	2	25	<5	<10	<20	<10	<10	
3-10		0.42	<0.01	<0.5	12	4	164	3	34	<5	<10	30	<10	<10	
3-11		0.42	<0.01	<0.5	12	2	185	2	23	<5	<10	30	<10	<10	



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
 No: 825, Corporate Site No: 23001.

Project: AMI-Winnecke Gold

CERTIFICATE OF ANALYSIS AD16230111

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Cu-OG62
		Recvd Wt.	Au	Ag	As	Bi	Cu	Mo	Pb	Sb	Sn	Th	U	W	Cu
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.5	5	2	1	2	5	10	20	10	10	10	0.001
3-12		0.36	0.01	<0.5	15	30	447	2	24	<5	<10	30	<10	<10	
3-13		0.45	<0.01	<0.5	22	10	192	4	27	<5	<10	30	<10	<10	
3-14		0.49	<0.01	<0.5	<5	<2	179	1	16	<5	<10	<20	<10	<10	
3-15		0.56	<0.01	<0.5	5	<2	45	1	10	<5	<10	<20	<10	<10	
3-16		0.47	<0.01	<0.5	<5	2	28	1	10	<5	10	20	<10	<10	
3-17		0.46	<0.01	<0.5	<5	<2	25	1	13	<5	<10	<20	<10	<10	
3-18		0.36	0.01	<0.5	<5	<2	28	1	12	<5	<10	20	<10	<10	
4-1		0.36	<0.01	<0.5	<5	<2	10	<1	11	<5	<10	<20	<10	<10	
4-2		0.42	<0.01	<0.5	<5	<2	13	<1	13	<5	<10	<20	<10	<10	
4-3		0.37	<0.01	<0.5	<5	<2	16	<1	12	<5	<10	<20	<10	10	
4-4		0.38	0.01	<0.5	<5	<2	25	1	14	<5	<10	<20	<10	<10	
4-5		0.34	0.01	<0.5	<5	<2	49	<1	12	<5	<10	<20	<10	<10	
4-6		0.48	<0.01	<0.5	5	<2	55	<1	12	<5	<10	<20	<10	<10	
4-7		0.36	<0.01	<0.5	<5	<2	33	1	13	<5	<10	<20	<10	10	
4-8		0.40	<0.01	<0.5	<5	<2	34	3	12	<5	10	<20	<10	80	
4-9		0.39	<0.01	<0.5	<5	<2	50	1	10	<5	10	<20	<10	20	
4-10		0.40	0.01	<0.5	<5	6	504	1	14	<5	<10	<20	<10	20	
4-11		0.43	0.01	<0.5	<5	17	1000	3	14	<5	10	<20	<10	90	
4-12		0.45	0.01	0.9	<5	59	>10000	14	22	<5	70	<20	10	190	1.700
4-13		0.46	<0.01	<0.5	<5	<2	43	<1	14	<5	10	<20	<10	10	
4-14		0.45	<0.01	<0.5	<5	<2	24	<1	16	<5	<10	20	<10	<10	
4-15		0.44	<0.01	<0.5	5	2	20	<1	16	<5	<10	<20	<10	<10	
4-16		0.46	<0.01	<0.5	<5	<2	27	<1	16	<5	10	<20	<10	<10	
4-17		0.44	<0.01	<0.5	<5	<2	16	<1	14	<5	<10	20	<10	<10	
4-18		0.49	<0.01	<0.5	<5	<2	25	2	19	<5	<10	20	<10	<10	
4-19		0.50	<0.01	<0.5	<5	<2	10	<1	11	<5	<10	20	<10	<10	
4-20		0.45	<0.01	<0.5	<5	<2	14	<1	11	<5	<10	20	<10	<10	
4-21		0.43	<0.01	<0.5	<5	<2	14	<1	10	<5	<10	30	<10	<10	
4-22		0.39	<0.01	<0.5	<5	<2	15	<1	11	<5	<10	30	<10	<10	
4-23		0.43	<0.01	<0.5	<5	<2	12	<1	10	<5	<10	20	<10	<10	
4-24		0.36	<0.01	<0.5	<5	<2	24	1	12	<5	<10	20	<10	<10	
4-25		0.39	<0.01	<0.5	<5	<2	21	1	13	<5	<10	20	<10	10	
4-26		0.36	<0.01	<0.5	<5	<2	17	1	17	<5	10	20	<10	50	
4-27		0.40	<0.01	<0.5	<5	<2	7	<1	13	<5	<10	<20	<10	<10	
4-28		0.47	<0.01	<0.5	<5	<2	11	<1	12	<5	<10	<20	<10	<10	
4-29		0.44	<0.01	<0.5	<5	<2	11	<1	10	<5	10	<20	<10	<10	
4-30		0.36	<0.01	<0.5	<5	<2	8	<1	10	<5	10	40	<10	<10	
5-1		0.32	0.01	<0.5	5	<2	9	<1	9	<5	<10	130	<10	<10	
5-2		0.48	<0.01	<0.5	<5	<2	21	<1	9	<5	<10	90	<10	<10	
5-3		0.37	<0.01	<0.5	<5	<2	17	<1	7	<5	<10	60	<10	<10	



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
 No: 825, Corporate Site No: 23001.

Project: AMI-Winnecke Gold

CERTIFICATE OF ANALYSIS AD16230111

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Cu-OG62
		Recvd Wt. kg	Au ppm	Ag ppm	As ppm	Bi ppm	Cu ppm	Mo ppm	Pb ppm	Sb ppm	Sn ppm	Th ppm	U ppm	W ppm	Cu %
		0.02	0.01	0.5	5	2	1	1	2	5	10	20	10	10	0.001
5-4		0.42	<0.01	<0.5	<5	<2	14	<1	7	<5	<10	40	<10	<10	
5-5		0.41	0.01	<0.5	<5	<2	13	<1	9	<5	<10	40	<10	<10	
5-6		0.34	<0.01	<0.5	<5	<2	16	1	15	<5	<10	50	<10	<10	
5-7		0.47	<0.01	<0.5	<5	<2	14	<1	14	<5	<10	30	<10	<10	
5-8		0.39	<0.01	<0.5	<5	<2	16	1	13	<5	<10	20	<10	<10	
5-9		0.40	<0.01	<0.5	<5	<2	11	<1	11	<5	<10	20	<10	<10	
5-10		0.38	<0.01	<0.5	<5	<2	21	1	11	<5	<10	20	<10	<10	
5-11		0.43	<0.01	<0.5	<5	<2	18	<1	17	<5	<10	20	<10	<10	
5-12		0.49	<0.01	<0.5	<5	<2	19	1	13	<5	10	30	<10	<10	
5-13		0.48	<0.01	<0.5	<5	<2	17	<1	14	<5	<10	30	<10	<10	
5-14		0.42	<0.01	<0.5	<5	<2	22	1	15	<5	<10	40	<10	<10	
5-15		0.47	<0.01	<0.5	<5	2	26	<1	13	<5	<10	40	<10	<10	
5-16		0.39	<0.01	<0.5	<5	<2	24	1	12	<5	<10	40	<10	<10	
5-17		0.46	<0.01	<0.5	<5	<2	40	1	18	<5	<10	40	<10	<10	
5-18		0.36	<0.01	<0.5	6	<2	49	<1	18	<5	<10	40	<10	<10	
5-19		0.40	<0.01	<0.5	<5	<2	59	1	22	<5	<10	40	<10	<10	
5-20		0.44	<0.01	<0.5	<5	<2	26	<1	16	<5	<10	30	<10	<10	
5-21		0.37	<0.01	<0.5	<5	<2	19	<1	18	<5	<10	30	<10	<10	

