



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

Page: 1
Total # Pages: 2 (A - E)
Plus Appendix Pages
Finalized Date: 15-SEP-2017
This copy reported on 20-SEP-2017
Account: DAYJAC

CERTIFICATE AD17177211

Project: Kirkimbie Diamond Project

This report is for 32 Soil samples submitted to our lab in Adelaide, SA, Australia on 21-AUG-2017.

The following have access to data associated with this certificate:

RUSS KNIGHT

TONY MARTIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% <75 um
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS23	IONIC Leach - Complete PKG.	ICP-MS
pH-MS23	MS23 Leach pH	

To: DAYLIGHT JACK MINERALS
ATTN: TONY MARTIN
BOX 145
RUSHWORTH VIC 3612

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

Page: 2 - A
Total # Pages: 2 (A - E)
Plus Appendix Pages
Finalized Date: 15-SEP-2017
Account: DAYJAC

Project: Kirkimbie Diamond Project

CERTIFICATE OF ANALYSIS AD17177211

Sample Description	Method Analyte Units LOR	WEI - 21 Recvd Wt. kg 0.02	PUL - QC Pass75um % 0.01	ME - MS23 Ag ppb 0.1	ME - MS23 As ppb 2	ME - MS23 Au ppb 0.02	ME - MS23 Ba ppb 10	ME - MS23 Be ppb 0.2	ME - MS23 Bi ppb 3	ME - MS23 Br ppm 0.05	ME - MS23 Ca ppm 0.2	ME - MS23 Cd ppb 1	ME - MS23 Ce ppb 0.1	ME - MS23 Co ppb 0.3	ME - MS23 Cr ppb 1	ME - MS23 Cs ppb 0.1
CLD1		0.12		5.4	6	1.95	6390	<0.2	<3	0.70	>1000	3	28.1	1915	69	9.9
CLD2		0.16		4.3	5	0.27	7800	<0.2	<3	0.52	806	4	256	3050	105	14.5
CLD3		0.12		5.5	7	0.39	7370	<0.2	<3	0.64	763	3	307	2790	108	15.0
CLD4		0.17		6.4	10	0.98	7790	<0.2	<3	0.72	789	3	136.0	2030	82	18.3
CLD5		0.15		7.1	12	0.44	7970	<0.2	<3	0.86	798	3	173.0	2360	95	17.3
CLD6		0.16		7.0	3	0.62	8260	<0.2	<3	0.75	802	3	180.0	2360	86	17.2
CLD7		0.16		8.3	7	0.53	11600	<0.2	<3	0.82	898	3	103.5	2070	108	21.4
CLD8		0.24	93.0	7.4	6	0.24	10550	<0.2	<3	0.92	892	3	107.0	2120	80	18.1
CLD9		0.12		7.6	8	0.33	7960	<0.2	<3	0.65	828	3	154.0	2280	116	20.7
CLD10		0.14		6.7	8	0.44	10050	<0.2	<3	0.84	840	3	264	2810	122	21.5
CLD11		0.15		7.6	9	0.71	10250	<0.2	<3	0.73	907	3	143.5	2050	115	24.5
CLD12		0.13		6.9	14	0.38	9340	<0.2	<3	0.71	822	4	238	2420	125	21.0
CLD13		0.21		6.8	7	0.46	9330	<0.2	<3	0.78	842	2	105.5	1710	74	20.1
CLD14		0.19		0.9	15	0.33	12700	<0.2	<3	0.44	549	5	163.0	6330	139	6.4
CC1		0.12		6.9	8	0.23	7650	<0.2	<3	0.58	807	3	201	2100	117	22.0
CC2		0.15		4.2	10	1.29	7790	<0.2	<3	0.73	883	4	173.5	2740	115	15.8
MDC1		0.13		5.9	7	0.38	15300	<0.2	<3	0.32	>1000	4	30.6	3320	104	9.5
MDC2		0.18		6.4	6	0.89	14550	<0.2	<3	0.39	>1000	3	40.2	2940	72	8.9
MDC3		0.16		6.6	5	0.48	17700	<0.2	<3	0.44	>1000	4	52.0	3600	97	11.1
MDC4		0.17		6.2	6	0.42	13600	<0.2	<3	0.38	>1000	3	35.5	2230	70	9.8
MDC5		0.18		4.8	8	0.66	15250	<0.2	<3	0.43	>1000	3	72.2	4120	104	10.1
MDC6		0.14		6.4	3	1.33	10950	<0.2	<3	0.45	>1000	3	56.8	2970	95	13.0
MDC7		0.16		5.9	8	1.09	10800	<0.2	<3	0.40	>1000	3	70.5	2690	82	12.8
MDC8		0.18		6.7	4	2.42	12500	<0.2	<3	0.42	>1000	3	48.4	2600	68	13.5
MDC9		0.13		5.7	5	0.87	13000	<0.2	<3	0.36	>1000	3	57.9	3020	97	16.7
MDC10		0.15		6.4	7	1.38	12650	<0.2	<3	0.47	>1000	3	35.7	2260	81	14.3
MDC11		0.08		7.8	9	7.17	11550	<0.2	<3	0.44	>1000	4	129.5	2750	149	18.9
MDC12		0.19		5.3	9	0.84	11050	<0.2	<3	0.34	>1000	2	46.9	1665	58	14.3
MDC13		0.16		6.0	4	1.63	12700	<0.2	<3	0.42	>1000	3	61.7	2810	83	15.8
MDC14		0.13		5.1	7	0.77	15000	<0.2	<3	0.35	>1000	4	122.0	4010	127	17.1
MDC18		0.13		6.4	10	1.64	10050	<0.2	<3	0.49	>1000	3	28.4	1870	84	17.2
MDC19		0.10		7.2	14	1.36	7190	<0.2	<3	0.48	>1000	3	31.3	2510	92	19.3



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218

www.alsglobal.com/geochemistry

Page: 2 - B

Total # Pages: 2 (A - E)

Plus Appendix Pages

Finalized Date: 15-SEP-2017

Account: DAYJAC

Project: Kirkimbie Diamond Project

CERTIFICATE OF ANALYSIS AD17177211

Sample Description	Method Analyte Units LOR	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23
		Cu	Dy	Er	Eu	Fe	Ga	Gd	Ge	Hf	Hg	Ho	I	In	La
		ppb	ppb	ppb	ppb	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppm	ppb	ppb
		1	0.1	0.1	0.1	0.1	0.5	0.1	0.1	0.5	0.1	0.1	0.01	0.1	0.1
CLD1		1505	50.3	27.9	15.2	1.5	1.3	62.2	0.3	<0.5	0.3	11.1	0.19	<0.1	33.0
CLD2		1110	162.0	108.0	48.3	3.7	6.8	185.0	2.1	<0.5	0.2	37.2	0.11	<0.1	269
CLD3		1140	177.0	118.0	53.8	4.7	6.6	201	2.3	<0.5	0.3	40.4	0.12	<0.1	332
CLD4		930	210	134.5	62.4	2.6	6.3	240	2.7	<0.5	0.2	47.4	0.13	<0.1	251
CLD5		1030	207	137.5	60.6	3.3	6.5	231	2.5	<0.5	0.4	47.4	0.12	<0.1	295
CLD6		922	210	142.0	62.2	3.3	6.6	239	2.7	<0.5	0.2	49.0	0.12	<0.1	308
CLD7		817	256	164.0	75.4	4.0	7.0	288	3.2	<0.5	0.1	58.8	0.15	<0.1	326
CLD8		922	239	152.5	71.5	2.5	6.6	271	3.0	<0.5	0.2	54.3	0.14	<0.1	273
CLD9		1055	171.5	119.5	50.0	4.2	5.3	195.0	2.0	<0.5	0.3	40.1	0.15	<0.1	232
CLD10		981	144.5	100.0	45.0	4.0	6.2	164.0	2.1	<0.5	0.2	33.6	0.13	<0.1	261
CLD11		1025	194.0	132.0	56.4	4.1	5.6	212	2.4	<0.5	0.3	45.1	0.14	<0.1	276
CLD12		1065	187.0	132.5	55.8	4.5	6.8	212	2.7	<0.5	0.3	44.3	0.10	<0.1	309
CLD13		837	213	140.0	62.0	3.2	5.9	235	2.5	<0.5	0.3	49.6	0.13	<0.1	286
CLD14		1350	28.9	34.7	7.3	2.3	4.3	25.3	0.5	<0.5	0.1	8.6	0.06	<0.1	62.4
CC1		1060	191.5	133.5	56.4	4.7	6.7	215	2.6	<0.5	0.3	44.9	0.14	<0.1	291
CC2		1170	168.5	110.5	50.0	3.0	5.5	192.5	2.1	<0.5	0.2	38.6	0.13	<0.1	217
MDC1		1050	27.8	20.7	5.9	1.3	1.2	29.2	0.3	<0.5	0.2	7.0	0.07	<0.1	20.2
MDC2		1095	44.7	29.8	10.7	1.0	1.4	48.6	0.5	<0.5	0.2	10.7	0.10	<0.1	39.0
MDC3		1260	53.6	35.6	13.4	1.7	1.8	62.1	0.6	<0.5	0.2	12.7	0.11	<0.1	52.0
MDC4		1110	60.1	39.0	15.0	1.4	1.6	67.2	0.5	<0.5	0.3	14.2	0.13	<0.1	53.5
MDC5		1000	41.8	29.9	10.1	1.3	2.1	45.0	0.4	<0.5	0.1	10.2	0.11	<0.1	37.5
MDC6		1175	71.2	45.6	21.6	2.3	2.4	87.9	0.8	<0.5	0.3	16.9	0.14	<0.1	75.5
MDC7		1065	74.7	47.5	21.9	1.8	2.4	91.2	0.9	<0.5	0.2	17.3	0.14	<0.1	80.1
MDC8		1100	81.2	49.5	23.0	1.7	2.3	97.3	0.8	<0.5	0.2	18.4	0.15	<0.1	78.4
MDC9		1090	78.3	47.8	22.6	2.2	2.4	93.6	0.8	<0.5	0.3	17.8	0.13	<0.1	84.1
MDC10		1085	93.9	58.0	26.7	1.7	2.3	111.0	1.0	<0.5	0.3	21.5	0.16	<0.1	80.5
MDC11		1310	81.6	53.8	23.2	4.4	3.0	92.4	0.9	<0.5	0.3	19.1	0.17	<0.1	111.0
MDC12		871	98.7	58.2	29.3	1.8	2.7	118.5	1.1	<0.5	0.1	21.7	0.17	<0.1	93.1
MDC13		1075	93.7	58.0	27.9	2.0	2.8	112.5	1.1	<0.5	0.3	21.4	0.16	<0.1	102.0
MDC14		838	65.3	42.7	19.8	2.2	3.4	80.3	0.9	<0.5	0.1	15.1	0.11	<0.1	99.6
MDC18		1055	83.9	51.3	24.8	2.2	2.1	100.5	0.9	<0.5	0.3	19.0	0.19	<0.1	76.2
MDC19		1230	63.7	38.2	18.3	2.4	1.8	75.5	0.8	<0.5	0.3	14.3	0.16	<0.1	56.4



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218

www.alsglobal.com/geochemistry

Page: 2 - C

Total # Pages: 2 (A - E)

Plus Appendix Pages

Finalized Date: 15-SEP-2017

Account: DAYJAC

Project: Kirkimbie Diamond Project

CERTIFICATE OF ANALYSIS AD17177211

Sample Description	Method Analyte Units LOR	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23
		Lu	Mg	Mn	Mo	Nb	Nd	Ni	Pb	Pd	Pr	Pt	Rb	Re	Sb
		ppb	ppm	ppm	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
		0.1	0.01	0.01	0.5	0.1	0.1	1	0.1	0.1	0.1	0.1	0.1	0.1	0.5
CLD1		4.1	248	6.57	8.0	0.1	92.7	843	34.1	<0.1	13.9	<0.1	682	<0.1	<0.5
CLD2		18.7	432	25.3	18.9	<0.1	428	1505	81.0	<0.1	77.7	<0.1	970	<0.1	<0.5
CLD3		20.8	392	23.8	18.1	<0.1	481	1400	77.2	<0.1	92.0	<0.1	1015	<0.1	<0.5
CLD4		21.0	433	14.35	17.1	<0.1	491	1230	83.3	<0.1	84.1	<0.1	979	<0.1	<0.5
CLD5		22.4	437	17.25	17.1	<0.1	521	1365	90.6	<0.1	92.4	<0.1	1050	<0.1	<0.5
CLD6		22.5	414	16.70	15.4	<0.1	522	1280	87.6	<0.1	95.0	<0.1	999	<0.1	<0.5
CLD7		24.9	443	16.75	21.3	<0.1	599	1340	424	<0.1	104.0	<0.1	1150	<0.1	<0.5
CLD8		23.8	435	16.60	21.8	<0.1	551	1330	87.4	<0.1	92.8	<0.1	981	<0.1	<0.5
CLD9		19.4	408	16.20	21.4	<0.1	418	1395	65.3	<0.1	75.3	<0.1	1210	<0.1	<0.5
CLD10		17.2	374	24.5	24.9	<0.1	410	1380	63.5	<0.1	75.2	<0.1	1195	<0.1	<0.5
CLD11		21.1	357	17.15	20.3	<0.1	458	1275	99.9	<0.1	81.6	<0.1	1250	<0.1	<0.5
CLD12		22.1	405	21.6	16.8	<0.1	471	1460	81.0	<0.1	86.8	<0.1	1225	<0.1	<0.5
CLD13		22.1	380	11.85	17.7	<0.1	502	1180	61.9	<0.1	88.8	0.1	1045	<0.1	<0.5
CLD14		12.5	417	66.9	28.3	<0.1	103.0	1655	46.3	<0.1	23.6	<0.1	840	<0.1	<0.5
CC1		21.4	419	15.80	19.2	<0.1	458	1350	63.8	<0.1	86.1	<0.1	1225	<0.1	<0.5
CC2		17.5	447	19.65	20.5	0.1	397	1420	72.3	<0.1	71.5	0.1	1085	<0.1	<0.5
MDC1		3.8	245	17.50	10.5	<0.1	34.7	1585	68.0	<0.1	5.4	<0.1	833	<0.1	<0.5
MDC2		5.1	269	14.40	10.1	<0.1	69.3	1355	57.6	<0.1	11.0	<0.1	780	<0.1	<0.5
MDC3		5.4	283	19.80	16.2	<0.1	87.7	1520	68.5	<0.1	14.7	<0.1	883	<0.1	<0.5
MDC4		5.9	271	11.30	10.7	<0.1	100.5	1190	48.1	<0.1	15.5	<0.1	819	<0.1	<0.5
MDC5		5.4	305	34.1	18.1	<0.1	71.4	1645	63.9	<0.1	12.2	<0.1	840	<0.1	<0.5
MDC6		6.6	298	15.10	15.8	<0.1	154.5	1365	61.6	<0.1	25.6	<0.1	1010	<0.1	<0.5
MDC7		7.0	273	14.85	17.0	<0.1	161.5	1235	56.9	<0.1	26.4	<0.1	956	<0.1	<0.5
MDC8		7.2	275	14.25	20.0	<0.1	168.5	1260	58.3	<0.1	26.7	<0.1	929	<0.1	<0.5
MDC9		6.8	256	16.95	23.0	<0.1	167.5	1255	59.3	<0.1	27.8	<0.1	1090	<0.1	<0.5
MDC10		8.3	277	11.00	21.9	<0.1	180.5	1175	60.5	<0.1	28.5	<0.1	993	<0.1	<0.5
MDC11		8.0	309	19.75	25.2	<0.1	189.5	1355	64.0	<0.1	33.2	<0.1	1310	<0.1	<0.5
MDC12		7.9	255	10.85	20.0	<0.1	214	961	56.5	<0.1	34.3	<0.1	898	<0.1	<0.5
MDC13		8.4	265	16.30	27.9	<0.1	206	1330	54.1	<0.1	34.2	<0.1	991	<0.1	<0.5
MDC14		6.6	304	30.6	37.9	<0.1	172.5	1670	66.3	<0.1	32.0	<0.1	1110	<0.1	<0.5
MDC18		7.0	271	10.80	23.2	<0.1	170.0	1015	46.9	<0.1	27.7	<0.1	1080	<0.1	<0.5
MDC19		5.2	274	12.60	26.7	<0.1	125.5	1065	46.0	<0.1	20.6	<0.1	1160	<0.1	<0.5

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

Page: 2 - D
Total # Pages: 2 (A - E)
Plus Appendix Pages
Finalized Date: 15-SEP-2017
Account: DAYJAC

Project: Kirkimbie Diamond Project

CERTIFICATE OF ANALYSIS AD17177211

Sample Description	Method Analyte Units LOR	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23	ME-MS23
		Se	Sm	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl	Tm	U	W	Y
		ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
		2	0.1	0.2	1	1	0.1	1	0.02	5	0.5	0.1	0.1	1	0.1
CLD1		13	37.3	<0.2	9120	<1	8.3	<1	0.54	12	2.9	3.0	5.0	<1	212
CLD2		18	129.0	<0.2	7570	<1	25.7	<1	8.90	14	3.3	13.7	4.6	<1	736
CLD3		18	146.5	0.2	7180	<1	27.8	<1	10.10	<5	3.2	15.2	3.9	<1	793
CLD4		25	164.0	0.2	7770	<1	33.4	<1	5.13	6	3.4	16.9	3.0	<1	964
CLD5		22	167.0	0.3	7870	<1	32.1	<1	6.26	<5	3.5	17.7	3.2	<1	989
CLD6		14	167.0	<0.2	7950	<1	33.7	<1	6.62	23	3.6	17.9	3.4	<1	966
CLD7		20	199.0	0.3	9540	<1	40.5	<1	6.25	17	3.8	20.4	5.1	<1	1240
CLD8		18	185.5	<0.2	9410	<1	38.0	<1	4.99	<5	3.4	19.0	4.2	<1	1100
CLD9		12	132.5	<0.2	8360	<1	26.9	<1	6.85	21	3.9	15.2	4.6	<1	804
CLD10		16	121.5	<0.2	8430	<1	22.6	<1	11.85	10	3.8	12.8	16.3	<1	652
CLD11		22	147.5	1.8	9190	<1	30.2	<1	6.92	10	3.9	16.7	5.0	<1	874
CLD12		22	146.0	<0.2	8040	<1	29.8	<1	9.72	25	3.7	17.3	6.6	<1	872
CLD13		24	163.0	<0.2	8270	<1	33.4	<1	5.50	<5	3.3	17.1	4.0	<1	1010
CLD14		8	22.2	<0.2	5850	<1	3.7	<1	6.66	10	4.2	6.2	37.0	1	151.5
CC1		20	143.5	<0.2	7830	<1	30.0	<1	8.02	<5	3.5	17.1	4.3	<1	902
CC2		16	127.0	<0.2	8300	<1	26.7	<1	7.51	9	3.9	13.6	14.0	<1	783
MDC1		6	13.1	<0.2	10100	<1	4.1	<1	0.54	11	3.0	2.6	7.5	2	142.0
MDC2		8	24.8	0.2	10450	<1	6.7	<1	1.08	5	3.1	3.6	6.5	1	218
MDC3		8	31.9	<0.2	11150	<1	8.4	<1	1.12	11	3.4	4.1	5.0	1	260
MDC4		8	36.4	<0.2	10400	<1	9.1	<1	0.91	10	2.9	4.5	3.0	<1	277
MDC5		6	25.4	<0.2	10050	<1	6.3	<1	2.35	<5	3.5	3.9	20.5	1	210
MDC6		13	54.0	0.4	9950	<1	12.0	<1	1.93	<5	3.5	5.2	3.2	1	324
MDC7		8	55.2	<0.2	9150	<1	12.1	<1	1.79	<5	3.6	5.6	3.7	1	327
MDC8		8	59.2	<0.2	9490	<1	12.9	<1	1.55	7	3.3	5.7	2.6	<1	359
MDC9		8	57.9	0.2	9470	<1	12.5	<1	1.95	<5	3.7	5.5	3.0	1	347
MDC10		11	66.4	0.7	9550	<1	14.8	<1	1.53	<5	3.6	6.7	1.9	<1	403
MDC11		7	61.2	0.2	8560	<1	12.5	<1	5.38	7	3.7	6.4	4.1	1	350
MDC12		13	76.1	0.3	8820	<1	15.9	<1	2.13	<5	3.3	6.7	2.0	<1	408
MDC13		8	72.5	0.3	9520	<1	14.9	<1	2.29	<5	3.5	6.6	3.0	1	395
MDC14		8	54.0	<0.2	9480	<1	10.8	<1	4.37	12	4.0	5.1	10.0	1	290
MDC18		7	63.3	0.3	9220	<1	13.2	<1	1.73	17	3.2	5.9	2.1	<1	350
MDC19		9	47.6	0.4	9470	<1	10.3	<1	1.32	<5	3.7	4.4	1.8	1	271



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218

www.alsglobal.com/geochemistry

Page: 2 - E

Total # Pages: 2 (A - E)

Plus Appendix Pages

Finalized Date: 15-SEP-2017

Account: DAYJAC

Project: Kirkimbie Diamond Project

CERTIFICATE OF ANALYSIS AD17177211

Sample Description	Method Analyte Units LOR	ME-MS23	ME-MS23	pH-MS23
		Zn	Zr	Final pH
		ppb	ppb	Unity
		10	0.1	0.1
CLD1		<10	3.4	8.6
CLD2		10	4.1	8.4
CLD3		10	4.1	8.2
CLD4		<10	2.9	8.4
CLD5		10	3.3	8.2
CLD6		10	3.5	8.4
CLD7		70	3.6	8.2
CLD8		<10	2.8	8.4
CLD9		10	3.5	8.4
CLD10		10	3.9	8.4
CLD11		10	3.0	8.4
CLD12		20	3.4	8.2
CLD13		<10	3.0	8.2
CLD14		50	5.4	7.9
CC1		10	3.8	8.2
CC2		10	3.9	8.2
MDC1		10	2.6	8.6
MDC2		10	2.0	8.6
MDC3		20	3.2	8.4
MDC4		10	2.1	8.4
MDC5		20	2.6	8.4
MDC6		10	3.3	8.4
MDC7		10	2.8	8.4
MDC8		<10	2.9	8.4
MDC9		10	3.2	8.4
MDC10		<10	2.5	8.4
MDC11		20	3.9	8.2
MDC12		<10	2.4	8.4
MDC13		10	2.8	8.4
MDC14		10	3.5	8.4
MDC18		<10	2.6	8.4
MDC19		10	3.3	8.6



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com/geochemistry

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 15-SEP-2017
Account: DAYJAC

Project: Kirkimbie Diamond Project

CERTIFICATE OF ANALYSIS AD17177211

	CERTIFICATE COMMENTS
	LABORATORY ADDRESSES Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. NATA Accreditation does not cover the performance of ALS Perth Sample Preparation which is processed at 79 Distinction Road, Wangara, WA, Australia Applies to Method: ME-MS23 pH-MS23 Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia. Applies to Method: LEV-01 LOG-22 PUL-31 PUL-QC WEI-21