



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

QC CERTIFICATE AD17083755

Project: MH02

P.O. No.: 338152

This report is for 77 Percussion samples submitted to our lab in Adelaide, SA,
Australia on 2-MAY-2017.

The following have access to data associated with this certificate:

KIM GREY

To: TODD RIVER METALS
ATTN: KIM GREY
LEVEL 1
282 ROKEBY ROAD
SUBIACO WA 6008

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Page: 1

Total # Pages: 4 (A - C)

Plus Appendix Pages

Finalized Date: 18-MAY-2017

Account: TODRIV

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-23	Pulv Sample - Split/Retain
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Cu-OG62	Ore Grade Cu - Four Acid	ICP-AES
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-ICP61	33 element four acid ICP-AES	ICP-AES
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: MH02

Page: 2 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 18-MAY-2017
Account: TODRIV

QC CERTIFICATE OF ANALYSIS AD17083755

Sample Description	Method Analyte Units LOR	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10
STANDARDS																
AMIS0282																
Target Range - Lower Bound																
Upper Bound																
GBM306-12																
Target Range - Lower Bound																
Upper Bound																
GBM908-10		3.0	7.04	50	1070	1.3	5	3.73	1.4	25	138	3590	5.36	20	2.01	40
GBM908-10		2.7	7.23	53	1160	1.4	2	3.85	1.9	27	142	3660	5.60	20	2.18	50
Target Range - Lower Bound		1.9	6.40	44	980	<0.5	<2	3.36	0.6	22	125	3370	4.98	<10	1.87	20
Upper Bound		4.2	7.84	70	1220	2.5	5	4.12	2.8	30	155	3890	6.10	40	2.31	70
GLG912-5																
Target Range - Lower Bound																
Upper Bound																
LEA-16																
Target Range - Lower Bound																
Upper Bound																
MP-1b																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		4.2	7.43	30	1030	3.0	<2	2.53	2.1	17	82	600	3.66	20	2.92	30
MRGeo08		4.3	7.66	32	1130	3.2	3	2.66	2.2	20	89	622	3.99	20	3.16	30
Target Range - Lower Bound		3.2	6.64	21	980	2.2	<2	2.35	1.1	17	81	586	3.55	<10	2.79	<10
Upper Bound		5.7	8.14	45	1210	4.5	5	2.90	3.4	23	102	676	4.37	40	3.43	60
OGGeo08		20.0	7.01	118	360	2.9	7	2.19	18.4	95	83	8330	5.22	20	2.78	30
OGGeo08		19.4	6.80	120	650	2.8	11	2.18	18.9	95	82	8170	5.29	20	2.87	30
Target Range - Lower Bound		17.7	6.07	102	750	1.8	6	1.98	16.2	86	78	7800	4.81	<10	2.59	<10
Upper Bound		22.7	7.44	136	930	4.1	15	2.44	21.0	108	98	8980	5.91	40	3.19	60
OREAS 601		51.9	6.78	333	220	2.1	21	1.36	7.8	6	44	1030	2.50	20	2.12	30
OREAS 601		48.1	6.30	318	680	2.0	21	1.30	7.5	5	46	953	2.41	20	2.08	30
Target Range - Lower Bound		43.8	5.66	271	780	1.0	16	1.17	6.5	3	37	938	2.22	<10	1.88	<10
Upper Bound		54.6	6.94	343	980	3.2	26	1.45	9.3	7	47	1080	2.74	40	2.32	50
OREAS 621																
Target Range - Lower Bound																
Upper Bound																
OREAS 902		<0.5	4.64	575	180	2.3	10	4.14	<0.5	976	49	3020	3.18	10	3.22	30
Target Range - Lower Bound		<0.5	4.26	512	140	1.1	4	3.64	<0.5	832	45	2800	2.86	<10	2.88	<10
Upper Bound		1.4	5.22	636	200	3.3	13	4.47	1.0	1020	57	3220	3.52	30	3.54	60
OREAS-45e																



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: MH02

Page: 2 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 18-MAY-2017
Account: TODRIV

QC CERTIFICATE OF ANALYSIS AD17083755

Sample Description	Method Analyte Units LOR	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %	ME-ICP61 Tl ppm	ME-ICP61 U ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10	10
STANDARDS																
AMIS0282																
Target Range - Lower Bound																
Upper Bound																
GBM306-12																
Target Range - Lower Bound																
Upper Bound																
GBM908-10		1.75	775	59	2.09	2230	970	2020	0.36	<5	17	289	20	0.64	10	<10
GBM908-10		1.86	806	62	2.21	2260	1000	2050	0.39	<5	18	297	20	0.68	10	<10
Target Range - Lower Bound		1.61	715	57	1.93	2030	880	1860	0.33	<5	14	260	<20	0.59	<10	<10
Upper Bound		1.99	885	72	2.38	2480	1100	2280	0.43	12	20	320	60	0.74	20	20
GLG912-5																
Target Range - Lower Bound																
Upper Bound																
LEA-16																
Target Range - Lower Bound																
Upper Bound																
MP-1b																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		1.24	518	13	1.86	664	970	1025	0.29	<5	11	292	20	0.47	10	<10
MRGeo08		1.35	557	15	1.99	683	1080	1070	0.31	7	12	307	30	0.50	<10	<10
Target Range - Lower Bound		1.17	497	12	1.76	621	930	969	0.27	<5	10	276	<20	0.44	<10	<10
Upper Bound		1.45	619	18	2.18	761	1160	1190	0.35	15	15	340	60	0.56	20	30
OGGeo08		1.23	509	899	1.78	8750	880	7030	2.70	25	10	241	20	0.40	<10	<10
OGGeo08		1.23	496	888	1.81	8720	850	7220	2.77	26	10	253	20	0.39	<10	<10
Target Range - Lower Bound		1.11	447	841	1.62	8000	760	6510	2.51	16	8	223	<20	0.35	<10	<10
Upper Bound		1.38	557	1030	2.00	9770	950	7970	3.09	38	13	275	60	0.45	20	30
OREAS 601		0.38	500	3	1.48	26	500	349	1.06	32	5	229	<20	0.19	10	<10
OREAS 601		0.36	466	3	1.41	24	470	335	1.04	34	5	229	<20	0.17	<10	<10
Target Range - Lower Bound		0.34	427	2	1.30	21	410	294	0.95	19	3	206	<20	0.15	<10	<10
Upper Bound		0.44	533	6	1.61	28	530	364	1.19	42	7	254	50	0.21	20	20
OREAS 621																
Target Range - Lower Bound																
Upper Bound																
OREAS 902		2.51	451	11	0.05	168	720	13	1.71	<5	7	32	<20	0.20	<10	<10
Target Range - Lower Bound		2.22	409	10	0.02	147	610	9	1.57	<5	5	25	<20	0.16	<10	<10
Upper Bound		2.74	511	15	0.07	181	770	18	1.95	12	9	32	50	0.22	20	30
OREAS-45e																



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
 No: 825, Corporate Site No: 23001.

Project: MH02

Page: 2 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-MAY-2017
 Account: TODRIV

QC CERTIFICATE OF ANALYSIS AD17083755

Sample Description	Method Analyte Units LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Cu-OG62 Cu % 0.001	Au-ICP22 Au ppm 0.001
STANDARDS						
AMIS0282						0.197
Target Range - Lower Bound						0.178
Upper Bound						0.202
GBM306-12					1.480	
Target Range - Lower Bound					1.430	
Upper Bound					1.535	
GBM908-10		135	<10	1025		
GBM908-10		145	<10	1070		
Target Range - Lower Bound		123	<10	939		
Upper Bound		153	20	1155		
GLG912-5						0.225
Target Range - Lower Bound						0.210
Upper Bound						0.239
LEA-16						0.482
Target Range - Lower Bound						0.470
Upper Bound						0.532
MP-1b					3.07	
Target Range - Lower Bound					2.96	
Upper Bound					3.18	
MRGeo08		100	<10	733		
MRGeo08		110	<10	797		
Target Range - Lower Bound		97	<10	722		
Upper Bound		121	30	886		
OGGeo08		88	<10	7120		
OGGeo08		86	<10	7050		
Target Range - Lower Bound		77	<10	6500		
Upper Bound		97	20	7950		
OREAS 601		27	<10	1380		
OREAS 601		25	<10	1340		
Target Range - Lower Bound		22	<10	1195		
Upper Bound		29	30	1465		
OREAS 621					0.357	
Target Range - Lower Bound						
Upper Bound						
OREAS 902		56	<10	10		
Target Range - Lower Bound		48	<10	3		
Upper Bound		60	20	12		
OREAS-45e						0.052



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: MH02

Page: 3 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 18-MAY-2017
Account: TODRIV

QC CERTIFICATE OF ANALYSIS AD17083755

Method Analyte Units LOR	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10
Sample Description															
OREAS-45e															
Target Range - Lower Bound															
Upper Bound															
PK2															
Target Range - Lower Bound															
Upper Bound															
BLANK															
BLANK															
Target Range - Lower Bound															
Upper Bound															
BLANK															
Target Range - Lower Bound															
Upper Bound															
BLANK	<0.5	0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01	<10
BLANK	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01	<10
BLANK	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01	<10
BLANK	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01	<10
Target Range - Lower Bound	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01	<10
Upper Bound	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	20	0.02	20
DUPLICATES															
MH20278	<0.5	6.43	<5	390	2.4	<2	0.33	<0.5	7	37	8	2.46	20	2.43	40
DUP	<0.5	6.11	<5	380	2.4	<2	0.32	<0.5	6	37	8	2.34	20	2.33	40
Target Range - Lower Bound	<0.5	5.95	<5	360	1.8	<2	0.30	<0.5	5	34	7	2.27	<10	2.25	30
Upper Bound	1.0	6.59	10	410	3.0	4	0.35	1.0	8	40	9	2.53	30	2.51	50
MH20348															
DUP															
Target Range - Lower Bound															
Upper Bound															



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: MH02

Page: 3 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 18-MAY-2017
Account: TODRIV

QC CERTIFICATE OF ANALYSIS AD17083755

Sample Description	Method Analyte Units LOR	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %	ME-ICP61 Tl ppm	ME-ICP61 U ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10	10
STANDARDS																
OREAS-45e																
Target Range - Lower Bound																
Upper Bound																
PK2																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.01	<5	<1	0.01	<1	<10	<2	<0.01	<5	<1	1	<20	<0.01	<10	<10
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10	<10
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10	<10
BLANK		<0.01	<5	<1	<0.01	<1	<10	2	<0.01	<5	<1	<1	<20	<0.01	<10	<10
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10	<10
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	2	40	0.02	20	20
DUPLICATES																
MH20278		0.66	318	<1	0.91	20	440	13	<0.01	6	7	47	20	0.25	10	<10
DUP		0.63	309	1	0.87	19	420	15	<0.01	<5	7	45	20	0.23	<10	<10
Target Range - Lower Bound		0.60	293	<1	0.84	18	400	11	<0.01	<5	6	43	<20	0.22	<10	<10
Upper Bound		0.69	334	2	0.94	21	460	17	0.02	10	8	49	40	0.26	20	20
MH20348																
DUP																
Target Range - Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
 No: 825, Corporate Site No: 23001.

Project: MH02

Page: 3 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-MAY-2017
 Account: TODRIV

QC CERTIFICATE OF ANALYSIS AD17083755

Sample Description	Method Analyte Units LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Cu-OG62 Cu % 0.001	Au-ICP22 Au ppm 0.001
STANDARDS						
OREAS-45e						0.052
Target Range - Lower Bound						0.049
Upper Bound						0.057
PK2						4.85
Target Range - Lower Bound						4.50
Upper Bound						5.07
BLANKS						
BLANK						<0.001
BLANK						<0.001
Target Range - Lower Bound						<0.001
Upper Bound						0.002
BLANK					<0.001	
Target Range - Lower Bound					<0.001	
Upper Bound					0.002	
BLANK		<1	<10	<2		
BLANK		<1	<10	<2		
BLANK		<1	<10	<2		
BLANK		<1	<10	<2		
Target Range - Lower Bound		<1	<10	<2		
Upper Bound		2	20	4		
DUPLICATES						
MH20278		39	<10	51		
DUP		38	<10	49		
Target Range - Lower Bound		36	<10	46		
Upper Bound		41	20	55		
MH20348						0.001
DUP						<0.001
Target Range - Lower Bound						<0.001
Upper Bound						0.002



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: MH02

Page: 4 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 18-MAY-2017
Account: TODRIV

QC CERTIFICATE OF ANALYSIS AD17083755

Sample Description	Method Analyte Units LOR	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10
DUPLICATES																
MH20361		<0.5	2.94	<5	320	0.9	<2	0.13	<0.5	7	28	9	2.51	10	1.27	20
DUP		<0.5	3.05	<5	330	0.9	<2	0.14	<0.5	7	28	8	2.62	10	1.33	20
Target Range - Lower Bound		<0.5	2.84	<5	300	<0.5	<2	0.12	<0.5	6	26	7	2.43	<10	1.23	<10
Upper Bound		1.0	3.15	10	350	1.0	4	0.15	1.0	8	30	10	2.70	20	1.38	30
MH20382		<0.5	6.02	<5	680	2.2	<2	0.28	<0.5	7	44	8	2.70	20	2.77	40
DUP		<0.5	6.14	<5	680	2.3	<2	0.28	<0.5	7	45	7	2.75	20	2.80	40
Target Range - Lower Bound		<0.5	5.77	<5	640	1.6	<2	0.26	<0.5	6	41	6	2.58	<10	2.64	30
Upper Bound		1.0	6.39	10	720	2.9	4	0.30	1.0	8	48	9	2.87	30	2.93	50
MH20392																
DUP																
Target Range - Lower Bound																
Upper Bound																
MH20415		<0.5	4.27	<5	410	1.7	<2	0.41	<0.5	5	25	17	1.68	10	1.71	50
DUP		<0.5	4.42	<5	430	1.8	<2	0.42	<0.5	5	26	17	1.74	10	1.77	50
Target Range - Lower Bound		<0.5	4.12	<5	390	1.2	<2	0.38	<0.5	4	23	15	1.61	<10	1.64	40
Upper Bound		1.0	4.57	10	450	2.3	4	0.45	1.0	6	28	19	1.81	20	1.84	60
MH20483		<0.5	9.15	<5	720	3.7	2	0.19	<0.5	12	56	6	3.71	20	4.06	30
DUP		<0.5	9.19	<5	720	3.8	<2	0.19	<0.5	12	57	6	3.72	30	4.01	40
Target Range - Lower Bound		<0.5	8.70	<5	670	3.1	<2	0.17	<0.5	10	53	5	3.52	<10	3.82	20
Upper Bound		1.0	9.64	10	770	4.4	4	0.21	1.0	14	60	7	3.91	40	4.25	50
MH20814																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		<0.5	6.49	<5	490	0.9	<2	8.76	<0.5	10	39	35	2.59	20	1.20	40
DUP		<0.5	6.84	<5	520	0.9	4	9.20	<0.5	11	39	37	2.70	10	1.28	50
Target Range - Lower Bound		<0.5	6.32	<5	470	<0.5	<2	8.52	<0.5	9	36	34	2.50	<10	1.17	30
Upper Bound		1.0	7.01	10	540	1.0	4	9.44	1.0	12	42	38	2.79	20	1.31	60
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: MH02

Page: 4 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 18-MAY-2017
Account: TODRIV

QC CERTIFICATE OF ANALYSIS AD17083755

Sample Description	Method Analyte Units LOR	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %	ME-ICP61 Tl ppm	ME-ICP61 U ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10	10
DUPLICATES																
MH20361		0.41	511	2	0.23	11	230	11	<0.01	<5	3	16	<20	0.11	<10	<10
DUP		0.43	539	2	0.24	11	240	11	<0.01	<5	4	17	<20	0.11	<10	<10
Target Range - Lower Bound		0.39	494	<1	0.21	9	210	8	<0.01	<5	2	15	<20	0.09	<10	<10
Upper Bound		0.45	556	3	0.26	13	260	14	0.02	10	5	18	40	0.13	20	20
MH20382		0.54	482	2	0.81	19	470	15	<0.01	<5	7	52	20	0.22	<10	<10
DUP		0.55	481	2	0.83	19	470	13	<0.01	<5	7	53	20	0.22	<10	<10
Target Range - Lower Bound		0.51	452	<1	0.77	17	440	11	<0.01	<5	6	49	<20	0.20	<10	<10
Upper Bound		0.58	511	3	0.87	21	500	17	0.02	10	8	56	40	0.24	20	20
MH20392																
DUP																
Target Range - Lower Bound																
Upper Bound																
MH20415		0.36	256	1	0.96	13	480	16	<0.01	<5	5	63	30	0.22	<10	<10
DUP		0.38	266	1	0.99	11	480	13	<0.01	<5	5	64	40	0.22	<10	<10
Target Range - Lower Bound		0.34	243	<1	0.92	10	450	12	<0.01	<5	4	59	<20	0.20	<10	<10
Upper Bound		0.40	279	2	1.03	14	510	17	0.02	10	6	68	40	0.24	20	20
MH20483		0.86	419	1	0.69	27	540	14	<0.01	<5	12	29	20	0.29	10	<10
DUP		0.88	423	1	0.69	26	530	21	<0.01	6	12	29	20	0.29	<10	<10
Target Range - Lower Bound		0.82	395	<1	0.65	24	500	15	<0.01	<5	10	27	<20	0.27	<10	<10
Upper Bound		0.92	447	2	0.73	29	570	20	0.02	10	14	31	40	0.31	20	20
MH20814																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		4.40	496	1	0.65	19	100	15	0.04	<5	13	697	30	0.29	<10	<10
DUP		4.59	519	1	0.69	20	90	18	0.04	<5	13	732	30	0.31	<10	<10
Target Range - Lower Bound		4.26	477	<1	0.63	18	80	14	0.03	<5	11	678	<20	0.28	<10	<10
Upper Bound		4.73	538	2	0.71	21	110	19	0.05	10	15	751	40	0.33	20	20
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
 No: 825, Corporate Site No: 23001.

Project: MH02

Page: 4 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-MAY-2017
 Account: TODRIV

QC CERTIFICATE OF ANALYSIS AD17083755

Sample Description	Method Analyte Units LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Cu-OG62 Cu % 0.001	Au-ICP22 Au ppm 0.001
DUPLICATES						
MH20361		19	<10	62		
DUP		20	<10	65		
Target Range - Lower Bound		18	<10	58		
Upper Bound		21	20	69		
MH20382		35	<10	63		
DUP		35	<10	64		
Target Range - Lower Bound		32	<10	58		
Upper Bound		38	20	69		
MH20392					0.002	
DUP					0.002	
Target Range - Lower Bound					<0.001	
Upper Bound					0.003	
MH20415		25	<10	39		
DUP		26	<10	40		
Target Range - Lower Bound		23	<10	36		
Upper Bound		28	20	43		
MH20483		59	<10	81		
DUP		59	<10	80		
Target Range - Lower Bound		55	<10	74		
Upper Bound		63	20	87		
MH20814					<0.001	
DUP					0.001	
Target Range - Lower Bound					<0.001	
Upper Bound					0.002	
ORIGINAL		65	<10	34		
DUP		68	<10	34		
Target Range - Lower Bound		62	<10	30		
Upper Bound		71	20	38		
ORIGINAL					0.039	
DUP					0.038	
Target Range - Lower Bound					0.036	
Upper Bound					0.041	



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
www.alsglobal.com

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

Project: MH02

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-MAY-2017
Account: TODRIV

QC CERTIFICATE OF ANALYSIS AD17083755

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method:

NATA Accredited. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist.
Au-ICP22 ME-ICP61 ME-OG62

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. NATA Accreditation does not cover the performance of ALS Perth Sample Preparation which is processed at 79 Distinction Road, Wangara, WA, Australia
Au-ICP22 Cu-OG62 ME-ICP61 ME-OG62

Applies to Method:

Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.
BAG-01 LOG-22 PUL-23 PUL-QC
SPL-21 WEI-21