



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

Page: 1  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 14-SEP-2017  
Account: COREEXP

## CERTIFICATE AD17182270

Project: Barrow Creek

This report is for 35 Rock samples submitted to our lab in Adelaide, SA, Australia on 29-AUG-2017.

The following have access to data associated with this certificate:

STEPHEN BIGGINS

DAVID RAWLINGS

LEON VANDENBERG

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-21	Crush entire sample >70% -6 mm
PUL-QC	Pulverizing QC Test

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: CORE EXPLORATION LIMITED  
ATTN: DAVID RAWLINGS  
LEVEL 2, 143 HUTT STREET  
ADELAIDE SA 5000

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

Project: Barrow Creek

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 14-SEP-2017  
Account: COREXP

## CERTIFICATE OF ANALYSIS AD17182270

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
BCRK0339		3.56		0.05	7.43	1.4	280	1.03	1.39	6.91	0.09	21.5	28.5	134	9.77	15.8
BCRK0340		3.40		0.03	0.10	0.5	60	<0.05	0.32	0.06	<0.02	0.68	0.6	65	0.36	1.5
BCRK0341		2.91		0.01	2.57	3.9	50	0.68	34.4	0.16	0.02	6.46	19.4	109	4.65	47.2
BCRK0342		2.33		0.02	0.08	0.5	10	0.14	1.20	0.01	<0.02	0.77	0.6	62	0.23	1.7
BCRK0343		3.42	98.0	0.06	0.09	0.4	10	0.15	0.29	0.03	<0.02	0.99	0.5	69	0.28	1.6
BCRK0344		3.96		0.03	0.07	0.5	<10	<0.05	0.19	0.01	<0.02	0.90	0.5	61	0.12	1.5
BCRK0345		4.06		0.07	0.12	<0.2	20	0.31	0.46	0.01	<0.02	6.71	0.4	82	0.18	1.2
BCRK0346		4.15		0.04	0.13	0.4	20	0.54	1.42	0.01	<0.02	3.52	0.5	78	0.23	1.6
BCRK0347		2.92		0.01	0.06	0.2	<10	<0.05	0.12	0.05	0.04	0.39	0.4	62	0.28	0.6
BCRK0348		4.42		0.02	6.30	0.6	110	1.35	1.49	7.12	0.02	37.0	34.9	58	14.40	24.9
BCRK0349		3.53		0.01	0.05	0.4	10	<0.05	0.04	0.02	<0.02	0.30	0.4	62	0.17	1.6
BCRK0350		3.19		0.01	0.05	0.4	10	<0.05	0.02	0.02	<0.02	0.24	0.4	67	0.16	1.1
BCRK0351		4.04		0.05	0.16	0.5	20	0.11	0.13	0.01	<0.02	1.81	0.6	66	0.46	6.9
BCRK0352		4.03		0.02	0.05	0.4	10	<0.05	0.01	0.01	<0.02	0.20	0.5	68	0.24	2.0
BCRK0353		2.92		0.01	0.04	0.3	10	<0.05	0.68	<0.01	<0.02	0.36	0.3	56	0.32	1.0
BCRK0354		3.98		0.02	0.07	0.2	10	<0.05	0.18	0.01	<0.02	0.47	0.5	68	0.13	2.6
BCRK0355		2.87		0.01	0.02	0.4	<10	<0.05	0.20	<0.01	<0.02	0.10	0.3	56	0.09	0.4
BCRK0356		4.78		0.04	0.10	0.4	10	0.05	0.97	<0.01	<0.02	4.36	0.5	74	0.36	1.5
BCRK0357		2.91		0.03	0.10	0.2	<10	0.13	0.58	<0.01	<0.02	5.96	0.4	68	0.37	0.8
BCRK0358		3.77		0.01	4.98	0.9	70	1.07	0.42	7.76	0.02	35.6	24.3	69	7.28	5.8
BCRK0359		5.94		0.02	6.85	0.5	210	143.5	16.25	0.28	0.03	7.56	1.5	17	58.4	6.1
BCRK0360		3.50		0.13	0.14	5.0	10	0.31	0.10	0.02	0.04	0.66	0.3	48	0.68	1.7
BCRK0361		4.90		0.06	7.82	124.5	600	1.26	0.18	5.17	1.30	13.40	53.4	186	3.36	43.1
BCRK0362		4.84		0.03	7.69	135.5	70	0.61	0.12	6.99	0.22	13.10	57.6	182	1.72	44.9
BCRK0363		3.98		0.03	0.07	2.3	10	0.10	0.04	0.07	<0.02	0.26	0.8	53	0.08	1.4
BCRK0364		3.13		0.07	0.05	1.1	10	<0.05	<0.01	0.03	<0.02	0.21	0.4	62	0.10	0.9
BCRK0365		2.90		0.01	0.02	0.4	<10	<0.05	0.12	0.01	<0.02	0.02	0.3	53	0.14	<0.2
BCRK0366		5.08		0.03	5.65	1.3	810	4.85	0.07	0.03	<0.02	28.2	1.6	51	56.4	13.6
BCRK0367		4.79		0.05	13.25	1.8	270	3.28	5.34	0.62	0.03	48.8	9.6	44	47.6	5.5
BCRK0368		3.70		<0.01	7.03	0.3	100	124.0	5.27	0.06	<0.02	2.84	1.1	10	47.4	1.2
BCRK0369		5.03		0.03	5.81	0.4	50	42.6	76.8	0.06	<0.02	2.76	1.1	14	18.05	12.5
BCRK0370		4.88		0.04	6.88	0.9	90	193.0	13.95	0.08	0.03	6.24	1.7	13	31.7	33.9
BCRK0371		3.08		0.07	7.70	0.9	140	68.1	5.51	0.06	0.03	7.97	1.1	12	33.0	11.4
BCRK0372		3.98		0.07	5.43	5.4	150	68.6	0.32	0.11	0.06	3.97	1.6	27	24.5	2.4
BCRK0373		3.78		0.04	7.68	4.7	150	93.2	1.32	0.12	0.09	4.93	2.4	12	33.8	7.7



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

Project: Barrow Creek

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 14-SEP-2017  
Account: COREXP

# CERTIFICATE OF ANALYSIS AD17182270

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
BCRK0339		7.17	17.40	0.25	1.4	0.111	1.60	9.2	94.6	3.59	929	0.75	0.47	3.8	59.7	340
BCRK0340		0.28	0.26	<0.05	<0.1	<0.005	0.03	<0.5	4.1	0.05	44	4.09	0.01	0.1	2.2	10
BCRK0341		3.39	5.39	<0.05	1.8	0.012	0.07	2.8	16.6	10.45	230	0.36	0.29	0.4	33.1	110
BCRK0342		0.29	0.19	<0.05	<0.1	<0.005	0.01	<0.5	3.6	0.08	50	4.21	0.01	0.2	2.2	10
BCRK0343		0.41	0.28	<0.05	<0.1	<0.005	0.02	0.5	3.2	0.03	52	4.28	<0.01	0.3	2.3	<10
BCRK0344		0.34	0.20	<0.05	<0.1	<0.005	0.01	<0.5	2.1	0.01	50	4.04	<0.01	0.2	2.1	10
BCRK0345		0.38	0.64	<0.05	<0.1	<0.005	0.01	2.8	18.3	0.01	63	5.28	<0.01	0.2	1.9	20
BCRK0346		0.45	0.69	<0.05	<0.1	<0.005	0.02	1.3	32.2	0.01	49	5.24	<0.01	0.2	2.4	10
BCRK0347		0.25	0.16	<0.05	<0.1	<0.005	0.03	<0.5	5.3	0.01	37	3.85	0.01	0.1	1.2	50
BCRK0348		7.12	19.35	0.19	2.3	0.153	0.68	16.4	39.3	2.73	688	1.01	0.50	6.1	36.8	740
BCRK0349		0.26	0.15	<0.05	<0.1	<0.005	0.01	<0.5	3.0	0.01	107	4.13	0.01	0.3	2.6	<10
BCRK0350		0.24	0.12	<0.05	<0.1	<0.005	0.01	<0.5	2.9	0.01	47	4.28	0.01	0.2	1.9	10
BCRK0351		0.39	0.42	<0.05	<0.1	<0.005	0.02	0.6	4.5	0.02	42	4.06	0.01	0.3	1.9	30
BCRK0352		0.28	0.13	<0.05	<0.1	<0.005	0.02	<0.5	1.5	<0.01	44	4.53	<0.01	0.2	2.3	10
BCRK0353		0.24	0.10	<0.05	<0.1	<0.005	0.01	<0.5	2.4	<0.01	39	3.79	<0.01	0.2	1.4	10
BCRK0354		0.32	0.77	<0.05	<0.1	<0.005	0.01	<0.5	10.5	0.01	54	4.55	<0.01	0.1	5.2	10
BCRK0355		0.24	0.07	<0.05	<0.1	<0.005	<0.01	<0.5	6.7	<0.01	34	3.55	<0.01	0.1	1.2	10
BCRK0356		0.36	0.32	<0.05	<0.1	<0.005	0.03	1.9	2.5	0.01	54	4.40	<0.01	0.2	2.5	20
BCRK0357		0.40	0.34	<0.05	<0.1	<0.005	0.02	3.0	4.0	<0.01	28	4.08	<0.01	0.3	1.6	10
BCRK0358		6.35	16.60	0.06	1.6	0.244	0.44	16.4	17.8	3.20	919	1.61	0.31	5.0	33.3	640
BCRK0359		0.53	18.95	<0.05	3.3	0.010	1.22	5.7	16.4	0.05	1320	1.18	3.20	21.2	1.8	890
BCRK0360		0.23	0.43	<0.05	<0.1	<0.005	0.05	<0.5	4.8	0.01	44	3.29	0.02	0.3	1.7	40
BCRK0361		7.91	16.45	0.43	1.1	0.079	1.87	5.5	78.8	4.81	1420	0.27	0.21	2.3	136.5	320
BCRK0362		8.02	15.10	0.46	0.8	0.067	0.42	5.7	49.1	5.07	1680	0.52	0.42	2.3	178.0	280
BCRK0363		0.36	0.17	<0.05	<0.1	<0.005	0.01	<0.5	4.9	0.05	50	3.38	0.01	0.1	3.2	20
BCRK0364		0.24	0.13	<0.05	<0.1	<0.005	0.01	<0.5	0.8	0.02	41	3.88	<0.01	0.1	2.3	30
BCRK0365		0.23	0.07	<0.05	<0.1	<0.005	0.01	<0.5	3.4	<0.01	31	3.83	<0.01	0.1	1.1	10
BCRK0366		1.28	16.70	0.05	0.8	0.039	2.52	13.0	131.5	0.20	156	2.85	0.16	6.0	4.3	110
BCRK0367		3.22	28.7	0.13	2.0	0.032	2.18	23.0	490	0.61	998	0.67	0.25	5.6	21.2	1210
BCRK0368		0.59	21.6	<0.05	1.4	<0.005	3.85	1.3	24.2	0.03	176	0.72	1.91	29.3	1.3	390
BCRK0369		0.52	17.45	<0.05	0.6	0.008	1.30	1.3	44.9	0.04	242	1.00	2.39	22.5	1.9	150
BCRK0370		0.52	17.15	0.05	1.1	<0.005	2.86	4.2	45.9	0.03	1040	1.01	2.96	17.8	1.8	550
BCRK0371		0.38	15.40	0.05	0.4	0.008	4.93	4.0	16.4	0.03	236	0.87	2.06	9.0	1.3	760
BCRK0372		0.58	14.70	<0.05	0.7	0.029	2.23	1.6	14.7	0.08	555	2.11	0.26	16.4	3.2	510
BCRK0373		0.63	19.95	0.05	1.9	0.017	1.82	2.3	10.6	0.04	1340	1.26	2.49	26.0	5.4	410



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

Project: Barrow Creek

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 14-SEP-2017  
Account: COREXP

## CERTIFICATE OF ANALYSIS AD17182270

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
BCRK0339		3.2	96.0	<0.002	<0.01	0.32	39.8	1	1.8	160.5	0.29	<0.05	3.86	0.445	0.42	1.1
BCRK0340		0.5	1.9	<0.002	<0.01	0.08	0.3	<1	<0.2	3.0	<0.05	<0.05	0.10	0.005	<0.02	0.2
BCRK0341		3.0	5.3	<0.002	<0.01	0.46	11.5	<1	8.2	18.3	0.05	<0.05	3.61	0.121	0.05	0.7
BCRK0342		<0.5	0.9	<0.002	<0.01	0.09	0.2	<1	0.2	1.3	<0.05	<0.05	0.06	<0.005	<0.02	<0.1
BCRK0343		<0.5	1.6	<0.002	<0.01	0.07	0.1	<1	0.2	2.0	<0.05	<0.05	0.13	0.005	<0.02	0.1
BCRK0344		<0.5	0.7	<0.002	<0.01	0.15	0.1	<1	<0.2	0.8	<0.05	<0.05	0.12	<0.005	<0.02	0.1
BCRK0345		1.0	0.9	<0.002	<0.01	0.08	0.2	<1	0.2	2.5	<0.05	<0.05	0.15	<0.005	<0.02	0.4
BCRK0346		1.3	1.4	<0.002	<0.01	0.10	0.1	<1	<0.2	1.9	<0.05	<0.05	0.08	<0.005	<0.02	0.5
BCRK0347		1.8	1.2	<0.002	<0.01	0.05	0.1	<1	<0.2	0.9	<0.05	<0.05	0.03	<0.005	<0.02	<0.1
BCRK0348		3.6	66.0	<0.002	<0.01	0.66	41.7	1	2.3	273	0.46	<0.05	5.26	0.818	0.36	1.3
BCRK0349		0.7	0.9	<0.002	<0.01	0.11	0.1	<1	<0.2	1.5	<0.05	<0.05	0.04	0.008	<0.02	0.1
BCRK0350		<0.5	0.7	<0.002	<0.01	0.10	0.1	<1	<0.2	1.4	<0.05	<0.05	0.03	0.006	<0.02	0.1
BCRK0351		<0.5	2.0	<0.002	<0.01	0.11	0.3	<1	<0.2	2.5	<0.05	<0.05	0.21	0.006	<0.02	0.4
BCRK0352		<0.5	1.4	<0.002	<0.01	0.14	0.1	<1	<0.2	0.9	<0.05	<0.05	0.05	<0.005	<0.02	<0.1
BCRK0353		<0.5	0.9	<0.002	<0.01	0.10	0.1	<1	<0.2	0.8	<0.05	<0.05	0.05	<0.005	<0.02	0.1
BCRK0354		<0.5	0.3	<0.002	<0.01	0.08	0.2	<1	<0.2	1.3	<0.05	<0.05	0.03	<0.005	<0.02	1.6
BCRK0355		<0.5	<0.1	<0.002	<0.01	0.06	<0.1	<1	<0.2	0.4	<0.05	<0.05	0.01	<0.005	<0.02	<0.1
BCRK0356		<0.5	2.5	<0.002	<0.01	0.17	0.1	<1	<0.2	0.4	<0.05	<0.05	0.19	<0.005	<0.02	0.2
BCRK0357		<0.5	2.4	<0.002	<0.01	0.07	0.2	<1	<0.2	0.7	<0.05	<0.05	0.20	0.005	0.02	0.2
BCRK0358		2.8	36.7	<0.002	<0.01	0.73	40.0	1	1.9	281	0.38	<0.05	4.67	0.632	0.16	2.0
BCRK0359		13.3	326	<0.002	<0.01	0.08	0.6	<1	7.4	208	12.95	0.05	0.60	0.012	1.36	1.3
BCRK0360		52.2	3.9	<0.002	<0.01	0.09	0.2	<1	0.3	2.4	<0.05	<0.05	0.03	<0.005	0.02	0.1
BCRK0361		16.3	162.0	<0.002	0.01	0.63	38.3	<1	2.2	105.0	0.17	<0.05	1.52	0.327	0.51	0.4
BCRK0362		10.4	36.4	0.002	0.04	0.50	35.9	<1	2.6	113.5	0.16	<0.05	1.13	0.368	0.15	0.3
BCRK0363		5.6	0.9	<0.002	<0.01	0.15	0.3	<1	<0.2	2.0	<0.05	<0.05	0.01	<0.005	<0.02	<0.1
BCRK0364		1.0	0.8	<0.002	<0.01	0.09	0.2	<1	<0.2	1.6	<0.05	<0.05	0.03	<0.005	<0.02	<0.1
BCRK0365		<0.5	0.3	<0.002	<0.01	0.09	<0.1	<1	<0.2	0.5	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1
BCRK0366		52.0	271	<0.002	<0.01	0.12	6.9	<1	43.9	25.5	0.63	<0.05	4.35	0.066	1.18	0.8
BCRK0367		17.5	171.0	<0.002	<0.01	0.14	6.4	<1	2.2	56.9	0.54	0.88	10.00	0.147	0.74	1.5
BCRK0368		16.5	820	<0.002	<0.01	0.08	0.3	<1	7.1	8.2	7.32	<0.05	0.64	0.010	4.24	0.6
BCRK0369		5.8	304	<0.002	<0.01	0.07	0.6	<1	8.7	10.8	16.65	<0.05	0.61	0.015	1.25	0.6
BCRK0370		15.7	470	<0.002	0.01	0.07	0.6	<1	2.4	10.9	8.62	<0.05	0.73	0.011	2.36	1.7
BCRK0371		21.5	690	<0.002	<0.01	0.07	0.3	<1	3.9	18.5	2.67	<0.05	0.86	0.007	3.18	1.1
BCRK0372		18.6	252	<0.002	<0.01	0.08	0.4	<1	9.4	27.5	10.35	<0.05	0.30	0.011	1.01	0.7
BCRK0373		19.5	305	<0.002	0.01	0.13	0.4	<1	10.3	31.5	15.80	0.05	0.96	0.005	1.09	2.3



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

Project: Barrow Creek

Page: 2 - D  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 14-SEP-2017  
Account: COREEXP

**CERTIFICATE OF ANALYSIS AD17182270**

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001
BCRK0339		202	20.6	25.8	36	47.3	0.001
BCRK0340		3	0.3	1.9	6	0.7	0.001
BCRK0341		94	0.6	4.3	115	63.4	0.002
BCRK0342		2	0.2	0.2	<2	1.0	0.002
BCRK0343		1	0.3	0.2	<2	1.2	0.001
BCRK0344		1	0.9	0.2	<2	1.3	0.001
BCRK0345		3	2.4	1.0	<2	0.7	0.001
BCRK0346		3	1.8	0.5	<2	<0.5	0.002
BCRK0347		1	0.5	0.2	8	<0.5	0.001
BCRK0348		268	0.7	34.9	31	78.2	0.001
BCRK0349		1	0.1	0.1	<2	<0.5	0.002
BCRK0350		1	0.1	0.1	<2	<0.5	0.001
BCRK0351		2	0.8	3.1	2	1.4	0.001
BCRK0352		1	0.1	0.1	<2	<0.5	0.002
BCRK0353		1	0.2	0.5	<2	0.5	0.002
BCRK0354		2	0.5	0.8	<2	<0.5	0.001
BCRK0355		1	0.1	<0.1	<2	<0.5	0.001
BCRK0356		2	0.4	0.4	<2	1.7	0.001
BCRK0357		3	0.4	0.5	<2	1.5	0.001
BCRK0358		250	15.8	32.3	26	51.5	0.001
BCRK0359		5	4.0	5.5	6	25.5	0.001
BCRK0360		1	0.4	0.3	17	0.6	0.001
BCRK0361		194	0.4	16.9	148	38.0	0.001
BCRK0362		188	0.3	15.7	93	29.2	0.001
BCRK0363		2	0.1	0.2	12	<0.5	0.002
BCRK0364		1	0.1	0.1	2	<0.5	0.002
BCRK0365		<1	0.2	<0.1	<2	<0.5	0.001
BCRK0366		26	13.8	3.6	45	25.2	0.001
BCRK0367		38	6.1	15.8	54	66.0	0.014
BCRK0368		2	3.5	2.8	21	21.2	0.001
BCRK0369		5	3.9	2.8	7	11.2	0.001
BCRK0370		1	2.3	5.2	24	12.1	0.001
BCRK0371		1	2.7	2.4	4	6.3	0.002
BCRK0372		3	10.9	1.6	32	6.9	0.001
BCRK0373		1	7.4	3.5	19	23.1	0.003



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

Project: Barrow Creek

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 14-SEP-2017  
Account: COREEXP

**CERTIFICATE OF ANALYSIS AD17182270**

	CERTIFICATE COMMENTS
	<b>ANALYTICAL COMMENTS</b>
Applies to Method:	REE's may not be totally soluble in this method. ME-MS61
	<b>ACCREDITATION COMMENTS</b>
Applies to Method:	NATA Accredited. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist. Au-ICP21 ME-MS61
	<b>LABORATORY ADDRESSES</b>
Applies to Method:	Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. NATA Accreditation does not cover the performance of ALS Perth Sample Preparation which is processed at 79 Distinction Road, Wangara, WA, Australia Au-ICP21 ME-MS61
Applies to Method:	Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia. CRU-21 CRU-31 LOG-22 PUL-31 PUL-QC SPL-21 WEI-21